OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 1. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JAN. 6. [Price 1½*d*

General Register Office, Somerset House,
January 8th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 30·9 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	TOWNS.	Weeks ending Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
33 Great Towns	**22·0**	**27·5**	**30·6**	**30·9**	Leicester - -	22·7	24·4	30·0	26·2
Birkenhead -	14·0	22·6	22·6	20·0	Liverpool - -	26·5	33·9	36·9	34·4
Birmingham -	22·6	28·6	25·7	27·0	London - - -	23·8	29·9	35·2	37·1
Blackburn -	17·0	19·7	23·9	23·2	Manchester - -	18·8	23·8	22·9	23·8
Bolton - -	16·7	23·1	25·4	21·9	Newcastle-on-Tyne	19·4	24·9	28·3	26·3
Bradford -	20·5	21·0	22·1	24·7	Norwich - -	16·6	22·1	33·1	32·7
Brighton -	20·7	35·1	33·0	44·9	Nottingham - -	19·4	25·3	34·9	40·8
Bristol - -	21·3	25·5	22·7	22·0	Oldham - -	19·4	21·8	30·1	18·7
Burnley -	16·6	19·4	19·4	12·5	Plymouth - -	27·5	38·9	49·7	36·7
Cardiff - -	19·9	24·4	20·2	17·2	Portsmouth - -	30·3	42·4	42·1	32·6
Croydon -	20·0	22·9	33·1	40·5	Preston - -	25·7	36·4	39·5	42·5
Derby - -	14·7	20·1	27·0	21·7	Salford - - -	23·4	26·8	26·5	27·9
Gateshead -	16·1	21·0	25·9	17·6	Sheffield - -	21·4	23·0	25·0	24·2
Halifax -	17·6	23·5	21·3	20·2	Sunderland - -	20·1	29·4	27·9	24·8
Huddersfield-	9·6	17·6	17·6	19·0	Swansea - -	24·6	36·7	27·6	23·7
Hull - -	22·3	23·1	24·5	22·7	West Ham - -	15·8	20·7	21·5	27·0
Leeds - -	20·4	18·9	22·3	25·6	Wolverhampton -	24·1	35·2	39·3	20·4

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·2 in Leicester, 1·4 in Salford, 1·5 in Huddersfield, 1·7 in Hull, 1·9 in Cardiff, 2·1 in Halifax, and 6·1 in Preston; from *scarlet fever*, 1·3 in Burnley; and from *whooping-cough*, 1·0 in Bolton, 1·1 in Portsmouth, 1·3 in Liverpool, 2·1 in Salford, and 2·3 in Norwich. In none of the thirty-three towns did the death-rate from "*fever*" or from *diarrhœa* reach 1·0 per 1000. The 121 deaths from *diphtheria* included

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

4555—670—1/1900 Wt 41 D & S 3 A

58 in London, 17 in Sheffield, 6 in Liverpool, 5 in Leeds, 4 in West Ham, 4 in Leicester, 3 in Portsmouth, 3 in Salford, 3 in Blackburn, and 3 in Preston. Seven deaths from *small-pox* were registered in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON* 2792 BIRTHS and 3266 DEATHS were registered. Allowing for increase of population, the births were 173 below, and the deaths 1109 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 23·8, 29·9, and 35·2 in the preceding three weeks, further rose last week to 37·1. During the four weeks ending on Saturday last the death-rate averaged 31·5 per 1000, being 9.0 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 3266 deaths included 62 from measles, 6 from scarlet fever, 58 from diphtheria, 26 from whooping-cough, 19 from enteric fever, 10 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 181 deaths were referred to these diseases, being 44 below the corrected average weekly number.

The deaths from *measles*, which had been 57, 58, and 64 in the preceding three weeks, fell again last week to 62, and were equal to the corrected average; 10 cases belonged to Fulham, 10 to Islington, and 10 to Battersea sanitary areas. The deaths from *scarlet fever*, which had been 9, 11, and 12 in the preceding three weeks, fell again last week to 6, and were 16 below the corrected average. The deaths from *diphtheria*, which had been 55, 54, and 56 in the preceding three weeks, further rose last week to 58, and were 9 above the corrected average; 6 cases belonged to Poplar, 6 to Camberwell, 4 to Bethnal Green, 3 to Fulham, 3 to Hackney, 3 to Lambeth, and 3 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 36, 31, and 28 in the preceding three weeks, further fell last week to 26, and were 41 below the corrected average; 7 cases belonged to Poplar and 5 to Hackney sanitary areas. The fatal cases of *enteric fever*, which had been 13, 36, and 18 in the preceding three weeks, were 19 last week, the corrected average being 12; 2 cases belonged to St. Pancras, 2 to Islington, 2 to Hackney, 2 to Bethnal Green, and 2 to Wandsworth sanitary areas. The deaths from *diarrhœa*, which had been 14, 12, and 9 in the preceding three weeks, were 10 last week, the corrected average being 13. The deaths referred to diseases of the respiratory organs, which had been 646, 968, and 1,172 in the preceding three weeks, further rose last week to 1,221, and were 558 above the corrected average. The deaths attributed directly to *influenza* numbered 316, having been 38, 69, and 193 in the preceding three weeks.

Different forms of violence caused 103 deaths, concerning all but 2 of which inquests were held. Of these 103 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 91 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 2 to conflagrations, 11 others to burns and scalds, 7 to drowning, 2 to the effects of chloroform administered for surgical purposes, and 17 (of infants under one year of age), to suffocation in bed.

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong

Deaths of Persons belonging to London and its Sanitary Areas, Registered in the 13 weeks ending 30th December, 1899.

Sanitary Areas.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple and undefined Fever.	Diarrhœa.			
REGISTRATION LONDON	23,657	1	530	131	692	215	-	362	-	263	2,316	4,822	150
West.													
Paddington	531	-	2	2	12	3	-	4	-	1	37	83	117
Kensington	821	-	8	4	22	-	-	8	-	4	58	130	149
Hammersmith	502	-	2	4	7	-	-	14	-	5	41	116	158
Fulham	671	-	53	10	22	8	-	10	-	9	62	188	167
Chelsea	497	-	12	2	5	3	-	8	-	15	51	82	146
St. George Hanover Square	321	-	5	3	5	9	-	-	-	4	33	37	115
St. Margt & St. John Westr.	332	-	5	-	2	2	-	5	-	2	60	56	197
St. James Westminster	101	-	2	1	2	1	-	1	-	2	9	14	175
North.													
St. Marylebone	667	-	8	6	18	2	-	11	-	3	72	102	109
Hampstead	237	-	1	4	5	2	-	1	-	1	20	42	107
St. Pancras	1,408	-	8	4	47	13	-	17	-	12	147	267	172
Islington	1,759	-	31	16	51	18	-	24	-	14	140	360	156
Stoke Newington	116	-	1	1	3	-	-	2	-	-	8	17	85
Hackney	950	-	6	6	25	16	-	19	-	11	91	210	138
Central.													
St. Giles	192	-	10	-	2	-	-	1	-	2	30	26	88
St. Martin-in-the-Fields	54	-	3	-	-	-	-	1	-	1	6	6	171
Strand	151	-	1	-	2	-	-	-	-	2	23	24	194
Holborn	174	-	2	1	-	-	-	4	-	2	22	30	183
Clerkenwell	419	-	1	6	10	10	-	12	-	4	47	92	189
St. Luke	284	-	2	5	4	2	-	1	-	4	31	50	109
City of London	168	-	1	-	3	1	-	3	-	1	14	8	79
East.													
Shoreditch	757	-	21	6	21	8	-	11	-	7	67	160	164
Bethnal Green	802	-	26	1	24	20	-	19	-	8	88	217	193
Whitechapel	459	1	17	1	11	2	-	5	-	6	51	96	137
St. George-in-the-East	334	-	13	-	2	2	-	3	-	4	29	101	205
Limehouse	420	-	-	-	7	6	-	16	-	5	47	93	200
Mile End Old Town	661	-	9	2	26	6	-	15	-	1	58	136	126
Poplar	1,020	-	17	3	29	29	-	23	-	13	103	222	155
South.													
St. Saviour	153	-	5	1	2	-	-	-	-	4	20	35	206
St. Geo.-the-Martyr Southwk.	459	-	20	4	13	1	-	6	-	8	66	84	161
Newington	823	-	19	6	23	-	-	11	-	13	109	183	175
St. Olave	87	-	2	1	4	-	-	1	-	-	13	16	176
Bermondsey	592	-	20	2	33	-	-	9	-	6	58	134	177
Rotherhithe	248	-	10	3	19	-	-	7	-	4	24	49	157
Lambeth	1,535	-	26	5	46	14	-	22	-	20	130	312	137
Battersea	846	-	74	6	20	11	-	24	-	5	80	172	140
Wandsworth	872	-	39	2	20	5	-	8	-	14	69	180	132
Camberwell	1,261	-	22	6	71	1	-	17	-	10	117	254	139
Greenwich	891	-	21	3	27	12	-	11	-	14	74	216	153
Lee	159	-	2	-	5	1	-	-	-	2	11	32	137
Lewisham (excluding Penge)	414	-	-	3	26	2	-	5	-	8	37	86	146
Woolwich	256	-	2	-	7	4	-	3	-	7	32	53	169
Plumstead	253	-	1	1	9	1	-	-	-	5	31	51	101

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 496 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 545 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 8 cases of small-pox, 2730 of scarlet fever, 1653 of diphtheria, and 382 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 1 case, against 0, 5, and 2; of scarlet fever, 186 cases, against 180, 209, and 161; of diphtheria, 190 cases, against 218, 187, and 178; and of enteric fever,cases, 41 against 50, 49, and 43.

Greater London.

In Greater London 3990 births and 4329 deaths were registered, corresponding to annual rates of 31·3 and 33·9 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 4 from scarlet fever, 22 from diphtheria, 10 from whooping-cough, 6 from "fever," and 8 from diarrhœa were registered. Eleven deaths from diphtheria and 4 from "fever" occurred in West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·55 inches, and that of the Thermometer 41°·1; the latter being 2°·7 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 9·5 hours; the measured rainfall amounted to 0·48 of an inch.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of December, 1899. The supply was in the ratio of 224 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	December, 1898.	December, 1899.	December, 1898.	December, 1899.
Total Supply	871,596	894,595	191,717,971	200,251,414
From Thames	418,693	427,760	102,367,118	105,361,497
From Lea and from other Sources	452,903	466,835	89,350,853	94,889,917
Thames.				
Chelsea	38,065	38,446	11,419,640	11,836,928
West Middlesex	83,390	84,960	20,095,537	20,132,819
Southwark and Vauxhall	122,191	123,523	30,288,167	30,435,447
Grand Junction	63,521	65,620	17,974,880	18,868,700
Lambeth	111,526	115,211	22,588,894	24,087,603
Lea and other Sources				
New River	165,534	168,684	35,212,278	36,173,192
East London	197,652	204,778	38,308,993	41,984,557
Kent	89,717	93,373	15,829,582	16,732,168

Note.—The Return for December, 1899, as compared with that for the corresponding month of 1898, hows an increase of 22,999 services and of 8,533,443 gallons of water supplied daily.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Analysis of Metropolitan Water Supply during November, 1899.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
December 21, 1899.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of December.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·5, New River 1·3, East London 3·5, Grand Junction 3·6, Lambeth 3·8, West Middlesex and Southwark 3·9, and Chelsea 4·4.

Analysis of Metropolitan Waters.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle. — Thames.		°								
Chelsea - - -	December 8th. Cab Rank, Horse Guards, Whitehall.	8·4	33·56	·236	·024	0	·287	·311	2·1	20·9
West Middlesex -	December 8th. Cab Rank, Riding House-street.	9·6	31·28	·208	·024	0	·268	·292	2·0	20·6
Southwark - -	December 8th. Cab Rank, St. George's Church, Borough.	8·7	33·32	·205	·026	0	·302	·328	2·0	20·9
Grand Junction -	December 8th. Cab Rank, Portman-street, Oxford-street.	8·0	32·76	·195	·020	0	·292	·312	1·9	20·9
Lambeth - - -	December 8th. Cab Rank, St. George's-road, Southwark.	8·3	33·56	·199	·026	0	·317	·343	2·0	20·3
Lea.										
New River - -	December 8th. Cab Rank, Tottenham Court-road.	8·3	33·92	·067	·011	0	·281	·292	1·7	22·1
East London - -	December 8th. Cab Rank, Sidney-street, E.	8·5	39·52	·182	·023	0	·314	·337	2·1	24·5
Deep Well.										
Kent - - - -	December 8th. Police Station, Blackheath-road.	12·7	40·36	·022	·007	0	·507	·514	2·3	26·0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected on the 8th December, at the Horse Guards cab rank, had a temperature of 8·4° C.; 100,000 lbs. of it contained 33·56 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·236 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained no ammonia and ·287 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·311 lb. The above weight of water also contained 2·1 lbs. of chlorine, and 20·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The water supplied by the five Companies drawing from the Thames was delivered in a clear condition. The samples examined this month were of fair chemical quality, and, with the exception of the Chelsea Company's water, contained considerably less vegetable organic matter than those analysed during November.

The River Lea water delivered by the New River Company was clear and of good chemical quality. The water supplied by the East London Company from the same river was clear and of fair chemical quality, being, in respect to organic matter, slightly better than any of the Thames derived supplies.

The water of the Kent Company was clear and of a high degree of organic purity.

Seen through a stratum two feet deep, the Kent water was colourless, the New River nearly colourless and the remaining waters pale yellow in colour.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar-General,

Somerset House, W.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 6th Jan. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	11,610,296	7145	6870	1079	2501	7	156	40	121	93	55	34	229	594	1397	99	30·9	2·3	52·2	25·4	39·3	4·06	1·20	3·05	33 Towns.
London	4,589,129	2792	3266	407	1355	-	62	6	58	26	19	10	103	312	843	23	37·1	2·1	51·7	27·5	41·1	5·06	0·48	1·22	London.
West Ham	314,472	197	163	27	59	-	2	1	4	1	2	2	4	11	23	6	27·0	2·0	-	-	-	-	-	-	West Ham.
Croydon	131,186	57	102	10	53	-	-	-	-	2	-	-	2	7	13	-	40·5	0·8	52·0	28·5	40·2	4·56	0·67	1·70	Croydon.
Brighton	124,148	58	107	9	56	-	-	1	-	-	1	-	4	8	22	-	44·9	0·8	51·0	30·0	43·3	6·28	1·32	3·35	Brighton.
Portsmouth	194,955	115	122	14	56	-	1	-	3	4	-	-	3	13	20	2	32·6	2·1	51·0	30·0	42·3	5·72	1·78	4·52	Portsmouth.
Plymouth	102,161	64	72	19	30	-	-	-	-	-	-	-	1	8	5	-	36·7	-	-	-	-	-	-	-	Plymouth.
Bristol	324,973	207	137	26	52	-	-	1	2	1	2	1	4	9	23	1	22·0	1·1	52·2	25·4	40·0	4·44	2·03	5·16	Bristol.
Cardiff	194,247	84	64	16	16	-	7	2	1	-	-	-	1	2	4	-	17·2	2·7	-	-	-	-	-	-	Cardiff.
Swansea	105,472	56	48	12	12	-	-	-	1	1	-	-	2	5	5	-	23·7	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	60	35	8	8	-	1	-	-	1	-	-	2	3	7	-	20·4	1·2	48·0	28·0	36·9	2·72	1·41	3·58	Wolverhampton.
Birmingham	519,610	367	269	55	82	-	5	1	2	4	9	1	15	25	44	7	27·0	2·2	-	-	-	-	-	-	Birmingham.
Norwich	114,855	62	72	13	36	-	-	-	-	5	-	-	2	6	11	1	32·7	2·3	50·0	27·4	39·3	4·06	0·30	0·76	Norwich.
Leicester	219,169	122	110	17	42	-	5	3	4	3	-	-	2	8	16	-	26·2	3·6	-	-	-	-	-	-	Leicester.
Nottingham	242,676	160	190	35	83	-	2	2	2	-	2	2	5	8	20	3	40·8	2·1	48·5	23·5	38·1	3·39	1·13	2·87	Nottingham.
Derby	107,991	61	45	10	14	-	1	1	-	-	1	1	2	5	13	-	21·7	1·9	-	-	-	-	-	-	Derby.
Birkenhead	117,170	58	45	7	17	-	2	-	-	-	1	-	-	3	11	1	20·0	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	440	419	72	113	-	7	5	6	16	2	2	15	29	96	25	34·4	3·1	45·7	33·1	38·3	3·50	1·94	4·93	Liverpool.
Bolton	164,240	76	69	16	20	-	1	-	-	3	-	1	1	3	8	-	21·9	1·6	-	-	-	-	-	-	Bolton.
Manchester	548,768	371	250	50	56	-	7	3	2	8	1	2	11	23	58	1	23·8	2·2	-	-	-	-	-	-	Manchester.
Salford	220,816	143	118	32	20	-	6	2	3	9	2	1	7	10	24	2	27·9	5·4	-	-	-	-	-	-	Salford.
Oldham	153,297	83	55	9	16	-	2	1	1	-	-	1	2	2	7	1	18·7	1·7	-	-	-	-	-	-	Oldham.
Burnley	116,730	68	28	4	2	-	-	3	1	-	-	1	2	3	2	2	12·5	2·2	-	-	-	-	-	-	Burnley.
Blackburn	137,107	62	31	7	21	-	-	1	3	1	2	-	2	2	8	5	23·2	2·7	-	-	-	-	-	-	Blackburn.
Preston	118,902	74	97	16	27	-	14	1	3	-	1	1	3	4	10	6	42·5	8·8	-	-	-	-	-	-	Preston.
Huddersfield	104,484	60	38	5	14	-	3	-	-	-	-	-	1	1	2	2	19·0	1·5	42·5	28·5	36·1	2·28	0·86	2·18	Huddersfield.
Halifax	100,710	57	39	8	11	-	4	1	1	-	1	-	-	-	5	1	20·2	3·6	-	-	-	-	-	-	Halifax.
Bradford	291,535	159	138	24	48	-	4	2	-	-	2	1	7	18	12	1	24·7	1·6	45·0	30·2	38·2	3·44	0·83	2·11	Bradford.
Leeds	431,287	280	212	37	60	-	4	-	5	5	2	1	6	27	29	1	25·6	2·1	-	-	-	-	-	-	Leeds.
Sheffield	365,922	258	170	41	34	-	6	3	17	-	2	1	9	12	20	6	24·2	4·1	-	-	-	-	-	-	Sheffield.
Hull	238,736	170	104	22	25	7		-	2	1	-	3	4		17	1	22·7	4·6	49·0	26·0	38·0	3·33	1·68	4·27	Hull.
Sunderland	147,398	107	70	18	25	-	-	-	-	-	2	-	1	3	8	-	24·8	0·7	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	86	37	13	7	-	-	-	-	-	-	-	-	-	-	1	17·6	-	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	131	118	20	31	-	2	-	-	2	1	2	6	15	11	-	26·3	1·6	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIRST Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2961	2817	2911	2577	2486	3085	2735	2717	3001	2893	2964·9	2792
Males - -	1516	1420	1479	1311	1306	1569	1425	1359	1509	1437	1507·6	1400
Females - -	1445	1397	1432	1266	1180	1516	1310	1358	1492	1456	1457·3	1392
TOTAL **Deaths** -	2371	2505	2679	2509	2038	1462	1707	1580	1990	1666	2157·4	3266
Males - -	1202	1221	1248	1221	1001	751	899	803	973	882	1073·2	1542
Females - -	1169	1284	1431	1288	1037	711	808	777	1017	784	1084·2	1724

*The numbers in this column are the average weekly numbers in the first week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
TOTAL **Births** - -	2549	2529	2495	2613	2711	2674	2556	2439	2339	2269	2585	1880	2792
TOTAL **Deaths** - - -	1637	1567	1844	1626	1506	1528	1526	1695	1957	2078	2607	3067	3266
Ages at Death: Under 1 year - -	333	318	376	352	334	355	331	388	406	427	429	451	407
1—5 years - -	182	159	203	197	215	180	226	209	247	251	272	261	269
5—20 " - -	89	92	118	86	116	93	94	74	117	110	105	125	122
20—40 " - -	238	222	269	206	218	214	193	227	225	256	303	359	393
40—60 " - -	330	342	391	363	280	318	305	351	405	426	551	703	720
60—80 " - -	378	352	391	339	274	300	312	349	446	476	744	928	1044
80 years and upwards	87	82	96	83	69	68	65	97	111	132	203	240	311
Deaths from—													
Small pox - - - -	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles - - - -	20	26	34	33	42	29	44	43	59	57	58	64	62
Scarlet Fever - - -	9	6	14	7	14	6	13	8	15	9	11	12	6
Diphtheria - - - -	56	60	59	39	68	56	43	52	43	55	54	56	58
Whooping-cough - - -	10	6	10	14	11	9	16	15	20	36	31	28	26
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	21	15	40	29	51	55	29	26	29	13	36	18	19
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	49	25	17	22	13	20	10	7	14	14	12	9	10
Cholera - - - -	–	–	1	1	–	–	–	–	–	–	–	–	–
All the above Diseases -	165	138	175	145	199	175	155	151	180	185	202	187	181
Dis. of Respiratory System -	275	306	477	418	325	324	350	430	548	646	968	1172	1221
Phthisis - - - - -	180	203	203	157	133	141	153	177	190	225	208	239	200
Dis. of Circulatory System -	170	139	173	122	107	148	141	143	165	172	278	271	284
Violence - - - -	75	79	63	54	75	57	61	66	76	81	107	103	103
Inquest Cases - - - -	144	153	185	122	144	134	154	155	188	203	263	281	312
Deaths in Public Institutions -	541	558	577	507	509	494	485	532	603	578	700	859	843
TEMPERATURE OF THE AIR.													
Mean - - - - -	47°·3	47°·4	51°·8	53°·2	50°·9	45°·9	45°.5	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1
Mean of Highest readings -	58·9	56·6	57·4	59·1	56·2	51·3	49·0	50·5	46·6	34·2	38·5	43·3	45·1
Mean of Lowest readings -	36·2	39·4	45·9	47·1	45·4	39·9	40·6	39·4	37·9	23·7	30·3	33·4	36·0
Humidity of the Air - -	82	82	90	83	78	84	80	82	87	73	92	84	88
Rain-fall (in inches) - -	0·12	0·00	1·30	1·81	2·33	0·00	0·00	0·29	0·46	0·05	0·08	0·59	0·48
Registered Sunshine (in hours)	38·9	43·3	7·8	22·5	20·9	8·4	0·0	8·2	10·0	7·4	0·7	6·2	9·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	–	–	–	—	–	1	1	1	1	–	5	7	8
Scarlet Fever - - - -	3217	3408	3504	3539	3564	3578	3503	3445	3290	3084	2916	2881	2730
Diphtheria - - - -	1595	1659	1700	1715	1692	1736	1761	1735	1730	1720	1701	1693	1653
Enteric Fever - - - -	308	331	342	407	426	443	448	461	460	452	420	406	382

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIRST Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 1st Week of the 10 years 1890-99*.	In the Week ending Saturday, 6th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ISES - - -	2157·4	3266	407	269	122	393	720	1044	311
Vaccinated† -	–	–	–	–	–	–	–	–	–
Unvaccinated	0·1	–	–	–	–	–	–	–	–
No Statement	–	–	–	–	–	–	–	–	–
- - - -	62·3	62	8	46	5	3	–	–	–
Fever - - -	21·8	6	–	5	1	–	–	–	–
- - - -	–	–	–	–	–	–	–	–	–
ng Fever - -	–	–	–	–	–	–	–	–	–
za - - - -	30·3	316	6	1	8	54	85	115	47
ng-cough - -	67·4	26	7	19	–	–	–	–	–
eria - -	48·9	58	3	35	17	3	–	–	–
Continued and fined Fever -	0·1	–	–	–	–	–	–	–	–
Fever - - -	11·8	19	–	–	4	12	2	1	–
and Chol. Diarr.	0·1	–	–	–	–	–	–	–	–
ea, Dysentery -	12·6	10	4	1	–	–	–	1	4
ent Fever - -	–	–	–	–	–	–	–	–	–
phobia - - -	0·1	–	–	–	–	–	–	–	–
rs - - - -	0·1	–	–	–	–	–	–	–	–
x and Effects of nation - -	–	–	–	–	–	–	–	–	–
al Affections - -	8·7	10	6	–	–	3	1	–	–
plas - - -	5·7	7	–	–	–	2	1	2	2
a and Septicæmia	2·7	1	–	–	1	–	–	–	–
ral Fever - -	5·7	4	–	–	–	3	1	–	–
Zymotic Diseases	2·0	2	1	–	–	–	–	–	1
- - - -	0·5	1	1	–	–	–	–	–	–
and other Parasitical Diseases -	0·3	–	–	–	–	–	–	–	–
tion, Want of st-milk - -	1·8	2	1	1	–	–	–	–	–
lism - - -	16·8	34	–	–	–	10	21	3	–
matic Fever, matism of Heart	9·4	10	–	–	4	3	3	–	–
matism - - -	2·7	7	–	–	–	–	2	5	–
- - - -	3·5	3	–	–	–	–	1	2	–
s - - - -	4·8	5	1	4	–	–	–	–	–
- - - -	70·6	86	–	–	–	6	41	35	4
Mesenterica - -	17·1	7	3	3	1	–	–	–	–
cular Meningitis -	23·0	17	7	7	3	–	–	–	–
is - - - -	192·2	200	3	7	9	85	74	21	1
la, Tuberculosis -	16·9	18	–	5	7	3	1	2	–
Constitutional ases - -	16·0	23	–	1	1	3	7	11	–
ture Birth - -	57·8	64	64	–	–	–	–	–	–
tasis - - -	4·7	5	5	–	–	–	–	–	–
nital Malforma- s - - -	9·7	6	6	–	–	–	–	–	–
ge - - - -	63·6	136	–	–	–	–	–	61	75
exy - - -	53·9	75	–	–	1	2	17	46	9
psy - - - -	6·3	15	–	–	1	2	5	6	1
lsions - - -	39·1	34	31	3	–	–	–	–	–
Diseases of Brain Nervous System	90·7	124	8	9	8	14	27	44	14
es of Organs of cial Sense -	3·6	4	–	1	1	1	1	–	–

CAUSES OF DEATH	Corrected Averages for the 1st Week of the 10 years 1890-99*.	In the Week ending Saturday, 6th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	192·2	284	2	1	14	42	83	128	14
Croup - - - -	6·2	1	–	1	–	–	–	–	–
Bronchitis - - -	421·4	767	72	38	3	21	130	400	103
Pneumonia - - -	173·7	368	60	59	13	68	87	65	16
Pleurisy - - - -	8·7	10	–	–	1	3	5	1	–
Other Diseases of Respiratory System -	52·9	75	6	2	2	4	27	29	5
Dentition - - - -	7·9	8	7	1	–	–	–	–	–
Quinsy, Sore Throat -	1·4	3	–	1	1	–	1	–	–
Enteritis - - -	13·2	4	1	–	–	1	2	–	–
Gastro-enteritis -		15	11	3	–	–	–	1	–
Peritonitis - - -	8·3	4	–	–	1	1	2	–	–
Diseases of Liver - -	25·5	35	–	1	1	2	19	11	1
Other Diseases of Digestive System	35·8	42	8	6	2	6	11	7	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	2	–	–	–	2	–	–	–
Diseases of Urinary System - - -	50·6	68	4	1	1	7	24	26	5
Diseases of Generative System - - -	4·6	5	–	–	–	2	2	–	1
Accidents of Childbirth -	5·8	6	–	–	1	4	1	–	–
Diseases of Locomotive System - - -	6·2	4	–	–	1	1	1	1	–
Diseases of Integumentary System - -	6·2	11	–	–	2	1	2	6	–
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - - -	76·5	6	–	–	–	2	4	–	–
By Vehicles or Horses -		8	–	1	1	1	4	1	–
In Ships, Boats, Docks, (exclusive of Drowning) - - -		–	–	–	–	–	–	–	–
In Building Operations -		–	–	–	–	–	–	–	–
In Conflagrations -		2	–	–	–	1	–	1	–
By Burns, Scalds, Explosions - -		11	–	4	4	–	2	1	–
By Drowning - - -		7	–	–	2	4	1	–	–
By Suffocation in Bed -		17	17	–	–	–	–	–	–
By Poisons or Poisonous Vapours - -		6	1	–	–	1	2	1	1
Other or not stated causes - - - -		34	1	1	–	8	11	8	5
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·7	1	–	–	–	–	–	1	–
Suicide - - - -	9·8	11	–	–	–	2	9	–	–
Execution - - -	0·3	–	–	–	–	–	–	–	–
OTHER CAUSES - -	61·3	54	52	1	–	–	–	1	–

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 6th January, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON -	4,411,710	2,792	3,266	407	1355	-	62	6	58	26	-	19	-	10	103	312	843
WEST DISTRICTS - - -	778,251	412	531	57	229	-	19	1	8	4	-	3	-	5	14	52	133
NORTH DISTRICTS - - -	1,040,694	598	725	77	326	-	11	4	12	7	-	8	-	3	23	65	166
CENTRAL DISTRICTS - - -	233,635	139	188	29	59	-	2	-	2	-	-	1	-	-	7	24	69
EAST DISTRICTS - - -	716,334	561	520	80	199	-	3	-	9	11	-	3	-	-	23	80	188
SOUTH DISTRICTS - - -	1,642,796	1,082	1,266	164	528	-	27	1	27	4	-	4	-	2	36	91	251
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	14	-	-	-	-	-	-	-	-	-	-	-	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	58	50	6	25	-	-	1	-	-	-	1	-	1	3	4	6
St. John Paddington *H* - - G.	33,510	6	23	4	9	-	-	-	-	-	-	-	-	-	1	3	5
Kensington Town *Ww* - - W.	122,164	64	98	10	52	-	3	-	-	-	-	-	-	1	1	2	35
Brompton *HH*- - - W. & C.	48,301	12	17	-	10	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* } W. & G	44,638	29	18	3	9	-	-	-	1	-	-	-	-	-	-	3	-
South Hammersmith *H* } W. & G	59,561	41	37	3	14	-	1	-	1	-	-	-	-	1	1	2	4
Fulham *Ww* - - - W. & C.	113,781	87	100	18	27	-	10	-	4	3	-	1	-	1	1	12	22
Chelsea Kensal Town - C.	21,450	12	9	1	4	-	-	-	-	-	-	-	-	-	-	2	-
Chelsea North *WHHHH* - C.	42,057	13	37	1	22	-	2	-	-	-	-	-	-	-	-	1	15
Chelsea South *HH* - - C.	33,139	23	19	2	6	-	1	-	-	-	-	-	-	-	1	4	-
May Fair *W* - - - - G.	23,827	-	28	-	16	-	1	-	-	-	-	1	-	-	-	1	16
Belgrave *WHHH* - - - C.	56,140	22	44	1	21	-	1	-	2	-	-	-	-	1	4	8	21
St. John Westminster *HH* - C.	31,492	26	27	4	5	-	-	-	-	1	-	-	-	-	1	4	1
St. Margaret Westminster *H*- C.	22,097	4	11	2	4	-	-	-	-	-	-	-	-	-	1	4	5
St. James Westminster *WH* N. & G.	23,050	9	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	6	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	36,595	14	24	2	7	-	-	-	-	-	-	-	-	-	-	1	13
Rectory Marylebone *W* G. & W.	19,798	3	13	2	8	-	-	-	-	-	-	-	-	-	1	2	4
St. Mary Marylebone *HHHH* G. & W.	19,637	31	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	12	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	20	21	-	12	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *WwHHHH* - N. & W.	75,449	34	49	4	25	-	-	-	4	-	-	1	-	-	3	4	11
Regent's Park† *HH* - W.	51,403	28	31	5	14	-	-	-	-	-	-	-	-	1	2	3	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	16	26	-	9	-	-	-	1	-	-	-	-	-	-	4	11
Gray's Inn Lane *HHHH* - N.	29,426	22	27	4	8	-	-	-	-	-	-	-	-	-	2	7	6
Somers Town *HH* - - - N.	32,161	23	20	4	4	-	-	-	-	-	-	-	-	1	-	-	1
Camden Town† *WH* - - N.	40,155	26	56	4	34	-	1	-	-	1	-	-	-	1	2	4	30
Kentish Town† *WW* - - N.	60,862	33	36	3	15	-	-	-	-	-	-	1	-	-	1	5	7
Upper Holloway *WWWWwHH* - - N.	98,273	43	107	7	48	-	8	-	-	1	-	-	-	-	1	3	52
Lower Holloway‡ - - - N.	41,805	22	19	-	17	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	40	26	3	13	-	1	-	-	-	-	-	-	-	1	1	-
Islington South-east‡ *H* - N.	75,725	46	48	5	20	-	-	-	-	-	-	-	-	-	2	5	-
Highbury *HH* - - - N.	64,577	44	39	8	16	-	1	-	-	-	-	1	-	-	2	6	1
Stoke Newington *H* - - N.	33,485	19	21	1	13	-	-	-	-	-	-	-	-	-	-	2	-
North Hackney - - E. & N.	213,044	20	24	1	14	-	-	-	2	-	-	-	-	-	2	4	-
Central Hackney *ww* - E. & N.		29	34	4	9	-	-	4	4	3	-	4	-	-	-	1	11
South-west Hackney *HHH* E. & N.		38	41	8	16	-	-	-	1	1	-	1	-	-	2	6	7
South-east Hackney *WwH* E. & N.		35	44	6	19	-	-	-	-	1	-	-	-	-	2	5	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therei namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note * on second page of this Return.

† The Sub-Districts of Regents's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-ea Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, RLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 6th January, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
sbury and St. Giles } - N.	29,086	20	14	3	3	-	-	-	-	-	-	-	-	-	-	2	6	-
n WH - - }																		
es North H - - - N.	9,151	6	8	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-
tin-in-the-Fields HH N. & C.	13,077	5	15	3	4	-	-	-	-	-	-	-	-	-	1	2	5	-
WHH - - - - N.	11,839	3	12	1	4	-	-	-	-	-	-	-	-	-	-	1	8	-
Union Workhouse, Edmonton	†*1,037*	-	10	1	8	-	-	-	-	-	-	-	-	-	-	-	10	-
n wHHHHHH - N.	31,042	14	25	5	4	-	-	-	1	-	-	-	-	-	1	2	10	-
nes Clerkenwell - - N.	15,777	6	9	3	4	-	-	-	-	-	-	-	-	-	-	1	-	-
ll Clerkenwell - - N.	34,356	31	19	3	7	-	-	-	1	-	-	-	-	-	1	4	-	-
ll-street - - - - N.	16,069	8	13	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
oad HHHL - - - N.	29,897	36	21	3	5	-	1	-	-	-	-	-	-	-	1	7	5	-
cross-street - - - N.	7,595	1	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ry - - - - - N.	4,035	1	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
n Union Workhouse, }	†*892*	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
ham - - - - - }																		
olph HH - - N. & E.	9,762	1	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
egate - - - - N.	3,299	1		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ulchre WH - - - N.	9,591	2	22	1	2	-	-	-	-	-	-	1	-	-	1	1	18	-
ows Barking - - - N.	9,059	4	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
litch South Hl - E. & N.	17,975	16	15	5	2	-	-	-	-	-	-	-	-	-	1	3	1	-
n New Town w - - N.	29,575	17	25	2	14	-	-	-	-	1	-	-	-	-	-	9	15	-
n Old Town - - - N.	27,645	19	8	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
rston WH - - N. & E.	47,163	46	40	5	15	-	-	-	-	-	-	-	-	-	3	6	21	-
al Green North H - E.	49,301	29	23	3	7	-	-	-	2	2	-	-	-	-	-	2	-	-
al Green South - - E.	34,194	30	20	6	9	-	1	-	-	1	-	-	-	-	1	6	-	-
al Green East WWHl - E.	45,667	25	63	5	37	-	-	-	1	-	-	1	-	-	-	-	41	-
fields - - - E. & N.	26,681	22	13	4	2	-	-	-	1	-	-	-	-	-	1	6	-	-
End New Town WH - E.	51,995	23	56	4	8	-	-	-	-	-	-	2	-	-	2	8	44	-
nan's Fields - - - E.		16	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
orge's, North - - - E.	39,576	29	16	3	7	-	-	-	-	-	-	-	-	-	-	2	-	-
n, St. George East W E.	7 930	4	19	2	7	-	-	-	-	-	-	-	-	-	2	2	13	-
well H - - - E. & N.	10,434	8	10	2	3	-	-	-	2	-	-	-	-	-	-	-	6	-
ff W - - - - E.	14,954	7	13	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
ouse - - - - E.	32,917	35	11	2	3	-	-	-	-	-	-	-	-	-	1	5	-	-
End Old Town West H E.	111,060	44	25	5	14	-	-	-	-	-	-	-	-	-	1	5	-	-
End Old Town East } - E.		43	46	4	19	-	-	-	-	-	-	-	-	-	3	5	13	-
Ww }																		
l - - - - E.	41,687	35	20	4	6	-	2	-	-	1	-	-	-	-	2	3	2	-
ey wwwH - - - E.	69,321	55	60	12	25	-	-	-	2	5	-	-	-	-	4	10	26	-
r WW - - - - E.	57,759	58	30	8	11	-	-	-	1	1	-	-	-	-	1	5	6	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 6th January, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL.&S.*	13,064	11	5	–	1	–	–	–	1	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	8	3	–	3	–	–	–	–	–	–	–	–	–	–	–
Kent-road - - - - S. & L.	22,879	20	16	3	3	–	1	–	–	–	–	–	–	–	–	4
Borough-road *WH* - S. & L.	16,083	12	9	1	2	–	–	–	–	–	–	–	–	–	1	6
London-road *HL* - - L. & S.	21,316	12	24	3	9	–	–	–	–	–	–	–	–	–	2	6
Trinity Newington - - S. & L.	28,723	26	18	–	8	–	1	–	–	–	–	–	–	–	–	1
St. Peter Walworth *W* - S. & L.	62,045	40	61	7	24	–	1	–	–	–	–	–	–	–	3	6
St. Mary Newington- - L. & S.	30,171	26	16	2	5	–	–	–	–	–	–	–	–	–	–	4
St. Olave *WH* - - - - S.	11,731	9	32	3	3	–	–	–	–	–	–	–	–	–	9	10
Bermondsey *W* - - - S.	85,475	57	58	13	18	–	1	–	–	–	–	–	–	–	1	5
Rotherhithe *Ww* - S. & K.	40,379	22	71	7	30	–	1	–	1	–	–	–	–	–	2	3
Waterloo-road *HH* - L. & S.	28,396	25	17	2	5	–	2	–	–	–	–	–	–	–	–	–
Lambeth Church 1st *H* - L. & S.	18,770	12	28	4	7	–	–	–	–	1	–	–	–	–	3	4
Lambeth Church 2nd *WW* L. & S.	40,994	47	59	6	26	–	–	–	–	–	–	–	–	–	–	2
Kennington 1st *H* - - S. & L.	52,486	30	36	6	20	–	–	–	1	–	–	–	–	1	–	1
Kennington 2nd - - S. & L.	43,244	16	26	4	12	–	–	–	1	–	–	–	–	–	–	–
Brixton *w* - - - L. & S.	81,825	43	51	8	26	–	–	–	1	–	–	–	–	1	1	3
Norwood *WH*- - - - L.	29,318	16	15	–	10	–	1	–	–	–	–	–	–	–	–	–
East Battersea - - - - S.	71,730	43	56	7	20	–	7	–	–	–	–	–	–	–	3	5
West Battersea *WwH* - - S.	93,385	56	94	13	39	–	3	–	–	1	–	1	–	–	3	8
Clapham *H* - - - - S.	46,953	21	33	–	19	–	1	–	–	–	–	–	–	–	–	–
Wandsworth *WHHL* - - S.	58,101	45	27	9	7	–	–	–	–	–	–	–	–	–	–	1
Putney - - - - - S.	20,566	17	12	1	7	–	–	–	–	–	–	–	–	–	–	–
Streatham *WwwwwL* - - L.	61,644	41	47	5	17	–	2	–	4	–	–	2	–	–	1	2
Dulwich - - - - L. & S.	7,519	2	3	–	3	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	47	88	4	39	–	–	–	–	–	–	–	–	–	3	3
Peckham *WW* - S., L., & K.	88,242	54	50	9	28	–	–	–	1	–	–	1	–	–	1	4
St. George Camberwell - L. & S.	67,029	45	37	9	13	–	1	–	–	–	–	–	–	–	–	1
Deptford North - - - K.	36,152	41	14	3	4	–	1	–	–	–	–	–	–	–	1	2
Deptford Central *w* - - K.	45,441	30	35	7	7	–	1	–	5	–	–	–	–	–	1	3
Deptford South - - - K.	33,402	14	18	–	14	–	–	–	–	–	–	–	–	–	1	1
Greenwich West *H* - - K.	23,012	15	11	–	7	–	–	–	–	–	–	–	–	–	–	1
Greenwich East *WH* - - K.	37,767	29	24	2	11	–	–	–	–	1	–	–	–	–	–	–
Eltham *wH* - - - - K.	5,911	–	6	–	4	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	24,222	15	16	1	14	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwH* - - - K.	38,139	38	44	9	18	–	–	1	4	–	–	–	–	–	–	–
Sydenham *H* - - - - L.	37,601	22	11	2	5	–	–	–	–	–	–	–	–	–	–	1
Charlton *wHH* - - K.	15,928	8	18	–	4	–	–	–	7	–	–	–	–	–	–	–
Woolwich Dockyard - - K.	19,355	10	12	4	4	–	–	–	–	–	–	–	–	–	–	2
Woolwich Arsenal *HHHH* - K.	21,959	13	14	3	3	–	2	–	–	1	–	–	–	–	–	1
Plumstead West *H* - - K.	16,714	8	7	–	4	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	42,538	36	44	7	25	–	1	–	1	–	–	–	–	–	–	1
Banstead Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton Asylum, Epsom - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Dartford Heath - - - - -	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–
Hanwell Asylum - - - -	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–
Colney Hatch Asylum - - -	—	–	12	–	5	–	–	–	–	–	–	–	–	–	–	–
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Claybury Asylum - - - -	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ling Saturday, 6th January, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
DON—OUTER RING -	368,749	1,422,063	1198	1063	181	452	-	7	4	22	10	6	8	22	60	124	14
Carshalton *H* - - -	12,228	26,108	21	15	5	7	-	-	-	-	-	-	-	-	-	1	-
Epsom, *part of** *WwHH* -	10,423	12,508	6	8	2	2	-	-	1	-	1	-	1	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WwHHH* - -	20,851	128,699	75	120	11	63	-	-	-	2	2	-	-	3	10	16	-
Mitcham *w* - - -	11,697	23,072	17	19	4	9	-	-	-	-	-	-	-	-	-	-	1
Wimbledon *HHH* - -	3,220	25,777	26	31	5	11	-	-	-	-	-	1	-	-	-	1	-
Kingston *WH* - - -	14,672	33,566	22	30	8	13	-	-	-	-	-	-	2	1	4	7	-
Surbiton *H*- - - -		12,178	7	8	2	3	-	-	-	-	-	-	-	2	3	2	-
Esher, *part of** *HH* - -		11,080	3	5	-	5	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	8	7	1	1	-	-	-	-	-	-	-	-	-	2	-
Richmond *WH*- - -	2,160	25,389	11	19	3	11	-	1	-	-	-	-	-	-	1	2	-
Mortlake *H* - - -	2,823	16,159	11	9	1	5	-	-	-	-	-	-	-	-	1	-	-
Bromley *HHH* - - -	9,127	23,815	14	14	-	10	-	-	-	-	-	-	-	1	1	2	-
Beckenham *H* - - -	6,542	21,969	10	13	-	8	-	-	-	1	-	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	6	17	2	9	-	-	-	-	2	-	-	-	-	4	-
Bexley *HHH* - - -	12,540	30,590	35	24	4	11	-	-	-	-	-	-	-	2	4	2	1
Dartford *WH*, *part of** -	—	—	-	4	-	2	-	-	-	-	-	-	1	-	-	4	-
Sunbury *w* - - -	11,054	13,671	2	5	1	3	-	2	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	8	11	-	9	-	-	-	-	-	-	-	-	-	-	1
Hillingdon *WHH* - -	6,035	12,237	8	10	3	3	-	-	-	1	-	-	-	-	-	1	-
Uxbridge - - - -	12,757	7,253	4	5	1	3	-	-	-	-	-	-	-	-	1	-	-
Hayes *wH* - - - -	7,952	11,051	11	9	2	6	-	-	-	-	-	-	1	-	-	-	1
Isleworth *WHH* - -	6,967	26,004	21	32	8	15	-	-	-	-	-	-	-	-	1	19	-
Twickenham *HH* - -	2,415	16,027	10	5	1	4	-	-	-	-	-	-	-	-	-	1	-
Brentford *HHHH* - -	4,318	37,777	27	22	6	9	-	-	-	1	-	-	-	-	1	1	1
Chiswick - - - -	1,245	21,963	24	6	1	3	-	-	-	-	-	-	-	-	1	-	-
Acton *wHH* - - -	6,132	30,945	20	21	5	7	-	-	-	-	-	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	13	11	1	4	-	-	-	-	-	-	-	1	-	-	1
Edgware *HH* - - -	6,994	3,844	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	70	55	8	15	-	-	1	2	1	-	-	-	1	3	1
Hendon *WH* - - -	8,382	15,843	12	19	1	8	-	-	-	-	-	-	-	-	1	6	-
South Mimms *HH* - -	21,077	6,367	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	7	7	2	3	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH*- - -	4,688	25,820	14	14	1	10	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	36	43	6	20	-	-	-	2	1	-	-	1	1	1	-
Tottenham *HH*- - -	4,642	97,174	97	47	10	15	-	-	-	-	-	1	-	3	5	1	-
Edmonton *Www* - -	7,489	36,351	41	32	9	10	-	-	-	1	-	-	-	-	1	3	1
Enfield *WWHH* - -	12,602	31,536	26	17	3	8	-	-	-	-	-	-	-	1	1	-	-
Waltham Abbey - - -	11,017	6,066	6	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Cheshunt *H* - - -	8,480	9,620	7	5	2	3	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	8	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Watford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-
Stratford *H* - - -	4,706	38,612	34	19	3	8	-	-	-	-	-	1	-	1	3	1	-
Plaistow *HHH* - - -		58,030	70	44	12	14	-	-	1	-	1	-	1	-	2	-	3
Canning Town *H* - -		54,750	52	36	6	7	-	1	-	3	-	-	1	2	4	-	1
Forest Gate *w* - - -		53,511	41	42	6	19	-	1	-	1	-	-	-	1	1	-	2
East Ham *wHH* - -	3,266	32,713	76	37	13	7	-	-	-	4	-	-	1	-	4	-	-
Leyton *WWWwH* - -	4,334	70,188	64	67	4	32	-	1	-	-	-	3	-	-	2	37	-
Walthamstow *HHHL* -	6,501	57,330	59	46	5	19	-	-	-	3	-	-	-	1	3	1	-
Chigwell, *part of** *HHHH*	11,779	12,941	9	6	-	6	-	-	-	-	-	-	-	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *WH* -	6,556	4,324	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Ilford - - - - -	8,493	10,913	14	11	4	3	-	-	1	-	1	-	-	-	1	-	-
Barking Town, *H* - -	3,814	14,301	14	12	5	4	-	1	-	-	-	-	-	1	1	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Middlesex County Asylum, *annexe*, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham rley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst stri except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld s district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ous Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 6th January, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**33·9**	**1·9**	**4329**	**588**	**1807**	–	**69**	**10**	**80**	**36**	**25**	**18**	**125**
INNER LONDON -	74,672	4,589,129	37·1	2·1	3266	407	1355	–	62	6	58	26	19	10	103
OUTER RING -	368,749	2,063,016	26·9	1·4	1063	181	452	–	7	4	22	10	6	8	22

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	Dec. 30	155	143	24·9	–	–	1	2	1	–
		Jan. 6	162	132	22·8	–	–	–	–	–	–
GLASGOW - -	743,585	Dec. 30	430	394	28·0	–	19	4	3	11	4
		Jan. 6	427	409	28·7	–	20	4	1	6	2
DUBLIN - -	349,594	„ 6	187	337	50·3	–	10	–	–	1	5
CALCUTTA - -	466,460	Nov. 25	–	297	33·2	1	2	–	–	1	109†
BOMBAY - -	821,764	Dec. 12	249	1158	73·3	7	30	?	?	?	271†
MADRAS - -	452,518	„ 8	403	358	41·1	–	13	?	?	?	72
PARIS - - -	2,511,629	„ 30	1059	1170	24·2	–	7	–	5*	1	9
BRUSSELS - -	561,130	„ 30	260	264	24·4	–	–	1	4*	–	1
AMSTERDAM -	517,595	„ 23	364	226	22·5	–	–	–	–	5	3
ROTTERDAM -	315,305	„ 23	210	150	24·5	–	1	2	2	2	2
THE HAGUE -	199,285	„ 23	103	76	19·8	–	–	–	1	–	–
COPENHAGEN -	349,000	„ 30	198	140	20·9	–	–	3	1	–	1
STOCKHOLM -	291,580	„ 23	154	94	16·8	–	–	–	9*	1	–
CHRISTIANIA -	221,255	„ 30	174	76	17·9	–	1	–	1	–	1
ST. PETERSBURG	1,132,677	„ 23	698	584	26·9	7	15	17	32	8	23
MOSCOW - -	988,610	„ 23	–	511	27·0	–	4	10	13	2	4
BERLIN - -	1,818,517	„ 16	893	624	17·6	–	9	11	21	10	1
HAMBURG - -	675,351	„ 30	–	–	–	–	–	–	–	–	–
DRESDEN - -	397,300	„ 9	210	132	17·2	–	3	1	2*	2	–
BRESLAU - -	406,012	„ 30	–	187	–	–	5	1	3	1	–
MUNICH - -	445,000	„ 23	317	200	23·4	–	4	–	3*	2	–
VIENNA - -	1,623,134	„ 23	855	643	20·4	–	17	2	13*	3	1
PRAGUE - -	384,622	„ 23	167	168	22·6	–	1	–	2	1	3
BUDA-PESTH -	666,722	„ 23	392	228	17·8	–	5	7	1	–	2
TRIESTE - -	166,599	„ 16	135	115	35·8	–	1	3	5*	–	–
ROME - - -	508,779	„ 9	–	–	–	–	–	–	–	–	–
TURIN (10 days)	344,203	Nov. 20	–	–	–	–	–	–	–	–	–
VENICE - -	172,288	Dec. 16	80	91	27·5	–	–	–	1*	–	1
CAIRO - -	570,062	„ 2	423	364	33·2	1	2	–	7*	–	7
ALEXANDRIA -	319,766	„ 2	273	177	23·8	–	–	–	1*	1	2
NEW YORK (including BROOKLYN)	3,550,053	„ 16	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,266,832	„ 16	–	445	18·3	–	–	2	34	2	3

* Including deaths from croup.
† Including 37 deaths from plague in Calcutta, and 170 in Bombay.
‡ Including 7 deaths from cholera in Calcutta, and 1 in Bombay.

1899–1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 1900—JAN.	31	..	29·576	46·6	33·4	13·2	40·0	+ 1·4	33·4	6·6	12·8	1·3	77	73·1	27·6	42·62	SW. & SSW.	SSW., S. & SSE.	1·6	0·0	0·1	279	− 30	0·00	0·0
MONDAY -	1	New	29·725	43·3	32·8	10·5	39·0	+ 0·5	38·8	0·2	2·2	0·0	99	45·3	24·9	42·63	SE., NE. & ENE.	ENE. & E.	1·9	0·0	0·0	146	−165	0·16	0·0
TUESDAY -	2	..	29·371	51·7	43·1	8·6	48·3	+ 9·8	46·0	2·3	5·5	0·0	92	57·2	37·3	42·60	ESE., S. & SSW.	SSW. & S.	1·6	0·0	0·1	248	− 65	0·17	0·5
WEDNESDAY	3	Perigee	29·129	46·8	42·0	4·8	44·2	+ 5·7	41·1	3·1	4·2	1·8	89	62·0	36·2	42·89	S. & SSE.	S. & SW.	3·1	0·0	0·4	329	+ 14	0·08	1·5
THURSDAY-	4	..	29·494	42·7	36·9	5·8	40·0	+ 1·6	37·0	3·0	4·0	2·8	89	43·4	35·9	43·12	W. & NNW.	N.	2·2	0·0	0·4	326	+ 10	0·06	0·0
FRIDAY -	5	..	29·770	41·9	36·5	5·4	39·4	+ 1·1	34·8	4·6	7·0	2·2	84	54·6	35·7	43·30	N. & NNE.	N	2·6	0·0	0·2	252	− 65	0·01	0·0
SATURDAY -	6	In Equator	29·807	43·0	27·5	15·5	36·9	− 1·3	33·3	3·6	6·6	0·5	87	52·1	25·4	43·23	SW., SSW. & S.	SSW. & S.	4·7	0·0	0·3	255	− 62	0·00	0·0
MEANS	-		29·553	45·1	36·0	9·1	41·1	+ 2·7	37·8	3·3	6·0	1·2	88	55·4	31·9	42·91	Variable		..	..	..	Sum 1835	Sum −363	Sum 0·48	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - JANUARY.	31	m. P. generally -	6·0	7·8	Generally cloudless; a very fine day. Hoar frost in morning.
MONDAY -	1	w. P. till 11h. A.M.; v. P. till 5h. P.M.; w. P. till 8h. P.M.; w. N. afterwards.	0·0	7·9	Fine, with hoar frost in early morning; overcast afterwards, with dense fog till evening and rain at night.
TUESDAY -	2	w. P. and w. N. till 10h. A.M.; w. P. afterwards.	0·0	7·9	Overcast, with frequent slight rain till afternoon; cloudy afterwards. Very mild.
WEDNESDAY	3	w. P. till 10h. A.M.; w. P. and w. N. till 2h. P.M.; w. P. afterwards.	0·5	7·9	Fine and partially cloudy in morning; cloudy and showery afterwards. Mild.
THURSDAY-	4	w. P. and w. N. till 5h. A.M.; w. P. till noon; m. P. and m. N. afterwards.	0·0	7·9	Overcast; frequent slight rain. Slight gloom at times during the forenoon.
FRIDAY -	5	w. P. and w. N. till 7h. A.M.; w. P. till noon; m. P. afterwards.	1·3	8·0	Overcast in morning; fine, with large amounts of cloud till evening; overcast at night.
SATURDAY -	6	v. P. till noon; w. P. afterwards.	1·7	8·0	Cloudy in morning, with dense fog prevalent between 9h. and 11h. A.M.; fine and partially cloudy till afternoon; overcast at night.
			Sum 9·5	Sum 55·4	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·17 in. at the beginning of the week to 29·78 in. by 10h. A.M. on January 1st; decreased to 29·08 in. by 2h. P.M. on January 3rd; increased to 29·90 in. by 9h. A.M. on January 6th; and decreased to 29·59 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 2. 1900. Vol. LXI.] Week ending Saturday, Jan. 13. [Price 1½*d*.

General Register Office, Somerset House,
January 15th, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 29·1 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Towns.	Weeks ending Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
33 Great Towns	27·5	30·6	30·9	29·1	Leicester - -	24·4	30·0	26·2	27·6
Birkenhead -	22·6	22·6	20·0	25·8	Liverpool - -	33·9	36·9	34·4	34·6
Birmingham -	28·6	25·7	27·0	33·6	London - - -	29·9	35·2	37·1	33·3
Blackburn -	19·7	23·9	23·2	24·3	Manchester - -	23·8	22·9	23·8	23·0
Bolton - -	23·1	25·4	21·9	22·5	Newcastle-on-Tyne	24·9	28·3	26·3	22·0
Bradford -	21·0	22·1	24·7	20·0	Norwich - -	22·1	33·1	32·7	43·6
Brighton -	35·1	33·0	44·9	28·6	Nottingham - -	25·3	34·9	40·8	44·9
Bristol - -	25·5	22·7	22·0	20·1	Oldham - -	21·8	30·1	18·7	17·7
Burnley -	19·4	19·4	12·5	15·6	Plymouth - -	38·9	49·7	36·7	34·2
Cardiff - -	24·4	20·2	17·2	16·1	Portsmouth - -	42·4	42·1	32·6	28·4
Croydon -	22·9	33·1	40·5	37·4	Preston - -	36·4	39·5	42·5	26·3
Derby - -	20·1	27·0	21·7	33·3	Salford - - -	26·8	26·5	27·9	27·2
Gateshead -	21·0	25·9	17·6	22·4	Sheffield - -	23·0	25·0	24·2	25·5
Halifax -	23·5	21·3	20·2	20·2	Sunderland - -	29·4	27·9	24·8	22·3
Huddersfield -	17·6	17·6	19·0	17·5	Swansea - -	36·7	27·6	23·7	22·2
Hull - -	23·1	24·5	22·7	22·3	West Ham - -	20·7	21·5	27·0	22·2
Leeds - -	18·9	22·3	25·6	21·5	Wolverhampton -	35·2	39·3	20·4	27·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·2 in West Ham and in Wolverhampton, 1·3 in Bradford, 1·4 in Sunderland, 2·0 in Hull, 2·1 in Salford, 2·4 in Sheffield, and 2·6 in Preston ; from *scarlet fever*, 1·1 in Blackburn ; from *whooping-cough*, 1·0 in Leicester and in Liverpool, 1·1 in Leeds, 1·2 in Wolverhampton, 1·3 in Newcastle-on-Tyne, and 1·6 in Portsmouth ; and from "*fever*" 1·2 in Wolverhampton. In none of the thirty-three towns did the death-rate from *diarrhœa* reach 1·0 per 1000. The 89 deaths from *diphtheria* included 49 in London, 7 in Sheffield, 4 in Leeds, 3 in Portsmouth, 3 in Bristol, 3 in Swansea, 3 in Leicester, and 3 in Blackburn. Three deaths from *small-pox* were registered in Hull, but not one in any other of the thirty-three towns.

London.

In London† 2766 births and 2930 deaths were registered. Allowing for increase of population, the births were 104 below, and the deaths 642

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 29·9, 35·2, and 37.1 in the preceding three weeks, fell again last week to 33·3. During the four weeks ending on Saturday last the death-rate averaged 33·9 per 1000, being 10·0 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 2930 deaths included 51 from measles, 7 from scarlet fever, 49 from diphtheria, 37 from whooping-cough, 23 from enteric fever, 9 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 176 deaths were referred to these diseases, being 44 below the corrected average weekly number.

The deaths from *measles*, which had been 58, 64 and 62 in the preceding three weeks, further fell last week to 51, and were 7 below the corrected average; 8 cases belonged to Fulham, 6 to Islington, 5 to Chelsea, and 5 to Plumstead sanitary areas. The deaths from *scarlet fever*, which had been 11, 12, and 6 in the preceding three weeks, were 7 last week, the corrected average being 19. The deaths from *diphtheria*, which had been 54, 56, and 58 in the preceding three weeks, fell again last week to 49, but were 6 above the corrected average; 4 cases belonged to Islington, 3 to Fulham, 3 to St. Marylebone, 3 to Shoreditch, 3 to Bethnal Green, 3 to Newington, and 3 to Lewisham sanitary areas. The deaths from *whooping-cough*, which had been 31, 28, and 26 in the preceding three weeks, rose again last week to 37, but were 36 below the corrected average. The fatal cases of *enteric fever*, which had been 36, 18, and 19 in the preceding three weeks, further rose last week to 23, and were 10 above the corrected average; 4 cases belonged to St. Pancras, 3 to Islington, 2 to Stoke Newington, and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 12, 9, and 10 in the preceding three weeks, were 9 last week, the corrected average being 14. The deaths referred to diseases of the respiratory organs, which had been 968, 1172, and 1221 in the preceding three weeks, fell again last week to 994, but were 260 above the corrected average. The deaths attributed directly to *influenza* numbered 340, having been 69, 193, and 316 in the preceding three weeks.

Different forms of violence caused 86 deaths, concerning all but 2 of which inquests were held. Of these 86 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 81 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 5 to a conflagration, 9 others to burns and scalds, 1 to the effects of chloroform administered for surgical purposes, and 16 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 18 cases of small-pox, 2560 of scarlet fever, 1602 of diphtheria, and 349 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 10 cases, against 5, 2, and 1; of scarlet fever, 180 cases, against 209, 161, and 186; of diphtheria, 172 cases, against 187, 178, and 190; and of enteric fever, 34 cases, against 49, 43, and 41.

Greater London.

In Greater London 3943 births and 3894 deaths were registered, corresponding to annual rates of 30·9 and 30·5 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 2 from scarlet fever, 14 from diphtheria, 9 from whooping-cough, 2 from "fever," and 2 from diarrhœa were registered. Seven deaths from measles and 7 from diphtheria occurred in West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·04 inches, and that of the Thermometer 38°·5; the latter being 6°·5 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 15 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 14·1 hours; the measured rainfall amounted to 0·48 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 13th Jan. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**7128**	**6 74**	**1066**	**2393**	**3**	**142**	**27**	**89**	**105**	**56**	**31**	**196**	**459**	**1465**	**79**	**29·1**	**2·0**	**51·3**	**24·0**	**38·0**	**3·34**	**0·69**	**1·75**	33 Towns.
London - -	4,589,129	2766	2930	409	1205	-	51	7	49	37	23	9	86	239	819	15	33·3	2·0	47·8	27·2	38·5	3·61	0·48	1·22	London.
West Ham - -	314,472	177	134	30	43	-	7	-	2	2	-	-	5	5	15	4	22·2	1·8	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	65	94	13	43	-	1	-	-	2	-	-	2	7	7	-	37·4	1·2	48·0	24·0	37·2	2·89	0·98	2·49	Croydon.
Brighton - -	124,148	51	68	10	42	-	-	-	1	-	-	1	1	6	8	1	28·6	0·8	47·8	31·0	38·4	3·56	0·11	0·28	Brighton.
Portsmouth -	194,955	101	106	16	34	-	-	1	3	6	-	1	4	7	17	-	28·4	2·9	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	59	67	8	34	-	1	-	-	1	-	1	-	2	11	-	34·2	1·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	180	125	29	40	-	-	1	3	1	1	1	1	10	30	-	20·1	1·1	51·3	30·5	39·7	4·28	1·42	3·61	Bristol.
Cardiff - -	194,247	105	60	11	15	-	3	-	-	1	3	-	2	4	12	-	16·1	1·9	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	71	45	8	12	-	-	-	3	-	-	-	2	2	2	-	22·2	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	63	48	9	18	-	2	1	-	2	2	1	-	5	16	-	27·9	4·7	42·8	28·5	36·0	2·22	0·19	0·48	Wolverhampton.
Birmingham -	519,610	345	335	66	122	-	5	-	2	5	6	4	6	8	98	6	33·6	2·2	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	60	96	17	59	-	-	-	1	2	-	1	-	3	3	-	43·6	1·8	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	133	116	23	45	-	-	-	3	4	1	-	4	6	22	5	27·6	1·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	118	209	34	91	-	1	-	1	-	2	2	8	10	33	1	44·9	1·3	47·0	31·0	37·6	3·11	1·21	3·07	Nottingham.
Derby - - -	107,991	53	69	11	26	-	-	-	-	-	-	-	2	5	10	-	33·3	-	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	65	58	10	20	-	2	-	-	-	-	-	2	5	8	-	25·8	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	497	421	79	111	-	3	3	1	12	2	3	15	24	122	18	34·6	2·0	-	-	-	-	-	-	Liverpool.
Bolton - -	164,240	119	71	15	21	-	2	1	1	2	-	-	4	6	6	-	22·5	1·9	-	-	-	-	-	-	Bolton.
Manchester -	548,768	376	242	54	61	-	2	-	1	6	3	3	9	22	52	1	23·0	1·4	-	-	-	-	-	-	Manchester.
Salford - -	220,816	166	115	22	29	-	9	2	1	4	1	-	7	10	28	1	27·2	4·0	-	-	-	-	-	-	Salford.
Oldham - -	153,297	76	52	14	9	-	2	2	-	-	1	-	1	1	8	-	17·7	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	59	35	4	8	-	-	1	-	-	-	-	2	2	8	1	15·6	0·4	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	69	64	9	23	-	2	3	3	-	1	1	-	-	8	3	24·3	3·8	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	62	60	10	20	-	6	-	2	1	-	-	1	1	4	2	26·3	3·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	44	35	3	15	-	-	-	-	-	-	-	3	4	-	3	17·5	-	46·0	30·8	38·0	3·33	0·37	0·94	Huddersfield.
Halifax - -	100,710	49	39	4	9	-	1	1	1	-	-	-	4	4	9	2	20·2	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	143	112	15	43	-	7	-	-	1	-	-	1	9	10	1	20·0	1·4	48·2	32·2	40·0	4·44	1·29	3·28	Bradford.
Leeds - - -	431,287	257	178	34	47	-	4	-	4	9	4	1	6	18	23	-	21·5	2·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	268	179	37	40	-	17	2	7	-	3	1	8	10	31	7	25·5	4·3	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	167	102	21	42	3	9	1	-	-	-	1	2	9	17	7	22·3	3·1	46·0	27·0	36·7	2·61	0·20	0·51	Hull.
Sunderland -	147,398	124	63	18	12	-	4	-	-	-	2	-	-	2	8	-	22·3	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	84	47	8	17	-	-	1	-	1	-	-	2	2	3	-	22·4	1·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	156	99	15	37	-	1	-	-	6	1	-	6	11	12	1	22·0	1·8	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SECOND Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2818	2761	2680	2715	2867	2922	2454	2928	2703	2435	2870·2	2766
Males - -	1484	1363	1356	1375	1444	1498	1218	1519	1382	1275	1463·8	1396
Females - -	1334	1398	1324	1340	1423	1424	1236	1409	1321	1160	1406·4	1370
TOTAL **Deaths** -	2747	2513	3271	2503	2461	1622	1540	1538	1982	1568	2287·6	2930
Males - -	1436	1163	1525	1193	1236	803	767	765	997	808	1125·2	1325
Females - -	1311	1350	1746	1310	1225	816	773	773	985	760	1162·4	1605

*The numbers in this column are the average weekly numbers in the second week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
TOTAL **Births** - -	2529	2495	2613	2711	2674	2556	2439	2339	2269	2585	1880	2792	2766
TOTAL **Deaths** - - -	1567	1844	1626	1506	1528	1526	1695	1957	2078	2607	3067	3266	2930
Ages at Death: Under 1 year - -	318	376	352	334	355	331	388	406	427	429	451	408	409
1—5 years - -	159	203	197	215	180	226	209	247	251	272	261	268	256
5—20 " - -	92	118	86	116	93	94	74	117	110	105	125	122	101
20—40 " - -	222	269	206	218	214	193	227	225	256	303	359	393	303
40—60 " - -	342	391	363	280	318	305	351	405	426	551	703	720	656
60—80 " - -	352	391	339	274	300	312	349	446	476	744	928	1044	946
80 years and upwards	82	96	83	69	68	65	97	111	132	203	240	311	259
Deaths from—													
Small pox - - - - -	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles - - - - -	26	34	33	42	29	44	43	59	57	58	64	62	51
Scarlet Fever - - -	6	14	7	14	6	13	8	15	9	11	12	6	7
Diphtheria - - - -	60	59	39	68	56	43	52	43	55	54	56	58	49
Whooping-cough - - -	6	10	14	11	9	16	15	20	36	31	28	26	37
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	15	40	29	51	55	29	26	29	13	36	18	19	23
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	25	17	22	13	20	10	7	14	14	12	9	10	9
Cholera - - - -	–	1	1	–	–	–	–	–	–	–	–	–	–
All the above Diseases -	138	175	145	199	175	155	151	180	185	202	187	181	176
Dis. of Respiratory System -	306	477	418	325	324	350	430	548	646	968	1172	1221	994
Phthisis - - - - -	203	203	157	133	141	153	177	190	225	208	239	200	204
Dis. of Circulatory System -	139	173	122	107	148	141	143	165	172	278	271	284	246
Violence - - - -	79	63	54	75	57	61	66	76	81	107	103	103	86
Inquest Cases - - - -	153	185	122	144	134	154	155	188	203	263	281	313	239
Deaths in Public Institutions -	558	577	507	509	494	485	532	603	578	700	859	843	819
TEMPERATURE OF THE AIR.													
Mean - - - - -	47°·4	51°·8	53°·2	50°·9	45°·9	45°·5	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5
Mean of Highest readings -	56·6	57·4	59·1	56·2	51·3	49·0	50·5	46·6	34·2	38·5	43·3	45·1	43·0
Mean of Lowest readings -	39·4	45·9	47·1	45·4	39·9	40·6	39·4	37·9	23·7	30·3	33·4	36·0	32·9
Humidity of the Air - - -	82	90	83	78	84	80	82	87	73	92	84	88	80
Rain-fall (in inches) - -	0·00	1·30	1·81	2·33	0·00	0·00	0·29	0·46	0·05	0·08	0·59	0·48	0·48
Registered Sunshine (in hours)	43·3	7·8	22·5	20·9	8·4	0·0	8·2	10·0	7·4	0·7	6·2	9·5	14·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	–	–	–	–	1	1	1	1	–	5	7	8	18
Scarlet Fever - - - -	3408	3504	3539	3564	3578	3503	3445	3290	3084	2916	2831	2730	2560
Diphtheria - - - -	1659	1700	1715	1692	1736	1761	1735	1730	1720	1701	1693	1653	1602
Enteric Fever - - - -	331	342	407	426	443	418	461	460	452	420	406	382	349

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich: John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol: E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SECOND Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 2nd Week of the 10 years 1890–99*.	In the Week ending Saturday, 13th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	2287·6	2930	409	256	101	303	656	946	259
Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
s - - - -	58·2	51	8	42	1	-	-	-	-
Fever - - -	18·8	7	-	4	2	1	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	54·8	340	10	9	3	37	95	148	38
ing-cough - -	72·5	37	14	20	3	-	-	-	-
eria - -	42·7	49	4	32	12	1	-	-	-
Continued and fined Fever -	0·4	-	-	-	-	-	-	-	-
c Fever - - -	12·6	23	-	1	6	13	3	-	-
a and Chol. Diarr.	-	-	-	-	-	-	-	-	-
œa, Dysentery -	14·2	9	6	2	-	-	1	-	-
ent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·4	-	-	-	-	-	-	-	-
al Affections - -	8·9	9	5	1	-	1	-	2	-
elas - - -	5·8	7	3	-	-	-	2	2	-
a and Septicæmia	1·8	-	-	-	-	-	-	-	-
ral Fever - -	7·0	3	-	-	-	3	-	-	-
Zymotic Diseases	2·3	3	-	-	-	1	1	-	1
- - - - -	0·8	-	-	-	-	-	-	-	-
and other Para- l Diseases -	0·1	1	-	-	-	-	1	-	-
ion, Want of t-milk - -	2·5	2	2	-	-	-	-	-	-
lism - - -	12·6	26	-	-	-	6	16	4	-
atic Fever, matism of Heart	8·2	10	-	1	4	2	2	1	-
atism - - -	2·0	3	-	-	1	-	2	-	-
- - - - -	3·5	8	-	-	-	1	2	5	-
s - - - -	5·6	5	3	2	-	-	-	-	-
- - - - -	69·1	86	-	-	-	4	33	45	4
Mesenterica - -	18·1	17	9	5	1	-	2	-	-
ular Meningitis -	21·7	24	8	14	2	-	-	-	-
is - - - -	209·4	204	2	6	9	85	84	18	-
la, Tuberculosis -	18·8	11	2	5	1	3	-	-	-
Constitutional ses - -	15·9	18	-	-	2	2	6	5	3
ture Birth - -	50·5	54	54	-	-	-	-	-	-
asis - - -	4·9	4	4	-	-	-	-	-	-
nital Malforma- - - -	7·5	8	7	1	-	-	-	-	-
e - - - -	69·0	132	-	-	-	-	2	45	85
xy - - -	55·2	56	-	-	1	2	15	32	6
sy - - - -	9·0	12	-	-	1	6	2	3	-
sions - - -	47·6	35	32	3	-	-	-	-	-
Diseases of Brain Nervous System	104·2	93	6	3	3	8	21	46	6
es of Organs of al Sense -	3·5	5	1	1	1	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 2nd Week of the 10 years 1890–99*.	In the Week ending Saturday, 13th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	205·2	246	-	2	12	13	79	124	16
Croup - - - -	6·6	1	-	1	-	-	-	-	-
Bronchitis - - -	476·7	613	68	33	3	18	116	306	69
Pneumonia - - -	190·4	314	55	48	11	46	77	62	15
Pleurisy - - - -	6·3	11	-	1	-	3	4	3	-
Other Diseases of Respiratory System -	53·7	55	7	2	1	3	14	21	7
Dentition - - - -	9·4	10	5	5	-	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	-	-	1	-	-	-
Enteritis - - -	14·4	9	1	1	2	3	1	1	-
Gastro-enteritis -		7	4	-	-	2	-	1	-
Peritonitis - - -	7·5	7	2	-	4	1	-	-	-
Diseases of Liver - -	25·6	31	-	-	-	1	23	7	-
Other Diseases of Digestive System	35·0	39	7	2	4	6	3	16	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	5	-	-	-	1	2	2	-
Diseases of Urinary System - - -	54·0	52	-	-	2	5	19	24	2
Diseases of Generative System - - -	5·4	2	-	-	-	1	1	-	-
Accidents of Childbirth -	5·2	8	-	-	-	6	2	-	-
Diseases of Locomotive System - - -	6·2	8	-	1	-	2	3	2	-
Diseases of Integumentary System - -	6·9	13	2	1	1	-	3	5	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	68·1	1	-	-	-	1	-	-	-
By Vehicles or Horses -		5	-	1	-	3	-	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	1	-	-	-	-
In Building Operations -		2	-	-	-	1	-	1	-
In Conflagrations -		5	-	2	3	-	-	-	-
By Burns, Scalds, Explosions - -		9	-	3	2	1	-	2	1
By Drowning - - -		2	-	-	-	2	-	-	-
By Suffocation in Bed -		16	16	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	1	-	2	-	-
Other or not stated causes - - - -		37	7	-	1	4	12	10	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·1	1	-	-	-	-	-	1	-
Suicide - - - -	7·0	4	-	-	-	1	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - - -	58·4	60	55	1	-	1	2	1	-

e numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase ulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 13th January, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON -	4,411,710	2,766	2,930	409	1205	-	51	7	49	37	-	23	-	9	86	239	819
WEST DISTRICTS - - -	778,251	403	471	48	210	-	16	2	8	3	-	1	-	2	11	28	132
NORTH DISTRICTS - - -	1,040,694	584	654	77	279	-	10	1	17	5	-	9	-	3	20	56	171
CENTRAL DISTRICTS - - -	233,635	137	151	23	46	-	3	-	-	5	-	3	-	-	8	24	53
EAST DISTRICTS - - -	716,334	543	550	99	191	-	4	-	1	12	-	3	-	2	21	66	180
SOUTH DISTRICTS - - -	1,642,796	1,099	1,043	162	453	-	18	3	23	12	-	7	-	2	25	64	222
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	61	-	26	-	-	1	-	-	-	-	-	-	1	1	61
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	55	54	6	28	-	-	-	-	-	-	-	-	1	-	2	13
St. John Paddington *H* - - G.	33,510	8	17	4	6	-	-	-	-	1	-	-	-	-	2	2	6
Kensington Town *Ww* - - W.	122,164	65	73	9	36	-	2	-	1	-	-	-	-	1	2	6	23
Brompton *HH* - - - W. & C.	48,301	8	19	-	10	-	-	-	-	-	-	-	-	-	-	2	2
North Hammersmith *H* } W. & G	44,638	31	25	5	13	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *H* } W. & G	59,561	27	27	4	16	-	-	-	-	-	-	-	-	-	2	4	2
Fulham *Ww* - - - W. & C.	113,781	94	93	11	36	-	9	2	5	-	-	-	-	-	-	2	27
Chelsea Kensal Town - C.	21,450	9	15	2	5	-	1	-	-	-	-	-	-	-	1	4	-
Chelsea North *WHHHH* - C.	42,057	21	40	1	17	-	4	-	-	-	-	-	-	-	1	1	22
Chelsea South *HH* - - C.	33,139	23	14	1	6	-	-	-	-	-	-	-	-	-	1	1	1
May Fair *W* - - - - G.	23,827	8	28	1	16	-	-	-	-	-	-	-	-	-	1	1	18
Belgrave *WHHH* - - - C.	56,140	18	31	2	8	-	-	-	2	2	-	-	-	-	1	3	8
St. John Westminster *HH* - C.	31,492	14	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	22,097	7	11	1	2	-	-	-	-	-	-	1	-	-	-	-	4
St. James Westminster *WH* } N. & G.	23,050	8	12	-	5	-	-	-	-	-	-	-	-	-	-	-	5
St. Anne Soho *HHHHH* - N.	12,048	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	36,595	10	17	1	3	-	1	-	1	-	-	-	-	-	-	1	6
Rectory Marylebone *W* G. & W.	19,798	5	18	1	7	-	-	-	1	-	-	-	-	-	-	1	4
St. Mary Marylebone *HHHH* } G. & W.	19,637	32	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	12	20	3	8	-	-	-	-	-	-	-	-	-	2	3	-
St. John Marylebone *HHH* - W.	32,611	10	13	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* } - N. & W.	75,449	29	40	2	19	-	-	1	4	-	-	2	-	1	1	2	10
Regent's Park † *HH* - W.	51,403	31	23	7	9	-	-	-	-	2	-	-	-	1	-	1	-
Tottenham-court *wHHHHHH* } - N. & W.	26,757	14	34	4	12	-	3	-	-	-	-	-	-	-	1	3	17
Gray's Inn Lane *HHHH* - N.	29,426	10	18	2	5	-	-	-	-	-	-	-	-	-	2	4	4
Somers Town *HH* - - - N.	32,161	26	19	2	3	-	-	-	-	-	-	-	-	-	2	5	4
Camden Town† *WH* - - N.	40,155	28	37	4	18	-	-	-	-	-	-	1	-	-	1	5	22
Kentish Town† *WW* - - N.	60,862	36	31	2	13	-	-	-	-	1	-	-	-	-	-	-	11
Upper Holloway *WWWWwHH* } - - N.	98,273	50	106	11	50	-	4	-	1	1	-	3	-	-	4	7	58
Lower Holloway‡ - - - N.	41,805	18	17	1	12	-	-	-	-	-	-	-	-	-	1	3	-
Barnsbury‡ - - - - N.	56,384	36	34	8	13	-	1	-	-	-	-	-	-	-	1	2	-
Islington South-east‡ *H* - N.	75,725	42	32	3	15	-	-	-	-	-	-	-	-	1	-	-	-
Highbury *HH* - - - N.	64,577	34	24	1	13	-	1	-	-	-	-	-	-	-	-	-	2
Stoke Newington *H* - - N.	33,485	16	18	4	8	-	-	-	-	-	-	1	-	-	-	1	-
North Hackney - - E. & N.	213,044	20	31	1	20	-	-	-	-	-	-	-	-	-	2	5	-
Central Hackney *ww* - E. & N.		32	29	4	8	-	-	-	10	-	-	1	-	-	1	2	10
South-west Hackney *HHH* E. & N.		43	35	5	15	-	-	-	-	-	-	-	-	-	1	4	1
South-east Hackney *WwH* E. & N.		50	50	8	22	-	-	-	-	1	-	1	-	-	1	7	21

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-east Sub-District.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 13th January, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	21	10	3	3	-	-	-	-	-	-	-	-	-	1	1	5	-
uth *WH* - - }																		
Giles North *H* - - - N.	3,151	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Martin-in-the-Fields *HH* N. & C.	13,077	3	9	1	1	-	1	-	-	-	-	1	-	-	1	3	6	-
and *WHH* - - - - - N.	11,839	9	12	1	3	-	-	-	-	-	-	-	-	-	-	1	6	-
and Union Workhouse, Edmonton	†*1,037*	-	9	-	7	-	-	-	-	-	-	-	-	-	-	-	9	-
born *wHHHHH* - N.	31,042	14	21	2	7	-	-	-	-	1	-	1	-	-	-	3	6	-
James Clerkenwell - - N.	15,777	9	5	1	1	-	-	-	-	2	-	-	-	-	-	1	-	-
well Clerkenwell - - N.	34,356	31	20	5	4	-	-	-	-	1	-	-	-	-	2	5	-	-
well-street - - - - N.	16,069	6	5	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
y-road *HHHL* - - - N.	29,897	29	26	5	9	-	-	-	-	1	-	-	-	-	-	4	4	1
itecross-street - - - N.	7,595	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury - - - - - N.	4,035	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, } *Kitcham* - - - - }	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph *HH* - - N. & E.	9,762	3	10	2	3	-	2	-	-	-	-	-	-	-	1	2	-	1
pplegate - - - - N.	3,299	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	1	16	2	1	-	-	-	-	-	-	1	-	-	3	3	16	-
hallows Barking - - - N.	9,059	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	9	10	1	3	-	-	-	-	-	-	-	-	-	-	2	1	-
xton New Town *w* - - N.	29,575	19	39	6	20	-	-	-	-	-	-	-	-	-	2	4	17	-
xton Old Town - - - N.	27,645	24	13	4	3	-	-	-	-	-	-	-	-	-	1	3	-	-
ggerston *WH* - - N. & E.	47,163	35	43	6	15	-	-	-	-	-	-	-	-	-	1	4	21	-
thnal Green North *H* - E.	49,301	50	36	12	8	-	-	-	-	2	-	-	-	-	1	3	-	-
thnal Green South - - E.	34,194	25	17	2	5	-	-	-	-	1	-	-	-	-	-	-	-	-
thnal Green East *WWHl* - E.	45,667	34	54	5	27	-	-	-	1	-	-	-	-	-	-	3	31	-
italfields - - - E. & N.	26,681	18	11	3	3	-	-	-	-	-	-	-	-	1	-	4	-	-
le End New Town *WH* - E. }	51,995	34	46	3	11	-	1	-	-	-	-	3	-	-	2	6	38	-
odman's Fields - - - E. }		8	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.	39,576	52	20	2	2	-	-	-	-	-	-	-	-	-	6	10	-	-
John, St. George East *W* E.	7 930	8	13	1	3	-	-	-	-	1	-	-	-	-	-	-	9	-
adwell *H* - - - E. & N.	10,434	3	8	3	-	-	-	-	-	1	-	-	-	-	-	1	4	-
tcliff *W* - - - - E.	14,954	5	7	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-
mehouse - - - - E.	32,917	25	25	5	7	-	-	-	-	2	-	-	-	-	-	2	-	-
le End Old Town West *H* E. }	111,060	{ 37	28	13	7	-	1	-	-	2	-	-	-	1	1	3	-	-
le End Old Town East } - E.		{ 43	57	6	33	-	-	-	-	-	-	-	-	-	1	3	29	-
WWww																		
w *l* - - - - E.	41,687	29	24	4	9	-	1	-	-	1	-	-	-	-	1	1	-	-
omley *wwwH* - - - E.	62,321	50	60	11	22	-	1	-	-	-	-	-	-	-	3	10	29	-
plar *WW* - - - - E.	57,759	35	34	9	9	-	-	-	-	2	-	-	-	-	2	4	1	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 13th January, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	5	9	1	4	-	-	-	-	-	-	-	-	-	-	-	2	1
St. Saviour Southwark - - S.	12,301	11	7	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Kent-road - - - - S. & L.	22,879	23	8	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Borough-road *WH* - S. & L.	16,083	19	19	6	4	-	-	-	-	-	-	-	-	-	3	4	8	-
London-road *HL* - - L. & S.	21,316	9	15	3	3	-	-	-	-	1	-	-	-	-	-	2	-	-
Trinity Newington - - S. & L.	28,723	22	15	6	4	-	-	-	1	-	-	-	-	-	-	-	-	1
St. Peter Walworth *W* - S. & L.	62,045	47	43	6	21	-	1	-	-	2	-	-	-	-	1	1	12	1
St. Mary Newington- - L. & S.	30,171	23	11	2	2	-	2	-	-	-	-	-	-	-	-	-	-	1
St. Olave *WH*- - - - S.	11,731	4	12	2	3	-	-	-	-	-	-	-	-	-	2	2	11	-
Bermondsey *W* - - - S.	85,475	49	44	6	20	-	1	1	-	1	-	-	-	-	-	4	2	-
Rotherhithe *Ww* - S. & K.	40,379	40	24	4	13	-	-	-	-	-	-	-	-	-	-	1	10	-
Waterloo-road *HH* - L. & S.	28,396	23	13	3	6	-	1	-	-	-	-	-	-	-	-	2	-	-
Lambeth Church 1st *H* - L. & S.	18,770	9	27	5	8	-	-	-	-	-	-	1	-	-	3	6	10	-
Lambeth Church 2nd *WW* L. & S.	40,994	32	36	2	16	-	-	-	-	-	-	1	-	-	-	2	25	-
Kennington 1st *H* - - S. & L.	52,486	39	24	5	11	-	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 2nd - - S. & L.	43,244	25	20	3	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	40	37	4	20	-	-	-	-	1	-	-	-	-	1	5	-	2
Norwood *WH*- - - - L.	29,318	16	17	4	6	-	1	-	-	-	-	-	-	-	-	2	1	-
East Battersea - - - - S.	71,730	58	30	11	8	-	1	-	-	1	-	-	-	1	-	1	-	-
West Battersea *WwH* - - S.	93,385	50	75	8	37	-	-	-	-	-	-	-	-	-	1	4	22	1
Clapham *H* - - - - S.	46,953	20	24	2	4	-	1	-	-	-	-	-	-	-	-	-	1	1
Wandsworth *WHHL* - - S.	58,101	44	27	7	10	-	-	-	-	-	-	-	-	-	1	2	-	-
Putney - - - - - S.	20,566	11	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwL* - - L.	61,644	37	52	1	31	-	2	-	1	-	-	3	-	-	-	-	12	-
Dulwich - - - - L. & S.	7,519	2	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	48	79	6	49	-	1	-	-	-	-	-	-	-	2	3	39	1
Peckham *WW* - S., L., & K.	88,242	63	44	10	20	-	-	-	-	1	-	-	-	-	-	2	-	-
St. George Camberwell - L. & S.	67,029	54	45	7	21	-	-	-	1	1	-	-	-	-	1	2	-	1
Deptford North - - - K.	36,152	26	20	7	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Deptford Central *w* - - K.	45,441	37	28	9	9	-	-	1	4	-	-	-	-	-	-	-	6	-
Deptford South - - - K.	33,402	15	18	5	9	-	-	-	-	1	-	-	-	-	1	1	-	-
Greenwich West *H* - - K.	23,012	9	8	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-
Greenwich East *WH* - - K.	37,767	41	42	3	22	-	-	-	-	1	-	-	-	-	3	4	24	-
Eltham *wH* - - - - K.	5,911	3	5	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	7	9	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	27	44	3	16	-	-	1	12	-	-	-	-	-	-	-	21	1
Sydenham *H* - - - - L.	37,601	30	22	-	8	-	-	-	1	-	-	1	-	-	-	-	-	-
Charlton *wHH* - - K.	15,928	11	11	2	4	-	-	-	2	-	-	1	-	-	-	1	3	-
Woolwich Dockyard - - K.	9,355	12	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	13	14	3	4	-	2	-	-	1	-	-	-	1	1	2	-	1
Plumstead West *H* - - K.	16,714	12	11	3	4	-	1	-	-	1	-	-	-	-	-	1	-	-
Plumstead East *WH* - - K.	42,538	33	32	6	14	-	4	-	-	-	-	-	-	-	1	4	10	1
Banstead Asylum - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Horton Asylum, Epsom - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Caterham Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill Asylum - - - -	—	-	10	-	6	-	-	-	-	-	-	-	-	-	-	-	10	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell Asylum - - - -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch Asylum - - -	—	-	15	-	8	-	-	-	-	-	-	-	-	-	-	-	15	-
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	14	-	5	-	-	-	-	-	-	-	-	-	1	1	14	-
Claybury Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 13th January, 1900.

is-on ict d -ict n-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON OUTER RING -	368,749	1,422,063	1177	964	159	431	-	10	2	14	9	2	2	21	45	108	13
:1	Carshalton *H* - - -	12,228	26,108	13	10	-	5	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHH* -	10,423	12,508	7	6	1	5	-	-	-	-	-	-	-	-	-	-	-
:1	Godstone, *part of** *W* -	2,754	1,598	1	3	1	-	-	-	-	1	1	-	-	-	-	-	-
:1	Croydon *WwHHH* - -	20,851	128,699	75	108	16	49	-	1	-	-	2	-	-	3	8	7	-
2	Mitcham *w* - - -	11,697	23,072	16	13	4	7	-	-	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH* - -	3,220	25,777	22	24	5	13	-	-	-	-	-	-	-	-	2	-	-
2	Kingston *WH* - - -	14,672	33,566	17	24	3	11	-	-	-	-	-	-	-	1	1	12	-
3	Surbiton *H-* - - -		12,178	7	8	1	6	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** *HH* - -		11,080	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	14	15	2	8	-	-	-	-	-	-	-	-	-	-	1
:1	Richmond *WH* - - -	2,160	25,389	13	20	3	12	-	1	-	-	-	-	-	1	1	3	-
2	Mortlake *H* - - -	2,823	16,159	8	17	4	7	-	-	-	1	-	-	-	-	-	-	-
:1	Bromley *HHH* - - -	9,127	23,815	11	8	1	4	-	-	-	-	-	-	-	-	1	1	1
2	Beckenham *H* - - -	6,542	21,969	16	14	1	6	-	-	-	-	-	-	-	-	-	1	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	11	14	1	10	-	-	-	-	-	-	-	-	-	7	-
:1	Bexley *HHH* - - -	12,540	30,590	30	20	3	8	-	-	-	-	-	-	-	1	1	1	-
2	Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
:1	Sunbury *w* - - -	11,054	13,671	14	7	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-
:1	Hillingdon *WHH* - -	6,035	12,237	11	12	4	4	-	-	-	2	-	-	-	-	-	6	1
2	Uxbridge - - - -	12,757	7,253	5	5	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	10	4	-	2	-	-	-	-	-	-	-	-	-	1	-
:1	Isleworth *WHH* - -	6,967	26,004	21	20	3	12	-	-	-	-	-	-	-	-	1	6	-
2	Twickenham *HH* - -	2,415	16,027	13	12	-	8	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	26	20	-	16	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	13	8	-	5	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wHH* - - -	6,132	30,945	38	26	4	8	-	-	-	-	-	-	1	-	2	1	-
:1	Harrow *HHH* - - -	13,809	15,715	12	11	3	5	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	7	5	-	1	-	-	-	-	-	-	-	1	-	-	2
3	Willesden *HHH* - -	4,383	61,265	73	46	11	17	-	-	1	-	-	1	-	-	1	2	1
4	Hendon *WH* - - -	8,382	15,843	19	9	1	4	-	-	-	-	-	-	-	-	1	4	-
:1	South Mimms *HH* - -	21,077	6,367	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	9	5	-	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH* - - -	4,688	25,820	19	18	2	9	-	-	-	-	-	-	-	1	1	3	-
:1	Hornsey *HH* - - -	3,039	61,097	30	38	5	11	-	-	-	1	3	-	-	-	2	1	-
2	Tottenham *HH* - - -	4,642	97,174	84	47	10	21	-	-	-	-	1	-	-	2	3	-	-
3	Edmonton *Www* - -	7,489	36,351	61	25	3	6	-	-	-	1	-	-	-	-	3	11	-
4	Enfield *WWHH* - -	12,602	31,536	21	21	2	14	-	-	-	-	-	-	-	-	-	1	-
5	Waltham Abbey - - -	11,017	6,066	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	7	-	5	-	-	-	-	-	-	-	-	-	-	2
:1	Hatfield, *part of** *W* - -	3,306	582	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1
:1	Bushey *H* - - - -	9,331	7,737	3	9	2	3	-	-	-	-	-	-	1	-	-	-	-
2	Watford *WH*, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
:1	Stratford *H* - - -	4,706	38,612	27	30	7	8	-	-	-	-	-	-	-	-	-	-	1
2	Plaistow *HHH* - - -		58,030	66	36	15	14	-	1	-	-	1	-	-	1	1	-	2
3	Canning Town *H* - -		54,750	43	42	4	8	-	5	-	1	1	-	-	3	3	2	1
4	Forest Gate *w* - - -		53,511	41	13	4	7	-	1	-	-	-	-	-	1	1	-	-
5	East Ham *wHH* - -	3,266	32,713	51	24	6	8	-	-	-	-	-	-	-	-	-	-	-
6	Leyton *WWWwH* - -	4,334	70,188	67	51	6	20	-	-	1	4	-	-	-	1	2	23	-
7	Walthamstow *HHHL* -	6,501	57,330	60	46	14	17	-	-	-	2	-	-	-	4	5	1	-
:1	Chigwell, *part of** *HHHH*	11,779	12,941	13	7	1	3	-	-	-	-	-	-	-	-	-	2	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *WH* -	6,556	4,324	4	4	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford - - - - -	8,493	10,913	17	15	2	10	-	-	-	1	-	1	-	-	2	-	-
3	Barking Town, *H* - -	3,814	14,301	17	11	2	4	-	1	-	-	-	-	-	1	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
	London County Asylum, Cane Hill.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Colney Hatch.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring e as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are o included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 13th January, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**39·5**	**1·7**	**3894**	**568**	**1636**	–	**61**	**9**	**63**	**46**	**25**	**11**	**107**
INNER LONDON -	74,672	4,589,129	33·3	2·0	2930	409	1205	–	51	7	49	37	23	9	86
OUTER RING -	368,749	2,063,016	24·4	1·0	964	159	431	–	10	2	14	9	2	2	21

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	Jan.	13	148	125	21·6	–	–	–	–	1	1	
GLASGOW - -	743,585	„	13	504	334	23·4	–	12	3	3	8	4	
DUBLIN - -	349,594	„	13	209	331	49·4	–	18	1	3	1	5	
CALCUTTA - -	466,460	Dec.	2	–	332	37·1	1	–	–	–	2	107†	
BOMBAY - -	821,764	„	19	263	1323	83·7	40	27	?	?	?	383†	
MADRAS - -	452,518	„	15	442	357	41·0	–	7	?	?	?	90	
PARIS - - -	2,511,629	Jan.	6	1173	1092	22·6	–	9	5	8*	–	9	
BRUSSELS - -	561,130	„	6	271	178	16·5	–	–	1	2	–	6	
AMSTERDAM -	517,595	Dec.	30	309	341	34·0	–	–	–	–	4	2	
ROTTERDAM -	315,305	„	30	237	295	31·8	–	–	5	1	4	5	
THE HAGUE -	199,285	„	30	124	69	18·0	–	1	–	–	–	–	
COPENHAGEN -	349,000	Jan.	6	279	131	19·6	–	–	1	2	2	–	
STOCKHOLM -	291,580	Dec.	30	209	98	17·5	–	–	–	12*	–	–	
CHRISTIANIA -	221,255	Jan.	6	187	57	13·4	–	2	–	–	–	–	
ST. PETERSBURG	1,132,677	Dec.	30	405	618	28·5	7	14	19	34	5	15	
MOSCOW - -	988,610	„	30	–	521	27·5	1	7	13	11	5	6	
BERLIN - -	1,818,517	„	23	866	636	17·9	–	8	12	18	13	2	
HAMBURG - -	675,351	„	30	397	248	19·1	–	–	1	1*	2	2	
DRESDEN - -	397,300	„	16	210	137	17·8	–	1	1	5*	–	2	
BRESLAU - -	406,012	Jan.	6	–	181	23·2	–	2	–	1	2	–	
MUNICH - -	445,000	Dec.	30	–	207	24·2	–	1	–	–	1	1	
VIENNA - -	1,623,134	„	30	900	658	20·9	–	26	2	12*	2	–	
PRAGUE - -	384,622	„	30	177	192	25·9	–	1	3	4	3	2	
BUDA-PESTH -	666,722	„	30	429	285	22·2	–	6	7	2	–	–	
TRIESTE - -	166,599	„	23	101	133	41·4	–	5	4	5*	2	–	
ROME - - -	508,779	„	9	240	229	23·5	–	6	–	1	–	12§	
TURIN (10 days)	344,203	Nov.	20	–	–	–	–	–	–	–	–	–	
VENICE - -	172,288	Dec.	23	53	81	24·6	–	–	–	5*	–	1	
CAIRO - -	570,062	„	9	438	353	32·2	–	1	–	5*	1	6	
ALEXANDRIA -	319,766	„	9	244	151	24·6	1	–	–	1*	–	3	
NEW YORK (including BROOKLYN)	3,550,053	„	23	1446	1256	18·5	–	15	10	42	8	14	
PHILADELPHIA -	1,266,832	„	23	–	419	17·2	–	1	5	28	–	2	

* Including deaths from croup.
† Including 31 deaths from plague in Calcutta, and 248 in Bombay.
‡ Including 16 deaths from cholera in Calcutta, and 1 in Bombay.
§ Including 5 deaths from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	Air Temperature and Dew Point Temperature. Mean daily value.	Air Temperature and Dew Point Temperature. Great-est.	Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 7	..	29·700	43·4	34·3	9·1	39·5	+ 1·4	36·7	2·8	6·8	1·4	90	49·2	29·6	43·04	S., SSE. & NNW.	NNW., NW. & W.	6·9	0·0	0·6	366	+ 48	0·29	0·0
MONDAY - 8	First Quarter.	29·983	47·8	31·3	16·5	41·9	+ 3·9	39·4	2·5	4·8	2·1	91	63·7	27·3	43·00	WSW. & SW.	WSW. & SW.	2·7	0·0	0·2	300	− 18	0·07	0·0
TUESDAY - 9	..	29·976	47·1	37·3	9·8	42·3	+ 4·4	34·3	8·0	11·4	2·3	73	54·7	31·1	42·98	WSW. & NNW.	NW., WNW. & W.	2·8	0·0	0·4	371	+ 53	0·10	0·0
WEDNESDAY 10	..	30·066	44·1	36·1	8·0	41·0	+ 3·1	32·6	8·4	10·1	4·0	72	61·9	30·2	42·97	W., WSW. & NW.	NNW.	5·4	0·0	0·6	433	+114	0·02	0·0
THURSDAY - 11	..	30·275	40·3	35·1	5·2	38·0	+ 0·1	32·1	5·9	9·4	2·1	79	50·1	29·7	42·90	NNW.	N. & SE.	1·4	0·0	0·1	156	−163	0·00	0·0
FRIDAY - 12	Greatest Dec. N.	30·252	40·7	29·3	11·4	34·4	− 3·5	28·7	5·7	8·7	0·4	79	70 3	24·6	42·62	Calm & SE.	SE. & SSE.	0·2	0·0	0·0	98	−222	0·00	0·0
SATURDAY - 13	..	30·049	37·4	27·2	10·2	32·2	− 5·8	25·7	6·5	8·9	2·8	76	59·4	21·8	42·36	SSE.	S., SSE. & SE.	1·6	0·0	0·0	184	−137	0·00	0·0
MEANS -		30·043	43·0	32·9	10·0	38·5	+ 0·5	32·8	5·7	8·6	2·2	80	58·5	27·8	42·84	Variable		..	..	..	Sum 1908	Sum −325	Sum 0·48	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 7	w. P. and w. N. till noon; w. P. afterwards.	0·0	8·0
MONDAY - 8	w. P. generally -	1·7	8·0
TUESDAY - 9	w. P. and w. N. till noon; w. P. afterwards.	1·6	8·1
WEDNESDAY 10	w. P. generally till 9h. A.M.; m. P. afterwards.	2·8	8·1
THURSDAY - 11	s. P. generally till 6h. P.M.; m. P. afterwards.	0·0	8·1
FRIDAY - 12	m. P. till 7h. P.M.; s. P. afterwards.	5·4	8·2
SATURDAY - 13	s. P. till 5h. A.M.; m. P. generally afterwards.	2·6	8·2
		Sum 14·1	Sum 56·7
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast till afternoon, with frequent rain between 3h. A.M. and noon; very fine afterwards, and cloudless at night. Dense yellow gloom prevalent between 9h. and 10h. A.M.

Cloudless, with hoar frost in morning; generally cloudy, with occasional showers afterwards.

Cloudy and showery in morning; fine and partially cloudy till evening; cloudless at night.

Very fine, with slight hoar frost in early morning; fine and partially cloudy afterwards.

Fine, with slight hoar frost in morning; partially cloudy till afternoon; generally overcast afterwards. Prismatically-coloured inverted arcs at distances from the sun of 22½° and 46° were observed between 9h. 44m. and 10h. 15m. A.M., with solar halo following till 13h.

Very fine generally; cloudy, with lunar halo in evening. Hoar frost in morning and at night.

Very fine generally; cloudy in afternoon. Hoar frost in morning and at night. Lunar halo at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·59 in. at the beginning of the week to 29·47 in. by 5h. A.M. on the 7th; increased to 30·03 in. by 3h. A.M. on the 8th; decreased to 29·89 in. by 5h. A.M. on the 9th; increased to 30·30 in. by 11h. A.M. on the 11th; and decreased to 29·94 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 3. 1900. Vol. LXI.] WEEK ENDING SATURDAY, JAN. 20. [Price 1½*d*.

General Register Office, Somerset House,
January 22nd, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 24·9 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Towns.	Weeks ending Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
33 Great Towns	30·6	30·9	29·1	24·9	Leicester - -	30·0	26·2	27·6	18·1
Birkenhead -	22·6	20·0	25·8	19·6	Liverpool - -	36·9	34·4	34·6	32·0
Birmingham -	25·7	27·0	33·6	27·9	London - - -	35·2	37·1	33·3	26·9
Blackburn -	23·9	23·2	24·3	22·1	Manchester - -	22·9	23·8	23·0	22·2
Bolton - -	25·4	21·9	22·5	23·5	Newcastle-on-Tyne	28·3	26·3	22·0	25·6
Bradford -	22·1	24·7	20·0	26·3	Norwich - -	33·1	32·7	43·6	31·8
Brighton -	33·0	44·9	28·6	19·7	Nottingham - -	34·9	40·8	44·9	32·2
Bristol - -	22·7	22·0	20·1	18·3	Oldham - -	30·1	18·7	17·7	11·2
Burnley -	19·4	12·5	15·6	20·1	Plymouth - -	49·7	36·7	34·2	15·3
Cardiff - -	20·2	17·2	16·1	14·5	Portsmouth - -	42·1	32·6	28·4	19·8
Croydon -	33·1	40·5	37·4	21·9	Preston - -	39·5	42·5	26·3	28·1
Derby - -	27·0	21·7	33·3	25·6	Salford - - -	26·5	27·9	27·2	23·6
Gateshead -	25·9	17·6	22·4	19·5	Sheffield - -	25·0	24·2	25·5	26·2
Halifax -	21·3	20·2	20·2	21·7	Sunderland - -	27·9	24·8	22·3	30·4
Huddersfield-	17·6	19·0	17·5	17·0	Swansea - -	27·6	23·7	22·2	18·3
Hull - -	24·5	22·7	22·3	27·5	West Ham - -	21·5	27·0	22·2	18·9
Leeds - -	22·3	25·6	21·5	20·6	Wolverhampton -	39·3	20·4	27·9	27·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·1 in Hull, 1·4 in Salford, 1·7 in Wolverhampton and in Sheffield, and 4·4 in Preston ; from *scarlet fever*, 1·0 in Halifax and 1·8 in Preston ; from *whooping-cough*, 1·0 in Manchester, 1·1 in Birmingham and in Blackburn, 1·2 in Salford, 1·3 in Portsmouth and in Newcastle-on-Tyne, and 1·6 in Liverpool and in Bolton. In none of the thirty-three towns did the death-rate from "*fever*" or from *diarrhœa* reach 1·0 per 1000. The 96 deaths from *diphtheria* included 40 in London, 14 in Sheffield, 8 in Liverpool, 5 in Leeds, 4 in Manchester, 3 in Cardiff, and 3 in Leicester. One death from *small-pox* was registered in Liverpool and 1 in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2533 BIRTHS and 2365 DEATHS were registered. Allowing for increase of population, the births were 280 below, and the deaths 140

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

4682—670—1/1900 Wt 93 D & S 3 C

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 35·2, 37·1, and 33·3 in the preceding three weeks, further fell last week to 26·9. During the four weeks ending on Saturday last the death-rate averaged 33·1 per 1000, being 8·0 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 2365 deaths included 45 from measles, 6 from scarlet fever, 40 from diphtheria, 34 from whooping-cough, 17 from enteric fever, 10 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 152 deaths were referred to these diseases, being 59 below the corrected average weekly number.

The deaths from *measles*, which had been 65, 62, and 51 in the preceding three weeks, further fell last week to 45, and were 11 below the corrected average; 8 cases belonged to Islington, 7 to Battersea, and 6 to Fulham sanitary areas. The deaths from *scarlet fever*, which had been 12, 6, and 7 in the preceding three weeks, were 6 last week, the corrected average being 18. The deaths from *diphtheria*, which had been 56, 58, and 49 in the preceding three weeks, further fell last week to 40, but were 2 above the corrected average; 7 cases belonged to Camberwell, 6 to Wandsworth, 4 to Lambeth, and 3 to Newington sanitary areas. The deaths from *whooping-cough*, which had been 28, 26, and 37 in the preceding three weeks, fell again last week to 34, and were 39 below the corrected average; 6 cases belonged to St. Pancras sanitary area. The fatal cases of *enteric fever*, which had been 18, 19, and 23 in the preceding three weeks, fell again last week to 17, but were 5 above the corrected average; 3 cases belonged to Fulham, and 2 each to St. Pancras, Islington, Mile End Old Town, Wandsworth, and Greenwich sanitary areas. The deaths from *diarrhœa*, which had been 9, 10, and 9 in the preceding three weeks, were 10 last week, the corrected average being 14. The deaths referred to diseases of the respiratory organs, which had been 1171, 1221, and 994 in the preceding three weeks, further fell last week to 728, but were 41 above the corrected average. The deaths attributed directly to *influenza* numbered 208, having been 193, 316, and 340 in the preceding three weeks. In 50 other cases during the week, influenza appears as a contributory cause of death.

Different forms of violence caused 91 deaths, concerning all but 3 of which inquests were held. Of these 91 deaths, 3 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 85 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 17 to burns and scalds, and 12 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 21 cases of small-pox, 2441 of scarlet fever, 1582 of diphtheria, and 329 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 5 cases, against 2, 1, and 10; of scarlet fever, 208 cases, against 161, 186, and 180; of diphtheria, 176 cases, against 178, 190, and 172; and of enteric fever, 36 cases, against 43, 41, and 34.

Greater London.

In Greater London 3631 births and 3134 deaths were registered, corresponding to annual rates of 28·5 and 24·6 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 2 from scarlet fever, 17 from diphtheria, 2 from whooping-cough, 5 from "fever," and 2 from diarrhœa were registered. Nine deaths from diphtheria occurred in West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 40°·2; the latter being 1°·7 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 1 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 12·4 hours; the measured rainfall amounted to 0·74 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
		Deaths from the Week ending 20th Jan 1900.		Deaths of		Deaths from											Deaths corresponding to the Week's Deaths.		Temperature.				Rainfall.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	11,610,296	6729	5552	1056	1820	2	121	35	96	115	39	35	199	441	1201	84	24·9	2·0	50·6	23·5	39·8	4·33	0·85	2·16	33 Towns.
London	4,589,129	2533	2365	385	861	-	45	6	40	34	17	10	91	226	702	18	26·9	1·7	50·6	27·0	40·2	4·56	0·74	1·88	London.
West Ham	314,472	197	114	28	32	-	5	-	2	1	1	-	6	11	17	3	18·9	1·5	-	-	-	-	-	-	West Ham.
Croydon	131,186	64	55	8	30	-	-	-	1	-	-	-	1	3	13	-	21·9	0·4	49·5	23·5	38·7	3·72	0·74	1·88	Croydon.
Brighton	124,148	59	47	6	19	-	-	1	1	-	-	2	-	2	8	-	19·7	1·7	50·2	31·8	41·8	5·44	1·14	2·90	Brighton.
Portsmouth	194,955	104	74	14	22	-	-	-	2	5	2	-	2	6	10	-	19·8	2·4	50·5	32·0	42·4	5·78	1·62	4·11	Portsmouth.
Plymouth	102,161	63	30	7	12	-	1	-	-	-	-	-	1	4	1	-	15·3	0·5	-	-	-	-	-	-	Plymouth.
Bristol	324,973	211	114	27	41	-	-	-	1	1	2	-	1	10	16	1	18·3	0·6	50·0	35·8	42·1	5·61	0·86	2·18	Bristol.
Cardiff	194,247	106	54	17	8	-	2	-	3	1	-	-	4	7	9	-	14·5	1·6	-	-	-	-	-	-	Cardiff.
Swansea	105,472	45	37	10	6	-	-	-	1	-	-	-	1	2	7	-	18·3	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	55	48	12	10	-	3	-	-	1	1	1	4	5	6	-	27·9	3·5	48·0	31·0	37·3	2·94	0·37	0·94	Wolverhampton.
Birmingham	519,610	365	278	57	93	-	-	-	2	11	4	4	7	14	35	6	27·9	2·1	-	-	-	-	-	-	Birmingham.
Norwich	114,855	51	70	14	38	-	-	-	-	2	-	-	1	7	5	-	31·8	0·9	-	-	-	-	-	-	Norwich.
Leicester	219,169	115	76	17	28	-	2	-	3	1	-	-	4	6	8	1	18·1	1·4	-	-	-	-	-	-	Leicester.
Nottingham	242,676	145	150	39	66	-	-	2	-	1	-	2	3	10	26	-	32·2	1·1	48·4	32·3	38·4	3·56	0·66	1·68	Nottingham.
Derby	107,991	52	53	11	15	-	-	-	-	-	-	-	4	7	7	-	25·6	-	-	-	-	-	-	-	Derby.
Birkenhead	117,170	57	44	5	11	-	2	-	-	-	1	-	-	-	8	1	19·6	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	446	390	72	108	1	6	-	8	19	3	5	16	24	91	16	32·0	3·5	50·3	31·9	40·7	4·83	0·75	1·90	Liverpool.
Bolton	164,240	91	74	13	22	-	-	-	1	5	-	1	2	6	9	3	23·5	2·2	-	-	-	-	-	-	Bolton.
Manchester	548,768	352	234	61	41	-	9	6	4	10	2	3	12	23	49	6	22·2	3·2	-	-	-	-	-	-	Manchester.
Salford	220,816	143	100	25	26	-	6	2	1	5	-	-	7	11	32	2	23·6	3·3	-	-	-	-	-	-	Salford.
Oldham	153,297	66	33	7	5	-	2	1	-	-	-	1	1	1	4	-	11·2	1·4	-	-	-	-	-	-	Oldham.
Burnley	116,730	55	45	7	8	-	-	2	-	-	-	1	-	-	4	3	20·1	1·3	-	-	-	-	-	-	Burnley.
Blackburn	137,107	73	58	13	16	-	2	1	2	3	1	1	3	4	6	2	22·1	3·8	-	-	-	-	-	-	Blackburn.
Preston	118,902	68	64	16	8	-	10	4	2	1	1	1	1	2	1	3	28·1	8·3	-	-	-	-	-	-	Preston.
Huddersfield	104,484	55	34	5	13	-	-	-	-	-	-	1	-	1	4	-	17·0	0·5	48·7	32·3	38·5	3·61	1·16	2·95	Huddersfield.
Halifax	100,710	38	42	5	18	-	1	2	-	-	-	-	2	4	6	4	21·7	1·6	-	-	-	-	-	-	Halifax.
Bradford	291,535	119	147	13	71	-	3	4	1	1	-	-	4	8	23	2	26·3	1·6	49·6	34·4	40·6	4·78	0·98	2·49	Bradford.
Leeds	431,287	238	170	40	43	-	3	-	5	6	-	-	9	13	25	1	20·6	1·7	-	-	-	-	-	-	Leeds.
Sheffield	365,922	247	184	40	37	-	12	-	14	1	1	-	4	5	22	6	26·2	4·0	-	-	-	-	-	-	Sheffield.
Hull	238,736	152	126	26	38	1	5	3	-	-	1	1	1	5	15	4	27·5	2·4	48·0	29·0	37·1	2·83	0·37	0·94	Hull.
Sunderland	147,398	114	86	17	31	-	-	1	1	-	-	1	1	5	9	1	30·4	1·1	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	87	41	13	12	-	-	-	-	-	1	-	1	1	-	-	19·5	0·5	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	163	115	26	31	-	2	-	1	6	1	-	5	8	23	1	25·6	2·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRD Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2714	2789	2623	2645	2729	2818	2491	2484	2631	2811	2812·6	2533
Males - -	1409	1381	1357	1330	1342	1388	1310	1284	1322	1485	1431·6	1288
Females - -	1305	1408	1266	1315	1387	1430	1181	1200	1309	1326	1381·0	1245
TOTAL **Deaths** -	2720	2212	3761	2101	1975	1689	1624	1547	2021	1503	2225·3	2365
Males - -	1420	1061	1723	1037	997	879	820	800	1043	779	1110·8	1128
Females - -	1300	1151	2038	1064	978	810	804	747	978	724	1114·5	1237

*The numbers in this column are the average weekly numbers in the third week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
TOTAL **Births** - -	2495	2613	2711	2674	2556	2439	2339	2269	2585	1880	2792	2766	2533
TOTAL **Deaths** - - -	1844	1626	1506	1528	1526	1695	1957	2078	2607	3067	3266	2930	2365
Ages at Death: Under 1 year - -	376	352	334	355	331	388	406	427	429	451	408	409	385
1—5 years - -	203	197	215	180	226	209	247	251	272	261	268	256	231
5—20 " - -	118	86	116	93	94	74	117	110	105	125	122	101	105
20—40 " - -	269	206	218	214	193	227	225	256	303	359	393	303	282
40—60 " - -	391	363	280	318	305	351	405	426	551	703	720	656	501
60—80 " - -	391	339	274	300	312	349	446	476	744	928	1044	946	682
80 years and upwards	96	83	69	68	65	97	111	132	203	240	311	259	179
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles - - - -	34	33	42	29	44	43	59	57	58	65	62	51	45
Scarlet Fever - - -	14	7	14	6	13	8	15	9	11	12	6	7	6
Diphtheria - - - -	59	39	68	56	43	52	43	55	54	56	58	49	40
Whooping-cough - - -	10	14	11	9	16	15	20	36	31	28	26	37	34
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	40	29	51	55	29	26	29	13	36	18	19	23	17
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	17	22	13	20	10	7	14	14	12	9	10	9	10
Cholera - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
All the above Diseases -	175	145	199	175	155	151	180	185	202	188	181	176	152
Dis. of Respiratory System -	477	418	325	324	350	430	548	646	968	1171	1221	994	728
Phthisis - - - - -	203	157	133	141	153	177	190	225	208	239	200	204	220
Dis. of Circulatory System -	173	122	107	148	141	143	165	172	278	271	284	246	206
Violence - - - -	63	54	75	57	61	66	76	81	107	103	103	86	91
Inquest Cases - - - -	185	122	144	134	154	155	188	203	263	281	313	239	223
Deaths in Public Institutions -	577	507	509	494	485	532	603	578	700	859	843	819	702
TEMPERATURE OF THE AIR.													
Mean - - - - - -	51°·8	53°·2	50°·9	45°·9	45°·5	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2
Mean of Highest readings -	57·4	59·1	56·2	51·3	49·0	50·5	46·6	34·2	38·5	43·3	45·1	43·0	46·3
Mean of Lowest readings -	45·9	47·1	45·4	39·9	40·6	39·4	37·9	23·7	30·3	33·4	36·0	32·9	33·0
Humidity of the Air - -	90	83	78	84	80	82	87	73	92	84	88	80	85
Rain-fall (in inches) - -	1·30	1·81	2·33	0·00	0·00	0·29	0·46	0·05	0·08	0·59	0·48	0·48	0·74
Registered Sunshine (in hours)	7·8	22·5	20·9	8·4	0·0	8·2	10·0	7·4	0·7	6·2	9·5	14·1	12·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	—	-	1	1	1	1	-	5	7	8	18	21
Scarlet Fever - - - -	3504	3539	3564	3578	3503	3445	3290	3084	2916	2881	2730	2560	2441
Diphtheria - - - -	1700	1715	1692	1736	1761	1735	1730	1720	1701	1693	1653	1602	1582
Enteric Fever - - - -	342	407	426	443	448	461	460	452	420	406	382	349	329

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRD Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 3rd Week of the 10 years 1890-99*.	In the Week ending Saturday, 20th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	2225·3	2365	385	231	105	282	501	682	179
- Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	0·1	-	-	-	-	-	-	-	-
es - - - -	56·1	45	12	32	1	-	-	-	-
t Fever - - -	18·1	6	-	5	1	-	-	-	-
is - - - -	-	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - -	88·9	208	6	3	5	21	53	97	23
ping-cough - -	72·5	34	15	18	1	-	-	-	-
heria - -	38·2	40	3	21	15	1	-	-	-
e Continued and efined Fever -	0·7	-	-	-	-	-	-	-	-
ic Fever - - -	11·6	17	-	1	5	7	4	-	-
ra and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
hœa, Dysentery -	13·6	10	3	3	-	-	2	2	-
tent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	0·1	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects of cination - -	0·2	-	-	-	-	-	-	-	-
eal Affections - -	10·0	8	1	1	-	4	2	-	-
pelas - - -	6·0	5	-	-	-	-	2	3	-
ia and Septicæmia	1·8	4	1	-	-	1	2	-	-
eral Fever - -	5·9	4	-	-	-	3	1	-	-
Zymotic Diseases	1·7	1	-	-	-	-	1	-	-
h - - - -	0·7	2	2	-	-	-	-	-	-
is and other Parasitical Diseases -	0·5	1	-	-	-	-	1	-	-
ation, Want of ast-milk - - olism - - -	1·6	1	1	-	-	-	-	-	-
	11·0	12	-	-	-	4	7	1	-
matic Fever, eumatism of Heart	9·7	7	-	-	1	2	1	3	-
matism - - -	2·1	2	-	-	-	-	-	2	-
- - - - -	3·9	5	-	-	-	1	1	2	1
ets - - - -	5·0	4	-	4	-	-	-	-	-
er - - - -	72·2	67	-	-	1	8	26	30	2
s Mesenterica - -	18·4	12	9	3	-	-	-	-	-
rcular Meningitis -	23·4	22	7	7	8	-	-	-	-
isis - - - -	193·3	220	1	5	11	94	89	20	-
ula, Tuberculosis -	19·0	18	1	8	4	4	-	1	-
r Constitutional eases - -	14·9	20	-	1	1	2	9	7	-
nature Birth - -	50·1	56	56	-	-	-	-	-	-
ectasis - - -	4·2	10	10	-	-	-	-	-	-
enital Malformations - - -	8·7	6	4	1	1	-	-	-	-
Age - - - -	74·7	88	-	-	-	-	-	38	50
plexy - - -	52·9	55	-	-	-	1	17	32	5
epsy - - - -	8·2	7	-	-	1	2	4	-	-
ulsions - - -	47·1	31	30	1	-	-	-	-	-
r Diseases of Brain d Nervous System	99·7	66	4	11	5	2	12	26	6
ases of Organs of ecial Sense -	2·7	6	2	1	-	2	-	1	-

CAUSES OF DEATH	Corrected Averages for the 3rd Week of the 10 years 1890-99*.	In the Week ending Saturday, 20th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	190·6	206	2	-	11	30	55	91	17
Croup - - - -	6·3	-	-	-	-	-	-	-	-
Bronchitis - - -	435·9	450	62	36	2	10	78	204	58
Pneumonia - - -	185·1	218	43	51	12	30	42	35	5
Pleurisy - - - -	5·6	9	-	1	-	1	6	1	-
Other Diseases of Respiratory System -	53·9	51	9	3	-	2	13	22	2
Dentition - - - -	9·2	10	6	4	-	-	-	-	-
Quinsy, Sore Throat -	2·4	-	-	-	-	-	-	-	-
Enteritis - - -	12·1	11	1	-	2	1	3	4	-
Gastro-enteritis -		8	6	1	-	1	-	-	-
Peritonitis - - -	6·7	7	-	-	-	3	2	2	-
Diseases of Liver - -	26·5	21	2	-	-	1	11	7	-
Other Diseases of Digestive System	32·2	30	10	1	3	2	7	7	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·4	1	-	-	1	-	-	-	-
Diseases of Urinary System - - -	50·2	69	1	-	1	13	25	25	4
Diseases of Generative System - - -	5·8	3	-	-	-	1	2	-	-
Accidents of Childbirth -	5·6	7	-	-	1	5	1	-	-
Diseases of Locomotive System - - -	8·2	10	3	-	4	1	1	1	-
Diseases of Integumentary System - -	6·5	10	5	1	-	-	1	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	64·6	4	-	-	-	3	1	-	-
By Vehicles or Horses -		10	-	-	1	3	3	3	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	1	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		17	-	5	5	1	2	4	-
By Drowning - - -		2	-	-	-	2	-	-	-
By Suffocation in Bed -		12	12	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	-	2	-	1	-
Other or not stated causes - - - -		35	6	1	1	5	9	8	5
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·5	2	1	-	-	1	-	-	-
Suicide - - - -	8·9	3	-	-	-	2	1	-	-
Execution - - -	-	1	-	-	-	1	-	-	-
OTHER CAUSES - -	56·2	53	48	1	-	1	3	-	-

The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 20th January, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON -	4,411,710	2,533	2,365	385	861	-	45	6	40	34	-	17	-	10	91	226	702	18
WEST DISTRICTS - - -	778,251	391	404	59	148	-	11	1	6	6	-	3	-	-	18	32	127	-
NORTH DISTRICTS - - -	1,040,694	563	539	90	211	-	11	4	5	11	-	4	-	2	22	54	149	-
CENTRAL DISTRICTS - - -	233,635	130	97	12	24	-	2	-	-	2	-	-	-	-	7	19	35	-
EAST DISTRICTS - - -	716,334	506	412	84	141	-	2	-	1	7	-	3	-	1	16	58	144	-
SOUTH DISTRICTS - - -	1,642,796	943	865	140	307	-	19	1	28	8	-	7	-	7	28	63	199	16
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	-	30	-	-	-	-	-	-	-	-	-	-	-	48	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	46	49	10	15	-	-	-	-	-	-	-	-	-	2	5	10	-
St. John Paddington *H* - - G.	33,510	10	16	1	8	-	-	-	-	-	-	1	-	-	4	5	6	-
Kensington Town *Ww* - - W.	122,164	70	75	13	34	-	1	-	1	-	-	1	-	-	2	6	31	-
Brompton *HH*- - - W. & C.	48,301	4	13	1	7	-	1	-	-	-	-	-	-	-	1	1	4	-
North Hammersmith *H* W. & G	44,638	33	16	6	8	-	1	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *H* W. & G	59,561	20	27	1	11	-	1	-	-	1	-	-	-	-	1	2	5	-
Fulham *Ww* - - - W. & C.	113,781	95	68	15	14	-	6	1	5	3	-	1	-	-	1	2	18	-
Chelsea Kensal Town - C.	21,450	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	16	25	-	10	-	-	-	-	-	-	-	-	-	1	2	13	-
Chelsea South *HH* - - C.	33,139	18	15	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
May Fair *W* - - - - G.	23,827	5	16	-	9	-	-	-	-	-	-	-	-	-	2	2	11	-
Belgrave *WHHH* - - - C.	56,140	21	36	4	8	-	1	-	-	1	-	-	-	-	2	3	16	-
St. John Westminster *HH* - C.	31,492	13	16	2	6	-	-	-	-	1	-	-	-	-	-	1	1	-
St. Margaret Westminster *H*- C.	22,097	6	12	1	4	-	-	-	-	-	-	-	-	-	1	2	8	-
St. James Westminster *WH* N. & G.	23,050	9	10	1	8	-	-	-	-	-	-	-	-	-	1	1	2	-
St. Anne Soho *HHHHH* - N.	12,048	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	13	12	-	5	-	-	-	-	-	-	-	-	-	-	2	4	-
Rectory Marylebone *W* G. & W.	19,798	1	9	1	4	-	-	-	-	-	-	-	-	1	-	1	4	-
St. Mary Marylebone *HHHH* G. & W.	19,637	28	5	-	3	-	-	1	-	-	-	-	-	-	1	1	-	-
Christchurch Marylebone *H* - W	32,547	12	15	1	8	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *HHH* - W.	32,611	18	15	3	3	-	1	-	-	-	-	-	-	-	1	1	-	-
Hampstead *WwHHHH* - N. & W.	75,449	27	39	5	13	-	-	2	2	-	-	1	-	-	-	-	11	-
Regent's Park† *HH* - W.	51,403	27	21	4	7	-	-	-	-	2	-	-	-	-	2	5	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	15	25	1	8	-	-	-	-	-	-	1	-	-	-	1	19	-
Gray's Inn Lane *HHHH* - N.	29,426	19	8	-	2	-	-	-	-	-	-	-	-	-	1	1	3	-
Somers Town *HH* - - - N.	32,161	12	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Camden Town† *WH* - - N.	40,155	25	32	4	19	-	1	-	-	2	-	-	-	-	4	10	16	-
Kentish Town† *WW* - - N.	60,862	35	28	7	12	-	-	-	-	2	-	-	-	-	-	1	6	-
Upper Holloway *WWWWwHH* - - N.	98,273	50	96	13	37	-	6	-	-	1	-	-	-	1	2	10	50	-
Lower Holloway‡ - - - N.	41,805	30	15	4	3	-	1	-	-	1	-	-	-	-	-	1	-	-
Barnsbury‡ - - - - N.	56,384	46	29	8	12	-	1	-	-	-	-	-	-	-	1	-	-	-
Islington South-east‡ *H* - N.	75,725	36	26	2	12	-	-	-	-	-	-	-	-	-	1	2	-	-
Highbury *HH* - - - N.	64,577	25	14	3	7	-	-	-	-	-	-	-	-	-	-	2	-	-
Stoke Newington *H* - - N.	33,485	14	15	2	11	-	-	-	-	-	-	-	-	-	1	1	-	-
North Hackney - - E. & N.	213,044	25	18	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		32	28	7	6	-	-	1	3	2	-	2	-	-	3	5	8	-
South-west Hackney *HHH* E. & N.		38	30	5	10	-	1	-	-	1	-	-	-	-	3	5	6	-
South-east Hackney *WwH* E. & N.		35	51	16	19	-	-	-	-	-	-	-	-	-	2	4	21	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 20th January, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
asbury and St. Giles } th *WH* - - - N.	29,086	21	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
les North *H* - - - N.	9,151	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
rtin-in-the-Fields *HH* N. & C.	13,077	2	4	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-
d *WHH* - - - - N.	11,839	3	9	-	1	-	-	-	-	-	-	-	-	-	2	3	7	-
d Union Workhouse, Edmonton	†1,037	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
orn *wHHHHHH* - N.	31,042	16	20	5	1	-	1	-	-	-	-	-	-	-	-	5	9	1
mes Clerkenwell - - N.	15,777	10	9	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	17	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ell-street - - - N.	13,069	17	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
road *HHHL* - - - N.	29,597	24	14	1	4	-	-	-	-	1	-	-	-	-	1	3	1	-
ecross-street - - - N.	7,595	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, } *cham* - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph *HH* - - N. & E.	9,762	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
legate - - - - N.	3,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	2	12	-	3	-	-	-	-	-	-	-	-	-	2	2	10	-
llows Barking - - - N.	9,059	3	3	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-
f London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	8	4	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
on New Town *w* - - N.	29,575	21	16	3	9	-	-	-	-	-	-	-	-	-	-	3	9	1
on Old Town - - - N.	27,645	12	9	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-
gerston *WH* - - N. & E.	47,163	37	28	5	8	-	-	-	-	-	-	-	-	-	1	5	10	-
nal Green North *H* - E.	49,301	38	24	2	9	-	-	-	-	1	-	-	-	1	-	2	-	-
nal Green South - - E.	34,194	36	13	4	4	-	-	-	-	1	-	-	-	-	-	1	-	-
nal Green East *WWHl* - E.	45,667	26	39	5	19	-	-	-	-	-	-	-	-	-	-	3	23	-
lfields - - - E. & N.	26,681	19	11	6	1	-	1	-	-	-	-	-	-	-	-	2	-	-
End New Town *WH* - E. }	51,995	16	32	4	3	-	1	-	-	-	-	-	-	-	3	4	26	-
man's Fields - - - E. }		11	12	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
eorge's, North - - - E.	39,576	44	14	5	1	-	-	-	-	-	-	-	-	-	1	4	-	-
ohn, St. George East *W* E.	7 930	4	13	1	5	-	-	-	-	-	-	-	-	-	-	3	12	-
lwell *H* - - - E. & N.	10,434	9	9	2	1	-	-	-	-	-	-	-	-	-	2	2	4	-
liff *W* - - - - E.	14,954	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ehouse - - - - E.	32,917	20	22	6	5	-	-	-	-	-	-	-	-	-	1	2	-	-
End Old Town West *H* E. }	111,060	{ 36	19	7	2	-	-	-	-	-	-	2	-	-	1	4	1	-
End Old Town East } *Www* - E. }		44	51	6	26	-	-	-	-	1	-	-	-	-	1	7	24	-
l - - - - E.	41,687	28	20	6	4	-	-	-	-	1	-	-	-	-	-	2	1	-
nley *wwwH* - - - E.	69,321	53	53	5	28	-	-	-	1	3	-	1	-	-	4	8	31	-
lar *WW* - - - - E.	57,759	35	18	5	8	-	-	-	-	-	-	-	-	-	-	1	3	-

† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 20th January, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
St. Saviour Southwark - - S.	12,301	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kent-road - - - - S. & L.	22,879	12	16	6	1	–	1	–	–	–	–	–	–	1	–	1	–	
Borough-road *WH* - S. & L.	16,083	2	10	4	1	–	–	–	–	1	–	–	–	–	–	1	2	
London-road *HL* - - L. & S.	21,316	19	10	2	2	–	–	–	–	–	–	–	–	–	–	3	–	
Trinity Newington - - S. & L.	28,723	21	8	1	1	–	–	–	–	–	–	–	–	–	–	1	–	
St. Peter Walworth *W* - S. & L.	62,045	37	31	10	10	–	–	–	–	1	–	–	–	–	–	–	8	
St. Mary Newington- - L. & S.	30,171	27	19	4	6	–	2	–	1	–	–	–	–	2	1	2	–	
St. Olave *WH* - - - - S.	11,731	9	24	5	1	–	–	–	–	–	–	–	–	–	4	4	20	
Bermondsey *W* - - - - S.	85,475	52	40	11	9	–	–	–	1	–	–	–	–	1	2	5	–	
Rotherhithe *Ww* - S. & K.	40,379	29	26	2	11	–	–	–	–	–	–	–	–	–	–	1	12	
Waterloo-road *HH* - L. & S.	28,396	31	19	5	5	–	–	–	–	–	–	–	–	–	–	–	2	
Lambeth Church 1st *H* - L. & S.	18,770	7	14	–	4	–	–	–	–	–	–	–	–	–	2	2	6	
Lambeth Church 2nd *WW* L. & S.	40,994	26	33	4	17	–	–	–	–	–	–	–	–	1	–	1	25	
Kennington 1st *H* - - S. & L.	52,486	39	25	3	10	–	1	–	–	–	–	–	–	–	–	5	–	
Kennington 2nd - - S. & L.	43,244	16	27	2	14	–	1	–	–	1	–	–	–	–	–	–	–	
Brixton *w* - - - L. & S.	81,825	31	31	5	15	–	–	–	3	–	–	–	–	1	1	1	3	
Norwood *WH* - - - - L.	29,318	7	19	1	8	–	–	–	–	–	–	–	–	–	–	–	1	
East Battersea - - - - S.	71,730	46	32	8	7	–	2	–	–	1	–	–	–	–	1	5	–	
West Battersea *WwH* - - S.	93,385	49	49	5	15	–	6	–	1	–	–	–	–	–	3	6	15	
Clapham *H* - - - - S.	46,953	19	18	3	11	–	–	–	–	–	–	–	–	–	1	1	1	
Wandsworth *WHHL* - - S.	58,101	34	31	5	13	–	–	–	2	–	–	2	–	–	5	5	–	
Putney - - - - - - S.	20,566	18	3	1	2	–	–	–	–	–	–	–	–	–	1	1	–	
Streatham *WwwwwL* - - L.	61,644	41	42	6	16	–	–	–	9	1	–	2	–	–	–	1	15	
Dulwich - - - - L. & S.	7,519	2	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	
Camberwell *WWwll* - S. & L.	90,286	38	68	3	33	–	2	–	–	–	–	–	–	–	1	1	43	
Peckham *WW* - S., L., & K.	88,242	50	35	6	16	–	–	–	1	–	–	–	–	–	3	4	–	
St. George Camberwell - L. & S.	67,029	32	29	5	10	–	–	–	1	–	–	–	–	–	–	2	–	
Deptford North - - - K.	36,152	34	19	4	3	–	1	–	–	2	–	1	–	–	–	1	–	
Deptford Central *w* - - K.	45,441	37	15	1	4	–	1	1	–	–	–	1	–	–	1	1	3	
Deptford South - - - K.	33,402	12	9	–	4	–	–	–	1	–	–	–	–	–	–	–	–	
Greenwich West *H* - - K.	23,012	14	11	2	6	–	–	–	–	–	–	–	–	–	–	–	1	
Greenwich East *WH* - - K.	37,767	18	24	2	8	–	–	–	–	–	–	–	–	–	–	–	12	
Eltham *wH* - - - - K.	5,911	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	
Lee *H* - - - - - - K.	24,222	6	9	2	4	–	–	–	–	–	–	–	–	–	–	–	2	
Lewisham *WwH* - - - K.	38,139	24	33	3	13	–	–	–	8	–	–	–	–	–	–	–	20	
Sydenham *H* - - - - L.	37,601	15	12	4	4	–	–	–	–	–	–	–	–	–	–	1	–	
Charlton *wHH* - - K.	15,928	6	14	1	4	–	1	–	–	–	–	1	–	–	–	2	3	
Woolwich Dockyard - - K.	9,355	10	10	4	3	–	–	–	–	–	–	–	–	–	–	2	–	
Woolwich Arsenal *HHHH* - K.	21,959	10	15	3	4	–	–	–	–	1	–	–	–	–	–	2	–	
Plumstead West *H* - - K.	16,714	10	11	3	5	–	1	–	–	–	–	–	–	1	–	–	–	
Plumstead East *WH* - - K.	42,538	33	20	3	5	–	–	–	–	–	–	–	–	–	1	1	4	
Banstead Asylum - - -	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	
Horton Asylum, Epsom - -	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	
Caterham Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Cane Hill Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Darenth Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
London County Asylum, Dartford Heath - - - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	
Hanwell Asylum - - - -	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5	
Colney Hatch Asylum - - -	—	–	7	–	5	–	–	–	–	–	–	–	–	–	–	–	7	
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Leavesden Asylum - - - -	—	–	21	–	14	–	–	–	–	–	–	–	–	–	–	–	21	
Claybury Asylum - - - -	—	–	8	–	6	–	–	–	–	–	–	–	–	–	–	–	8	

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 20th January, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON- OUTER RING -	368,749	1,422,063	1098	769	137	322	-	8	2	17	2	5	2	16	44	101	7
1	Carshalton *H* - - -	12,228	26,108	15	13	2	5	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, *part of** *WwHH* -	10,423	12,508	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WwHHH* - -	20,851	128,699	74	70	9	39	-	-	-	1	-	-	-	1	3	14	-
2	Mitcham *w* - - -	11,697	23,072	25	14	6	3	-	-	-	-	-	-	-	-	2	-	-
1	Wimbledon *HHH* - -	3,220	25,777	21	20	3	12	-	-	-	-	-	-	-	1	1	-	-
2	Kingston *WH* - - -	14,672	33,566	13	26	3	12	-	-	-	-	-	-	-	-	-	10	-
3	Surbiton *H*- - - -		12,178	6	5	2	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *HH* -		11,080	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	10	17	2	5	-	1	-	-	-	-	-	-	-	5	-
1	Richmond *WH* - - -	2,160	25,389	9	15	2	7	-	2	-	-	-	-	-	-	-	2	-
2	Mortlake *H* - - -	2,823	16,159	4	7	2	2	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	9	12	2	5	-	-	-	-	-	-	-	-	-	2	1
2	Beckenham *H* - - -	6,542	21,969	13	11	2	6	-	-	-	-	-	-	-	1	1	1	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	18	13	2	9	-	-	-	-	-	-	-	-	1	5	-
1	Bexley *HHH* - - -	12,540	30,590	40	13	5	2	-	-	-	-	-	-	-	-	-	-	-
2	Dartford *WH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Sunbury *w* - - -	11,054	13,671	9	7	1	5	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
1	Hillingdon *WHH* - -	6,035	12,237	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	2	5	1	2	-	-	-	-	-	-	1	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	10	2	-	-	-	-	-	1	-	-	-	1	1	-	-
1	Isleworth *WHH* - -	6,967	26,004	9	18	-	12	-	-	-	1	-	-	-	-	-	6	-
2	Twickenham *HH* - -	2,415	16,027	8	6	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	19	23	-	10	-	-	-	-	-	-	-	2	3	3	-
4	Chiswick - - - -	1,245	21,963	10	9	1	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	25	20	4	7	-	-	-	1	-	-	-	-	1	-	-
1	Harrow *HHH* - - -	13,809	15,715	12	8	3	4	-	-	-	-	-	-	-	-	-	-	1
2	Edgware *HH* - - -	6,994	3,844	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	65	33	5	8	-	-	1	-	-	1	-	-	-	-	-
4	Hendon *WH* - - -	8,382	15,843	8	10	-	10	-	-	-	-	-	-	-	-	-	5	-
1	South Mimms *HH* - -	21,077	6,367	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	8	3	-	2	-	-	-	-	-	1	-	-	-	-	-
3	Finchley *HHH*- - -	4,688	25,820	16	6	-	3	-	-	-	-	-	-	-	-	1	-	-
1	Hornsey *HH* - - -	3,039	61,097	28	20	3	10	-	-	1	-	-	-	-	-	-	1	-
2	Tottenham *HH*- - -	4,642	97,174	65	36	9	13	-	-	-	2	1	-	-	1	2	2	-
3	Edmonton *Www* - -	7,489	36,351	41	17	1	8	-	-	-	-	-	1	-	1	3	4	-
4	Enfield *WWHH* - -	12,602	31,536	23	20	2	13	-	-	-	-	-	-	-	-	-	5	1
5	Waltham Abbey - - -	11,017	6,066	3	3	-	2	-	-	-	1	-	-	-	-	-	-	1
6	Cheshunt *H* - - -	8,480	9,620	9	7	1	2	-	-	-	-	-	-	-	-	-	-	-
	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	1	7	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	38,612	39	12	5	1	-	1	-	-	-	-	-	2	2	1	-
2	Plaistow *HHH* - - -		58,030	62	41	11	11	-	1	-	1	-	1	-	-	3	4	1
3	Canning Town *H* - -		54,750	63	35	11	5	-	3	-	-	1	-	-	4	6	2	1
4	Forest Gate *w* - - -		53,511	33	16	1	9	-	-	-	1	-	-	-	-	-	-	1
5	East Ham *wHH* - -	3,266	32,713	63	31	4	11	-	-	-	3	-	-	1	-	2	-	-
6	Leyton *WWWwH* - -	4,334	70,188	55	55	8	26	-	-	-	1	-	-	-	-	2	22	-
7	Walthamstow *HHHL* -	6,501	57,330	70	27	12	7	-	-	-	3	-	-	-	-	2	1	-
	Chigwell, *part of** *HHHH*	11,779	12,941	16	6	1	3	-	-	-	-	-	-	-	2	3	1	-
	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Romford, *part of** *WH* -	6,556	4,324	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	Ilford - - - - -	8,493	10,913	18	7	1	3	-	-	-	1	-	1	-	-	-	-	-
	Barking Town, *H* - -	3,814	14,301	15	19	4	4	-	-	-	-	-	-	-	-	4	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Asylum, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in field sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ctious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 20th January, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	1
GREATER LONDON	**443,421**	**6,652,145**	**24·6**	**1·5**	**3134**	**522**	**1183**	–	**53**	**8**	**57**	**36**	**22**	**12**	**107**	**8**
INNER LONDON -	74,672	4,589,129	26·9	1·7	2365	385	861	–	45	6	40	34	17	10	91	7
OUTER RING -	368,749	2,063,016	19·4	0·9	769	137	322	–	8	2	17	2	5	2	16	1

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	Jan. 20	160	135	23·3	–	–	3	2	1	1	
GLASGOW - -	743,585	„ 20	503	340	23·8	–	19	4	3	4	3	
DUBLIN - -	349,594	„ 20	168	295	44·0	–	9	–	2	3	2	
CALCUTTA - -	466,460	Dec. 9	–	377	42·1	6	1	–	–	–	123†	7
BOMBAY - -	821,764	„ 26	318	1601	101·3	36	43	?	?	?	467†	17
MADRAS - -	452,518	„ 22	–	–	–	–	–	–	–	–	–	–
PARIS - - -	2,511,629	Jan. 13	1135	999	20·6	–	12	5	5*	3	9	2
BRUSSELS - -	561,130	„ 13	223	187	17·3	–	–	1	2*	2	1	1
AMSTERDAM -	523,743	„ 6	281	413	41·1	–	–	–	–	4	1	–
ROTTERDAM -	315,305	„ 6	239	222	36·2	–	1	2	4	4	5	–
THE HAGUE -	199,285	„ 6	108	83	21·7	–	1	2	1	1	–	–
COPENHAGEN -	349,000	„ 13	167	133	19·9	–	1	–	2	2	–	
STOCKHOLM -	291,580	„ 6	101	128	22·8	–	–	–	8*	1	–	
CHRISTIANIA -	221,255	„ 13	146	62	14·6	–	–	–	–	–	–	–
ST. PETERSBURG	1,132,677	„ 6	369	622	28·6	1	12	18	26	4	11	5
MOSCOW - -	988,610	„ 6	–	467	24·6	–	–	12	9	–	1	4
BERLIN (8 days)	1,818,517	Dec. 31	1070	792	19·5	–	6	20	11	18	1	3
HAMBURG - -	691,349	Jan. 6	411	236	17·8	1	–	–	–	3	1	
DRESDEN - -	397,300	Dec. 23	–	139	18·0	–	–	–	–	–	1	
BRESLAU - -	406,012	Jan. 13	–	185	23·8	–	1	–	–	3	2	
MUNICH - -	463,000	„ 6	–	206	23·1	–	6	–	3*	2	–	2
VIENNA - -	1,639,811	„ 6	973	615	19·5	–	14	8	6*	2	2	1
PRAGUE - -	385,952	„ 6	140	192	25·9	–	1	2	1	3	2	
BUDA-PESTH -	685,340	„ 6	423	270	19·6	–	5	6	2	–	7	
TRIESTE - -	167,286	Dec. 30	139	150	41·1	–	–	1	6*	–	–	1
ROME - - -	508,779	„ 16	234	225	23·1	1	3	–	1	–	7	1
TURIN (10 days)	344,203	Nov. 20	–	–	–	–	–	–	–	–	–	–
VENICE - -	171,779	Dec. 30	81	96	29·1	–	–	–	3*	–	–	4
CAIRO - -	570,062	„ 16	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA -	319,766	„ 16	–	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,654,594	„ 30	1526	1248	18·3	–	20	17	46	12	13	10
PHILADELPHIA -	1,266,832	„ 30	–	462	19·0	–	–	3	32	1	4	3

* Including deaths from croup.
† Including 42 deaths from plague in Calcutta, and 301 in Bombay.
ncluding 30 deaths from cholera in Calcutta, and 3 in Bombay.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
JANUARY.																								
SUNDAY - 14	..	29·848	36·4	27·0	9·4	32·1	− 6·1	22·9	9·2	11·0	6·3	67	59·0	20·5	41·92	SE. & ESE.	S. & SSE.	1·2	0·0	0·1	201	−121	0·00	2·0
MONDAY - 15	Full	29·357	46·5	30·3	16·2	40·4	+ 2·1	38·6	1·8	10·0	0·0	93	49·0	26·2	41·46	S. & SSW.	SSW., SW. & WSW.	8·1	0·0	0·5	392	+ 68	0·07	6·0
TUESDAY - 16	..	29·349	46·8	38·3	8·5	42·1	+ 3·6	40·5	1·6	4·0	1·1	94	69·2	31·7	41·27	SW. & SSW.	Variable, NW. & SW.	1·4	0·0	0·1	228	− 98	0·16	0·0
WEDNESDAY 17	..	29·373	50·6	37·2	13·4	44·2	+ 5·7	40·1	4·1	7·0	0·9	86	81·0	31·1	41·33	SSW., SE. & WSW.	WSW. & W.	4·5	0·0	0·4	357	+ 29	0·25	0·0
THURSDAY - 18	..	29·862	44·9	35·2	9·7	40·4	+ 1·9	31·7	8·7	12·8	3·4	71	60·8	29·1	41·57	W. & WNW.	WNW. & NW.	6·8	0·0	1·0	534	+204	0·01	0·0
FRIDAY - 19	Apogee	30·012	49·3	32·2	17·1	42·0	+ 3·5	39·5	2·5	5·0	1·9	91	59·1	26·5	41·61	SW. & SSW.	SSW.	7·7	0·0	0·7	440	+109	0·04	0·0
SATURDAY - 20	In Equator	30·054	49·0	30·7	18·3	39·9	+ 1·5	38·1	1·8	6·6	0·0	93	53·9	25·0	41·60	WSW. & SW.	Variable & calm.	4·7	0·0	0·1	158	−174	0·21	0·0
MEANS -		29·694	46·2	33·0	13·2	40·2	+ 1·7	35·9	4·2	8·1	1·9	85	61·7	27·2	41·54	SW.		..	..	..	Sum 2310	Sum + 17	Sum 0·74	1·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	14	w. P. till 10h. A.M.; m. P. generally afterwards.	6·1	8·2
MONDAY -	15	w. P. and w. N. till 2h. P.M.; m. P. afterwards.	0·0	8·3
TUESDAY -	16	w. P. generally till 11h. A.M.; m. P. afterwards; w. N. between 8h. and 10h. A.M.	0·2	8·3
WEDNESDAY	17	w. P. generally; occasional w. N.	2·6	8·4
THURSDAY -	18	m. P. generally; s. P. and s. N. at 6h. P.M.	3·5	8·4
FRIDAY -	19	w. P. generally -	0·0	8·5
SATURDAY -	20	w. P. generally till 9h. A.M.; m. P. till 4h. P.M.; w. P. afterwards.	0·0	8·5
			Sum 12·4	Sum 58·6
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Very fine generally. Hoar frost in morning. Lunar halo at night.

Cloudy generally. Slight snow in early morning, and frequent showers with gusty wind till afternoon. Lunar halo at night.

Overcast generally; frequent rain in forenoon. Great gloom between 2h. and 3h. P.M.

Fine and partially cloudy till 3h. A.M.; overcast, with steady rain till 10h. A.M.; fine generally afterwards, with slight shower at 4h. P.M.

Very fine generally. Brisk wind prevalent till evening. A sharp shower at 6h. P.M.

Fine, with hoar frost in morning; generally cloudy till noon; overcast, with brisk wind and frequent slight rain afterwards. A faint solar halo observed at 10h. A.M.

Overcast till evening, with steady rain until 4h. A.M.; cloudless, with fog and hoar frost at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·94 in. at the beginning of the week to 29·30 in. by 1h. P.M. on the 15th; increased to 29·39 in. by midnight on the same day; decreased to 29·26 in. by 1h. P.M. on the 16th; increased to 29·54 in. by midnight on the same day; decreased to 29·34 in. by 3h. P.M. on the 17th; increased to 30·15 in. by 2h. A.M. on the 19th; decreased to 29·87 in. by 11h. P.M. on the same day; and increased to 30·12 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 4. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JAN 27. [Price 1½*d*.

General Register Office, Somerset House,
January 29th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.		Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
33 Great Towns	30·9	29·1	24·9	22·6	Leicester - -	26·2	27·6	18·1	16·4
Birkenhead -	20·0	25·8	19·6	14·7	Liverpool - -	34·4	34·6	32·0	29·5
Birmingham -	27·0	33·6	27·9	27·2	London - - -	37·1	33·3	26·9	22·2
Blackburn -	23·2	24·3	22·1	23·2	Manchester - -	23·8	23·0	22·2	23·8
Bolton - -	21·9	22·5	23·5	25·4	Newcastle-on-Tyne	26·3	22·0	25·6	26·0
Bradford -	24·7	20·0	26·3	24·9	Norwich - -	32·7	43·6	31·8	26·8
Brighton -	44·9	28·6	19·7	17·2	Nottingham - -	40·8	44·9	32·2	19·1
Bristol - -	22·0	20·1	18·3	19·1	Oldham - -	18·7	17·7	11·2	20·7
Burnley -	12·5	15·6	20·1	21·0	Plymouth - -	36·7	34·2	15·3	17·9
Cardiff - -	17·2	16·1	14·5	8·9	Portsmouth - -	32·6	28·4	19·8	17·4
Croydon -	40·5	37·4	21·9	10·7	Preston - -	42·5	26·3	28·1	30·7
Derby - -	21·7	33·3	25·6	24·6	Salford - - -	27·9	27·2	23·6	25·5
Gateshead -	17·6	22·4	19·5	26·7	Sheffield - -	24·2	25·5	26·2	22·5
Halifax -	20·2	20·2	21·7	22·3	Sunderland - -	24·8	22·3	30·4	30·1
Huddersfield -	19·0	17·5	17·0	16·0	Swansea - -	23·7	22·2	18·3	15·3
Hull - -	22·7	22·3	27·5	28·0	West Ham - -	27·0	22·2	18·9	18·1
Leeds - -	25·6	21·5	20·6	23·8	Wolverhampton -	20·4	27·9	27·9	29·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Plymouth, in Derby, and in Halifax, 1·2 in West Ham, 1·3 in Hull, 1·4 in Bradford, 3·3 in Salford, and 3·9 in Preston; from *scarlet fever*, 1·3 in Burnley and in Preston; and from *whooping-cough*, 1·0 in Birmingham and in Liverpool, 1·3 in Preston and in Leeds, and 1·7 in Salford. In none of the thirty-three towns did the death-rate from "*fever*" or from *diarrhœa* reach 1·0 per 1000. The 94 deaths from *diphtheria* included 37 in London, 26 in Sheffield, 4 in Leeds, 4 in Liverpool, 3 in Brighton, and 3 in Leicester. One death from *small-pox* was registered in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2634 BIRTHS and 1950 DEATHS were registered. Allowing for increase of population, the births were 154, and the deaths 36, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong

years. The annual death-rate per 1000 from all causes, which had been 37·1, 33·3, and 26·9 in the preceding three weeks, further fell last week to 22·2. During the four weeks ending on Saturday last the death-rate averaged 29·9 per 1000, being 5·3 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1950 deaths included 46 from measles, 6 from scarlet fever, 37 from diphtheria, 39 from whooping-cough, 13 from enteric fever, 15 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 156 deaths were referred to these diseases, being 34 below the corrected average weekly number.

The deaths from *measles*, which had been 62, 51, and 45 in the preceding three weeks, were 46 last week, the corrected average being 41; 7 cases belonged to Islington, 6 to St. Pancras, and 4 to Fulham sanitary areas. The deaths from *scarlet fever*, which had been 6, 7, and 6 in the preceding three weeks, were again 6 last week, the corrected average being 16. The deaths from *diphtheria*, which had been 58, 49, and 40 in the preceding three weeks, further fell last week to 37, and were 3 below the corrected average; 6 cases belonged to Camberwell, 4 to Lambeth, and 3 to Newington sanitary areas. The deaths from *whooping-cough*, which had been 26, 37, and 34 in the preceding three weeks, rose again last week to 39, but were 30 below the corrected average; 6 cases belonged to Clerkenwell, 6 to Lambeth, 4 to Bethnal Green, and 4 to Poplar sanitary areas. The fatal cases of *enteric fever*, which had been 19, 23, and 17 in the preceding three weeks, further fell last week to 13, but were 2 above the corrected average; 2 cases belonged to St. Pancras, 2 to Islington, and 2 to Greenwich sanitary areas. The deaths from *diarrhœa*, which had been 10, 9, and 10 in the preceding three weeks, rose last week to 15, and were 2 above the corrected average. The deaths referred to diseases of the respiratory organs, which had been 1221, 994, and 728 in the preceding three weeks, further fell last week to 490, and were 69 below the corrected average. The deaths attributed directly to *influenza* numbered 152, having been 316, 340, and 208 in the preceding three weeks; influenza is stated as a contributory cause of 33 other deaths, against 65, 72, and 50 in the preceding three weeks.

Different forms of violence caused 75 deaths, concerning all but 1 of which inquests were held. Of these 75 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 67 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 7 to burns and scalds, and 14 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 24 cases of small-pox, 2287 of scarlet fever, 1606 of diphtheria, and 307 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 4 cases, against 1, 10, and 5; of scarlet fever, 190 cases, against 186, 180, and 207; of diphtheria, 215 cases, against 190, 172, and 176; and of enteric fever, 48 cases, against 41, 34, and 37.

Greater London.

In Greater London 3749 births and 2554 deaths were registered, corresponding to annual rates of 29·4 and 20·0 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 2 from scarlet fever, 9 from diphtheria, 6 from whooping-cough, 6 from "fever," and 3 from diarrhœa were registered. Eight deaths from measles and 4 from diphtheria occurred in West Ham District; 4 deaths from diphtheria occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 44°·5; the latter being 5°·8 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 28 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·0 hours; the measured rainfall amounted to 0·32 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 27th Jan 1900		The Deaths registered in the Week include													Annual Rate per 1000, corresponding to the Week's Deaths.		Temperature of the Air.				Rainfall.		Cities and Boroughs.
				Deaths of		Deaths from																			
		Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6–12.	Highest.	Lowest.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In millimetres.	
																			Fahrenheit.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6790**	**5025**	**957**	**1582**	**1**	**123**	**33**	**94**	**99**	**35**	**43**	**180**	**374**	**1239**	**62**	**22·6**	**1·9**	**54·0**	**25·5**	**43·1**	**6·17**	**0·58**	**1·47**	**33 Towns.**
London	4,589,129	2634	1950	344	681	-	46	6	37	39	13	15	75	183	647	14	22·1	1·8	53·0	25·9	44·5	6·94	0·32	0·81	London.
West Ham	314,472	177	109	33	24	-	7	1	1	2	3	1	1	5	14	1	18·1	2·5	-	-	-	-	-	-	West Ham.
Croydon	131,186	47	27	9	10	-	-	-	-	1	-	-	2	3	4	-	10·7	0·4	54·0	25·5	43·2	6·22	0·30	0·76	Croydon.
Brighton	124,148	65	41	4	14	-	-	-	3	-	1	-	2	2	7	-	17·2	1·7	-	-	-	-	-	-	Brighton.
Portsmouth	194,955	93	65	12	23	-	-	1	1	2	-	1	2	2	15	-	17·4	1·3	-	-	-	-	-	-	Portsmouth.
Plymouth	102,161	63	35	8	9	-	2	-	-	-	-	1	1	1	6	-	17·9	1·5	-	-	-	-	-	-	Plymouth.
Bristol	324,973	145	119	12	51	-	-	1	-	-	2	2	6	12	34	-	19·1	0·8	51·8	27·4	43·9	6·61	0·71	1·80	Bristol.
Cardiff	194,247	89	33	6	11	-	-	-	-	1	-	-	3	4	4	-	8·9	0·3	-	-	-	-	-	-	Cardiff.
Swansea	105,472	50	31	10	5	-	-	-	2	-	-	-	1	1	1	-	15·3	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	56	51	14	17	-	1	-	-	1	-	-	2	6	10	1	29·7	1·2	52·0	26·5	41·2	5·11	0·36	0·91	Wolverhampton.
Birmingham	519,610	341	271	71	81	-	6	-	2	10	2	5	7	11	68	3	27·2	2·5	-	-	-	-	-	-	Birmingham.
Norwich	114,855	71	59	11	26	-	-	-	-	1	-	-	-	2	5	-	26·8	0·5	-	-	-	-	-	-	Norwich.
Leicester	219,169	113	69	12	21	-	1	2	3	-	2	-	1	2	10	2	16·4	1·9	-	-	-	-	-	-	Leicester.
Nottingham	242,676	151	89	22	30	-	-	2	2	-	-	-	3	5	16	-	19·1	0·9	51·8	25·5	41·9	5·50	0·38	0·97	Nottingham.
Derby	107,991	46	51	6	21	-	2	-	-	-	-	-	1	3	7	-	24·6	1·0	-	-	-	-	-	-	Derby.
Birkenhead	117,170	64	33	5	11	-	1	-	-	-	-	-	2	4	5	-	14·7	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	449	359	60	94	-	4	4	4	12	2	2	19	28	110	13	29·5	2·3	51·1	32·7	43·6	6·44	0·89	2·26	Liverpool.
Bolton	164,240	80	80	14	22	-	1	-	1	-	1	1	2	4	11	1	25·4	1·3	-	-	-	-	-	-	Bolton.
Manchester	548,768	367	251	40	59	-	4	-	2	3	1	4	11	20	75	4	23·8	1·3	-	-	-	-	-	-	Manchester.
Salford	220,816	142	108	24	25	-	14	-	-	7	1	2	3	5	19	2	25·5	5·7	-	-	-	-	-	-	Salford.
Oldham	153,297	69	61	17	14	-	-	1	-	2	-	2	2	3	11	-	20·7	1·7	-	-	-	-	-	-	Oldham.
Burnley	118,730	66	47	12	8	-	2	3	-	-	1	1	1	2	4	1	21·0	3·1	-	-	-	-	-	-	Burnley.
Blackburn	137,107	72	61	13	14	-	2	-	2	1	-	2	1	2	4	1	23·2	2·7	-	-	-	-	-	-	Blackburn.
Preston	118,902	57	70	10	22	-	9	3	-	3	2	1	-	-	14	1	30·7	7·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	56	32	3	7	-	-	1	-	-	-	-	3	5	7	-	16·0	0·5	49·3	32·5	42·7	5·94	1·27	3·23	Huddersfield.
Halifax	100,710	38	43	8	20	-	2	1	-	-	1	-	-	-	5	1	22·3	2·1	-	-	-	-	-	-	Halifax.
Bradford	291,535	152	139	19	52	-	8	3	2	1	1	-	5	11	17	1	24·9	2·7	51·8	34·4	44·4	6·89	0·72	1·83	Bradford.
Leeds	431,287	261	197	36	53	-	2	1	4	11	1	1	4	15	23	2	23·8	2·4	-	-	-	-	-	-	Leeds.
Sheffield	365,922	249	158	36	34	-	3	2	26	-	-	1	7	10	21	6	22·5	4·6	-	-	-	-	-	-	Sheffield.
Hull	238,736	182	128	30	47	1	6	1	1	2	-	-	1	4	14	5	28·0	2·4	52·0	30·0	42·2	5·67	0·27	0·69	Hull.
Sunderland	147,398	114	85	15	35	-	-	-	1	-	-	1	1	5	15	1	30·1	0·7	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	84	56	17	12	-	-	-	-	-	-	-	2	2	7	2	26·7	-	-	-	-	-	-	-	Gateshead.
Newcastle	254,369	147	117	24	29	-	-	-	-	-	1	-	9	12	29	-	26·0	0·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2510	2794	2643	2758	2689	2612	2452	2715	2639	2686	2787·6	2634
Males - -	1313	1441	1313	1444	1377	1294	1228	1419	1322	1360	1421·3	1329
Females - -	1197	1353	1330	1314	1312	1318	1224	1296	1317	1326	1366·3	1305
TOTAL **Deaths** -	2227	1903	3355	1831	1655	1481	1582	1702	1764	1381	1986·3	1950
Males - -	1192	993	1587	939	855	728	808	843	876	698	1001·4	1009
Females - -	1035	910	1768	892	800	753	774	859	888	683	984·9	941

*The numbers in this column are the average weekly numbers in the fourth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
TOTAL **Births** - -	2613	2711	2674	2556	2439	2339	2269	2585	1880	2792	2766	2533	2634
TOTAL **Deaths** - - -	1626	1506	1528	1526	1695	1957	2078	2607	3067	3266	2930	2365	1950
Ages at Death: Under 1 year - -	352	334	355	331	388	406	427	429	451	408	409	385	344
1—5 years - -	197	215	180	226	209	247	251	272	261	268	256	231	198
5—20 " - -	86	116	93	94	74	117	110	105	125	122	101	105	89
20—40 " - -	206	218	214	193	227	225	256	303	359	393	303	282	247
40—60 " - -	363	280	318	305	351	405	426	551	703	720	636	501	391
60—80 " - -	339	274	300	312	349	446	476	744	928	1044	946	682	524
80 years and upwards	83	69	68	65	97	111	132	203	240	311	259	179	157
Deaths from—													
Small pox - - - - -	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles - - - - -	33	42	29	44	43	59	57	58	65	62	51	45	46
Scarlet Fever - - -	7	14	6	13	8	15	9	11	12	6	7	6	6
Diphtheria - - - -	39	68	56	43	52	43	55	54	56	58	49	40	37
Whooping-cough - - -	14	11	9	16	15	20	36	31	28	26	37	34	39
Typhus - - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	29	51	55	29	26	29	13	36	18	19	23	17	13
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	22	13	20	10	7	14	14	12	9	10	9	10	15
Cholera - - - -	1	–	–	–	–	–	–	–	–	–	–	–	–
All the above Diseases -	145	199	175	155	151	180	185	202	188	181	176	152	156
Dis. of Respiratory System -	418	325	324	350	430	548	646	968	1171	1221	994	728	490
Phthisis - - - - -	157	133	141	153	177	190	225	208	239	200	204	220	178
Dis. of Circulatory System -	122	107	148	141	143	165	172	278	271	284	246	206	160
Violence - - - -	54	75	57	61	66	76	81	107	103	103	86	91	75
Inquest Cases - - - -	122	144	134	154	155	188	203	263	281	313	239	223	183
Deaths in Public Institutions -	507	509	494	485	532	603	578	700	859	843	819	702	647
TEMPERATURE OF THE AIR.													
Mean - - - - - -	53°·2	50°·9	45°·9	45°·5	45°·3	41°·9	29°·9	31°·7	38°·8	41°·1	38°·5	40°·2	44°·5
Mean of Highest readings -	59·1	56·2	51·3	49·0	50·5	46·6	34·2	38·5	43·3	45·1	43·0	46·2	49·3
Mean of Lowest readings -	47·1	45·4	39·9	40·6	39·4	37·9	23·7	30·3	33·4	36·0	32·9	33·0	39·1
Humidity of the Air - -	83	78	84	80	82	87	73	92	84	88	80	85	84
Rain-fall (in inches) - -	1·81	2·33	0·00	0·00	0·29	0·46	0·05	0·08	0·59	0·48	0·48	0·74	0·32
Registered Sunshine (in hours)	22·5	20·9	8·4	0·0	8·2	10·0	7·4	0·7	6·2	9·5	14·1	12·4	5·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	—	–	1	1	1	1	–	5	7	8	18	21	24
Scarlet Fever - - - -	3539	3564	3578	3503	3445	3290	3084	2916	2881	2730	2562	2441	2387
Diphtheria - - - -	1715	1692	1736	1761	1735	1730	1720	1701	1693	1653	1601	1582	1606
Enteric Fever - - - -	407	426	443	448	461	460	452	420	406	382	349	329	307

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTH Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 4th Week of the 10 years 1890-99*.	In the Week ending Saturday, 27th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1986·3	1950	344	198	89	247	391	524	157
...ll- Vaccinated† -	-	-	-	-	-	-	-	-	-
...x Unvaccinated	-	-	-	-	-	-	-	-	-
... No Statement	-	-	-	-	-	-	-	-	-
...les - - - -	40·9	46	13	30	2	1	-	-	-
...et Fever - - -	15·7	6	-	5	1	-	-	-	-
...us - - - -	0·1	-	-	-	-	-	-	-	-
...psing Fever - -	-	-	-	-	-	-	-	-	-
...enza - - - -	77·4	152	1	3	4	21	35	64	24
...oping-cough - -	69·2	39	13	25	1	-	-	-	-
...theria - -	39·6	37	1	21	14	-	1	-	-
...le Continued and defined Fever -	0·5	-	-	-	-	-	-	-	-
...ric Fever - - -	10·9	13	-	-	7	6	-	-	-
...era and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
...rhœa, Dysentery -	13·2	15	12	-	-	-	-	3	-
...ittent Fever - -	0·3	-	-	-	-	-	-	-	-
...rophobia - - -	-	-	-	-	-	-	-	-	-
...ders - - - -	-	-	-	-	-	-	-	-	-
...pox and Effects of cination - -	0·1	-	-	-	-	-	-	-	-
...real Affections- -	9·5	8	2	1	-	3	2	-	-
...ipelas - - -	4·3	6	1	-	-	1	3	1	-
...mia and Septicæmia	2·1	2	1	-	1	-	-	-	-
...peral Fever - -	5·4	7	-	-	2	5	-	-	-
...r Zymotic Diseases	2·0	1	1	-	-	-	-	-	-
...ish - - - -	0·4	1	1	-	-	-	-	-	-
...ms and other Parasitical Diseases -	-	-	-	-	-	-	-	-	-
...vation, Want of east-milk - -	1·4	1	1	-	-	-	-	-	-
...holism - - -	10·6	16	-	-	-	5	5	6	-
...umatic Fever, eumatism of Heart	8·8	4	-	-	-	2	1	1	-
...umatism - - -	2·2	3	-	-	1	-	1	1	-
...t - - - - -	4·0	4	-	-	-	-	2	2	-
...kets - - - -	5·2	6	3	3	-	-	-	-	-
...cer - - - -	67·1	74	1	-	1	9	28	35	-
...es Mesenterica - -	18·0	19	10	3	3	2	-	1	-
...ercular Meningitis -	21·8	18	3	10	3	2	-	-	-
...icis - - - -	175·4	178	2	1	14	81	71	9	-
...fula, Tuberculosis -	19·7	17	5	3	4	3	2	-	-
...er Constitutional seases - -	14·3	17	-	1	-	3	7	6	-
...mature Birth - -	50·0	38	38	-	-	-	-	-	-
...ectasis - - -	4·2	4	4	-	-	-	-	-	-
...genital Malformations - - - -	6·5	7	4	1	1	1	-	-	-
... Age - - - -	63·9	73	-	-	-	-	-	31	42
...plexy - - -	47·4	41	1	-	-	2	10	23	5
...lepsy - - - -	9·3	8	-	-	1	1	4	1	1
...vulsions - - -	38·6	45	41	4	-	-	-	-	-
...er Diseases of Brain nd Nervous System	100·3	115	14	8	6	11	32	32	12
...eases of Organs of pecial Sense -	3·1	4	1	2	-	-	-	1	-

CAUSES OF DEATH	Corrected Averages for the 4th Week of the 10 years 1890-99*.	In the Week ending Saturday, 27th January 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	168·2	160	2	2	6	22	51	65	12
Croup - - - -	4·8	2	-	2	-	-	-	-	-
Bronchitis - - -	348·1	296	49	17	1	7	41	134	47
Pneumonia - - -	159·4	168	37	43	6	13	34	28	7
Pleurisy - - - -	6·3	3	-	2	-	-	-	1	-
Other Diseases of Respiratory System -	41·1	21	2	2	-	3	6	8	-
Dentition - - - -	11·8	5	5	-	-	-	-	-	-
Quinsy, Sore Throat -	1·7	1	-	-	1	-	-	-	-
Enteritis - - -	12·9	7	2	-	1	1	-	3	-
Gastro-enteritis -		9	7	1	-	-	-	1	-
Peritonitis - - -	6·5	3	-	-	-	1	-	2	-
Diseases of Liver - -	22·8	22	1	-	-	3	8	10	-
Other Diseases of Digestive System	35·1	38	5	1	-	7	8	13	4
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	49·8	56	2	-	1	8	21	23	1
Diseases of Generative System - - -	6·8	4	-	-	-	3	1	-	-
Accidents of Childbirth-	5·0	4	-	-	-	3	1	-	-
Diseases of Locomotive System - - -	7·6	3	-	1	-	1	-	1	-
Diseases of Integumentary System- -	7·0	9	2	-	-	1	-	4	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	59·0	5	-	-	1	2	1	1	-
By Vehicles or Horses -		4	-	-	1	1	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		7	1	2	1	2	1	-	-
By Drowning - - -		5	1	-	1	1	1	1	-
By Suffocation in Bed -		14	14	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	-	-	1	1	-
Other or not stated causes - - - -		29	4	2	3	5	6	9	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·7	2	1	-	-	-	-	1	-
Suicide - - - -	6·6	6	-	-	-	3	3	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	58·5	39	35	2	-	1	1	-	-

The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered dical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 27th January, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON -	4,411,710	2,634	1,950	344	681	–	46	6	37	39	–	13	–	15	75	183	647
WEST DISTRICTS - - -	778,251	351	304	55	103	–	12	–	1	1	–	3	–	3	14	28	95
NORTH DISTRICTS - - -	1,040,694	573	441	79	153	–	15	4	8	8	–	5	–	4	16	39	120
CENTRAL DISTRICTS - - -	233,635	136	102	13	35	–	2	–	2	6	–	–	–	1	2	6	40
EAST DISTRICTS - - -	716,334	541	338	71	108	–	2	–	4	11	–	–	–	4	21	57	138
SOUTH DISTRICTS - - -	1,642,796	1033	687	126	242	–	15	2	22	13	–	5	–	3	22	51	176
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	78	–	40	–	–	–	–	–	–	–	–	–	–	2	78
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	44	29	7	12	–	–	–	–	–	–	–	–	–	1	4	9
St. John Paddington *H* - - G.	33,510	8	9	1	4	–	–	–	–	–	–	–	–	–	–	1	2
Kensington Town *Ww* - - W.	122,164	61	62	9	30	–	2	–	–	–	–	1	–	–	4	6	29
Brompton *HH*- - - W. & C.	48,301	12	12	–	7	–	–	–	–	–	–	–	–	–	1	1	2
North Hammersmith *H* W. & G	44,638	24	6	3	2	–	–	–	–	–	–	–	–	–	–	1	–
South Hammersmith *H* W. & G	59,561	31	26	5	6	–	1	–	–	–	–	–	–	–	3	5	4
Fulham *Ww* - - - W. & C.	113,781	78	59	14	9	–	4	–	–	–	–	2	–	3	2	2	16
Chelsea Kensal Town - C.	21,450	8	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *WHHHH* - C.	42,057	27	23	4	5	–	2	–	–	–	–	–	–	–	–	1	10
Chelsea South *HH* - - C.	33,139	8	12	3	4	–	1	–	–	–	–	–	–	–	1	2	–
May Fair *W* - - - - G.	23,827	2	8	–	3	–	–	–	–	–	–	–	–	–	–	–	7
Belgrave *WHHH* - - - C.	56,140	16	27	2	12	–	1	–	1	–	–	–	–	–	2	3	11
St. John Westminster *HH* - C.	31,492	13	15	3	5	–	1	–	–	1	–	–	–	–	–	2	–
St. Margaret Westminster *H*- C.	22,097	3	5	1	1	–	–	–	–	–	–	–	–	–	–	–	3
St. James Westminster *WH* N. & G.	23,050	11	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St Anne Soho *HHHHH* - N.	12,048	5	6	–	2	–	–	–	–	–	–	–	–	–	–	–	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	5	15	1	3	–	–	–	–	–	–	–	–	–	–	1	6
Rectory Marylebone *W* G. & W.	19,798	14	9	1	4	–	–	–	–	–	–	–	–	–	–	1	1
St. Mary Marylebone *HHHH* G. & W.	19,637	19	9	2	3	–	–	–	–	–	–	–	–	–	1	2	2
Christchurch Marylebone *H* - W	32,547	20	15	5	7	–	–	–	–	1	–	–	–	–	–	–	–
St. John Marylebone *HHH* - W.	32,611	22	11	2	5	–	1	–	–	1	–	–	–	–	1	1	–
Hampstead *WwHHHH* - N. & W.	75,449	33	30	3	8	–	–	1	4	–	–	1	–	–	–	–	14
Regent's Park † *HH* - W.	51,403	31	30	7	11	–	1	–	–	1	–	–	–	–	3	5	–
Tottenham-court *wHHHHHH* - N. & W.	26,757	11	12	–	5	–	–	–	–	–	–	–	–	–	–	–	9
Gray's Inn Lane *HHHH* - N.	29,426	16	8	–	2	–	1	–	–	–	–	–	–	–	1	1	2
Somers Town *HH* - - - N.	32,161	14	15	1	2	–	–	–	–	–	–	–	–	1	–	1	3
Camden Town† *WH* - - N.	40,155	27	29	8	13	–	4	–	–	1	–	–	–	1	–	3	13
Kentish Town† *WW* - - N.	60,862	36	25	3	6	–	–	–	–	1	–	2	–	1	–	2	8
Upper Holloway *WWWWwHH* - - N.	98,273	63	62	14	25	–	5	–	–	–	–	–	–	–	2	3	32
Lower Holloway‡ - - - N.	41,805	19	15	3	5	–	–	1	–	–	–	1	–	–	1	2	–
Barnsbury‡ - - - - N.	56,384	31	16	5	3	–	–	–	–	–	–	–	–	–	–	1	–
Islington South-east‡ *H* - N.	75,725	41	26	8	11	–	1	–	–	–	–	–	–	–	2	3	–
Highbury *HH* - - - N.	64,577	31	22	1	10	–	1	1	–	–	–	–	–	–	1	2	–
Stoke Newington *H* - - N.	33,485	14	5	1	1	–	–	–	–	–	–	–	–	1	–	1	–
North Hackney - - E. & N.	213,044	21	18	1	9	–	1	–	–	1	–	–	–	–	–	2	–
Central Hackney *ww* - E. & N.		28	15	2	4	–	–	1	3	–	–	–	–	–	–	1	5
South-west Hackney *HHH* E. & N.		33	15	4	2	–	–	–	–	–	–	1	–	–	2	3	3
South-east Hackney *WwH* E. & N.		44	39	7	14	–	–	–	1	2	–	–	–	–	2	4	22

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-e Sub-District.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 27th January, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	16	11	1	3	-	1	-	-	-	-	-	-	-	-	1	5	-
St. Giles North *H* - - - N.	9,151	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	5	10	1	1	-	-	-	1	-	-	-	-	-	1	2	5	-
Strand *WHH* - - - - N.	11,839	5	6	-	3	-	-	-	-	-	-	-	-	-	-	-	4	1
Strand Union Workhouse, Edmonton	†1,037	-	7	-	6	-	-	-	-	-	-	-	-	-	-	-	7	-
Holborn *wHHHHH* - N.	31,042	17	15	2	3	-	-	-	1	-	-	-	-	-	-	2	6	-
St. James Clerkenwell - - N.	15,777	12	8	1	1	-	1	-	-	3	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	25	8	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Goswell-street - - - - N.	16,069	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHL* - - - N.	29,897	33	11	3	3	-	-	-	-	-	-	-	-	1	-	-	1	-
Whitecross-street - - - N.	7,595	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury - - - - - N.	4,035	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *HH* - - N. & E.	9,762	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cripplegate - - - - N.	3,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	-	11	2	3	-	-	-	-	1	-	-	-	-	1	1	8	-
Allhallows Barking - - - N.	9,059	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	10	9	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Hoxton New Town *w* - - N.	29,575	17	22	2	13	-	-	-	-	-	-	-	-	2	4	4	11	-
Hoxton Old Town - - - N.	27,645	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston *WH* - - N. & E.	47,163	35	36	7	16	-	-	-	-	-	-	-	-	-	3	4	22	-
Bethnal Green North *H* - E.	49,301	43	16	4	6	-	1	-	-	-	-	-	-	-	-	-	1	-
Bethnal Green South - - E.	34,194	28	13	2	4	-	-	-	-	2	-	-	-	-	-	1	-	-
Bethnal Green East *WWHl* - E.	45,667	25	23	3	8	-	-	-	1	2	-	-	-	1	-	2	14	-
Spitalfields - - - E. & N.	26,681	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	42	56	8	9	-	1	-	1	-	-	-	-	-	6	9	51	-
Goodman's Fields - - - E.		15	6	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	38	13	6	3	-	-	-	-	-	-	-	-	-	1	3	-	-
St. John, St. George East *W* E.	7 930	10	12	1	5	-	-	-	-	-	-	-	-	-	-	2	9	-
Shadwell *H* - - - E. & N.	10,434	8	4	2	1	-	-	-	-	-	-	-	-	-	-	1	3	-
Ratcliff *W* - - - - E.	14,954	11	4	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Limehouse - - - - E.	32,917	31	12	3	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Mile End Old Town West *H* E.	111,060	34	11	1	3	-	-	-	1	-	-	-	-	-	-	1	-	-
Mile End Old Town East *WWww* - E.		35	17	4	6	-	-	-	-	2	-	-	-	-	2	3	5	-
Bow *l* - - - - - E.	41,687	37	16	7	5	-	-	-	-	-	-	-	-	-	2	4	1	-
Bromley *wwwH* - - - E.	69,821	55	34	6	13	-	-	-	-	1	-	-	-	-	2	11	16	-
Poplar *WW* - - - - E.	57,759	44	27	5	10	-	-	-	1	3	-	-	-	-	-	7	4	-

† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 27th January, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.*&S.	13,064	5	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	11	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	16	13	5	1	-	-	-	-	-	-	-	-	-	-	2	5	1
London-road *HL* - - L. & S.	21,316	11	8	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Trinity Newington - - S. & L.	28,723	16	6	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	38	27	6	10	-	1	-	-	1	-	-	-	-	-	1	6	-
St. Mary Newington- - L. & S.	30,171	25	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Olave *WH*- - - - S.	11,731	13	17	3	4	-	-	-	-	-	-	1	-	-	3	5	11	-
Bermondsey *W* - - - S.	85,475	64	22	5	6	-	1	-	-	-	-	-	-	-	-	2	-	1
Rotherhithe *Ww* - S. & K.	40,379	33	23	2	10	-	1	-	-	-	-	-	-	-	-	-	12	1
Waterloo-road *HH* - L. & S.	28,396	24	12	4	1	-	2	-	-	2	-	-	-	-	-	2	-	-
Lambeth Church 1st *H* - L. & S.	18,770	12	16	3	3	-	-	-	2	-	-	-	-	-	-	5	9	-
Lambeth Church 2nd *WW* L. & S.	40,994	26	34	4	12	-	-	-	-	2	-	1	-	-	-	1	23	-
Kennington 1st *H* - - S. & L.	52,486	32	18	4	3	-	1	-	-	-	-	-	-	-	2	3	-	-
Kennington 2nd - - S. & L.	43,244	15	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	51	26	3	12	-	-	-	3	1	-	-	-	-	-	2	3	-
Norwood *WH*- - - - L.	29,318	18	11	2	6	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	44	27	8	7	-	1	-	-	-	-	-	-	-	-	2	-	1
West Battersea *WwH* - - S.	93,385	66	50	8	17	-	2	-	-	2	-	1	-	-	2	3	19	-
Clapham *H* - - - - S.	46,953	29	16	2	9	-	-	-	-	-	-	-	-	-	2	2	1	-
Wandsworth *WHHL* - - S.	58,101	29	13	-	5	-	-	-	-	-	-	-	-	-	-	2	1	-
Putney - - - - - - S.	20,566	8	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
Streatham *WwwwwL* - - L.	61,644	42	26	4	10	-	-	-	4	-	-	-	-	-	1	1	5	-
Dulwich - - - - L. & S.	7,519	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	50	76	6	44	-	2	-	1	-	-	-	-	1	1	4	47	1
Peckham *WW* - S., L., & K.	88,242	50	29	3	12	-	1	-	1	-	-	-	-	-	1	1	-	-
St. George Camberwell - L. & S.	67,029	37	19	5	5	-	-	-	-	-	-	-	-	1	1	2	-	-
Deptford North - - - K.	36,152	26	11	4	4	-	1	-	-	1	-	-	-	-	1	1	-	-
Deptford Central *w* - - K.	45,441	39	19	5	3	-	-	1	4	1	-	1	-	-	2	2	6	-
Deptford South - - - K.	33,402	13	16	2	7	-	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich West *H* - - K.	23,012	27	12	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	20	19	4	11	-	-	-	-	-	-	1	-	-	1	2	7	1
Eltham *wH* - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	10	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	29	26	4	8	-	-	-	4	-	-	-	-	1	2	2	13	-
Sydenham *H* - - - - L.	37,601	15	9	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Charlton *wHR* - - K.	15,928	10	12	3	1	-	-	1	2	-	-	-	-	-	1	1	6	-
Woolwich Dockyard - - K.	19,355	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	16	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	32	11	5	2	-	-	-	-	1	-	-	-	-	1	1	2	3
Banstead Asylum - - -	—	-	14	-	7	-	-	-	-	-	-	-	-	-	-	-	14	-
Horton Asylum, Epsom - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	6	-	6	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill Asylum - - - -	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	2	6	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Dartford Heath - - - - -	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Hanwell Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch Asylum - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	-
Leavesden Asylum - - - -	—	-	23	-	12	-	-	-	-	-	-	-	-	-	-	-	8	-
Claybury Asylum - - - -	—	-	8	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 27th January, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	ONDON - OUTER RING -	368,749	1,422,063	1115	604	140	228	-	9	2	9	6	6	3	13	29	78	5
1	Carshalton *H* - - -	12,228	26,108	15	6	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHH* -	10,423	12,508	4	9	-	5	-	-	-	-	-	-	-	1	1	1	-
1	Godstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WwHHH* - -	20,851	128,699	65	37	11	14	-	-	-	-	1	-	-	2	5	5	-
2	Mitcham *w* - - -	11,697	23,072	16	7	3	-	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	18	9	2	4	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	19	19	2	10	-	-	-	-	-	-	-	-	-	6	-
3	Surbiton *H*- - - -		12,178	5	4	-	1	-	-	-	-	-	-	-	2	2	1	-
4	Esher, *part of** *HH* -		11,080	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	11	13	4	3	-	-	-	-	-	-	-	-	-	4	-
1	Richmond *WH*- - -	2,160	25,389	10	12	-	5	-	-	-	-	-	-	-	2	2	4	-
2	Mortlake *H* - - -	2,823	16,159	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	14	11	4	5	-	-	-	-	1	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	12	5	1	1	-	-	-	1	-	-	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	12	7	1	4	-	-	-	-	-	-	-	-	-	1	-
1	Bexley *HHH* - - -	12,540	30,590	35	9	2	6	-	-	-	-	-	-	-	-	-	-	-
2	Dartford *WH*, *part of** -	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
1	Sunbury *w* - - -	11,054	13,671	13	3	1	2	-	-	-	-	1	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	14	7	2	4	-	-	-	-	-	-	-	-	-	4	-
1	Hillingdon *WHH* - -	6,035	12,237	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	5	4	4	-	-	1	-	-	-	-	-	-	1	-	-
1	Isleworth *WHH* - -	6,967	26,004	12	17	2	8	-	-	-	-	-	1	-	-	-	5	-
2	Twickenham *HH* - -	2,415	16,027	11	8	1	4	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	19	10	3	4	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	19	9	3	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	42	20	1	13	-	-	-	-	-	-	-	-	1	-	1
1	Harrow *HHH* - - -	13,809	15,715	12	10	1	4	-	-	-	-	-	1	1	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-
3	Willesden *HHH* - -	4,383	61,265	67	24	9	5	-	-	-	-	-	1	-	-	-	-	-
4	Hendon *WH* - - -	8,382	15,843	11	8	2	3	-	-	-	-	-	-	-	-	-	2	-
1	South Mimms *HH* - -	21,077	6,367	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	6	13	2	6	-	-	-	-	-	-	-	-	-	6	-
3	Finchley *HHH*- - -	4,688	25,820	17	5	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey *HH* - - -	3,039	61,097	30	19	2	12	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham *HH*- - -	4,642	97,174	77	30	8	11	-	-	-	2	-	-	-	2	3	1	-
3	Edmonton *Www* - -	7,489	36,351	41	23	2	12	-	-	-	2	-	-	-	-	2	8	-
4	Enfield *WWHH* - -	12,602	31,536	18	12	2	6	-	-	-	-	-	-	-	1	1	2	-
5	Waltham Abbey - - -	11,017	6,066	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	4	7	1	4	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* - -	3,306	582	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
1	Bushey *H* - - - -	9,331	7,737	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	38,612	25	12	2	3	-	-	-	-	-	-	-	-	1	-	-
2	Plaistow *HHH* - - -		58,030	72	38	16	7	-	1	1	1	1	1	1	1	2	3	-
3	Canning Town *H* - -		54,750	55	29	12	2	-	2	-	-	1	1	-	-	-	2	1
4	Forest Gate *w* - - -		53,511	25	21	3	6	-	4	-	-	-	-	-	-	2	-	-
5	East Ham *wHH* - -	3,266	32,713	62	20	9	1	-	1	-	-	-	-	-	1	1	-	2
6	Leyton *WWWwH* - -	4,334	70,188	62	36	4	19	-	-	1	-	1	1	1	1	2	15	-
7	Walthamstow *HHHL* -	6,501	57,330	66	19	8	4	-	-	-	3	-	-	-	-	-	-	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	14	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *WH* -	6,556	4,324	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford - - - - -	8,493	10,913	23	6	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	9	4	1	1	-	-	-	-	-	-	-	-	1	-	-
	Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Hanwell.			-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring e as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are so included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 27th January, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**20·0**	**1·5**	**2554**	**484**	**909**	**–**	**55**	**8**	**46**	**45**	**19**	**18**	**88**
INNER LONDON -	74,672	4,589,129	22·2	1·8	1950	344	681	–	46	6	37	39	13	15	75
OUTER RING -	368,749	2,063,016	15·3	0·9	604	140	228	–	9	2	9	6	6	3	13

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa
EDINBURGH -	302,262	Jan.	27	155	123	21·2	–	–	1	–	2	–	
GLASGOW - -	743,585	„	27	456	349	24·5	–	19	6	3	5	3	
DUBLIN - -	349,594	„	27	191	259	38·6	–	5	–	1	3	1	
CALCUTTA - -	466,460	Dec.	23	–	356	39·8	3	1	–	1	1	114†	
BOMBAY - -	821,764	Jan.	2	278	1600	101·2	68	43	?	?	?	425†	
MADRAS - -	452,518	Dec.	22	–	–	–	–	–	–	–	–	–	
PARIS - - -	2,511,629	Jan.	20	1159	1043	21·5	1	11	3	4*	5	9	
BRUSSELS - -	561,130	„	20	296	181	16·8	–	1	–	–	1	2	
AMSTERDAM -	523,743	„	13	293	338	33·7	–	–	–	–	5	–	
ROTTERDAM -	315,305	„	13	251	173	28·2	–	3	2	2	–	2	
THE HAGUE -	199,285	„	13	115	80	20·9	–	1	–	–	1	–	
COPENHAGEN -	349,000	„	20	200	145	21·7	–	–	–	3	3	1	
STOCKHOLM -	291,580	„	13	135	103	18·3	–	–	1	7*	–	–	
CHRISTIANIA -	221,255	„	20	138	80	18·8	–	–	1	1	–	1	
ST. PETERSBURG	1,132,677	„	13	773	630	29·0	3	12	16	25	5	23	
MOSCOW - -	988,610	„	13	–	575	30·3	1	4	10	13	1	4	
BERLIN - -	1,848,269	„	6	788	586	19·3	1	7	19	14	18	–	
HAMBURG - -	691,349	„	20	–	227	17·1	–	–	1	–	2	–	
DRESDEN - -	401,400	Dec.	30	–	–	–	–	–	–	–	–	–	
BRESLAU - -	406,012	Jan.	20	–	201	25·4	–	3	–	1	2	1	
MUNICH - -	463,000	„	13	–	196	22·0	–	11	–	2*	2	1	
VIENNA - -	1,639,811	„	13	765	634	20·1	–	6	4	8*	1	–	
PRAGUE - -	385,952	„	13	204	184	24·8	–	1	1	4	3	1	
BUDA-PESTH -	685,340	„	13	–	–	–	–	–	–	–	–	–	
TRIESTE - -	167,286	„	6	114	93	32·9	–	5	1	1	1	1	
ROME - - -	508,779	Dec.	23	212	220	22·5	–	7	–	2	–	5	
TURIN (10 days)	344,203	Nov.	20	–	–	–	–	–	–	–	–	–	
VENICE - -	171,779	Jan.	6	–	–	–	–	–	–	–	–	–	
CAIRO - -	570,062	Dec.	23	–	–	–	–	–	–	–	–	–	
ALEXANDRIA -	319,766	„	23	–	–	–	–	–	–	–	–	–	
NEW YORK (including BROOKLYN) -	3,654,594	Jan.	6	1773	1316	18·8	1	18	10	39	14	14	
PHILADELPHIA -	1,266,832	„	6	–	513	21·1	–	2	4	29	–	1	

* Including deaths from croup.
† Including 21 deaths from plague in Calcutta, and 244 in Bombay.
‡ Including 14 deaths from cholera in Calcutta.
§ Including one death from Malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	..	29·933	50·6	25·9	24·7	39·5	+ 1·2	38·1	1·4	3·3	0·0	95	50·6	22·2	41·78	Variable, calm & SE.	SSE., SSW. & SW.	5·9	0·0	0·3	260	− 72	0·22	0·0
MONDAY - 22	..	29·884	50·5	43·0	7·5	46·4	+ 8·1	40·9	5·5	8·0	1·6	81	59·5	39·1	41·90	WSW., W. & SW.	WSW. & W.	8·1	0·0	0·9	521	+188	0·00	0·0
TUESDAY - 23	Last Quarter.	29·943	51·0	46·2	4·8	48·9	+10·5	43·7	5·2	6·1	3·2	82	60·8	41·2	42·22	WSW. & W.	WSW. & SW.	4·8	0·0	0·5	414	+ 81	0·00	1·2
WEDNESDAY 24	..	29·605	53·0	42·3	10·7	47·7	+ 9·2	43·9	3·8	9·2	1·5	87	59·8	37·3	42·63	SW. & SSW.	SW., WSW. & WNW.	12·4	0·0	0·7	472	+138	0·03	3·8
THURSDAY - 25	..	30·169	48·8	41·2	7·6	45·1	+ 6·3	38·0	7·1	10·3	2·6	76	66·1	36·2	43·02	W.& WNW.	W., WSW. & SW.	5·4	0·0	0·7	466	+131	0·00	0·0
FRIDAY - 26	..	29·906	49·1	40·8	8·3	45·8	+ 6·8	40·7	5·1	6·5	1·6	82	56·6	35·5	43·21	SW.	SW., W. & WSW.	7·3	0·0	0·8	482	+147	0·05	0·0
SATURDAY - 27	Greatest Dec. S.	29·387	42·3	34·5	7·8	37·9	− 1·4	34·1	3·8	6·6	3·0	86	61·0	29·4	43·30	WSW. & SW.	WSW., W. & NW.	4·0	0·0	0·4	371	+ 35	0·02	0·0
MEANS -		29·832	49·3	39·1	10·2	44·5	+ 5·8	39·9	4·6	7·1	1·9	84	59·2	34·4	42·58	SW.		..	..	..	Sum 2986	Sum +648	Sum 0·32	0·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	s. P. till 6h. A.M.; w. P. till 6h. P.M.; w. N. and w. P. afterwards.	0·0	8·6	Foggy in morning; overcast afterwards, with frequent rain after 6h. P.M. Brisk wind in evening.
MONDAY - 22	w. P. throughout	0·0	8·6	Generally overcast; strong gusty wind prevalent after 10h. A.M. Very mild.
TUESDAY - 23	w. P. throughout	0·0	8·6	Cloudy. A very mild day.
WEDNESDAY 24	w. P. generally; occasional w. N. after 3h. P.M.	0·0	8·7	Overcast, with occasional showers, till evening; very fine after 9h. P.M. Strong wind in evening. Very mild.
THURSDAY - 25	w. P. till 8h. A.M.; m. P. afterwards.	4·1	8·7	Very fine generally; occasional cloudy intervals. Mild.
FRIDAY - 26	w. P. generally; w. P. and w. N. between 6h. and 8h. P.M.	0·0	8·8	Fine in morning; overcast, with occasional showers till 8h. P.M.; fine and partially cloudy afterwards. Mild.
SATURDAY - 27	m. P. till 2h. P.M.; m. P., with occasional v. N. afterwards.	0·9	8·8	Very fine, with hoar frost in morning; generally overcast, with occasional showers till evening; partially cloudy afterwards. Bright solar halo observed at 11h. 30m. A.M.
		Sum 5·0	Sum 60·8	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·12 in. at the beginning of the week to 29·76 in. by 9h. P.M. on the 21st; increased to 29·98 in. by 11h. A.M. on the 23rd; decreased to 29·48 in. by 3h. P.M. on the 24th; increased to 30·26 in. by 9h. P.M. on the 25th; and decreased to 29·25 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 5. 1900. Vol. LXI.] WEEK ENDING SATURDAY, FEB. 3. [Price 1½*d*.

General Register Office, Somerset House,
February 5th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·2 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Towns.	Weeks ending Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
33 Great Towns	29·1	24·9	22·6	21·2	Leicester - -	27·6	18·1	16·4	15·2
Birkenhead -	25·8	19·6	14·7	21·4	Liverpool - -	34·6	32·0	29·5	28·5
Birmingham -	33·6	27·9	27·2	25·0	London - - -	33·3	26·9	22·2	19·6
Blackburn -	24·3	22·1	23·2	23·6	Manchester - -	23·0	22·2	23·8	25·7
Bolton - -	22·5	23·5	25·4	18·7	Newcastle-on-Tyne	22·0	25·6	26·0	22·0
Bradford -	20·0	26·3	24·9	19·5	Norwich - -	43·6	31·8	26·8	23·2
Brighton -	28·6	19·7	17·2	17·2	Nottingham - -	44·9	32·2	19·1	18·3
Bristol - -	20·1	18·3	19·1	16·5	Oldham - -	17·7	11·2	20·7	20·4
Burnley -	15·6	20·1	21·0	14·3	Plymouth - -	34·2	15·3	17·9	22·5
Cardiff - -	16·1	14·5	8·9	15·6	Portsmouth - -	28·4	19·8	17·4	16·6
Croydon -	37·4	21·9	10·7	13·9	Preston - -	26·3	28·1	30·7	29·8
Derby - -	33·3	25·6	24·6	12·6	Salford - - -	27·2	23·6	25·5	26·2
Gateshead -	22·4	19·5	26·7	19·1	Sheffield - -	25·5	26·2	22·5	27·2
Halifax -	20·2	21·7	22·3	29·5	Sunderland - -	22·3	30·4	30·1	35·4
Huddersfield-	17·5	17·0	16·0	22·0	Swansea - -	22·2	18·3	15·3	15·3
Hull - -	22·3	27·5	28·0	25·8	West Ham - -	22·2	18·9	18·1	14·4
Leeds - -	21·5	20·6	23·8	23·1	Wolverhampton -	27·9	27·9	29·7	31·4

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Plymouth, 1·2 in Wolverhampton, 1·4 in Sheffield, and 1·8 in Preston; from *scarlet fever*, 1·0 in Halifax; and from *whooping-cough*, 1·0 in Oldham, 1·6 in Liverpool, 2·1 in Salford, and 2·3 in Wolverhampton. In none of the thirty-three towns did the death-rate from "*fever*" or from *diarrhœa* reach 1·0 per 1000. The 110 deaths from *diphtheria* included 46 in London, 21 in Sheffield, 5 in Cardiff, 5 in Leicester, 4 in West Ham, 3 in Bristol, 3 in Liverpool, 3 in Manchester, and 3 in Leeds. Two deaths from *small-pox* were registered in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2498 BIRTHS and 1722 DEATHS were registered. Allowing for increase of population, the births were 332, and the deaths 141, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 33·3, 26·9, and 22·2 in the preceding three weeks, further fell last week to 19·6. During the four weeks ending on Saturday last the death-rate averaged 25·5 per 1000, being 1·7 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1722 deaths included 27 from measles, 10 from scarlet fever, 46 from diphtheria, 45 from whooping-cough, 17 from enteric fever, 14 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 159 deaths were referred to these diseases, being 21 below the corrected average weekly number.

The deaths from *measles*, which had been 51, 45, and 46 in the preceding three weeks, fell again last week to 27, and were 2 below the corrected average. The deaths from *scarlet fever*, which had been 7, 6, and 6 in the preceding three weeks, rose again last week to 10, but were 8 below the corrected average. The deaths from *diphtheria*, which had been 49, 40, and 37 in the preceding three weeks, rose again last week to 46, the corrected average being 45; 6 cases belonged to Newington, 6 to Camberwell, 3 to Lambeth, 3 to Bermondsey, and 3 to Hackney sanitary areas. The deaths from *whooping-cough*, which had been 37, 34, and 39 in the preceding three weeks, further rose last week to 45, but were 18 below the corrected average; 5 cases belonged to Shoreditch and 5 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 23, 17, and 13 in the preceding three weeks, rose again last week to 17, and were 7 above the corrected average; 3 cases belonged to Wandsworth and 2 to Hackney sanitary areas. The deaths from *diarrhœa*, which had been 9, 10, and 15 in the preceding three weeks, were 14 last week, the corrected average being also 14. The deaths referred to diseases of the respiratory organs, which had been 994, 728, and 490 in the preceding three weeks, further fell last week to 432, and were 46 below the corrected average. The deaths attributed directly to *influenza* numbered 109, having been 340, 208, and 152 in the preceding three weeks; influenza was stated as a contributory cause of 15 other deaths, against 72, 50, and 33 in the preceding three weeks.

Different forms of violence caused 77 deaths, concerning all but 1 of which inquests were held. Of these 77 deaths, 7 were cases of suicide, while the remaining 70 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 10 to burns and scalds, 10 to drowning, and 13 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 21 cases of small-pox, 2179 of scarlet fever, 1581 of diphtheria, and 289 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, no case, against 10, 5, and 4; of scarlet fever, 174 cases, against 180, 207, and 190; of diphtheria, 201 cases, against 172, 176, and 215; and of enteric fever, 42 cases, against 34, 37, and 48.

Greater London.

In Greater London 3480 births and 2263 deaths were registered, corresponding to annual rates of 27·3 and 17·7 per 1000 of the estimated population. In the Outer Ring 3 deaths from measles, 5 from scarlet fever, 14 from diphtheria, 7 from whooping-cough, 5 from "fever," and 4 from diarrhœa were registered. Eight deaths from diphtheria occurred in West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·51 inches, and that of the Thermometer 35°·2; the latter being 4°·5 below the week's average in the 50 years 1841–90. The direction of the wind was north-north-easterly, the horizontal movement of the air being 13 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 3·1 hours; the measured rainfall amounted to 0·96 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 3rd Feb. 1900. Births.	Registered during the Week ending 3rd Feb. 1900. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6711**	**4719**	**963**	**1371**	**2**	**83**	**33**	**110**	**121**	**38**	**40**	**173**	**342**	**1157**	**72**	**21·2**	**1·9**	**50·0**	**28·2**	**34·8**	**1·56**	**0·60**	**1·52**	**33 Towns.**
London - -	4,589,129	2498	1722	356	502	-	27	10	46	45	17	14	77	158	583	8	19·6	1·8	39·9	30·2	35·2	1·78	0·96	2·44	London.
West Ham - -	314,472	160	87	25	15	-	2	-	4	2	2	-	2	5	14	2	14·4	1·7	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	53	35	6	20	-	-	-	1	-	-	1	1	2	8	-	13·9	0·8	40·0	30·0	34·5	1·39	1·13	2·87	Croydon.
Brighton - -	124,148	56	41	7	19	-	-	-	2	-	-	-	-	2	6	1	17·2	0·8	41·6	31·4	35·7	2·06	1·53	3·89	Brighton.
Portsmouth -	194,955	101	62	15	20	-	-	-	1	2	-	1	5	9	10	1	16·6	1·1	42·0	31·0	35·9	2·17	0·36	0·91	Portsmouth.
Plymouth - -	102,161	48	44	12	16	-	2	-	1	1	-	1	-	1	1	-	22·5	2·6	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	194	103	21	49	-	-	1	3	2	1	1	1	7	20	2	16·5	1·3	40·0	28·5	34·4	1·33	0·49	1·24	Bristol.
Cardiff - -	194,247	112	58	12	13	-	2	-	5	2	-	-	3	8	6	-	15·6	2·4	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	57	31	11	6	-	-	-	1	-	1	1	3	3	3	-	15·3	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	62	54	17	13	-	2	-	1	4	-	-	1	4	5	1	31·4	4·1	40·2	23·0	32·9	0·50	0·31	0·79	Wolverhampton.
Birmingham -	519,610	332	249	48	80	-	3	1	1	8	4	1	7	9	66	11	25·0	1·8	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	73	51	10	22	-	-	-	1	2	-	-	-	4	5	1	23·2	1·4	39·8	28·4	35·2	1·78	0·80	2·03	Norwich.
Leicester - -	219,169	115	64	10	18	-	2	-	5	3	1	-	-	1	15	2	15·2	2·6	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	123	85	15	34	-	-	1	1	-	-	-	4	6	23	1	18·3	0·4	40·3	30·3	34·7	1·50	0·33	0·84	Nottingham.
Derby - - -	107,991	56	26	5	9	-	-	-	-	-	-	-	2	2	6	-	12·6	-	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	59	48	10	17	-	-	-	-	-	-	-	1	2	10	-	21·4	-	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	489	347	75	86	-	6	2	3	19	2	4	18	22	90	12	28·5	3·0	40·2	28·2	34·3	1·28	0·03	0·08	Liverpool.
Bolton - -	164,240	94	59	6	22	-	-	1	-	1	-	2	2	2	5	-	18·7	1·3	-	-	-	-	-	-	Bolton.
Manchester -	548,768	377	271	45	59	-	4	4	3	7	3	3	19	27	82	4	25·7	2·3	-	-	-	-	-	-	Manchester.
Salford - -	220,816	158	111	31	21	-	3	-	-	9	-	4	3	13	15	-	26·2	3·8	-	-	-	-	-	-	Salford.
Oldham - -	153,297	73	60	8	14	-	1	2	2	3	-	1	-	2	12	-	20·4	3·1	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	63	32	2	10	-	-	1	-	-	1	-	1	2	5	-	14·3	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	67	62	11	18	-	2	2	1	2	-	1	3	5	8	3	23·6	3·0	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	82	68	13	14	-	4	1	1	-	1	1	1	2	4	5	29·8	3·5	-	-	-	-	-	-	Preston.
Huddersfield	104,484	47	44	8	16	-	-	-	-	-	-	-	-	-	6	4	22·0	-	38·0	28·8	33·2	0·67	0·22	0·56	Huddersfield.
Halifax - -	100,710	49	57	9	19	-	-	2	-	-	-	-	1	1	7	1	29·5	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	135	109	23	38	-	4	-	1	-	3	-	1	7	16	2	19·5	1·4	50·0	30·0	36·7	2·61	0·40	1·02	Bradford.
Leeds - - -	431,287	277	191	44	53	-	2	-	3	5	-	-	4	14	26	-	23·1	1·2	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	253	191	37	50	-	10	4	21	2	-	2	4	5	36	4	27·2	5·6	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	125	118	24	42	2	4	-	1	1	1	2	4	5	18	4	25·8	2·4	-	-	-	-	-	-	Hull.
Sunderland -	147,398	105	100	19	42	-	1	1	-	-	-	-	-	2	19	2	35·4	0·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	71	40	13	6	-	-	-	-	-	-	-	2	2	3	-	19·1	-	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	147	99	15	17	-	2	-	1	1	1	-	3	8	24	1	22·0	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2699	2991	2808	2763	2708	2587	2461	2582	2603	2696	2830·3	2498
Males - -	1355	1463	1422	1393	1365	1336	1262	1279	1306	1342	1422·7	1263
Females - -	1344	1528	1386	1375	1343	1251	1199	1303	1297	1354	1407·6	1235
TOTAL **Deaths** -	1849	1638	2500	1673	1620	1593	1516	1764	1861	1690	1863·0	1722
Males - -	965	840	1232	852	821	828	759	884	939	875	946·3	856
Females - -	884	798	1268	821	799	770	757	880	922	815	916·7	866

*The numbers in this column are the average weekly numbers in the fifth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
TOTAL **Births** - -	2711	2674	2556	2439	2339	2269	2585	1880	2792	2766	2533	2634	2498
TOTAL **Deaths** - - -	1506	1528	1526	1695	1957	2078	2607	3067	3266	2930	2365	1950	1722
Ages at Death: Under 1 year - -	334	355	331	388	406	427	429	451	408	409	385	344	356
1—5 years - -	215	180	226	209	247	251	272	261	268	256	231	198	192
5—20 " - -	116	93	94	74	117	110	105	125	122	101	105	89	83
20—40 " - -	218	214	193	227	225	256	303	359	393	303	282	247	222
40—60 " - -	280	318	305	351	405	426	551	703	720	656	501	391	367
60—80 " - -	274	300	312	349	446	476	744	928	1044	946	682	524	400
80 years and upwards	69	68	65	97	111	132	203	240	311	259	179	157	102
Deaths from—													
Small pox - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles - - - - -	42	29	44	43	59	57	58	65	62	51	45	46	27
Scarlet Fever - - -	14	6	13	8	15	9	11	12	6	7	6	6	10
Diphtheria - - - -	68	56	43	52	43	55	54	56	58	49	40	37	46
Whooping-cough - - -	11	9	16	15	20	36	31	28	26	37	34	39	45
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	51	55	29	26	29	13	36	18	19	23	17	13	17
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	13	20	10	7	14	14	12	9	10	9	10	15	14
Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All the above Diseases -	199	175	155	151	180	185	202	188	181	176	152	156	159
Dis. of Respiratory System -	325	324	350	430	548	646	968	1171	1221	994	728	490	432
Phthisis - - - - -	133	141	153	177	190	225	208	239	200	204	220	177	157
Dis. of Circulatory System -	107	148	141	143	165	172	278	271	284	246	206	160	135
Violence - - - -	75	57	61	66	76	81	107	103	103	86	91	75	77
Inquest Cases - - - -	144	134	154	155	188	203	263	281	313	239	226	183	158
Deaths in Public Institutions -	509	494	485	532	603	578	700	859	843	817	702	645	583
TEMPERATURE OF THE AIR.													
Mean - - - - - -	50°·9	45°·9	45°.5	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2
Mean of Highest readings -	56·2	51·3	49·0	50·5	46·6	34·2	38·5	43·3	45·1	43·0	46·2	49·3	37·3
Mean of Lowest readings -	45·4	39·9	40·6	39·4	37·9	23·7	30·3	33·4	36·0	32·9	33·0	39·1	33·2
Humidity of the Air - -	78	84	80	82	87	73	92	84	88	80	85	84	87
Rain-fall (in inches) - -	2·33	0·00	0·00	0·29	0·46	0·05	0·08	0·59	0·48	0·48	0·74	0·32	0·96
Registered Sunshine (in hours)	20·9	8·4	0·0	8·2	10·0	7·4	0·7	6·2	9·5	14·1	12·4	5·0	3·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	1	1	1	1	-	5	7	8	18	21	24	21
Scarlet Fever - - - -	3564	3578	3503	3445	3290	3084	2916	2881	2730	2562	2441	2287	2179
Diphtheria - - - -	1692	1736	1761	1735	1730	1720	1701	1693	1653	1601	1582	1606	1581
Enteric Fever - - - -	426	443	448	461	460	452	420	406	382	349	329	307	289

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 5th Week of the 10 years 1890-99*.	In the Week ending Saturday, 3rd February 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES	1863·0	1722	356	192	83	222	367	400	102
Vaccinated†	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
s	28·6	27	4	23	-	-	-	-	-
Fever	17·6	10	2	6	1	1	-	-	-
s	0·1	-	-	-	-	-	-	-	-
ing Fever	-	-	-	-	-	-	-	-	-
nza	64·0	109	3	4	6	11	37	38	10
ping-cough	63·4	45	23	20	2	-	-	-	-
heria	44·8	46	4	26	16	-	-	-	-
e Continued and efined Fever	0·4	-	-	-	-	-	-	-	-
c Fever	10·3	17	-	-	-	14	3	-	-
a and Chol. Diarr.	-	-	-	-	-	-	-	-	-
hœa, Dysentery	13·6	14	6	3	-	-	1	4	-
tent Fever	-	-	-	-	-	-	-	-	-
phobia	-	-	-	-	-	-	-	-	-
ers	-	-	-	-	-	-	-	-	-
ox and Effects ofination	0·2	-	-	-	-	-	-	-	-
eal Affections	10·4	6	3	-	-	2	-	1	-
pelas	4·3	1	-	-	-	-	-	1	-
ia and Septicæmia	2·1	-	-	-	-	-	-	-	-
eral Fever	4·1	4	-	-	-	3	1	-	-
Zymotic Diseases	1·1	1	-	1	-	-	-	-	-
h	0·9	-	-	-	-	-	-	-	-
s and other Parasitical Diseases	0·1	-	-	-	-	-	-	-	-
ition, Want of ast-milk	1·8	-	-	-	-	-	-	-	-
olism	10·4	15	-	-	-	2	11	2	-
matic Fever, umatism of Heart	7·6	5	-	-	2	2	1	-	-
matism	2·2	-	-	-	-	-	-	-	-
	4·6	1	-	-	-	-	-	1	-
ts	4·8	4	1	3	-	-	-	-	-
r	69·3	65	1	1	-	8	24	30	1
Mesenterica	17·8	12	7	2	2	1	-	-	-
cular Meningitis	24·0	17	4	9	4	-	-	-	-
sis	184·7	157	-	6	16	69	57	9	-
ula, Tuberculosis	17·4	18	5	6	1	3	2	1	-
Constitutional eases	14·1	13	-	-	2	3	4	3	1
ature Birth	46·8	53	53	-	-	-	-	-	-
ctasis	3·4	2	2	-	-	-	-	-	-
enital Malformas	8·1	11	10	-	1	-	-	-	-
ge	64·4	50	-	-	-	-	-	19	31
lexy	47·9	55	-	-	-	4	17	30	4
psy	6·3	10	-	-	-	4	2	4	-
ulsions	40·8	35	33	2	-	-	-	-	-
Diseases of Brain Nervous System	97·6	71	9	11	1	12	13	23	2
ses of Organs of cial Sense	3·4	6	1	-	2	2	1	-	-

CAUSES OF DEATH	Corrected Averages for the 5th Week of the 10 years 1890-99*.	In the Week ending Saturday, 3rd February 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	153·4	135	-	1	10	14	49	54	7
Croup	4·4	2	-	2	-	-	-	-	-
Bronchitis	289·6	249	59	21	1	3	45	91	29
Pneumonia	140·4	150	45	29	6	23	23	21	3
Pleurisy	6·5	7	-	-	1	1	4	1	-
Other Diseases of Respiratory System	36·9	24	3	3	2	3	5	5	3
Dentition	10·5	9	6	3	-	-	-	-	-
Quinsy, Sore Throat	0·9	2	-	-	-	1	1	-	-
Enteritis	14·0	7	4	-	-	1	1	1	-
Gastro-enteritis		8	7	-	-	1	-	-	-
Peritonitis	6·3	3	-	-	-	2	1	-	-
Diseases of Liver	22·7	24	-	-	-	1	11	11	1
Other Diseases of Digestive System	32·0	28	8	-	1	3	4	10	2
Diseases of Lymphatic System & of Ductless Glands	2·3	5	-	1	-	2	1	1	-
Diseases of Urinary System	48·4	58	-	2	1	9	24	18	4
Diseases of Generative System	6·4	4	-	-	1	-	2	1	-
Accidents of Childbirth	5·6	4	-	-	-	4	-	-	-
Diseases of Locomotive System	4·9	-	-	-	-	-	-	-	-
Diseases of Integumentary System	7·4	6	2	-	-	-	1	3	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	59·0	2	-	-	1	1	-	-	-
By Vehicles or Horses		7	-	-	2	2	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning)		1	-	-	-	-	1	-	-
In Building Operations		1	-	-	-	-	1	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		10	1	3	-	-	2	4	-
By Drowning		10	1	-	-	3	6	-	-
By Suffocation in Bed		13	13	-	-	-	-	-	-
By Poisons or Poisonous Vapours		5	-	-	1	1	2	-	1
Other or not stated causes		21	3	-	-	1	5	9	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·6	-	-	-	-	-	-	-	-
Suicide	9·4	7	-	-	-	5	2	-	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	56·2	40	33	4	-	-	1	2	-

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 3rd February, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON -	4,411,710	2,498	1,722	356	502	-	27	10	46	45	-	17	-	14	77	158	583
WEST DISTRICTS - - -	778,251	339	339	60	103	-	6	2	4	4	-	2	-	4	14	27	137
NORTH DISTRICTS - - -	1,040,694	543	330	63	97	-	5	4	10	9	-	6	-	1	14	33	107
CENTRAL DISTRICTS - - -	233,635	130	103	27	16	-	-	-	2	2	-	2	-	1	10	22	31
EAST DISTRICTS - - -	716,334	508	278	72	75	-	5	-	3	14	-	1	-	4	15	33	98
SOUTH DISTRICTS - - -	1,642,796	978	620	134	196	-	11	4	27	16	-	6	-	4	24	43	158
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	52	-	15	-	-	-	-	-	-	-	-	-	-	-	52
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	45	35	10	10	-	-	-	1	-	-	-	-	-	1	3	10
St. John Paddington *H* - - G.	33,510	5	12	-	4	-	-	-	-	-	-	-	-	-	2	2	7
Kensington Town *Ww* - - W.	122,164	55	60	7	21	-	1	-	-	1	-	-	-	-	3	5	33
Brompton *HH* - - - W. & C.	48,301	9	17	2	7	-	1	-	-	1	-	-	-	-	2	1	6
North Hammersmith *H* W. & G	44,638	20	11	3	4	-	-	-	-	-	-	1	-	-	-	2	-
South Hammersmith *H* W. & G	59,561	33	13	2	2	-	-	-	-	-	-	-	-	-	-	2	4
Fulham *Ww* - - - W. & C.	113,781	75	59	14	13	-	3	2	3	1	-	1	-	2	4	6	21
Chelsea Kensal Town - C.	21,450	12	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	7	37	-	18	-	-	-	-	-	-	-	-	-	-	1	28
Chelsea South *HH* - - C.	33,139	13	18	5	5	-	-	-	-	-	-	-	-	-	1	1	3
May Fair *W* - - - - G.	23,827	5	16	1	7	-	-	-	-	-	-	-	-	-	-	1	11
Belgrave *WHHH* - - - C.	56,140	20	30	7	5	-	-	-	-	-	-	-	-	2	1	1	7
St. John Westminster *HH* - C.	31,492	18	13	5	1	-	1	-	-	1	-	-	-	-	-	2	-
St. Margaret Westminster *H* - C.	22,097	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2
St. James Westminster *WH* N. & G.	23,050	10	5	-	4	-	-	-	-	-	-	-	-	-	-	-	2
St Anne Soho *HHHHH* - N.	12,048	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	12	11	2	1	-	-	-	-	-	-	-	-	-	1	1	4
Rectory Marylebone *W* G. & W.	19,798	5	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone *HHHH* G. & W.	19,637	34	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	20	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	13	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	39	25	4	6	-	-	1	6	-	-	1	-	-	-	1	12
Regent's Park † *HH* - W.	51,403	23	16	4	2	-	-	-	-	2	-	-	-	-	1	2	2
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	16	1	5	-	-	-	-	-	-	-	-	-	-	1	10
Gray's Inn Lane *HHHH* - N.	29,426	19	11	1	-	-	-	-	-	-	-	-	-	-	2	4	5
Somers Town *HH* - - - N.	32,161	31	8	2	2	-	-	-	-	-	-	-	-	-	-	-	2
Camden Town† *WH* - - N.	40,155	17	18	-	10	-	-	-	-	-	-	-	-	-	-	1	11
Kentish Town† *WW* - - N.	60,862	42	21	3	5	-	-	-	-	-	-	1	-	1	-	3	8
Upper Holloway *WWWWwHH* - - N.	98,273	51	45	6	15	-	3	1	2	1	-	1	-	-	1	4	25
Lower Holloway‡ - - - N.	41,805	18	8	3	1	-	-	-	-	1	-	-	-	-	1	1	-
Barnsbury‡ - - - - N.	56,384	38	22	7	8	-	-	-	-	1	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	26	15	3	5	-	1	-	-	1	-	-	-	-	2	3	-
Highbury *HH* - - - N.	64,577	23	15	6	4	-	-	1	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	7	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	21	12	3	5	-	-	-	-	1	-	-	-	-	2	2	-
Central Hackney *ww* - E. & N.		22	11	1	3	-	-	1	2	-	-	-	-	-	-	1	4
South-west Hackney *HHH* E. & N.		39	16	5	3	-	1	-	-	1	-	1	-	-	1	4	4
South-east Hackney *WwH* E. & N.		35	31	6	13	-	-	-	-	1	-	2	-	-	3	4	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-ea Sub-District.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 3rd February, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	15	6	3	1	-	-	-	-	-	-	-	-	-	1	3	2	-
outh *WH* - - }																		
Giles North *H* - - - N.	9,151	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin-in-the-Fields *HH* N. & C.	13,077	4	4	-	1	-	-	-	-	-	-	-	-	-	1	2	2	-
and *WHH* - - - - N.	11,839	4	11	2	-	-	-	-	-	-	-	1	-	-	1	1	8	-
and Union Workhouse, Edmonton	†*1,037*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
lborn *wHHHHHH* - N.	31,042	11	12	4	3	-	-	-	1	-	-	1	-	1	-	2	2	-
James Clerkenwell - - N.	15,777	13	8	3	-	-	-	-	-	1	-	-	-	-	1	1	-	-
well Clerkenwell - - N.	34,356	20	13	3	2	-	-	-	1	-	-	-	-	-	1	3	-	-
swell-street - - - - N.	16,069	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ty-road *HHHL* - - - N.	29,897	30	13	5	1	-	-	-	-	1	-	-	-	-	-	-	2	-
hitecross-street - - - N.	7,595	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nsbury - - - - - N.	4,035	1	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
olborn Union Workhouse, } *Mitcham* - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. Botolph* *HH* - - N. & E.	13,061	7	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
. Sepulchre *WH* - - - N.	9,591	-	15	2	1	-	-	-	-	-	-	-	-	-	4	5	12	-
lhallows Barking - - - N.	9,059	2	4	-	1	-	-	-	-	-	-	-	-	-	1	3	-	-
ty of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
horeditch South *Hl* - E. & N.	17,975	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oxton New Town *w* - - N.	29,575	21	12	1	6	-	-	-	-	2	-	-	-	-	-	-	4	-
oxton Old Town - - - N.	27,645	26	9	3	3	-	-	-	-	2	-	-	-	-	-	1	-	-
aggerston *WH* - - N. & E.	47,163	23	26	-	6	-	1	-	1	1	-	-	-	-	1	2	13	-
ethnal Green North *H* - E.	49,301	42	14	4	3	-	-	-	-	1	-	-	-	-	-	-	1	-
ethnal Green South - - E.	34,194	21	11	3	3	-	-	-	-	1	-	-	-	1	1	4	-	-
ethnal Green East *WWHl* - E.	45,667	37	18	5	3	-	-	-	-	1	-	-	-	-	-	-	5	-
pitalfields - - - E. & N.	26,681	19	3	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
ile End New Town *WH* - E.	51,995 {	21	31	5	6	-	-	-	1	1	-	-	-	-	5	7	28	-
oodman's Fields - - - E.		18	4	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
t. George's, North - - - E.	39,576	35	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
t. John, St. George East *W* E.	7 930	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
hadwell *H* - - - E. & N.	10,434	4	4	2	-	-	1	-	-	-	-	-	-	1	-	-	4	-
atcliff *W* - - - - E.	14,954	5	6	4	1	-	-	-	-	-	-	-	-	-	-	3	-	-
imehouse - - - - E.	32,917	19	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town West *H* E. }	111,060 {	49	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East } - E.		32	33	6	16	-	1	-	-	1	-	-	-	1½	-	-	18	-
WWww }																		
Bow *l* - - - - E.	41,687	27	12	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Bromley *wwwH* - - - E.	69,821	60	46	14	11	-	-	-	1	2	-	1	-	1	7	12	21	-
Poplar *WW* - - - - E.	57,759	30	17	7	5	-	-	-	-	2	-	-	-	-	-	1	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 3rd February, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	1	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	12	5	-	3	-	-	-	-	-	-	1	-	-	1	1	-
Kent-road - - - - S. & L.	22,879	15	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	3
London-road *HL* - - L. & S.	21,316	17	11	4	5	-	-	-	-	1	-	-	-	-	1	1	1
Trinity Newington - - S. & L.	28,723	23	11	3	2	-	1	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	37	16	6	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Newington- - L. & S.	30,171	23	7	3	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Olave *WH* - - - - S.	11,731	10	15	2	3	-	-	-	-	1	-	-	-	-	3	3	12
Bermondsey *W* - - - S.	85,475	59	25	3	9	-	-	-	-	4	-	-	-	1	1	2	1
Rotherhithe *Ww* - S. & K.	40,379	20	25	5	6	-	2	-	-	-	-	-	-	-	-	1	8
Waterloo-road *HH* - L. & S.	28,396	24	9	3	1	-	1	-	-	1	-	-	-	-	1	1	1
Lambeth Church 1st *H* - L. & S.	18,770	13	24	4	5	-	-	-	-	-	-	-	-	-	3	5	14
Lambeth Church 2nd *WW* L. & S.	40,994	25	18	6	5	-	-	-	-	-	-	-	-	2	1	3	10
Kennington 1st *H* - - S. & L.	52,486	44	18	5	3	-	-	-	1	-	-	-	-	-	-	3	-
Kennington 2nd - - S. & L.	43,244	25	11	1	9	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	29	29	6	6	-	-	-	4	-	-	1	-	-	-	2	5
Norwood *WH*- - - - L.	29,318	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	41	20	6	6	-	-	-	-	-	-	-	-	-	1	5	-
West Battersea *WwH* - - S.	93,385	55	46	12	18	-	3	-	-	1	-	-	-	-	3	4	14
Clapham *H* - - - - S.	46,953	22	16	4	8	-	1	-	-	-	-	-	-	-	-	-	-
Wandsworth *WHHL* - - S.	58,101	34	21	7	5	-	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - - S.	20,566	11	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	43	25	3	8	-	1	1	2	1	-	3	-	-	2	2	7
Dulwich - - - - L. & S.	7,519	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	31	53	6	23	-	1	-	2	-	-	-	-	1	2	2	29
Peckham *WW* - S., L., & K.	88,242	50	12	3	5	-	-	-	-	-	-	-	-	-	1	1	-
St. George Camberwell - L. & S.	67,029	40	16	4	1	-	-	-	-	1	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	33	15	5	2	-	-	-	-	1	-	-	-	-	1	1	-
Deptford Central *w* - - K.	45,441	22	16	4	4	-	-	-	8	1	-	-	-	-	-	-	9
Deptford South - - - K.	33,402	15	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	17	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	27	29	5	11	-	-	-	-	2	-	1	-	-	-	1	18
Eltham *wH* - - - - K.	5,911	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Lee *H* - - - - - K.	24,222	8	7	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	23	27	7	6	-	-	1	8	1	-	-	-	-	-	-	13
Sydenham *H* - - - - L.	37,601	14	8	2	2	-	-	-	1	-	-	-	-	-	-	-	-
Charlton *wHH* - - K.	15,928	5	10	1	4	-	-	2	1	-	-	-	-	-	-	-	4
Woolwich Dockyard - - K.	19,355	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	21	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	36	20	2	8	-	-	-	-	-	-	-	-	-	2	2	7
Banstead Asylum - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Dartford Heath - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
Colney Hatch Asylum - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	14	-	3	-	-	-	-	-	-	-	-	-	-	-	14
Claybury Asylum - - - -	—	-	12	-	4	-	-	-	-	-	-	-	-	-	-	-	12

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 3rd February, 1900.

Is-on ict d -ict n-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON OUTER RING -	368,749	1,422,063	982	541	116	173	-	3	5	14	7	5	4	18	39	69	4
:1	Carshalton *H* - - -	12,228	26,108	8	11	3	1	-	-	2	-	-	-	-	-	-	1	-
2	Epsom, *part of** *WwHH* -	10,423	12,508	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
:1	Godstone, *part of** *W* -	2,754	1,598	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WwHHH* - -	20,851	128,699	63	44	11	21	-	-	-	1	1	-	2	1	3	10	-
2	Mitcham *w* - - -	11,697	23,072	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-
:1	Wimbledon *HHH* - -	3,220	25,777	14	7	-	2	-	-	-	1	-	-	-	1	1	-	-
2	Kingston *WH* - - -	14,672	33,566	23	10	4	3	-	-	-	-	-	-	-	1	1	1	-
3	Surbiton *H*- - - -		12,178	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *HH* - -		11,080	4	5	1	2	-	-	-	1	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	10	12	4	2	-	-	-	-	-	-	1	-	-	1	1
:1	Richmond *WH*- - -	2,160	25,389	6	13	1	6	-	-	-	-	-	-	-	-	-	6	-
2	Mortlake *H* - - -	2,823	16,159	10	6	2	2	-	-	-	-	-	-	-	1	1	-	-
:1	Bromley *HHH* - - -	9,127	23,815	13	9	2	3	-	-	-	-	1	-	-	1	-	-	-
2	Beckenham *H* - - -	6,542	21,969	13	9	-	5	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bexley *HHH* - - -	12,540	30,590	30	7	-	3	-	-	-	-	-	1	-	-	-	1	-
2	Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
:1	Sunbury *w* - - -	11,054	13,671	6	3	1	-	-	-	-	-	-	1	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	11	8	2	4	-	-	-	-	-	-	-	-	-	3	-
:1	Hillingdon *WHH* - -	6,035	12,237	8	3	-	-	-	-	2	-	-	-	-	-	-	2	-
2	Uxbridge - - - -	12,757	7,253	5	4	-	2	-	-	-	-	-	-	-	-	1	-	-
3	Hayes *wH*- - - -	7,952	11,051	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,967	26,004	13	19	1	9	-	-	-	-	-	1	-	1	1	5	-
2	Twickenham *HH* - -	2,415	16,027	11	6	3	-	-	-	-	-	-	-	-	1	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	25	14	1	5	-	-	-	-	-	-	-	-	1	1	-
4	Chiswick - - - -	1,245	21,963	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	30	10	1	4	-	-	-	-	-	-	-	-	-	-	-
:1	Harrow *HHH* - - -	13,809	15,715	7	3	2	-	-	-	-	-	-	-	-	-	1	-	-
2	Edgware *HH* - - -	6,994	3,844	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	68	27	7	12	-	-	-	-	1	-	-	-	1	1	-
4	Hendon *WH* - - -	8,382	15,843	12	8	-	4	-	-	-	-	-	-	-	-	-	1	-
:1	South Mimms *HH* - -	21,077	6,367	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	2	4	1	2	-	-	-	1	-	-	-	-	-	-	-
3	Finchley *HHH*- - -	4,688	25,820	10	9	1	2	-	-	-	-	1	-	-	1	1	1	-
:1	Hornsey *HH* - - -	3,039	61,097	32	10	2	7	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham *HH*- - -	4,642	97,174	60	30	3	12	-	-	-	-	-	-	-	1	4	2	-
3	Edmonton *Www* - -	7,489	36,351	28	14	1	1	-	-	-	1	-	-	-	1	4	2	-
4	Enfield *WWHH* - -	12,602	31,536	18	14	2	3	-	-	-	-	-	-	1	2	2	-	-
5	Waltham Abbey - - -	11,017	6,066	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	7	4	1	-	-	-	-	-	-	-	-	-	-	-	1
:1	Hatfield, *part of** *W*- -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,331	7,737	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	4,706	38,612	24	9	4	2	-	-	-	-	-	-	-	-	1	1	-
2	Plaistow *HHH* - - -		58,030	60	25	8	3	-	1	-	1	-	1	-	1	1	1	1
3	Canning Town *H* - -		54,750	43	30	9	3	-	1	-	3	2	-	-	1	2	1	1
4	Forest Gate *w* - - -		53,511	33	12	3	3	-	-	-	-	-	-	-	-	-	-	-
5	East Ham *wHH* - -	3,266	32,713	54	17	7	2	-	1	-	-	-	-	-	-	4	-	-
6	Leyton *WWWwH* - -	4,334	70,188	59	40	5	20	-	-	-	1	-	1	-	-	2	20	-
7	Walthamstow *HHHL* -	6,501	57,330	65	29	6	7	-	-	-	3	1	-	-	1	1	1	-
:1	Chigwell, *part of** *HHHH*	11,779	12,941	5	13	3	4	-	-	-	-	-	-	-	-	1	-	-
2	Epping *WH*, *part of** - -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
:1	Romford, *part of** *WH* -	6,556	4,324	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Ilford - - - - -	8,493	10,913	16	6	2	1	-	-	-	-	-	-	-	2	2	-	-
3	Barking Town, *H* - -	3,814	14,301	15	7	4	1	-	-	-	-	-	-	-	1	1	-	-
	Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	South-Western Fever Hospital, Brixton.	—	—	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping (pop. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for Infectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 3rd February, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**17·7**	**1·5**	**2263**	**472**	**675**	–	**30**	**15**	**60**	**52**	**22**	**18**	**95**
INNER LONDON -	74,672	4,589,129	19·6	1·8	1722	356	502	–	27	10	46	45	17	14	77
OUTER RING -	368,749	2,063,016	13·7	1·0	541	116	173	–	3	5	14	7	5	4	18

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMO DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	Feb.	3	159	158	27·3	–	1	1	1	2	–
GLASGOW - -	743,585	„	3	514	299	21·0	–	21	9	3	3	5
DUBLIN - -	349,594	„	3	184	238	35·5	–	4	1	3	–	2
CALCUTTA - -	466,460	Dec.	30	–	361	40·3	2	1	?	?	?	115†
BOMBAY - -	821,764	Jan.	9	217	1817	115·0	96	74	?	?	?	496†
MADRAS - -	452,518	Dec.	22	412	400	45·9	–	8	?	?	?	107
PARIS - - -	2,511,629	Jan.	27	1218	1075	22·2	1	18	1	3*	1	11
BRUSSELS - -	561,130	„	27	283	191	17·7	–	–	1	3*	–	9
AMSTERDAM -	523,743	„	20	289	265	26·4	–	–	1	2	1	1
ROTTERDAM -	315,305	„	20	219	153	24·9	–	2	–	2	1	2
THE HAGUE -	199,285	„	20	99	95	24·8	–	–	–	–	–	–
COPENHAGEN -	349,000	„	27	222	142	21·2	–	–	5	1	–	–
STOCKHOLM -	291,580	„	20	133	104	18·5	1	–	–	3*	–	–
CHRISTIANIA -	221,255	„	27	193	74	17·6	–	–	1	–	1	–
ST. PETERSBURG	1,132,677	„	20	672	629	29·0	5	15	16	44	1	28
MOSCOW - -	988,610	„	20	–	538	28·4	–	4	15	14	3	–
BERLIN - -	1,848,269	„	13	951	592	16·7	2	2	11	11	15	1
HAMBURG - -	691,349	„	27	–	234	17·6	–	–	3	1*	–	1
DRESDEN - -	401,400	Dec.	30	–	–	–	–	–	–	–	–	–
BRESLAU - -	406,012	Jan.	27	–	179	22·6	–	–	–	1	2	–
MUNICH - -	463,000	„	20	329	246	27·6	–	21	–	2*	1	–
VIENNA - -	1,639,811	„	20	879	607	19·2	–	18	2	9*	2	1
PRAGUE - -	385,952	„	20	196	172	23·2	–	2	1	3	–	–
BUDA-PESTH -	685,340	„	20	451	270	20·5	–	1	2	3	1	1
TRIESTE - -	167,286	„	13	121	105	32·7	–	3	2	4*	1	–
ROME - - -	512,423	Dec.	30	213	229	23·5	–	4	–	1	–	7
TURIN (10 days)	344,203	„	10	186	197	20·9	–	2	–	1	–	3
VENICE - -	172,491	Jan.	13	80	73	22·1	–	–	–	4*	–	–
CAIRO - -	570,062	Dec.	23	–	–	–	–	–	–	–	–	–
ALEXANDRIA -	319,766	„	23	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,654,594	Jan.	13	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,266,832	„	13	–	504	20·7	–	1	6	32	–	1

* Including deaths from croup.
† Including 24 deaths from plague in Calcutta, and 324 in Bombay.
‡ Including 13 deaths from cholera in Calcutta and 4 in Bombay.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Of the Air Temperature and Dew Point Temperature. Mean daily value.	Of the Air Temperature and Dew Point Temperature. Great-est.	Of the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Depar-ture from Average of 16 Years.	Rain in a gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	28	..	29·153	38·2	30·2	8·0	33·7	− 5·8	32·8	0·9	6·2	0·0	96	55·0	25·5	43·17	WSW., SW. & NE.	N. & NNE.	7·1	0·0	0·6	355	+ 19	0·22	0·2
MONDAY -	29	..	29·560	39·4	35·3	4·1	37·5	− 2·2	31·5	6·0	9·0	2·2	79	63·7	30·8	42·84	NNE. & N.	N. & NNE.	8·5	0·0	1·0	533	+196	0·02	0·8
TUESDAY -	30	..	29·509	38·9	35·7	3·2	37·3	− 2·5	33·7	3·6	6·0	2·4	87	47·9	31·6	42·47	N.	N. & NNE.	3·3	0·0	0·5	397	+ 60	0·01	0·0
WEDNESDAY	31	New	29·638	39·9	34·2	5·7	37·1	− 2·7	32·8	4·3	7·1	2·6	84	57·7	33·0	42·24	N. & NNE.	NNE. & NE.	2·1	0·0	0·3	355	+ 17	0·00	0·0
FEBRUARY. THURSDAY-	1	Perigee	29·522	34·3	32·2	2·1	33·5	− 6·2	28·6	4·9	7·6	0·0	82	44·0	30·6	42·10	NE., NNE. & E.	E. & ENE.	3·3	0·0	0·3	310	− 29	0·00	0·2
FRIDAY -	2	In Equator	29·551	36·3	31·9	4·4	33·9	− 5·8	29·7	4·2	7·0	0·0	85	43·9	30·5	41·82	ENE.	ENE. & NNE.	8·0	0·0	0·9	517	+177	0·50	0·8
SATURDAY-	3	..	29·604	33·9	32·6	1·3	33·6	− 6·1	32·7	0·9	1·1	0·3	96	35·0	31·2	41·50	NNE. & N.	N. & WSW.	1·2	0·0	0·1	201	−140	0·21	0·0
MEANS -			29·505	37·3	33·2	4·1	35·2	− 4·5	31·7	3·5	6·3	1·1	87	49·6	30·5	42·31	NNE.		..	..	..	Sum 2668	Sum +300	Sum 0·96	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	28	w. P. till 7h. A.M.; w. P. and s. N. till 9h. A.M.; w. P. till 5h. P.M.; v. P. and v. N. afterwards.	2·7	8·9	Very fine in early morning; overcast till noon, with snow between 7h. and 9h. A.M.; fine till 3h. P.M.; overcast, with rain, snow, and sleet, and gusty wind afterwards.
MONDAY -	29	w. P. till 5h. P.M.; w. P. and w. N. afterwards.	0·4	8·9	Generally overcast; frequent fine rain after 3h. P.M. Brisk wind prevalent throughout.
TUESDAY -	30	w. P. generally; occasional w. N.	0·0	9·0	Generally overcast; occasional slight rain between 5h. and 7h. P.M.
WEDNESDAY	31	w. P. generally; m. P. in evening.	0·0	9·1	Generally overcast; very slight rain at times.
FEBRUARY. THURSDAY-	1	w. P. till 2h. P.M.; m. P. till 11h.30m.P.M.; w. N. afterwards.	0·0	9·1	Overcast; occasional slight snow.
FRIDAY -	2	w. P. and w. N. till 4h. A.M.; w. P. generally afterwards.	0·0	9·2	Overcast; snow in early morning and throughout the afternoon and evening. Gusty wind prevalent till afternoon.
SATURDAY-	3	w. P. till 2h. A.M.; w. N. till 5h. A.M.; w. P. afterwards.	0·0	9·2	Overcast; continuous snow in morning, and frequent misty rain afterwards. Slight fog at night.
			Sum 3·1	Sum 63·4	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·25 in. at the beginning of the week to 29·12 in. by 10h. A.M. on January 28th; increased to 29·58 in. by 11h. A.M. on January 29th; decreased to 29·48 in. by 1h. P.M. on January 30th; increased to 29·65 in. by noon on January 31st; decreased to 29·48 in. by 4h. A.M. on February 2nd; and was 29·61 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 6. 1900. VOL. LXI.] WEEK ENDING SATURDAY, FEB. 10. [Price 1½*d*.

General Register Office, Somerset House,
February 12th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 24·9, 22·6, and 21·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	TOWNS.	Weeks ending Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
33 Great Towns	**24·9**	**22·6**	**21·2**	**22·8**	Leicester - -	18·1	16·4	15·2	18·3
Birkenhead -	19·6	14·7	21·4	24·5	Liverpool - -	32·0	29·5	28·5	31·8
Birmingham -	27·9	27·2	25·0	22·0	London - - -	26·9	22·2	19·6	20·4
Blackburn -	22·1	23·2	23·6	32·3	Manchester - -	22·2	23·8	25·7	28·0
Bolton - -	23·5	25·4	18·7	23·8	Newcastle-on-Tyne	25·6	26·0	22·0	25·4
Bradford -	26·3	24·9	19·5	21·8	Norwich - -	31·8	26·8	23·2	22·7
Brighton -	19·7	17·2	17·2	24·4	Nottingham - -	32·2	19·1	18·3	16·5
Bristol - -	18·3	19·1	16·5	19·4	Oldham - -	11·2	20·7	20·4	27·6
Burnley -	20·1	21·0	14·3	19·2	Plymouth - -	15·3	17·9	22·5	26·0
Cardiff - -	14·5	8·9	15·6	12·6	Portsmouth - -	19·8	17·4	16·6	18·7
Croydon -	21·9	10·7	13·9	20·7	Preston - -	28·1	30·7	29·8	35·1
Derby - -	25·6	24·6	12·6	26·6	Salford - - -	23·6	25·5	26·2	34·2
Gateshead -	19·5	26·7	19·1	17·6	Sheffield - -	26·2	22·5	27·2	26·1
Halifax -	21·7	22·3	29·5	26·9	Sunderland - -	30·4	30·1	35·4	30·8
Huddersfield-	17·0	16·0	22·0	20·5	Swansea - -	18·3	15·3	15·3	15·8
Hull - -	27·5	28·0	25·8	25·8	West Ham - -	18·9	18·1	14·4	14·4
Leeds - -	20·6	23·8	23·1	28·4	Wolverhampton -	27·9	29·7	31·4	34·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Plymouth and in Leicester, 1·7 in Wolverhampton, 2·6 in Halifax, and 3·9 in Preston; from *scarlet fever*, 1·1 in Sunderland and 1·4 in Oldham; from *whooping-cough*, 1·1 in Portsmouth, 1·3 in Bolton, 1·4 in Norwich, 1·6 in Croydon and in Newcastle-on-Tyne, 1·8 in Liverpool, and 4·5 in Salford; and from *diarrhœa*, 1·2 in Wolverhampton. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 115 deaths from *diphtheria* included 51 in London, 12 in Sheffield, 11 in Leeds, 8 in Leicester, 5 in Liverpool, 3 in Brighton, 3 in Manchester, and 3 in Blackburn. Three deaths from *small-pox* were registered in Hull, and 1 in Leeds, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2889 BIRTHS and 1792 DEATHS were registered. Allowing for increase of population, the births were 27, and the deaths 57, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 26·9, 22·2, and 19·6 in the preceding three weeks, rose again last week to 20·4. During the four weeks ending on Saturday last the death-rate averaged 22·3 per 1000, being 0·3 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1792 deaths included 33 from measles, 7 from scarlet fever, 51 from diphtheria, 37 from whooping-cough, 22 from enteric fever, 11 from diarrhœa and dysentery, 1 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 162 deaths were referred to these diseases, being 21 below the corrected average weekly number.

The deaths from *measles*, which had been 45, 46, and 27 in the preceding three weeks, rose again last week to 33, but were 2 below the corrected average. The deaths from *scarlet fever*, which had been 6, 6, and 10 in the preceding three weeks, fell again last week to 7, and were 10 below the corrected average; 2 cases belonged to Lambeth sanitary area. The deaths from *diphtheria*, which had been 40, 37, and 46 in the preceding three weeks, further rose last week to 51, and were 7 above the corrected average; 6 cases belonged to Camberwell, 5 to Lambeth, 5 to Greenwich, 4 to Islington, 4 to Poplar, 4 to Wandsworth, 3 to Hampstead, 3 to Hackney, and 3 to Newington sanitary areas. The deaths from *whooping-cough*, which had been 34, 39, and 45 in the preceding three weeks, fell again last week to 37, and were 27 below the corrected average; 7 cases belonged to Bethnal Green and 4 to Mile End Old Town sanitary areas. The fatal cases of *enteric fever*, which had been 17, 13, and 17 in the preceding three weeks, further rose last week to 22, and were 14 above the corrected average; 5 cases belonged to Poplar, 3 to Lambeth, 2 to Battersea, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 10, 15, and 14 in the preceding three weeks, fell last week to 11, and were 3 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 728, 490, and 432 in the preceding three weeks, further fell last week to 423, and were 53 below the corrected average. The deaths attributed directly to *influenza* numbered 63, having been 208, 152, and 109 in the preceding three weeks; influenza was stated as a contributory cause of 11 other deaths, against 50, 33, and 15 in the preceding three weeks.

Different forms of violence caused 89 deaths, concerning all but 3 of which inquests were held. Of these 89 deaths, 2 were cases of suicide, while the remaining 87 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 12 to burns and scalds, and 25 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 17 cases of small-pox, 2089 of scarlet fever, 1549 of diphtheria, and 281 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, one case, against 5, 4, and 0; of scarlet fever, 157 cases, against 207, 190, and 174; of diphtheria, 196 cases, against 176, 215, and 201; and of enteric fever, 35 cases, against 37, 48, and 42.

Greater London.

In Greater London 4027 births and 2351 deaths were registered, corresponding to annual rates of 31·6 and 18·4 per 1000 of the estimated population. In the Outer Ring 2 deaths from measles, 1 from scarlet fever, 17 from diphtheria, 12 from whooping-cough, 6 from "fever," and 2 from diarrhœa were registered. Seven of the fatal cases of diphtheria, 6 of whooping cough, and 5 of "fever" belonged to West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 31°·0; the latter being 8°·3 below the week's average in the 50 years 1841–90. The direction of the wind was north-north-easterly, the horizontal movement of the air being 38 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 19·3 hours; rain and melted snow were measured to the amount of 0·29 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of January, 1900. The supply was in the ratio of 218 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	January, 1899.	January, 1900.	January, 1899.	January, 1900.
Total Supply - - -	873,232	895,606	190,656,318	195,458,985
From Thames - - - - - -	419,090	428,179	102,262,322	102,895,144
From Lea and from other Sources -	454,142	467,427	88,393,996	92,563,841
Thames.				
Chelsea - - - - - - -	38,105	38,472	11,353,885	11,400,237
West Middlesex - - - - - -	83,390	84,987	19,808,304	19,789,593
Southwark and Vauxhall - -	122,278	123,592	30,325,491	29,635,704
Grand Junction - - - - - -	63,596	65,718	18,128,158	18,455,242
Lambeth - - - - - - -	111,721	115,410	22,646,484	23,614,368
Lea and other Sources				
New River - - - - - - -	165,683	168,782	33,528,557	34,797,655
East London - - - - - -	198,464	205,036	38,684,379	40,880,727
Kent - - - - - - - -	89,995	93,609	16,181,060	16,885,459

Note.—The Return for January, 1900, as compared with that for the corresponding month of 1899, shows an increase of 22,374 services and of 4,802,667 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during January, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
February 2, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of January.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·8, New River 2·6, Chelsea 3·6, Southwark and East London 4·2, West Middlesex 4·5, Grand Junction 5·4, and Lambeth 6·3.

In all cases the samples drawn from the mains of the Thames Companies were clear. With the exception of the Chelsea Company's water, all the Thames-derived supplies contained a greater amount of vegetable organic matter than was found in corresponding samples examined in December last. The Chelsea, West Middlesex and Southwark Companies' water was of fair chemical quality, and that of the Grand Junction and Lambeth Companies was of indifferent quality owing to the excess of organic matter.

The water derived from the River Lea by the New River and East London Companies was delivered in a clear condition. In both cases the water was of fair chemical quality, but the amount of organic matter present was greater than in the December samples.

The Kent Company's water was of high organic purity and clear.

Seen through a stratum two feet deep, the Kent water was colourless, the New River very pale yellow, the Lambeth yellow, and the remaining water pale yellow in colour.

I am, Sir,

Your obedient Servant,

T. E. Thorp

The Registrar-General,

Somerset House, W.C.

Analysis of Metropolitan Waters.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		°								
	Chelsea - - -	January 9th. Cab Rank, Horse Guards, Whitehall.	5·3	33·28	·192	·023	0	·285	·308	1·9	21·8
	West Middlesex -	January 9th. Cab Rank, Riding House-street.	6·5	31·56	·241	·023	0	·281	·304	2·0	20·9
	Southwark - -	January 9th. Cab Rank, St. George's Church, Borough.	5·8	31·80	·225	·022	0	·316	·339	1·8	20·9
	Grand Junction -	January 9th. Cab Rank, Portman-street, Oxford-street.	5·0	32·80	·286	·031	0	·321	·352	1·9	21·2
	Lambeth - - -	January 9th. Cab Rank, St. George's-road, Southwark.	5·7	31·20	·339	·031	0	·361	·392	2·0	20·6
	LEA.										
	New River - -	January 9th. Cab Rank, Tottenham Court-road.	5·7	33·52	·138	·017	0	·327	·344	2·0	22·1
	East London - -	January 9th. Cab Rank, Sidney-street, E.	5·3	35·72	·220	·028	0	·230	·258	2·2	21·8
	DEEP WELL.										
	Kent - - - -	January 9th. Police Station, Blackheath-road.	11·7	40·40	·041	·008	0	·460	·468	2·2	28·7
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters The Table is to be read thus :—The Chelsea Company's water, collected on the 9th January. at the Horse Guards cab rank, had a temperature of 5·3° C.; 100,000 lbs. of it contained 33·28 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·192 lb. of carbon and ·023 lb. of nitrogen. The above quantity of water also contained no ammonia and ·285 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·308 lb. The above weight of water also contained 1·9 lbs. of chlorine, and 21·8 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 10th Feb. 1900. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**7115**	**5082**	**1082**	**1477**	**4**	**82**	**37**	**115**	**138**	**34**	**39**	**197**	**402**	**1124**	**69**	**22·8**	**2·0**	**42·0**	**11·3**	**30·5**	**-0·83**	**0·39**	**0·99**	**33 Towns.**
London	4,589,129	2889	1792	356	557	-	33	7	51	37	22	11	89	199	593	11	20·4	1·8	38·7	18·0	31·0	-0·56	0·29	0·74	London.
West Ham	314,472	178	87	25	19	-	-	1	2	3	3	1	4	5	12	1	14·4	1·7	-	-	-	-	-	-	West Ham.
Croydon	131,186	55	52	13	15	-	-	-	-	4	-	-	3	7	6	-	20·7	1·6	39·0	11·3	29·1	-1·61	0·00	0·00	Croydon.
Brighton	124,148	61	58	9	26	-	-	-	3	-	-	-	1	5	21	-	24·4	1·3	42·0	20·6	32·5	0·28	0·56	1·42	Brighton.
Portsmouth	194,955	106	70	11	27	-	-	-	1	4	-	-	-	4	11	2	18·7	1·3	39·5	22·0	32·3	0·17	0·62	1·57	Portsmouth.
Plymouth	102,161	66	51	9	18	-	2	-	1	-	-	-	1	1	3	-	26·0	1·5	-	-	-	-	-	-	Plymouth.
Bristol	324,973	193	121	23	49	-	2	1	2	1	-	3	8	11	30	1	19·4	1·4	39·0	17·0	30·3	-0·94	0·02	0·05	Bristol.
Cardiff	194,247	111	47	9	5	-	2	-	2	-	-	-	4	6	3	-	12·6	1·1	-	-	-	-	-	-	Cardiff.
Swansea	105,472	56	32	4	13	-	-	-	2	-	-	-	1	1	5	-	15·8	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	74	59	12	24	-	3	-	1	1	-	2	-	3	9	1	34·3	4·1	36·0	11·8	26·3	-3·16	0·28	0·71	Wolverhampton.
Birmingham	519,610	352	219	55	64	-	2	1	2	8	2	3	10	11	35	9	22·0	1·8	-	-	-	-	-	-	Birmingham.
Norwich	114,855	61	50	11	20	-	-	-	-	3	-	-	1	1	7	-	22·7	1·4	41·4	20·0	32·7	0·39	0·04	0·10	Norwich.
Leicester	219,169	131	77	17	17	-	4	1	8	-	-	-	-	2	15	2	18·3	3·1	-	-	-	-	-	-	Leicester.
Nottingham	242,676	155	77	17	20	-	1	1	-	-	-	-	6	9	9	-	16·5	0·4	37·4	15·4	29·9	-1·17	0·25	0·63	Nottingham.
Derby	107,991	37	55	4	19	-	-	-	-	-	-	-	1	4	6	-	26·6	-	-	-	-	-	-	-	Derby.
Birkenhead	117,170	61	55	11	25	-	-	-	-	-	-	-	1	4	6	-	24·5	-	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	463	387	81	91	-	-	4	5	22	2	6	17	22	90	14	31·8	3·2	37·0	20·2	29·6	-1·34	0·68	1·73	Liverpool.
Bolton	164,240	106	75	21	12	-	2	1	-	4	1	1	2	6	6	1	23·8	2·9	-	-	-	-	-	-	Bolton.
Manchester	548,768	361	295	60	69	-	3	4	3	9	-	5	10	24	68	4	28·0	2·3	-	-	-	-	-	-	Manchester.
Salford	220,816	163	145	41	37	-	3	1	-	19	-	2	3	6	18	2	34·2	5·9	-	-	-	-	-	-	Salford.
Oldham	153,297	61	81	19	13	-	1	4	-	2	1	-	1	6	13	-	27·6	2·7	-	-	-	-	-	-	Oldham.
Burnley	116,730	54	43	9	13	-	-	2	1	-	-	-	1	1	6	1	19·2	1·3	-	-	-	-	-	-	Burnley.
Blackburn	137,107	81	85	22	23	-	1	-	3	1	-	1	3	5	4	2	32·3	2·3	-	-	-	-	-	-	Blackburn.
Preston	118,902	62	80	17	23	-	9	-	2	2	-	1	1	1	8	1	35·1	6·1	-	-	-	-	-	-	Preston.
Huddersfield	104,484	43	41	6	14	-	-	-	1	1	-	-	1	1	11	1	20·5	1·0	37·6	18·0	29·2	-1·56	1·55	3·94	Huddersfield.
Halifax	100,710	36	52	8	16	-	5	1	-	-	-	-	-	1	8	3	26·9	3·1	-	-	-	-	-	-	Halifax.
Bradford	291,535	128	122	18	35	-	2	1	-	1	-	-	6	11	15	1	21·8	0·7	38·2	18·8	31·6	-0·22	0·10	0·25	Bradford.
Leeds	431,287	249	235	58	72	1	2	-	11	6	1	2	6	18	30	-	28·4	2·8	-	-	-	-	-	-	Leeds.
Sheffield	365,922	242	183	52	39	-	4	2	12	1	1	1	4	6	22	10	26·1	3·0	-	-	-	-	-	-	Sheffield.
Hull	238,736	170	118	23	36	3	-	-	-	1	-	-	1	2	22	-	25·8	0·9	40·0	18·0	30·9	-0·61	0·29	0·74	Hull.
Sunderland	147,398	85	87	24	27	-	-	3	-	1	-	-	-	4	14	2	30·8	1·4	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	75	37	12	12	-	-	-	2	-	-	-	-	-	1	-	17·6	1·0	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	150	114	25	27	-	1	2	-	7	1	-	11	15	17	-	25·4	2·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2707	2814	2651	2884	2709	2736	2656	2917	2843	2802	2916·1	2889
Males - -	1373	1371	1356	1468	1408	1381	1370	1490	1488	1408	1484·7	1516
Females - -	1334	1443	1295	1416	1301	1355	1286	1427	1355	1394	1431·4	1373
TOTAL **Deaths** -	1749	1673	2010	1579	1532	1768	1762	1588	1922	1991	1848·8	1792
Males - -	886	880	992	757	781	880	936	816	954	989	933·2	905
Females - -	863	793	1018	822	751	883	826	772	968	1002	915·6	887

*The numbers in this column are the average weekly numbers in the sixth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
TOTAL **Births** - -	2674	2556	2439	2339	2269	2585	1880	2792	2766	2533	2634	2498	2889
TOTAL **Deaths** - - - -	1528	1526	1695	1957	2078	2607	3067	3266	2930	2365	1950	1722	1792
Ages at Death: Under 1 year - -	355	331	388	406	427	429	451	408	409	385	344	356	356
1—5 years - -	180	226	209	247	251	272	261	268	256	231	198	192	200
5—20 " - -	93	94	74	117	110	105	125	122	101	105	89	83	104
20—40 " - -	214	193	227	225	256	303	359	393	303	282	247	222	221
40—60 " - -	318	305	351	405	426	551	703	720	656	501	391	367	354
60—80 " - -	300	312	349	446	476	744	928	1044	946	682	524	400	444
80 years and upwards	68	65	97	111	132	203	240	311	259	179	157	102	113
Deaths from—													
Small pox - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles - - - -	29	44	43	59	57	58	65	62	51	45	46	27	33
Scarlet Fever - - -	6	13	8	15	9	11	12	6	7	6	6	10	7
Diphtheria - - - -	56	43	52	43	55	54	56	58	49	40	37	46	51
Whooping-cough - - -	9	16	15	20	36	31	28	26	37	34	39	45	37
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	55	29	26	29	13	36	18	19	23	17	13	17	22
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	20	10	7	14	14	12	9	10	9	10	15	14	11
Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
All the above Diseases -	175	155	151	180	185	202	188	181	176	152	156	159	162
Dis. of Respiratory System -	324	350	430	548	646	968	1171	1221	994	728	490	432	423
Phthisis - - - - -	141	153	177	190	225	208	239	200	204	220	177	157	161
Dis. of Circulatory System -	148	141	143	165	172	278	271	284	246	206	160	135	154
Violence - - - -	57	61	66	76	81	107	103	103	86	91	75	77	89
Inquest Cases - - - -	134	154	155	188	203	263	281	313	239	226	183	158	199
Deaths in Public Institutions -	494	485	532	603	578	700	859	843	817	702	645	583	593
TEMPERATURE OF THE AIR.													
Mean - - - - -	45°·9	45.5	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0
Mean of Highest readings -	51·3	49·0	50·5	46·6	31·2	38·5	43·3	45·1	43·0	46·2	49·3	37·3	36·2
Mean of Lowest readings -	39·9	40·6	39·4	37·9	23·7	30·3	33·4	36·0	32·9	33·0	39·1	33·2	25·4
Humidity of the Air - -	84	80	82	87	73	92	84	88	80	85	84	87	73
Rain-fall (in inches) - -	0·00	0·00	0·29	0·46	0·05	0·08	0·59	0·48	0·48	0·74	0·32	0·96	0·29
Registered Sunshine (in hours)	8·4	0·0	8·2	10·0	7·4	0·7	6·2	9·5	14·1	12·4	5·0	3·1	19·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	1	-	5	7	8	18	21	24	21	17
Scarlet Fever - - - -	3578	3503	3445	3290	3084	2916	2881	2730	2562	2441	2287	2179	2089
Diphtheria - - - -	1736	1761	1735	1730	1720	1701	1693	1653	1601	1582	1606	1581	1549
Enteric Fever - - - -	443	448	461	460	452	420	406	382	349	329	307	289	281

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 6th Week of the 10 years 1890-99*.	In the Week ending Saturday, 10th February 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1848·8	1792	356	200	104	221	354	444	113
Vaccinated† -	-	-	-	-	-	-	-	-	-
Unvaccinated	0·3	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
- - - -	34·5	33	7	23	3	-	-	-	-
Fever - -	16·8	7	2	4	1	-	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
ng Fever -	-	-	-	-	-	-	-	-	-
za - - - -	47·3	63	2	-	1	11	18	23	8
ng-cough - -	64·0	37	12	22	3	-	-	-	-
eria - -	43·8	51	3	33	15	-	-	-	-
Continued and fined Fever -	0·2	-	-	-	-	-	-	-	-
Fever - - -	8·1	22	-	-	14	8	-	-	-
and Chol. Diarr.	0·1	1	1	-	-	-	-	-	-
ea, Dysentery -	14·3	11	9	-	-	-	-	2	-
ent Fever - -	-	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
s - - - -	0·1	-	-	-	-	-	-	-	-
and Effects of nation - -	0·1	-	-	-	-	-	-	-	-
l Affections - -	11·0	5	1	-	1	-	2	1	-
las - - -	5·0	3	-	-	-	-	2	-	1
and Septicæmia	2·1	2	-	-	-	-	1	1	-
al Fever - -	4·7	6	-	-	-	6	-	-	-
ymotic Diseases	2·1	2	-	-	-	1	-	1	-
- - - - -	0·9	1	1	-	-	-	-	-	-
and other Para- l Diseases -	0·3	-	-	-	-	-	-	-	-
ion, Want of t-milk - -	2·1	4	4	-	-	-	-	-	-
lism - - -	10·7	10	-	-	-	1	6	3	-
atic Fever, matism of Heart	7·8	8	-	-	3	3	1	1	-
atism - - -	1·8	3	-	-	1	-	1	-	1
- - - -	2·6	3	-	-	-	-	1	1	1
s - - - -	5·5	5	1	4	-	-	-	-	-
- - - -	75·9	87	-	-	1	7	46	26	7
Mesenterica - -	17·9	15	8	5	2	-	-	-	-
ular Meningitis -	22·1	17	4	7	6	-	-	-	-
is - - - -	182·8	161	1	2	15	69	57	17	-
la, Tuberculosis -	18·5	18	3	11	1	2	-	1	-
Constitutional ases - -	13·2	12	-	-	2	-	4	6	-
ture Birth - -	50·9	58	58	-	-	-	-	-	-
tasis - - -	4·3	7	7	-	-	-	-	-	-
nital Malforma- - - - -	8·5	12	10	-	2	-	-	-	-
ge - - - -	55·4	72	-	-	-	-	-	36	36
exy - - -	46·7	50	1	-	-	1	12	35	1
sy - - - -	9·3	1	-	-	-	1	-	-	-
lsions - - -	41·3	32	28	4	-	-	-	-	-
Diseases of Brain Nervous System	87·2	93	7	9	3	11	21	30	12
es of Organs of ial Sense -	3·4	4	-	2	-	1	-	1	-

CAUSES OF DEATH	Corrected Averages for the 6th Week of the 10 years 1890-99*.	In the Week ending Saturday, 10th February 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	161·4	154	2	1	10	21	50	63	7
Croup - - - -	6·1	2	-	1	1	-	-	-	-
Bronchitis - - -	288·4	248	42	15	3	6	46	112	24
Pneumonia - - -	140·9	137	27	36	3	24	22	24	1
Pleurisy - - -	5·9	8	-	-	-	1	4	2	1
Other Diseases of Respiratory System -	35·0	28	3	5	1	4	5	8	2
Dentition - - - -	11·6	8	6	2	-	-	-	-	-
Quinsy, Sore Throat -	0·7	-	-	-	-	-	-	-	-
Enteritis - - -	14·4	12	5	2	-	1	2	2	-
Gastro-enteritis -		10	8	1	-	-	1	-	-
Peritonitis - - -	4·9	2	-	-	1	1	-	-	-
Diseases of Liver - -	26·4	26	1	-	-	5	15	3	2
Other Diseases of Digestive System	31·0	23	8	1	1	3	4	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	2	1	-	-	1	-	-	-
Diseases of Urinary System - - -	49·2	51	1	1	-	9	14	23	3
Diseases of Generative System - - -	5·2	3	-	-	-	2	-	1	-
Accidents of Childbirth -	5·4	6	-	-	-	5	1	-	-
Diseases of Locomotive System - - -	6·6	9	1	-	3	1	1	3	-
Diseases of Integumentary System - -	6·6	4	1	-	-	-	1	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	60·4	2	-	-	-	1	1	-	-
By Vehicles or Horses -		7	1	1	1	-	1	3	-
In Ships, Boats, Docks. (exclusive of Drowning) - - -		3	-	-	-	1	2	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations -		1	1	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		12	2	5	-	-	2	1	2
By Drowning - - -		7	-	-	1	4	2	-	-
By Suffocation in Bed -		25	25	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	-	1	-	-	-
Other or not stated causes - - - -		28	3	2	5	3	7	5	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·8	-	-	-	-	-	-	-	-
Suicide - - - -	7·7	2	-	-	-	2	-	-	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	52·8	54	48	1	-	2	1	2	-

e numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 10th February, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON -	4,411,710	2889	1792	356	557	-	33	7	51	37	-	22	-	11	89	199	593	1
WEST DISTRICTS - - -	778,251	449	311	57	92	-	8	1	1	4	-	2	-	2	13	29	105	-
NORTH DISTRICTS - - -	1,040,694	628	376	72	141	-	5	1	11	6	-	4	-	1	16	41	117	-
CENTRAL DISTRICTS - - -	233,635	141	91	25	15	-	1	-	2	4	-	1	-	3	7	13	32	-
EAST DISTRICTS - - -	716,334	533	341	79	102	-	5	-	3	12	-	4	-	1	21	55	118	-
SOUTH DISTRICTS - - -	1,642,796	1138	623	123	190	-	14	5	34	11	-	11	-	4	32	61	171	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	50	-	17	-	-	-	-	-	-	-	-	-	-	-	50	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	46	34	8	10	-	-	-	-	1	-	-	-	-	1	3	8	-
St. John Paddington *H* - - G.	33,510	13	13	2	6	-	-	-	-	-	-	-	-	-	2	2	9	-
Kensington Town *Ww* - - W.	122,164	69	57	10	20	-	1	-	-	-	-	-	-	-	2	7	24	-
Brompton *HH*- - - W. & C.	48,301	14	15	1	1	-	-	-	-	-	-	-	-	-	-	-	6	-
North Hammersmith *H* W. & G	44,638	38	14	3	4	-	-	-	-	-	-	1	-	1	2	3	-	-
South Hammersmith *H* W. & G	59,561	41	24	5	9	-	1	-	-	-	-	-	-	-	1	2	2	-
Fulham *Ww* - - - W. & C.	113,781	114	49	15	12	-	3	1	1	2	-	1	-	1	2	4	13	1
Chelsea Kensal Town - C.	21,450	11	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	30	25	1	5	-	1	-	-	-	-	-	-	-	-	1	12	-
Chelsea South *HH* - - C.	33,139	8	11	3	2	-	-	-	-	-	-	-	-	-	-	-	3	-
May Fair *W* - - - - G.	23,827	9	15	-	8	-	-	-	-	-	-	-	-	-	-	2	11	-
Belgrave *WHHH* - - - C.	56,140	25	18	3	8	-	-	-	-	1	-	-	-	-	2	2	6	-
St. John Westminster *HH* - C.	31,492	19	12	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Margaret Westminster *H*- C.	22,097	4	7	1	-	-	-	-	-	-	-	-	-	-	-	1	7	-
St. James Westminster *WH* N. & G.	23,050	5	8	1	4	-	2	-	-	-	-	-	-	-	-	1	2	-
St Anne Soho *HHHHH* - N.	12,048	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	12	12	1	5	-	1	-	-	-	-	-	-	-	-	2	5	-
Rectory Marylebone *W* G. & W.	19,798	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	30	4	1	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Christchurch Marylebone *H* - W	32,547	14	9	1	4	-	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone *HHH* - W.	32,611	23	9	3	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Hampstead *WwHHHH* - N. & W.	75,449	30	19	3	5	-	-	1	3	-	-	-	-	-	-	1	8	-
Regent's Park † *HH* - W.	51,403	33	14	6	2	-	1	-	-	1	-	-	-	-	-	-	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	16	-	7	-	-	-	1	-	-	-	-	-	-	-	12	-
Gray's Inn Lane *HHHH* - N.	29,426	18	19	4	6	-	-	-	-	-	-	-	-	1	2	3	4	-
Somers Town *HH* - - - N.	32,161	18	10	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Camden Town† *WH* - - N.	40,155	24	25	6	12	-	-	-	-	1	-	-	-	-	5	8	15	-
Kentish Town† *WW* - - N.	60,862	35	24	6	7	-	1	-	-	-	-	-	-	-	-	5	7	-
Upper Holloway *WWWWwHH* - - N.	98,273	58	59	4	32	-	1	-	-	-	-	-	-	-	1	1	39	-
Lower Holloway‡ - - - N.	41,805	23	10	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnsbury‡ - - - - N.	56,384	39	16	5	6	-	-	-	-	1	-	-	-	-	-	1	-	-
Islington South-east‡ *H* - N.	75,725	61	27	8	8	-	-	-	-	2	-	-	-	-	1	4	-	1
Highbury *HH* - - - N.	64,577	28	10	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Stoke Newington *H* - - N.	33,485	13	8	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney - - E. & N.	213,044	23	10	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		27	16	3	3	-	-	-	7	-	-	2	-	-	-	-	9	-
South-west Hackney *HHH* E. & N.		42	26	9	6	-	1	-	-	-	-	1	-	-	2	4	3	-
South-east Hackney *WwH* E. & N.		56	31	8	7	-	-	-	-	1	-	1	-	-	1	5	11	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 10th February, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
sbury and St. Giles } h *WH* - - } - N.	29,086	18	6	1	2	-	-	-	-	-	-	-	-	1	-	-	1	-
es North *H* - - - N.	9,151	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
rtin-in-the-Fields *HH* N. & C.	13,077	-	6	-	3	-	-	-	-	-	-	-	-	-	1	1	3	-
l *WHH* - - - - N.	11,839	4	12	-	5	-	-	-	-	-	-	1	-	-	-	1	7	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *wHHHHH* - N.	31,042	19	9	4	-	-	-	-	-	1	-	-	-	-	1	2	3	-
nes Clerkenwell - - N.	15,777	9	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ll Clerkenwell - - N.	34,356	20	8	2	1	-	-	-	-	1	-	-	-	-	1	1	-	-
ll-street - - - - N.	16,069	16	10	5	-	-	-	-	-	-	-	-	-	1	2	3	-	-
oad *HHHL* - - - N.	29,897	33	10	4	1	-	1	-	-	2	-	-	-	-	1	3	1	-
cross-street - - - N.	7,595	6	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Union Workhouse, } *ham* - - - -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
tolph* *HH* - - N. & E.	13,061	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ulchre *WH* - - - N.	9,591	2	14	3	-	-	-	-	2	-	-	-	-	-	-	-	13	-
lows Barking - - - N.	9,059	-	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	8	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
n New Town *w* - - N.	29,575	9	18	3	9	-	2	-	-	-	-	-	-	-	3	4	10	-
n Old Town - - - N.	27,645	22	8	1	2	-	1	-	-	-	-	-	-	-	1	1	-	-
rston *WH* - - N. & E.	47,163	31	25	5	12	-	-	-	-	-	-	-	-	-	1	5	10	-
al Green North *H* - E.	49,301	44	25	7	3	-	-	-	1	4	-	-	-	-	-	2	1	-
al Green South - - E.	34,194	25	11	3	3	-	-	-	-	1	-	-	-	-	1	4	-	-
al Green East *WWHl* - E.	45,667	41	40	7	17	-	-	-	-	2	-	-	-	-	2	4	23	-
fields - - - E. & N.	26,681	14	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
End New Town *WH* - E. }	51,995 {	24	34	2	12	-	-	-	-	-	-	1	-	-	2	3	32	-
nan's Fields - - - E. }		13	5	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
orge's, North - - - E.	39,576	30	5	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-
n, St. George East *W* E.	7 930	8	11	-	5	-	-	-	-	-	-	-	-	-	-	-	10	-
well *H* - - - E. & N.	10,434	10	10	1	-	-	-	-	-	-	-	-	-	-	2	2	5	-
ff *W* - - - - E.	14,954	9	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ouse - - - - E.	32,917	20	9	1	4	-	-	-	-	-	-	-	-	-	-	3	-	-
End Old Town West *H* E. }	111,060 {	51	18	6	-	-	1	-	-	2	-	-	-	-	2	3	-	-
End Old Town East } *ww* - E.		39	30	10	10	-	-	-	-	2	-	-	-	-	-	3	6	-
l - - - - E.	41,687	33	15	4	4	-	-	-	1	-	-	-	-	-	-	1	1	-
ley *wwwH* - - - E.	69,821	64	47	11	16	-	-	-	-	1	-	2	-	-	3	11	19	-
r *WW* - - - - E.	57,759	38	13	4	1	-	1	-	1	-	-	1	-	-	-	3	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 10th February, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	13	6	-	3	-	-	-	-	-	-	-	-	-	1	2	2
St. Saviour Southwark - - S.	12,301	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	18	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	16	11	2	-	-	-	-	1	1	-	-	-	-	-	1	6
London-road *HL* - - L. & S.	21,316	17	5	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington - - S. & L.	28,723	35	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	54	25	3	12	-	1	-	1	-	-	-	-	-	-	2	3
St. Mary Newington- - L. & S.	30,171	22	12	2	1	-	2	-	-	-	-	-	-	-	-	2	-
St. Olave *WH*- - - - S.	11,731	8	12	1	1	-	1	-	-	-	-	-	-	-	2	2	11
Bermondsey *W* - - - S.	85,475	53	27	13	7	-	-	-	-	3	-	-	-	-	6	8	3
Rotherhithe *Ww* - S. & K.	40,379	28	32	7	11	-	1	-	-	-	-	1	-	1	-	-	14
Waterloo-road *HH* - L. & S.	28,396	18	12	3	2	-	-	-	1	1	-	-	-	1	1	1	1
Lambeth Church 1st *H* - L. & S.	18,770	12	14	2	1	-	-	-	-	-	-	1	-	-	5	7	9
Lambeth Church 2nd *WW* L. & S.	40,994	25	23	2	9	-	-	-	-	-	-	-	-	-	1	2	11
Kennington 1st *H* - - S. & L.	52,486	42	11	4	2	-	-	-	1	1	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	16	12	2	6	-	-	-	-	1	-	-	-	-	1	1	-
Brixton *w* - - - L. & S.	81,825	36	27	2	13	-	-	2	7	-	-	1	-	-	-	-	10
Norwood *WH*- - - - L.	29,318	14	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	42	15	4	4	-	-	-	-	-	-	-	-	-	-	1	-
West Battersea *WwH* - - S.	93,385	52	24	5	7	-	2	-	-	-	-	-	-	-	1	2	7
Clapham *H* - - - - S.	46,953	28	17	1	5	-	-	-	-	-	-	-	-	-	2	1	1
Wandsworth *WHHL* - - S.	58,101	42	16	5	5	-	-	-	-	1	-	-	-	-	-	4	1
Putney - - - - - - S.	20,566	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	41	29	6	10	-	1	1	5	-	-	3	-	-	1	2	10
Dulwich - - - - L. & S.	7,519	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	57	43	3	25	-	-	-	-	-	-	-	-	-	1	2	29
Peckham *WW* - S., L., & K.	88,242	78	23	5	6	-	-	-	-	-	-	1	-	-	1	1	-
St. George Camberwell - L. & S.	67,029	55	19	4	7	-	3	-	-	-	-	-	-	-	1	2	-
Deptford North - - - K.	36,152	39	12	3	-	-	1	-	-	-	-	-	-	1	2	3	-
Deptford Central *w* - - K.	45,441	33	21	4	3	-	1	-	7	-	-	2	-	-	-	2	9
Deptford South - - - K.	33,402	17	13	1	3	-	-	-	-	1	-	-	-	-	1	1	-
Greenwich West *H* - - K.	23,012	16	7	3	1	-	-	-	2	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	32	25	1	9	-	-	-	1	1	-	-	-	-	1	1	14
Eltham *wH* - - - - K.	5,911	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Lee *H* - - - - - - K.	24,222	7	10	3	4	-	-	-	1	-	-	-	-	1	-	3	-
Lewisham *WwH* - - - K.	38,139	46	26	6	6	-	1	2	5	-	-	-	-	-	1	3	15
Sydenham *H* - - - - L.	37,601	23	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - K.	15,928	15	9	1	1	-	-	-	2	-	-	1	-	-	-	-	4
Woolwich Dockyard - - K.	9,355	7	9	-	4	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich Arsenal *HHHH* - K.	21,959	18	8	-	3	-	-	-	-	1	-	-	-	-	2	3	-
Plumstead West *H* - - K.	16,714	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	26	24	7	10	-	-	-	-	-	-	-	-	-	1	1	9
Banstead Asylum - - -	—	-	11	-	4	-	-	-	-	-	-	-	-	-	-	-	11
Horton Asylum, Epsom - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Caterham Asylum - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
Cane Hill Asylum - - - -	—	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
Colney Hatch Asylum - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Claybury Asylum - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 10th February, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON-OUTER RING -	368,749	1,422,063	1138	559	142	180	-	2	1	17	12	6	2	21	46	67	5
Carshalton *H* - - -	12,228	26,108	14	10	3	2	-	-	-	-	-	-	-	-	1	-	-
Epsom, *part of** *WwHH* -	10,423	12,508	4	6	3	2	-	-	-	-	-	-	-	1	1	2	-
Godstone, *part of** *W* -	2,754	1,598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WwHHH* - -	20,851	128,699	67	59	13	19	-	-	-	-	4	-	-	3	7	8	-
Mitcham *w* - - -	11,697	23,072	12	8	2	2	-	-	-	-	1	-	-	-	1	-	-
Wimbledon *HHH* - -	3,220	25,777	16	12	5	4	-	-	-	-	-	-	-	-	1	-	-
Kingston *WH* - - -	14,672	33,566	16	6	1	3	-	-	-	-	-	-	-	-	-	1	-
Surbiton *H*- - - -		12,178	5	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Esher, *part of** *HH* - -		11,080	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	15	7	3	2	-	-	-	-	-	-	-	1	2	-	-
Richmond *WH*- - -	2,160	25,389	20	13	5	2	-	-	-	-	-	-	-	1	1	3	-
Mortlake *H* - - -	2,823	16,159	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	19	12	1	3	-	1	-	2	1	-	-	-	-	2	-
Beckenham *H* - - -	6,542	21,969	14	5	-	1	-	-	-	1	-	-	-	-	-	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	8	15	3	5	-	-	-	-	-	1	-	-	-	8	-
Bexley *HHH* - - -	12,540	30,590	22	5	2	3	-	-	-	-	-	-	-	-	-	-	1
Dartford *WH*, *part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Sunbury *w* - - -	11,054	13,671	20	5	1	1	-	-	-	-	-	-	1	-	-	-	-
Staines *WH* - - -	13,277	13,221	7	7	2	1	-	-	-	1	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	6	10	3	6	-	-	-	-	-	-	-	-	-	4	1
Uxbridge - - - -	12,757	7,253	5	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Hayes *wH*- - - -	7,952	11,051	9	4	2	2	-	-	-	-	-	-	-	-	-	-	1
Isleworth *WHH* - -	6,967	26,004	18	10	2	2	-	-	-	2	-	-	-	-	-	2	-
Twickenham *HH* - -	2,415	16,027	6	4	1	1	-	-	-	-	-	-	-	1	1	-	-
Brentford *HHHH* - -	4,318	37,777	26	10	-	3	-	-	-	-	-	-	-	1	1	1	-
Chiswick - - - -	1,245	21,963	22	8	2	3	-	-	-	-	-	-	-	-	2	-	-
Acton *wHH* - - -	6,132	30,945	27	16	5	6	-	-	-	-	-	-	-	-	1	-	-
Harrow *HHH* - - -	13,809	15,715	8	5	2	2	-	-	-	1	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	62	30	8	12	-	-	-	-	-	-	-	2	3	-	1
Hendon *WH* - - -	8,382	15,843	12	8	1	1	-	-	-	-	-	-	-	1	1	-	-
South Mimms *HH* - -	21,077	6,367	5	3	1	2	-	-	-	-	-	-	-	-	1	-	-
Barnet *WHH* - - -		14,152	5	7	2	4	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH*- - -	4,688	25,820	18	2	1	6	-	-	-	-	-	-	-	-	-	2	-
Hornsey *HH* - - -	3,039	61,097	37	14	3	4	-	-	-	-	-	-	-	-	2	1	-
Tottenham *HH*- - -	4,642	97,174	79	27	7	7	-	-	-	2	-	-	-	-	4	1	-
Edmonton *Www* - -	7,489	36,351	38	12	4	4	-	-	-	-	-	-	-	-	1	1	-
Enfield *WWHH* - -	12,602	31,536	28	13	2	4	-	-	-	-	-	-	-	1	2	1	-
Waltham Abbey - -	11,017	6,066	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	5	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Hatfield, *part of** *W*- -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	32	13	2	2	-	-	-	-	-	1	-	1	1	1	-
Plaistow *HHH* - - -		58,030	64	25	12	4	-	-	1	-	2	-	-	1	1	1	-
Canning Town *H* - -		54,750	46	31	8	10	-	-	-	2	1	-	1	1	2	2	1
Forest Gate *w* - - -		53,511	36	10	3	2	-	-	-	-	-	-	-	1	1	-	-
East Ham *wHH* - -	3,266	32,713	87	19	8	2	-	1	-	1	1	-	-	-	1	-	-
Leyton *WWWwH* - -	4,334	70,188	66	34	6	10	-	-	-	1	-	3	-	1	3	14	-
Walthamstow *HHHL* -	6,501	57,330	61	32	8	12	-	-	-	2	2	1	-	2	2	3	-
Chigwell, *part of** *HHHH*	11,779	12,941	5	10	1	5	-	-	-	-	-	-	-	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Romford, *part of** *WH* -	6,556	4,324	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Ilford - - - - -	8,493	10,913	20	9	1	3	-	-	-	-	-	-	-	-	-	-	-
Barking Town, *H* - -	3,814	14,301	10	3	2	1	-	-	-	-	-	-	-	1	1	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
South-Eastern Fever Hospital, Deptford.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

he parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ctious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 10th February, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	18·4	1·6	2351	498	737	–	35	8	68	49	28	13	110
INNER LONDON -	74,672	4,589,129	20·4	1·8	1792	356	557	–	33	7	51	37	22	11	89
OUTER RING -	368,749	2,063,016	14·1	1·0	559	142	180	–	2	1	17	12	6	2	21

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	Feb.	10	169	160	27·6	–	–	–	–	1	2
GLASGOW - -	743,585	„	10	462	384	26·9	–	15	3	–	6	4
DUBLIN - -	349,594	„	10	174	199	29·7	–	3	2	5	5	–
CALCUTTA - -	466,460	Jan.	16	–	–	–	–	–	–	–	–	–
BOMBAY - -	821,764	„	16	247	2153	136·2	143	85	?	?	?	632†
MADRAS - -	452,518	Dec.	29	336	420	48·2	–	7	?	?	?	117
PARIS - - -	2,511,629	Feb.	3	1182	1104	22·8	2	18	3	4*	3	4
BRUSSELS - -	561,130	„	3	238	167	15·5	–	–	1	5*	2	1
AMSTERDAM -	523,743	Jan.	27	298	194	19·3	–	–	–	–	2	1
ROTTERDAM -	315,305	„	27	246	105	17·1	–	1	–	–	–	–
THE HAGUE -	199,285	„	27	121	85	22·2	–	–	–	–	–	–
COPENHAGEN -	349,000	Feb.	3	200	133	19·9	–	–	1	3	1	–
STOCKHOLM -	291,580	Jan.	27	151	101	18·0	–	–	2	6*	1	–
CHRISTIANIA -	221,255	Feb.	3	112	53	12·0	–	–	–	–	–	–
ST. PETERSBURG	1,132,677	Jan.	27	553	625	28·8	6	17	11	28	7	15
MOSCOW - -	988,610	„	27	–	489	25·8	–	5	9	9	1	3
BERLIN - -	1,848,269	„	20	974	638	18·0	1	15	10	13	14*	1
HAMBURG - -	691,349	Feb.	3	–	244	18·4	–	1	2	3	3	–
DRESDEN - -	401,400	Dec.	30	–	–	–	–	–	–	–	–	–
BRESLAU - -	406,012	Feb.	3	–	199	25·1	–	–	–	–	3	–
MUNICH - -	463,000	Jan.	27	–	270	30·3	–	19	–	1*	–	1
VIENNA - -	1,639,811	„	27	861	634	20·1	–	7	–	3*	–	3
PRAGUE - -	385,952	„	27	167	161	21·7	–	–	–	–	2	1
BUDA-PESTH -	685,340	„	27	483	278	21·1	–	1	6	4	–	3
TRIESTE - -	167,286	„	20	120	89	27·7	–	2	–	1*	–	–
ROME - - -	512,423	„	6	287	199	20·3	–	10	–	2	–	4§
TURIN (10 days)	344,203	Dec.	20	199	210	23·0	–	–	–	–	3	3
VENICE - -	172,491	Jan.	20	74	83	25·1	–	–	–	1*	–	–
CAIRO (8 days) -	570,062	Dec.	31	575	408	22·7	7	–	–	1*	–	7
ALEXANDRIA (8 days)	319,766	„	31	340	168	24·0	–	–	–	1*	–	1
NEW YORK (including BROOKLYN)	3,654,594	Jan.	13	1616	1348	19·3	–	25	6	41	13	15
PHILADELPHIA -	1,266,832	„	20	–	525	21·6	–	1	4	33	2	8

* Including deaths from croup.
† Including 428 deaths from plague.
‡ Including 3 deaths from cholera.
§ Including 2 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometer. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	4	..	29·526	35·6	31·3	4·3	33·8	− 6·0	31·8	2·0	4·9	2·5	92	47·0	27·7	41·11	SW. & N.	Variable & N.	0·1	0·0	0·0	70	−271	0·00	0·0
Monday -	5	..	29·440	37·3	31·5	5·8	34·6	− 5·2	32·7	1·9	3·8	0·7	93	45·7	28·0	40·80	N., NNE. & NE.	NNE. & NE.	0·8	0·0	0·1	215	−125	0·00	0·0
Tuesday -	6	First Quarter.	29·615	38·7	30·7	8·0	34·4	− 5·3	28·5	5·9	9·6	3·6	78	74·3	26·6	40·58	NE. & NNE.	N	3·5	0·0	0·5	405	+ 66	0·00	0·0
Wednesday	7	..	29·707	33·9	24·1	9·8	28·5	−10·9	16·3	12·2	15·1	5·3	58	63·6	18·0	40·32	N. & NNW.	N. & variable.	1·1	0·0	0·0	156	−181	0·00	0·0
Thursday -	8	..	29·829	34·9	22·2	12·7	28·6	−10·5	14·1	14·5	16·4	5·1	52	65·1	14·7	39·97	NNE. & NE.	NNE. & NE.	0·7	0·0	0·0	159	−175	0·00	0·0
Friday -	9	Greatest Dec. N.	29·815	36·8	18·0	18·8	26·9	−11·8	17·3	9·6	19·0	2·5	65	72·0	14·0	39·67	NE., calm & SE.	E., SE. & SSE.	0·2	0·0	0·0	110	−220	0·00	0·0
Saturday -	10	..	29·451	36·0	19·8	16·2	29·9	− 8·5	22·8	7·1	9·7	1·0	73	46·0	16·0	39·38	S., SSE. & SE.	SSE.	9·7	0·0	0·3	328	+ 3	0·29	0·0
Means -			29·626	36·2	25·4	10·8	31·0	− 8·3	23·4	7·6	11·2	3·0	73	59·1	20·7	40·26	NNE.		..	..	..	Sum 1443	Sum −903	Sum 0·29	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	4	w. P. generally -	0·0	9·3	Generally overcast. Great gloom between 9h. and 10h. A.M. and in afternoon.
Monday -	5	w. P. throughout -	0·0	9·3	Generally overcast. A little fine rain at 11h. P.M.
Tuesday -	6	w. P. till 10h. A.M.; m. P. afterwards.	4·7	9·4	Fine; partially cloudy. Hoar frost at night.
Wednesday	7	m. P. till 11h. A.M.; s. P. afterwards.	4·4	9·4	A fine cold day; cloudy with slight fog at night. Hoar frost.
Thursday -	8	s. P. throughout -	6·3	9·5	A very fine cold day with small amounts of cloud. Hoar frost.
Friday -	9	s. P. generally -	3·9	9·6	Fine generally. Slight fog in morning. Bright solar halo observed at 3h. 15m. P.M., and lunar halo in evening. Hoar frost. Very cold.
Saturday -	10	s. P. till 5h. A.M.; m. P. till 5h. P.M.; v. P. and s. N. afterwards.	0·0	9·6	Very fine, with hoar frost in morning; overcast afterwards, with continuous snow (changing to sleet) after 6h. P.M. Partial solar halo observed at 8h. 40m. A.M.
			Sum 19·3	Sum 66·1	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·61 in. at the beginning of the week to 29·43 in. by 3h. P.M. on the 5th; increased to 29·88 in. by midnight on the 8th; and decreased to 29·08 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 7. 1900. Vol. LXI.] WEEK ENDING SATURDAY, FEB. 17. [Price 1½*d*.

General Register Office, Somerset House,
February 19th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 25·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 22·6, 21·2, and 22·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Towns.	Weeks ending Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
33 Great Towns	**22·6**	**21·2**	**22·7**	**25·8**	Leicester - -	16·4	15·2	18·3	25·7
Birkenhead -	14·7	21·4	24·5	19·6	Liverpool - -	29·5	28·5	31·8	33·8
Birmingham -	27·2	25·0	22·0	32·4	London - - -	22·2	19·6	20·4	22·9
Blackburn -	23·2	23·6	32·3	41·5	Manchester - -	23·8	25·7	28·0	37·2
Bolton - -	25·4	18·7	23·8	25·4	Newcastle-on-Tyne	26·0	22·0	25·4	23·4
Bradford -	24·9	19·5	21·8	18·4	Norwich - -	26·8	23·2	22·7	23·2
Brighton -	17·2	17·2	24·4	14·3	Nottingham - -	19·1	18·3	16·5	22·6
Bristol - -	19·1	16·5	19·4	18·1	Oldham - -	20·7	20·4	27·6	28·2
Burnley -	21·0	14·3	19·2	29·5	Plymouth - -	17·9	22·5	26·0	28·6
Cardiff - -	8·9	15·6	12·6	15·8	Portsmouth - -	17·4	16·6	18·7	25·7
Croydon -	10·7	13·9	20·7	19·5	Preston - -	30·7	29·8	35·1	54·8
Derby - -	24·6	12·6	17·9	25·1	Salford - - -	25·5	26·2	34·2	42·7
Gateshead -	26·7	19·1	17·6	30·5	Sheffield - -	22·5	27·2	26·1	26·5
Halifax -	22·3	29·5	26·9	26·4	Sunderland - -	30·1	35·4	30·8	24·1
Huddersfield-	16·0	22·0	20·5	19·5	Swansea - -	15·3	15·3	15·8	24·7
Hull - -	28·0	25·8	25·8	24·7	West Ham - -	18·1	14·4	14·4	19·1
Leeds - -	23·8	23·1	28·4	28·4	Wolverhampton -	29·7	31·4	34·3	41·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Halifax, 1·1 in Blackburn, in Bradford and in Hull, 1·2 in Wolverhampton and in Leicester, 1·4 in Salford and in Oldham, 1·8 in Sunderland, and 4·4 in Preston; from *scarlet fever* 1·8 in Burnley; from *whooping-cough*, 1·1 in Manchester, 1·2 in West Ham, in Birmingham, and in Liverpool, 1·4 in Norwich, 1·9 in Salford, and 2·2 in Bolton; and from *diarrhœa*, 1·2 in Wolverhampton and in Salford. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 102 deaths from *diphtheria* included 35 in London, 10 in Leicester, 9 in Sheffield, 5 in Leeds, 5 in West Ham, 4 in Liverpool, 4 in Manchester, 3 in Cardiff, 3 in Birmingham, 3 in Blackburn, 3 in Preston, and 3 in Newcastle-on-Tyne. Two deaths from *small-pox* were registered in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2439 BIRTHS and 2013 DEATHS were registered. Allowing for increase of population, the births were 335 below, and the deaths 158 above, the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 22·2, 19·6, and 20·4 in the preceding three weeks, further rose last week to 22·9. During the four weeks ending on Saturday last the death-rate averaged 21·3 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 2013 deaths included 50 from measles, 5 from scarlet fever, 35 from diphtheria, 51 from whooping-cough, 18 from enteric fever, 6 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 165 deaths were referred to these diseases, being 20 below the corrected average weekly number.

The deaths from *measles*, which had been 46, 27, and 33 in the preceding three weeks, further rose last week to 50, and were 8 above the corrected average; 5 cases belonged to Islington, 4 to Chelsea, 4 to Battersea, and 4 to Shoreditch sanitary areas. The deaths from *scarlet fever*, which had been 6, 10, and 7 in the preceding three weeks, further fell last week to 5, and were 11 below the corrected average; 2 cases belonged to Hackney sanitary area. The deaths from *diphtheria*, which had been 37, 46, and 51 in the preceding three weeks, fell again last week to 35, and were 6 below the corrected average; 6 cases belonged to Poplar, 4 to Lambeth, and 4 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 39, 45, and 37 in the preceding three weeks, rose again last week to 51, but were 14 below the corrected average; 7 cases belonged to Clerkenwell, 6 to St. Luke, and 6 to Bethnal Green sanitary areas. The fatal cases of *enteric fever*, which had been 13, 17, and 22 in the preceding three weeks, fell again last week to 18, but were 9 above the corrected average; 3 cases belonged to Poplar, 3 to Lambeth, and 2 to Hackney sanitary areas. The deaths from *diarrhœa*, which had been 15, 14, and 11 in the preceding three weeks, further fell last week to 6, and were 6 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 490, 432 and 423 in the preceding three weeks, rose again last week to 527, and were 50 above the corrected average. The deaths attributed directly to *influenza* numbered 74, having been 152, 109, and 63 in the preceding three weeks; influenza was stated as a contributory cause of 15 other deaths, against 33, 15, and 11 in the preceding three weeks.

Different forms of violence caused 75 deaths, concerning all but 1 of which inquests were held. Of these 75 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 69 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 14 to burns and scalds, 7 to drowning, 2 to the effects of chloroform administered for surgical purposes, and 19 (including 18 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 8 cases of small-pox, 2052 of scarlet fever, 1498 of diphtheria, and 270 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, No case, against 4, 0, and 1; of scarlet fever, 159 cases, against 190, 174, and 157; of diphtheria, 146 cases, against 215, 201, and 196; and of enteric fever, 37 cases, against 48, 42, and 35.

Greater London.

In Greater London 3481 births and 2695 deaths were registered, corresponding to annual rates of 27·3 and 21·1 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 1 from scarlet fever, 19 from diphtheria, 14 from whooping-cough, and 6 from "fever," were registered. Five deaths from measles, 11 from diphtheria, and 8 from whooping cough occurred in West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·28 inches, and that of the Thermometer 35°·2; the latter being 4°·0 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 33 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·5 hours; the measured rainfall amounted to 1·46 inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 17th Feb. 1900. Births.	Registered during the Week ending 17th Feb. 1900. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Temperature. Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6079**	**5750**	**1150**	**1804**	**2**	**132**	**31**	**102**	**138**	**33**	**31**	**197**	**424**	**1221**	**102**	**25·8**	**2·1**	**51·0**	**13·3**	**3 ·5**	**0·83**	**1·63**	**4·27**	33 Towns.
London - -	4,589,129	2439	2013	380	652	-	50	5	35	51	18	6	75	180	591	22	22·9	1·9	47·9	21·4	35·2	1·78	1·46	3·71	London.
West Ham - -	314,472	158	115	23	29	-	4	-	5	7	-	-	4	6	17	-	19·1	2·7	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	64	49	7	21	-	-	1	1	2	1	-	3	6	11	-	19·5	2·0	47·5	15·5	33·6	0·89	2·29	5·82	Croydon.
Brighton - -	124,148	44	34	7	14	-	-	-	1.	-	-	-	1	3	12	-	14·3	0·4	48·6	28·2	38·9	3·83	2·23	5·66	Brighton.
Portsmouth -	194,955	98	96	22	33	-	-	1	2	3	-	-	3	6	17	5	25·7	1·6	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	47	56	13	21	-	-	-	-	-	1	-	1	3	9	-	28·6	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	139	113	21	41	-	3	-	-	-	2	1	6	13	20	1	18·1	1·0	51·0	23·0	35·4	1·89	3·27	8·31	Bristol.
Cardiff - -	194,247	81	59	15	14	-	2	2	3	1	-	-	5	9	9	1	15·8	2·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	48	50	15	14	-	-	-	2	-	-	-	-	3	10	-	24·7	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	67	71	16	20	-	2	-	-	1	1	2	-	3	4	1	41·3	3·5	45·5	15·5	31·4	-0·33	1·13	2·87	Wolverhampton.
Birmingham -	519,610	319	323	88	98	-	3	2	3	12	1	-	14	17	52	10	32·4	2·1	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	52	51	11	20	-	-	-	1	3	-	-	2	3	10	-	23·2	1·8	47·0	18·4	33·1	0·61	1·39	3·53	Norwich.
Leicester - -	219,169	111	108	23	32	-	5	3	10	1	1	1	5	9	26	2	25·7	5·0	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	118	105	24	32	-	-	-	2	-	-	2	3	13	17	-	22·6	0·9	46·3	13·3	30·8	-0·67	0·95	2·41	Nottingham.
Derby - - -	107,991	55	52	6	24	-	-	1	-	-	1	1	2	3	17	-	25·1	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	63	44	13	10	-	-	-	-	-	-	1	1	3	1	-	19·6	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	428	411	77	101	-	5	2	4	15	-	2	15	19	100	16	33·8	2·3	45·7	23·9	34·1	1·17	0·76	1·93	Liverpool.
Bolton - -	164,240	94	80	15	23	-	-	-	1	7	-	2	4	9	6	1	25·4	3·2	-	-	-	-	-	-	Bolton.
Manchester -	548,768	258	392	60	122	-	9	1	4	12	2	1	5	19	87	10	37·2	2·8	-	-	-	-	-	-	Manchester.
Salford - -	220,816	120	181	40	46	-	6	2	2	8	1	5	3	6	28	3	42·7	5·7	-	-	-	-	-	-	Salford.
Oldham - -	153,297	56	83	11	32	-	4	-	1	2	-	2	-	3	6	-	28·2	3·1	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	48	66	17	20	-	1	4	-	-	-	-	-	2	6	2	29·5	2·2	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	51	109	21	37	-	3	1	3	2	1	-	4	5	11	1	41·5	3·8	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	63	125	24	43	-	10	1	3	2	-	1	1	1	18	6	54·8	7·5	-	-	-	-	-	-	Preston.
Huddersfield	104,484	33	39	1	26	-	-	-	-	-	-	-	2	2	3	1	19·5	-	44·0	18·0	32·2	0·11	1·64	4·17	Huddersfield.
Halifax - -	100,710	30	51	6	17	-	2	1	-	-	1	-	3	3	8	1	26·4	2·1	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	108	103	21	35	-	6	2	1	-	-	-	5	7	30	3	18·4	1·6	44·6	21·4	32·1	0·06	2·34	5·94	Bradford.
Leeds - - -	431,287	200	235	58	64	-	-	-	5	3	-	2	10	32	16	1	28·4	1·2	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	211	186	37	52	-	6	1	9	1	2	1	9	12	27	8	26·5	2·8	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	141	113	25	39	2	5	-	1	1	-	-	4	6	20	3	24·7	2·0	46·0	19·0	31·5	-0·28	0·98	2·49	Hull.
Sunderland -	147,398	107	68	14	23	-	5	-	-	-	-	-	1	6	5	4	24·1	1·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	76	64	16	16	-	-	1	-	1	-	-	-	1	8	-	30·5	1·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	152	105	23	33	-	1	-	3	3	-	1	6	11	19	-	23·4	1·8	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2793	2655	2233	2762	2602	2737	2575	2621	2527	2862	2773·9	2439
Males - -	1461	1347	1150	1399	1300	1402	1336	1319	1244	1465	1412·2	1832
Females - -	1332	1308	1083	1363	1302	1335	1239	1302	1283	1397	1361·7	1207
TOTAL **Deaths** -	1809	1762	1693	1556	1552	2467	1727	1524	1856	1686	1854·9	2013
Males - -	904	940	866	767	784	1203	869	787	918	806	930·4	1015
Females - -	905	822	827	789	768	1264	858	737	938	880	924·5	998

*The numbers in this column are the average weekly numbers in the seventh week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
TOTAL **Births** - -	2556	2439	2339	2269	2585	1880	2792	2766	2533	2634	2498	2889	2439
TOTAL **Deaths** - - -	1526	1695	1957	2078	2607	3067	3266	2930	2365	1950	1722	1792	2013
Ages at Death: Under 1 year - -	331	388	406	427	429	451	408	409	385	344	356	356	380
1—5 years - -	226	209	247	251	272	261	268	256	231	198	192	200	200
5—20 " - -	94	74	117	110	105	125	122	101	105	89	83	104	104
20—40 " - -	193	227	225	256	303	359	393	303	282	247	222	221	230
40—60 " - -	305	351	405	426	551	703	720	656	501	391	367	354	447
60—80 " - -	312	349	446	476	744	928	1044	946	682	524	400	444	520
80 years and upwards	65	97	111	132	203	240	311	259	179	157	102	113	132
Deaths from—													
Small pox - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles - - - - -	44	43	59	57	58	65	62	51	45	46	27	33	50
Scarlet Fever - - -	13	8	15	9	11	12	6	7	6	6	10	7	5
Diphtheria - - - -	43	52	43	55	54	56	58	49	40	37	46	51	35
Whooping-cough - - -	16	15	20	36	31	28	26	37	34	39	45	37	51
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	29	26	29	13	36	18	19	23	17	13	17	22	18
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	10	7	14	14	12	9	10	9	10	15	14	11	6
Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
All the above Diseases -	155	151	180	185	202	188	181	176	152	156	159	162	165
Dis. of Respiratory System -	350	430	548	646	968	1171	1221	994	728	490	432	423	527
Phthisis - - - - -	153	177	190	225	208	239	200	204	220	177	157	161	193
Dis. of Circulatory System -	141	143	165	172	278	271	284	246	206	160	135	154	191
Violence - - - -	61	66	76	81	107	103	103	86	91	75	77	89	75
Inquest Cases - - - -	154	155	188	203	263	281	313	239	226	183	158	199	180
Deaths in Public Institutions -	485	532	603	578	700	859	843	817	702	645	581	593	591
TEMPERATURE OF THE AIR.													
Mean - - - - -	45°·5	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2
Mean of Highest readings -	49·0	50·5	46·6	34·2	38·5	43·3	45·1	43·0	46·2	49·3	37·3	36·2	41·4
Mean of Lowest readings -	40·6	39·4	37·9	23·7	30·3	33·4	36·0	32·9	33·0	39·1	33·2	25·4	29·1
Humidity of the Air - -	80	82	87	73	92	84	88	80	85	84	87	73	84
Rain-fall (in inches) - -	0·00	0·29	0·46	0·05	0·08	0·59	0·48	0·48	0·74	0·32	0·96	0·29	1·46
Registered Sunshine (in hours)	0·0	8·2	10·0	7·4	0·7	6·2	9·5	14·1	12·4	5·0	3·1	19·3	13·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	1	-	5	7	8	18	21	24	21	17	8
Scarlet Fever - - - -	3503	3445	3290	3084	2916	2881	2730	2562	2441	2287	2179	2089	2052
Diphtheria - - - -	1761	1735	1730	1720	1701	1693	1653	1601	1582	1606	1581	1549	1498
Enteric Fever - - - -	448	461	460	452	420	406	382	349	329	307	289	281	270

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTH Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 7th Week of the 10 years 1890–99*.	In the Week ending Saturday, 17th February 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ALL CAUSES	1854·9	2013	380	200	104	230	447	520	132
Small-pox { Vaccinated†	–	–	–	–	–	–	–	–	–
Small-pox { Unvaccinated	0·1	–	–	–	–	–	–	–	–
Small-pox { No Statement	0·1	–	–	–	–	–	–	–	–
Measles	42·1	50	13	32	4	–	–	1	–
Scarlet Fever	16·1	5	–	3	2	–	–	–	–
Whooping-cough	0·2	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–
Enteric or Typhoid Fever	39·7	74	3	2	8	9	18	28	6
Influenza	64·8	51	22	26	3	–	–	–	–
Diphtheria	41·1	35	3	21	11	–	–	–	–
Erysipelas { Puerperal Fever	0·1	–	–	–	–	–	–	–	–
Erysipelas { Other Septic Diseases	8·9	18	–	–	7	8	3	–	–
Cholera and Chol. Diarr.	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	11·9	6	6	–	–	–	–	–	–
Intermittent Fever	0·1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–	–
Cholera { Cholera Asiatica	0·1	–	–	–	–	–	–	–	–
Cholera { Cholera Nostras	9·6	11	8	–	–	1	1	1	–
Cerebral Affections	3·3	4	–	–	–	–	–	4	–
Erysipelas	2·2	1	–	–	1	–	–	–	–
Pyæmia and Septicæmia	5·3	1	–	–	–	1	–	–	–
Puerperal Fever	2·1	3	–	–	1	1	–	1	–
Other Zymotic Diseases									
Cancer { Malignant Disease of Stomach	1·4	3	3	–	–	–	–	–	–
Cancer { Malignant Disease of Other Parts	0·1	1	–	–	–	1	–	–	–
Starvation, Want of	1·9	–	–	–	–	–	–	–	–
Premature Birth	10·3	10	–	–	–	4	4	2	–
Rheumatic Fever, Rheumatism of Heart	7·6	9	–	–	2	4	2	1	–
Rheumatism	3·1	2	–	–	–	–	–	2	–
Gout	3·4	5	–	–	–	–	–	5	–
Brain Disease	5·9	2	2	–	–	–	–	–	–
Cancer	74·6	84	–	1	–	4	36	42	1
Phthisis Mesenterica	17·8	15	9	3	1	1	1	–	–
Tubercular Meningitis	21·5	22	7	12	3	–	–	–	–
Phthisis	177·8	193	1	6	11	75	86	14	–
Scrofula, Tuberculosis	19·4	16	4	6	4	1	–	1	–
Other Constitutional Diseases	15·9	9	1	–	1	2	3	1	1
Premature Birth	49·8	59	59	–	–	–	–	–	–
Atelectasis	2·6	4	4	–	–	–	–	–	–
Congenital Malformations	10·1	13	11	–	2	–	–	–	–
Old Age	60·3	78	–	–	–	–	2	32	44
Apoplexy	47·7	52	2	–	–	6	17	23	4
Epilepsy	8·1	11	–	–	1	1	8	–	1
Convulsions	42·7	30	28	2	–	–	–	–	–
Other Diseases of Brain and Nervous System	97·8	93	11	12	4	10	22	26	8
Diseases of Organs of Special Sense	2·6	5	–	1	2	–	–	1	1

CAUSES OF DEATH	Corrected Averages for the 7th Week of the 10 years 1890–99*.	In the Week ending Saturday, 17th February 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	159·6	191	4	–	9	25	61	83	9
Croup	5·2	–	–	–	–	–	–	–	–
Bronchitis	285·3	313	38	19	1	10	56	150	39
Pneumonia	139·5	167	33	32	13	20	40	24	5
Pleurisy	7·0	6	–	–	–	2	4	–	–
Other Diseases of Respiratory System	39·9	41	3	3	2	3	9	16	5
Dentition	12·6	3	3	–	–	–	–	–	–
Quinsy, Sore Throat	2·1	2	–	1	–	–	1	–	–
Enteritis	13·2	8	3	1	1	2	1	–	–
Gastro-enteritis		14	11	1	–	–	1	1	–
Peritonitis	4·9	8	–	–	1	3	3	1	–
Diseases of Liver	23·2	39	3	–	–	5	21	10	–
Other Diseases of Digestive System	31·4	38	6	3	1	6	5	15	2
Diseases of Lymphatic System & of Ductless Glands	2·1	3	–	–	–	1	1	1	–
Diseases of Urinary System	49·4	61	–	1	1	9	21	24	5
Diseases of Generative System	6·3	2	–	–	–	1	1	–	–
Accidents of Childbirth	5·6	5	–	–	–	4	1	–	–
Diseases of Locomotive System	6·4	3	1	1	–	–	1	–	–
Diseases of Integumentary System	5·2	3	3	–	–	–	–	–	–
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	59·4	3	–	–	–	1	2	–	–
By Vehicles or Horses		4	–	1	1	1	–	1	–
In Ships, Boats, Docks, (exclusive of Drowning)		–	–	–	–	–	–	–	–
In Building Operations		1	–	–	–	–	1	–	–
In Conflagrations		1	–	1	–	–	–	–	–
By Burns, Scalds, Explosions		14	1	8	2	1	1	1	–
By Drowning		7	–	–	1	–	5	1	–
By Suffocation in Bed		19	18	1	–	–	–	–	–
By Poisons or Poisonous Vapours		3	–	–	1	2	–	–	–
Other or not stated causes		17	2	–	1	4	5	4	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	0·8	1	1	–	–	–	–	–	–
Suicide	9·3	5	–	–	1	1	1	2	–
Execution	–	–	–	–	–	–	–	–	–
OTHER CAUSES	56·3	56	53	–	–	–	2	1	–

* The numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 17th February, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2439	2013	380	652	-	50	5	35	51	-	18	-	6	75	180	591
WEST DISTRICTS - - -	778,251	351	342	58	125	-	12	-	2	4	-	1	-	2	11	29	110
NORTH DISTRICTS - - -	1,040,694	536	448	82	162	-	10	3	8	9	-	4	-	-	16	37	124
CENTRAL DISTRICTS - - -	233,635	127	125	20	37	-	1	-	-	14	-	1	-	-	3	15	29
EAST DISTRICTS - - -	716,334	483	331	74	85	-	10	-	5	14	-	3	-	1	17	50	109
SOUTH DISTRICTS - - -	1,642,796	942	740	146	233	-	17	1	20	10	-	9	-	3	28	49	192
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	--	-	27	-	10	-	-	1	-	-	-	-	-	-	-	-	27
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	62	45	12	15	-	1	-	-	-	-	-	-	-	-	-	9
St. John Paddington *H* - - G.	33,510	6	18	-	2	-	-	-	-	-	-	-	-	-	1	2	10
Kensington Town *Ww* - - W.	122,164	45	56	7	30	-	3	-		1	-	-	-	-	1	5	29
Brompton *HH*- - - W & C.	48,301	15	11	-	6	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *H* W. & G.	44,638	25	11	4	2	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith *H* W. & G.	59,561	25	24	3	9	-	2	-	1	-	-	-	-	-	1	1	4
Fulham *Ww* - - - W. & C.	113,781	71	54	13	13	-	2	-	1	3	-	1	-	2	1	7	19
Chelsea Kensal Town - C.	21,450	9	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHH* - C.	42,057	17	37	7	15	-	3	-	-	-	-	-	-	-	1	4	15
Chelsea South *HH* - - C.	33,139	19	15	3	4	-	1	-	-	-	-	-	-	-	2	4	1
May Fair *W* - - - - G.	23,827	-	13	1	7	-	-	-	-	-	-	-	-	-	1	1	11
Belgrave *WHHH* - - - C.	56,140	25	24	2	11	-	-	-	-	-	-	-	-	-	1	1	7
St. John Westminster *HH* - C.	31,492	16	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H*- C.	22,097	4	8	4	1	-	-	-	-	-	-	-	-	-	1	1	2
St. James Westminster *WH* N. & G.	23,050	9	8	-	5	-	-	-	-	-	-	-	-	-	-	-	2
St Anne Soho *HHHHH* - N.	12,048	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	21	19	1	5	-	1	1	-	-	-	-	-	-	2	2	8
Rectory Marylebone *W* G. & W.	19,798	-	7	2	2	-	1	-	-	-	-	-	-	-	-	-	2
St. Mary Marylebone *HHHH* G. & W.	19,637	31	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H* - W	32,547	15	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	18	12	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *WwHHHH* - N. & W.	75,449	27	28	8	10	-	1	1	1	-	-	1	-	-	-	-	6
Regent's Park † *HH* - W.	51,403	26	20	5	7	-	-	-	-	2	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	6	15	1	4	-	-	-	-	-	-	-	-	-	-	-	5
Gray's Inn Lane *HHHH* - N.	29,426	13	16	2	5	-	-	-	-	-	-	-	-	-	2	3	4
Somers Town *HH* - - - N.	32,161	16	7	-	-	-	1	-	-	-	-	-	-	-	-	-	4
Camden Town† *WH* - - N.	40,155	17	24	3	12	-	-	-	-	1	-	-	-	-	1	2	14
Kentish Town† *WW* - - N.	60,862	31	28	6	12	-	-	-	-	1	-	1	-	-	1	3	6
Upper Holloway *WWWWwHH* - - N.	98,273	55	72	13	31	-	4	-	-	-	-	-	-	-	2	4	41
Lower Holloway‡ - - - N.	41,805	27	21	4	8	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury‡ - - - - N.	56,384	39	17	4	5	-	-	-	-	-	-	-	-	-	1	5	-
Islington South-east‡ *H* - N.	75,725	40	16	7	4	-	1	-	2	-	-	-	-	-	-	2	-
Highbury *HH* - - - N.	64,577	21	26	5	10	-	-	-	-	1	-	-	-	-	2	4	-
Stoke Newington *H* - - N.	33,485	15	11	1	7	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	22	12	-	5	-	1	-	-	-	-	-	-	-	-	1	-
Central Hackney *ww* - E. & N.		29	20	2	4	-	-	1	5	-	-	2	-	-	-	1	9
South-west Hackney *HHH* E. & N.		36	25	3	9	-	-	-	-	1	-	-	-	-	2	4	6
South-east Hackney *WwH* E. & N.		31	39	9	14	-	-	-	-	3	-	-	-	-	1	3	17

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-east Sub-District.

LE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 17th February, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
omsbury and St. Giles uth *WH* - - - N.	29,086	18	5	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Giles North *H* - - - N.	9,151	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Martin-in-the-Fields *HH* N. & C.	13,077	7	8	-	4	-	-	-	-	-	-	-	-	-	-	2	2	-
nd *WHH* - - - - N.	11,839	8	13	1	7	-	-	-	-	-	-	-	-	-	-	-	7	-
nd Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born *wHHHHHH* - N.	31,042	8	18	2	9	-	-	-	-	-	-	-	-	-	1	2	3	-
James Clerkenwell - - N.	15,777	7	6	2	2	-	1	-	-	-	-	-	-	-	1	2	-	-
well Clerkenwell - - N.	34,356	28	13	4	3	-	-	-	-	4	-	-	-	-	-	2	-	-
well-street - - - - N.	16,069	8	6	1	-	-	-	-	-	3	-	-	-	-	-	1	-	-
-road *HHHL* - - - N.	29,897	28	23	5	2	-	-	-	-	5	-	1	-	-	1	5	2	-
itecross-street - - - N.	7,595	7	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
sbury - - - - - N.	4,035	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, itcham - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph* *HH* - - N. & E.	13,061	2	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	1	13	-	2	-	-	-	-	1	-	-	-	-	-	-	10	-
allows Barking - - - N.	9,059	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†388	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	15	5	-	1	-	1	-	-	-	-	-	-	-	-	3	1	-
tton New Town *w* - - N.	29,575	22	16	2	3	-	2	-	1	1	-	-	-	-	1	1	3	-
tton Old Town - - - N.	27,645	12	7	2	3	-	1	-	-	-	-	-	-	-	1	2	-	-
gerston *WH* - - N. & E.	47,163	36	33	8	11	-	-	-	-	1	-	-	-	1	-	3	18	-
nnal Green North *H* - E.	49,301	28	15	4	1	-	-	-	-	2	-	-	-	-	1	2	2	-
nnal Green South - - E.	34,194	25	8	3	2	-	-	-	-	1	-	-	-	-	-	-	-	1
nnal Green East *WWHl* - E.	45,667	30	27	5	6	-	-	-	-	3	-	-	-	-	2	3	9	-
alfields - - - E. & N.	26,681	21	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
e End New Town *WH* - E.	51,995	31	40	8	7	-	1	-	1	-	-	-	-	-	5	6	31	-
dman's Fields - - - E.		9	8	-	2	-	-	-	-	-	-	1	-	-	1	3	-	-
George's, North - - - E.	39,576	37	8	1	2	-	1	-	-	-	-	-	-	-	-	3	-	-
ohn, St. George East *W* E.	7 930	6	12	3	2	-	-	-	-	-	-	-	-	-	-	2	10	-
dwell *H* - - - E. & N.	10,434	5	8	2	3	-	-	-	-	-	-	-	-	-	1	1	2	-
cliff *W* - - - - E.	14,954	8	10	6	3	-	1	-	-	-	-	-	-	-	-	2	-	-
ehouse - - - - E.	32,917	17	10	1	5	-	-	-	1	-	-	-	-	-	1	3	-	-
e End Old Town West *H* E.	111,060	56	16	7	1	-	1	-	-	2	-	-	-	-	-	2	2	-
e End Old Town East *Www* - E.		35	24	3	11	-	-	-	-	-	-	-	-	-	-	2	13	-
l - - - - E.	41,687	20	14	2	2	-	-	-	-	1	-	1	-	-	-	2	2	-
mley *wwwH* - - - E.	69,821	41	35	5	13	-	1	-	1	2	-	1	-	-	3	7	15	-
lar *WW* - - - - E.	57,759	29	30	11	7	-	-	-	1	1	-	-	-	-	1	3	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER. DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 17th February, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	3	3	2	-	-	-	-	-	1	-	-	-	-	1	1	-
St. Saviour Southwark - - S.	12,301	5	7	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Kent-road - - - - S. & L.	22,879	11	8	2	3	-	-	-	-	-	-	-	-	1	-	-	-
Borough-road *WH* - S. & L.	16,083	14	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1
London-road *HL* - - L. & S.	21,316	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	3
Trinity Newington - - S. & L.	28,723	16	9	3	3	-	-	-	-	-	-	-	-	-	-	2	-
St. Peter Walworth *W* - S. & L.	62,045	45	21	3	6	-	-	-	-	-	-	-	-	-	-	-	6
St. Mary Newington- - L. & S.	30,171	17	14	2	3	-	2	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	6	18	5	6	-	-	-	-	-	-	-	-	-	5	5	11
Bermondsey *W* - - - S.	85,475	56	37	12	7	-	-	1	-	2	-	-	-	-	2	3	3
Rotherhithe *Ww* - S. & K.	40,379	22	33	5	8	-	3	-	-	-	-	-	-	-	2	3	15
Waterloo-road *HH* - L. & S.	28,396	21	8	4	3	-	1	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *H* - L. & S.	18,770	17	26	6	3	-	-	-	-	1	-	2	-	-	3	3	14
Lambeth Church 2nd *WW* L. & S.	40,994	26	25	4	12	-	-	-	-	1	-	-	-	-	-	2	12
Kennington 1st *H* - - S. & L.	52,486	31	22	3	4	-	-	-	1	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	20	15	2	6	-	-	-	-	1	-	-	-	-	-	-	-
Brixton *w* - - - - L. & S.	81,825	42	27	4	12	-	-	-	1	-	-	2	-	-	-	1	2
Norwood *WH* - - - - L.	29,318	14	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	50	29	7	6	-	2	-	-	-	-	-	-	-	2	2	-
West Battersea *WwH* - - S.	93,385	51	46	9	16	-	2	-	-	2	-	-	-	-	2	5	19
Clapham *H* - - - - S.	46,953	24	17	7	3	-	-	-	-	-	-	-	-	-	-	-	2
Wandsworth *WHHL* - - S.	58,101	40	18	2	8	-	-	-	-	-	-	1	-	-	1	2	2
Putney - - - - - S.	20,566	9	4	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *WwwwwL* - - L.	61,644	29	26	3	9	-	1	-	6	-	-	-	-	-	-	-	8
Dulwich - - - - L. & S.	7,519	2	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell *WWwll* - S. & L.	90,286	37	71	10	30	-	2	-	-	-	-	-	-	-	1	2	50
Peckham *WW* - S., L., & K.	88,242	55	31	9	9	-	1	-	-	-	-	-	-	-	1	4	-
St. George Camberwell - L. & S.	67,029	32	16	3	4	-	1	-	-	-	-	-	-	-	1	2	-
Deptford North - - - K.	36,152	31	14	4	5	-	1	-	1	-	-	-	-	-	3	3	-
Deptford Central *w* - - K.	45,441	21	15	4	3	-	-	-	2	-	-	2	-	-	-	1	3
Deptford South - - - K.	33,402	16	15	-	9	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	9	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37 767	22	21	2	10	-	-	-	-	-	-	-	-	-	-	1	13
Eltham *wH* - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	11	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwH* - - - K.	38,139	33	22	3	5	-	-	-	4	-	-	-	-	1	1	2	9
Sydenham *H* - - - - L.	37,601	17	16	5	4	-	-	-	-	-	-	1	-	-	-	-	-
Charlton *wHH* - - K.	15,928	10	14	1	2	-	-	-	5	-	-	1	-	-	-	-	10
Woolwich Dockyard - - K.	9,355	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	20	11	2	4	-	1	-	-	2	-	-	-	-	1	1	-
Plumstead West *H* - - K.	16,714	8	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead East *WH* - - K.	42,538	26	27	6	9	-	-	-	-	-	-	-	-	-	-	-	9
Banstead Asylum - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Horton Asylum, Epsom - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum Dartford Heath - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch Asylum - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3

-LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, ITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week g Saturday, 17th February, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
ON—OUTER RING -	368,749	1,422,063	1042	682	161	213	-	10	1	19	14	6	-	22	52	98	3
arshalton *H* - - -	12,228	26,108	11	9	1	4	-	-	-	1	-	-	-	-	-	1	-
psom, *part of** *WwHH* -	10,423	12,508	3	6	-	4	-	-	-	-	-	-	-	-	-	3	-
odstone, *part of** *W* -	2,754	1,598	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
roydon *WwHHH* - -	20,851	128,699	75	56	8	22	-	-	1	1	3	1	-	3	6	15	-
itcham *w* - - -	11,697	23,072	12	9	3	6	-	-	-	-	-	-	-	-	-	-	-
imbledon *HHH* - -	3,220	25,777	24	14	4	3	-	-	-	-	-	1	-	1	2	-	-
ingston *WH* - - -	14,672	33,566	24	16	2	5	-	-	-	1	-	-	-	2	4	5	-
urbiton *H*- - - -		12,178	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-
sher, *part of** *HH* - -		11,080	8	9	4	3	-	-	-	-	-	-	-	-	-	-	-
ampton *HL* - - -	4,565	18,252	11	10	1	5	-	-	-	-	-	-	-	-	-	2	-
ichmond *WH*- - -	2,160	25,389	12	9	-	4	-	-	-	-	-	-	-	-	1	1	-
ortlake *H* - - -	2,823	16,159	1	8	1	3	-	-	-	-	-	-	-	-	-	-	-
romley *HHH* - - -	9,127	23,815	9	11	5	-	-	2	-	2	-	-	-	1	2	2	-
eckenham *H* - - -	6,542	21,969	11	6	1	3	-	-	-	-	-	-	-	-	-	-	-
hislehurst, *part of** *WHH*	14,307	20,372	5	8	1	4	-	-	-	-	1	-	-	-	1	-	-
exley *HHH* - - -	12,540	30,590	18	14	5	3	-	-	-	-	-	-	-	-	-	-	1
artford *WH*, *part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
unbury *w* - - -	11,054	13,671	13	7	4	1	-	-	-	-	-	-	-	-	-	-	-
taines *WH* - - -	13,277	13,221	8	14	3	5	-	-	-	-	-	-	-	-	-	5	1
illingdon *WHH* - -	6,035	12,237	2	8	1	3	-	-	-	-	-	-	-	1	-	1	-
xbridge - - - -	12,757	7,253	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-
ayes *wH*- - - -	7,952	11,051	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-
leworth *WHH* - -	6,967	26,004	19	17	3	11	-	1	-	-	-	-	-	-	-	7	-
wickenham *HH* - -	2,415	16,027	5	8	5	-	-	1	-	-	-	-	-	1	1	-	-
rentford *HHHH* - -	4,318	37,777	26	16	1	7	-	-	-	-	-	-	-	1	4	3	-
hiswick - - - -	1,245	21,963	14	9	2	3	-	-	-	-	-	-	-	-	-	-	-
cton *wHH* - - -	6,132	30,945	32	14	6	2	-	-	-	-	-	-	-	-	-	-	-
arrow *HHH* - - -	13,809	15,715	10	4	1	3	-	-	-	-	-	-	-	1	1	-	-
dgware *HH* - - -	6,994	3,844	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-
illesden *HHH* - -	4,383	61,265	66	26	9	4	-	1	-	1	1	-	-	-	2	5	-
endon *WH* - - -	8,382	15,843	12	7	2	2	-	-	-	2	-	-	-	-	1	-	-
outh Mimms *HH* - -	21,077	6,367	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
arnet *WHH* - - -		14,152	16	5	-	4	-	-	-	-	-	-	-	-	-	1	-
inchley *HHH*- - -	4,688	25,820	14	6	3	1	-	-	-	-	-	-	-	-	-	-	-
ornsey *HH* - - -	3,039	61,097	29	21	3	5	-	-	-	-	-	-	-	-	-	-	-
ottenham *HH*- - -	4,642	97,174	73	39	16	12	-	-	-	-	1	1	-	2	8	-	-
dmonton *Www* - -	7,489	36,351	32	20	5	7	-	-	-	-	-	1	-	-	1	3	-
nfield *WWHH* - -	12,602	31,536	22	12	2	5	-	-	-	-	-	-	-	-	-	3	-
altham Abbey - - -	11,017	6,066	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
heshunt *H* - - -	8,480	9,620	8	4	2	1	-	-	-	-	-	-	-	-	-	-	1
atfield, *part of** *W*- -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ushey *H* - - -	9,331	7,737	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-
atford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
tratford *H* - - -	4,706	38,612	31	20	4	6	-	-	-	1	1	-	-	2	2	2	-
laistow *HHH* - - -		58,030	51	43	15	7	-	1	-	1	4	-	-	1	2	4	-
anning Town *H* - -		54,750	50	25	4	5	-	2	-	1	2	-	-	1	2	-	-
orest Gate *w* - - -		53,511	26	16	-	4	-	1	-	2	-	-	-	-	-	-	-
ast Ham *wHH* - -	3,266	32,713	53	25	6	7	-	1	-	2	-	-	-	-	2	-	-
eyton *WWWwH* - -	4,334	70,188	53	40	7	15	-	-	-	1	-	-	-	3	4	18	-
altham stow *HHHL* -	6,501	57,330	78	32	9	7	-	-	-	3	1	1	-	1	5	-	-
higwell, *part of** *HHHH*	11,779	12,941	4	5	-	3	-	-	-	-	-	-	-	-	-	1	-
pping *WH*, *part of**- -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
omford, *part of** *WH* -	6,556	4,324	1	5	1	2	-	-	-	-	-	-	-	-	-	3	-
ford - - - - -	8,493	10,913	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-
arking Town, *H* - -	3,814	14,301	16	9	3	1	-	-	-	-	-	1	-	1	1	1	-
iddlesex County Asylum, Wandsworth.	—	—	-	6	-	1	-	-	-	-	-	-	-	-	-	6	-
ondon County Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ity of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring llows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham ley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst rict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for us Diseases belonging to the Outer Ring in 42: 2 Dartford; 137: 2 Watford; and 187: 2 Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 17th February, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	16.
GREATER LONDON	**443,421**	**6,652,145**	**21·1**	**1·7**	**2695**	**541**	**865**	**–**	**60**	**6**	**54**	**65**	**24**	**6**	**97**	**68**
INNER LONDON -	74,672	4,589,129	22·9	1·9	2013	380	652	–	50	5	35	51	18	6	75	591
OUTER RING -	368,749	2,063,016	17·2	1·3	682	161	213	–	10	1	19	14	6	–	22	93

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	302,262	Feb.	17	140	152	26·2	–	–	–	3	1	–	[illegible]
GLASGOW - -	743,585	"	17	502	480	33·7	–	17	11	3	10	1	[illegible]
DUBLIN - -	349,594	"	17	175	284	42·4	–	1	1	3	5	3	[illegible]
CALCUTTA - -	466,460	Jan.	16	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	821,764	"	23	226	2335	147·8	186	97	?	?	?	703†	24[illegible]
MADRAS - -	452,518	"	5	326	385	44·2	–	5	?	?	?	97	6[illegible]
PARIS - - -	2,511,629	Feb.	10	1219	1255	25·9	4	11	5	3	–	14	3[illegible]
BRUSSELS - -	561,130	"	10	278	220	20·4	–	1	–	1*	1	3	1[illegible]
AMSTERDAM -	523,743	"	3	306	186	18·5	–	–	–	–	6	3	–
ROTTERDAM -	315,305	"	3	239	120	19·6	–	3	–	3	2	1	–
THE HAGUE -	205,328	"	3	121	76	19·2	–	–	–	–	–	–	–
COPENHAGEN -	349,000	"	10	174	122	18·2	–	–	2	–	–	–	[illegible]
STOCKHOLM -	291,580	"	3	136	120	21·4	–	–	2	1*	–	–	[illegible]
CHRISTIANIA -	221,255	"	10	195	72	16·0	–	–	2	–	2	–	[illegible]
ST. PETERSBURG	1,132,677	"	3	564	658	30·3	6	19	23	25	2	24	4[illegible]
MOSCOW - -	988,610	"	3	–	503	26·5	1	5	16	10	6	3	4[illegible]
BERLIN - -	1,848,269	Jan.	27	998	625	17·6	–	5	3	15	15	1	3[illegible]
HAMBURG - -	691,349	Feb.	10	–	293	22·0	–	–	2	3*	4	–	[illegible]
DRESDEN - -	401,400	Dec.	30	268	151	19·6	–	–	–	2*	2	1	[illegible]
BRESLAU - -	406,012	Feb.	10	–	–	–	–	–	–	–	–	–	–
MUNICH - -	463,000	"	3	367	312	35·0	–	24	–	1*	3	1	2[illegible]
VIENNA - -	1,639,811	"	3	976	620	19·7	–	7	1	8*	2	–	3[illegible]
PRAGUE - -	385,952	"	3	237	173	23·3	–	–	3	–	4	1	[illegible]
BUDA-PESTH -	685,340	"	3	486	278	21·1	–	1	3	1	2	–	[illegible]
TRIESTE - -	167,286	Jan.	27	91	123	38·3	–	1	1	3*	1	2	–
ROME - - -	512,423	"	13	253	168	17·1	–	6	–	–	–	8§	[illegible]
TURIN (11 days)	344,203	Dec.	31	234	231	22·3	–	13	–	1	–	2	[illegible]
VENICE - -	172,491	Jan.	27	73	101	30·5	–	–	–	2*	–	–	[illegible]
CAIRO - -	570,062	"	7	–	–	–	–	–	–	–	–	–	–
ALEXANDRIA -	319,766	"	7	–	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,654,594	"	20	1563	1351	19·3	–	28	13	41	11	10	[illegible]
PHILADELPHIA -	1,266,832	"	27	–	498	20·5	–	4	5	27	5	9	[illegible]

* Including deaths from croup.
† Including 478 deaths from plague.
‡ Including 5 deaths from cholera.
§ Including 5 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
February.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	11	..	29·168	36·7	26·3	10·4	31·1	− 7·2	26·0	5·1	8·1	1·6	81	55·0	21·2	39·05	SSW. & WNW.	WNW. & WSW.	15·5	0·0	0·8	445	+125	0·04	0·0
Monday -	12	..	29·244	38·9	21·4	17·5	31·0	− 7·5	26·2	4·8	10·0	0·0	82	61·2	17·1	38·83	SW., SE. & ESE.	ESE., NE. & ENE.	0·3	0·0	0·0	127	−188	0·00	0·0
Tuesday -	13	..	29·263	36·0	22·9	13·1	30·0	− 8·8	26·3	3·7	9·8	0·0	86	48·7	19·4	38·57	Variable & NE.	ENE. & E.	14·3	0·0	0·6	311	+ 1	0·46	1·5
Wednesday	14	First Quarter.	29·695	37·3	27·7	9·6	32·3	− 6·9	28·4	3·9	7·4	1·5	85	69·3	25·1	38·45	NE. & N.	N., NNW. & SSE.	12·5	0·0	1·1	441	+136	0·10	4·5
Thursday-	15	..	29·451	46·0	27·9	18·1	36·0	− 3·6	33·5	2·5	4·0	0·9	91	46·0	25·5	38·19	SSE.	SSE., S. & SSW.	19·6	0·0	1·4	506	+205	0·43	0·2
Friday -	16	Apogee In Eqr.	29·169	46·9	39·2	7·7	42·7	+ 2·9	35·6	7·1	10·3	4·6	76	79·5	33·5	37·90	SSW., W. & WSW.	WSW. & SW.	10·7	0·0	1·6	595	+297	0·08	2·0
Saturday-	17	..	28·992	47·9	38·0	9·9	43·1	+ 3·3	40·0	3·1	6·3	1·2	89	58·8	34·0	37·70	SSW.	SSW., SE. & W.	12·5	0·0	1·0	419	+123	0·35	3·8
Means -			29·283	41·4	29·1	12·3	35·2	− 4·0	30·9	4·3	8·0	1·4	84	59·8	25·1	38·38	Variable		..	..	..	Sum 2844	Sum +699	Sum 1·46	1·7
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
Sunday -	11	w. P. and v. N. till 3h. A.M.; w. P. till 11h. A.M.; m. P. till 7h. P.M.; s. P. afterwards.	3·6	9·7
Monday -	12	m. P. generally -	1·0	9·8
Tuesday -	13	s. P. till 11h. A.M.; w. P. till 5h. P.M.; w. P. and m. N. afterwards.	0·0	9·8
Wednesday	14	w. P. and occasional v. N. till 8h. A.M.; w. P. till 3h. P.M.; v. P. afterwards.	1·0	9·9
Thursday-	15	w. P. till 8h. A.M.; w. P. and v. N. afterwards.	0·0	9·9
Friday -	16	w. P. generally; s. P. and s. N. in a squall for a short time about noon.	6·6	10·0
Saturday-	17	w. N. till 3h. A.M.; w. P. till 3h. P.M.; s. N. and s. P. till 8h. P.M.; w. P. afterwards.	1·3	10·1
			Sum 13·5	Sum 69·2
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Overcast throughout morning, with snow and sleet till 3h. A.M.; very fine and generally cloudless after 1h. P.M. Strong gusty wind prevailed from 9h. A.M. till 6h. P.M.

Cloudless, with hoar frost in morning; fine, but generally cloudy throughout the day. Solar halo. Very cold.

Dense fog prevailed in morning; overcast throughout the remainder of the day, with a heavy fall of snow till night, and rain after 10h. P.M. Gusty wind in evening. Very cold.

Overcast, with snow and strong wind in morning; fine after noon; cloudless, with hoar frost at night.

Fine in early morning; overcast throughout the day, with heavy rain and sleet. Strong wind during the afternoon and evening.

Overcast, with occasional rain in morning; fine afterwards, with gusty wind. Lunar halo at night.

Variable; showery. Lunar halo at night. Strong gusty wind at times.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·08 in. at the beginning of the week to 28·94 in. by 7h. A.M. on the 11th; increased to 29·34 in. by 11h. P.M. on the same day; decreased to 29·21 in. by 3h. P.M. on the 12th; increased to 29·47 in. by 9h. A.M. on the 13th; decreased to 28·88 in. by 1h. A.M. on the 14th; increased to 29·92 in. by 9h. P.M. on the same day; decreased to 28·90 in. by 2h. A.M. on the 16th; increased to 29·32 in. by 6h. P.M. on the same day; decreased to 28·87 in. by 6h. P.M. on the 17th; and was 29·05 in. at the end of the week

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 8. 1900. Vol. LXI.] Week ending Saturday, Feb. 24. [Price 1½*d.*

General Register Office, Somerset House,
February 26th, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 24·2 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 21·2, 22·7, and 25·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Towns.	Weeks ending Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
33 Great Towns	**21·2**	**22·7**	**25·8**	**24·2**	Leicester - -	15·2	18·3	25·7	20·5
Birkenhead -	21·4	24·5	19·6	16·9	Liverpool - -	28·5	31·8	33·8	33·8
Birmingham -	25·0	22·0	32·4	22·7	London - - -	19·6	20·4	22·9	21·5
Blackburn -	23·6	32·3	41·5	37·3	Manchester - -	25·7	28·0	37·2	34·7
Bolton - -	18·7	23·8	25·4	24·1	Newcastle-on-Tyne	22·0	25·4	23·4	25·1
Bradford -	19·5	21·8	18·4	21·5	Norwich - -	23·2	22·7	23·2	25·0
Brighton -	17·2	24·4	14·3	23·1	Nottingham - -	18·3	16·5	22·6	21·3
Bristol - -	16·5	19·4	18·1	18·8	Oldham - -	20·4	27·6	28·2	33·3
Burnley -	14·3	19·2	29·5	29·5	Plymouth - -	22·5	26·0	28·6	27·1
Cardiff - -	15·6	12·6	15·8	13·7	Portsmouth - -	16·6	18·7	25·7	18·7
Croydon -	13·9	20·7	19·5	9·9	Preston - -	29·8	35·1	54·8	44·7
Derby - -	12·6	17·9	25·1	22·2	Salford - - -	26·2	34·2	42·7	39·0
Gateshead -	19·1	17·6	30·5	23·4	Sheffield - -	27·2	26·1	26·5	27·6
Halifax -	29·5	26·9	26·4	26·4	Sunderland - -	35·4	30·8	24·1	22·3
Huddersfield -	22·0	20·5	19·5	21·5	Swansea - -	15·3	15·8	24·7	17·8
Hull - -	25·8	25·8	24·7	22·3	West Ham - -	14·4	14·4	19·1	17·6
Leeds - -	23·1	28·4	28·4	29·5	Wolverhampton -	31·4	34·3	41·3	40·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Bristol and in Derby, 1·1 in Cardiff and in Blackburn, 1·2 in Leicester, 1·4 in Sunderland, 1·7 in Wolverhampton, and 3·9 in Preston; from *whooping-cough*, 1·0 in Huddersfield, 1·1 in Liverpool and in Blackburn, 1·2 in Wolverhampton and in Salford, 1·3 in Portsmouth, 1·5 in Leeds, and 1·8 in Norwich ; from "*fever*" 1·7 in Wolverhampton; and from *diarrhœa*, 1·0 in Plymouth. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 92 deaths from *diphtheria* included 48 in London, 10 in Sheffield, 6 in Liverpool, 4 in Portsmouth, and 3 in West Ham. No death from *small-pox* was registered in any of the thirty-three towns.

London.

In London† 2805 births and 1894 deaths were registered. Allowing for increase of population, the births were 13 above, and the deaths 102 below, the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 19·6, 20·4, and 22·9 in the preceding three weeks, fell again last week to 21·5. During the four weeks ending on Saturday last the death-rate averaged 21·1 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1894 deaths included 42 from measles, 4 from scarlet fever, 48 from diphtheria, 40 from whooping-cough, 17 from enteric fever, 11 from diarrhœa and dysentery, 1 from cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 163 deaths were referred to these diseases, being 36 below the corrected average weekly number.

The deaths from *measles*, which had been 27, 33, and 50 in the preceding three weeks, fell again last week to 42, and were 9 below the corrected average; 6 cases occurred in Islington, 5 in Kensington, 4 in Hammersmith, 4 in Fulham, and 4 in Battersea sanitary areas. The deaths from *scarlet fever*, which had been 10, 7, and 5 in the preceding three weeks, were 4 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 46, 51, and 35 in the preceding three weeks, rose again last week to 48, and were 6 above the corrected average; 6 cases belonged to Lambeth, 5 to Fulham, 4 to St. Pancras, 4 to Bermondsey, 3 to St. George Southwark, 3 to Camberwell, 3 to St. Marylebone, and 3 to Shoreditch sanitary areas. The deaths from *whooping-cough*, which had been 45, 37, and 51 in the preceding three weeks, rose again last week to 40, but were 27 below the corrected average; 6 cases belonged to Battersea sanitary area. The fatal cases of *enteric fever*, which had been 17, 22, and 18 in the preceding three weeks, were 17 last week, the corrected average being 9; 2 cases belonged to Hackney, 2 to Poplar, 2 to Bermondsey, 2 to Battersea, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 14, 11, and 6 in the preceding three weeks, rose again last week to 11, but were 5 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 432, 423, and 527 in the preceding three weeks, fell again last week to 485, and were 62 below the corrected average. The deaths attributed directly to *influenza* numbered 52, having been 109, 63, and 74 in the preceding three weeks; influenza was stated as a contributory cause of 6 other deaths, against 15, 11, and 15 in the preceding three weeks.

Different forms of violence caused 76 deaths, concerning all but 2 of which inquests were held. Of these 76 deaths, 7 were cases of suicide, while the remaining 69 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 14 to burns and scalds, and 15 (including 14 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 11 cases of small-pox, 2009 of scarlet fever, 1437 of diphtheria, and 280 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 3 cases, against 0, 1, and 0; of scarlet fever, 160 cases, against 174, 157, and 159; of diphtheria, 145 cases, against 201, 196, and 146; and of enteric fever, 49 cases, against 42, 35, and 37.

Greater London.

In Greater London 3863 births and 2442 deaths were registered, corresponding to annual rates of 30·3 and 19·1 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 1 from scarlet fever, 18 from diphtheria, 5 from whooping-cough, 5 from "fever," and 9 from diarrhœa were registered. Six deaths from diphtheria and 5 from whooping-cough occurred in West Ham District; 5 deaths from diphtheria occurred in Uxbridge District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·15 inches, and that of the Thermometer 45°·4; the latter being 5°·7 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 38 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 18·3 hours; the measured rainfall amounted to 0·51 inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 24th Feb. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**7084**	**5387**	**1070**	**1615**	**–**	**115**	**30**	**92**	**120**	**47**	**40**	**166**	**404**	**1204**	**67**	**24·2**	**2·0**	**58·9**	**24·0**	**42·8**	**6·00**	**1·17**	**2·97**	**33 Towns.**
London - -	4,589,129	2805	1894	355	593	–	42	4	48	40	17	11	76	193	590	6	21·5	1·8	58·9	33·0	45·4	7·44	0·51	1·30	London.
West Ham - -	314,472	167	106	21	25	–	1	–	3	4	1	–	6	12	17	3	17·6	1·5	–	–	–	–	–	–	West Ham.
Croydon - -	131,186	61	25	5	6	–	–	–	–	–	–	2	–	2	4	–	9·9	0·8	58·5	30·5	44·3	6·83	1·06	2·66	Croydon.
Brighton - -	124,148	37	55	7	24	–	–	–	–	–	–	–	2	2	9	–	23·1	–	53·0	33·2	44·1	6·72	1·05	2·67	Brighton.
Portsmouth -	194,955	96	70	7	21	–	–	–	4	5	–	–	2	3	14	–	18·7	2·4	55·0	33·5	45·3	7·39	1·14	2·90	Portsmouth.
Plymouth - -	102,161	64	53	8	17	–	1	–	–	–	–	2	–	2	9	–	27·1	1·5	–	–	–	–	–	–	Plymouth.
Bristol - -	324,973	187	117	15	47	–	6	–	2	1	1	–	2	7	23	–	18·8	1·6	57·0	31·0	44·7	7·06	2·03	5·16	Bristol.
Cardiff - -	194,247	89	51	17	8	–	4	–	2	1	–	–	1	4	6	–	13·7	1·9	–	–	–	–	–	–	Cardiff.
Swansea - -	105,472	61	36	7	13	–	–	–	1	–	–	–	–	1	3	1	17·8	0·5	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	72	70	10	24	–	3	–	–	2	3	–	1	5	13	1	40·7	4·7	54·2	24·0	39·3	4·06	1·15	2·92	Wolverhampton.
Birmingham -	519,610	323	226	67	50	–	4	2	1	8	3	5	14	20	35	4	22·7	2·3	–	–	–	–	–	–	Birmingham.
Norwich - -	114,855	73	55	8	18	–	–	–	1	4	1	–	1	4	8	1	25·0	2·7	57·0	30·8	42·8	6·00	1·01	2·57	Norwich.
Leicester - -	219,169	117	86	19	21	–	5	2	2	–	–	–	3	7	17	1	20·5	2·1	–	–	–	–	–	–	Leicester.
Nottingham -	242,676	132	99	19	27	–	–	3	1	–	1	2	4	8	24	–	21·3	1·5	55·8	30·5	41·3	5·17	1·20	3·05	Nottingham.
Derby - - -	107,991	60	46	8	17	–	2	–	–	–	1	–	–	–	10	–	22·2	1·4	–	–	–	–	–	–	Derby.
Birkenhead -	117,170	52	38	14	11	–	–	–	–	–	–	1	1	3	6	1	16·9	0·4	–	–	–	–	–	–	Birkenhead.
Liverpool - -	634,780	512	411	83	115	–	–	5	6	13	1	2	13	15	96	17	33·8	2·2	55·3	32·7	43·1	6·17	1·19	3·02	Liverpool.
Bolton - -	164,240	81	76	12	22	–	–	–	–	2	1	–	–	7	13	1	24·1	1·0	–	–	–	–	–	–	Bolton.
Manchester -	548,768	382	365	62	106	–	8	3	2	8	1	8	7	22	87	6	34·7	2·9	–	–	–	–	–	–	Manchester.
Salford - -	220,816	160	165	46	45	–	4	2	–	5	1	1	4	14	29	1	39·0	3·1	–	–	–	–	–	–	Salford.
Oldham - -	153,297	92	98	17	32	–	2	2	1	–	–	1	3	9	15	–	33·3	2·0	–	–	–	–	–	–	Oldham.
Burnley - -	116,730	56	66	18	19	–	2	–	–	1	–	2	–	1	4	3	29·5	2·2	–	–	–	–	–	–	Burnley.
Blackburn - -	137,107	70	98	23	36	–	3	2	1	3	–	1	1	2	9	4	37·3	3·8	–	–	–	–	–	–	Blackburn.
Preston - -	118,902	80	102	23	31	–	9	1	2	–	1	1	–	–	12	2	44·7	6·1	–	–	–	–	–	–	Preston.
Huddersfield	104,484	54	43	5	14	–	1	1	–	2	1	–	1	1	4	–	21·5	2·5	55·0	28·8	40·8	4·89	1·18	3·00	Huddersfield.
Halifax - -	100,710	53	51	10	22	–	–	–	1	–	–	–	1	1	5	4	26·4	0·5	–	–	–	–	–	–	Halifax.
Bradford - -	201,535	125	120	18	51	–	3	1	–	–	2	1	3	8	22	1	21·5	1·3	55·6	30·0	41·4	5·22	1·23	3·12	Bradford.
Leeds - - -	431,287	243	244	44	75	–	5	1	2	12	4	–	7	22	39	–	29·5	2·9	–	–	–	–	–	–	Leeds.
Sheffield - -	365,922	251	194	43	48	–	5	1	10	3	4	–	3	8	32	6	27·6	3·3	–	–	–	–	–	–	Sheffield.
Hull - - -	238,736	166	102	25	31	–	–	–	–	2	2	–	4	9	21	1	22·3	0·9	57·0	28·0	41·5	5·28	1·28	3·25	Hull.
Sunderland -	147,398	146	63	15	15	–	4	–	2	–	1	–	1	4	10	1	22·3	2·5	–	–	–	–	–	–	Sunderland.
Gateshead - -	109,403	83	49	11	12	–	–	–	–	1	–	–	–	1	1	–	23·4	0·5	–	–	–	–	–	–	Gateshead.
Newcastle - -	254,369	134	113	28	19	–	1	–	–	3	–	–	5	7	17	2	25·1	0·9	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2702	2622	2694	2527	2587	2787	2497	2727	2644	2752	2792·0	2805
Males - -	1323	1315	1371	1265	1337	1412	1345	1376	1345	1470	1426·5	1379
Females - -	1379	1307	1323	1262	1250	1375	1152	1351	1299	1282	1365·5	1426
TOTAL **Deaths** -	1847	2042	1829	1629	1663	2863	1705	1627	1889	1875	1995·6	1894
Males - -	934	1050	930	857	858	1384	858	821	942	976	1011·0	992
Females - -	913	992	899	772	805	1479	847	806	947	899	984·6	902

*The numbers in this column are the average weekly numbers in the eighth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
TOTAL **Births** - -	2439	2339	2269	2585	1880	2792	2766	2533	2634	2498	2889	2439	2805
TOTAL **Deaths** - - -	1695	1957	2078	2607	3067	3266	2930	2365	1950	1722	1792	2013	1894
Ages at Death: Under 1 year - -	388	406	427	429	451	408	409	385	344	356	356	380	355
1—5 years - -	209	247	251	272	261	268	256	231	198	192	200	200	218
5—20 " - -	74	117	110	105	125	122	101	105	89	83	104	104	91
20—40 " - -	227	225	256	303	359	393	303	282	247	222	221	230	245
40—60 " - -	351	405	426	551	703	720	656	501	391	367	354	447	392
60—80 " - -	349	446	476	744	928	1044	946	682	524	400	444	520	476
80 years and upwards	97	111	132	203	240	311	259	179	157	102	113	132	117
Deaths from—													
Small pox - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles - - - -	43	59	57	58	65	62	51	45	46	27	33	50	42
Scarlet Fever - - -	8	15	9	11	12	6	7	6	6	10	7	5	4
Diphtheria - - - -	52	43	55	54	56	58	49	40	37	46	51	35	48
Whooping-cough - - -	15	20	36	31	28	26	37	34	39	45	37	51	40
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	26	29	13	36	18	19	23	17	13	17	22	18	17
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	7	14	14	12	9	10	9	10	15	14	11	6	11
Cholera - - - -	-	-	-	-	-	-	-	-	-	-	1	-	1
All the above Diseases -	151	180	185	202	188	181	176	152	156	159	162	165	163
Dis. of Respiratory System -	430	548	646	968	1171	1221	994	728	490	432	423	527	485
Phthisis - - - - -	177	190	225	208	239	200	204	220	177	157	161	193	162
Dis. of Circulatory System -	143	165	172	278	271	284	246	206	160	135	154	191	164
Violence - - - -	66	76	81	107	103	103	86	91	75	77	89	75	76
Inquest Cases - - - -	155	188	203	263	281	313	239	226	183	158	199	180	193
Deaths in Public Institutions -	532	603	578	700	859	843	817	702	645	581	593	591	590
TEMPERATURE OF THE AIR.													
Mean - - - - -	45°·3	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45°.4
Mean of Highest readings -	50·5	46·6	34·2	38·5	43·3	45·1	43·0	46·2	49·3	37·3	36·2	41·4	51·6
Mean of Lowest readings -	39·4	37·9	23·7	30·3	33·4	36·0	32·9	33·0	39·1	33·2	25·4	29·1	39·4
Humidity of the Air - -	82	87	73	92	84	88	80	85	84	87	73	84	85
Rain-fall (in inches) - -	0·29	0·46	0·05	0·08	0·59	0·48	0·48	0·74	0·32	0·96	0·29	1·46	0·51
Registered Sunshine (in hours)	8·2	10·0	7·4	0·7	6·2	9·5	14·1	12·4	5·0	3·1	19·	13·5	18·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	1	-	5	7	8	18	21	24	21	17	8	11
Scarlet Fever - - - -	3445	3290	3084	2916	2881	2730	2562	2441	2287	2179	2089	2052	2009
Diphtheria - - - -	1735	1730	1720	1701	1693	1653	1601	1582	1606	1581	1549	1498	1437
Enteric Fever - - - -	461	460	452	420	406	382	349	329	307	289	281	270	280

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 8th Week of the 10 years 1890-99*.	In the Week ending Saturday, 24th February 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1995·6	1894	355	218	91	245	392	476	117
Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
- - - -	50·8	42	8	30	4	-	-	-	-
Fever - - -	13·6	4	1	2	1	-	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
a - - - -	49·7	52	-	1	2	7	14	23	5
ng-cough - -	66·6	40	13	24	3	-	-	-	-
ria - -	41·7	48	1	28	18	1	-	-	-
Continued and lned Fever -	0·6	-	-	-	-	-	-	-	-
Fever - - -	8·9	17	-	-	5	10	2	-	-
and Chol. Diarr.	-	1	1	-	-	-	-	-	-
a, Dysentery -	15·6	11	6	1	-	-	1	2	1
nt Fever - -	-	-	-	-	-	-	-	-	-
nobia - - -	-	-	-	-	-	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·2	-	-	-	-	-	-	-	-
l Affections - -	11·5	11	5	-	-	3	2	1	-
as - - -	3·9	3	1	-	-	-	-	-	2
and Septicæmia	2·5	-	-	-	-	-	-	-	-
al Fever - -	4·0	3	-	-	1	2	-	-	-
ymotic Diseases	2·5	3	1	-	-	2	-	-	-
- - - -	0·7	1	1	-	-	-	-	-	-
nd other Para- Diseases -	0·2	1	-	-	-	1	-	-	-
on, Want of -milk - -	1·7	2	2	-	-	-	-	-	-
sm - - -	11·1	20	-	-	-	5	12	3	-
tic Fever, natism of Heart	8·4	13	-	1	7	2	3	-	-
tism - - -	2·2	2	-	-	-	-	-	2	-
- - - -	3·6	3	-	-	-	-	-	3	-
- - - -	6·5	5	2	3	-	-	-	-	-
- - - -	74·9	82	-	-	2	8	36	34	2
esenterica - -	19·5	14	6	3	1	3	1	-	-
lar Meningitis -	24·2	25	6	15	2	2	-	-	-
- - - -	188·2	162	1	2	4	77	66	11	1
, Tuberculosis -	20·6	15	1	8	2	2	-	2	-
Constitutional es - -	14·3	17	-	-	-	5	4	8	-
re Birth - -	50·4	43	43	-	-	-	-	-	-
sis - - -	3·6	11	11	-	-	-	-	-	-
tal Malforma- - - -	6·9	6	6	-	-	-	-	-	-
- - - -	60·2	81	-	-	-	-	-	32	49
y - - -	50·4	59	-	-	-	1	15	37	6
- - - -	5·8	13	-	-	2	3	3	5	-
ions - - -	45·4	34	31	3	-	-	-	-	-
iseases of Brain ervous System	100·8	79	8	8	3	8	18	28	6
of Organs of l Sense -	3·9	7	-	2	2	2	-	1	-

CAUSES OF DEATH	Corrected Averages for the 8th Week of the 10 years 1890-99*.	In the Week ending Saturday, 24th February 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	172·2	164	5	1	9	23	50	66	10
Croup - - - -	7·2	2	1	1	-	-	-	-	-
Bronchitis - - -	332·3	278	54	20	2	6	47	124	25
Pneumonia - - -	161·3	166	38	37	7	19	36	27	2
Pleurisy - - - -	7·4	7	-	1	-	1	2	3	-
Other Diseases of Respiratory System -	38·7	32	6	3	1	3	8	10	1
Dentition - - - -	11·4	5	2	3	-	-	-	-	-
Quinsy, Sore Throat -	1·4	3	-	2	-	1	-	-	-
Enteritis - - -	14·0	22	8	1	2	4	3	3	1
Gastro-enteritis -		10	6	1	-	-	1	2	-
Peritonitis - - -	5·8	2	-	1	-	1	-	-	-
Diseases of Liver - -	26·4	38	-	-	1	7	20	10	-
Other Diseases of Digestive System	30·0	26	9	2	1	4	6	4	-
Diseases of Lymphatic System & of Ductless Glands - - -	3·2	2	-	-	-	1	1	-	-
Diseases of Urinary System - - -	51·8	51	1	4	2	8	19	16	1
Diseases of Generative System - - -	6·2	7	1	-	-	3	3	-	-
Accidents of Childbirth -	5·5	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	7·9	3	-	-	2	-	-	-	1
Diseases of Integumentary System - -	5·6	6	-	-	-	-	2	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	65·0	3	-	-	-	3	-	-	-
By Vehicles or Horses -		5	-	1	-	-	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		14	2	3	3	-	2	4	-
By Drowning - - -		5	1	-	1	2	1	-	-
By Suffocation in Bed -		15	14	-	-	1	-	-	-
By Poisons or Poisonous Vapours - -		-	-	-	-	-	-	-	-
Other or not stated causes - - - -		25	2	1	1	5	7	5	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·2	-	-	-	-	-	-	-	-
Suicide - - - -	7·5	7	-	-	-	4	1	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	56·9	59	50	5	-	-	2	2	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of , murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 24th February, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2805	1894	355	593	-	42	4	48	40	-	17	-	11	76	193	590
WEST DISTRICTS - - -	778,251	403	325	46	115	-	15	1	5	1	-	-	-	3	9	23	89
NORTH DISTRICTS - - -	1,040,694	658	384	72	126	-	6	-	8	7	-	5	-	-	19	55	109
CENTRAL DISTRICTS - - -	233,635	143	126	24	33	-	1	-	4	4	-	-	-	-	3	8	48
EAST DISTRICTS - - -	716,334	543	327	61	84	-	5	-	4	13	-	5	-	2	22	53	122
SOUTH DISTRICTS - - -	1,642,796	1058	668	152	210	-	15	2	27	15	-	7	-	6	23	54	158
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	64	-	25	-	-	1	-	-	-	-	-	-	-	-	64
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	53	33	6	9	-	-	-	-	-	-	-	-	-	1	2	6
St. John Paddington *H* - - G.	33,510	8	9	-	3	-	-	-	-	-	-	-	-	-	1	1	5
Kensington Town *Ww* - - W.	122,164	72	56	9	26	-	5	-	-	-	-	-	-	1	-	4	19
Brompton *HH* - - W. & C.	48,301	7	12	1	5	-	-	-	-	-	-	-	-	1	-	-	3
North Hammersmith *H* W. & G.	44,638	37	15	5	5	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith *H* W. & G.	59,561	30	30	5	11	-	4	-	-	-	-	-	-	1	1	3	3
Fulham *Ww* - - - W. & C.	113,781	81	55	8	17	-	4	1	4	1	-	-	-	-	1	3	17
Chelsea Kensal Town - C.	21,450	15	11	1	4	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	25	17	2	4	-	-	-	-	-	-	-	-	-	-	1	9
Chelsea South *HH* - - C.	33,139	18	10	2	4	-	-	-	-	-	-	-	-	-	1	1	1
May Fair *W* - - - - G.	23,827	3	19	1	8	-	-	-	-	-	-	-	-	-	-	1	17
Belgrave *WHHH* - - - C.	56,140	18	25	-	5	-	1	-	-	-	-	-	-	-	2	3	5
St. John Westminster *HH* - C.	31,492	19	14	6	5	-	1	-	-	-	-	-	-	-	-	1	-
St. Margaret Westminster *H* - C.	22,097	6	7	-	3	-	-	-	-	-	-	-	-	-	1	1	1
St. James Westminster *WH* N. & G.	23,050	5	9	-	4	-	-	-	-	-	-	-	-	-	-	-	3
St Anne Soho *HHHHH* - N.	12,048	6	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	36,595	14	19	5	5	-	-	-	-	-	-	-	-	-	1	4	5
Rectory Marylebone *W* G. & W.	19,798	8	7	1	3	-	-	-	-	-	-	-	-	-	-	2	1
St. Mary Marylebone *HHHH* G. & W.	19,637	40	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	19	10	4	4	-	-	-	-	-	-	-	-	-	-	2	-
St. John Marylebone *HHH* - W.	32,611	17	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	42	17	-	5	-	-	-	2	1	-	1	-	-	1	3	4
Regent's Park † *HH* - W.	51,403	29	15	3	7	-	-	-	-	1	-	-	-	-	-	-	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	17	22	4	2	-	-	-	-	-	-	-	-	-	-	4	17
Gray's Inn Lane *HHHH* - N.	29,426	17	13	1	2	-	-	-	-	1	-	-	-	-	2	2	5
Somers Town *HH* - - - N.	32,161	10	16	3	5	-	-	-	-	-	-	-	-	-	2	4	4
Camden Town† *WH* - - N.	40,155	24	21	-	13	-	-	-	-	-	-	-	-	-	1	1	12
Kentish Town† *WW* - - N.	60,862	39	22	3	7	-	-	-	-	-	-	-	-	-	1	3	4
Upper Holloway *WWWWwHH* - - N.	98,273	67	47	7	15	-	3	-	1	-	-	-	-	-	3	6	23
Lower Holloway‡ - - - N.	41,805	36	12	6	2	-	2	-	-	-	-	-	-	-	1	3	-
Barnsbury‡ - - - - N.	56,384	46	14	4	3	-	1	-	-	-	-	-	-	-	-	1	-
Islington South-east‡ *H* - N.	75,725	40	29	8	10	-	-	-	-	1	-	-	-	-	3	8	-
Highbury *HH* - - - N.	64,577	33	23	3	11	-	-	-	-	-	-	-	-	-	-	3	-
Stoke Newington *H* - - N.	33,485	17	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	22	13	2	8	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *ww* - E. & N.		37	13	3	-	-	-	-	5	1	-	2	-	-	-	1	7
South-west Hackney *HHH* E. & N.		46	21	3	4	-	-	-	-	1	-	1	-	-	1	4	7
South-east Hackney *WwH* E. & N.		38	31	5	15	-	-	-	-	1	-	1	-	-	2	3	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-ea Sub-District.

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 24th February, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
oomsbury and St. Giles } - N.	29,086	24	10	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-
outh *WH* - - }																		
Giles North *H* - - - N.	9,151	7	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Martin-in-the-Fields *HH* N. & C.	13,077	2	6	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-
and *WHH* - - - - N.	11,839	4	15	-	4	-	-	-	-	-	-	-	-	-	1	1	11	-
and Union Workhouse, Edmonton	†*1,037*	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
lborn *wHHHHHH* - N.	31,042	22	23	4	4	-	1	-	3	-	-	-	-	-	-	2	9	-
James Clerkenwell - - N.	15,777	6	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	17	9	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
swell-street - - - - N.	16,069	5	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
y-road *HHHL* - - - N.	29,897	46	19	11	3	-	-	-	-	3	-	-	-	-	-	-	2	-
itecross-street - - - N.	7,595	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn Union Workhouse, } *Mitcham* - - - -	†*892*	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Botolph* *HH* - - N. & E.	13,061	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	6	13	-	-	-	-	-	-	-	-	-	-	-	2	2	13	-
hallows Barking - - - N.	9,059	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	10	8	-	1	-	-	-	-	-	-	-	-	-	1	2	3	-
xton New Town *w* - - N.	29,575	16	10	1	4	-	-	-	-	1	-	-	-	-	1	3	5	-
xton Old Town - - - N.	27,645	12	14	3	3	-	1	-	-	-	-	-	-	-	-	1	-	-
ggerston *WH* - - N. & E.	47,163	41	28	7	4	-	-	-	1	1	-	-	-	-	-	2	9	-
hnal Green North *H* - E.	49,301	43	18	7	6	-	-	-	-	2	-	1	-	-	-	-	3	-
hnal Green South - - E.	34,194	41	11	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-
hnal Green East *WWHl* - E.	45,667	28	28	2	11	-	-	-	-	1	-	-	-	1	-	3	18	-
alfields - - - E. & N.	26,681	21	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
e End New Town *WH* - E. }	51,995 {	27	39	1	6	-	-	-	2	1	-	3	-	-	6	7	37	-
dman's Fields - - - E. }		11	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	52	11	3	3	-	-	-	-	-	-	-	-	-	1	6	-	-
John, St. George East *W* E.	7 930	7	8	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
dwell *H* - - - E. & N.	10,434	8	4	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-
cliff *W* - - - - E.	14,954	12	6	1	1	-	-	-	-	-	-	-	-	-	1	3	-	-
ehouse - - - - E.	32,917	13	7	2	1	-	-	-	-	1	-	-	-	-	1	1	-	-
e End Old Town West *H* E. }	111,060 {	41	16	4	3	-	1	-	-	-	-	-	-	-	-	3	-	-
e End Old Town East } - E.		40	23	1	7	-	1	-	-	3	-	1	-	-	1	2	10	-
Www																		
v l - - - - E.	41,687	30	17	9	3	-	1	-	-	1	-	-	-	1	1	2	1	-
mley *wwwH* - - - E.	69,821	51	48	4	17	-	-	-	-	1	-	-	-	-	6	11	26	-
lar *WW* - - - - E.	57,759	39	23	3	8	-	1	-	1	1	-	-	-	-	2	2	2	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 24th February, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	10	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Saviour Southwark - - S.	12,301	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	13	7	3	3	-	-	-	-	-	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,083	15	10	4	-	-	1	-	-	1	-	-	-	1	-	1	6
London-road *HL* - - L. & S.	21,316	14	5	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Trinity Newington *H* - S. & L.	28,723	20	14	4	3	-	1	-	-	-	-	-	-	-	-	2	-
St. Peter Walworth *W* - S. & L.	62,045	53	21	3	7	-	-	-	-	-	-	-	-	-	1	1	3
St. Mary Newington- - L. & S.	30,171	17	15	4	4	-	1	-	-	-	-	-	-	-	-	-	-
St. Olave *WH*- - - - S.	11,731	5	27	4	6	-	-	-	1	-	-	-	-	-	4	4	19
Bermondsey *W* - - - S.	85,475	54	30	9	6	-	1	-	-	-	-	2	-	-	3	7	1
Rotherhithe *Ww* - S. & K.	40,379	20	18	5	3	-	1	-	-	-	-	-	-	-	-	-	8
Waterloo-road *HH* - L. & S.	28,396	32	9	4	3	-	1	-	-	-	-	-	-	-	-	-	2
Lambeth Church 1st *H* - L. & S.	18,770	13	19	2	4	-	-	-	1	1	-	-	-	-	2	3	12
Lambeth Church 2nd *WW* L. & S.	40,994	37	24	7	10	-	-	-	-	1	-	-	-	-	-	2	11
Kennington 1st *H* - S. & L.	52,486	48	22	5	10	-	-	-	-	-	-	-	-	-	1	7	-
Kennington 2nd - - S. & L.	43,244	22	17	3	6	-	1	-	1	-	-	-	-	-	1	2	-
Brixton *w* - - - L. & S.	81,825	43	26	7	7	-	-	-	2	-	-	1	-	-	-	2	4
Norwood *WH*- - - - L.	29,318	11	12	3	6	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea - - - - S.	71,730	68	23	2	8	-	2	-	-	-	-	1	-	-	1	3	-
West Battersea *WwH* - - S.	93,385	62	44	12	14	-	2	-	-	6	-	-	-	-	3	4	8
Clapham *H* - - - - S.	46,953	33	12	4	6	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth *WHHL* - - S.	58,101	40	17	4	8	-	-	-	-	-	-	-	-	1	-	1	1
Putney - - - - - S.	20,566	10	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	33	21	5	5	-	-	-	5	1	-	-	-	-	-	-	5
Dulwich - - - - L. & S.	7,519	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	45	60	8	22	-	1	-	-	1	-	1	-	-	1	2	32
Peckham *WW* - S., L., & K.	88,242	51	27	5	13	-	-	-	-	-	-	-	-	-	-	2	1
St. George Camberwell - L. & S.	67,029	35	17	5	3	-	1	-	1	-	-	1	-	-	-	-	-
Deptford North - - - K.	36,152	24	10	3	1	-	-	-	-	-	-	-	-	2	-	-	-
Deptford Central *w* - - K.	45,441	24	15	1	2	-	-	-	6	1	-	1	-	-	-	-	7
Deptford South - - - K.	33,402	13	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,012	14	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	32	22	3	8	-	-	-	-	-	-	-	-	-	1	2	10
Eltham *wH* - - - - - K.	5,911	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	7	6	-	4	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	23	31	5	9	-	1	1	9	2	-	-	-	1	1	-	20
Sydenham *H* - - - - L.	37,601	25	14	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHR* - - K.	15,928	5	7	1	4	-	-	1	1	-	-	-	-	-	-	-	2
Woolwich Dockyard - - K.	19,355	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	18	13	4	3	-	-	-	-	-	-	-	-	-	1	2	1
Plumstead West *H* - - K.	16,714	12	4	1	2	-	-	-	-	-	-	-	-	-	1	2	-
Plumstead East *WH* - - K.	42,538	31	10	3	1	-	1	-	-	1	-	-	-	-	-	2	3
Banstead Asylum - - -	—	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	8
Horton Asylum, Epsom - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	9	-	1	-	-	-	-	-	-	-	-	-	-	-	9
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Dartford Heath - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Hanwell Asylum - - - -	—	-	10	-	7	-	-	-	-	-	-	-	-	-	-	-	10
Colney Hatch Asylum - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Claybury Asylum - - - -	—	-	9	-	4	-	-	-	-	-	-	-	-	-	-	-	9

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 24th February, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
ONDON—OUTER RING -	368,749	1,422,063	1058	548	108	169	-	5	1	18	5	5	9	27	45	61	6
Carshalton *H* - - -	12,228	26,108	9	9	1	4	-	-	-	2	-	-	-	-	-	-	-
Epsom, *part of** *WwHH* -	10,423	12,508	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WwHHH* - -	20,851	128,699	73	38	6	9	-	-	-	-	-	-	2	1	3	4	-
Mitcham *w* - - -	11,697	23,072	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	19	10	1	7	-	-	-	1	-	-	-	-	-	-	-
Kingston *WH* - - -	14,672	33,566	23	14	1	7	-	-	-	-	-	-	-	-	-	1	-
Surbiton *H*- - - -		12,178	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *HH* - -		11,080	2	4	1	2	-	-	-	-	-	-	-	-	-	1	-
Hampton *HL* - - -	4,565	18,252	11	7	2	3	-	-	-	-	-	-	1	1	-	-	-
Richmond *WH* - - -	2,160	25,389	14	5	-	1	-	-	-	-	-	-	-	1	1	2	-
Mortlake *H* - - -	2,823	16,159	8	6	1	-	-	-	-	-	-	-	1	2	2	-	-
Bromley *HHH* - - -	9,127	23,815	18	7	3	2	-	1	-	-	-	-	-	1	1	-	-
Beckenham *H* - - -	6,542	21,969	14	7	1	1	-	-	-	-	-	-	-	1	1	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	5	4	-	-	-	-	-	-	-	1	-	-	-	2	-
Bexley *HHH* - - -	12,540	30,590	27	10	3	2	-	-	-	-	-	-	-	2	3	1	2
Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	13,671	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	7	12	2	3	-	-	-	4	-	-	-	-	1	4	-
Uxbridge - - - -	12,757	7,253	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	13	12	-	5	-	-	-	-	-	-	-	-	-	3	-
Twickenham *HH* - -	2,415	16,027	8	11	2	4	-	-	-	-	-	-	-	1	2	-	-
Brentford *HHHH* - -	4,318	37,777	34	9	2	5	-	-	-	-	-	-	-	-	-	-	-
Chiswick - - - -	1,245	21,963	17	10	-	4	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	38	12	3	7	-	-	-	-	-	-	-	1	1	-	-
Harrow *HHH* - - -	13,809	15,715	13	3	-	-	-	1	-	-	-	-	-	-	-	-	1
Edgware *HH* - - -	6,994	3,844	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	70	33	10	11	-	-	-	-	-	1	1	1	2	1	-
Hendon *WH* - - -	8,382	15,843	18	3	-	1	-	-	-	-	-	-	-	-	-	1	-
South Mimms *HH* - -	21,077	6,367	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	11	8	2	1	-	-	-	1	-	1	-	-	-	4	-
Finchley *HHH* - - -	4,688	25,820	5	7	3	3	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	32	20	4	3	-	-	-	1	-	-	-	-	1	-	-
Tottenham *HH* - - -	4,642	97,174	72	34	9	10	-	-	-	-	-	-	2	3	6	2	-
Edmonton *Www* - -	7,489	36,351	41	16	3	7	-	-	-	-	-	-	-	2	2	3	-
Enfield *WWHH* - -	12,602	31,536	11	14	3	6	-	-	-	-	-	-	-	2	2	1	-
Waltham Abbey - - -	11,017	6,066	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Watford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	29	14	4	4	-	-	-	-	-	-	-	2	3	2	-
Plaistow *HHH* - - -		58,030	58	26	6	-	-	-	-	1	1	-	-	-	2	1	-
Canning Town *H* - -		54,750	57	37	8	7	-	1	-	1	3	-	-	4	6	1	1
Forest Gate *w* - - -		53,511	23	16	3	7	-	-	-	1	-	-	-	-	1	-	2
East Ham *wHHH* - -	3,266	32,713	60	23	7	6	-	2	-	2	1	-	-	-	-	2	-
Leyton *WWWwH* - -	4,334	70,188	52	39	4	17	-	-	-	-	-	1	1	-	2	17	-
Walthamstow *HHHL* -	6,501	57,330	56	19	4	4	-	-	1	1	-	1	-	1	2	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Romford, *part of** *WH* -	6,556	4,324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ilford - - - - -	8,493	10,913	18	5	2	2	-	-	-	-	-	-	-	-	-	-	-
Barking Town, *H* - -	3,814	14,301	15	6	1	1	-	-	-	1	-	-	1	-	-	-	-
Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
London County Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

ne parts of sub-districts inclu ded within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in leld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping . 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ctious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 24th February, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**19·1**	**1·6**	**2442**	**463**	**762**	–	**47**	**5**	**66**	**45**	**22**	**20**	**103**
INNER LONDON -	74,672	4,589,129	21·5	1·8	1894	355	593	–	42	4	48	40	17	11	76
OUTER RING -	368,749	2,063,016	13·9	1·1	548	108	169	–	5	1	18	5	5	9	27

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Fever.
EDINBURGH -	302,262	Feb.	24	148	150	25·9	–	–	2	–	1	–
GLASGOW - -	743,585	„	24	474	502	35·2	–	9	5	5	9	2
DUBLIN - -	349,594	„	24	257	342	51·0	–	5	1	–	–	1
CALCUTTA - -	466,460	Jan.	6	–	326	36·4	10	1	–	–	–	99†
BOMBAY - -	821,764	„	30	239	2385	150·9	229	106	?	?	?	613†
MADRAS - -	452,518	„	12	314	390	44·8	–	12	?	?	?	85
PARIS - - -	2,511,629	Feb.	17	1223	1423	29·4	–	21	1	4*	2	29
BRUSSELS - -	561,130	„	17	286	201	18·6	–	–	–	1*	1	4
AMSTERDAM -	523,743	„	10	307	163	16·2	–	1	–	–	2	1
ROTTERDAM -	315,305	„	10	238	121	19·7	–	1	1	1	1	2
THE HAGUE -	205,328	„	10	142	78	19·7	–	–	–	–	–	1
COPENHAGEN -	349,000	„	17	182	126	18·8	–	–	–	1	3	1
STOCKHOLM -	291,580	„	10	151	116	20·7	–	–	–	7*	–	–
CHRISTIANIA -	221,255	„	17	122	100	23·5	–	–	2	2	–	–
ST. PETERSBURG	1,132,677	„	10	668	619	28·5	7	21	19	35	6	19
MOSCOW - -	988,610	„	10	–	510	26·9	3	5	12	16	1	3
BERLIN - -	1,848,269	„	3	964	650	18·3	–	4	7	9	14	1
HAMBURG - -	691,349	„	17	–	317	23·8	–	2	–	2*	2	–
DRESDEN - -	401,400	Jan.	6	263	128	16·7	–	1	–	1*	8	–
		„	13	231	140	18·2	–	2	1	2*	1	–
BRESLAU - -	406,012	Feb.	17	–	237	29·9	–	3	2	3	3	1
MUNICH - -	463,000	„	10	–	285	32·0	–	30	–	1*	1	–
VIENNA - -	1,639,811	„	10	895	633	20·1	–	10	3	5*	3	–
PRAGUE - -	385,952	„	10	235	175	23·6	–	1	2	2	4	1
BUDA-PESTH -	685,340	„	17	493	253	19·2	–	3	3	1	1	1
TRIESTE - -	167,286	„	10	128	117	36·4	–	–	–	1*	3	–
ROME - - -	512,423	Jan.	20	274	278	28·3	–	8	–	3	1	3§
TURIN (10 days)	344,203	„	10	–	–	–	–	–	–	–	–	–
VENICE - -	172,491	Feb.	3	81	115	34·8	–	–	–	–	–	1
CAIRO - -	570,062	Jan.	7	521	388	35·4	1	2	–	4*	–	4
ALEXANDRIA -	319,766	„	7	311	143	23·3	–	–	–	1*	–	–
NEW YORK (including BROOKLYN)	3,654,594	„	27	1571	1281	18·3	–	32	16	53	9	7
PHILADELPHIA -	1,266,832	Feb.	3	–	507	20·9	–	5	5	28	1	6

* Including deaths from croup.
† Including 30 deaths from plague in Calcutta, and 391 in Bombay.
‡ Including 10 deaths from cholera in Calcutta, and 4 in Bombay.
§ Malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	Air Temperature and Dew Point Temperature. Mean daily value.	Air Temperature and Dew Point Temperature. Great-est.	Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	18	..	29·142	49·1	33·9	15·2	41·9	+ 2·2	37·6	4·3	8·0	2·7	85	83·6	29·7	38·27	WSW.	WSW. & SSW.	5·0	0·0	0·6	396	+101	0·05	1·5
MONDAY -	19	..	28·482	51·9	43·2	8·7	47·9	+ 8·3	45·6	2·3	4·2	0·0	92	56·1	39·0	38·67	SSW. & S.	SSW. & SW.	17·7	0·0	2·9	666	+370	0·24	4·5
TUESDAY -	20	..	28·684	47·9	35·5	12·4	41·2	+ 1·7	37·1	4·1	6·5	3·7	85	78·5	32·0	39·44	WSW. & SW.	SW., WNW. & NNW.	7·4	0·0	1·3	501	+203	0·05	0·0
WEDNESDAY	21	..	29·410	43·9	33·0	10·9	37·6	− 1·9	28·6	9·0	13·2	5·3	70	78·0	29·2	39·90	NW. & WNW.	WNW., SW. & S.	4·7	0·0	0·6	374	+ 74	0·00	0·2
THURSDAY-	22	Last Quarter.	29·298	53·6	38·5	15·1	46·5	+ 6·9	41·2	5·3	10·0	2·3	82	90·5	31·9	39·92	S. & SW.	WSW. & SW.	5·5	0·0	0·7	396	+ 94	0·06	0·8
FRIDAY -	23	Greatest Dec. S.	29·456	55·7	42·0	13·7	49·7	+ 9·9	47·8	1·9	7·6	0·8	93	77·4	36·4	40·10	S., SSE. & SW.	SW. & SSW.	3·9	0·0	0·4	351	+ 46	0·10	0·0
SATURDAY-	24	..	29·571	58·9	49·8	9·1	53·0	+13·1	50·4	2·6	6·1	0·6	91	95·7	46·5	40·63	SSW. & S.	S. & SSW.	1·3	0·0	0·1	227	− 82	0·01	0·0
MEANS -			29·149	51·6	39·4	12·2	45·4	+ 5·7	41·2	4·2	7·9	2·2	85	80·4	35·0	39·56	SW.		..	..	..	Sum 2911	Sum +806	Sum 0·51	1·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	18	w. P. till evening; w. N. after 10h. P.M.	5·4	10·1	Fine and partially cloudy. Slight hoar frost in morning. A shower of rain between 8h. and 9h. P.M.
MONDAY -	19	w. P. and w. N. -	0·0	10·2	Generally overcast; frequent rain. Strong gusty wind prevalent after 6h. A.M. Very mild.
TUESDAY -	20	w. P. generally; v. N. occasionally in afternoon.	2·4	10·2	Fine till 10h. A.M.; cloudy, with brisk wind and frequent showers till afternoon; overcast afterwards.
WEDNESDAY	21	m. P. in morning; v. P. afterwards.	6·2	10·3	Fine; partially cloudy. Hoar frost in morning.
THURSDAY-	22	w. P. and w. N. -	2·8	10·4	Cloudy, with occasional showers till noon; very fine afterwards, and cloudless after 7h. P.M. Mild.
FRIDAY -	23	w. P. throughout -	1·0	10·5	Generally cloudy; showery. Very mild.
SATURDAY-	24	w. P. throughout -	0·5	10·5	Generally overcast; occasional slight showers. A very mild day.
			Sum 18·3	Sum 72·2	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·05 in. at the beginning of the week to 29·19 in. by 11h. A.M. on the 18th; decreased to 28·37 in. by 11h. P.M. on the 19th; increased to 29·48 in. by 7h. P.M. on the 21st; decreased to 29·23 in. by 10h. A.M. on the 22nd; increased to 29·47 in. by 1h. A.M. on the 23rd; decreased to 29·39 in. by 7h. A.M. on the same day; and was 29·62 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE. E.C.

No. 9. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MARCH 3. [Price 1½*d.*

General Register Office, Somerset House,
March 5th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·2 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 22·7, 25·8, and 24·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.		Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
33 Great Towns	22·7	25·8	24·2	21·2	Leicester - -	18·3	25·7	20·5	19·3
Birkenhead -	24·5	19·6	16·9	19·1	Liverpool - -	31·8	33·8	33·8	31·2
Birmingham -	22·0	32·4	22·7	25·1	London - - -	20·4	22·9	21·5	19·0
Blackburn -	32·3	41·5	37·3	31·2	Manchester - -	28·0	37·2	34·7	28·0
Bolton - -	23·8	25·4	24·1	26·0	Newcastle-on-Tyne	25·4	23·4	25·1	19·8
Bradford -	21·8	18·4	21·5	21·3	Norwich - -	22·7	23·2	25·0	18·6
Brighton -	24·4	14·3	23·1	17·2	Nottingham - -	16·5	22·6	21·3	16·8
Bristol - -	19·4	18·1	18·8	17·5	Oldham - -	27·6	28·2	33·3	28·2
Burnley -	19·2	29·5	29·5	17·9	Plymouth - -	26·0	28·6	27·1	30·1
Cardiff - -	12·6	15·8	13·7	17·7	Portsmouth - -	18·7	25·7	18·7	18·5
Croydon -	20·7	19·5	9·9	15·9	Preston - -	35·1	54·8	44·7	29·8
Derby - -	17·9	25·1	22·2	18·3	Salford - - -	34·2	42·7	39·0	30·7
Gateshead -	17·6	30·5	23·4	14·8	Sheffield - -	26·1	26·5	27·6	22·5
Halifax -	26·9	26·4	26·4	27·4	Sunderland - -	30·8	24·1	22·3	18·4
Huddersfield-	20·5	19·5	21·5	20·0	Swansea - -	15·8	24·7	17·8	17·3
Hull - -	25·8	24·7	22·3	19·4	West Ham - -	14·4	19·1	17·6	15·9
Leeds - -	28·4	28·4	29·5	21·0	Wolverhampton -	34·3	41·3	40·7	29·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Halifax, 1·2 in Wolverhampton, 1·3 in Bristol, 1·8 in Sunderland, 1·9 in Blackburn, and 4·8 in Preston ; from *scarlet fever*, 1·8 in Burnley ; and from *whooping-cough*, 1·2 in Liverpool and in Manchester, 1·4 in Birmingham and in Norwich, 1·5 in Blackburn, and 2·1 in Salford. In none of the thirty-three towns did the death-rate from "*fever*" or from *diarrhœa*, reach 1·0 per 1000. The 75 deaths from *diphtheria* included 26 in London, 9 in Sheffield, 6 in Leeds, 6 in Leicester, 5 in Portsmouth, 4 in West Ham, 4 in Liverpool, and 3 in Blackburn. One death from *small-pox* was registered in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2561 BIRTHS and 1668 DEATHS were registered. Allowing for increase of population, the births were 190, and the deaths 334 below, the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 20·4, 22·9, and 21·5 in the preceding three weeks, further fell last week to 19·0. During the four weeks ending on Saturday last the death-rate averaged 21·0 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1668 deaths included 1 from small-pox, 41 from measles, 9 from scarlet fever, 26 from diphtheria, 43 from whooping-cough, 18 from enteric fever, 7 from diarrhœa and dysentery, and not one death from typhus, from any ill-defined form of continued fever, or from cholera; thus, 145 deaths were referred to these diseases, being 49 below the corrected average weekly number.

The death from *small-pox* was that of an unvaccinated female, aged 23 years, who had been removed from Woolwich sanitary area to the Hospital Ship "Atlas." The deaths from *measles*, which had been 33, 50, and 42 in the preceding three weeks, were 41 last week, the corrected average being 51; 7 cases belonged to Hammersmith, 4 to Fulham, and 4 to Wandsworth sanitary areas. The deaths from *scarlet fever*, which had been 7, 5, and 4 in the preceding three weeks, rose again last week to 9, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 51, 35, and 48 in the preceding three weeks, fell again last week to 26, and were 15 below the corrected average; 3 cases belonged to St. Pancras, 3 to Poplar, and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 37, 51, and 40 in the preceding three weeks, rose again last week to 43, but were 22 below the corrected average. The fatal cases of *enteric fever*, which had been 22, 18, and 17 in the preceding three weeks, were 18 last week, the corrected average being 9; 2 cases belonged to Fulham, 2 to St. Pancras, 2 to Mile End Old Town, and 2 to Poplar sanitary areas. The deaths from *diarrhœa*, which had been 11, 6, and 11 in the preceding three weeks, fell again last week to 7, and were 7 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 423, 527, and 485 in the preceding three weeks, further fell last week to 380, and were 188 below the corrected average. The deaths attributed directly to *influenza* numbered 42, having been 63, 74, and 52 in the preceding three weeks; influenza was stated as a contributory cause of 3 other deaths, against 11, 15, and 6 in the preceding three weeks.

Different forms of violence caused 82 deaths, concerning all but 1 of which inquests were held. Of these 82 deaths, 7 were cases of suicide, and 3 of homicide, while the remaining 72 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 10 to burns and scalds, 6 to drowning, and 21 (including 20 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 7 cases of small-pox, 1868 of scarlet fever, 1407 of diphtheria, and 274 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 2 cases, against 1, 0, and 3; of scarlet fever, 154 cases, against 157, 159, and 160; of diphtheria, 176 cases, against 196, 146, and 145; and of enteric fever, 37 cases, against 35, 37, and 49.

Greater London.

In Greater London 3667 births and 2217 deaths were registered, corresponding to annual rates of 28·7 and 17·4 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 2 from scarlet fever, 16 from diphtheria, 7 from whooping-cough, 4 from "fever," and 1 from diarrhœa were registered. Seven of the fatal cases of diphtheria belonged to West Ham District, and 6 to Edmonton District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 43°·1; the latter being 2°·9 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 5·3 hours; the measured rainfall amounted to 0·65 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the Week ending 3rd Mar. 1900	Deaths, the Week ending 3rd Mar. 1900	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Proportion to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6741**	**4729**	**1056**	**1404**	**1**	**115**	**32**	**75**	**121**	**40**	**32**	**193**	**372**	**1142**	**74**	**21·2**	**1·9**	**58·0**	**29·5**	**41·5**	**5·28**	**0·78**	**1·98**	33 Towns.
London - -	4,589,129	2561	1668	340	487	1	41	9	26	43	18	7	82	173	551	8	19·0	1·6	57·5	33·3	43·1	6·17	0·65	1·65	London.
West Ham - -	314,472	194	96	30	25	-	2	-	4	3	-	-	5	6	14	1	15·9	1·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	62	40	6	18	-	-	-	-	-	-	-	1	6	9	-	15·9	-	58·0	29·5	43·1	6·17	0·48	1·22	Croydon.
Brighton - -	124,148	53	41	11	16	-	-	2	1	1	-	-	1	3	12	-	17·2	1·7	56·0	34·0	42·2	6·78	0·51	1·30	Brighton.
Portsmouth -	194,955	116	69	12	21	-	-	-	5	1	-	1	4	5	15	1	18·5	1·9	54·0	31·0	43·8	6·56	0·54	1·37	Portsmouth.
Plymouth - -	102,161	67	59	14	20	-	1	-	-	-	-	-	2	2	7	-	30·1	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	185	109	17	33	-	8	1	1	1	1	1	5	8	32	-	17·5	2·1	56·0	31·0	42·4	5·78	1·25	3·17	Bristol.
Cardiff - -	194,247	104	66	19	16	-	2	-	2	-	-	1	2	2	9	1	17·7	1·3	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	45	35	8	17	-	-	-	-	-	-	-	3	3	3	1	17·3	-	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	48	50	10	15	-	2	1	-	1	1	-	-	1	7	1	29·1	2·9	53·0	30·8	39·8	4·33	1·01	2·57	Wolverhampton.
Birmingham -	519,610	316	250	63	90	-	3	-	1	14	4	3	10	14	78	6	25·1	2·5	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	62	41	5	18	-	-	-	-	3	1	-	-	1	10	-	18·6	1·8	53·8	31·4	41·2	5·11	0·35	0·89	Norwich.
Leicester - -	219,169	119	81	20	22	-	1	1	6	1	-	-	4	5	15	3	19·3	2·1	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	142	78	20	22	-	1	-	1	-	1	1	3	5	15	-	16·8	0·9	52·6	34·3	41·0	5·00	0·95	2·41	Nottingham.
Derby - - -	107,991	55	38	10	13	-	-	1	-	-	-	-	1	5	6	-	18·3	0·5	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	55	43	7	14	-	-	-	-	-	-	-	1	3	6	-	19·1	-	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	450	380	96	94	-	2	2	4	15	1	3	18	29	98	24	31·2	2·2	49·1	34·2	39·9	4·39	0·62	1·57	Liverpool.
Bolton - -	164,240	87	82	15	23	-	-	1	1	2	1	2	2	5	10	-	26·0	2·2	-	-	-	-	-	-	Bolton.
Manchester -	548,768	378	295	74	77	-	6	1	1	13	1	3	9	22	58	5	28·0	2·4	-	-	-	-	-	-	Manchester.
Salford - -	220,816	138	130	30	32	-	1	-	1	9	1	1	1	8	22	1	30·7	3·1	-	-	-	-	-	-	Salford.
Oldham - -	153,297	62	83	16	23	-	2	1	2	1	1	2	2	3	9	-	28·2	3·1	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	58	40	10	15	-	-	4	-	-	-	2	1	1	6	-	17·9	2·7	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	80	82	20	19	-	5	-	3	4	1	-	1	1	11	1	31·2	4·9	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	98	68	17	22	-	11	1	1	-	-	1	2	4	8	2	29·8	6·1	-	-	-	-	-	-	Preston.
Huddersfield	104,484	47	40	5	15	-	1	-	-	-	-	1	4	6	4	-	20·0	1·0	49·8	33·8	38·7	3·72	1·18	3·00	Huddersfield.
Halifax - -	100,710	52	53	7	28	-	2	-	-	-	1	-	2	2	9	1	27·4	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	140	119	20	50	-	3	4	-	1	1	1	4	6	27	2	21·3	1·8	55·0	35·0	40·9	4·94	1·19	3·02	Bradford.
Leeds - - -	431,287	242	174	45	54	-	7	-	6	5	4	-	7	15	19	1	21·0	2·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	238	158	42	38	-	6	1	9	-	-	1	5	9	21	7	22·5	2·4	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	187	89	16	30	-	2	-	-	1	1	-	2	8	18	3	19·4	0·9	52·0	32·0	39·5	4·17	0·65	1·65	Hull.
Sunderland -	147,398	102	52	11	12	-	5	-	-	-	1	1	5	6	10	2	18·4	2·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	61	31	8	8	-	-	-	-	-	-	-	-	-	7	1	14·8	-	-	-	-	-	-	-	Gateshead.
Newcastle† -	234,369	137	89	32	17	-	1	2	-	2	-	-	4	5	16	2	19·8	1·1	-	-	-	-	-	-	Newcastle.†

* See note * on first page of this return. † Owing to an omission on the part of one of the Registrars, the number of deaths of persons aged 60 years and upwards, registered during the week ending 24th February, was erroneously stated to have been 19 instead of 31.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2560	2872	2295	2783	2564	2671	2628	2511	2585	2676	2750·5	2561
Males - -	1264	1419	1183	1416	1336	1349	1343	1279	1356	1409	1404·9	1335
Females - -	1296	1453	1112	1367	1228	1322	1285	1232	1229	1267	1345·6	1226
TOTAL **Deaths** -	1803	2019	1545	1718	1748	3246	1729	1493	1805	1925	2002·1	1668
Males - -	888	1009	767	850	865	1562	868	768	925	984	997·9	865
Females - -	915	1010	778	863	883	1684	861	725	880	941	1004·2	803

*The numbers in this column are the average weekly numbers in the ninth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
TOTAL **Births** - -	2339	2269	2585	1880	2792	2766	2533	2634	2498	2889	2439	2805	2561
TOTAL **Deaths** - - -	1957	2078	2607	3067	3266	2930	2365	1950	1722	1792	2013	1894	1668
Ages at Death: Under 1 year - -	406	427	429	451	408	409	385	344	356	356	380	355	340
1—5 years - -	247	251	272	261	268	256	231	198	192	200	200	218	189
5—20 " - -	117	110	105	125	122	101	105	89	83	104	104	91	72
20—40 " - -	225	256	303	359	393	303	282	247	222	221	230	245	218
40—60 " - -	405	426	551	703	720	656	501	391	367	354	447	392	362
60—80 " - -	446	476	744	928	1044	946	682	524	400	444	520	476	375
80 years and upwards	111	132	203	240	311	259	179	157	102	113	132	117	112
Deaths from—													
Small pox - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Measles - - - - -	59	57	58	65	62	51	45	46	27	33	50	42	41
Scarlet Fever - - -	15	9	11	12	6	7	6	6	10	7	5	4	9
Diphtheria - - - -	43	55	54	56	58	49	40	37	46	51	35	48	26
Whooping-cough - - -	20	36	31	28	26	37	34	39	45	37	51	40	43
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	29	13	36	18	19	23	17	13	17	22	18	17	18
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	14	14	12	9	10	9	10	15	14	11	6	11	7
Cholera - - - - -	-	-	-	-	-	-	-	-	-	1	-	1	-
All the above Diseases -	180	185	202	188	181	176	152	156	159	162	165	163	145
Dis. of Respiratory System -	548	646	968	1171	1221	994	728	490	432	423	527	485	380
Phthisis - - - - -	190	225	208	239	200	204	220	177	157	161	193	162	170
Dis. of Circulatory System -	165	172	278	271	284	246	206	160	135	154	191	164	156
Violence - - - -	76	81	107	103	103	86	91	75	77	89	75	76	82
Inquest Cases - - - -	188	203	263	281	313	239	226	183	158	199	180	193	173
Deaths in Public Institutions -	603	578	700	859	843	817	792	645	581	593	591	590	551
TEMPERATURE OF THE AIR.													
Mean - - - - -	41°·9	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45.4	43°·1
Mean of Highest readings -	46·6	34·2	38·5	43·3	45·1	43·0	46·2	49·3	37·3	36·2	41·4	51·6	48·0
Mean of Lowest readings -	37·9	23·7	30·3	33·4	36·0	32·9	33·0	39·1	33·2	25·4	29·1	39·4	39·8
Humidity of the Air - -	87	73	92	84	88	80	85	84	87	73	84	85	90
Rain-fall (in inches) - -	0·46	0·05	0·08	0·59	0·48	0·48	0·74	0·32	0·96	0·29	1·46	0·51	0·65
Registered Sunshine (in hours)	10·0	7·4	0·7	6·2	9·5	14·1	12·4	5·0	3·1	[illegible]	13·5	18·3	5·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	-	5	7	8	18	21	24	21	17	8	11	7
Scarlet Fever - - - -	3290	3084	2916	2881	2730	2562	2411	2287	2179	2089	2052	2009	1868
Diphtheria - - - -	1730	1720	1701	1693	1653	1601	1582	1606	1581	1549	1498	1437	1407
Enteric Fever - - - -	460	452	420	406	382	349	329	307	289	281	270	280	274

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 9th Week of the 10 years 1890-99*.	In the Week ending Saturday, 3rd March, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	2002·1	1668	340	189	72	218	362	375	112
Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Unvaccinated	0·5	1	-	-	-	1	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
s - - - - -	50·5	41	9	30	2	-	-	-	-
Fever - - -	13·5	9	2	5	1	1	-	-	-
s - - - - -	0·1	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	63·0	42	2	-	3	5	10	18	4
ing-cough - -	64·5	43	24	19	-	-	-	-	-
eria - -	40·6	26	1	18	6	1	-	-	-
Continued and fined Fever -	0·2	-	-	-	-	-	-	-	-
e Fever - - -	8·8	18	-	-	4	13	1	-	-
a and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
œa, Dysentery -	14·0	7	6	-	-	1	-	-	-
ent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	0·1	-	-	-	-	-	-	-	-
rs - - - - -	-	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·2	-	-	-	-	-	-	-	-
al Affections - -	9·0	6	3	-	1	-	2	-	-
elas - - -	4·9	4	-	1	1	-	1	1	-
a and Septicæmia	1·7	3	1	-	1	-	1	-	-
ral Fever - -	4·9	1	-	-	-	1	-	-	-
Zymotic Diseases	2·1	-	-	-	-	-	-	-	-
- - - - -	0·9	1	1	-	-	-	-	-	-
and other Para- l Diseases -	0·7	-	-	-	-	-	-	-	-
tion, Want of t-milk - -	2·7	1	1	-	-	-	-	-	-
lism - - -	9·5	8	-	-	-	6	2	-	-
atic Fever, matism of Heart	7·8	3	-	-	1	2	-	-	-
atism - - -	3·1	-	-	-	-	-	-	-	-
- - - - -	3·1	4	-	-	-	-	1	2	1
s - - - -	4·4	7	3	4	-	-	-	-	-
- - - - -	74·8	80	-	1	-	1	39	36	3
Mesenterica - -	19·8	12	5	5	1	1	-	-	-
ular Meningitis -	21·6	19	7	12	-	-	-	-	-
is - - - - -	184·7	170	-	2	8	69	71	20	-
a, Tuberculosis -	22·1	30	11	4	5	8	1	1	-
Constitutional ses - -	14·6	9	-	-	1	3	1	4	-
ture Birth - -	53·9	40	40	-	-	-	-	-	-
asis - - -	4·2	3	3	-	-	-	-	-	-
nital Malforma- - - - -	9·7	8	7	-	1	-	-	-	-
ge - - - -	60·7	71	-	-	-	-	-	27	44
exy - - -	46·7	57	-	1	-	2	15	29	10
sy - - - -	9·6	4	-	-	-	2	2	-	-
lsions - - -	43·0	27	24	3	-	-	-	-	-
Diseases of Brain Nervous System	95·6	79	8	8	4	16	17	20	6
es of Organs of ial Sense -	4·0	3	-	-	2	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 9th Week of the 10 years 1890-99*.	In the Week ending Saturday, 3rd March, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	172·2	156	1	-	11	24	50	61	9
Croup - - - -	6·8	-	-	-	-	-	-	-	-
Bronchitis - - -	341·7	197	40	20	2	4	34	77	20
Pneumonia - - -	170·4	146	31	28	7	20	34	22	4
Pleurisy - - - -	8·4	10	-	1	-	1	5	3	-
Other Diseases of Respiratory System -	40·7	27	6	3	-	1	8	7	2
Dentition - - - -	11·4	9	6	3	-	-	-	-	-
Quinsy, Sore Throat -	2·4	1	-	-	1	-	-	-	-
Enteritis - - -	13·9	13	4	3	2	-	1	2	1
Gastro-enteritis -		9	5	2	-	-	2	-	-
Peritonitis - - -	5·4	3	-	-	-	2	1	-	-
Diseases of Liver - -	26·6	31	4	-	1	3	14	8	1
Other Diseases of Digestive System	30·5	33	11	3	1	3	8	7	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·4	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	51·1	48	1	1	1	6	19	17	3
Diseases of Generative System - - -	5·5	7	-	-	-	4	2	1	-
Accidents of Childbirth -	5·0	4	-	-	-	2	2	-	-
Diseases of Locomotive System - - -	6·9	-	-	-	-	-	-	-	-
Diseases of Integumentary System - -	6·4	6	3	-	-	-	1	1	1
VIOLENT DEATHS.‡									
(ACCIDENT.)									
By Railways - - -		3	-	-	-	2	1	-	-
By Vehicles or Horses -		8	-	2	2	-	3	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	1	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	52·9	10	1	6	1	1	-	1	-
By Drowning - - -		6	-	-	-	3	2	1	-
By Suffocation in Bed -		21	20	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -		-	-	-	-	-	-	-	-
Other or not stated causes - - - -		22	4	1	-	2	6	7	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·6	3	-	-	1	1	1	-	-
Suicide - - - -	8·6	7	-	-	-	3	3	1	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	55·2	49	45	2	-	1	-	1	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 3rd March, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2561	1668	340	487	1	41	9	26	43	-	18	-	7	82	173	551
WEST DISTRICTS - - -	778,251	376	307	62	91	-	18	-	3	4	-	4	-	3	13	34	106
NORTH DISTRICTS - - -	1,040,694	563	333	64	108	-	4	5	6	9	-	5	-	2	13	23	92
CENTRAL DISTRICTS - - -	233,635	137	86	18	19	-	1	-	1	4	-	-	-	-	3	8	26
EAST DISTRICTS - - -	716,334	500	322	87	66	-	6	-	4	9	-	2	-	-	19	39	134
SOUTH DISTRICTS - - -	1,642,796	985	573	109	185	-	12	3	12	17	-	7	-	2	33	63	146
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	47	-	18	1	-	1	-	-	-	-	-	-	1	1	47
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	43	32	3	10	-	1	-	1	-	-	-	-	1	-	3	6
St. John Paddington *H* - - G.	33,510	10	16	3	5	-	-	-	-	-	-	-	-	-	-	1	8
Kensington Town *Ww* - - W.	122,164	68	55	8	19	-	2	-	-	-	-	-	-	-	2	5	26
Brompton *HH*- - - W. & C.	48,301	9	10	2	4	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *H* } W. & G.	44,638	31	15	5	6	-	-	-	-	1	-	-	-	-	1	2	-
South Hammersmith *H* } W. & G.	59,561	37	18	6	5	-	2	-	-	-	-	-	-	-	1	3	2
Fulham *Ww* - - - W. & C.	113,781	68	62	13	15	-	9	-	1	1	-	3	-	1	2	4	23
Chelsea Kensal Town - C.	21,450	18	10	5	4	-	-	-	-	-	-	-	-	-	1	2	-
Chelsea North *WHHH* - C.	42,057	20	14	5	4	-	-	-	-	-	-	-	-	-	1	3	5
Chelsea South *HH* - - C.	33,139	14	10	2	2	-	1	-	-	-	-	-	-	-	-	-	-
May Fair *W* - - - - G.	23,827	6	20	2	7	-	-	-	-	1	-	-	-	1	1	2	14
Belgrave *WHHH* - - - C.	56,140	23	21	3	4	-	2	-	1	-	-	1	-	-	1	1	11
St. John Westminster *HH* - C.	31,492	15	7	2	3	-	-	-	-	1	-	-	-	-	-	-	1
St. Margaret Westminster *H*- C.	22,097	2	7	-	1	-	-	-	-	-	-	-	-	-	3	5	3
St. James Westminster *WH* } N. & G.	23,050	7	7	2	2	-	1	-	-	-	-	-	-	-	-	2	3
St Anne Soho *HHHHH* - N.	12,048	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* } - - W.	36,595	13	12	-	3	-	-	-	-	-	-	-	-	-	2	2	7
Rectory Marylebone *W* G. & W	19,798	4	8	3	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	40	10	4	4	-	-	-	-	-	-	-	-	-	1	2	3
Christchurch Marylebone *H* - W	32,547	20	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	17	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* } - N. & W.	75,449	28	22	3	5	-	-	3	1	-	-	2	-	-	-	-	9
Regent's Park† *HH* - W.	51,403	17	11	1	5	-	-	-	-	-	-	-	-	-	-	1	-
Tottenham-court *wHHHHHH* } - N. & W.	26,757	8	17	2	6	-	-	-	2	-	-	-	-	-	-	2	9
Gray's Inn Lane *HHHH* - N.	29,426	23	10	1	4	-	-	-	-	1	-	-	-	-	1	2	1
Somers Town *HH* - - - N.	32,161	11	11	3	2	-	-	-	-	-	-	-	-	-	2	2	4
Camden Town† *WH* - - N.	40,155	20	15	1	7	-	-	-	1	-	-	-	-	-	-	-	8
Kentish Town† *WW* - - N.	60,862	28	18	6	7	-	1	-	-	2	-	-	-	-	-	1	2
Upper Holloway *WWWWwHH* } - - N.	98,273	54	54	8	18	-	1	-	-	1	-	1	-	-	1	2	28
Lower Holloway‡ - - - N.	41,805	26	12	2	3	-	2	-	-	1	-	-	-	-	1	4	-
Barnsbury‡ - - - - N.	56,384	42	8	2	3	-	-	-	-	-	-	-	-	-	-	2	-
Islington South-east‡ *H* - N.	75,725	38	19	6	3	-	-	-	-	1	-	-	-	-	1	2	-
Highbury *HH* - - - N.	64,577	24	15	1	7	-	-	-	-	-	-	-	-	-	-	1	2
Stoke Newington *H* - - N.	33,485	22	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	23	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		28	25	5	8	-	-	2	2	1	-	2	-	1	-	-	6
South-west Hackney *HHH* E. & N.		31	15	4	2	-	-	-	-	1	-	-	-	-	2	2	3
South-east Hackney *WwH* E. & N.		46	25	7	8	-	-	-	-	1	-	-	-	1	1	2	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therei namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers ar received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Nev River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-ea Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, RLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER. DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 3rd March, 1900—*continued.*

STRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards	Deaths from Small-pox	Measles	Scarlet Fever	Diphtheria	Whooping-cough	Typhus	Enteric (or Typhoid) Fever	Simple Continued Fever	Diarrhœa	Violence	Inquest Cases	Deaths in Public Institution	Uncertified Causes of Death
ENTRAL DISTRICTS.																		
bury and St. Giles } - N.	29,086	18	8	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
WH - - }																		
s North H - - - N.	9,151	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
in-in-the-Fields HH N. & C.	13,077	5	5	-	2	-	-	-	-	-	-	-	-	-	-	1	3	1
WHH - - - - - N.	11,839	6	5	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n WHHHHH - N.	31,042	14	20	7	3	-	-	-	-	-	-	-	-	-	-	2	7	-
es Clerkenwell - - N.	15,777	10	6	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
l Clerkenwell - - N.	34,356	25	12	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
l-street - - - - N.	16,069	9	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
ad HHL - - - N.	29,897	27	4	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-
ross-street - - - N.	7,595	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ry - - - - - N.	4,035	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Union Workhouse, }	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
am - - - - }																		
olph* HH - - N. & E.	13 061	4	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ulchre WH - - - N.	9,591	3	12	1	3	-	-	-	-	1	-	-	-	-	2	2	10	1
ows Barking - - - N.	9,059	3	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
itch South Hl - E. & N.	17,975	7	8	4	-	-	1	-	-	-	-	-	-	-	2	2	1	-
New Town w - - N.	29,575	18	15	4	1	-	-	-	-	-	-	-	-	-	-	-	8	-
Old Town - - - N.	27,645	16	10	3	3	-	1	-	-	-	-	-	-	-	-	1	-	-
rston WH - - N. & E.	47,163	27	30	7	9	-	-	-	1	-	-	-	-	-	3	4	13	-
l Green North H - E.	49,301	40	12	5	-	-	-	-	-	3	-	-	-	-	1	1	2	-
l Green South - - E.	34,194	21	14	4	2	-	2	-	-	-	-	-	-	-	-	1	-	-
l Green East WWHl - E.	45,667	34	34	6	11	-	-	-	-	-	-	-	-	-	1	3	20	-
lelds - - - E. & N.	26,681	16	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
nd New Town WH - E. } 51,995 {		22	37	6	5	-	-	-	1	-	-	1	-	-	-	3	34	-
an's Fields - - - E.		14	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rge's, North - - - E.	39,576	45	6	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
n, St. George East W E.	7 930	4	7	2	3	-	-	-	-	-	-	-	-	-	1	1	6	-
ell H - - - E. & N.	10,434	2	7	6	-	-	-	-	1	1	-	-	-	-	1	1	5	-
f W - - - - E.	14,954	8	11	4	1	-	1	-	-	1	-	-	-	-	1	3	-	-
ouse - - - - E.	32,917	15	10	2	-	-	1	-	-	-	-	-	-	-	1	2	-	-
nd Old Town West H E. } 111,060 {		44	14	7	3	-	-	-	-	1	-	-	-	-	-	3	-	-
nd Old Town East } - E.		47	32	6	13	-	-	-	-	2	-	-	-	-	1	1	21	-
ww																		
l - - - - E.	41,687	24	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ey wwwH - - - E.	69,821	57	38	3	10	-	-	-	1	-	-	1	-	-	3	4	22	-
r WW - - - - E.	57,759	39	19	7	2	-	-	-	-	1	-	-	-	-	3	6	2	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 3rd March, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Kent-road - - - - S. & L.	22,879	16	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Borough-road *WH* - S. & L.	16,083	6	12	3	3	–	–	–	–	–	–	–	–	1	1	1	6
London-road *HL* - - L. & S.	21,316	13	8	2	2	–	–	–	–	–	–	–	–	–	1	4	–
Trinity Newington *H* - S. & L.	28,723	21	8	4	1	–	–	–	–	2	–	–	–	–	–	1	–
St. Peter Walworth *W* - S. & L.	62,045	52	16	4	6	–	1	–	–	–	–	–	–	–	2	3	1
St. Mary Newington- - L. & S.	30,171	13	9	1	3	–	2	–	–	–	–	–	–	–	–	1	–
St. Olave *WH* - - - - S.	11,731	18	22	4	1	–	–	–	–	2	–	2	–	1	3	4	17
Bermondsey *W* - - - S.	85,475	47	27	9	6	–	–	–	–	2	–	–	–	–	1	1	–
Rotherhithe *Ww* - S. & K.	40,379	21	23	6	8	–	2	–	–	–	–	–	–	–	2	2	12
Waterloo-road *HH* - L. & S.	28,396	27	9	2	3	–	–	–	–	–	–	–	–	–	–	3	1
Lambeth Church 1st *H* - L. & S.	18,770	19	22	5	6	–	–	–	–	–	–	–	–	–	3	4	8
Lambeth Church 2nd *WW* L. & S.	40,994	35	27	4	10	–	–	–	–	–	–	1	–	–	1	2	19
Kennington 1st *H* - - S. & L.	52,486	35	12	3	4	–	–	–	–	1	–	–	–	–	1	1	–
Kennington 2nd - - S. & L.	43,244	21	10	1	3	–	1	–	–	–	–	–	–	–	1	1	–
Brixton *w* - - - L. & S.	81,825	39	18	1	6	–	–	–	2	–	–	1	–	–	1	1	3
Norwood *WH* - - - - L.	29,318	13	7	2	2	–	–	–	1	–	–	–	–	–	–	1	–
East Battersea - - - - S.	71,730	39	19	4	5	–	–	1	–	1	–	–	–	–	1	2	–
West Battersea *WwH* - - S.	93,385	70	36	9	12	–	1	–	–	2	–	–	–	–	2	3	9
Clapham *H* - - - - S.	46,953	27	11	1	5	–	–	–	–	–	–	–	–	–	–	–	1
Wandsworth *WHHL* - - S.	58,101	40	17	5	4	–	1	–	–	–	–	–	–	–	1	3	–
Putney - - - - - S.	20,566	10	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Streatham *WwwwwL* - - L.	61,644	42	26	2	7	–	3	1	1	2	–	1	–	–	1	1	4
Dulwich - - - - L. & S.	7,519	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	55	43	2	22	–	–	–	–	–	–	–	–	–	2	3	28
Peckham *WW* - S., L., & K.	88,242	46	20	8	5	–	–	–	–	–	–	–	–	–	2	3	–
St. George Camberwell - L. & S.	67,029	41	16	4	3	–	–	–	–	–	–	–	–	–	2	3	–
Deptford North - - - K.	36,152	19	18	7	6	–	–	–	–	1	–	–	–	–	–	1	–
Deptford Central *w* - - K.	45,441	29	12	4	5	–	–	–	1	1	–	–	–	–	–	2	1
Deptford South - - - K.	33,402	19	9	–	6	–	–	–	–	–	–	–	–	–	–	1	–
Greenwich West *H* - - K.	23,012	12	4	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Greenwich East *WH* - - K.	37,767	21	22	2	9	–	–	–	–	1	–	–	–	–	1	2	14
Eltham *wH* - - - - K.	5,911	2	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Lee *H* - - - - - K.	24,222	6	6	1	3	–	–	–	–	–	–	–	–	–	1	1	–
Lewisham *WwH* - - - K.	38,139	30	22	3	6	–	–	–	5	2	–	–	–	–	–	–	11
Sydenham *H* - - - - L.	37,601	15	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *wHH* - - K.	15,928	6	9	–	2	–	–	1	1	–	–	1	–	–	1	1	5
Woolwich Dockyard - - K.	9,355	17	6	1	–	–	1	–	–	–	–	–	–	–	1	2	–
Woolwich Arsenal *HHHH* - K.	21,959	11	10	1	4	–	–	–	–	–	–	–	–	–	–	1	–
Plumstead West *H* - - K.	16,714	6	7	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	42,538	37	16	3	6	–	–	–	–	–	–	1	–	–	1	1	6
Banstead Asylum - - -	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2
Horton Asylum, Epsom - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Caterham Asylum - - - -	—	–	9	–	3	–	–	–	–	–	–	–	–	–	–	–	9
Cane Hill Asylum - - - -	—	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Hospital Ships and Camp, Dartford	—	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Darenth Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Dartford Heath - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanwell Asylum - - - -	—	–	9	–	6	–	–	–	–	–	–	–	–	–	–	–	9
Colney Hatch Asylum - - -	—	–	4	–	–	–	–	–	–	–	–	–	–	–	1	1	4
N.E. Hospital - - - - -	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	8	–	5	–	–	–	–	–	–	–	–	–	–	–	8
Claybury Asylum - - - -	—	–	7	–	3	–	–	–	–	–	–	–	–	–	–	–	7

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ing Saturday, 3rd March, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
DON-OUTER RING -	368,749	1,422,063	1106	549	120	181	–	5	2	16	7	4	1	19	47	93	3
Carshalton *H* - - -	12,228	26,108	9	6	2	2	–	–	–	–	–	–	–	–	–	–	–
Epsom, *part of** *WwHHH*	10,423	12,508	6	9	–	4	–	–	–	1	–	–	–	–	–	6	–
Godstone, *part of** *W* -	2,754	1,598	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH* -	20,851	128,699	75	48	7	20	–	1	–	–	1	–	–	1	7	13	–
Mitcham *w* - - -	11,697	23,072	18	4	1	1	–	–	–	–	–	–	–	–	–	–	–
Wimbledon *HHH* - -	3,220	25,777	26	9	4	3	–	–	–	–	–	–	–	–	2	–	–
Kingston *WH* - - -	14,672	33,566	13	12	–	9	–	–	–	–	–	–	–	1	1	5	–
Surbiton *HH* - - -		12,178	12	5	1	4	–	–	–	–	–	–	–	–	–	–	–
Esher, *part of** *H* - -		11,080	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Hampton *HL* - - -	4,565	18,252	13	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Richmond *WHH* - -	2,160	25,389	12	4	–	3	–	–	–	–	–	–	–	–	–	1	–
Mortlake *H* - - -	2,823	16,159	5	3	1	1	–	–	–	–	–	–	–	–	1	–	–
Bromley *HHH* - - -	9,127	23,815	16	8	1	2	–	1	–	1	–	–	–	–	–	2	–
Beckenham *H* - - -	6,542	21,969	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Chislehurst, *part of** *WHH*	14,307	20,372	14	10	3	3	–	–	–	–	–	1	–	–	1	2	1
Bexley *HHH* - - -	12,540	30,590	31	10	4	4	–	–	–	–	–	–	–	1	1	–	–
Dartford *WH*, *part of** -	—	—	–	3	–	2	–	–	–	–	–	–	–	–	–	3	–
Sunbury *w* - - -	11,054	13,671	10	7	1	4	–	–	–	–	–	–	–	–	1	–	–
Staines *WH* - - -	13,277	13,221	7	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Hillingdon *WHH* - -	6,035	12,237	9	10	1	6	–	–	–	–	–	–	–	–	–	6	–
Uxbridge - - - -	12,757	7,253	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH* - - - -	7,952	11,051	10	3	2	–	–	–	1	–	–	–	–	–	–	–	–
Isleworth *WHH* - -	6,967	26,004	15	17	3	6	–	–	–	1	–	1	–	–	1	6	–
Twickenham *HH* - -	2,415	16,027	5	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Brentford *HHHH* - -	4,318	37,777	11	11	2	4	–	–	–	–	–	–	–	2	2	–	–
Chiswick - - - -	1,245	21,963	18	5	2	2	–	–	–	–	–	–	–	–	–	–	–
Acton *wHH* - - -	6,132	30,945	17	11	1	1	–	–	–	–	–	–	1	–	–	1	–
Harrow *HHH* - - -	13,809	15,715	11	5	1	4	–	–	–	–	–	–	–	–	–	–	–
Edgware *HH* - - -	6,994	3,844	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Willesden *HHH* - -	4,383	61,265	65	23	3	7	–	–	–	–	–	1	–	1	3	–	–
Hendon *WH* - - -	8,382	15,843	10	7	–	5	–	–	–	–	–	–	–	–	–	4	–
South Mimms *HH* - -	21,077	6,367	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Barnet *WHH* - - -		14,152	7	5	–	2	–	–	–	–	–	–	–	–	–	–	–
Finchley *HHH* - - -	4,688	25,820	22	8	1	6	–	–	–	–	–	–	–	–	1	1	–
Hornsey *HH* - -	3,039	61,097	35	21	4	5	–	–	–	–	–	–	–	–	1	–	–
Tottenham *HHH* - -	4,642	97,174	94	30	10	7	–	–	–	–	–	1	–	1	5	–	1
Edmonton *Ww* - -	7,489	36,351	37	23	7	10	–	–	–	1	–	–	–	1	5	9	–
Enfield *WWHH* - -	12,602	31,536	19	8	1	1	–	–	–	3	1	–	–	–	–	1	–
Waltham Abbey - - -	11,017	6,066	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cheshunt *H* - - -	8,480	9,620	6	2	1	–	–	–	–	–	–	–	–	1	1	–	–
Hatfield, *part of** *W* - -	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H* - - - -	9,331	7,737	4	4	1	2	–	–	–	–	–	–	–	–	–	–	–
Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford *H* - - -	4,706	38,612	24	15	4	4	–	–	–	–	–	–	–	1	1	–	–
Plaistow *HHH* - - -		58,030	71	22	11	5	–	–	–	–	–	–	–	4	5	1	1
Canning Town *H* - -		54,750	68	31	11	5	–	2	–	4	3	–	–	–	–	–	–
Forest Gate *w* - - -		53,511	31	15	4	3	–	–	–	–	–	–	–	–	–	–	–
East Ham *wHHH* - -	3,266	32,713	53	30	2	8	–	1	–	2	–	–	–	1	2	2	–
Leyton *WWWwH* - -	4,334	70,188	66	36	6	13	–	–	1	1	1	–	–	–	2	18	–
Walthamstow *HHHL* -	6,501	57,330	61	21	9	–	–	–	–	–	1	–	–	3	3	–	–
Chigwell, *part of** *HHHH*	11,779	12,941	9	6	2	2	–	–	–	–	–	–	–	–	–	–	–
Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W* -	6,556	4,324	3	7	–	4	–	–	–	–	–	–	–	–	–	4	–
Ilford *H* - - - -	8,493	10,913	12	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Barking Town, *H* - -	3,814	14,301	16	7	2	1	–	–	–	–	–	–	–	–	–	–	–
Eastern Fever Hospital, Homerton.	—	—	–	2	–	–	–	–	–	2	–	–	–	–	–	2	–
Middlesex County Asylum, Wandsworth.	—	—	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
City of London Asylum, Stone.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
London County Asylum, Hanwell.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–

parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham rley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in d sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ous Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are cluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 3rd March, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**17·4**	**1·4**	**2217**	**460**	**668**	**1**	**46**	**11**	**42**	**50**	**22**	**8**	**101**
INNER LONDON -	74,672	4,589,129	19·0	1·6	1668	340	487	1	41	9	26	43	18	7	82
OUTER RING -	368,749	2,063,016	13·9	0·9	549	120	181	-	5	2	16	7	4	1	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	March 3	179	132	22·8	-	1	-	-	2	1
GLASGOW - -	743,585	„ 3	490	490	34·4	-	10	9	4	6	4
DUBLIN - -	349,594	„ 3	179	230	34·3	-	1	1	1	-	4
CALCUTTA - -	466,460	Jan. 13	-	352	39·3	8	-	-	-	-	100†
BOMBAY - -	821,764	Feb. 6	219	2398	151·7	225	96	?	?	?	700†
MADRAS - -	452,518	Jan. 19	379	408	46·8	1	11	?	?	?	106
PARIS - - -	2,511,629	Feb. 24	1204	1385	28·6	-	26	5	6*	2	26
BRUSSELS - -	561,130	„ 24	271	236	21·9	-	2	1	1*	1	2
AMSTERDAM -	523,743	„ 17	297	184	18·3	-	-	1	1	4	1
ROTTERDAM -	315,305	„ 17	263	131	21·3	-	5	-	2	1	1
THE HAGUE -	205,328	„ 17	132	98	24·8	-	-	-	2	-	1
COPENHAGEN -	349,000	„ 24	249	147	22·0	-	-	1	2	1	-
STOCKHOLM -	291,580	„ 17	126	106	18·9	-	-	-	4*	-	-
CHRISTIANIA -	221,255	„ 24	141	86	20·4	-	2	2	-	5	-
ST. PETERSBURG	1,132,677	„ 17	726	611	28·1	4	13	16	28	5	19
MOSCOW - -	988,610	„ 17	-	486	25·6	1	9	10	15	6	1
BERLIN - -	1,848,269	„ 10	970	703	19·8	-	4	8	7	16	2
HAMBURG - -	691,349	„ 24	-	-	-	-	-	-	-	-	-
DRESDEN - -	401,490	Jan. 20	220	139	18·0	-	2	-	1*	1	-
BRESLAU - -	406,012	Feb. 24	-	197	24·9	-	1	-	-	1	-
MUNICH - -	463,000	„ 17	-	266	30·0	-	20	-	2*	2	2
VIENNA - -	1,639,811	„ 17	1034	607	19·2	-	8	4	4*	3	-
PRAGUE - -	385,952	„ 17	242	166	22·4	-	-	-	-	4	1
BUDA-PESTH -	685,340	„ 24	-	-	-	-	-	-	-	-	-
TRIESTE - -	167,286	„ 17	99	101	31·3	-	-	-	1*	2	-
ROME - - -	512,423	Jan. 27	277	314	32·0	-	4	-	4	1	4§
TURIN (10 days)	344,203	„ 10	-	-	-	-	-	-	-	-	-
VENICE - -	172,491	Feb. 10	77	102	30·8	-	-	-	-	-	-
CAIRO - -	570,062	Jan. 14	457	394	35·9	1	3	-	3*	2	9
ALEXANDRIA -	319,766	„ 14	269	157	25·5	-	-	-	3*	-	1
NEW YORK (including BROOKLYN)	3,654,594	Feb. 3	1570	1309	18·7	-	21	21	55	11	13
PHILADELPHIA -	1,266,832	„ 10	-	531	21·9	-	7	7	26	2	6

* Including deaths from croup.
† Including 32 deaths from plague in Calcutta, and 458 in Bombay.
‡ Including 22 deaths from cholera in Calcutta, and 7 in Bombay.
§ Including one death from malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	Collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	25	..	29·645	55·9	47·6	8·3	51·3	+11·3	49·9	1·4	5·1	0·0	95	79·7	45·5	41·45	SE., E. & SW.	SW., ENE. & E.	2·3	0·0	0·1	189	−125	0·02	0·0
MONDAY -	26	..	29·403	57·5	43·5	14·0	48·9	+ 8·8	47·0	1·9	8·0	0·0	93	65·2	43·5	42·28	ENE., E. & ESE.	SSE., SE. & ESE.	3·5	0·0	0·2	217	−101	0·08	0·0
TUESDAY -	27	..	29·347	49·1	46·3	2·8	47·4	+ 7·3	46·8	0·6	3·4	0·0	98	58·1	42·3	42·87	ESE., ENE. & SW.	SW. & SSE.	1·0	0·0	0·0	195	−127	0·37	0·0
WEDNESDAY	28	..	29·779	47·0	37·9	9·1	40·4	+ 0·2	39·0	1·4	4·1	0·0	95	47·5	32·8	43·29	E., ENE. & NE.	NE. & NNE.	2·6	0·0	0·3	324	− 2	0·15	0·0
MARCH. THURSDAY-	1	New. Peri. In Eqr.	30·072	42·3	33·8	8·5	37·2	− 3·0	29·2	8·0	13·6	1·3	73	90·9	28·1	43·49	N., NE. & ENE.	NE., E. & N.	3·6	0·0	0·3	322	− 7	0·01	0·2
FRIDAY -	2	..	30·081	41·0	33·3	7·7	37·0	− 3·4	34·3	2·7	6·2	1·2	90	58·4	27·2	43·20	NNW. & N.	N.	4·3	0·0	0·4	305	− 26	0·02	0·8
SATURDAY-	3	..	30·020	43·2	36·3	6·9	39·4	− 1·1	34·5	4·9	8·6	2·2	83	57·8	34·0	42·75	NNW. & N.	N.	1·2	0·0	0·1	229	−104	0·00	0·0
MEANS -			29·764	48·0	39·8	8·2	43·1	+ 2·9	40·1	3·0	7·0	0·7	90	69·7	36·2	42·76	Variable & N.		..	..	..	Sum 1781	Sum −492	Sum 0·65	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. February.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	25	w. P. throughout -	1·3	10·6	Overcast till noon, with occasional showers in early morning; fine and partially cloudy afterwards. A very mild day.
MONDAY -	26	w. P. generally; occasional w. N.	1·3	10·6	Generally cloudy, with occasional showers; fine in afternoon. Very mild.
TUESDAY -	27	w. P. generally; occasional w. N. in morning.	0·0	10·7	Overcast. Continuous slight rain between 2h. A.M. and 5h. P.M. Great gloom in forenoon. Very mild.
WEDNESDAY	28	w. P. generally; w. N. between 9h. and 11h. A.M.	0·0	10·8	Generally overcast. Rain in forenoon.
MARCH. THURSDAY-	1	w. P. generally till 10h. A.M.; m. P. afterwards; w. N. between 7h. and 8h. A.M.	2·7	10·8	Overcast in morning, with light showers between 7h. and 8h. A.M.; fine generally, with variable amounts of cloud afterwards. A little granular snow fell at 4h. P.M.
FRIDAY -	2	w. P. generally; occasional w. N.	0·0	10·9	Cloudy; frequent slight rain till afternoon.
SATURDAY-	3	w. P. generally; w. N. at 3h. A.M.	0·0	11·0	Generally overcast.
			Sum 5·3	Sum 75·4	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·62 in. at the beginning of the week to 29·55 in. by 4h. A.M. on February 25th; increased to 29·68 in. by 3h. P.M. on the same day; decreased to 29·28 in. by 7h. A.M. on February 27th; increased to 30·17 in. by 9h. P.M. on March 1st; and decreased to 29·99 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 10. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MARCH 10. [Price 1½*d*.

General Register Office, Somerset House,
March 12th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·4 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 25·8, 24·2, and 21·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.		Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
33 Great Towns	**25·8**	**24·2**	**21·2**	**20·4**	Leicester - -	25·7	20·5	19·3	19·5
Birkenhead -	19·6	16·9	19·1	15·1	Liverpool - -	33·8	33·8	31·2	29·1
Birmingham -	32·4	22·7	25·1	22·9	London - - -	22·9	21·5	19·0	18·8
Blackburn -	41·5	37·3	31·2	16·7	Manchester - -	37·2	34·7	28·0	26·9
Bolton - -	25·4	24·1	26·0	24·1	Newcastle-on-Tyne	23·4	25·1	19·8	18·2
Bradford -	18·4	21·5	21·3	17·3	Norwich - -	23·2	25·0	18·6	18·2
Brighton -	14·3	23·1	17·2	14·3	Nottingham - -	22·6	21·3	16·8	18·7
Bristol - -	18·1	18·8	17·5	15·9	Oldham - -	28·2	33·3	28·2	25·9
Burnley -	29·5	29·5	17·9	26·4	Plymouth - -	28·6	27·1	30·1	18·9
Cardiff - -	15·8	13·7	17·7	16·6	Portsmouth - -	25·7	18·7	18·5	19·0
Croydon -	19·5	9·9	15·9	15·5	Preston - -	54·8	44·7	29·8	28·9
Derby - -	25·1	22·2	18·3	19·8	Salford - - -	42·7	39·0	30·7	32·4
Gateshead -	30·5	23·4	14·8	18·6	Sheffield - -	26·5	27·6	22·5	23·2
Halifax -	26·4	26·4	27·4	23·8	Sunderland - -	24·1	22·3	18·4	18·0
Huddersfield-	19·5	21·5	20·0	13·0	Swansea - -	24·7	17·8	17·3	14·3
Hull - -	24·7	22·3	19·4	22·3	West Ham - -	19·1	17·6	15·9	14·9
Leeds - -	28·4	29·5	21·0	20·9	Wolverhampton -	41·3	40·7	29·1	31·4

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·4 in Salford, 1·5 in Plymouth, 1·7 in Leicester, 2·1 in Cardiff, 2·9 in Wolverhampton, and 3·1 in Preston ; from *whooping-cough*, 1·0 in Leicester, 1·1 in Portsmouth and in Birmingham, 1·4 in Oldham, 1·6 in Liverpool and in Bolton, 1·8 in Preston, 2·1 in Salford, and 2·9 in Wolverhampton ; and from *diarrhœa*, 1·0 in Bolton. In none of the thirty-three towns did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000. The 85 deaths from *diphtheria* included 41 in London, 8 in Leicester, 6 in Leeds, 5 in Sheffield, 5 in West Ham, and 3 in Portsmouth. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2841 BIRTHS and 1652 DEATHS were registered. Allowing for increase of population, the births were 86 above, and the deaths 394 below, the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 22·9, 21·5, and 19·0 in the preceding three weeks, further fell last week to 18·8. During the four weeks ending on Saturday last the death-rate averaged 20·6 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1652 deaths included 39 from measles, 8 from scarlet fever, 41 from diphtheria, 37 from whooping-cough, 13 from enteric fever, 6 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 144 deaths were referred to these diseases, being 54 below the corrected average weekly number.

The deaths from *measles*, which had been 50, 42, and 41 in the preceding three weeks, further fell last week to 39, and were 21 below the corrected average; 6 cases belonged to Fulham sanitary area. The deaths from *scarlet fever*, which had been 5, 4, and 9 in the preceding three weeks, were 8 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 35, 48, and 26 in the preceding three weeks, rose again last week to 41, and were 3 above the corrected average; 6 cases belonged to Camberwell, 4 to Bermondsey, 4 to Poplar, and 3 to Newington sanitary areas. The deaths from *whooping-cough*, which had been 51, 40, and 43 in the preceding three weeks, fell again last week to 37, and were 27 below the corrected average; 4 cases belonged to Hackney and 4 to Poplar sanitary areas. The fatal cases of *enteric fever*, which had been 18, 17, and 18 in the preceding three weeks, fell last week to 13, but were 5 above the corrected average; 3 cases belonged to Battersea sanitary area. The deaths from *diarrhœa*, which had been 6, 11, and 7 in the preceding three weeks, were 6 last week, the corrected average being 14. The deaths referred to diseases of the respiratory organs, which had been 527, 485, and 380 in the preceding three weeks, were 378 last week, the corrected average being 571. The deaths attributed directly to *influenza* numbered 37, having been 74, 52, and 42 in the preceding three weeks; influenza was stated as a contributory cause of 3 other deaths, against 15, 6, and 3 in the preceding three weeks.

Different forms of violence caused 82 deaths, concerning all of which inquests were held. Of these 82 deaths, 9 were cases of suicide, 3 of homicide, and 1 of execution, while the remaining 69 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 8 to burns and scalds, 6 to drowning, 2 to the effects of chloroform administered for surgical purposes, and 15 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 7 cases of small-pox, 1777 of scarlet fever, 1385 of diphtheria, and 270 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 1 case, against 0, 3, and 2; of scarlet fever, 147 cases, against 159, 160, and 154; of diphtheria, 178 cases, against 146, 145, and 176; and of enteric fever, 35 cases, against 37, 49, and 37.

Greater London.

In Greater London 4049 births and 2181 deaths were registered, corresponding to annual rates of 31·7 and 17·1 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 1 from scarlet fever, 14 from diphtheria, 8 from whooping-cough, 2 from "fever," and 5 from diarrhœa were registered. Six deaths from diphtheria and 6 from whooping-cough occured in West Ham District.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 39°·2; the latter being 1°·7 below the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 35 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 15·5 hours; the measured rainfall amounted to 0·02 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of February, 1900. The supply was in the ratio of 228 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	February, 1899.	February, 1900.	February, 1899.	February, 1900.
Total Supply - - -	874,661	896,625	188,976,453	204,434,914
From Thames - - - - - -	419,669	428,500	101,194,673	108,121,791
From Lea and from other Sources -	454,992	468,125	87,781,780	96,313,123
Thames.				
Chelsea - - - - - - -	38,131	38,500	11,339,979	11,400,013
West Middlesex - - - - -	83,460	84,987	19,655,130	20,126,778
Southwark and Vauxhall - -	122,361	123,666	30,167,008	31,623,543
Grand Junction - - - - -	63,750	65,811	17,964,935	19,203,453
Lambeth - - - - - - -	111,967	115,536	22,067,571	25,768,004
Lea and other Sources				
New River - - - - - - -	165,805	168,885	33,899,582	36,603,210
East London - - - - - -	198,963	205,436	37,878,000	42,292,792
Kent - - - - - - - -	90,224	93,804	16,004,198	17,417,121

Note.—The Return for February, 1900, as compared with that for the corresponding month of 1899, shows an increase of 21,964 services and of 15,458,461 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during February, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
March 9, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of February.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·8, New River 2·7, East London 4·7, Chelsea and West Middlesex 5·1, Southwark 5·2, Grand Junction 5·3, and Lambeth 5·4.

The five samples taken from the mains of the Thames Companies were clear, but their chemical quality was, in all cases, indifferent, as they contained an excess of organic matter, mainly of vegetable origin. On the average the chemical quality was very similar to that found on examination of the official samples collected at the corresponding time last year.

The samples drawn from the mains of the New River and East London Companies were, in both cases, found to be clear, and they were of fair chemical quality.

The Kent Company's deep-well water was clear and of its usual high organic purity.

Seen through a stratum two feet deep, the Kent water was colourless, the New River very pale yellow, and the remaining waters pale yellow in colour.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Analysis of Metropolitan Waters.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
	THAMES.		°								
Inner Circle.	Chelsea - - -	February 16th. Cab Rank, Horse Guards, Whitehall.	3·0	32·96	·273	·025	0	·306	·331	1·8	21·8
Inner Circle.	West Middlesex -	February 16th. Cab Rank, Riding House-street.	3·9	33·12	·268	·032	0	·322	·354	1·8	21·5
Inner Circle.	Southwark - -	February 16th. Cab Rank, St. George's Church, Borough.	2·4	33·12	·280	·029	0	·346	·375	1·8	22·1
Inner Circle.	Grand Junction -	February 16th. Cab Rank, Portman-street, Oxford-street.	3·2	33·08	·288	·027	0	·341	·368	1·9	22·1
Inner Circle.	Lambeth - - -	February 16th. Cab Rank, St. George's-road, Southwark.	2·4	34·00	·283	·033	0	·372	·405	1·9	22·1
	LEA.										
Inner Circle.	New River - -	February 16th. Cab Rank, Tottenham Court-road.	2·8	33·68	·145	·012	0	·344	·356	1·7	22·4
Inner Circle.	East London - -	February 16th. Cab Rank, Sidney-street, E.	2·2	41·52	·253	·026	0	·472	·498	2·1	25·7
	DEEP WELL.										
Inner Circle.	Kent- - - -	February 16th. Police Station, Blackheath-road.	11·5	39·44	·040	·006	0	·529	·535	2·1	26·6
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected on the 16th February at the Horse Guards cab rank, had a temperature of 3·0° C.; 100,000 lbs. of it contained 32·96 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·273 lb. of carbon and ·025 lb. of nitrogen. The above quantity of water also contained no ammonia and ·306 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was 331 lb. The above weight of water also contained 1·8 lbs. of chlorine, and 21·8 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 10th Mar. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Rainfall. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**7297**	**4553**	**1002**	**1126**	**-**	**120**	**33**	**85**	**131**	**32**	**23**	**185**	**379**	**995**	**70**	**20·4**	**1·9**	**60·0**	**30·5**	**38·4**	**3·56**	**0·03**	**0·08**	**33 Towns.**
London - -	4,589,129	2841	1652	345	411	-	39	8	41	37	13	6	82	169	524	11	18·8	1·6	55·0	35·0	39·2	4·00	0·02	0·05	London.
West Ham - -	314,472	201	90	29	22	-	3	-	5	3	-	-	3	5	15	1	14·9	1·8	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	75	39	7	14	-	1	-	-	1	-	-	3	3	6	-	15·5	0·8	60·0	33·8	39·2	4·00	0·00	0·00	Croydon.
Brighton - -	124,148	61	34	6	12	-	-	-	-	-	-	-	1	3	5	-	14·3	-	57·6	34·0	40·8	4·89	0·00	0·00	Brighton.
Portsmouth -	194,955	89	71	11	21	-	-	1	3	4	-	-	7	10	12	1	19·0	2·1	52·0	35·0	39·5	4·17	0·01	0·03	Portsmouth.
Plymouth - -	102,161	55	37	5	8	-	3	-	1	-	-	-	-	2	2	-	18·9	2·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	193	99	20	29	-	2	1	2	-	1	1	6	17	14	-	15·9	1·1	56·7	34·0	39·0	3·89	0·26	0·66	Bristol.
Cardiff -	194,247	113	62	13	10	-	8	-	1	1	-	-	-	2	5	1	16·6	2·7	-	-	-	-	-	-	Cardiff.
Swansea -	105,472	42	29	8	4	-	-	-	-	1	-	-	-	-	3	-	14·3	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	76	54	18	10	-	5	-	-	5	1	1	3	5	4	-	31·4	7·0	43·0	31·8	36·2	2·33	0·00	0·00	Wolverhampton.
Birmingham -	519,610	353	228	60	53	-	7	5	2	11	2	1	7	12	58	7	22·9	2·8	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	87	40	12	13	-	-	-	-	2	-	-	-	1	3	1	18·2	0·9	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	157	82	21	14	-	7	1	8	4	-	-	3	4	13	4	19·5	4·8	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	141	87	28	24	-	2	-	-	1	1	1	6	10	12	2	18·7	1·1	42·3	32·4	37·0	2·78	0·03	0·08	Nottingham.
Derby - - -	107,991	62	41	14	13	-	-	-	-	-	1	1	-	4	5	-	19·8	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	73	34	4	10	-	-	-	-	-	-	-	-	3	10	2	15·1	-	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	457	354	67	86	-	1	3	2	19	5	2	12	19	94	17	29·1	2·6	51·0	33·6	38·7	3·72	0·00	0·00	Liverpool.
Bolton - -	164,240	83	76	18	20	-	-	-	2	5	2	3	1	4	9	1	24·1	3·8	-	-	-	-	-	-	Bolton.
Manchester -	548,768	404	283	68	65	-	8	2	2	9	-	4	15	24	62	1	26·9	2·4	-	-	-	-	-	-	Manchester.
Salford - -	220,816	177	137	29	20	-	6	3	2	9	1	-	3	11	15	2	32·4	5·0	-	-	-	-	-	-	Salford.
Oldham - -	153,297	66	76	16	22	-	2	2	-	4	2	-	3	7	3	-	25·9	3·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	51	59	17	15	-	2	1	-	1	-	-	1	2	8	-	26·4	1·8	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	75	44	8	6	-	2	-	2	-	-	1	1	1	3	2	16·7	1·9	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	69	66	14	15	-	7	-	-	4	1	2	-	-	4	1	28·9	6·1	-	-	-	-	-	-	Preston.
Huddersfield	104,484	47	26	3	13	-	1	-	-	-	-	-	-	-	4	1	13·0	0·5	47·3	30·5	36·9	2·72	0·00	0·00	Huddersfield.
Halifax - -	100,710	48	46	9	13	-	1	-	-	-	-	-	1	3	6	2	23·8	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	123	97	16	32	-	3	3	-	1	1	-	2	8	12	1	17·3	1·4	43·2	33·0	38·0	3·33	0·04	0·10	Bradford.
Leeds - - -	431,287	275	173	36	47	-	2	-	6	6	-	-	5	15	25	-	20·9	1·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	296	163	33	35	-	4	2	5	-	-	-	8	11	19	6	23·2	1·6	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	163	102	26	23	-	2	-	-	1	1	-	6	11	17	2	22·3	0·9	45·0	31·0	37·8	3·22	0·01	0·03	Hull.
Sunderland -	147,398	122	51	11	14	-	2	-	-	-	-	-	2	6	9	2	18·0	0·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	75	39	8	11	-	-	-	-	-	-	-	-	-	-	-	18·6	-	-	-	-	-	-	-	Gateshead.
Newcastle - -	254,369	147	82	22	21	-	-	1	1	2	-	-	4	7	14	2	18·2	0·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TENTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2536	2505	2510	2769	2636	2681	2534	2654	2736	2627	2755·0	2841
Males - -	1325	1300	1283	1392	1358	1354	1241	1341	1362	1312	1395·8	1458
Females - -	1211	1205	1227	1377	1278	1327	1293	1313	1374	1315	1359·2	1383
TOTAL **Deaths** -	1889	1783	1808	1576	1700	3471	1846	1571	1854	1954	2046·4	1652
Males - -	978	947	921	805	876	1600	948	808	946	943	1028·0	884
Females - -	911	836	887	771	824	1871	898	763	908	1011	1018·4	768

*The numbers in this column are the average weekly numbers in the tenth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
TOTAL **Births** - -	2269	2585	1880	2792	2766	2533	2634	2498	2889	2439	2805	2561	2841
TOTAL **Deaths** - - -	2078	2607	3067	3266	2930	2365	1950	1722	1792	2013	1894	1668	1652
Ages at Death: Under 1 year - -	427	429	451	408	409	385	344	356	356	380	355	340	345
1—5 years - -	251	272	261	268	256	231	198	192	200	200	218	189	208
5—20 " - -	110	105	125	122	101	105	89	83	104	104	91	72	102
20—40 " - -	256	303	359	393	303	282	247	222	221	230	245	218	219
40—60 " - -	426	551	703	720	656	501	391	367	354	448	392	362	367
60—80 " - -	476	744	928	1044	946	682	524	400	444	519	476	375	342
80 years and upwards	132	203	240	311	259	179	157	102	113	132	117	112	69
Deaths from—													
Small pox - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Measles - - - - -	57	58	65	62	51	45	46	27	33	50	42	41	39
Scarlet Fever - - -	9	11	12	6	7	6	6	10	7	5	4	9	8
Diphtheria - - - -	55	54	56	58	49	40	37	46	51	35	48	26	41
Whooping-cough - - -	36	31	28	26	37	34	39	45	37	51	40	43	37
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	13	36	18	19	23	17	13	17	22	18	17	18	13
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	14	12	9	10	9	10	15	14	11	6	11	7	6
Cholera - - - -	-	-	-	-	-	-	-	-	1	-	1	-	-
All the above Diseases -	185	202	188	181	176	152	156	159	162	165	163	145	144
Dis. of Respiratory System -	646	968	1171	1221	994	728	490	432	423	527	485	380	378
Phthisis - - - - -	225	208	239	200	204	220	177	157	161	193	162	170	158
Dis. of Circulatory System -	172	278	271	284	246	206	160	135	154	191	164	156	161
Violence - - - -	81	107	103	103	86	91	75	77	89	75	76	82	83
Inquest Cases - - - -	203	263	281	313	239	226	183	158	199	180	193	173	169
Deaths in Public Institutions -	578	700	859	843	817	702	645	581	593	591	590	551	524
TEMPERATURE OF THE AIR.													
Mean - - - - -	29°·9	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45°.4	43°·1	39°·2
Mean of Highest readings -	34·2	38·5	43·3	45·1	43·0	46·2	49·3	37·3	36·2	41·4	51·6	48·0	43·7
Mean of Lowest readings -	23·7	30·3	33·4	36·0	32·9	33·0	39·1	33·2	25·4	29·1	39·4	39·8	35·8
Humidity of the Air - -	73	92	84	88	80	85	84	87	73	84	85	90	79
Rain-fall (in inches) - -	0·05	0·08	0·59	0·48	0·48	0·74	0·32	0·96	0·29	1·46	0·51	0·65	0·02
Registered Sunshine (in hours)	7·4	0·7	6·2	9·5	14·1	12·4	5·0	3·1	19·3	13·5	18·3	5·3	15·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	-	5	7	8	18	21	24	21	17	8	11	7	7
Scarlet Fever - - - -	3084	2916	2881	2730	2562	2441	2287	2179	2089	2052	2009	1863	1777
Diphtheria - - - -	1720	1701	1693	1653	1601	1582	1606	1581	1549	1498	1437	1407	1385
Enteric Fever - - - -	452	420	406	382	349	329	307	289	281	270	280	274	270

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich: John Merrifield, Esq., LL.D, Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham: E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

E 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TENTH Week of the Year 1900.

S OF DEATH	Corrected Averages for the 10th Week of the 10 years 1890-99*.	In the Week ending Saturday, 10th March, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	2046·4	1652	345	208	102	219	367	342	69
Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·4	-	-	-	-	-	-	-	-
- - - -	60·4	39	5	32	2	-	-	-	-
ever - - -	11·5	8	-	3	4	1	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
Fever - -	-	-	-	-	-	-	-	-	-
- - - -	79·7	37	2	1	5	3	12	13	1
-cough - -	64·3	37	12	21	3	-	1	-	-
a - -	38·3	41	2	28	11	-	-	-	-
Continued and ed Fever -	0·3	-	-	-	-	-	-	-	-
ever - - -	8·2	13	-	2	4	6	1	-	-
nd Chol. Diarr.	-	-	-	-	-	-	-	-	-
, Dysentery -	14·2	6	2	2	-	-	1	1	-
t Fever - -	-	-	-	-	-	-	-	-	-
bia - - -	0·2	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
and Effects of tion - -	0·2	-	-	-	-	-	-	-	-
Affections - -	10·2	11	7	-	-	1	3	-	-
s - - -	4·5	5	2	-	-	1	1	-	1
and Septicæmia	2·0	4	-	-	1	-	1	1	1
l Fever - -	4·9	1	-	-	-	1	-	-	-
motic Diseases	1·7	-	-	-	-	-	-	-	-
- - - -	1·2	-	-	-	-	-	-	-	-
nd other Para- Diseases -	0·1	1	-	1	-	-	-	-	-
n, Want of milk - -	1·9	5	5	-	-	-	-	-	-
m - - -	9·6	10	-	-	-	4	6	-	-
ic Fever, atism of Heart	6·6	11	-	-	7	2	-	2	-
ism - - -	2·7	2	-	-	-	-	-	1	1
- - - -	2·8	-	-	-	-	-	-	-	-
- - - -	6·3	5	3	2	-	-	-	-	-
- - - -	74·5	63	-	-	1	3	27	31	1
senterica - -	18·0	7	3	2	-	1	1	-	-
ar Meningitis -	25·6	21	6	11	3	-	-	1	-
- - - -	190·9	158	2	5	11	74	51	15	-
Tuberculosis -	22·5	22	5	7	6	2	2	-	-
Constitutional es - -	14·8	17	1	2	1	2	7	3	1
re Birth - -	50·4	41	41	-	-	-	-	-	-
sis - - -	4·5	2	2	-	-	-	-	-	-
al Malforma- - - -	9·2	8	8	-	-	-	-	-	-
- - - -	60·7	38	-	-	-	-	-	20	18
y - - -	50·3	57	-	-	-	5	18	31	3
- - - -	8·5	9	-	-	3	1	4	1	-
ons - - -	44·0	37	37	-	-	-	-	-	-
seases of Brain ervous System	98·0	77	10	6	5	17	16	20	3
of Organs of l Sense -	4·3	2	1	-	-	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 10th Week of the 10 years 1890-99*.	In the Week ending Saturday, 10th March, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	165·3	161	-	2	9	28	58	55	9
Croup - - - -	3·6	2	1	-	1	-	-	-	-
Bronchitis - - -	340·2	184	37	21	1	8	35	62	20
Pneumonia - - -	177·4	155	41	36	3	17	37	19	2
Pleurisy - - - -	7·2	7	-	1	-	2	3	1	-
Other Diseases of Respiratory System -	43·0	30	5	4	1	2	10	5	3
Dentition - - - -	11·4	7	5	2	-	-	-	-	-
Quinsy, Sore Throat -	2·5	-	-	-	-	-	-	-	-
Enteritis - - -	13·4	13	4	1	1	3	3	1	-
Gastro-enteritis -		11	8	2	-	-	-	1	-
Peritonitis - - -	5·6	4	-	-	2	1	1	-	-
Diseases of Liver - -	26·2	30	2	1	1	3	12	11	-
Other Diseases of Digestive System	30·5	23	11	1	1	3	1	6	-
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	2	-	-	1	-	-	1	-
Diseases of Urinary System - - -	54·9	61	1	1	7	7	25	18	2
Diseases of Generative System - - -	5·0	5	-	-	-	1	3	1	-
Accidents of Childbirth -	4·8	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	6·5	7	1	-	1	-	-	5	-
Diseases of Integumentary System - -	6·2	9	3	1	-	1	1	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	60·4	4	-	-	-	1	2	1	-
By Vehicles or Horses -		9	-	-	2	1	4	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		8	-	6	1	-	-	1	-
By Drowning - - -		6	1	-	-	3	2	-	-
By Suffocation in Bed -		15	15	-		-	-	-	-
By Poisons or Poisonous Vapours - -		4	-	1	1	1	-	1	-
Other or not stated causes - - -		22	-	1	2	3	9	5	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	3	2	-	-	-	1	-	-
Suicide - - - -	9·8	9	-	-	-	3	5	1	-
Execution - - -	-	1	-	-	-	1	-	-	-
OTHER CAUSES - -	60·1	59	52	2	-	-	2	3	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase lation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 10th March, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2841	1652	345	411	–	39	8	41	37	–	13	–	6	82	169	524
WEST DISTRICTS - - -	778,251	416	269	50	77	–	12	1	3	1	–	–	–	1	13	23	81
NORTH DISTRICTS - - -	1,040,694	612	359	73	85	–	5	2	10	7	–	2	–	2	20	46	124
CENTRAL DISTRICTS - - -	233,635	124	104	21	15	–	–	–	2	4	–	2	–	–	7	10	39
EAST DISTRICTS - - -	716,334	533	267	66	65	–	4	1	3	10	–	1	–	1	14	41	82
SOUTH DISTRICTS - - -	1,642,796	1,156	617	135	155	–	18	2	23	15	–	8	–	2	28	49	162
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	36	–	14	–	–	2	–	–	–	–	–	–	–	–	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	52	35	6	13	–	–	–	–	–	–	–	–	–	–	1	8
St. John Paddington *H* - - G.	33,510	12	8	1	2	–	–	–	–	–	–	–	–	–	–	–	2
Kensington Town *Ww* - - W.	122,164	82	50	10	13	–	2	–	–	–	–	–	–	–	3	4	17
Brompton *HH* - - - W. & C.	48,301	11	9	1	5	–	–	–	–	–	–	–	–	–	–	–	3
North Hammersmith *H* } W. & G	44,638	37	9	3	2	–	–	–	1	–	–	–	–	–	1	1	–
South Hammersmith *H* }	59,561	36	22	9	6	–	–	–	–	–	–	–	–	–	4	6	5
Fulham *Ww* - - - W. & C.	113,781	87	44	4	11	–	7	1	2	–	–	–	–	–	1	4	15
Chelsea Kensal Town - C.	21,450	13	5	2	1	–	1	–	–	–	–	–	–	1	–	–	–
Chelsea North *WHHHH* - C.	42,057	25	15	2	6	–	–	–	–	–	–	–	–	–	–	–	6
Chelsea South *HH* - - C.	33,139	11	11	3	3	–	1	–	–	–	–	–	–	–	–	–	1
May Fair *W* - - - - G.	23,827	3	12	–	4	–	–	–	–	–	–	–	–	–	1	2	10
Belgrave *WHHH* - - - C.	56,140	22	24	3	7	–	–	–	–	1	–	–	–	–	2	3	7
St. John Westminster *HH* - C.	31,492	11	9	2	2	–	–	–	–	–	–	–	–	–	1	2	–
St. Margaret Westminster *H* - C.	22,097	5	11	2	2	–	1	–	–	–	–	–	–	–	–	–	7
St. James Westminster *WH* N. & G.	23,050	8	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St Anne Soho *HHHHH* - N.	12,048	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	11	20	1	2	–	–	–	–	–	–	–	–	–	3	3	12
Rectory Marylebone *W* G. & W.	19,798	8	4	2	–	–	–	–	–	–	–	–	–	–	–	–	2
St. Mary Marylebone *HHHH* G. & W.	19,637	29	6	2	–	–	–	–	–	1	–	–	–	1	–	–	–
Christchurch Marylebone *H* - W	32,547	14	3	–	–	–	1	–	–	–	–	–	–	–	1	1	–
St. John Marylebone *HHH* - W.	32,611	25	7	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *WwHHHH* - N. & W.	75,449	32	23	4	8	–	–	2	2	–	–	1	–	–	–	3	8
Regent's Park † *HH* - W.	51,403	27	15	4	2	–	–	–	–	1	–	–	–	–	–	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	13	24	4	4	–	–	–	–	–	–	1	–	–	3	3	16
Gray's Inn Lane *HHHH* - N.	29,426	17	16	1	5	–	2	–	–	–	–	–	–	–	1	2	4
Somers Town *HH* - - - N.	32,161	16	14	3	3	–	–	–	–	–	–	–	–	–	3	6	5
Camden Town† *WH* - - N.	40,155	17	9	–	5	–	–	–	–	–	–	–	–	–	1	3	3
Kentish Town† *WW* - - N.	60,862	39	20	3	4	–	–	–	–	–	–	–	–	–	–	–	9
Upper Holloway *WWWWwHH* - - N.	98,273	61	58	8	16	–	2	–	1	–	–	–	–	1	1	8	36
Lower Holloway‡ - - - N.	41,805	28	5	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Barnsbury‡ - - - - N.	56,384	40	13	3	4	–	–	–	–	–	–	–	–	–	–	1	–
Islington South-east‡ *H* - N.	75,725	42	22	6	6	–	–	–	–	–	–	–	–	–	1	2	–
Highbury *HH* - - - N.	64,577	35	15	3	5	–	–	–	–	–	–	–	–	–	1	2	–
Stoke Newington *H* - - N.	33,485	24	8	1	4	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney - - E. & N.	213,044	22	8	1	3	–	–	–	–	1	–	–	–	–	–	–	–
Central Hackney *ww* - E. & N.		28	15	7	2	–	–	–	6	–	–	–	–	–	–	–	7
South-west Hackney *HHH* E. & N.		43	20	5	7	–	–	–	–	1	–	–	–	–	2	3	8
South-east Hackney *WwH* E. & N.		41	34	14	4	–	–	–	1	2	–	–	–	–	3	7	13

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two n Sub-Districts entitled Lower Holloway and Barnsbury, respectively, and the remainder was added to Islington South-e Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 10th March, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of — Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from — Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles } - N.	29,086	12	7	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
th *WH* - -																		
iles North *H* - - - N.	9,151	5	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
artin-in-the-Fields *HH* N. & C.	13,077	4	8	3	-	-	-	-	-	1	-	-	-	-	2	2	4	-
nd *WHH* - - - - N.	11,839	5	13	1	3	-	-	-	-	-	-	2	-	-	1	1	9	-
d Union Workhouse, Edmonton	†*1,037*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
orn *wHHHHHH* - N.	31,642	14	9	5	1	-	-	-	-	-	-	-	-	-	-	-	5	-
mes Clerkenwell - - N.	15,777	9	5	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	20	14	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-
ell-street - - - - N.	16,069	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
road *HHHL* - - N.	29,897	30	7	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-
ecross-street - - - N.	7,595	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph* *H* - - N. & E.	13,061	2	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre *WH* - - - N.	9,591	4	20	1	1	-	-	-	2	-	-	-	-	-	2	2	16	-
allows Barking - - - N.	9,059	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	12	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ton New Town *w* - - N.	29,575	11	16	4	6	-	-	1	-	-	-	-	-	-	1	2	9	-
ton Old Town - - - N.	27,645	20	8	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
gerston *WH* - - N. & E.	47,163	45	26	8	5	-	-	-	-	1	-	-	-	-	1	3	10	-
nal Green North *H* - E.	49,301	45	10	3	2	-	-	-	-	1	-	-	-	-	-	2	-	-
nal Green South - - E.	34,194	28	7	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
nal Green East *WWHl* - E.	45,667	27	13	2	4	-	-	-	-	2	-	-	-	1	-	1	6	-
alfields - - - E. & N.	26,681	12	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town *WH* - E.	51,995	23	31	4	5	-	-	-	1	-	-	1	-	-	3	5	27	-
dman's Fields - - - E.		14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.	39,576	37	4	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
ohn, St. George East *W* E.	7 930	7	7	2	4	-	-	-	-	-	-	-	-	-	-	1	4	-
dwell *H* - - - E. & N.	10,434	1	11	3	2	-	-	-	1	-	-	-	-	-	-	2	4	-
cliff *W* - - - - E.	14,954	8	6	3	1	-	2	-	-	1	-	-	-	-	-	1	-	-
ehouse - - - - - E.	32,917	23	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town West *H* E.	111,060	45	23	7	3	-	-	-	-	-	-	-	-	-	2	5	-	-
End Old Town East } - E. *Www*		49	17	5	1	-	-	-	1	1	-	-	-	-	-	2	2	-
v l - - - - - E.	41,687	26	13	3	2	-	2	-	-	-	-	-	-	-	1	2	2	-
mley *wwwH* - - - E.	69,821	58	35	2	12	-	-	-	-	1	-	-	-	-	2	3	17	-
olar *WW* - - - - E.	57,759	42	19	5	7	-	-	-	-	3	-	-	-	-	2	4	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 10th March, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	7	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark - - S.	12,301	8	8	4	1	-	-	-	-	-	-	-	-	-	3	4	-	
Kent-road - - - - S. & L.	22,879	20	10	5	1	-	1	-	-	-	-	-	-	-	-	-	-	
Borough-road *WH* - S. & L.	16,083	21	9	3	1	-	-	-	-	-	-	-	-	-	-	1	3	
London-road *HL* - - L. & S.	21,316	11	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Trinity Newington *H* - S. & L.	28,723	19	7	2	-	-	1	-	-	-	-	-	-	-	-	-	1	
St. Peter Walworth *W* - S. & L.	62,045	46	22	7	3	-	1	-	-	1	-	-	-	-	-	3	2	
St. Mary Newington- - L. & S.	30,171	17	11	2	2	-	1	-	-	-	-	-	-	-	1	2	-	
St. Olave *WH* - - - - S.	11,731	5	21	4	2	-	-	-	-	1	-	1	-	-	4	5	16	
Bermondsey *W* - - - S.	85,475	52	27	4	8	-	-	-	1	3	-	-	-	1	-	1	3	2
Rotherhithe *Ww* - S. & K.	40,379	29	16	4	5	-	2	-	-	-	-	-	-	-	1	1	7	
Waterloo-road *HH* - L. & S.	28,396	26	5	2	-	-	-	-	-	-	-	-	-	-	2	2	-	
Lambeth Church 1st *H* - L. & S.	18,770	13	25	4	2	-	-	-	-	1	-	-	-	-	3	4	17	
Lambeth Church 2nd *WW* L. & S.	40,994	33	24	3	4	-	-	-	-	-	-	1	-	-	2	4	15	
Kennington 1st *H* - - S. & L.	52,486	36	12	4	7	-	-	-	-	-	-	-	-	-	-	-	-	
Kennington 2nd - - S. & L.	43,244	27	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Brixton *w* - - - L. & S.	81,825	59	25	9	6	-	3	1	-	-	-	-	-	-	-	1	1	
Norwood *WH*- - - - L.	29,318	13	9	2	2	-	-	-	-	-	-	-	-	-	-	2	-	
East Battersea - - - - S.	71,730	58	22	5	5	-	1	-	-	1	-	-	-	-	1	1	-	
West Battersea *WwH* - - S.	93,385	71	31	4	9	-	1	-	-	-	-	2	-	-	-	2	11	
Clapham *H* - - - - S.	46,953	38	14	3	6	-	-	-	-	-	-	-	-	-	-	-	2	
Wandsworth *WHHL* - - S.	58,101	52	18	3	7	-	1	-	-	-	-	-	-	-	-	2	1	
Putney - - - - - - S.	20,566	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham *WwwwwL* - - L.	61,644	38	31	9	9	-	1	-	3	1	-	1	-	-	1	1	8	
Dulwich - - - L. & S.	7,519	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell *WWwll* - S. & L.	90,286	61	44	5	16	-	2	-	1	-	-	-	-	1	3	3	28	
Peckham *WW* - S., L., & K.	88,242	71	18	7	7	-	-	-	-	-	-	-	-	-	2	2	1	
St. George Camberwell - L. & S.	67,029	52	22	8	2	-	-	-	1	-	-	-	-	-	-	-	-	
Deptford North - - - K.	36,152	29	11	5	1	-	-	-	-	-	-	-	-	-	1	2	-	
Deptford Central *w* - - K.	45,441	48	28	3	4	-	-	-	10	2	-	2	-	-	2	2	13	
Deptford South - - - K.	33,402	24	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
Greenwich West *H* - - K.	23,012	14	12	-	6	-	-	-	1	-	-	-	-	-	-	-	1	
Greenwich East *WH* - - K.	37,767	17	23	4	3	-	-	-	-	1	-	-	-	-	1	2	13	
Eltham *wH* - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee *H* - - - - - K.	24,222	11	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham *WwH* - - - K.	38,139	28	21	3	7	-	-	-	5	1	-	1	-	-	-	-	12	
Sydenham *H* - - - - L.	37,601	16	8	1	1	-	-	-	-	2	-	-	-	-	-	-	-	
Charlton *wHH* - - K.	15,928	7	10	-	4	-	-	1	1	-	-	-	-	-	-	-	3	
Woolwich Dockyard - - K.	9,355	15	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Woolwich Arsenal *HHHH* - K.	21,959	16	5	2	-	-	-	-	-	1	-	-	-	-	1	1	-	
Plumstead West *H* - - K.	16,714	6	5	-	4	-	1	-	-	-	-	-	-	-	-	1	-	
Plumstead East *WH* - - K.	42,538	27	16	4	6	-	-	-	-	-	-	-	-	-	-	-	4	
Banstead Asylum - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	
Horton Asylum, Epsom - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill Asylum - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Dartford Heath - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Hanwell Asylum - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	
Colney Hatch Asylum - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
Winchmore Hill Hospital - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
Leavesden Asylum - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	
Claybury Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 10th March, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON—OUTER RING -	368,749	1,422,063	1208	529	127	158	–	8	1	14	8	2	5	19	34	71	4
Carshalton *H* - - -	12,228	26,108	12	10	–	5	–	–	–	1	–	–	–	–	2	–	–
Epsom, *part of** *WwHHH*	10,423	12,508	6	6	3	1	–	–	–	–	–	–	–	–	–	2	–
Godstone, *part of** *W* -	2,754	1,598	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH* -	20,851	128,699	84	54	9	21	–	1	–	–	1	–	–	4	4	8	–
Mitcham *w* - - -	11,697	23,072	12	3	–	2	–	–	–	–	–	–	–	–	–	1	–
Wimbledon *HHH* - -	3,220	25,777	13	9	3	2	–	–	–	–	–	–	–	–	–	–	–
Kingston *WH* - - -	14,672	33,566	26	6	–	3	–	–	–	1	–	–	–	–	–	–	–
Surbiton *HH* - - -		12,178	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Esher, *part of** *H* - -		11,080	12	3	1	1	–	–	–	–	–	–	–	1	1	–	–
Hampton *HL* - - -	4,565	18,252	10	6	1	2	–	–	–	–	–	–	1	1	1	1	–
Richmond *WHH* - -	2,160	25,389	8	3	1	–	–	–	–	–	–	–	1	–	1	–	–
Mortlake *H* - - -	2,823	16,159	12	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Bromley *HHH* - - -	9,127	23,815	16	11	2	3	–	1	1	–	–	–	–	–	–	1	1
Beckenham *H* - - -	6,542	21,969	13	9	–	1	–	–	–	1	–	–	–	–	–	–	–
Chislehurst, *part of** *WHH*	14,307	20,372	6	8	–	3	–	–	–	–	–	1	–	–	–	5	–
Bexley *HHH* - - -	12,540	30,590	30	10	1	3	–	–	–	1	–	–	–	–	–	–	–
Dartford *WH*, *part of** -	—	—	–	2	–	–	–	–	–	–	–	–	–	1	1	2	–
Sunbury *w* - - -	11,054	13,671	20	5	3	1	–	–	–	–	–	–	–	–	–	–	–
Staines *WH* - - -	13,277	13,221	9	10	1	7	–	–	–	–	–	–	–	–	–	6	–
Hillingdon *WHH* - -	6,035	12,237	10	2	–	–	–	–	–	1	–	–	–	–	–	1	–
Uxbridge - - - -	12,757	7,253	6	4	1	1	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH* - - - -	7,952	11,051	5	4	3	–	–	–	–	–	–	–	1	1	1	–	–
Isleworth *WHH* - -	6,967	26,004	15	12	1	7	–	–	–	–	–	–	–	–	–	4	–
Twickenham *HH* - -	2,415	16,027	9	8	2	3	–	1	–	–	–	–	–	1	1	1	–
Brentford *HHHH* - -	4,318	37,777	23	13	2	1	–	1	–	–	–	–	–	–	–	–	–
Chiswick - - - -	1,245	21,963	16	9	3	3	–	–	–	–	–	–	–	–	–	–	–
Acton *wHH* - - -	6,132	30,945	33	15	7	4	–	–	–	–	1	–	–	–	1	–	–
Harrow *HHH* - - -	13,809	15,715	9	5	–	1	–	1	–	–	–	–	–	–	–	–	–
Edgware *HH* - - -	6,994	3,844	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Willesden *HHH* - -	4,383	61,265	75	19	5	5	–	–	–	–	–	–	–	1	1	2	–
Hendon *WH* - - -	8,382	15,843	11	6	–	1	–	–	–	–	–	–	–	–	–	3	–
South Mimms *HH* - -	21,077	6,367	8	4	1	3	–	–	–	–	–	–	–	–	–	–	–
Barnet *WHH* - - -		14,152	5	6	1	2	–	–	–	–	–	–	–	1	1	1	–
Finchley *HHH* - - -	4,688	25,820	25	6	–	1	–	–	–	–	–	–	–	–	–	–	–
Hornsey *HH* - - -	3,039	61,097	35	12	2	7	–	–	–	–	–	–	–	1	1	–	–
Tottenham *HHH* - -	4,642	97,174	90	28	7	7	–	–	–	1	–	–	–	–	2	2	–
Edmonton *Ww* - -	7,489	36,351	30	20	3	10	–	–	–	1	–	–	–	–	1	8	2
Enfield *WWHH* - -	12,602	31,536	29	14	7	2	–	–	–	1	–	–	1	–	1	1	–
Waltham Abbey - - -	11,017	6,066	5	3	–	2	–	–	–	–	–	–	–	–	–	–	–
Cheshunt *H* - - -	8,480	9,620	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hatfield, *part of** *W* -	3,306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H* - - - -	9,331	7,737	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Watford *WHH*, *part of** -	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Stratford *H* - - -	4,706	38,612	32	14	3	2	–	1	–	1	–	–	–	1	1	2	–
Plaistow *HHH* - - -		58,030	70	23	11	3	–	–	–	1	2	–	–	1	3	3	–
Canning Town *H* - -		54,750	70	26	13	5	–	2	–	1	1	–	–	1	1	–	1
Forest Gate *w* - - -		53,511	29	17	2	6	–	–	–	1	–	–	–	–	–	–	–
East Ham *wHHH* - -	3,266	32,713	73	23	10	3	–	–	–	–	–	1	1	2	2	–	–
Leyton *WWWwH* - -	4,334	70,188	81	31	8	17	–	–	–	1	1	–	1	1	2	12	–
Walthamstow *HHHL* -	6,501	57,330	59	14	4	2	–	–	–	1	2	–	–	–	2	–	–
Chigwell, *part of** *HHHH*	11,779	12,941	9	4	–	2	–	–	–	–	–	–	–	–	1	–	–
Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W* -	6,556	4,324	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Ilford *H* - - - -	8,493	10,913	17	7	1	1	–	–	–	–	–	–	–	1	2	–	–
Barking Town, *H* - -	3,814	14,301	16	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Middlesex County Asylum, Wandsworth.	—	—	–	4	–	1	–	–	–	–	–	–	–	–	–	4	–

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst -district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in field sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping p. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 10th March, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**17·1**	**1·4**	**2181**	**472**	**569**	–	**47**	**9**	**55**	**45**	**15**	**11**	**101**
INNER LONDON -	74,672	4,589,129	18·8	1·6	1652	345	411	–	39	8	41	37	13	6	82
OUTER RING -	368,749	2,063,016	13·4	1·0	529	127	158	–	8	1	14	8	2	5	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	Mar	10	180	130	22·4	–	1	3	–	3	3
GLASGOW - -	743,585	„	10	495	453	31·8	–	12	5	5	11	5
DUBLIN - -	349,594	„	10	215	247	36·8	–	2	1	2	–	2
CALCUTTA - -	466,460	Jan.	20	–	323	36·1	6	–	–	–	–	97†
BOMBAY - -	821,764	Feb.	13	241	2535	163·6	268	122	?	?	?	800†
MADRAS - -	452,518	Jan.	26	358	344	39·5	–	11	–	–	–	83
PARIS - - -	2,511,629	Mar.	3	1216	1259	26·0	–	21	6	9*	5	25
BRUSSELS - -	561,130	„	3	297	215	19·9	–	1	–	–	3	1
AMSTERDAM -	523,743	Feb.	24	351	181	18·0	–	–	–	1	2	4
ROTTERDAM -	315,305	„	24	263	126	20·4	–	–	–	1	2	–
THE HAGUE -	205,328	„	24	126	52	13·2	–	–	–	1	–	–
COPENHAGEN -	349,000	Mar.	3	151	168	25·1	–	–	2	1	4	–
STOCKHOLM -	291,580	Feb.	24	153	105	18·7	–	–	1	1*	–	–
CHRISTIANIA -	221,255	Mar.	3	132	96	22·6	–	–	1	–	3	–
ST. PETERSBURG	1,132,677	Feb.	24	686	669	30·8	8	14	13	23	3	17
MOSCOW - -	988,610	„	24	–	574	30·3	–	11	10	21	2	4
BERLIN - -	1,848,269	„	17	1037	861	24·2	–	9	6	11	21	4
HAMBURG - -	691,349	Mar.	3	–	242	18·2	–	2	1	1*	–	–
DRESDEN - -	401,400	Jan.	27	230	153	19·8	–	–	–	3*	5	–
BRESLAU - -	406,012	Mar.	3	–	221	27·9	–	4	–	–	2	–
MUNICH - -	463,000	Feb.	24	320	267	30·0	–	30	1	2*	–	1
VIENNA - -	1,639,811	„	24	1072	706	22·5	–	18	4	11*	10	1
PRAGUE - -	385,952	„	24	203	154	20.8	–	–	–	–	4	–
BUDA-PESTH -	685,340	„	24	476	251	19·0	–	1	1	3	–	2
TRIESTE - -	167,286	„	24	119	86	26·7	–	2	–	–	–	–
ROME - - -	512,423	„	3	283	372	37·9	–	8	–	–	–	6§
TURIN (10 days)	344,203	Jan.	10	–	–	–	–	–	–	–	–	–
VENICE - -	172,491	Feb.	17	78	112	33·9	–	–	–	5*	–	–
CAIRO - -	570,062	Jan.	21	554	435	39·7	4	12	–	6*	–	8
ALEXANDRIA -	319,766	„	21	302	179	29·1	–	–	–	1*	–	2
NEW YORK (including BROOKLYN)	3,654,594	Feb.	10	1526	1481	21·1	–	39	23	55	17	10
PHILADELPHIA -	1,266,832	„	17	–	503	20·7	–	7	3	27	1	14

* Including deaths from croup.
† Including 40 deaths from plague in Calcutta, and 570 in Bombay.
‡ Including 12 deaths from cholera in Calcutta, and 2 in Bombay.
§ Including 4 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Satu-ration equals 100).	Of Radiation Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	Corrected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	4	..	29·987	40·2	35·0	5·2	36·2	− 4·5	28·8	7·4	12·2	1·9	74	71·8	32·9	42·40	N. & NE.	NE., ENE. & N.	2·3	0·0	0·2	272	− 63	0·01	0·0
MONDAY -	5	..	30·067	40·0	35·3	4·7	37·6	− 3·3	32·6	5·0	7·4	0·8	82	57·6	32·0	42·22	N. & NNE.	NNE. & N.	1·2	0·0	0·1	208	−128	0·00	0·0
TUESDAY -	6	..	30·129	39·0	36·2	2·8	37·5	− 3·6	32·0	5·5	6·9	3·8	80	48·0	34·5	42·01	NNE. & N.	N.	1·4	0·0	0·1	214	−122	0·00	0·0
WEDNESDAY	7	..	30·110	42·7	35·1	7·6	38·8	− 2·2	31·1	7·7	10·8	5·5	74	61·1	32·0	41·85	N. & NNW.	N. & NNE.	1·1	0·0	0·0	157	−178	0·00	0·0
THURSDAY-	8	First Qr. Gr. Dec. N.	30·083	41·9	36·6	5·3	38·7	− 2·2	33·1	5·6	7·8	2·4	80	52·1	33·6	41·72	NE. & ENE.	ENE., E. & ESE.	0·3	0·0	0·0	158	−175	0·01	0·2
FRIDAY -	9	..	30·054	47·1	36·4	10·7	40·7	− 0·1	34·3	6·4	11·3	1·7	78	93·3	30·0	41·70	ENE. & E.	E. & ESE.	1·5	0·0	0·1	240	− 91	0·00	0·8
SATURDAY-	10	..	30·112	55·0	35·9	19·1	44·7	+ 4·0	40·4	4·3	12·4	0·0	85	101·2	30·1	41·70	E.	E.	2·4	0·0	0·2	264	− 65	0·00	0·0
MEANS -			30·077	43·7	35·8	7·9	39·2	− 1·7	33·2	6·0	9·8	2·3	79	69·3	32·2	41·94	NE.		..	..	..	Sum 1513	Sum −822	Sum 0·02	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	4	w. P. generally; occasional w. N. in early morning.	2·0	11·0	Overcast, with slight showers in morning; fine and partially cloudy till 2h. P.M.; overcast afterwards. A little fine snow fell during the afternoon.
MONDAY -	5	w. P. generally; m. P. in evening.	1·5	11·1	Overcast, with a little fine rain in morning; fine and partially cloudy in forenoon; overcast afterwards.
TUESDAY -	6	w. P. till 9h. A.M.; m. P. afterwards.	0·0	11·2	Overcast throughout.
WEDNESDAY	7	m. P. till 9h. A.M.; s. P. till 8h. P.M.; m. P. afterwards.	0·0	11·2	Generally overcast.
THURSDAY-	8	w. P. till 7h. A.M.; m. P. till 8h. P.M.; w. P. generally afterwards; s. N. at 9h. P.M.	0·2	11·3	Generally overcast. A shower of rain at 9h. P.M.
FRIDAY -	9	w. P. throughout -	4·5	11·4	Fine; partially cloudy.
SATURDAY-	10	w. P. generally; w. N. between 1h. and 2h. A.M.	7·3	11·4	Very fine. The amount of cloud was usually small.
			Sum 15·5	Sum 78·6	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·99 in. at the beginning of the week to 29·95 in. by 6h. A.M. on the 4th; increased to 30·15 in. by 11h. A.M. on the 6th; decreased to 30·03 in. by 3h. P.M. on the 9th; increased to 30·14 in. by 10h. A.M. on the 10th; and was 30·10 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C

No. 11. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MARCH 17. [Price 1½*d.*

General Register Office, Somerset House,
March 19th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·3 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 24·2, 21·2, and 20·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Feb. 24.	Mar. 3	Mar. 10.	Mar. 17.	TOWNS.	Weeks ending Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
33 Great Towns	24·2	21·2	20·4	20·3	Leicester - -	20·5	19·3	19·5	16·7
Birkenhead -	16·9	19·1	15·1	17·8	Liverpool - -	33·8	31·2	29·1	27·6
Birmingham -	22·7	25·1	22·9	23·9	London - - -	21·5	19·0	18·8	18·8
Blackburn -	37·3	31·2	16·7	22·4	Manchester - -	34·7	28·0	26·9	25·4
Bolton - -	24·1	26·0	24·1	21·6	Newcastle-on-Tyne	25·1	19·8	18·2	21·1
Bradford -	21·5	21·3	17·3	19·3	Norwich - -	25·0	18·6	18·2	18·2
Brighton -	23·1	17·2	14·3	16·4	Nottingham - -	21·3	16·8	18·7	18·9
Bristol - -	18·8	17·5	15·9	16·5	Oldham - -	33·3	28·2	25·9	28·6
Burnley -	29·5	17·9	26·4	17·9	Plymouth - -	27·1	30·1	18·9	23·0
Cardiff - -	13·7	17·7	16·6	17·4	Portsmouth - -	18·7	18·5	19·0	17·7
Croydon -	9·9	15·9	15·5	12·7	Preston - -	44·7	29·8	28·9	31·1
Derby - -	22·2	18·3	19·8	18·3	Salford - - -	39·0	30·7	32·4	25·7
Gateshead -	23·4	14·8	18·6	18·1	Sheffield - -	27·6	22·5	23·2	24·1
Halifax -	26·4	27·4	23·8	17·6	Sunderland - -	22·3	18·4	18·0	20·2
Huddersfield-	21·5	20·0	13·0	18·0	Swansea - -	17·8	17·3	14·3	18·8
Hull - -	22·3	19·1	22·3	19·0	West Ham - -	17·6	15·9	14·9	14·9
Leeds - -	29·5	21·0	20·9	20·8	Wolverhampton -	40·7	29·1	31·4	25·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in West Ham and in Derby, 1·3 in Sheffield, 1·4 in Salford, 1·7 in Wolverhampton, 2·1 in Halifax, 2·4 in Cardiff, 2·6 in Preston, and 3·1 in Plymouth; from *whooping-cough*, 1·0 in Bolton and in Manchester, 1·1 in Birmingham, 1·2 in West Ham, in Liverpool, and in Leeds, 1·3 in Newcastle-on-Tyne, and 1·7 in Wolverhampton; and from *diarrhœa*, 1·0 in Derby. In none of the thirty-three towns did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000. The 77 deaths from *diphtheria* included 35 in London, 8 in Sheffield, 7 in Leicester, 5 in Leeds, 4 in Bristol, and 3 in Blackburn. One death from *small-pox* was registered in Cardiff, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2628 BIRTHS and 1659 DEATHS were registered. Allowing for increase of population, the births were 173, and the deaths 315, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 21·5, 19·0, and 18·8 in the preceding three weeks, was again 18·8 last week. During the four weeks ending on Saturday last the death-rate averaged 19·5 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1659 deaths included 56 from measles, 6 from scarlet fever, 35 from diphtheria, 35 from whooping-cough, 13 from enteric fever, 8 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 153 deaths were referred to these diseases, being 58 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 41, and 39 in the preceding three weeks, rose again last week to 56, but were 5 below the corrected average; 8 cases belonged to Fulham, 6 to St. Pancras, 6 to Islington, 5 to Rotherhithe, 4 to Hammersmith, and 4 to Bethnal Green sanitary areas. The deaths from *scarlet fever*, which had been 4, 9, and 8 in the preceding three weeks, further fell last week to 6, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 48, 26, and 41 in the preceding three weeks, fell again last week to 35, and were 7 below the corrected average; 4 cases belonged to Camberwell, 4 to Lewisham, 3 to Greenwich, 3 to Lambeth, and 3 to Wandsworth sanitary areas. The deaths from *whooping-cough*, which had been 40, 43, and 37 in the preceding three weeks, further fell last week to 35, and were 36 below the corrected average. The fatal cases of *enteric fever*, which had been 17, 18, and 13 in the preceding three weeks, were again 13 last week, the corrected average being 9; 2 cases belonged to Hackney, and 2 to Wandsworth sanitary areas. The deaths from *diarrhœa*, which had been 11, 7, and 6 in the preceding three weeks, rose again last week to 8, but were 5 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 485, 380, and 378 in the preceding three weeks, rose again last week to 391, but were 130 below the corrected average. The deaths attributed directly to *influenza* numbered 26, having been 52, 42, and 37 in the preceding three weeks; influenza was stated as a contributory cause of 5 other deaths, against 6, 3, and 3 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 5 were cases of suicide, and 2 of homicide, while the remaining 56 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 8 to burns and scalds, and 20 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 5 cases of small-pox, 1760 of scarlet fever, 1361 of diphtheria, and 265 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 2 cases, against 3, 2, and 1; of scarlet fever, 181 cases, against 160, 154, and 147; of diphtheria, 154 cases, against 145, 176, and 178; and of enteric fever, 34 cases, against 49, 37, and 35.

Greater London.

In Greater London 3818 births and 2184 deaths were registered, corresponding to annual rates of 29·9 and 17·1 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 1 from scarlet fever, 15 from diphtheria, 8 from whooping-cough, 5 from "fever," and 5 from diarrhœa were registered. Six deaths from measles, 6 from diphtheria, and 8 from whooping-cough occured in West Ham District; 4 deaths from diphtheria occurred in Dartford district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 40°·8; the latter being 0°·4 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 16 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·4 hours; the measured rainfall amounted to 0·08 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the Week ending 17th Mar. 1900.	Deaths, the Week ending 17th Mar. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Smallpox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Diphtheria.	Deaths from Whooping-cough.	Deaths from Fever.	Deaths from Diarrhœa.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths to the Week's Deaths. From All Causes.	Deaths to the Week's Deaths. From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	11,610,296	6859	4525	1008	1 96	1	141	20	77	124	32	28	153	344	1056	61	20·3	1·9	53·6	23·1	40·1	4·52	0·11	0·23	33 Towns.
London	4,589.129	2628	1659	585	429	–	56	6	35	35	13	8	63	151	526	14	18·8	1·7	55·3	25·5	40·8	4·89	0·08	0·20	London.
West Ham	314,472	203	90	26	8	–	6	–	2	7	1	2	4	7	13	–	14·9	3·0	–	–	–	–	–	–	West Ham.
Croydon	131.186	60	32	3	12	–	–	–	1	–	–	–	1	2	12	–	12·7	0·4	55·0	24·0	39·6	4·22	0·13	0·33	Croydon.
Brighton	124 148	61	39	5	12	–	–	2	1	–	–	–	1	1	9	–	16·4	1·3	58·6	29·0	43·1	6·17	0·02	0·05	Brighton.
Portsmouth	194.955	102	66	14	15	–	–	–	2	3	–	1	4	6	8	2	17·7	1·6	57·5	28·0	42·7	5·94	0·15	0·38	Portsmouth.
Plymouth	102.161	69	45	7	12	–	6	–	–	–	1	–	–	2	4	–	23·0	3·6	–	–	–	–	–	–	Plymouth.
Bristol	324,973	175	103	17	31	–	1	–	4	1	–	–	3	9	23	1	16·5	1·0	–	–	–	–	–	–	Bristol.
Cardiff	194 247	106	65	13	13	1	9	–	–	2	–	–	2	4	9	1	17·4	3·2	–	–	–	–	–	–	Cardiff.
Swansea	105,472	82	38	12	9	–	–	–	–	–	–	–	2	2	2	1	18·8	–	–	–	–	–	–	–	Swansea.
Wolverhampton	89 598	66	44	18	8	–	3	–	–	3	–	1	–	3	7	1	25·6	4·1	51·4	23·1	38·7	3·72	0·15	0·38	Wolverhampton.
Birmingham	519,610	373	238	57	74	–	3	–	1	11	2	2	7	12	47	5	23·9	1·9	–	–	–	–	–	–	Birmingham.
Norwich	114,855	53	40	12	17	–	–	–	–	2	–	–	–	–	4	–	13·2	0·9	55·4	26·4	39·4	4·11	0·09	0·23	Norwich.
Leicester	219,169	110	70	19	16	–	1	–	7	1	–	1	2	5	10	2	16·7	2·4	–			–	–	–	Leicester.
Nottingham	242,676	139	88	16	27	–	–	–	1	1	1	–	3	4	15	–	18·9	0·6	52·2	23·3	39·1	3·94	0·11	0·28	Nottingham.
Derby	107 991	57	38	10	12	–	2	1	–	–	–	2	1	3	2	–	18·3	2·4	–	–	–	–	–	–	Derby.
Birkenhead	117,170	65	40	8	16	–	–	–	–	–	–	–	–	3	4	1	17·8	–	–		–	–	–	–	Birkenhead.
Liverpool	634.780	497	336	64	80	–	2	3	2	15	2	2	9	14	92	16	27·6	2·1	52·9	24·8	39·6	4·22	0·16	0·41	Liverpool.
Bolton	164.240	70	68	10	21	–	–	1	–	3	2	–	1	5	8	–	20·6	1·9	–	–	–	–	–	–	Bolton.
Manchester	548.768	340	267	56	68	–	7	1	2	10	2	4	9	18	82	1	25·4	2·5	–	–	–	–	–	–	Manchester.
Salford	220.816	147	109	23	26	–	6	1	1	4	1	2	4	5	29	1	25·7	3·5	–	–	–	–	–	–	Salford.
Oldham	153,297	69	84	12	21	–	2	–	1	2	–	–	2	6	13	–	28·6	1·7		–	–	–	–	–	Oldham.
Burnley	116,730	50	40	12	10	–	1	–	1	2	–	–	–	–	2	–	17·9	1·8	–	–	–	–	–	–	Burnley.
Blackburn	137,107	67	59	15	14	–	2	–	3	2	1	–	2	4	8	1	22·4	3·0	–	–	–	–	–	–	Blackburn.
Preston	118,902	83	71	19	21	–	6	–	–	1	–	2	1	2	17	3	31·1	3·9	–	–	–	–	–	–	Preston.
Huddersfield	104,481	34	36	6	15	–	–	–	–	–	–	–	2	2	4	–	18·0	–	50·1	23·3	38·4	3·56	0·20	0·51	Huddersfield.
Halifax	100,710	39	34	3	12	–	4	–	–	–	–	–	–	–	3	1	17·6	2·1	–	–	–	–	–	–	Halifax.
Bradford	291,535	133	108	11	30	–	5	2	–	1	2	–	3	9	19	1	19·3	1·8	59·0	28·2	40·8	4·89	0·06	0·15	Bradford.
Leeds	431,287	247	172	52	38	–	4	2	5	10	1	–	4	26	18	–	20·8	2·7	–	–	–	–	–	–	Leeds
Sheffield	365.922	248	169	37	49	–	9	–	8	–	1	–	6	9	27	3	24·1	2·6	–	–	–	–	–	–	Sheffield.
Hull	238,736	165	87	27	22	–	4	1	–	1	1	–	6	11	12	5	19·0	1·5	53·0	25·0	39·3	4·06	0·03	0·08	Hull.
Sunderland	147,398	94	57	11	13	–	2	–	–	–	–	–	1	4	7	–	20·2	0·7	–	–	–	–	–	–	Sunderland.
Gateshead	109,403	89	38	11	11	–	–	–	–	1	1	1	1	1	4	1	18·1	1·4	–	–	–	–	–	–	Gateshead.
Newcastle	234,309	138	95	17	24	–	–	–	–	6	–	–	9	14	16	3	21·1	1·3	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the ELEVENTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2717	2751	2576	2656	2558	2821	2806	2551	2576	2613	2801·0	2628
Males	1381	1413	1303	1314	1287	1451	1435	1288	1332	1369	1423·4	1315
Females	1336	1338	1273	1342	1271	1370	1371	1263	1244	1287	1377·6	1313
TOTAL **Deaths**	1771	1751	1933	1578	1608	2317	1752	1531	1839	2099	1973·5	1659
Males	907	837	1037	799	862	1310	898	806	934	1030	996·3	851
Females	864	834	946	779	746	1507	854	725	935	1069	977·2	808

*The numbers in this column are the average weekly numbers in the eleventh week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
TOTAL **Births**	2585	1880	2702	2766	2533	2634	2498	2889	2439	2805	2561	2841	2628
TOTAL **Deaths**	2607	3067	3266	2930	2365	1950	1722	1792	2013	1894	1668	1652	1659
Ages at Death: Under 1 year	429	451	408	409	385	344	353	356	380	355	340	345	383
1—5 years	272	261	268	256	231	198	192	200	200	218	189	208	213
5—20 "	105	125	122	101	105	89	83	104	104	91	74	102	87
20—40 "	303	359	393	303	282	247	222	221	230	245	218	219	216
40—60 "	551	703	720	636	501	391	367	334	448	392	362	367	327
60—80 "	744	928	1044	946	682	523	400	444	519	476	375	342	339
80 years and upwards	203	240	311	259	179	157	102	113	132	117	112	69	90
Deaths from—													
Small pox	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	58	65	62	51	45	46	27	33	50	42	41	39	56
Scarlet Fever	11	12	6	7	6	6	10	7	5	4	9	8	6
Diphtheria	54	56	58	49	40	37	46	51	35	48	26	41	35
Whooping-cough	31	28	26	37	34	39	45	37	51	40	43	37	35
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	36	18	19	23	17	13	17	22	18	17	18	13	13
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery	12	9	10	9	10	15	14	11	6	11	7	6	8
Cholera	-	-	-	-	-	-	-	1	-	1	-	-	-
All the above Diseases	202	188	181	176	152	156	159	162	165	163	145	144	153
Dis. of Respiratory System	968	1171	1221	994	728	490	432	423	527	485	380	378	391
Phthisis	208	239	200	204	220	177	157	161	193	162	170	158	17[illegible]
Dis. of Circulatory System	278	271	284	245	206	160	135	154	191	164	156	161	12[illegible]
Violence	107	103	103	86	91	75	77	89	75	76	82	82	63
Inquest Cases	263	281	313	239	223	183	158	199	180	193	173	169	151
Deaths in Public Institutions	700	859	843	817	702	645	581	593	591	590	551	524	526
TEMPERATURE OF THE AIR.													
Mean	34°·7	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45·4	43·1	39°·2	4[illegible]°·8
Mean of Highest readings	38·5	43·3	45·1	43·0	46·2	49·3	37·3	36·2	42·4	51·6	48·0	43·7	47·6
Mean of Lowest readings	30·3	33·4	36·0	32·9	33·0	39·1	33·2	25·4	29·1	39·4	39·8	35·8	34·3
Humidity of the Air	92	84	88	80	85	84	87	78	84	85	90	79	76
Rain-fall (in inches)	0·08	0·59	0·48	0·48	0·74	0·32	0·96	0·29	1·46	0·51	0·65	0·02	0·08
Registered Sunshine (in hours)	0·7	6·2	9·5	14·1	12·4	5·0	3·1	19·3	13·5	18·3	5·3	15·5	13·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	5	7	8	18	21	24	21	17	8	11	7	7	5
Scarlet Fever	2916	2881	2730	2532	2411	2287	2179	2089	2052	2009	1863	1777	1760
Diphtheria	1701	1693	1653	1601	1582	1606	1531	1519	1498	1437	1407	1385	1361
Enteric Fever	420	406	382	349	329	307	289	281	270	280	274	270	265

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the ELEVENTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 11th Week of the 10 years 1890-99*.	In the Week ending Saturday, 17th March, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES	1973·5	1659	385	215	87	216	327	339	90
- Vaccinated†	0·1	-	-	-	-	-	-	-	-
- Unvaccinated	0·4	-	-	-	-	-	-	-	-
- No Statement	0·2	-	-	-	-	-	-	-	-
es	61·3	56	13	38	5	-	-	-	-
t Fever	14·0	6	-	3	3	-	-	-	-
is	-	-	-	-	-	-	-	-	-
sing Fever	-	-	-	-	-	-	-	-	-
nza	72·8	26	-	4	-	4	9	9	-
ping-cough	71·2	35	16	17	2	-	-	-	-
heria	41·8	35	1	23	10	1	-	-	-
e Continued and efined Fever	0·2	-	-	-	-	-	-	-	-
ic Fever	8·6	13	-	1	4	8	-	-	-
ra and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
hœa, Dysentery	13·0	8	6	-	-	1	-	-	1
tent Fever	0·3	-	-	-	-	-	-	-	-
phobia	-	-	-	-	-	-	-	-	-
ers	0·1	-	-	-	-	-	-	-	-
ox and Effects of cination	0·1	1	1	-	-	-	-	-	-
eal Affections	9·8	7	5	-	-	2	-	-	-
pelas	4·2	5	2	-	-	-	-	2	1
nia and Septicæmia	1·3	2	1	-	-	-	1	-	-
eral Fever	4·1	1	-	-	-	1	-	-	-
Zymotic Diseases	1·6	1	-	1	-	-	-	-	-
h	0·6	1	1	-	-	-	-	-	-
s and other Para-cal Diseases	0·4	-	-	-	-	-	-	-	-
ation, Want of ast-milk	2·2	5	5	-	-	-	-	-	-
olism	9·3	10	-	-	-	4	4	2	-
matic Fever, eumatism of Heart	7·5	3	-	-	3	-	-	-	-
matism	2·3	3	-	-	-	-	1	-	2
	3·2	1	-	-	-	-	-	1	-
ets	6·7	-	-	-	-	-	-	-	-
er	73·1	71	1	-	1	5	42	20	2
s Mesenterica	19·7	18	11	6	1	-	-	-	-
rcular Meningitis	26·1	26	4	16	4	2	-	-	-
isis	182·8	178	2	3	9	80	68	16	-
ula, Tuberculosis	22·3	20	5	4	4	5	1	1	-
r Constitutional eases	14·4	19	-	1	3	4	6	4	1
ature Birth	51·7	43	43	-	-	-	-	-	-
ectasis	3·9	5	5	-	-	-	-	-	-
enital Malforma-ns	7·8	11	10	-	1	-	-	-	-
Age	59·3	51	-	-	-	-	-	23	28
plexy	51·3	47	1	-	1	4	13	18	10
epsy	7·6	7	1	1	-	2	2	1	-
rulsions	43·2	40	36	3	1	-	-	-	-
r Diseases of Brain d Nervous System	99·8	94	12	11	7	8	20	34	2
ases of Organs of ecial Sense	3·3	1	-	1	-	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 11th Week of the 10 years 1890-99*.	In the Week ending Saturday, 17th March, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	159·8	126	2	2	8	21	33	49	11
Croup	5·2	-	-	-	-	-	-	-	-
Bronchitis	309·9	200	56	18	2	5	25	75	19
Pneumonia	162·1	153	39	36	6	15	29	26	2
Pleurisy	7·0	5	-	1	-	-	2	2	-
Other Diseases of Respiratory System	37·0	33	7	5	2	3	6	7	3
Dentition	14·2	6	6	-	-	-	-	-	-
Quinsy, Sore Throat	1·5	2	-	1	1	-	-	-	-
Enteritis	12·9	11	2	2	1	2	3	-	1
Gastro-enteritis		11	7	3	-	-	-	1	-
Peritonitis	7·3	2	-	-		1	1	-	-
Diseases of Liver	24·7	28	2	1	-	5	12	7	1
Other Diseases of Digestive System	31·4	34	10	5	2	1	6	8	2
Diseases of Lymphatic System & of Ductless Glands	2·6	4	-	-	-	1	3	-	-
Diseases of Urinary System	49·0	63	2	-	1	10	25	23	2
Diseases of Generative System	4·9	6	-	-	-	1	4	1	-
Accidents of Childbirth	4·4	2	-	-	-	2	-	-	-
Diseases of Locomotive System	6·0	4	-	-	-	3	-	1	-
Diseases of Integumentary System	5·9	10	4	-	-	1	2	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	60·4	2	-	-	-	2	-	-	-
By Vehicles or Horses		7	-	2	1	1	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		-	-	-	-	-	-	-	-
In Conflagrations		1	-	-	-	1	-	-	-
By Burns, Scalds, Explosions		8	2	3	2	-	1	-	-
By Drowning		2	-	-	1	1	-	-	-
By Suffocation in Bed		20	20	-	-	-	-	-	-
By Poisons or Poisonous Vapours		1	-	1	-	-	-	-	-
Other or not stated causes		15	1	1	1	4	4	4	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·9	2	1	-	-	1	-	-	-
Suicide	11·0	5	-	-	-	4	1	-	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	50·7	46	42	1	-	-	1	1	1

The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEAS
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e
SUB-DISTRICT during the Week ending Saturday, 17th March, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2628	1659	385	429	-	56	6	35	35	-	13	-	8	63	151	526
WEST DISTRICTS - - -	778,251	410	262	46	81	-	16	-	3	1	-	2	-	3	8	23	90
NORTH DISTRICTS - - -	1,040,694	578	339	71	104	-	13	1	4	3	-	3	-	-	13	35	110
CENTRAL DISTRICTS - - -	233,635	135	98	24	22	-	1	-	2	3	-	1	-	1	7	11	35
EAST DISTRICTS - - -	716,334	504	295	88	66	-	11	-	5	11	-	-	-	3	13	34	96
SOUTH DISTRICTS - - -	1,642,796	1,001	626	156	142	-	15	3	21	17	-	7	-	1	22	48	156
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	39	-	14	-	-	2	-	-	-	-	-	-	-	-	39
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	55	23	10	7	-	-	-	-	-	-	-	-	-	2	3	4
St. John Paddington *H* - - G.	33,510	8	14	1	4	-	-	-	1	-	-	-	-	-	2	3	7
Kensington Town *Ww* - - W.	122,164	63	41	9	13	-	2	-	1	-	-	-	-	1	-	2	14
Brompton *HH* - - - W. & C.	48,301	14	12	1	7	-	-	-	-	-	-	-	-	-	-	-	2
North Hammersmith *H* } W. & G	44.638	32	7	1	2	-	-	-	-	-	-	1	-	-	-	1	-
South Hammersmith *H* } W. & G	59.561	46	16	3	5	-	-	-	-	-	-	-	-	-	1	1	3
Fulham *Ww* - - - W. & C.	113.781	93	41	8	9	-	12	-	1	-	-	-	-	1	-	4	20
Chelsea Kensal Town - C.	21,450	13	8	1	2	-	-	-	-	-	-	-	-	-	2	2	-
Chelsea North *WHHHH* - C.	42,057	18	23	4	8	-	-	-	-	-	-	-	-	-	-	1	12
Chelsea South *HH* - - C.	33,139	15	9	2	5	-	1	-	-	-	-	-	-	-	-	1	1
May Fair *W* - - - - G.	23,827	5	13	-	5	-	-	-	-	-	-	-	-	-	1	1	10
Belgrave *WHHH* - - - C.	56,140	23	24	1	7	-	-	-	-	-	-	1	-	-	-	4	7
St. John Westminster *HH* - C.	31,492	11	7	1	1	-	-	-	-	1	-	-	-	-	-	-	2
St. Margaret Westminster *H* - C.	22,097	5	10	-	4	-	-	-	-	-	-	-	-	-	-	-	7
St. James Westminster *WH* } N. & G.	23,050	7	8	2	1	-	1	-	-	-	-	-	-	1	-	-	-
St Anne Soho *HHHHH* - N.	12,048	2	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	36,595	9	19	1	7	-	-	-	-	-	-	-	-	-	1	1	8
Rectory Marylebone *W* G. & W.	19,798	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	24	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone *H* - W	32,547	19	9	2	5	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W.	32,611	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* } - N. & W.	75,449	44	19	3	6	-	1	-	1	-	-	2	-	-	-	1	8
Regent's Park † *HH* - W.	51,403	28	15	4	4	-	1	-	-	-	-	-	-	-	1	4	-
Tottenham-court *wHHHHHH* } - N. & W.	26,757	8	16	2	3	-	-	-	1	-	-	-	-	-	2	3	10
Gray's Inn Lane *HHHH* - N.	29,426	20	14	1	1	-	4	-	-	-	-	-	-	-	4	4	4
Somers Town *HH* - - - N.	32,161	20	16	8	2	-	-	-	-	-	-	-	-	-	-	2	3
Camden Town† *WH* - - N.	40.155	29	18	3	11	-	-	-	-	-	-	-	-	-	-	2	10
Kentish Town† *WW* - - N.	60,862	31	22	4	5	-	1	-	-	-	-	-	-	-	1	2	7
Upper Holloway *WWWwHH* } - - N.	98,273	50	57	13	17	-	3	-	-	-	-	-	-	-	1	5	32
Lower Holloway‡ - - - N.	41,805	24	9	3	3	-	1	-	-	-	-	-	-	-	-	1	-
Barnsbury‡ - - - - N.	56,384	33	9	2	1	-	2	-	-	-	-	-	-	-	1	1	-
Islington South-east‡ *H* - N.	75.725	49	17	4	6	-	-	-	-	-	-	-	-	-	-	3	-
Highbury *HH* - - - N.	64,577	31	13	7	5	-	-	-	-	-	-	-	-	-	1	2	1
Stoke Newington *H* - - N.	33,485	18	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	20	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		27	16	2	2	-	-	1	2	2	-	1	-	-	-	-	4
South-west Hackney *HHH* E. & N.		33	19	2	6	-	-	1	-	-	-	-	-	-	-	1	4
South-east Hackney *WwH* E. & N.		42	25	2	12	-	-	-	-	1	-	-	-	-	1	1	18

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 17th March, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institution	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - - N.	29,086	16	7	2	3	-	-	-	-	-	-	-	-	-	1	1	2	-
les North *H* - - - N.	9,151	7	4	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
rtin-in-the-Fields *HH* N. & C.	13,077	3	9	1	5	-	-	-	-	-	-	-	-	-	1	2	5	-
d *WHH* - - - - N.	11,839	3	7	2	-	-	-	-	1	-	-	-	-	-	1	1	3	-
d Union Workhouse, Edmonton	†1,037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
orn *wHHHHHH* - N.	31,042	21	13	2	4	-	-	-	-	-	-	-	-	-	-	-	6	-
mes Clerkenwell - - N.	15,777	7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ell Clerkenwell - - N.	34,356	21	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ell-street - - - - N.	16,069	14	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
road *H IHHL* - - N.	29,897	31	16	5	3	-	1	-	-	2	-	-	-	-	1	4	4	-
ecross-street - - - N.	7,595	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, cham - - - -	†892	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
otolph* *H* - - N. & E.	13 061	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	3	15	2	2	-	-	-	1	1	-	1	-	-	2	2	11	-
llows Barking - - - N.	9,059	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	13	9	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-
on New Town *w* - - N.	29,575	21	13	3	4	-	2	-	1	-	-	-	-	-	-	2	4	-
on Old Town - - - N.	27,645	14	8	5	2	-	-	-	-	-	-	-	-	1	-	1	-	-
gerston *WH* - - N. & E.	47,163	29	30	8	6	-	-	-	-	2	-	-	-	-	1	1	14	-
nal Green North *H* - E.	49,301	32	10	4	1	-	1	-	-	1	-	-	-	1	1	1	-	-
nal Green South - - E.	34,194	27	14	6	2	-	3	-	-	-	-	-	-	-	1	2	-	-
nal Green East *WWHl* - E.	45,667	25	22	2	10	-	-	-	-	1	-	-	-	-	-	-	11	-
alfields - - - E. & N.	26,681	15	4	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
End New Town *WH* - E.	51,995	16	31	5	4	-	1	-	-	2	-	-	-	-	3	5	26	-
lman's Fields - - - E.		8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	50	9	6	-	-	-	-	-	-	-	-	-	-	1	3	-	-
ohn, St. George East *W* E.	7 930	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
lwell *H* - - - E. & N.	10,434	3	11	3	1	-	-	-	1	-	-	-	-	-	2	4	6	-
cliff *W* - - - - E.	14,954	9	3	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-
ehouse - - - - E.	32,917	19	9	2	-	-	1	-	1	1	-	-	-	-	-	1	-	-
End Old Town West *H* E.	111,060	51	13	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-
End Old Town East *W ww* - E.		35	29	5	11	-	1	-	-	-	-	-	-	-	-	2	15	-
l - - - - E.	41,687	32	14	5	4	-	-	-	-	1	-	-	-	-	-	1	2	-
nley *wwwH* - - - E.	69,821	63	43	16	9	-	-	-	1	1	-	-	-	1	2	6	15	-
lar *WW* - - - - E.	57,759	40	19	6	5	-	-	-	1	-	-	-	-	-	1	1	2	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 17th March, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	11	5	2	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark - - S.	12,301	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	15	8	3	2	-	-	-	-	-	-	1	-	-	-	1	-
Borough-road *WH* - S. & L.	16,083	15	8	3	-	-	-	-	-	1	-	-	-	-	-	1	2
London-road *HL* - - L. & S.	21,316	11	10	3	-	-	-	-	-	2	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	15	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	34	24	4	7	-	-	-	-	-	-	-	-	-	1	1	2
St. Mary Newington - - L. & S.	30,171	24	12	2	1	-	1	-	-	2	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	8	15	5	2	-	-	-	-	1	-	-	-	-	2	2	12
Bermondsey *W* - - - S.	85,475	51	25	11	4	-	-	-	-	2	-	-	-	-	3	4	3
Rotherhithe *Ww* - S. & K.	40,379	21	25	4	1	-	5	-	-	-	-	-	-	-	2	2	11
Waterloo-road *HH* - L. & S.	28,396	20	12	7	-	-	-	-	-	-	-	-	-	-	1	2	2
Lambeth Church 1st *H* - L. & S.	18,770	11	12	3	-	-	-	-	-	-	-	-	-	-	-	1	7
Lambeth Church 2nd *WW* L. & S.	40,994	35	34	8	8	-	-	-	-	1	-	1	-	-	-	3	21
Kennington 1st *H* - - S. & L.	52,486	34	16	6	5	-	-	-	1	-	-	-	-	-	-	3	1
Kennington 2nd - - S. & L.	43,244	25	15	4	3	-	1	-	-	-	-	-	-	-	1	2	-
Brixton *w* - - - L. & S.	81,825	39	25	5	9	-	-	-	1	-	-	1	-	-	-	1	2
Norwood *WH* - - - - L.	29,318	15	10	4	3	-	2	-	-	-	-	-	-	-	-	1	1
East Battersea - - - - - S.	71,730	49	22	5	5	-	-	-	1	-	-	-	-	-	1	2	-
West Battersea *WwH* - - S.	93,385	64	41	6	14	-	1	-	-	3	-	-	-	1	3	4	18
Clapham *H* - - - - S.	46,953	20	20	5	6	-	-	-	-	-	-	-	-	-	-	2	3
Wandsworth *WHHL* - - S.	58,101	45	23	8	4	-	2	-	1	-	-	-	-	-	1	3	-
Putney - - - - - - S.	20,566	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	34	20	3	3	-	-	-	4	-	-	1	-	-	-	2	5
Dulwich - - - L. & S.	7,519	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell *WWwll* - S. & L.	90,286	37	52	5	28	-	-	-	-	-	-	-	-	-	1	1	28
Peckham *WW* - S., L., & K.	88,242	61	24	9	6	-	-	-	-	-	-	-	-	-	1	2	-
St. George Camberwell - L. & S.	67,029	33	15	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	28	6	4	1	-	-	-	-	-	-	-	-	-	1	1	-
Deptford Central *w* - - K.	45,441	29	19	5	2	-	-	1	3	2	-	1	-	-	-	1	5
Deptford South - - - K.	33,402	13	10	2	1	-	1	-	-	2	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	24	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *WH* - - K.	37,767	32	25	5	6	-	-	-	1	-	-	-	-	-	-	1	12
Eltham *wH* - - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	8	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	30	20	2	2	-	-	2	6	-	-	-	-	-	-	1	10
Sydenham *H* - - - - L.	37,601	24	9	2	2	-	-	-	-	-	-	-	-	-	-	-	1
Charlton *wHH* - - K.	15,928	9	10	3	-	-	-	-	3	-	-	-	-	-	1	1	5
Woolwich Dockyard - - K.	9,355	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	8	8	4	1	-	1	-	-	1	-	-	-	-	1	1	-
Plumstead West *H* - - K.	16,714	12	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	27	10	1	-	-	-	-	-	-	-	1	-	-	-	1	4
Banstead Asylum - - -	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9
Horton Asylum, Epsom - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum Dartford Heath - - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch Asylum - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
N.E. Hospital - - - - -	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	7	-	6	-	-	-	-	-	-	-	-	-	-	-	7
Claybury Asylum - - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 17th March, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	ONDON OUTER RING	368,749	1,422,063	1190	525	142	149	-	8	1	15	8	5	5	16	39	72	2
1	Carshalton *H*	12,228	26,108	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1	Godstone, *part of** *W*	2,754	1,598	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH*	20,851	128,699	68	42	6	17	-	-	-	1	-	-	-	1	2	15	-
2	Mitcham *w*	11,697	23,072	18	8	1	6	-	-	-	-	-	-	-	-	-	1	-
1	Wimbledon *HHH*	3,220	25,777	17	13	7	1	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH*	14,672	33,566	23	13	2	5	-	-	-	-	-	-	-	1	2	2	-
3	Surbiton *HH*		12,178	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*		11,080	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL*	4,565	18,252	18	6	2	3	-	-	-	-	-	-	-	-	1	-	-
1	Richmond *WHH*	2,160	25,389	13	11	3	2	-	-	-	-	-	-	-	2	2	3	-
2	Mortlake *H*	2,823	16,159	11	3	1	2	-	-	-	-	-	-	-	-	1	-	-
1	Bromley *HHH*	9,127	23,815	22	5	-	-	-	-	-	1	-	1	-	1	1	3	-
2	Beckenham *H*	6,542	21,969	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	14	5	1	4	-	-	-	-	-	-	-	-	-	1	-
1	Bexley *HHH*	12,540	30,590	25	8	3	1	-	-	-	2	-	1	-	-		1	1
2	Dartford *WH*, *part of**	—	—	-	4	1	1	-	-	-	2	-	-	-	-	-	4	-
1	Sunbury *w*	11,054	13,671	18	5	1	2	-	-	-	-	-	-	-	-	1	-	-
2	Staines *WH*	13,277	13,221	6	7	1	4	-	-	-	-	-	-	-	-	1	2	-
1	Hillingdon *WHH*	6,035	12,237	6	6	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge	12,757	7,253	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH*	7,952	11,051	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH*	6,967	26,004	18	12	2	5	-	-	-	-	-	-	-	-	1	3	-
2	Twickenham *HH*	2,415	16,027	16	8	5	1	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH*	4,318	37,777	23	9	4	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick	1,245	21,963	15	12	4	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH*	6,132	30,945	20	10	4	2	-	-	-	-	-	-	1	-	1	-	-
1	Harrow *HHH*	13,809	15,715	11	7	2	3	-	-	-	-	-	1	-	-	-	-	-
2	Edgware *HH*	6,994	3,844	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH*	4,383	61,265	71	14	3	6	-	-	-	-	-	-	-	1	2	-	-
4	Hendon *WH*	8,382	15,843	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-
1	South Mimms *HH*	21,077	6,367	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH*		14,152	8	8	2	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH*	4,688	25,820	14	5	3	2	-	-	-	-	-	-	-	-	1	-	-
1	Hornsey *HH*	3,039	61,097	29	20	5	9	-	-	-	-	-	-	-	1	2	-	-
2	Tottenham *HHH*	4,642	97,174	94	34	9	6	-	-	-	1	-	-	-	1	1	1	-
3	Edmonton *Ww*	7,489	36,351	46	21	5	5	-	-	-	1	-	-	-	-	1	7	-
4	Enfield *WWHH*	12,602	31,536	21	8	3	4	-	-	-	-	-	-	1	1	1	1	-
5	Waltham Abbey	11,017	6,066	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H*	8,480	9,620	9	2	-	-	-	-	-	1	-	-	-	-	-	-	1
1	Hatfield, *part of** *W*	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H*	9,331	7,737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H*	4,706	38,612	47	16	4	5	-	1	-	-	1	-	-	1	1	-	-
2	Plaistow *HHH*		58,030	77	24	9	5	-	-	-	1	3	-	1	-	1	3	-
3	Canning Town *H*		54,750	50	29	11	3	-	5	-	1	2	-	1	2	3	1	-
4	Forest Gate *w*		53,511	29	12	2	3	-	-	-	-	1	-	-	1	1	-	-
5	East Ham *wHHH*	3,266	32,713	63	25	11	4	-	-	-	1	-	1	-	-	2	1	-
6	Leyton *WWWwH*	4,334	70,188	69	38	7	10	-	-	1	1	1	1	1	1	4	15	-
7	Walthamstow *HHHL*	6,501	57,330	71	29	7	5	-	-	-	2	-	-	-	1	3	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	4	5	1	3	-	-	-	-	-	-	-	1	1	-	-
2	Epping *WH*, *part of**	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W*	6,556	4,324	8	2	-	-	-	2	-	-	-	-	-	-	-	2	-
2	Ilford *H*	8,493	10,913	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H*	3,814	14,301	16	7	1	-	-	-	-	-	-	-	-	-	-	3	-
	Middlesex County Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Esher sub-district, except the parish of Ashtead (pop. 1,351): 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282): 41: 3, Chislehurst sub-district, except the parishes of Chislfield, Cudham, and Knockholt (pop. 3,097): 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping (pop. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for Infectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 17th March 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**17·1**	**1·5**	**2184**	**527**	**578**	–	**64**	**7**	**50**	**43**	**18**	**13**	**79**
INNER LONDON -	74,672	4,589,129	18·8	1·7	1659	385	429	–	56	6	35	35	13	8	63
OUTER RING -	368,749	2,063,016	13·3	1·1	525	142	149	–	8	1	15	8	5	5	16

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	Mar	17	153	114	19·7	–	1	1	1	5	–
GLASGOW - -	743,585	„	17	499	364	25·5	–	7	3	2	5	3
DUBLIN - -	349,594	„	17	217	209	31·2	–	4	–	–	1	–
CALCUTTA - -	466,460	Jan.	27	–	315	35·2	8	–	–	–	–	107†
BOMBAY - -	821,764	Feb.	20	243	2655	168·0	228	103	?	?	?	887†
MADRAS - -	452,518	Feb.	16	303	320	36·7	1	18	?	?	?	82
PARIS - - -	2,511,629	Mar.	10	1174	1165	24·1	–	22	2	8*	3	21
BRUSSELS - -	561,130	„	10	290	209	19·3	–	1	–	1*	2	2
AMSTERDAM -	523,743	„	3	297	155	15·4	–	–	–	1	4	1
ROTTERDAM -	315,305	„	3	223	119	19·3	–	3	2	2	1	–
THE HAGUE -	205,328	„	3	109	68	17·2	–	1	–	–	–	–
COPENHAGEN -	349,000	„	10	297	155	23·2	–	–	2	4	–	–
STOCKHOLM -	291,580	„	3	–	–	–	–	–	–	–	–	–
CHRISTIANIA -	221,255	„	10	228	87	20·4	–	–	–	–	3	–
ST. PETERSBURG	1,132,677	„	3	1020	650	29·9	2	17	20	24	4	17
MOSCOW - -	988,610	„	3	–	559	29·5	4	16	16	13	4	4
BERLIN - -	1,848,269	Feb.	24	940	815	22·9	–	7	5	13	15	3
HAMBURG - -	691,349	Mar.	10	–	270	20·3	–	1	–	1*	–	–
DRESDEN - -	401,400	Feb.	17	257	155	20·1	–	–	–	1*	–	–
BRESLAU - -	406,012	Mar.	10	–	225	28·4	–	2	–	1	1	3
MUNICH - -	463,000	„	3	334	294	33·0	–	34	1	–	–	1
VIENNA - -	1,639,811	„	3	955	667	21·1	–	9	4	8*	4	–
PRAGUE - -	385,952	„	3	225	211	28·4	–	–	3	–	8	2
BUDA-PESTH -	685,340	„	3	475	285	21·6	–	9	3	–	1	–
TRIESTE - -	167,286	„	3	–	–	–	–	–	–	–	–	–
ROME - - -	512,423	Feb.	10	272	300	30·5	1	11	–	2	–	2§
TURIN (10 days)	344,203	Jan.	10	206	110	22·4	–	6	2	–	–	1
VENICE - -	172,491	Mar.	3	62	89	26·9	–	–	–	4*	–	1
CAIRO - -	570,062	Jan.	28	516	456	41·6	4	15	–	5*	–	5
ALEXANDRIA -	319,766	„	28	287	168	27·3	–	–	–	3*	–	4
NEW YORK (including BROOKLYN)	3,654,594	Feb.	17	1482	1447	20·7	–	21	21	43	13	5
PHILADELPHIA -	1,266,832	„	24	–	445	18·3	–	12	–	20	5	15

* Including deaths from croup.
† Including 47 deaths from plague in Calcutta, and 641 in Bombay.
‡ Including 20 deaths from cholera in Calcutta, and 1 in Bombay.
§ Including 1 death from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surfaces 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 11	..	30·072	50·9	35·6	15·3	43·9	+ 3·3	40·8	3·1	7·6	0·7	89	82·0	29·3	41·71	ENE. & NE.	ENE. NNE. & ESE	0·1	0·0	0·0	146	−180	0·00	0·0
MONDAY - 12	..	30·284	55·3	31·8	23·5	43·4	+ 2·7	35·3	8·1	15·8	0·0	73	93·2	26·5	41·90	NNE., N. & NNW.	N., NNW. & NW.	2·0	0·0	0·1	188	−136	0·00	0·0
TUESDAY - 13	..	30·360	46·3	37·0	9·3	41·0	+ 0·1	33·3	7·7	10·3	3·9	74	68·0	31·3	42·00	WSW., NW. & N.	NNE. & N.	6·8	0·0	0·5	392	+ 70	0·00	0·5
WEDNESDAY 14	..	30·358	51·0	35·4	15·6	44·1	+ 2·9	36·9	7·2	11·8	5·1	76	88·0	28·3	42·12	NNW., WNW. & N.	N., NNW. & WNW.	4·8	0·0	0·2	275	− 44	0·00	1·5
THURSDAY- 15	Apogee. In Eqr.	29·860	48·9	40·9	8·0	44·3	+ 2·9	36·7	7·6	12·2	3·2	75	70·8	39·5	42·12	WSW. & W.	W. & WSW.	4·4	0·0	0·6	421	+104	0·00	0·0
FRIDAY - 16	Full	29·383	42·9	33·7	9·2	37·6	− 3·9	28·1	9·5	14·3	1·8	68	64·7	28·4	42·28	WSW., NW. & WNW.	WNW. & NNW.	5·2	0·0	0·3	305	− 10	0·07	0·0
SATURDAY- 17	..	29·335	37·8	25·5	12·3	31·0	−10·6	24·3	6·7	11·5	3·0	75	68·9	21·8	42·30	NNW., WSW. & NW.	N., SE. & SW.	1·5	0·0	0·0	145	−168	0·01	0·2
MEANS -		29·950	47·6	34·3	13·3	40·8	− 0·4	33·6	7·1	11·9	2·5	76	76·5	29·4	42·06	Variable		..	..	..	Sum 1872	Sum −364	Sum 0·08	0·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 11	w. P. throughout -	1·8	11·5
MONDAY - 12	w. P. till 10h. A.M.; m. P. afterwards.	7·6	11·6
TUESDAY - 13	w. P. till 3h. P.M.; m. P. till 7h. P.M.; s. P. afterwards.	0·7	11·6
WEDNESDAY 14	m. P. generally -	1·0	11·7
THURSDAY- 15	w. P. till 9h. A.M.; m. P. generally afterwards.	0·0	11·8
FRIDAY - 16	v. P. generally; s. N. at 3h. A.M., 7h. A.M., and 11h. P.M.	1·7	11·8
SATURDAY- 17	m. P. till 6h. A.M.; s. P. till 4h. P.M.; s. P. and s. N. till 8h. P.M.; m. P. afterwards.	0·6	11·9
		Sum 13·4	Sum 81·9
No. of Col. - -	27	28	29

GENERAL REMARKS.

Fine generally. Large amounts of thin cloud prevalent. Bright solar halo in forenoon. Foggy at night.

Very fine generally; the amount of cloud was usually small. Hoar frost and slight fog in morning. A faint partial lunar halo observed at 8h. P.M.

Very fine till 7h. 30m. A.M.; overcast till afternoon; very fine afterwards. A little fine rain in the forenoon.

Very fine in early morning; cloudy afterwards.

Generally overcast.

Overcast till noon; fine and partially cloudy afterwards. Heavy showers at 3h. and 7h. A.M.

Very fine and clear till 8h. A.M., with hoar frost; cloudy till night, with a heavy fall of snow between 4½h. P.M. and 5h. P.M.; cloudless and frosty at night (after 10h. P.M.).

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·10 in. at the beginning of the week to 30·05 in. by 6h. A.M. on the 11th; increased to 30·47 in. by 11h. P.M. on the 13th; decreased to 29·32 in. by 4h. P.M. on the 17th; and was 29·35 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 12. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MARCH 24. [Price 1½*d.*

General Register Office, Somerset House,
March 26th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 21·2, 20·4, and 20·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.		Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
33 Great Towns	**21·2**	**20·4**	**20·3**	**21·6**	Leicester - -	19·3	19·5	16·7	14·3
Birkenhead -	19·1	15·1	17·8	24·5	Liverpool - -	31·2	29·1	27·6	31·3
Birmingham -	25·1	22·9	23·9	24·2	London - - -	19·0	18·8	18·8	20·6
Blackburn -	31·2	16·7	22·4	15·2	Manchester - -	28·0	26·9	25·4	26·8
Bolton - -	26·0	24·1	21·6	26·0	Newcastle-on-Tyne	19·8	18·2	21·1	20·2
Bradford -	21·3	17·3	19·3	18·2	Norwich - -	18·6	18·2	18·2	20·0
Brighton -	17·2	14·3	16·4	17·6	Nottingham - -	16·8	18·7	18·9	20·4
Bristol - -	17·5	15·9	16·5	19·1	Oldham - -	28·2	25·9	28·6	23·1
Burnley -	17·9	26·4	17·9	10·7	Plymouth - -	30·1	18·9	23·0	28·6
Cardiff - -	17·7	16·6	17·4	15·3	Portsmouth - -	18·5	19·0	17·7	18·5
Croydon -	15·9	15·5	12·7	15·5	Preston - -	29·8	28·9	31·1	28·1
Derby - -	18·3	19·8	18·3	16·9	Salford - - -	30·7	32·4	25·7	26·2
Gateshead -	14·8	18·6	18·1	20·5	Sheffield - -	22·5	23·2	24·1	22·4
Halifax -	27·4	23·8	17·6	29·0	Sunderland - -	18·4	18·0	20·2	24·8
Huddersfield-	20·0	13·0	18·0	15·0	Swansea - -	17·3	14·3	18·8	20·8
Hull - -	19·4	22·3	19·0	19·4	West Ham - -	15·9	14·9	14·9	19·4
Leeds - -	21·0	20·9	20·8	20·1	Wolverhampton -	29·1	31·4	25·6	36·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Plymouth and in Sheffield, 1·3 in Cardiff, 1·4 in Bristol and in Oldham, 2·1 in Halifax, 2·2 in Preston, and 2·3 in Wolverhampton ; from *scarlet fever*, 1·3 in Bradford ; from *whooping-cough*, 1·0 in Leeds, 1·1 in Manchester, 1·3 in Portsmouth, 1·6 in Bolton, 1·7 in Liverpool and in Salford, and 2·9 in Wolverhampton ; and from *diarrhœa*, 1·0 in Swansea. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 91 deaths from *diphtheria* included 36 in London, 19 in Sheffield, 8 in Leeds, 4 in Leicester, and 3 in Blackburn. One death from *small-pox* was registered in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2675 BIRTHS and 1817 DEATHS were registered. Allowing for increase of population, the births were 12 above, and the deaths 27 below, the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

5397—670—3/1900 Wt 93 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 19·0, 18·8, and 18·8 in the preceding three weeks, rose again last week to 20·6. During the four weeks ending on Saturday last the death-rate averaged 19·3 per 1000, being 3·0 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1817 deaths included 50 from measles, 3 from scarlet fever, 36 from diphtheria, 49 from whooping-cough, 7 from enteric fever, 17 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 162 deaths were referred to these diseases, being 47 below the corrected average weekly number.

The deaths from *measles*, which had been 41, 39, and 56 in the preceding three weeks, fell again last week to 50, and were 13 below the corrected average; 7 cases belonged to St. Pancras, 5 to Lambeth, 4 to Rotherhithe, and 4 to Kensington sanitary areas. The deaths from *scarlet fever*, which had been 9, 8, and 6 in the preceding three weeks, further fell last week to 3, the corrected average being 14. The deaths from *diphtheria*, which had been 26, 41, and 35 in the preceding three weeks, were 36 last week, the corrected average being 41; 3 cases belonged to Islington, 3 to Bethnal Green, 3 to Poplar, and 3 to Plumstead sanitary areas. The deaths from *whooping-cough*, which had been 43, 37, and 35 in the preceding three weeks, rose again last week to 49, but were 22 below the corrected average; 9 cases belonged to Poplar and 8 to Hackney sanitary areas. The fatal cases of *enteric fever*, which had been 18, 13, and 13 in the preceding three weeks, fell last week to 7, the corrected average being 6; 2 cases belonged to Battersea sanitary area. The deaths from *diarrhœa*, which had been 7, 6, and 8 in the preceding three weeks, further rose last week to 17, and were 4 above the corrected average. The deaths referred to diseases of the respiratory organs, which had been 380, 378, and 391 in the preceding three weeks, further rose last week to 456, but were 18 below the corrected average. The deaths attributed directly to *influenza* numbered 25, having been 42, 37, and 26 in the preceding three weeks; influenza was stated as a contributory cause of 6 other deaths, against 3, 3, and 5 in the preceding three weeks.

Different forms of violence caused 61 deaths, concerning all but 1 of which inquests were held. Of these 61 deaths, 5 were cases of suicide, while the remaining 56 were attributed to accident or negligence. Three of these were referred to vehicles in the streets, 9 to burns and scalds, 3 to drowning, and 14 (including 13 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 5 cases of small-pox, 1715 of scarlet fever, 1329 of diphtheria, and 268 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, no case, against 2, 1, and 2; of scarlet fever, 170 cases, against 154, 147, and 181; of diphtheria, 155 cases, against 176, 178, and 154; and of enteric fever, 41 cases, against 37, 35, and 34.

Greater London.

In Greater London 3783 births and 2368 deaths were registered, corresponding to annual rates of 29·7 and 18·6 per 1000 of the estimated population. In the Outer Ring 1 death from small-pox, 8 from measles, 3 from scarlet fever, 14 from diphtheria, 15 from whooping-cough, 5 from "fever," and 5 from diarrhœa were registered. Three deaths from scarlet fever, 5 from diphtheria, and 3 from "fever" occurred in West Ham district; 3 deaths from diphtheria occurred in Edmonton district; the death from small-pox was that of a male aged 19 years, who had been removed from South Tottenham to the Small-pox Hospital at South Mimms.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·48 inches, and that of the Thermometer 38°·8; the latter being 2°·8 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 12 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 23·1 hours; the measured rainfall amounted to 0·61 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the Week ending 24th Mar. 1900.	Deaths, the Week ending 24th Mar. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Diphtheria.	Deaths from Whooping-cough.	Deaths from Fever.	Deaths from Diarrhœa.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	Corresponding to the Week's Deaths. From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6824**	**4807**	**1110**	**1184**	**1**	**123**	**33**	**91**	**141**	**38**	**45**	**162**	**342**	**1068**	**67**	**21·6**	**2·1**	**52·8**	**19·5**	**37·0**	**2·78**	**0·55**	**1·40**	**33 Towns.**
London	4,589,129	2675	1817	413	466	-	50	3	36	49	7	17	61	154	538	12	20·6	1·8	52·8	21·6	38·8	3·78	0·61	1·55	London.
West Ham	314,472	171	117	34	20	-	3	2	2	4	3	2	2	6	17	5	19·4	2·7	-	-	-	-	-	-	West Ham.
Croydon	131,186	64	39	9	13	-	1	-	1	-	-	-	1	3	9	-	15·5	0·8	52·5	19·5	37·8	3·22	0·64	1·63	Croydon.
Brighton	124,148	61	42	10	14	-	-	-	1	-	-	-	2	2	7	1	17·6	0·4	52·2	24·0	40·0	4·44	0·60	1·52	Brighton.
Portsmouth	194,955	103	69	10	26	-	-	-	1	5	-	2	4	10	9	-	18·5	2·1	50·0	26·0	39·5	4·17	0·72	1·83	Portsmouth.
Plymouth	102,161	59	56	10	19	-	2	1	-	-	1	-	-	4	6	-	28·6	2·0	-	-	-	-	-	-	Plymouth.
Bristol	324,973	171	119	17	34	-	9	1	2	2	2	2	4	11	23	-	19·1	2·9	50·0	20·5	36·3	2·39	1·10	2·79	Bristol.
Cardiff	194,247	99	57	14	15	-	5	-	1	1	1	-	2	5	6	-	15·3	2·1	-	-	-	-	-	-	Cardiff.
Swansea	105,472	59	42	14	9	-	-	-	1	1	1	2	-	2	1	-	20·8	2·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	68	63	19	14	-	4	-	-	5	1	-	1	7	11	1	36·7	5·8	47·0	20·0	33·2	0·67	0·61	1·55	Wolverhampton.
Birmingham	519,610	358	241	62	48	-	2	5	2	7	7	1	9	11	62	10	24·2	2.4	-	-	-	-	-	-	Birmingham.
Norwich	114,855	60	44	16	13	-	-	-	-	1	-	-	-	4	4	2	20·0	0·5	52·0	23·2	37·8	3·22	0·48	1·22	Norwich.
Leicester	219,169	122	60	16	13	-	2	1	4	2	-	1	1	6	11	-	14·3	2·4	-	-	-	-	-	-	Leicester.
Nottingham	242,676	139	95	22	28	-	2	1	-	-	2	1	9	12	20	1	20·4	1·3	50·3	28·6	36·6	2·56	0·20	0·51	Nottingham.
Derby	107,991	62	35	9	9	-	1	-	-	-	1	1	1	1	6	-	16·9	1·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	76	55	19	15	-	-	-	1	-	-	-	1	5	3	1	24·5	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	426	381	87	83	-	-	3	-	21	4	5	9	11	95	20	31·3	2·7	48·3	26·2	36·1	2·28	0·59	1·50	Liverpool.
Bolton	164,240	106	82	20	19	-	1	1	-	5	1	2	1	3	14	-	26·0	3·2	-	-	-	-	-	-	Bolton.
Manchester	548,768	337	282	47	72	-	8	1	2	12	2	3	12	17	70	2	26·8	2·7	-	-	-	-	-	-	Manchester.
Salford	220,816	137	111	33	21	-	2	2	2	7	-	2	3	6	17	-	26·2	3·5	-	-	-	-	-	-	Salford.
Oldham	153,297	56	68	13	21	-	4	-	2	-	-	-	1	3	10	1	23·1	2·0	-	-	-	-	-	-	Oldham.
Burnley	116,730	47	24	9	2	-	2	-	-	1	-	1	-	-	-	-	10·7	1·8	-	-	-	-	-	-	Burnley.
Blackburn	137,107	79	40	12	11	-	2	2	3	-	-	-	2	2	3	-	15·2	2·7	-	-	-	-	-	-	Blackburn.
Preston	118,902	73	64	16	16	-	5	1	-	2	-	1	2	3	3	3	28·1	3·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	44	30	6	9	-	1	-	-	1	-	-	-	-	3	-	15·0	1·0	48·5	24·5	34·9	1·61	0·52	1·32	Huddersfield.
Halifax	100,710	42	56	5	19	-	4	1	1	-	-	-	2	2	8	1	29·0	3·1	-	-	-	-	-	-	Halifax.
Bradford	291,535	115	102	15	29	-	1	7	1	-	2	-	4	8	16	-	18·2	2·0	49·8	24·6	36·1	2·28	0·45	1·14	Bradford.
Leeds	431,287	258	166	40	36	-	2	-	8	8	-	-	6	11	27	-	20·1	2·2	-	-	-	-	-	-	Leeds.
Sheffield	365,922	253	157	42	27	-	7	1	19	3	3	1	5	7	17	2	22·4	4·8	-	-	-	-	-	-	Sheffield.
Hull	238,736	164	89	21	17	1	1	-	-	-	-	1	5	8	17	1	19·4	0·7	48·0	24·0	37·2	2·89	0·13	0·33	Hull.
Sunderland	147,398	112	70	19	20	-	-	-	1	-	-	-	3	7	9	3	24·8	0·4	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	78	43	15	7	-	-	-	-	1	-	-	1	1	3	1	20·5	0·5	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	150	91	16	19	-	2	-	-	3	-	-	8	10	23	-	20·2	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWELFTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2534	2575	2437	2729	2496	2650	2483	2707	2218	2480	2662·6	2675
Males - -	1283	1335	1269	1373	1289	1340	1258	1393	1123	1249	1358·4	1378
Females - -	1251	1240	1168	1356	1207	1310	1225	1314	1095	1231	1304·2	1297
TOTAL **Deaths** -	1637	1667	1744	1708	1689	2190	1603	1534	1731	2025	1844·0	1817
Males - -	850	879	930	877	849	1099	825	802	873	981	943·2	973
Females - -	787	788	814	831	840	1991	778	732	858	1044	900·8	844

*The numbers in this column are the average weekly numbers in the twelfth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
TOTAL **Births** - -	1880	2792	2766	2533	2634	2498	2889	2439	2805	2561	2841	2628	2675
TOTAL **Deaths** - - -	3067	3266	2930	2365	1950	1722	1792	2013	1894	1668	1652	1659	1817
Ages at Death: Under 1 year - -	451	408	409	385	344	356	356	380	355	340	345	385	413
1—5 years - -	261	268	256	231	198	192	200	200	218	189	208	215	260
5—20 " - -	125	122	101	105	89	83	104	104	91	72	102	87	94
20—40 " - -	359	393	303	282	247	222	221	230	245	218	219	216	232
40—60 " - -	703	720	656	501	301	367	354	448	392	362	367	327	352
60—80 " - -	928	1044	946	682	524	400	444	519	476	375	342	339	368
80 years and upwards	240	311	259	179	157	102	113	132	117	112	69	90	98
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles - - - - -	65	62	51	45	46	27	33	50	42	41	39	56	50
Scarlet Fever - - -	12	6	7	6	6	10	7	5	4	9	8	6	3
Diphtheria - - - -	56	58	49	40	37	46	51	35	48	26	41	35	36
Whooping-cough - - -	28	26	37	34	39	45	37	51	40	43	37	35	49
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	18	19	23	17	13	17	22	18	17	18	13	13	7
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	9	10	9	10	15	14	11	6	11	7	6	8	17
Cholera - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-
All the above Diseases -	188	181	176	152	156	159	162	165	163	145	144	153	162
Dis. of Respiratory System -	1171	1221	994	728	490	432	423	527	485	380	378	391	456
Phthisis - - - - -	239	200	204	220	177	157	161	193	162	170	158	178	205
Dis. of Circulatory System -	271	284	246	206	160	135	154	191	164	156	161	126	154
Violence - - - - -	103	103	86	91	75	77	89	75	76	82	82	63	61
Inquest Cases - - - -	281	313	239	226	183	158	199	180	193	173	169	151	154
Deaths in Public Institutions -	859	843	817	702	645	581	593	591	590	551	524	526	538
TEMPERATURE OF THE AIR.													
Mean - - - - -	38°·8	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45°·4	43°·1	39°·2	40°·8	38°·8
Mean of Highest readings -	43·3	45·1	43·0	46·2	49·3	37·3	36·2	41·4	51·6	48·0	43·7	47·6	45·7
Mean of Lowest readings -	33·4	36·0	32·9	33·0	39·1	33·2	25·4	29·1	39·4	39·8	35·8	34·3	32·7
Humidity of the Air - -	84	88	80	85	84	87	73	84	85	90	79	76	83
Rain-fall (in inches) - -	0·59	0·48	0·48	0·74	0·32	0·96	0·29	1·46	0·51	0·65	0·02	0·08	0·61
Registered Sunshine (in hours)	6·2	9·5	14·1	12·4	5·0	3·1	19·3	13·5	18·3	5·3	15·5	13·4	23·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	7	8	18	21	24	21	17	8	11	7	7	5	5
Scarlet Fever - - - -	2881	2730	2562	2441	2287	2179	2089	2052	2009	1868	1777	1760	1715
Diphtheria - - - -	1693	1653	1601	1582	1606	1581	1549	1498	1437	1407	1385	1361	1329
Enteric Fever - - - -	406	382	349	329	307	289	281	270	280	274	270	265	268

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich: John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWELFTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 12th Week of the 10 years 1890–99*.	In the Week ending Saturday, 24th March, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1844·0	1817	413	260	94	232	352	368	98
- Vaccinated† -	–	–	–	–	–	–	–	–	–
Unvaccinated	0·5	–	–	–	–	–	–	–	–
No Statement	0·1	–	–	–	–	–	–	–	–
s - - - -	63·1	50	11	35	3	1	–	–	–
Fever - - -	13·6	3	–	2	1	–	–	–	–
s - - - -	0·1	–	–	–	–	–	–	–	–
ing Fever - -	0·1	–	–	–	–	–	–	–	–
nza - - - -	53·1	25	1	3	3	4	8	6	–
ping-cough - -	71·0	49	22	26	1	–	–	–	–
neria - -	41·2	36	2	24	10	–	–	–	–
e Continued and efined Fever -	–	–	–	–	–	–	–	–	–
c Fever - - -	6·3	7	–	–	4	3	–	–	–
a and Chol. Diarr.	0·1	–	–	–	–	–	–	–	–
oea, Dysentery -	12·7	17	10	1	–	–	1	4	1
tent Fever - -	–	–	–	–	–	–	–	–	–
phobia - - -	–	–	–	–	–	–	–	–	–
ers - - - -	–	–	–	–	–	–	–	–	–
ox and Effects ofination - -	0·3	–	–	–	–	–	–	–	–
eal Affections - -	8·0	8	4	–	–	3	1	–	–
pelas - - -	3·5	4	–	1	–	1	1	1	–
ia and Septicæmia	1·7	2	1	1	–	–	–	–	–
eral Fever - -	3·7	2	–	–	–	2	–	–	–
Zymotic Diseases	1·5	1	1	–	–	–	–	–	–
h - - - -	0·5	–	–	–	–	–	–	–	–
s and other Parasitical Diseases -	0·4	–	–	–	–	–	–	–	–
tion, Want of st-milk - -	1·5	2	1	–	–	–	–	1	–
olism - - -	9·4	9	–	–	–	2	7	–	–
matic Fever, umatism of Heart	7·0	9	–	–	4	4	1	–	–
natism - - -	2·2	4	–	–	–	1	1	2	–
- - - - -	4·6	4	–	–	–	–	1	2	1
ts - - - -	6·4	12	3	9	–	–	–	–	–
r - - - -	67·4	82	–	–	1	6	37	31	7
Mesenterica - -	19·0	20	12	7	1	–	–	–	–
cular Meningitis -	25·5	29	6	18	5	–	–	–	–
eis - - - -	174·0	205	2	3	9	96	77	18	–
ila, Tuberculosis -	21·6	27	13	5	5	2	2	–	–
Constitutional eases - -	12·7	14	1	–	2	2	4	3	2
ature Birth - -	46·5	44	44	–	–	–	–	–	–
ctasis - - -	3·1	6	6	–	–	–	–	–	–
nital Malformations - - -	8·1	12	11	1	–	–	–	–	–
ge - - - -	59·5	58	–	–	–	–	–	28	30
lexy - - -	44·1	43	1	1	–	3	15	20	3
psy - - - -	7·8	8	–	1	1	2	2	2	–
ulsions - - -	40·5	35	35	–	–	–	–	–	–
Diseases of Brain Nervous System	96·3	85	10	18	4	10	16	24	3
ses of Organs of cial Sense -	3·4	5	–	2	2	1	–	–	–

CAUSES OF DEATH	Corrected Averages for the 12th Week of the 10 years 1890–99*.	In the Week ending Saturday, 24th March, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	153·4	154	1	–	11	27	53	50	12
Croup - - - -	5·5	–	–	–	–	–	–	–	–
Bronchitis - - -	261·7	227	59	32	–	3	29	84	20
Pneumonia - - -	167·5	184	45	47	10	24	30	24	4
Pleurisy - - - -	5·3	9	–	3	–	2	2	2	–
Other Diseases of Respiratory System -	34·3	36	7	2	2	2	11	9	3
Dentition - - - -	12·2	11	10	1	–	–	–	–	–
Quinsy, Sore Throat -	1·8	–	–	–	–	–	–	–	–
Enteritis - - -	12·6	9	6	–	–	–	1	2	–
Gastro-enteritis -		12	8	1	–	–	2	–	1
Peritonitis - - -	6·2	3	–	1	1	1	–	–	–
Diseases of Liver - -	24·8	28	1	–	–	2	16	9	–
Other Diseases of Digestive System	30·5	35	7	–	4	5	8	10	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	2	–	–	–	–	2	–	–
Diseases of Urinary System - - -	48·2	51	–	1	1	7	12	24	6
Diseases of Generative System - - -	6·5	4	1	–	–	1	1	1	–
Accidents of Childbirth -	4·8	7	–	–	–	7	–	–	–
Diseases of Locomotive System - - -	5·5	4	1	–	1	–	1	–	1
Diseases of Integumentary System - -	6·2	8	3	–	–	1	1	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	54·2	3	–	–	2	1	–	–	–
By Vehicles or Horses -		3	–	1	1	–	1	–	–
In Ships, Boats, Docks, (exclusive of Drowning) - - -		–	–	–	–	–	–	–	–
In Building Operations -		1	–	–	–	1	–	–	–
In Conflagrations -		–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions - -		9	–	8	1	–	–	–	–
By Drowning - - -		3	–	–	–	2	1	–	–
By Suffocation in Bed -		14	13	1	–	–	–	–	–
By Poisons or Poisonous Vapours - -		2	–	–	–	1	–	1	–
Other or not stated causes - - - -		21	5	–	4	–	5	5	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Battle - - - -	0·1	–	–	–	–	–	–	–	–
Homicide - - -	0·9	–	–	–	–	–	–	–	–
Suicide - - - -	9·0	5	–	–	–	2	2	1	–
Execution - - -	–	–	–	–	–	–	–	–	–
OTHER CAUSES - -	48·9	55	49	4	–	–	–	2	–

he numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 24th March, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2675	1817	413	466	-	50	3	36	49	-	7	-	17	61	154	538
WEST DISTRICTS - - -	778,251	380	272	50	83	-	9	-	7	6	-	-	-	1	13	23	90
NORTH DISTRICTS - - -	1,040,694	582	415	82	109	-	12	1	7	13	-	1	-	7	8	34	113
CENTRAL DISTRICTS - - -	233,635	127	97	22	19	-	1	-	2	4	-	-	-	-	5	14	28
EAST DISTRICTS - - -	716,334	550	341	85	72	-	7	-	5	16	-	2	-	-	14	40	119
SOUTH DISTRICTS - - -	1,642,796	1,036	658	174	170	-	21	2	15	10	-	4	-	9	21	43	154
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	13	-	-	-	-	-	-	-	-	-	-	-	34
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	45	34	9	10	-	-	-	-	1	-	-	-	-	2	3	11
St. John Paddington *H* - - G.	33,510	4	17	1	10	-	-	-	-	-	-	-	-	-	1	1	8
Kensington Town *Ww* - - W.	122,164	59	47	9	9	-	3	-	-	1	-	-	-	1	2	3	17
Brompton *HH* - - - W. & C.	48,301	17	10	-	3	-	-	-	-	-	-	-	-	-	1	1	2
North Hammersmith *H* } W. & G.	44,638	25	13	4	5	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith *H* } W. & G.	59,561	38	21	3	3	-	2	-	2	-	-	-	-	-	-	2	6
Fulham *Ww* - - - W. & C.	113,781	94	45	7	12	-	3	-	4	3	-	-	-	-	1	2	17
Chelsea Kensal Town - C.	21,450	15	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	14	18	1	6	-	-	-	-	-	-	-	-	-	1	1	6
Chelsea South *HH* - - C.	33,139	13	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-
May Fair *W* - - - - - G.	23,827	5	18	2	10	-	-	-	-	-	-	-	-	-	2	3	11
Belgrave *WHHH* - - - C.	56,140	25	15	2	6	-	-	-	-	-	-	-	-	-	1	1	6
St. John Westminster *HH* - C.	31,492	10	8	2	2	-	-	-	1	-	-	-	-	-	1	1	2
St. Margaret Westminster *H* - C.	22,097	4	5	1	2	-	-	-	-	-	-	-	-	-	-	1	2
St. James Westminster *WH* } N. & G.	23,050	9	7	4	1	-	-	-	-	-	-	-	-	-	-	2	1
St Anne Soho *HHHHH* - N.	12,048	3	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	36,595	10	17	2	5	-	-	-	-	-	-	-	-	-	-	-	8
Rectory Marylebone *W* G. & W.	19,798	7	7	1	2	-	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone *HHHH* } G. & W.	19,637	42	6	3	1	-	-	-	-	-	-	-	-	1	-	1	2
Christchurch Marylebone *H* - W	32,547	18	10	3	-	-	1	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W.	32,611	17	11	3	4	-	-	-	-	-	-	-	-	-	-	1	1
Hampstead *WwHHHH* } - N. & W.	75,449	37	18	1	8	-	-	-	1	-	-	-	-	-	-	1	6
Regent's Park † *HH* - W.	51,403	11	20	6	5	-	1	-	-	-	-	-	-	3	-	-	1
Tottenham-court *wHHHHHH* } - N. & W.	26,757	5	18	2	2	-	-	-	-	1	-	1	-	-	-	-	10
Gray's Inn Lane *HHHH* - N.	29,426	20	9	2	1	-	2	-	-	1	-	-	-	-	1	2	2
Somers Town *HH* - - - N.	32,161	26	13	3	-	-	3	-	-	-	-	-	-	1	-	1	1
Camden Town† *WH* - - N.	40,155	26	23	2	12	-	1	-	1	-	-	-	-	-	-	1	9
Kentish Town† *WW* - - N.	60,862	29	17	2	4	-	-	-	-	-	-	-	-	-	-	1	8
Upper Holloway *WWWWwHH* } - - N.	98,273	64	63	7	21	-	-	-	-	-	-	-	-	-	1	7	38
Lower Holloway‡ - - - N.	41,805	25	20	3	7	-	2	-	-	-	-	-	-	-	-	2	-
Barnsbury‡ - - - - N.	56,384	40	16	5	2	-	1	-	-	-	-	-	-	-	-	2	-
Islington South-east‡ *H* - N.	75,725	39	23	6	6	-	-	-	-	1	-	-	-	1	1	2	-
Highbury *HH* - - - N.	64,577	35	23	3	8	-	-	-	-	2	-	-	-	-	-	2	2
Stoke Newington *H* - - N.	33,485	13	9	3	3	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - - E. & N.	213,044	18	22	5	5	-	1	-	-	2	-	-	-	1	2	2	-
Central Hackney *ww* - E. & N.		29	21	5	5	-	-	1	5	1	-	-	-	-	1	2	7
South-west Hackney *HHH* E. & N.		36	23	5	2	-	-	-	-	1	-	-	-	-	2	2	7
South-east Hackney *WwH* E. & N.		35	26	10	6	-	-	-	-	4	-	-	-	-	-	2	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER. DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 24th March, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
sbury and St. Giles } h *WH* - - - N.	29,086	13	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
es North *H* - - - N.	9,151	7	6	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-
rtin-in-the-Fields *HH* N. & C.	13,077	6	4	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-
l *WHH* - - - - N.	11,839	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *wHHHHH* - N.	31,042	17	21	6	1	-	-	-	1	-	-	-	-	-	1	3	12	-
nes Clerkenwell - - N.	15,777	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ll Clerkenwell - - N.	34,356	20	9	4	1	-	-	-	-	-	-	-	-	-	1	3	-	-
ll-street - - - - N.	16,069	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oad *HHHL* - - N.	29,897	32	13	6	3	-	-	-	-	4	-	-	-	-	-	2	1	-
cross-street - - - N.	7,595	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ry - - - - - N.	4,035	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Union Workhouse, } *ham* - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olph* *H* - - N. & E.	13,061	3	7	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-
ulchre *WH* - - - N.	9,591	2	9	1	2	-	-	-	-	-	-	-	-	-	1	1	8	-
lows Barking - - - N.	9,059	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
litch South *Hl* - E. & N.	17,975	7	8	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
n New Town *w* - - N.	29,575	23	22	5	8	-	-	-	-	-	-	-	-	-	-	1	14	-
n Old Town - - - N.	27,645	31	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rston *WH* - - N. & E.	47,163	45	22	6	5	-	-	-	1	1	-	-	-	-	2	2	9	-
al Green North *H* - E.	49,301	36	15	7	-	-	-	-	-	-	-	-	-	-	1	2	-	-
al Green South - - E.	34,194	19	19	5	3	-	3	-	1	1	-	-	-	-	1	2	-	-
al Green East *WWHl* - E.	45,667	29	24	2	7	-	-	-	-	2	-	1	-	-	-	2	13	-
fields - - - E. & N.	26,681	24	9	6	2	-	1	-	-	-	-	-	-	-	1	2	-	-
nd New Town *WH* - E. }	51,995 {	25	63	12	5	-	-	-	-	-	-	1	-	-	5	14	50	-
nan's Fields - - - E. }		9	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	39,576	44	5	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
n, St. George East *W* E.	7 930	7	10	2	2	-	-	-	-	-	-	-	-	-	1	2	6	-
well *H* - - - E. & N.	10,434	7	9	3	2	-	-	-	1	-	-	-	-	-	-	-	7	-
ff *W* - - - - E.	14,954	10	4	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
ouse - - - - - E.	32,917	27	11	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-
nd Old Town West *H* E. }	111,060	{ 49	11	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-
nd Old Town East } *ww* - E. }		{ 35	15	1	5	-	-	-	1	1	-	-	-	-	-	1	3	-
l - - - - E.	41,687	34	15	1	4	-	-	-	-	1	-	-	-	-	-	1	2	-
ey *wwwH* - - - E.	69,821	43	39	7	15	-	-	-	1	5	-	-	-	-	1	2	14	-
r *WW* - - - - E.	57,759	46	27	6	7	-	1	-	-	3	-	-	-	-	1	4	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 24th March, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	7	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	17	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Borough-road *WH* - S. & L.	16,083	14	8	3	1	-	-	-	-	-	-	-	-	-	2	5	3
London-road *HL* - - L. & S.	21,316	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	21	17	6	5	-	-	-	-	-	-	-	-	-	1	2	-
St. Peter Walworth *W* - S. & L.	62,045	46	14	5	4	-	-	-	-	-	-	-	-	1	-	-	2
St. Mary Newington- - L. & S.	30,171	25	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-
St. Olave *WH*- - - - S.	11,731	9	17	2	3	-	-	-	-	1	-	-	-	-	4	4	12
Bermondsey *W* - - - S.	85,475	59	34	14	4	-	1	-	-	3	-	-	-	-	3	6	-
Rotherhithe *Ww* - S. & K.	40,379	27	25	6	8	-	4	-	-	-	-	-	-	2	-	-	8
Waterloo-road *HH* - L. & S.	28,396	36	11	6	2	-	1	-	-	-	-	-	-	-	1	1	1
Lambeth Church 1st *H* - L. & S.	18,770	11	16	1	1	-	-	-	1	-	-	-	-	-	2	3	11
Lambeth Church 2nd *WW* L. & S.	40,994	33	26	6	7	-	-	-	-	-	-	-	-	-	-	-	19
Kennington 1st *H* - S. & L.	52,486	37	11	3	2	-	-	-	-	-	-	-	-	1	-	3	-
Kennington 2nd - - S. & L.	43,244	17	11	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Brixton *w* - - - L. & S.	81,825	46	31	11	7	-	3	-	-	2	-	-	-	1	1	1	-
Norwood *WH*- - - - L.	29,318	12	10	3	1	-	1	-	-	-	-	-	-	-	-	1	-
East Battersea - - - - S.	71,730	45	24	10	1	-	-	-	-	1	-	2	-	-	-	3	-
West Battersea *WwH* - - S.	93,385	37	36	5	11	-	1	1	-	-	-	-	-	-	-	2	9
Clapham *H* - - - - S.	46,953	28	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Wandsworth *WHHL* - - S.	58,101	35	20	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - - S.	20,566	8	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	52	27	7	8	-	-	-	-	-	-	2	-	1	-	1	1
Dulwich - - - L. & S.	7,519	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	44	73	10	32	-	2	-	-	-	-	-	-	-	2	1	42
Peckham *WW* - S., L., & K.	88,242	53	28	8	6	-	2	-	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	67,029	55	25	11	7	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	30	17	6	4	-	-	-	-	-	-	-	-	-	1	2	-
Deptford Central *w* - - K.	45,441	32	11	3	2	-	-	-	4	-	-	-	-	-	-	-	4
Deptford South - - - K.	33,402	15	10	5	1	-	-	-	-	1	-	-	-	-	-	1	-
Greenwich West *H* - - K.	23,012	11	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *WH* - - K.	37,767	26	30	5	11	-	-	-	-	1	-	-	-	-	1	1	11
Eltham *wH* - - - - K.	5,911	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	3	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2
Lewisham *WwH* - - - K.	38,139	40	18	5	3	-	-	1	3	-	-	-	-	1	-	1	9
Sydenham *H* - - - - L.	37,601	18	12	2	3	-	2	-	-	-	-	-	-	1	1	1	1
Charlton *wHH* - - K.	15,928	8	13	1	1	-	-	-	6	-	-	-	-	-	-	-	10
Woolwich Dockyard - - K.	9,355	5	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich Arsenal *HHHH* - K.	21,959	17	7	2	2	-	-	-	-	-	-	-	-	-	1	1	1
Plumstead West *H* - - K.	16,714	11	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	22	16	4	5	-	2	-	-	-	-	-	-	-	-	1	7
Banstead Asylum - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch Asylum - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9
Claybury Asylum - - - -	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 24th March, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON—OUTER RING -	368,749	1,422,063	1108	551	125	148	1	8	3	14	15	5	5	11	33	81	10
1	Carshalton *H* - - -	12,228	26,108	12	7	2	3	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	10	8	-	2	-	-	-	-	-	-	-	-	1	2	-
1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	77	43	9	16	-	1	-	1	-	-	-	1	3	9	-
2	Mitcham *w* - - -	11,697	23,072	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	17	16	3	5	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	19	10	1	5	-	-	-	-	-	-	-	1	1	4	-
3	Surbiton *HH* - - -		12,178	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,565	18,252	8	5	3	-	-	-	-	-	-	-	-	-	-	1	-
1	Richmond *WHH* - -	2,160	25,389	7	6	1	3	-	-	-	-	-	-	-	1	1	1	-
2	Mortlake *H* - - -	2,823	16,159	9	7	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	11	7	1	2	-	-	-	1	1	-	-	-	-	3	1
2	Beckenham *H* - - -	6,542	21,969	13	7	2	1	-	-	-	1	-	-	-	1	1	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	17	4	-	2	-	-	-	-	-	-	-	-	-	2	-
1	Bexley *HHH* - - -	12,540	30,590	26	15	3	3	-	-	-	2	1	-	-	-	1	-	1
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	13,671	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	6	5	-	2	-	-	-	-	-	-	-	-	-	-	1
1	Hillingdon *WHH* - -	6,035	12,237	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	17	11	2	3	-	-	-	-	-	-	-	-	-	2	-
2	Twickenham *HH* - -	2,415	16,027	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	21	5	1	-	-	-	-	-	-	-	-	-	-	-	1
4	Chiswick - - - -	1,245	21,963	16	16	5	6	-	-	-	-	-	-	-	-	1	-	-
5	Acton *wHH* - - -	6,132	30,945	37	11	-	2	-	-	-	-	-	1	-	-	-	1	-
1	Harrow *HHH* - - -	13,809	15,715	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	65	19	5	5	-	-	-	1	-	-	-	-	3	1	-
4	Hendon *WH* - - -	8,382	15,843	12	6	1	1	-	-	-	-	-	-	-	-	-	2	-
1	South Mimms *HH* - -	21,077	6,367	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	7	9	-	5	-	-	-	-	-	-	3	-	-	6	-
3	Finchley *HHH* - - -	4,688	25,820	13	13	2	2	-	-	-	-	1	-	-	-	1	1	-
1	Hornsey *HH* - - -	3,039	61,097	39	19	5	6	-	1	-	-	1	-	-	-	-	1	-
2	Tottenham *HHH* - -	4.642	97,174	66	36	7	12	-	2	-	-	2	-	-	-	3	3	-
3	Edmonton *Ww* - -	7,489	36,351	38	25	2	13	-	-	-	1	1	-	-	-	-	11	-
4	Enfield *WWHH* - -	12,602	31,536	26	13	2	5	-	-	-	1	1	1	-	1	1	5	1
5	Waltham Abbey - - -	11,017	6,066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	6	3	-	1	-	-	-	1	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	38,612	33	17	8	3	-	-	-	1	-	1	-	-	-	2	-
2	Plaistow *HHH* - - -		58,030	50	30	10	3	-	-	-	-	3	1	1	1	1	-	1
3	Canning Town *H* - -		54,750	59	39	13	5	-	3	-	1	-	-	1	1	3	1	2
4	Forest Gate *w* - - -		53,511	29	17	2	4	-	-	-	-	1	1	-	-	2	-	2
5	East Ham *wHHH* - -	3,266	32,713	74	20	8	3	-	-	-	-	-	-	-	1	2	-	-
6	Leyton *WWWwH* - -	4,334	70,188	69	40	10	12	-	-	2	-	1	-	-	2	4	18	-
7	Walthamstow *HHHL* -	6,501	57,330	57	24	10	1	-	1	1	3	2	-	-	-	1	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	13	5	2	2	-	-	-	-	-	-	-	-	-	1	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	18	4	1	-	-	-	-	-	-	-	-	1	1	-	-
3	Barking Town, *H* - -	3,814	14,301	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	London County Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Small-pox Hospital, South Mimms.	—	—	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst -district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in field sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping p. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 24th March, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**18·6**	**1·7**	**2368**	**538**	**614**	**1**	**58**	**6**	**50**	**64**	**12**	**22**	**72**
INNER LONDON -	74,672	4,589,129	20·6	1·8	1817	413	466	–	50	3	36	49	7	17	61
OUTER RING -	368,749	2,063,016	13·9	1·3	551	125	148	1	8	3	14	15	5	5	11

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	Mar	24	153	138	23·8	–	1	–	–	2	3
GLASGOW - -	743,585	„	24	470	334	23·4	–	13	4	3	10	1
DUBLIN - -	349,594	„	24	226	236	35·2	–	–	1	1	–	–
CALCUTTA - -	466,460	Feb.	3	–	359	40·1	11	–	–	3	–	143†
BOMBAY - -	821,764	„	27	213	2761	174·7	263	107	?	?	?	1024†
MADRAS - -	452,518	„	23	308	357	41·0	–	19	–	–	–	99
PARIS - - -	2,511,629	Mar.	17	1164	1024	21·1	–	29	–	9*	6	31
BRUSSELS - -	561,130	„	17	273	216	20·0	–	1	–	–	3	2
AMSTERDAM -	523,743	„	10	311	167	16·6	–	–	–	–	4	3
ROTTERDAM -	315,305	„	10	229	148	24·0	–	2	–	3	–	–
THE HAGUE -	205,328	„	10	111	72	18·2	–	1	–	1	–	1
COPENHAGEN -	349,000	„	17	219	195	29·1	–	1	1	2	2	–
STOCKHOLM -	291,580	„	10	153	118	21·0	–	–	–	4*	–	–
CHRISTIANIA -	221,255	„	17	176	75	17·6	–	–	–	–	–	2
ST. PETERSBURG	1,132,677	„	10	515	708	32·6	3	17	21	23	6	23
MOSCOW - -	988,610	„	10	–	552	29·1	2	11	3	7	6	3
BERLIN - -	1,848,269	„	3	892	765	21·5	1	6	7	10	15	–
HAMBURG - -	691,349	„	17	–	248	18·7	–	1	2	5*	–	1
DRESDEN - -	401,400	Feb.	24	–	119	15·4	–	–	–	–	3	–
BRESLAU - -	406,012	Mar.	17	–	226	28·5	–	–	–	2	1	–
MUNICH - -	463,000	„	10	–	230	25·8	–	19	–	–	1	1
VIENNA - -	1,639,811	„	10	968	763	24·2	–	15	2	5*	2	–
PRAGUE - -	385,952	„	10	210	154	20·8	–	2	1	–	4	–
BUDA-PESTH -	685,340	„	10	489	300	22·8	–	1	1	5	1	2
TRIESTE - -	167,286	„	3	87	116	36·2	–	1	–	2*	4	1
ROME - - -	512,423	Feb.	17	273	220	22·4	–	11	–	1	–	4§
TURIN (10 days)	344,203	Jan.	20	195	276	29·3	–	7	–	–	–	2
VENICE - -	172,491	Mar.	10	67	80	24·2	–	–	–	3*	–	–
CAIRO - -	570,062	Feb.	4	–	–	–	–	–	–	–	–	–
ALEXANDRIA -	319,766	„	4	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,654,594	„	24	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,266,832	Mar.	3	–	596	24·5	–	9	3	32	2	9

* Including deaths from croup.
† Including 73 deaths from plague in Calcutta, and 768 in Bombay.
‡ Including 26 deaths from cholera in Calcutta, and 10 in Bombay.
§ Including 1 death from malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Corrected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
March.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	18	..	29·295	42·1	21·6	20·5	32·7	− 8·9	29·0	3·7	11·5	0·0	86	94·8	20·6	41·89	SW. & S.	SSE. & S.	4·7	0·0	0·4	264	− 48	0·19	0·8
Monday -	19	..	29·163	44·8	32·3	12·5	38·0	− 3·5	36·1	1·9	6·2	0·6	93	110·3	31·8	41·35	Variable	SSE., SE. & ESE.	1·8	0·0	0·1	200	−111	0·30	1·0
Tuesday -	20	..	29·540	52·8	35·1	17·7	43·4	+ 2·0	33·5	9·9	16·4	2·9	68	107·1	26·4	41·14	SSE. & SSW.	SSW., SSE. & ESE.	1·3	0·0	0·0	195	−115	0·00	3·0
Wednesday	21	..	29·564	48·4	30·2	18·2	38·9	− 2·5	35·2	3·7	12·0	0·0	86	103·0	25·0	41·03	ENE. & NE.	ENE. & NE.	4·4	0·0	0·4	333	+ 24	0·08	0·0
Thursday-	22	..	29·347	45·2	39·3	5·9	42·4	+ 0·9	38·4	4·0	5·3	3·3	86	52·0	37·1	41·09	NE. & ENE	ENE.	4·3	0·0	0·6	443	+136	0·04	0·0
Friday -	23	Greatest Dec. S.	29·685	45·1	35·4	9·7	38·3	− 3·5	35·0	3·3	7·8	3·0	88	47·1	34·1	41·29	ENE. & NE.	NE. & NNE.	5·5	0·0	1·0	537	+233	0·00	0·0
Saturday-	24	Last Quarter.	29·757	41·7	34·8	6·9	37·7	− 4·4	29·6	8·1	11·9	6·2	73	66·9	33·2	41·47	NNE. & NE.	NE. & NNE.	4·2	0·0	0·7	446	+144	0·00	1·2
Means -			29·479	45·7	32·7	13·1	38·8	− 2·8	33·8	4·9	10·2	2·3	83	83·0	29·7	41·32	S. & NE.		..	..	..	Sum 2418	Sum +263	Sum 0·61	0·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. March.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	18	m. P. generally till 5h. P.M.; s. N. and s. P. till 9h. P.M.; m. P. afterwards.	4·9	12·0	Very fine till noon, with hoar frost in morning; generally overcast afterwards, with rain, snow, and sleet after 6h. P.M. Solar halo observed at noon. Very cold.
Monday -	19	v. N. till 3h. A.M.; m. P. generally till 2h. P.M.; w. P. and m. N. till 3h. P.M.; w. P. afterwards.	5·2	12·0	Overcast till 9h. A.M., with rain and snow in early morning; fine and partially cloudy afterwards. Slight showers between 2h. and 3h. P.M.
Tuesday -	20	w. P. till 4h. P.M.; m. P. afterwards.	8·5	12·1	Very fine day. Small amounts of cloud prevalent till 5h. P.M.; cloudless afterwards.
Wednesday	21	m. P. generally till 8h. P.M.; w. P. and v. N. afterwards.	3·4	12·2	Very fine, with hoar frost and slight fog in early morning; fine and partially cloudy till afternoon; overcast afterwards, with frequent rain after 9h. P.M.
Thursday-	22	w. P. and w. N. till 2h. A.M.; w. P. afterwards.	0·0	12·2	Overcast. Gentle rain till 4h. A.M.
Friday -	23	w. P. till afternoon; m. P. afterwards.	0·0	12·3	Overcast.
Saturday-	24	w. P. till 7h. A.M.; m. P. afterwards.	1·1	12·4	Generally overcast; fine and partially cloudy in afternoon.
			Sum 23·1	Sum 85·2	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·35 in. at the beginning of the week to 29·04 in. by 6h. A.M. on the 19th; increased to 29·67 in. by midnight on the 20th; decreased to 29·29 in. by 11h. A.M. on the 22nd; and was 29·79 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 13. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MARCH 31. [Price 1½*d.*

General Register Office, Somerset House,
April 2nd, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·4 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 20·4, 20·3, and 21·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.		Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
33 Great Towns	20·4	20·3	21·6	21·4	Leicester - -	19·5	16·7	14·3	17·1
Birkenhead -	15·1	17·8	24·5	20·9	Liverpool - -	29·1	26·8	31·3	31·3
Birmingham -	22·9	23·9	24·2	24·1	London - - -	18·8	18·8	20·6	20·3
Blackburn -	16·7	22·4	15·2	23·2	Manchester - -	26·9	25·4	26·8	27·2
Bolton - -	24·1	21·6	26·0	21·9	Newcastle-on-Tyne	18·2	21·1	20·2	17·6
Bradford -	17·3	19·3	18·2	18·6	Norwich - -	18·2	18·2	20·0	15·9
Brighton -	14·3	16·4	17·6	14·3	Nottingham - -	18·7	18·9	20·4	17·6
Bristol - -	15·9	16·5	19·1	20·9	Oldham - -	25·9	28·6	23·1	24·2
Burnley -	26·4	17·9	10·7	13·8	Plymouth - -	18·9	23·0	28·6	23·5
Cardiff - -	16·6	17·4	15·3	19·3	Portsmouth - -	19·0	17·7	18·5	14·4
Croydon -	15·5	12·7	15·5	11·9	Preston - -	28·9	31·1	28·1	29·4
Derby - -	19·8	18·3	16·9	21·7	Salford - - -	32·4	25·7	26·2	26·2
Gateshead -	18·6	18·1	20·5	15·7	Sheffield - -	23·2	24·1	22·4	25·6
Halifax -	23·8	17·6	29·0	17·1	Sunderland - -	18·0	20·2	24·8	20·5
Huddersfield -	13·0	18·0	15·0	13·5	Swansea - -	14·3	18·8	20·8	16·3
Hull - -	22·3	19·0	19·4	23·8	West Ham - -	14·9	14·9	19·4	16·4
Leeds - -	20·9	20·8	20·1	23·1	Wolverhampton -	31·4	25·6	36·7	33·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Oldham, 1·1 in Blackburn, 1·4 in Sheffield, 1·7 in Salford and in Hull, 2·3 in Wolverhampton, 2·6 in Plymouth and in Bristol, 3·0 in Cardiff, and 3·5 in Preston; from *scarlet fever*, 1·1 in Blackburn and 1·3 in Burnley; from *whooping-cough*, 1·0 in West Ham and in Manchester, 1·1 in Leeds, 1·4 in Salford, 1·5 in Blackburn and in Huddersfield, 1·6 in Portsmouth and in Liverpool, 1·9 in Bolton, and 3·5 in Wolverhampton; from "*fever*" 1·0 in Derby and in Huddersfield; and from *diarrhœa*, 1·3 in Burnley. The 80 deaths from *diphtheria* included 31 in London, 9 in Leeds, 9 in Sheffield, 5 in Leicester, 4 in West Ham, 4 in Salford, 3 in Birmingham, 3 in Liverpool, and 3 in Manchester. One death from *small-pox* was registered in Liverpool, and 1 in Hull, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2736 BIRTHS and 1785 DEATHS were registered. Allowing for increase of population, the births were 6, and the deaths 25,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 18·8, and 20·6 in the preceding three weeks, fell again last week to 20·3. During the four weeks ending on Saturday last the death-rate averaged 19·6 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1785 deaths included 60 from measles, 7 from scarlet fever, 31 from diphtheria, 45 from whooping-cough, 7 from enteric fever, 8 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 158 deaths were referred to these diseases, being 57 below the corrected average weekly number.

The deaths from *measles*, which had been 39, 56, and 50 in the preceding three weeks, rose again last week to 60, but were 9 below the corrected average; 10 cases belonged to St. Pancras, 5 to Kensington, 5 to Islington, 5 to Mile End Old Town, 4 to Poplar, and 4 to Rotherhithe sanitary areas. The deaths from *scarlet fever*, which had been 8, 6, and 3 in the preceding three weeks, rose again last week to 7, but were 9 below the corrected average. The deaths from *diphtheria*, which had been 41, 35, and 36 in the preceding three weeks, fell again last week to 31, and were 7 below the corrected average; 4 cases belonged to St. George Southwark sanitary area. The deaths from *whooping-cough*, which had been 37, 35, and 49 in the preceding three weeks, fell again last week to 45, and were 27 below the corrected average; 6 cases belonged to Hackney sanitary area. The fatal cases of *enteric fever*, which had been 13, 13, and 7 in the preceding three weeks, were again 7 last week, the corrected average being 8; 2 cases belonged to Battersea sanitary area. The deaths from *diarrhœa*, which had been 6, 8, and 17 in the preceding three weeks, fell again last week to 8, and were 3 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 378, 391, and 456 in the preceding three weeks, further rose last week to 469, and were 39 above the corrected average. The deaths attributed directly to *influenza* numbered 26, having been 37, 26, and 25 in the preceding three weeks.

Different forms of violence caused 91 deaths, concerning all but 3 of which inquests were held. Of these 91 deaths, 14 were cases of suicide, and 2 of homicide, while the remaining 75 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 9 to burns and scalds, 5 to drowning, 1 to the effects of chloroform administered for surgical purposes, and 24 (including 23 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 3 cases of small-pox, 1696 of scarlet fever, 1243 of diphtheria, and 263 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, no case, against 1, 2, and 0; of scarlet fever, 172 cases, against 147, 181, and 170; of diphtheria, 111 cases, against 178, 154, and 155; and of enteric fever, 28 cases, against 35, 34, and 41.

Greater London.

In Greater London 3933 births and 2381 deaths were registered, corresponding to annual rates of 30·8 and 18·7 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 3 from scarlet fever, 18 from diphtheria, 15 from whooping-cough, 6 from "fever," and 4 from diarrhœa were registered. Nine cases of diphtheria and 11 of whooping-cough belonged to West Ham district; 5 cases of diphtheria belonged to Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·74 inches, and that of the Thermometer 37°·0; the latter being 6°·7 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 26·3 hours; the measured rainfall amounted to 0·16 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	The Week ending 31st Mar. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,296	7090	4753	1037	1257	2	168	29	80	146	34	38	199	410	1043	68	21·4	2·2	51·4	21·5	35·6	2·00	0·20	0·51	33 Towns.
London - -	4,589,129	2736	1785	368	507	-	60	7	31	45	7	8	91	203	548	10	20·3	1·8	50·5	27·6	37·0	2·78	0·16	0·41	London.
West Ham - -	314,472	181	99	25	21	-	2	-	4	6	1	2	4	6	15	-	16·4	2·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	61	30	5	9	-	-	1	-	-	-	-	-	1	3	-	11·9	0·4	50·0	21·5	34·8	1·56	0·08	0·20	Croydon.
Brighton - -	124,148	73	34	6	13	-	-	-	1	-	-	-	2	4	13	-	14·3	0·4	51·4	30·0	37·8	3·22	0·17	0·43	Brighton.
Portsmouth -	194,955	129	54	12	15	-	-	1	-	6	-	1	-	1	8	-	14·4	2·1	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	55	46	9	12	-	5	-	-	-	-	-	-	3	-	-	23·5	2·6	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	177	130	24	39	-	16	-	1	-	3	4	3	9	14	-	20·9	3·9	50·0	26·5	36·2	2·33	0·08	0·20	Bristol.
Cardiff -	194,247	127	72	16	13	-	11	-	1	-	1	-	1	9	8	-	19·3	3·5	-	-	-	-	-	-	Cardiff.
Swansea -	105,472	60	33	11	7	-	-	-	-	-	1	-	2	4	-	1	16·3	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	56	58	17	14	-	4	-	1	6	-	-	1	4	4	-	33·8	6·4	46·8	23·8	33·2	0·67	0·14	0·36	Wolverhampton.
Birmingham -	519,610	374	240	61	60	-	3	-	3	6	3	3	11	16	56	8	24·1	1·8	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	63	35	10	16	-	-	-	-	1	-	1	-	-	4	-	15·9	0·9	47·2	25·0	35·3	1·83	0·24	0·61	Norwich.
Leicester - -	219,169	111	72	14	20	-	2	1	5	-	1	-	4	4	14	-	17·1	2·1	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	117	82	16	24	-	2	1	-	1	1	1	6	7	13	1	17·6	1·3	47·0	28·8	35·0	1·67	0·40	1·02	Nottingham.
Derby - - -	107,991	66	45	6	17	-	-	1	-	-	2	-	4	10	13	-	21·7	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	75	47	17	15	-	-	-	-	1	-	-	2	3	7	-	20·9	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	510	381	87	87	1	4	2	3	20	-	2	12	16	92	20	31·3	2·6	48·6	30·7	36·7	2·61	0·29	0·74	Liverpool.
Bolton - -	164,240	95	69	20	15	-	-	-	-	6	1	-	4	6	11	-	21·9	2·2	-	-	-	-	-	-	Bolton.
Manchester -	548,768	370	286	56	68	-	8	2	3	11	-	4	14	37	69	2	27·2	2·7	-	-	-	-	-	-	Manchester.
Salford - -	220,816	146	111	31	22	-	7	1	4	6	2	2	3	5	13	1	26·2	5·2	-	-	-	-	-	-	Salford.
Oldham - -	153,297	91	71	14	18	-	3	1	-	2	1	2	3	4	7	-	24·2	3·1	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	58	31	13	6	-	-	3	-	1	-	3	1	1	1	1	13·8	3·1	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	83	61	14	17	-	3	3	1	4	-	1	2	3	5	1	23·2	4·6	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	79	67	19	13	-	8	-	2	-	2	1	2	4	8	2	29·4	5·7	-	-	-	-	-	-	Preston.
Huddersfield	104,484	62	27	6	9	-	-	-	-	3	2	-	-	-	2	2	13·5	2·5	49·3	28·3	34·7	1·50	0·24	0·61	Huddersfield.
Halifax - -	100,710	54	33	6	12	-	1	-	-	-	-	1	1	1	6	1	17·1	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	119	104	14	33	-	2	4	-	1	5	-	2	5	16	2	18·6	2·1	-	-	-	-	-	-	Bradford.
Leeds - - -	431,287	271	191	45	42	-	6	1	9	9	-	1	2	13	19	4	23·1	3·1	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	275	180	40	46	-	10	-	9	3	-	-	11	12	32	9	25·6	3·1	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	135	109	30	17	1	8	-	-	3	-	1	6	6	18	2	23·8	2·8	51·0	23·0	34·8	1·56	0·24	0·61	Hull.
Sunderland -	147,398	86	58	9	12	-	2	-	1	1	-	-	1	3	6	-	20·5	1·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	60	33	3	12	-	-	-	-	1	1	-	1	1	4	-	15·7	1·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	135	79	13	26	-	1	-	1	3	-	-	3	9	14	1	17·6	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2543	2781	2498	2553	2437	2466	2780	2533	2860	2609	2741·6	2736
Males - -	1332	1457	1259	1276	1244	1227	1401	1320	1458	1338	1400·5	1407
Females - -	1211	1324	1239	1277	1193	1239	1379	1213	1402	1271	1341·1	1329
TOTAL **Deaths** -	1571	1799	1753	1732	1736	1781	1526	1505	1883	1922	1810·3	1785
Males - -	810	944	900	918	863	927	778	778	948	936	926·0	933
Females - -	761	855	853	814	873	854	748	727	935	986	884·3	852

*The numbers in this column are the average weekly numbers in the thirteenth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
TOTAL **Births** - -	2792	2766	2533	2634	2498	2889	2439	2805	2561	2841	2628	2675	2736
TOTAL **Deaths** - - -	3266	2930	2365	1950	1722	1792	2013	1894	1668	1652	1659	1817	1785
Ages at Death: Under 1 year - -	408	409	385	344	356	356	380	355	340	345	385	413	368
1—5 years - -	268	256	231	198	192	200	200	218	189	208	215	260	247
5—20 " - -	122	101	105	89	83	104	104	91	72	102	87	94	96
20—40 " - -	393	303	282	247	222	221	230	245	218	219	216	232	227
40—60 " - -	720	656	501	391	367	354	448	392	362	367	327	352	340
60—80 " - -	1044	946	682	524	400	444	519	476	375	342	339	368	414
80 years and upwards	311	259	179	157	102	113	132	117	112	69	90	98	93
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles - - - - -	62	51	45	46	27	33	50	42	41	39	56	50	60
Scarlet Fever - - -	6	7	6	6	10	7	5	4	9	8	6	3	7
Diphtheria - - - -	58	49	40	37	46	51	35	48	26	41	35	36	31
Whooping-cough - - -	26	37	34	39	45	37	51	40	43	37	35	49	45
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	19	23	17	13	17	22	18	17	18	13	13	7	7
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	10	9	10	15	14	11	6	11	7	6	8	17	8
Cholera - - - -	-	-	-	-	-	1	-	1	-	-	-	-	-
All the above Diseases -	181	176	152	156	159	162	165	163	145	144	153	162	158
Dis. of Respiratory System -	1221	994	728	490	432	423	527	485	380	378	391	456	469
Phthisis - - - - -	200	204	220	177	157	161	193	162	170	158	178	205	202
Dis. of Circulatory System -	284	246	206	160	135	154	191	164	156	161	126	154	149
Violence - - - -	103	86	91	75	77	89	75	76	82	82	63	61	91
Inquest Cases - - - -	313	239	226	183	158	199	180	193	173	169	152	154	203
Deaths in Public Institutions -	843	817	702	645	581	593	591	590	551	524	526	539	548
TEMPERATURE OF THE AIR.													
Mean - - - - -	41°·1	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45°.4	43°·1	39°·2	40°·8	38°·8	37°·0
Mean of Highest readings -	45·1	43·0	46·2	49·3	37·3	36·2	41·4	51·6	48·0	43·7	47·6	45·7	44·2
Mean of Lowest readings -	36·0	32·9	33·0	39·1	33·2	25·4	29·1	39·4	39·8	35·8	34·3	32·7	31·1
Humidity of the Air - -	88	80	85	84	87	73	84	85	90	79	76	83	74
Rain-fall (in inches) - -	0·48	0·48	0·74	0·32	0·96	0·29	1·46	0·51	0·65	0·02	0·08	0·61	0·16
Registered Sunshine (in hours)	9·5	14·1	12·4	5·0	3·1	19·3	13·5	18·3	5·3	15·5	13·4	23·1	26·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	8	18	21	24	21	17	8	11	7	7	5	5	3
Scarlet Fever - - - -	2730	2562	2441	2287	2179	2089	2052	2009	1868	1777	1760	1715	1696
Diphtheria - - - -	1653	1601	1582	1606	1581	1549	1498	1437	1407	1385	1361	1329	1243
Enteric Fever - - - -	382	349	329	307	289	281	270	280	274	270	265	268	263

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTEENTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 13th Week of the 10 years 1890-99*.	In the Week ending Saturday, 31st March, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1810·3	1785	368	247	96	227	340	414	93
- Vaccinated† -	-	-	-	-	-	-	-	-	-
- Unvaccinated	0·5	-	-	-	-	-	-	-	-
- No Statement	0·4	-	-	-	-	-	-	-	-
s - - - -	69·3	60	9	44	7	-	-	-	-
Fever - - -	16·3	7	1	4	1	1	-	-	-
s - - - -	0·1	-	-	-	-	-	-	-	-
ingFever - -	-	-	-	-	-	-	-	-	-
nza - - - -	42·7	26	1	2	-	4	7	12	-
ping-cough - -	72·0	45	20	25	-	-	-	-	-
heria - -	38·0	31	-	27	3	-	-	1	-
Continued and efined Fever -	0·4	-	-	-	-	-	-	-	-
c Fever - - -	7·6	7	-	1	3	1	1	1	-
a and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
œa, Dysentery -	10·6	8	6	-	-	-	-	1	1
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	0·1	-	-	-	-	-	-	-	-
x and Effects of ination - -	0·3	-	-	-	-	-	-	-	-
al Affections - -	10·2	7	5	1	-	1	-	-	-
elas - - -	3·4	2	-	-	-	1	1	-	-
ia and Septicæmia	1·9	1	-	-	1	-	-	-	-
eral Fever - -	4·6	3	-	-	-	3	-	-	-
Zymotic Diseases	1·3	2	-	2	-	-	-	-	-
n - - - - -	0·6	-	-	-	-	-	-	-	-
s and other Para- al Diseases -	0·2	1	-	-	-	-	1	-	-
tion, Want of st-milk - -	2·6	1	1	-	-	-	-	-	-
olism - - -	9·0	15	-	-	-	6	8	1	-
natic Fever, umatism of Heart	7·2	8	-	-	3	3	2	-	-
natism - - -	1·8	-	-	-	-	-	-	-	-
- - - - -	2·9	5	-	-	-	-	2	2	1
s - - - -	6·0	9	7	2	-	-	-	-	-
r - - - -	68·6	64	-	-	1	4	28	28	3
Mesenterica - -	17·9	15	10	2	2	-	1	-	-
cular Meningitis -	28·9	26	7	16	3	-	-	-	-
is - - - -	167·5	202	1	5	16	79	73	27	1
la, Tuberculosis -	22·8	20	2	6	8	2	2	-	-
Constitutional ases - -	13·7	16	1	3	-	5	4	3	-
ture Birth - -	51·9	47	47	-	-	-	-	-	-
tasis - - -	3·8	2	2	-	-	-	-	-	-
nital Malforma- s - - -	9·5	13	11	-	1	1	-	-	-
ge - - - -	51·8	49	-	-	-	-	-	23	26
exy - - - -	48·2	33	-	-	-	1	14	15	3
psy - - - -	7·2	6	-	1	-	2	1	2	-
lsions - - -	39·3	36	31	5	-	-	-	-	-
Diseases of Brain Nervous System	93·3	80	11	10	3	11	11	26	8
es of Organs of cial Sense -	3·6	6	1	1	2	-	2	-	-

CAUSES OF DEATH	Corrected Averages for the 13th Week of the 10 years 1890-99*.	In the Week ending Saturday, 31st March, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	158·0	149	-	2	12	21	31	72	11
Croup - - - -	5·2	2	-	2	-	-	-	-	-
Bronchitis - - -	241·9	233	45	22	4	-	40	100	22
Pneumonia - - -	148·7	187	35	38	8	29	41	31	5
Pleurisy - - - -	6·0	8	-	-	1	2	2	1	2
Other Diseases of Respiratory System -	27·8	39	4	3	1	4	14	12	1
Dentition - - - -	11·8	11	7	4	-	-	-	-	-
Quinsy, Sore Throat -	1·4	2	1	1	-	-	-	-	-
Enteritis - - -	14·6	16	4	-	2	5	-	5	-
Gastro-enteritis -		14	13	1	-	-	-	-	-
Peritonitis - - -	5·9	4	1	-	-	-	1	2	-
Diseases of Liver - -	26·2	25	1	-	-	7	12	5	-
Other Diseases of Digestive System	29·9	33	4	1	2	8	8	7	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·7	4	-	1	1	-	2	-	-
Diseases of Urinary System - - -	49·6	50	-	-	1	10	12	25	2
Diseases of Generative System - - -	5·3	1	-	-	-	-	1	-	-
Accidents of Childbirth -	4·9	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	6·4	4	1	1	1	-	1	-	-
Diseases of Integumentary System - -	5·8	7	4	-	-	-	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	60·8	5	-	-	1	2	1	1	-
By Vehicles or Horses -		5	-	-	3	-	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	-	1	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		9	-	7	-	-	1	1	-
By Drowning - - -		5	-	-	-	3	1	1	-
By Suffocation in Bed -		24	23	1	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	1	-	-	-	-	1	-
Other or not stated causes - - - -		24	6	3	3	1	2	5	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Battle - - - -	-	-	-	-	-	-	-	-	-
Homicide - - -	0·7	2	-	-	1	1	-	-	-
Suicide - - - -	9·0	14	-	-	1	5	8	-	-
Execution - - -	0·3	-	-	-	-	-	-	-	-
OTHER CAUSES - -	49·2	48	44	3	-	-	-	1	-

e numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder manslaughter or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 31st March, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2736	1785	368	507	-	60	7	31	45	-	7	-	8	91	203	548
WEST DISTRICTS - - -	778,251	408	284	55	85	-	14	-	5	-	-	-	-	3	14	28	95
NORTH DISTRICTS - - -	1,040,694	600	383	77	100	-	15	3	8	12	-	2	-	2	19	48	111
CENTRAL DISTRICTS - - -	233,635	135	91	20	19	-	-	-	-	5	-	-	-	-	1	6	38
EAST DISTRICTS - - -	716,334	500	334	79	82	-	16	-	5	13	-	2	-	1	22	57	126
SOUTH DISTRICTS - - -	1,642,796	1,093	655	137	202	-	15	4	13	15	-	3	-	2	35	64	140
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	-	19	-	-	-	-	-	-	-	-	-	-	-	38
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	48	28	3	9	-	2	-	1	-	-	-	-	-	1	2	6
St. John Paddington *H* - - G.	33,510	7	18	3	4	-	-	-	-	-	-	-	-	-	2	5	10
Kensington Town *Ww* - - W.	122,164	63	52	10	14	-	5	-	-	-	-	-	-	2	1	3	24
Brompton *HH* - - - W. & C.	48,301	14	13	1	4	-	-	-	-	-	-	-	-	1	1	1	2
North Hammersmith *H* } W. & G.	44,638	25	14	8	3	-	-	-	-	-	-	-	-	-	1	3	-
South Hammersmith *H* } W. & G.	59,561	35	22	6	3	-	1	-	1	-	-	-	-	-	1	3	3
Fulham *Ww* - - - W. & C.	113,781	102	52	11	18	-	3	-	3	-	-	-	-	-	3	3	15
Chelsea Kensal Town - C.	21,450	15	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	14	13	2	5	-	2	-	-	-	-	-	-	-	1	1	6
Chelsea South *HH* - - C.	33,139	24	5	2	1	-	-	-	-	-	-	-	-	-	1	2	1
May Fair *W* - - - - G.	23,827	6	14	-	8	-	-	-	-	-	-	-	-	-	-	-	12
Belgrave *WHHH* - - - C.	56,140	19	19	3	3	-	-	-	-	-	-	-	-	-	-	-	11
St. John Westminster *HH* - C.	31,492	13	9	2	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Margaret Westminster *H* - C.	22,097	7	10	2	5	-	-	-	-	-	-	-	-	-	2	3	3
St. James Westminster *WH* N. & G.	23,050	7	6	-	5	-	-	-	-	-	-	-	-	-	-	-	1
St Anne Soho *HHHHH* - N.	12,048	9	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	12	13	2	1	-	-	-	-	-	-	-	-	-	-	-	6
Rectory Marylebone *W* G. & W.	19,798	9	7	4	3	-	-	-	-	-	-	-	-	1	-	1	4
St. Mary Marylebone *HHHH* G. & W.	19,637	29	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	16	11	4	2	-	-	-	-	-	-	-	-	-	2	4	-
St. John Marylebone *HHH* - W.	32,611	15	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *WwHHHH* - N. & W.	75,449	26	33	6	4	-	-	2	2	-	-	1	-	-	1	3	15
Regent's Park† *HH* - W.	51,403	28	19	3	7	-	1	-	-	-	-	-	-	-	2	3	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	10	23	2	1	-	2	-	-	-	-	-	-	-	1	2	15
Gray's Inn Lane *HHHH* - N.	29,426	29	13	3	3	-	3	-	-	-	-	-	-	-	2	4	4
Somers Town *HH* - - - N.	32,161	14	18	3	1	-	1	-	1	1	-	-	-	-	2	4	3
Camden Town† *WH* - - N.	40,155	22	28	4	15	-	2	-	1	1	-	-	-	-	3	3	12
Kentish Town† *WW* - - N.	60,862	38	19	1	9	-	1	-	-	1	-	-	-	-	1	1	5
Upper Holloway *WWWWwHH* - - N.	98,273	56	54	6	19	-	-	-	-	2	-	-	-	1	3	8	28
Lower Holloway‡ - - - N.	41,805	26	18	4	1	-	4	-	-	-	-	-	-	-	1	3	-
Barnsbury‡ - - - - N.	56,384	37	19	6	3	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	36	16	5	4	-	-	-	-	-	-	-	-	-	-	3	-
Highbury *HH* - - - N.	64,577	24	14	3	6	-	-	-	-	1	-	-	-	-	-	3	2
Stoke Newington *H* - - N.	33,485	20	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	28	14	3	7	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney *ww* - E. & N.		31	15	4	1	-	-	1	3	1	-	-	-	-	-	1	6
South-west Hackney *HHH* E. & N.		50	17	6	7	-	-	-	-	3	-	-	-	-	1	2	1
South-east Hackney *WwH* E. & N.		44	19	3	5	-	-	-	-	2	-	1	-	-	-	1	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therei namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers ar received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-eas Sub-Distr

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 31st March, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
sbury and St. Giles } h *WH* - - } - N.	29,086	20	8	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
es North *H* - - - N.	9,151	4	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
tin-in-the-Fields *HH* N. & C.	13,077	5	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
l *WHH* - - - - N.	11,839	7	8	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Union Workhouse, Edmonton	†*1,037*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
rn *wHHHHH* - N.	31,042	15	13	4	1	-	-	-	-	-	-	-	-	-	-	-	9	-
nes Clerkenwell - - N.	15,777	11	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ll Clerkenwell - - N.	34,356	21	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ll-street - - - - N.	16,069	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
bad *HHHHL* - - N.	29,897	27	18	6	2	-	-	-	-	4	-	-	-	-	-	1	2	-
cross-street - - - N.	7,595	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
ry - - - - - N.	4,035	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n *Union Workhouse,* } ham - - - -	†*892*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
olph* *H* - - N. & E.	13,061	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ulchre *WH* - - - N.	9,591	4	14	3	1	-	-	-	-	-	-	-	-	-	1	2	11	-
ows Barking - - - N.	9,059	1	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
itch South *Hl* - E. & N.	17,975	15	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
n New Town *w* - - N.	29,575	19	22	3	7	-	2	-	-	1	-	-	-	-	2	4	7	-
n Old Town - - - N.	27,645	16	8	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-
rston *WH* - - N. & E.	47,163	29	24	6	4	-	1	-	-	1	-	-	-	-	-	3	12	-
l Green North *H* - E.	49,301	40	12	4	3	-	-	-	1	-	-	-	-	-	-	1	-	-
l Green South - - E.	34,194	18	12	5	-	-	3	-	-	-	-	-	-	-	1	1	-	-
l Green East *WWHl* - E.	45,667	35	35	8	15	-	-	-	-	3	-	-	-	1	1	4	17	-
lelds - - - E. & N.	26,681	13	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
nd New Town *WH* - E.	} 51,995 }	26	36	6	3	-	-	-	1	-	-	1	-	-	1	3	32	-
an's Fields - - - E.		13	5	1	-	-	1	-	1	-	-	-	-	-	1	2	-	-
rge's, North - - - E.	39,576	40	13	4	3	-	-	-	-	2	-	-	-	-	2	4	-	-
n, St. George East *W* E.	7 930	7	13	1	5	-	-	-	-	-	-	-	-	-	1	3	11	-
ell *H* - - - E. & N.	10,434	7	7	1	-	-	-	-	-	-	-	-	-	-	1	3	2	-
f *W* - - - - E.	14,954	12	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ouse - - - - E.	32,917	14	12	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-
nd Old Town West *H* E.	} 111,060	{ 49	14	5	3	-	-	-	-	-	-	-	-	-	2	3	-	-
nd Old Town East } *ww* - E.		22	32	4	13	-	5	-	-	-	-	-	-	-	1	4	17	-
- - - - E.	41,687	26	15	4	2	-	1	-	-	1	-	-	-	-	1	4	1	-
by *wwwH* - - - E.	69,821	51	39	9	11	-	-	-	1	4	-	-	-	-	2	6	23	-
WW - - - - E.	57,759	48	26	9	7	-	3	-	1	-	-	1	-	-	2	6	4	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 31st March, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	10	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent-road - - - - S. & L.	22,879	13	9	4	–	–	–	–	–	–	–	–	–	–	1	3	–
Borough-road *WH* - S. & L.	16,083	14	12	3	–	–	1	–	2	1	–	–	–	–	1	1	6
London-road *HL* - - L. & S.	21,316	9	14	4	3	–	1	1	–	–	–	–	–	–	2	4	–
Trinity Newington *H* - S. & L.	28,723	19	7	4	1	–	–	–	–	1	–	–	–	–	1	1	–
St. Peter Walworth *W* - S. & L.	62,045	40	32	5	14	–	1	–	1	–	–	–	–	–	–	1	3
St. Mary Newington- - L. & S.	30,171	30	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–
St. Olave *WH* - - - - S.	11,731	10	17	2	6	–	–	–	1	–	–	–	–	–	3	5	13
Bermondsey *W* - - - S.	85,475	64	28	7	8	–	–	–	–	–	–	–	–	–	2	3	4
Rotherhithe *Ww* - S. & K.	40,379	20	32	6	6	–	4	–	–	1	–	–	–	–	1	3	12
Waterloo-road *HH* - L. & S.	28,396	30	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–
Lambeth Church 1st *H* - L. & S.	18,770	11	14	3	–	–	–	–	–	1	–	–	–	–	–	2	8
Lambeth Church 2nd *WW* L. & S.	40,994	28	35	8	12	–	–	–	–	1	–	–	–	–	2	2	21
Kennington 1st *H* - - S. & L.	52,486	37	12	4	2	–	–	–	–	1	–	–	–	–	–	–	–
Kennington 2nd - - S. & L.	43,244	17	20	3	10	–	–	–	–	1	–	–	–	–	2	2	–
Brixton *w* - - - L. & S.	81,825	45	22	3	10	–	1	–	–	–	–	1	–	–	1	1	1
Norwood *WH*- - - - L.	29,318	18	8	4	1	–	2	–	–	–	–	–	–	–	–	1	–
East Battersea - - - - S.	71,730	66	18	6	3	–	–	–	–	–	–	–	–	–	–	3	–
West Battersea *WwH* - - S.	93,385	61	40	10	12	–	–	–	–	4	–	–	–	–	4	4	10
Clapham *H* - - - - S.	46,953	22	15	3	5	–	–	–	–	–	–	–	–	–	3	4	1
Wandsworth *WHHL* - - S.	58,101	45	28	7	6	–	3	–	–	–	–	–	–	–	2	4	1
Putney - - - - - S.	20,566	9	10	1	5	–	–	–	–	–	–	–	–	–	–	2	–
Streatham *WwwwwL* - - L.	61,644	52	21	1	11	–	–	–	1	–	–	1	–	–	–	–	6
Dulwich - - - L. & S.	7,519	3	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–
Camberwell *WWwll* - S. & L.	90,286	57	49	6	24	–	1	–	–	1	–	–	–	–	–	2	27
Peckham *WW* - S., L., & K.	88,242	60	30	3	13	–	–	–	1	–	–	–	–	–	1	2	–
St. George Camberwell - L. & S.	67,029	53	20	5	7	–	1	–	–	–	–	–	–	–	1	3	–
Deptford North - - - K.	36,152	28	11	3	4	–	–	–	–	1	–	–	–	–	–	–	–
Deptford Central *w* - - K.	45,441	33	21	7	4	–	–	2	2	–	–	–	–	1	–	1	4
Deptford South - - - K.	33,402	7	15	1	5	–	–	1	–	–	–	–	–	–	1	1	–
Greenwich West *H* - - K.	23,012	10	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich East *WH* - - K.	37,767	24	12	1	3	–	–	–	1	1	–	–	–	–	–	–	3
Eltham *wH* - - - - K.	5,911	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	24,222	11	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwH* - - - K.	38,139	25	16	3	4	–	–	–	1	–	–	–	–	1	–	–	5
Sydenham *H* - - - - L.	37,601	21	14	2	5	–	–	–	–	–	–	1	–	–	–	1	1
Charlton *wHH* - - K.	15,928	10	10	1	2	–	–	–	3	–	–	–	–	–	1	2	6
Woolwich Dockyard - - K.	29,355	11	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Woolwich Arsenal *HHHH* - K.	21,959	13	5	1	3	–	–	–	–	–	–	–	–	–	1	1	–
Plumstead West *H* - - K.	16,714	11	6	–	3	–	–	–	–	–	–	–	–	–	1	1	–
Plumstead East *WH* - - K.	42,538	37	28	8	6	–	–	–	–	–	–	–	–	–	2	2	8
Banstead Asylum - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Horton Asylum, Epsom - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -	—	–	6	–	4	–	–	–	–	–	–	–	–	–	–	–	6
Cane Hill Asylum - - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Dartford Heath - - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Hanwell Asylum - - - -	—	–	4	–	3	–	–	–	–	–	–	–	–	–	–	–	4
Colney Hatch Asylum - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	10	–	6	–	–	–	–	–	–	–	–	–	–	–	10
Claybury Asylum - - - -	—	–	9	–	3	–	–	–	–	–	–	–	–	–	–	–	9

–LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, ›ITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ng Saturday, 31st March, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
ON OUTER RING	368,749	1,422,063	1197	596	140	180	–	9	3	18	15	6	4	19	37	71	4
'arshalton *H*	12,228	26,108	13	5	–	4	–	–	–	–	–	–	–	–	–	–	–
Epsom, *part of** *WwHHH*	10,423	12,508	6	7	1	3	–	–	–	–	–	–	–	1	1	3	–
'odstone, *part of** *W*	2,754	1,598	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH*	20,851	128,699	74	34	6	12	–	–	1	–	–	–	–	–	1	4	–
Mitcham *w*	11,697	23,072	28	8	4	1	–	–	–	–	–	–	–	–	–	–	–
Wimbledon *HHH*	3,220	25,777	30	11	3	2	–	–	–	1	–	–	–	1	1	–	–
Kingston *WH*	14,672	33,566	36	18	4	6	–	–	–	–	–	–	–	–	–	4	–
Surbiton *HH*		12,178	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Esher, *part of** *H*		11,080	9	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Hampton *HL*	4,565	18,252	11	4	2	1	–	–	–	–	–	–	–	–	1	–	–
Richmond *WHH*	2,160	25,389	11	8	1	4	–	–	–	–	–	–	–	–	–	3	–
Mortlake *H*	2,823	16,159	10	7	1	3	–	1	–	–	–	–	–	–	–	–	–
Bromley *HHH*	9,127	23,815	15	9	–	3	–	1	–	1	–	1	–	–	–	2	1
Beckenham *H*	6,542	21,969	8	6	2	1	–	–	–	–	–	–	–	–	–	–	–
Chislehurst, *part of** *WHH*	14,307	20,372	9	8	–	3	–	–	–	–	–	–	–	–	–	1	1
Bexley *HHH*	12,540	30,590	27	14	8	3	–	–	–	–	–	–	–	–	–	–	–
Dartford *WH*, *part of**	—	—	–	2	–	–	–	–	–	–	–	1	–	–	–	2	–
Sunbury *w*	11,054	13,671	8	5	2	3	–	–	–	–	1	–	–	–	1	–	–
Staines *WH*	13,277	13,221	7	8	4	2	–	–	–	–	–	–	–	–	–	1	2
Hillingdon *WHH*	6,035	12,237	6	3	–	1	–	–	–	–	–	–	–	1	–	–	–
Uxbridge	12,757	7,253	9	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH*	7,952	11,051	14	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Isleworth *WHH*	6,967	26,004	14	23	3	10	–	–	–	–	–	–	–	1	1	7	–
Twickenham *HH*	2,415	16,027	11	7	3	2	–	2	–	–	–	–	–	–	–	–	–
Brentford *HHHH*	4,318	37,777	22	14	2	5	–	1	–	1	–	–	1	2	1	1	–
Chiswick	1,245	21,963	15	9	3	3	–	–	–	–	–	–	–	–	2	–	–
Acton *wHH*	6,132	30,945	23	11	4	–	–	–	–	1	1	–	–	–	–	1	–
Harrow *HHH*	13,809	15,715	11	5	1	2	–	–	–	–	–	–	–	–	–	–	–
Edgware *HH*	6,994	3,844	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Willesden *HHH*	4,383	61,265	83	35	3	14	–	1	–	–	2	1	–	4	6	–	–
Hendon *WH*	8,382	15,843	9	1	–	–	–	–	–	–	–	–	–	–	–	1	–
South Mimms *HH*	21,077	6,367	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Barnet *WHH*		14,152	15	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Finchley *HHH*	4,688	25,820	13	5	2	1	–	–	–	–	–	1	–	–	–	–	–
Hornsey *HH*	3,039	61,097	43	27	8	11	–	–	–	–	–	–	–	–	3	–	–
Tottenham *HHH*	4,642	97,174	78	39	6	10	–	1	–	3	–	–	–	3	6	1	–
Edmonton *Ww*	7,489	36,351	44	20	3	10	–	–	1	–	–	–	–	–	–	8	–
Enfield *WWHH*	12,602	31,536	23	12	5	3	–	–	–	1	–	–	1	–	1	–	–
Waltham Abbey	11,017	6,066	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cheshunt *H*	8,480	9,620	13	7	1	2	–	–	–	1	–	–	–	–	–	1	–
Hatfield, *part of** *W*	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H*	9,331	7,737	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Watford *WHH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford *H*	4,706	38,612	36	10	2	–	–	–	–	–	1	–	–	2	3	–	–
Plaistow *HHH*		58,030	68	31	15	4	–	–	–	1	2	–	1	1	1	1	–
Canning Town *H*		54,750	48	29	8	3	–	2	–	1	3	–	1	1	1	–	–
Forest Gate *w*		53,511	29	15	–	7	–	–	–	–	–	–	–	–	1	–	–
East Ham *wHHH*	3,266	32,713	67	15	1	8	–	–	–	–	–	1	–	–	–	–	–
Leyton *WWWwH*	4,334	70,188	65	47	9	15	–	–	1	3	–	1	–	–	–	20	–
Walthamstow *HHHL*	6,501	57,330	73	35	11	7	–	–	–	3	5	–	–	1	2	3	–
Chigwell, *part of** *HHHH*	11,779	12,941	3	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Epping *WH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W*	6,556	4,324	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ilford *H*	8,493	10,913	25	12	7	2	–	–	–	–	–	–	–	–	1	–	–
Barking Town, *H*	3,814	14,301	17	7	1	2	–	–	–	–	–	–	–	–	1	–	–
Homerton Fever Hospital	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
Middlesex County Asylum, Wandsworth.	—	—	–	5	–	–	–	–	–	–	–	–	–	–	–	5	–

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham rley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 31st March, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	1
GREATER LONDON	**443,421**	**6,652,145**	**18·7**	**1·7**	**2381**	**508**	**687**	**–**	**69**	**10**	**49**	**60**	**13**	**12**	**110**	**6**
INNER LONDON -	74,672	4,589,129	20·3	1·8	1785	368	507	–	60	7	31	45	7	8	91	5
OUTER RING -	368,749	2,063,016	15·1	1·4	596	140	180	–	9	3	18	15	6	4	19	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTI DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	Mar	31	170	147	25·4	–	–	–	3	3	–	
GLASGOW - -	743,585	„	31	477	360	25·2	–	9	4	7	13	2	
DUBLIN - -	349,594	„	31	234	244	36·4	–	–	–	1	–	1	–
CALCUTTA - -	466,460	Feb.	10	–	402	44·9	18	1	–	1	–	168†	7
BOMBAY - -	821,764	Mar.	6	227	2580	163·3	269	81	?	?	?	956†	2
MADRAS - -	452,518	„	2	305	363	41·7	–	21	?	?	?	125	4
PARIS - - -	2,511,629	„	24	1173	1060	21·6	2	35	1	3*	3	19	2
BRUSSELS - -	561,130	„	24	324	223	20·6	–	2	1	1*	2	1	1
AMSTERDAM -	523,743	„	17	303	157	15·6	–	–	–	–	4	–	–
ROTTERDAM -	315,305	„	17	253	122	19·8	–	1	–	4	1	–	–
THE HAGUE -	205,328	„	17	116	64	16·2	–	1	–	–	–	–	–
COPENHAGEN -	349,000	„	24	206	160	23·9	–	–	–	1	2	1	
STOCKHOLM -	291,580	„	17	143	89	15·8	–	1	–	5*	1	–	
CHRISTIANIA -	221,255	„	24	152	91	21·4	–	–	–	–	5	–	
ST. PETERSBURG	1,132,677	„	17	659	629	29·0	5	10	18	23	7	12	4
MOSCOW - -	988,610	„	17	–	537	28·3	2	9	12	15	3	2	5
BERLIN - -	1,848,269	„	10	934	686	19·3	–	2	7	10	16	2	3
HAMBURG - -	691,349	„	24	–	247	18·6	–	1	1	–	1	–	
DRESDEN - -	401,400	„	3	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	406,012	„	24	–	206	26·0	–	–	–	–	–	1	1
MUNICH - -	463,000	„	17	–	218	24·5	–	13	–	5*	–	1	1
VIENNA - -	1,639,811	„	17	934	863	27·4	–	19	1	5*	3	4	4
PRAGUE - -	385,952	„	17	222	215	29·0	–	3	1	4	6	–	
BUDA-PESTH -	685,340	„	17	495	336	25·5	–	1	5	5	2	2	
TRIESTE - -	167,286	„	10	130	146	44·9	–	3	4	2*	–	–	
ROME - - -	512,423	Feb.	24	250	202	20·6	–	11	–	1	–	1§	
TURIN (11 days)	344,203	Jan.	31	255	589	56·8	–	3	1	3	–	3	1
VENICE - -	172,491	Mar.	17	81	70	21·2	–	–	–	1*	–	1	
CAIRO - -	570,062	Feb.	4	476	469	42·8	6	13	–	5*	1	6	6
ALEXANDRIA -	319,766	„	4	298	197	32·0	2	–	–	2*	–	–	4
NEW YORK (including BROOKLYN)	3,654,594	„	24	–	–	–	–	–	–	–	–	–	
PHILADELPHIA -	1,266,832	Mar.	10	–	511	21·0	–	10	3	21	1	10	

* Including deaths from croup.
† Including 98 deaths from plague in Calcutta, and 700 in Bombay.
‡ Including 27 deaths from cholera in Calcutta, and 9 in Bombay.
§ Malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Of the Dew Point Temperature. Mean daily value.	Of the Dew Point Temperature. Great-est.	Of the Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 25	..	29·700	41·2	34·5	6·7	37·4	− 5·0	26·6	10·8	12·2	6·5	65	79·1	33·0	41·40	NNE.	N. & NNW.	2·8	0·0	0·3	303	+ 2	0·00	3·8
MONDAY - 26	..	29·524	41·2	32·3	8·9	35·4	− 7·5	28·2	7·2	14·5	3·5	74	78·0	26·5	41·30	NNW. & N.	N., NNW. & WSW.	1·4	0·0	0·1	211	− 89	0·02	0·0
TUESDAY - 27	..	29·514	42·4	32·2	10·2	35·3	− 8·0	26·6	8·7	14·1	3·9	70	75·2	26·3	41·10	N.	W., NW. & SW.	1·0	0·0	0·0	188	−112	0·00	0·0
WEDNESDAY 28	..	29·471	41·0	32·4	8·6	36·7	− 7·0	33·3	3·4	7·6	1·0	87	61·8	28·5	40·92	SW., WSW. & N.	N. & NNE.	3·0	0·0	0·2	277	− 22	0·14	0·0
THURSDAY- 29	In Eqr. Perigee.	29·766	45·0	30·0	15·0	36·6	− 7·5	29·5	7·1	15·2	2·3	75	95·9	23·8	40·77	N.	NNE. & SE.	1·0	0·0	0·0	172	−127	0·00	0·0
FRIDAY - 30	New	29·967	48·1	27·6	20·5	37·8	− 6·8	29·0	8·8	17·2	2·1	70	101·9	21·6	40·59	NE. & ENE	ENE. & ESE.	0·6	0·0	0·0	134	−164	0·00	0·0
SATURDAY- 31	..	30·214	50·5	28·5	22·0	39·8	− 5·2	32·0	7·8	15·2	2·9	74	108·9	23·3	40·51	ENE. & E.	E., ENE. & ESE.	0·4	0·0	0·0	116	−182	0·00	0·0
MEANS -		29·737	44·2	31·1	13·1	37·0	− 6·7	29·3	7·7	13·7	3·2	74	85·8	26·1	40·94	Variable		..	..	..	Sum 1401	Sum −694	Sum 0·16	0·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. March.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 25	w. P. till 7h. A.M.; m. P. afterwards.	1·5	12·4	Generally overcast; partially cloudy in forenoon. A little fine snow at times.
MONDAY - 26	m. P. till 6h. A.M.; s. P. afterwards.	1·1	12·5	Generally overcast, with occasional fine snow till noon; fine and partially cloudy afterwards.
TUESDAY - 27	s. P. generally till 6h. P.M.; m. P. afterwards.	1·1	12·6	Cloudy generally. Gloomy in forenoon. Slight snow at times during the afternoon.
WEDNESDAY 28	m. P. generally till 5h. A.M.; s. N. till 8h. A.M.; m. P. afterwards.	0·0	12·6	Overcast till evening; cloudless and very fine after 7h. P.M. A little fine snow in early morning, and steady rain between 5h. 30m. and 9h. 30m. A.M. Slight gloom in forenoon.
THURSDAY- 29	s. P. generally till 7h. P.M.; m. P. afterwards.	5·5	12·7	Very fine generally. Cloudless, with hoar frost in morning and at night.
FRIDAY - 30	m. P. generally -	8·4	12·7	A very fine day; the amount of cloud was usually small. Hoar frost in morning and at night.
SATURDAY- 31	m. P. till 3h. P.M.; w. P. till 9h. P.M.; m. P. afterwards.	8·7	12·8	Very fine, with small amounts of cloud till evening; partially cloudy afterwards.
		Sum 26·3	Sum 88·3	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·79 in. at the beginning of the week to 29·37 in. by 5h. A.M. on the 28th; and increased to 30·23 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 14. 1900. VOL. LXI.] WEEK ENDING SATURDAY, APRIL 7. [Price 1½*d.*

General Register Office, Somerset House,

April 9th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 23·0 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 20·3, 21·6, and 21·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	TOWNS.	Weeks ending Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.
33 Great Towns	20·3	21·6	21·4	23·0	Leicester - -	16·7	14·3	17·1	20·7
Birkenhead -	17·8	24·5	20·9	16·5	Liverpool - -	26·8	31·3	31·3	31·6
Birmingham -	23·9	24·2	24·1	22·8	London - - -	18·8	20·6	20·3	22·0
Blackburn -	22·4	15·2	23·2	27·0	Manchester - -	25·4	26·8	27·2	31·0
Bolton - -	21·6	26·0	21·9	21·0	Newcastle-on-Tyne	21·1	20·2	17·6	20·0
Bradford -	19·3	18·2	18·6	21·6	Norwich - -	18·2	20·0	15·9	20·4
Brighton -	16·4	17·6	14·3	21·0	Nottingham - -	18·9	20·4	17·6	21·9
Bristol - -	16·5	19·1	20·9	21·2	Oldham - -	28·6	23·1	24·2	18·4
Burnley -	17·9	10·7	13·8	19·2	Plymouth - -	23·0	28·6	23·5	23·5
Cardiff - -	17·4	15·3	19·3	21·5	Portsmouth - -	17·7	18·5	14·4	23·5
Croydon -	12·7	15·5	11·9	19·9	Preston - -	31·1	28·1	29·4	32·9
Derby - -	18·3	16·9	21·7	15·0	Salford - - -	25·7	26·2	26·2	29·3
Gateshead -	18·1	20·5	15·7	17·2	Sheffield - -	24·1	22·4	25·6	21·8
Halifax -	17·6	29·0	17·1	27·4	Sunderland - -	20·2	24·8	20·5	17·3
Huddersfield-	18·0	15·0	13·5	23·0	Swansea - -	18·8	20·8	16·3	24·2
Hull - -	19·0	19·4	23·8	24·2	West Ham - -	14·9	19·4	16·4	17·9
Leeds - -	20·8	20·1	23·1	23·7	Wolverhampton -	25·6	36·7	33·8	33·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Manchester, 1·3 in Hull, 1·5 in Blackburn, 2·2 in Bristol and in Preston, 2·4 in Oldham, 2·5 in Huddersfield, 2·9 in Wolverhampton, 3·1 in Plymouth and in Halifax, and 4·6 in Cardiff; from *scarlet fever*, 1·7 in Nottingham; from *whooping-cough*, 1·2 in West Ham and in Liverpool, 1·3 in Brighton, in Birkenhead, in Bolton, and in Burnley, 1·7 in Wolverhampton, 1·8 in Manchester, 1·9 in Salford, and

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

5549—670—4/1900 Wt 82 D & S 3

2·3 in Norwich; and from *diarrhœa*, 1·1 in Blackburn. In none of the thirty-three towns did the death rate from "*fever*" reach 1·0 per 1000. The 78 deaths from *diphtheria* included 32 in London, 13 in Sheffield, 5 in Leeds, 5 in Portsmouth, 4 in Blackburn, 3 in Bristol, 3 in Cardiff, and 3 in Liverpool. Two deaths from *small-pox* were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON* 2580 BIRTHS and 1932 DEATHS were registered. Allowing for increase of population, the births were 129 below, and the deaths 212 above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 20·6, and 20·3 in the preceding three weeks, rose again last week to 22·0. During the four weeks ending on Saturday last the death-rate averaged 20·4 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1932 deaths included 62 from measles, 7 from scarlet fever, 32 from diphtheria, 50 from whooping-cough, 20 from enteric fever, 6 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 177 deaths were referred to these diseases, being 30 below the corrected average weekly number.

The deaths from *measles*, which had been 56, 50, and 60 in the preceding three weeks, further rose last week to 62, but were 4 below the corrected average; 7 cases belonged to St. Pancras, 7 to Wandsworth, 4 to Kensington, 4 to Hammersmith, 4 to Bethnal Green, and 4 to Rotherhithe sanitary areas. The deaths from *scarlet fever*, which had been 6, 3, and 7 in the preceding three weeks, were again 7 last week, the corrected average being 16. The deaths from *diphtheria*, which had been 35, 36, and 31 in the preceding three weeks, were 32 last week, the corrected average being 35; 3 cases belonged to St. Pancras, 3 to Camberwell, and 3 to Lewisham sanitary areas. The deaths from *whooping-cough*, which had been 35, 49, and 45 in the preceding three weeks, rose again last week to 50, but were 18 below the corrected average; 7 cases belonged to Hackney, 5 to Greenwich, 4 to Limehouse, and 4 to Lewisham sanitary areas. The fatal cases of *enteric fever*, which had been 13, 7, and 7 in the preceding three weeks, rose again last week to 20, and were 13 above the corrected average; 4 cases belonged to St. Pancras, 2 to Fulham, 2 to Islington, and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 8, 17, and 8 in the preceding three weeks, further fell last week to 6, and were 6 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 391, 456, and 469 in the preceding three weeks, further rose last week to 499, and were 111 above the corrected average. The deaths attributed directly to *influenza* numbered 44, having been 26, 25, and 26 in the preceding three weeks.

Different forms of violence caused 77 deaths, concerning all of which inquests were held. Of these 77 deaths, 17 were cases of suicide, while the remaining 60 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 9 to drowning, and 18 (of infants under one year of age), to suffocation in bed.

---

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

Deaths of Persons belonging to London and its Sanitary Areas, Registered in the 13 weeks ending 31st March, 1900.

Sanitary Areas.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple and ill-defined Fever.	Diarrhœa.			
REGISTRATION LONDON	25,938	1	602	84	524	518	-	194	-	131	2,326	4,810	138
West.													
Paddington	631	-	3	3	10	3	-	1	-	2	47	108	143
Kensington	825	-	35	1	7	4	-	5	-	6	55	129	131
Hammersmith	568	-	28	-	13	2	-	2	-	3	45	108	131
Fulham	733	-	61	3	19	16	-	9	-	11	57	148	130
Chelsea	570	-	22	3	4	1	-	1	-	2	50	83	134
St. George Hanover Square	404	-	3	1	6	5	-	3	-	4	33	37	111
St. Margt & St. John Westr.	342	-	4	1	4	7	-	2	-	-	41	50	192
St. James Westminster	113	-	4	-	1	-	-	-	-	1	12	15	144
North.													
St. Marylebone	804	-	12	4	9	3	-	3	-	7	88	125	115
Hampstead	300	-	1	2	7	1	-	1	-	2	23	44	103
St. Pancras	1,486	-	39	3	19	32	-	18	-	12	134	229	134
Islington	1,822	-	66	8	24	23	-	9	-	4	179	326	132
Stoke Newington	145	-	-	2	1	-	-	3	-	1	12	21	99
Hackney	1,137	-	6	8	23	47	-	15	-	3	75	231	136
Central.													
St. Giles	196	-	2	-	1	-	-	1	-	2	32	29	98
St. Martin-in-the-Fields	78	-	-	-	1	1	-	-	-	-	7	8	157
Strand	166	-	2	-	-	-	-	-	-	-	26	17	133
Holborn	242	-	3	-	3	2	-	2	-	2	22	42	208
Clerkenwell	437	-	4	4	5	26	-	2	-	2	42	81	149
St. Luke	362	-	5	-	7	26	-	1	-	2	42	83	174
City of London	218	-	2	-	4	-	-	-	-	-	22	25	231
East.													
Shoreditch	790	-	16	5	16	17	-	3	-	3	80	165	155
Bethnal Green	888	-	14	1	19	46	-	6	-	7	79	188	150
Whitechapel	473	-	10	2	6	4	-	3	-	3	62	104	144
St. George-in-the-East	313	-	3	-	2	4	-	3	-	1	36	72	118
Limehouse	404	-	10	2	4	12	-	2	-	1	41	87	187
Mile End Old Town	688	-	12	1	10	21	-	9	-	1	58	145	134
Poplar	1,044	-	15	2	36	50	-	15	-	3	82	252	157
South.													
St. Saviour	173	-	3	-	3	1	-	3	-	-	19	31	155
St. Geo.-the-Martyr Southwk.	524	-	6	3	15	8	-	2	-	6	69	102	187
Newington	809	-	28	1	27	13	-	1	-	5	77	152	137
St. Olave	87	-	6	-	1	5	-	-	-	1	10	15	132
Bermondsey	601	-	6	2	23	20	-	5	-	5	58	135	188
Rotherhithe	290	-	20	1	9	1	-	2	-	1	17	58	175
Lambeth	1,737	-	32	3	38	28	-	13	-	9	161	336	142
Battersea	963	-	37	2	8	25	-	15	-	2	78	185	133
Wandsworth	986	-	24	3	22	9	-	12	-	1	70	183	120
Camberwell	1,375	-	22	3	55	6	-	6	-	1	103	242	125
Greenwich	972	-	9	5	28	29	-	9	-	5	75	191	125
Lee	196	-	-	-	11	-	-	1	-	1	12	31	142
Lewisham (excluding Penge)	460	-	6	3	14	8	-	3	-	7	36	81	118
Woolwich	273	1	9	2	2	8	-	1	-	1	31	47	140
Plumstead	313	-	12	-	7	4	-	2	-	1	28	69	130

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 673 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 575 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 1713 of scarlet fever, 1198 of diphtheria, and 243 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 185 cases, against 181, 170, and 172; of diphtheria, 137 cases, against 154, 155, and 111; and of enteric fever, 25 cases, against 34, 41, and 28.

Greater London.

In Greater London 3683 births and 2536 deaths were registered, corresponding to annual rates of 28·9 and 19·9 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 1 from scarlet fever, 12 from diphtheria, 18 from whooping-cough, 5 from "fever," and 4 from diarrhœa were registered. Seven deaths from diphtheria, 13 from whooping-cough, and 3 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 41°·9; the latter being 4°·1 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 18 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 27·0 hours; the measured rainfall amounted to 0·45 of an inch.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of March, 1900. The supply was in the ratio of 224 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	March, 1899.	March, 1900.	March, 1899.	March, 1900.
Total Supply	876,889	898,756	189,893,201	201,564,911
From Thames	420,765	429,381	101,380,666	107,868,218
From Lea and from other Sources	456,124	469,375	88,512,535	93,696,693
Thames.				
Chelsea	38,164	38,529	11,579,680	11,758,336
West Middlesex	83,718	85,203	19,519,956	19,942,599
Southwark and Vauxhall	122,499	123,794	30,732,262	33,024,941
Grand Junction	64,003	65,989	17,518,420	18,801,842
Lambeth	112,381	115,866	22,030,348	24,340,500
Lea and other Sources				
New River	166,003	169,052	33,905,835	35,811,739
East London	199,653	206,198	38,663,000	41,026,219
Kent	90,468	94,125	15,943,700	16,858,735

Note.—The Return for March, 1900, as compared with that for the corresponding month of 1899 shows an increase of 21,867 services and of 11,671,710 gallons of water supplied daily.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Analysis of Metropolitan Water Supply during March, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
April 2, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of March.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·5, New River 2·6, East London 3·4, Lambeth 3·6, Southwark 4·1, West Middlesex and Grand Junction 5·3, and Chelsea 6·1.

Analysis of Metropolitan Waters.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.										
Thames.										
Chelsea	March 17th. Cab Rank, Horse Guards, Whitehall.	6·4°	30·56	·334	·027	0	·302	·329	1·6	20·6
West Middlesex	March 17th. Cab Rank, Riding House-street.	6·7	29·88	·280	·032	0	·313	·345	1·6	20·3
Southwark	March 17th. Cab Rank, St. George's Church, Borough.	6·9	32·48	·215	·029	0	·342	·371	1·6	22·4
Grand Junction	March 17th. Cab Rank, Portman-street, Oxford-street.	6·7	30·20	·280	·031	0	·338	·369	1·6	20·6
Lambeth	March 17th. Cab Rank, St. George's-road, Southwark.	6·8	33·32	·190	·025	0	·402	·427	1·7	22·1
Lea.										
New River	March 17th. Cab Rank, Tottenham Court-road.	7·3	33·20	·132	·021	0	·302	·323	1·7	22·7
East London	March 17th. Cab Rank, Sidney-street, E.	7·1	39·64	·176	·024	0	·366	·390	2·0	25·4
Deep Well.										
Kent	March 17th. Police Station, Blackheath-road.	12·7	41·52	·023	·006	0	·461	·467	2·4	27·8
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 17th March at the Horse Guards cab rank, had a temperature of 6·4° C.; 100,000 lbs. of it contained 30·56 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·334 lb. of carbon and ·027 lb. of nitrogen. The above quantity of water also contained no ammonia and ·302 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·329 lb. The above weight of water also contained 1·6 lbs. of chlorine, and 20·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

All the samples of water drawn from the mains of the Thames Companies were clear. The Southwark and Lambeth Companies' supplies contained considerably less organic matter than was found in their samples examined last month and were of good quality. The West Middlesex and Grand Junction Companies' waters exhibited no improvement on the February supplies, and the Chelsea Company's water contained considerably more vegetable organic matter than in the previous month, and was of somewhat indifferent quality.

The Lea derived supplies of the New River and East London Companies were clear, and were of good quality for this season of the year.

The Kent Company's water was clear and of high organic quality.

Seen through a stratum two feet deep, the Kent water was colourless, the New River and East London waters very pale yellow, the Chelsea Company's water yellow, and the remaining Thames waters pale yellow in colour.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar-General,

Somerset House, W.C.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 7th April 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,296	6802	5120	1143	1371	2	177	30	78	146	39	28	155	354	1066	75	23·0	2·2	56·5	22·5	40·5	4·72	0·45	1·14	33 Towns.
London - -	4,589,129	2580	1932	366	567	-	62	7	32	50	20	6	77	186	540	22	22·0	2·0	56·1	25·7	41·9	5·50	0·45	1·14	London.
West Ham - -	314,472	168	108	32	19	-	1	-	1	7	-	-	3	6	12	-	17·9	1·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	75	50	14	20	-	-	1	-	2	-	-	1	6	15	-	19·9	1·2	56·5	22·5	40·7	4·83	0·36	0·91	Croydon.
Brighton - -	124,148	46	50	7	17	-	-	1	1	3	-	-	2	3	12	-	21·0	2·1	52·4	29·6	41·4	5·22	0·67	1·70	Brighton.
Portsmouth -	194,955	98	88	19	33	-	-	-	5	1	-	-	4	6	12	3	23·5	1·6	49·0	35·5	41·1	5·06	0·86	2·18	Portsmouth.
Plymouth - -	102,161	40	46	14	13	-	6	-	-	1	-	-	-	2	1	-	23·5	3·6	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	179	132	20	38	-	14	-	3	-	2	2	-	5	24	1	21·2	3·4	51·0	27·0	41·1	5·06	0·65	1·65	Bristol.
Cardiff -	194,247	118	80	25	15	-	17	-	3	2	-	-	2	5	8	-	21·5	5·9	-	-	-	-	-	-	Cardiff.
Swansea -	105,472	61	49	11	11	-	-	-	1	-	-	-	2	3	5	-	24·2	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	60	57	15	11	-	5	-	-	3	-	-	-	3	8	-	33·2	4·7	53·2	24·5	38·7	3·72	0·40	1·02	Wolverhampton.
Birmingham -	519,610	410	227	57	54	-	2	2	1	7	1	3	8	10	42	6	22·8	1·6	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	56	45	12	15	-	-	-	-	5	-	-	1	3	4	-	20·4	2·3	54·0	28·0	39·2	4·00	0·52	1.32	Norwich.
Leicester - -	219,169	129	87	16	32	-	2	1	2	-	1	-	4	7	16	2	20·7	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	138	102	28	27	-	1	8	-	-	-	2	3	9	21	1	21·9	2·4	52·4	26·0	39·7	4·28	0·22	0·56	Nottingham.
Derby - - -	107,991	68	31	7	7	-	1	-	-	-	-	-	-	2	7	-	15·0	0·5	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	76	37	12	9	-	-	-	1	3	1	-	1	1	6	-	16·5	2·2	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	420	385	97	90	2	2	-	3	15	4	-	12	17	95	14	31·6	2·1	50·3	33·8	41·5	5·28	0·48	1·22	Liverpool.
Bolton - -	164,240	85	66	17	18	-	-	1	-	4	1	2	1	3	4	-	21·0	2·5	-	-	-	-	-	-	Bolton.
Manchester -	548,708	370	326	78	78	-	11	1	-	19	1	4	9	25	68	1	31·0	3·4	-	-	-	-	-	-	Manchester.
Salford - -	220,816	147	124	32	28	-	4	2	-	8	1	2	2	4	21	3	29·3	4·0	-	-	-	-	-	-	Salford.
Oldham - -	153,297	89	54	14	13	-	7	-	-	2	-	-	-	1	7	-	18·4	3·1	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	77	43	8	10	-	1	-	-	3	-	-	1	1	6	1	19·2	1·8	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	70	71	20	14	-	4	2	4	1	-	3	2	2	10	-	27·0	5·3	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	64	75	20	15	-	5	2	-	1	1	1	-	1	5	3	32·9	4·4	-	-	-	-	-	-	Preston.
Huddersfield	104,484	47	46	9	12	-	5	-	-	-	-	-	-	-	8	2	23·0	2·5	51·0	26·8	39·2	4·00	0·22	0·56	Huddersfield.
Halifax - -	100,710	37	53	7	18	-	6	-	-	-	-	-	-	-	7	3	27·4	3·1	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	149	121	26	34	-	5	1	1	-	1	1	-	2	15	2	21·6	1·6	51·2	29·0	41·1	5·06	0·27	0·69	Bradford.
Leeds - - -	431,287	247	196	50	45	-	5	-	5	6	-	-	10	22	10	-	23·7	1·9	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	228	153	34	39	-	2	-	13	1	1	-	3	3	29	4	21·8	2·4	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	151	111	37	23	-	6	-	-	2	1	1	3	5	18	3	24·2	2·2	53·0	23·0	39·9	4·39	0·26	0·66	Hull.
Sunderland -	147,398	103	49	11	14	-	1	-	1	-	1	1	-	1	5	1	17·3	1·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	74	36	10	9	-	-	-	-	-	-	-	-	-	2	1	17·2	-	-	-	-	-	-	-	Gateshead.
Newcastle - -	254,369	142	90	18	23	-	2	1	1	-	2	-	4	10	14	2	20·0	1·3	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2329	2820	2448	2566	2682	2731	2629	2577	2415	2554	2709·1	2580
Males - -	1204	1468	1246	1275	1324	1390	1322	1259	1230	1289	1368·4	1289
Females - -	1125	1352	1202	1291	1358	1341	1307	1318	1185	1265	1340·7	1291
TOTAL **Deaths** -	1419	1722	1812	1683	1587	1597	1522	1501	1691	1816	1720·1	1932
Males - -	720	914	953	884	836	868	767	787	881	908	896·2	1006
Females - -	699	808	859	799	751	729	755	714	810	908	823·9	926

*The numbers in this column are the average weekly numbers in the fourteenth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.
TOTAL **Births** - -	2766	2533	2634	2498	2889	2439	2805	2561	2841	2628	2675	2736	2580
TOTAL **Deaths** - - -	2930	2365	1950	1722	1792	2013	1894	1668	1652	1659	1817	1785	1932
Ages at Death: Under 1 year - -	409	385	344	356	356	380	355	340	345	385	413	368	366
1—5 years - -	256	231	198	192	200	209	218	189	208	215	260	247	250
5—20 " - -	101	105	89	83	104	104	91	72	102	87	94	96	106
20—40 " - -	303	282	247	222	221	230	245	218	219	216	232	227	238
40—60 " - -	656	501	391	367	354	448	392	362	367	327	352	340	405
60—80 " - -	946	682	524	400	444	519	476	375	342	339	368	414	458
80 years and upwards	259	179	157	102	113	132	117	112	69	90	98	93	109
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles - - - -	51	45	46	27	33	50	42	41	39	56	50	60	62
Scarlet Fever - - -	7	6	6	10	7	5	4	9	8	6	3	7	7
Diphtheria - - - -	49	40	37	46	51	35	48	26	41	35	36	31	32
Whooping-cough - - -	37	34	39	45	37	51	40	43	37	35	49	45	50
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	23	17	13	17	22	18	17	18	13	13	7	7	20
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	9	10	15	14	11	6	11	7	6	8	17	8	6
Cholera - - - -	-	-	-	-	1	-	1	-	-	-	-	-	-
All the above Diseases -	176	152	156	159	162	165	163	145	144	153	162	158	177
Dis. of Respiratory System -	994	728	490	432	423	527	485	380	378	391	456	469	499
Phthisis - - - - -	204	220	177	157	161	193	162	170	158	178	205	202	186
Dis. of Circulatory System -	246	206	160	135	154	191	164	156	161	126	154	149	184
Violence - - - -	86	91	75	77	89	75	76	82	82	63	61	91	77
Inquest Cases - - - -	239	226	183	158	199	180	193	173	169	152	154	203	186
Deaths in Public Institutions -	817	702	645	581	593	591	590	551	524	526	539	548	540
TEMPERATURE OF THE AIR.													
Mean - - - - -	38°·5	40°·2	44°·5	35°·2	31°·0	35°·2	45°·4	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9
Mean of Highest readings -	43·0	46·2	49·3	37·3	36·2	41·4	51·6	48·0	43·7	47·6	45·7	44·2	51·1
Mean of Lowest readings -	32·9	33·0	39·1	33·2	25·4	29·1	39·4	39·8	35·8	34·3	32·7	31·1	34·3
Humidity of the Air - -	80	85	84	87	73	84	85	90	79	76	83	74	76
Rain-fall (in inches) - -	0·48	0·74	0·32	0·96	0·29	1·46	0·51	0·65	0·02	0·08	0·61	0·16	0·45
Registered Sunshine (in hours)	14·1	12·4	5·0	3·1	19·3	13·5	18·3	5·3	15·5	13·4	23·1	26·3	27·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	18	21	24	21	17	8	11	7	7	5	5	3	2
Scarlet Fever - - - -	2562	2411	2287	2179	2089	2052	2009	1868	1777	1760	1715	1696	1713
Diphtheria - - - -	1601	1582	1606	1581	1549	1498	1437	1407	1385	1361	1329	1243	1198
Enteric Fever - - - -	349	329	307	289	281	270	280	274	270	265	268	263	243

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FOURTEENTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 14th Week of the 10 years 1890-99*.	In the Week ending Saturday, 7th April, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	1720·1	1932	366	250	106	238	405	458	109
Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
- - - -	66·2	62	16	42	4	-	-	-	-
ever - - -	16·2	7	1	5	1	-	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
gFever - -	-	-	-	-	-	-	-	-	-
a - - - -	33·7	44	1	3	-	7	16	15	2
g-cough - -	68·0	50	19	27	4	-	-	-	-
ria - -	35·2	32	1	23	8	-	-	-	-
Continued and ned Fever -	0·5	-	-	-	-	-	-	-	-
Fever - - -	7·3	20	-	-	8	8	3	1	-
and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
a, Dysentery -	12·3	6	1	2	1	-	-	2	-
nt Fever - -	-	-	-	-	-	-	-	-	-
obia - - -	-	-	-	-	-	-	-	-	-
- - - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·1	-	-	-	-	-	-	-	-
Affections - -	9·2	9	5	2	-	-	1	1	-
as - - -	3·7	5	1	-	-	1	-	3	-
and Septicæmia	2·2	3	1	-	1	-	-	1	-
l Fever - -	4·5	2	-	-	-	2	-	-	-
rmotic Diseases	0·8	2	1	-	-	1	-	-	-
- - - -	0·6	2	2	-	-	-	-	-	-
nd other Para- Diseases -	0·6	-	-	-	-	-	-	-	-
on, Want of -milk - -	0·7	6	6	-	-	-	-	-	-
sm - - -	8·3	11	-	-	-	6	5	-	-
tic Fever, atism of Heart	5·9	9	-	1	3	4	1	-	-
tism - - -	1·9	-	-	-	-	-	-	-	-
- - - -	3·4	1	-	-	-	-	-	1	-
- - - -	5·3	10	1	9	-	-	-	-	-
- - - -	73·5	82	-	-	-	7	35	40	-
esenterica - -	18·5	14	8	3	2	1	-	-	-
ar Meningitis -	26·6	23	5	15	3	-	-	-	-
- - - -	167·9	186	2	2	11	83	72	16	-
Tuberculosis -	21·9	20	5	7	3	2	3	-	-
Constitutional es - -	13·6	11	-	1	-	1	5	4	-
re Birth - -	46·3	53	53	-	-	-	-	-	-
sis - - -	4·0	3	3	-	-	-	-	-	-
al Malforma- - - -	8·7	6	6	-	-	-	-	-	-
- - - -	53·3	67	-	-	-	-	-	32	35
y - - -	44·9	49	2	-	-	2	18	26	1
- - - -	7·8	7	1	-	2	2	1	1	-
ons - - -	39·1	39	35	4	-	-	-	-	-
iseases of Brain rvous System	92·1	99	10	7	8	10	19	34	11
of Organs of l Sense -	2·9	3	-	-	3	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 14th Week of the 10 years 1890-99*.	In the Week ending Saturday, 7th April, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	142·9	184	4	1	13	30	55	70	11
Croup - - - -	4·8	-	-	-	-	-	-	-	-
Bronchitis - - -	207·6	257	45	22	3	5	39	116	27
Pneumonia - - -	140·0	198	31	52	12	27	47	25	4
Pleurisy - - - -	6·9	6	-	1	-	1	2	2	-
Other Diseases of Respiratory System -	28·4	38	5	3	3	4	9	11	3
Dentition - - - -	12·2	11	7	4	-	-	-	-	-
Quinsy, Sore Throat -	1·3	2	-	-	-	1	1	-	-
Enteritis - - -	12·0	9	2	-	-	1	2	3	1
Gastro-enteritis -		10	6	3	-	-	-	1	-
Peritonitis - - -	7·4	-	-	-	-	-	-	-	-
Diseases of Liver - -	22·5	24	-	-	-	4	13	5	2
Other Diseases of Digestive System	34·1	42	13	1	3	5	8	9	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	3	-	-	1	1	-	1	-
Diseases of Urinary System - - -	46·5	59	-	-	2	3	24	23	7
Diseases of Generative System - - -	5·2	2	-	-	-	1	1	-	-
Accidents of Childbirth -	4·1	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	5·0	3	-	-	-	-	2	1	-
Diseases of Integumentary System - -	5·9	4	-	-	-	1	-	3	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	60·2	2	-	-	-	1	-	1	-
By Vehicles or Horses -		5	-	2	-	-	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		1	-	-	-	-	-	1	-
By Burns, Scalds, Explosions - -		5	-	2	3	-	-	-	-
By Drowning - - -		9	1	-	2	3	3	-	-
By Suffocation in Bed -		18	18	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	-	2	-	-	-
Other or not stated causes - - - -		18	4	1	1	3	5	3	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Battle - - - -	-	-	-	-	-	-	-	-	-
Homicide - - -	1·2	-	-	-	-	-	-	-	-
Suicide - - - -	10·0	17	-	-	1	4	10	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·9	58	44	5	-	2	3	3	1

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of , murder manslaughter or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 7th April, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2580	1932	366	567	-	62	7	32	50	-	20	-	6	77	186	540
WEST DISTRICTS - - -	778,251	408	328	51	116	-	16	1	2	3	-	2	-	2	7	25	87
NORTH DISTRICTS - - -	1,040,694	539	419	71	109	-	11	2	9	14	-	8	-	2	16	40	109
CENTRAL DISTRICTS - - -	233,635	139	109	23	34	-	6	-	1	1	-	1	-	-	10	20	35
EAST DISTRICTS - - -	716,334	483	338	73	80	-	9	1	4	13	-	3	-	1	15	45	98
SOUTH DISTRICTS - - -	1,642,796	1011	688	148	208	-	20	3	16	19	-	6	-	1	29	56	161
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	50	-	20	-	-	-	-	-	-	-	-	-	-	-	50
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	41	36	5	15	-	1	-	-	1	-	-	-	-	1	3	6
St. John Paddington *H* - - G.	33,510	6	13	-	7	-	-	-	-	-	-	-	-	-	1	1	4
Kensington Town *Ww* - - W.	122,164	56	57	6	23	-	4	-	-	1	-	-	-	-	1	3	24
Brompton *HH*- - - W. & C.	48,301	12	13	-	4	-	-	-	-	-	-	-	-	1	-	1	1
North Hammersmith *H* } W. & G	44,638	34	25	12	4	-	2	-	-	-	-	-	-	-	-	2	-
South Hammersmith *H* } W. & G	59,561	42	24	1	9	-	2	-	-	-	-	-	-	-	-	2	3
Fulham *Ww* - - - W. & C.	113,781	117	45	8	16	-	2	1	1	-	-	1	-	-	1	2	14
Chelsea Kensal Town - C.	21,450	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	15	25	1	6	-	2	-	-	-	-	1	-	-	1	2	14
Chelsea South *HH* - - C.	33,139	22	10	2	3	-	-	-	1	-	-	-	-	1	-	1	1
May Fair *W* - - - - G.	23,827	4	16	-	5	-	-	-	-	-	-	-	-	-	-	-	10
Belgrave *WHHH* - - - C.	56,140	21	19	6	9	-	-	-	-	-	-	-	-	-	1	1	5
St. John Westminster *HH* - C.	31,492	11	19	5	5	-	-	-	-	1	-	-	-	-	-	3	2
St. Margaret Westminster *H*- C.	22,097	2	5	1	1	-	2	-	-	-	-	-	-	-	-	-	1
St. James Westminster *WH* N. & G.	23,050	6	12	-	6	-	1	-	-	-	-	-	-	-	-	2	2
St Anne Soho *HHHHH* - N.	12,048	6	5	2	2	-	-	-	-	-	-	-	-	-	1	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	11	20	2	6	-	-	-	-	1	-	-	-	-	1	1	7
Rectory Marylebone *W* G. & W.	19,798	8	8	1	4	-	-	-	-	1	-	-	-	1	-	-	2
St. Mary Marylebone *HHHH* G. & W.	19,637	31	6	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Christchurch Marylebone *H* - W	32,547	20	20	5	3	-	2	-	1	-	-	-	-	-	1	3	-
St. John Marylebone *HHH* - W.	32,611	9	10	2	3	-	-	-	-	-	-	-	-	-	-	2	1
Hampstead *WwHHHH* - N. & W.	75,449	27	32	4	7	-	1	-	4	-	-	3	-	-	1	2	13
Regent's Park † *HH* - W.	51,403	29	23	3	7	-	2	-	-	-	-	3	-	-	-	1	2
Tottenham-court *wHHHHHH* - N. & W.	26,757	6	14	-	3	-	1	-	1	-	-	1	-	-	-	-	9
Gray's Inn Lane *HHHH* - N.	29,426	15	14	4	1	-	2	-	-	1	-	-	-	-	1	1	2
Somers Town *HH* - - - N.	32,161	25	10	3	3	-	-	-	-	-	-	-	-	-	-	-	3
Camden Town† *WH* - - N.	40,155	26	25	-	16	-	1	-	-	-	-	-	-	-	1	1	10
Kentish Town† *WW* - - N.	60,862	32	24	5	3	-	1	-	-	1	-	-	-	-	2	4	7
Upper Holloway *WWWWwHH* - - N.	98,273	46	50	4	11	-	-	-	-	1	-	-	-	-	1	1	31
Lower Holloway‡ - - - N.	41,805	22	10	1	3	-	1	-	-	-	-	1	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	31	17	3	1	-	-	-	1	-	-	-	-	-	-	2	-
Islington South-east‡ *H* - N.	75,725	41	26	12	4	-	-	-	-	2	-	-	-	1	2	5	-
Highbury *HH* - - - N.	64,577	37	16	2	5	-	-	-	-	-	-	-	-	-	1	2	-
Stoke Newington *H* - - N.	33,485	9	12	1	5	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	19	8	2	2	-	-	-	1	-	-	-	-	-	-	2	-
Central Hackney *ww* - E. & N.		24	17	3	3	-	-	2	1	-	-	-	-	-	4	6	3
South-west Hackney *HHH* E. & N.		37	30	6	7	-	-	-	-	5	-	-	-	-	1	3	10
South-east Hackney *WwH* E. & N.		34	27	6	12	-	-	-	-	2	-	-	-	-	-	1	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note * on second page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 7th April, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	21	11	1	8	-	1	-	-	-	-	-	-	-	1	2	4	-
ith *WH* - - }																		
iles North *H* - - - N.	9,151	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
artin-in-the-Fields *HH* N. & C.	13,077	3	5	1	2	-	-	-	-	-	-	-	-	-	1	2	2	-
nd *WHH* - - - - N.	11,839	7	9	2	1	-	-	-	-	-	-	-	-	-	4	4	6	-
d Union Workhouse, Edmonton	†*1,037*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
orn *wHHHHH* - N.	31,042	13	19	8	4	-	2	-	1	-	-	-	-	-	1	1	6	-
ames Clerkenwell - - N.	15,777	8	7	2	2	-	-	-	-	1	-	-	-	-	-	2	-	-
vell Clerkenwell - - N.	34,356	28	12	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
vell-street - - - N.	16,069	15	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
-road *HHHHL* - - N.	29,897	27	16	4	4	-	-	-	-	-	-	-	-	-	-	2	5	-
tecross-street - - - N.	7,595	1	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
bury - - - - - N.	4,035	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
otolph* *H* - - N. & E.	13,061	7	5	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre *WH* - - - N.	9,591	-	11	1	1	-	-	-	-	-	-	1	-	-	1	1	8	-
allows Barking - - - N.	9,059	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†*388*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	10	10	1	3	-	-	-	1	-	-	-	-	-	-	1	2	-
ton New Town *w* - - N.	23,575	26	17	6	4	-	2	-	-	1	-	-	-	-	1	1	4	-
ton Old Town - - - N.	27,645	11	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
gerston *WH* - - N. & E.	47,163	32	26	6	5	-	-	-	1	1	-	-	-	-	1	2	13	-
hnal Green North *H* - E.	49,301	31	16	5	2	-	-	-	-	1	-	-	-	-	1	1	1	-
hnal Green South - - E.	34,194	27	14	4	-	-	3	-	-	2	-	-	-	-	-	-	-	1
hnal Green East *WWHl* - E.	45,667	25	28	6	7	-	1	-	-	-	-	-	-	-	1	1	11	-
alfields - - - E. & N.	26,681	18	9	1	4	-	-	-	-	-	-	-	-	-	1	2	-	-
e End New Town *WH* - E.	51,995	19	42	5	5	-	-	-	2	1	-	1	-	-	3	8	37	-
dman's Fields - - - E.		11	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
George's, North - - - E.	39,576	32	12	5	1	-	-	-	-	2	-	1	-	-	-	1	-	-
John, St. George East *W* E.	7 930	4	9	1	4	-	-	-	-	-	-	-	-	-	-	1	9	-
dwell *H* - - - E. & N.	10,434	9	7	3	1	-	-	-	-	-	-	-	-	-	-	2	2	-
cliff *W* - - - - E.	14,954	16	7	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-
nehouse - - - - - E.	32,917	30	15	1	7	-	-	-	-	1	-	-	-	-	1	1	-	-
e End Old Town West *H* E.	111,060	39	20	7	3	-	-	-	-	-	-	-	-	-	2	4	-	-
e End Old Town East } - E.		42	19	3	5	-	2	-	-	-	-	-	-	1	-	2	2	-
VWww																		
w *l* - - - - E.	41,687	29	12	4	3	-	1	-	-	1	-	-	-	-	-	1	-	-
omley *wwwH* - - - E.	69,821	43	41	6	15	-	-	-	-	1	-	-	-	-	1	8	16	-
plar *WW* - - - - E.	57,759	29	23	4	7	-	-	1	-	-	-	1	-	-	3	6	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 7th April, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	13,064	10	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1
St. Saviour Southwark - - S.	12,301	5	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1
Kent-road - - - - S. & L.	22,879	15	8	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,083	10	10	2	2	–	–	–	–	–	–	–	–	–	1	3	5	–
London-road *HL* - - L. & S.	21,316	18	13	6	3	–	1	–	–	–	–	–	–	–	1	3	–	3
Trinity Newington *H* - S. & L.	28,723	28	15	9	2	–	1	–	–	–	–	–	–	–	1	1	–	2
St. Peter Walworth *W* - S. & L.	62,045	39	22	2	7	–	1	–	–	2	–	1	–	–	–	2	4	–
St. Mary Newington- - L. & S.	30,171	28	17	5	6	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Olave *WH*- - - - S.	11,731	8	25	4	3	–	–	–	–	1	–	–	–	–	4	4	17	1
Bermondsey *W* - - - S.	85,475	48	40	8	12	–	–	–	–	–	–	1	–	–	1	1	4	1
Rotherhithe *Ww* - S. & K.	40,379	15	23	6	5	–	4	–	–	1	–	–	–	–	1	1	7	1
Waterloo-road *HH* - L. & S.	28,396	27	5	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Lambeth Church 1st *H* - L. & S.	18,770	14	17	1	2	–	–	–	–	–	–	–	–	–	–	2	10	–
Lambeth Church 2nd *WW* L. & S.	40,994	33	32	4	15	–	–	–	–	–	–	–	–	–	–	3	20	1
Kennington 1st *H* - - S. & L.	52,486	28	20	6	11	–	–	–	–	–	–	1	–	–	–	1	–	–
Kennington 2nd - - S. & L.	43,244	21	12	1	4	–	–	–	–	–	–	–	–	–	1	1	–	–
Brixton *w* - - - L. & S.	81,825	38	18	5	6	–	–	–	–	1	–	1	–	–	–	–	–	1
Norwood *WH*- - - - L.	29,318	10	12	1	5	–	–	–	–	–	–	–	–	–	1	1	2	–
East Battersea - - - - S.	71,730	50	18	8	2	–	2	–	–	1	–	–	–	–	1	2	–	–
West Battersea *WwH* - - S.	93,385	45	32	7	13	–	–	–	–	1	–	–	–	–	2	3	11	–
Clapham *H* - - - - S.	46,953	29	22	4	5	–	–	–	–	–	–	–	–	–	1	1	1	–
Wandsworth *WHHL* - - S.	58,101	30	34	8	9	–	5	–	1	–	–	–	–	1	1	5	3	–
Putney - - - - - S.	20,566	19	5	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Streatham *WwwwwL* - - L.	61,644	44	23	5	10	–	1	1	1	–	–	–	–	–	–	–	3	–
Dulwich - - - - L. & S.	7,519	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	46	54	8	19	–	1	–	–	1	–	1	–	–	1	3	28	3
Peckham *WW* - S., L., & K.	88,242	46	19	3	10	–	–	–	–	–	–	–	–	–	1	2	–	–
St. George Camberwell - L. & S.	67,029	50	21	7	1	–	–	–	1	1	–	–	–	–	1	2	–	1
Deptford North - - - K.	36,152	24	8	2	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Deptford Central *w* - - K.	45,441	36	20	4	5	–	–	–	4	2	–	–	–	–	1	1	3	1
Deptford South - - - K.	33,402	13	6	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Greenwich West *H* - - K.	23,012	12	6	2	3	–	1	–	–	–	–	1	–	–	–	–	–	–
Greenwich East *WH* - - K.	37,767	28	32	4	14	–	–	–	–	2	–	–	–	–	1	1	17	–
Eltham *wH* - - - - K.	5,911	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Lee *H* - - - - - K.	24,222	10	6	1	3	–	–	–	1	–	–	–	–	–	–	1	1	–
Lewisham *WwH* - - - K.	38,139	42	31	3	9	–	–	1	6	4	–	–	–	–	1	2	12	–
Sydenham *H* - - - - L.	37,601	13	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Charlton *wHH* - - - K.	15,928	10	11	3	–	–	–	1	2	–	–	–	–	–	2	2	4	–
Woolwich* *HHHH* - - K.	51,314	29	12	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *H* - - K.	16,714	5	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	42,538	34	22	6	8	–	2	–	–	–	–	–	–	–	3	4	7	–
Banstead Asylum - - - -	—	–	9	–	4	–	–	–	–	–	–	–	–	–	–	–	9	–
Horton Asylum, Epsom - - -	—	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
Caterham Asylum - - - -	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Cane Hill Asylum - - - -	—	–	10	–	4	–	–	–	–	–	–	–	–	–	–	–	10	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–
London County Asylum, Dartford Heath - - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Hanwell Asylum - - - -	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	–	6	–
Colney Hatch Asylum - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–
Claybury Asylum - - - -	—	–	8	–	2	–	–	–	–	–	–	–	–	–	–	–	8	–

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 7th April, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON-OUTER RING -	368,749	1,422,063	1103	604	151	196	-	5	1	12	18	5	4	15	47	80	5
1	Carshalton *H* - - -	12,228	26,108	17	7	2	5	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	7	9	-	5	-	-	-	-	-	-	-	-	-	5	-
1	Godstone, *part of** *W* -	2,754	1,598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	84	61	15	20	-	-	1	-	2	-	-	1	7	16	-
2	Mitcham *w* - - -	11,697	23,072	13	8	1	3	-	-	-	-	-	-	-	-	1	-	-
1	Wimbledon *HHH* - -	3,220	25,777	25	6	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	20	8	1	5	-	-	-	-	-	-	-	-	-	3	-
3	Surbiton *HH* - - -		12,178	8	4	-	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	9	4	1	2	-	-	-	-	-	-	-	-	1	-	-
5	Hampton *HL* - - -	4,565	18,252	6	5	2	2	-	-	-	-	1	-	-	-	1	-	-
1	Richmond *WHH* - -	2,160	25,389	14	13	1	8	-	-	-	-	1	-	1	1	1	1	-
2	Mortlake *H* - - -	2,823	16,159	12	10	3	4	-	-	-	-	-	-	-	1	3	-	-
1	Bromley *HHH* - - -	9,127	23,815	17	6	1	3	-	-	-	-	-	-	-	-	-	1	1
2	Beckenham *H* - - -	6,542	21,969	9	5	3	1	-	-	-	-	-	-	-	1	1	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	8	7	1	6	-	-	-	-	-	-	-	-	-	3	-
1	Bexley *HHH* - - -	12,540	30,590	36	13	2	2	-	-	-	-	-	-	-	2	2	1	1
2	Dartford *WH*, *part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Sunbury *w* - - -	11,054	13,671	8	7	4	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	10	3	1	1	-	-	-	-	-	-	-	-	-	1	1
1	Hillingdon *WHH* - -	6,035	12,237	5	5	1	2	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge - - - -	12,757	7,253	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	27	12	2	3	-	-	-	-	-	-	-	1	1	1	-
2	Twickenham *HH* - -	2,415	16,027	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	12	16	-	9	-	1	-	-	-	-	-	1	1	-	-
4	Chiswick - - - -	1,245	21,963	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	18	10	2	1	-	2	-	-	-	-	-	-	1	-	-
1	Harrow *HHH* - - -	13,809	15,715	14	5	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	70	29	9	10	-	-	-	2	-	-	-	-	1	3	-
4	Hendon *WH* - - -	8,382	15,843	14	7	1	1	-	-	-	-	-	-	-	-	-	3	-
1	South Mimms *HH* - -	21,077	6,367	7	5	2	2	-	-	-	-	-	-	1	-	-	-	-
2	Barnet *WHH* - - -		14,152	5	5	1	3	-	-	-	-	-	-	1	-	1	2	-
3	Finchley *HHH* - - -	4,688	25,820	13	8	-	3	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey *HH* - - -	3,039	61,097	27	19	6	7	-	-	-	-	1	1	-	-	3	1	-
2	Tottenham *HHH* - -	4,642	97,174	87	33	12	12	-	-	-	-	-	1	-	-	4	1	1
3	Edmonton *Ww* - -	7,489	36,351	34	26	6	13	-	-	-	-	-	-	-	1	4	9	-
4	Enfield *WWHH* - -	12,602	31,536	23	11	3	3	-	-	-	1	-	-	-	-	2	1	-
5	Waltham Abbey - - -	11,017	6,066	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	31	9	1	1	-	-	-	-	1	-	-	-	-	-	-
2	Plaistow *HHH* - - -		58,030	59	39	13	9	-	-	-	1	5	-	-	1	4	2	-
3	Canning Town *H* - -		54,750	40	32	10	4	-	1	-	-	1	-	-	2	2	2	-
4	Forest Gate *w* - - -		53,511	38	20	7	2	-	-	-	-	-	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	58	21	5	6	-	-	-	1	3	1	-	-	1	-	-
6	Leyton *WWWwH* - -	4,334	70,188	60	46	14	14	-	1	-	-	2	2	-	1	2	12	1
7	Walthamstow *HHHL* -	6,501	57,330	63	25	7	6	-	-	-	5	1	-	-	-	2	-	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	7	5	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	10	4	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *H* - - - -	8,493	10,913	16	4	2	1	-	-	-	1	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	12	6	3	1	-	-	-	-	-	-	-	1	1	-	-
	N.W. Fever Hos., Hampstead	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	E. Fever Hos., Homerton	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	City of London Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Asylum, Cane Hill.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring e as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in atfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are so included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 7th April, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	1
GREATER LONDON	**443,421**	**6,652,145**	**19·9**	**1·7**	**2536**	**517**	**763**	**–**	**67**	**8**	**44**	**68**	**25**	**10**	**92**	**62**
INNER LONDON -	74,672	4,589,129	22·0	2·0	1932	366	567	–	62	7	32	50	20	6	77	54
OUTER RING -	368,749	2,063,016	15·3	1·1	604	151	196	–	5	1	12	18	5	4	15	8

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	April 7	165	126	21·7	–		–	1	1	–	
GLASGOW - -	743,585	„ 7	485	347	24·3	–	9	4	3	10	3	
DUBLIN - -	349,594	„ 7	128	194	28·9	–	3	–	–	3	3	
CALCUTTA - -	466,460	Feb. 17	–	506	56·5	6	–	–	–	–	275†	
BOMBAY - -	821,764	Mar. 13	227	2668	168·8	222	85	?	?	?	1014†	2
MADRAS - -	452,518	„ 9	296	310	35·6	1	18	?	?	?	79	
PARIS - - -	2,511,629	„ 31	1154	1111	22·9	–	26	1	4*	6	33	
BRUSSELS - -	561,130	„ 31	–	–	–	–	–	–	–	–	–	
AMSTERDAM -	523,743	„ 24	–	–	–	–	–	–	–	–	–	
ROTTERDAM -	315,305	„ 24	–	–	–	–	–	–	–	–	–	
THE HAGUE -	205,328	„ 24	–	–	–	–	–	–	–	–	–	
COPENHAGEN -	349,000	„ 31	206	156	23·3	–	–	2	1	1	1	
STOCKHOLM -	291,580	„ 24	159	94	16·8	–	–	–	5*	–	–	
CHRISTIANIA -	221,255	„ 31	136	91	21·4	–	–	1	1	10	–	
ST. PETERSBURG	1,132,677	„ 24	757	627	28·9	3	9	10	23	2	13	
MOSCOW - -	988,610	„ 24	–	527	27.8	5	7	15	10	7	8	
BERLIN - -	1,848,269	„ 17	919	681	19·1	–	8	10	9	10	1	
HAMBURG - -	691,349	„ 31	–	248	18·7	–	1	3	1*	2	–	
DRESDEN - -	401,400	„ 10	258	151	19·5	–	1	–	1*	2	–	
BRESLAU - -	406,012	„ 31	–	253	31·9	–	–	–	–	–	–	
MUNICH - -	463,000	„ 24	–	235	26·4	–	26	1	2*	–	1	
VIENNA - -	1,639,811	„ 24	1055	835	26·5	–	15	1	10*	3	6	
PRAGUE - -	385,952	„ 24	226	223	30·0	–	–	1	2	4	1	
BUDA-PESTH -	685,340	„ 24	464	358	27·2	–	3	2	1	4	–	
TRIESTE - -	167,286	„ 17	113	172	53·4	–	1	–	–	1	–	
ROME - - -	512,423	„ 3	240	209	21·3	–	12	–	5	1	1§	
TURIN (10 days)	344,203	Feb. 10	196	485	51·4	–	2	–	2	1	1	
VENICE - -	172,491	Mar. 24	94	88	26·6	–	–	–	2*	1	–	
CAIRO - -	570,062	Feb. 11	475	359	32·7	8	8	–	3*	–	6	
ALEXANDRIA -	319,766	„ 11	276	201	32·7	–	–	–	–	–	4	
NEW YORK (including BROOKLYN)	3,654,594	Mar. 10	1464	1773	25·3	–	30	19	46	18	6	
PHILADELPHIA -	1,266,832	„ 17	–	580	23·9	–	26	3	23	1	17	

* Including deaths from croup.
† Including 178 deaths from plague in Calcutta, and 736 in Bombay
‡ Including 51 deaths from cholera in Calcutta, and 10 in Bombay.
§ Malarial fever.

1900. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 1	..	30·074	45·9	30·1	15·8	37·8	− 7·6	30·9	6·9	12·2	1·2	76	103·2	23·0	40·47	ESE., SE. & NE.	ENE., ESE. & SE.	0·8	0·0	0·0	137	−161	0·00	0·0
MONDAY - 2	..	29·865	48·4	25·7	22·7	38·1	− 7·6	28·7	9·4	17·6	1·9	69	83·8	22·8	40·51	Variable, SW. & WsW.	W., NW. & WSW.	1·0	0·0	0·1	180	−117	0·00	0·0
TUESDAY - 3	..	29·466	52·9	33·4	19·5	41·9	− 4·1	37·7	4·2	14·8	0·9	85	100·2	29·0	40·54	WSW. & SW.	SW., SSW. & S.	4·7	0·0	0·3	299	+ 2	0·23	0·2
WEDNESDAY 4	Greatest Dec. N.	29·211	56·1	40·9	15·2	46·9	+ 0·7	38·0	8·9	16·7	0·9	71	108·9	33·7	40·68	WSW.	WSW., W. & SSW.	3·7	0·0	0·5	391	+ 94	0·00	0·8
THURSDAY - 5	..	29·493	49·9	38·0	11·9	42·7	− 3·5	37·6	5·1	12·8	1·0	82	102·8	31·9	41·12	Variable & N.	N. & NNW.	2·5	0·0	0·1	186	−110	0·20	0·0
FRIDAY - 6	First Quarter.	29·681	54·1	34·4	19·7	42·5	− 3·7	33·2	9·3	20·0	3·5	69	121·3	29·6	41·54	NW., WSW. & W.	SW., SSW. & SSE.	2·6	0·0	0·1	245	− 50	0·00	0·0
SATURDAY - 7	..	29·593	50·1	37·4	12·7	43·1	− 3·0	37·4	5·7	10·5	3·4	81	91·2	30·4	41·75	ESE. & E.	ESE., E. & NNE.	2·4	0·0	0·2	255	− 38	0·02	0·0
MEANS -		29·626	51·1	34·3	16·8	41·9	− 4·1	34·8	7·1	14·9	1·8	76	101·6	28·6	40·94	Variable		..	..	..	Sum 1693	Sum −380	Sum 0·45	0·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 1	m. P. till 10h. A.M.; w. P. till 7h. P.M.; s. P. afterwards.	9·5	12·9	Very fine throughout, with small amounts of cloud. Hoar frost in morning and at night.
MONDAY - 2	s. P. generally till 10h. P.M.; s. P. and s. N. afterwards.	2·3	12·9	Fine, with hoar frost in early morning; generally cloudy afterwards, with light showers at night.
TUESDAY - 3	w. P. till 8h. A.M.; w. P. and w. N. till 10h. A.M.; w. P. till 3h. P.M.; w. P. and v. N. afterwards.	0·8	13·0	Generally overcast. Rain in morning and at night. A flash of lightning observed at 9h. P.M.
WEDNESDAY 4	w. P. till 3h. P.M.; s. P. and s. N. till 4h. P.M.; m. P. afterwards.	6·0	13·1	Cloudy in morning, with gentle showers till 2h. A.M.; fine and partially cloudy afterwards.
THURSDAY - 5	v. P. and v. N. generally.	0·9	13·1	Generally overcast; frequent rain. A little hail at 7h. P.M.
FRIDAY - 6	m. P. till 7h. A.M.; s. P. till 11h. A.M.; m. P. generally afterwards.	6·4	13·2	Fine, partially cloudy. Complete solar halo observed in forenoon, and lunar halo at night.
SATURDAY - 7	w. P. and v. N. till 2h. P.M.; m. P. generally afterwards.	1·1	13·3	Cloudy, with occasional slight showers till afternoon; very fine till 9h. 30m. P.M.; overcast afterwards.
		Sum 27·0	Sum 91·5	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·23 in. at the beginning of the week to 29·07 in. by 2h. A.M. on the 4th; increased to 29·76 in. by 7h. A.M. on the 6th; decreased to 29·53 in. by 5h. A.M. on the 7th; and increased to 29·73 in. by the end of the week

Erratum.—Report for week ending January 20th:—Highest Temperature of the Air, Column 5, January 18th, *for* 44·9° *read* 44·7°.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 15. 1900. VOL. LXI.] WEEK ENDING SATURDAY, APRIL 14. [Price 1½*d.*

General Register Office, Somerset House,
April 17th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 22·4 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 21·6, 21·4, and 23·0. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	TOWNS.	Weeks ending Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.
33 Great Towns	**21·6**	**21·4**	**23·0**	**22·4**	Leicester - -	14·3	17·1	20·7	18·3
Birkenhead -	24·5	20·9	16·5	19·1	Liverpool - -	31·3	31·3	31·6	28·5
Birmingham -	24·2	24·1	22·8	24·8	London - - -	20·6	20·3	22·0	21·0
Blackburn -	15·2	23·2	27·0	26·6	Manchester - -	26·8	27·2	31·0	30·5
Bolton - -	26·0	21·9	21·0	24·8	Newcastle-on-Tyne	20·2	17·6	20·0	21·1
Bradford -	18·2	18·6	21·6	19·5	Norwich - -	20·0	15·9	20·4	20·4
Brighton -	17·6	14·3	21·0	26·0	Nottingham - -	20·4	17·6	21·9	20·2
Bristol - -	19·1	20·9	21·2	22·0	Oldham - -	23·1	24·2	18·4	23·5
Burnley -	10·7	13·8	19·2	15·6	Plymouth - -	28·6	23·5	23·5	25·0
Cardiff - -	15·3	19·3	21·5	20·4	Portsmouth - -	18·5	14·4	23·5	18·2
Croydon -	15·5	11·9	19·9	18·7	Preston - -	28·1	29·4	32·9	28·1
Derby - -	16·9	21·7	15·0	18·3	Salford - - -	26·2	26·2	29·3	29·0
Gateshead -	20·5	15·7	17·2	21·0	Sheffield - -	22·4	25·6	21·8	27·2
Halifax -	29·0	17·1	27·4	26·4	Sunderland - -	24·8	20·5	17·3	16·6
Huddersfield-	15·0	13·5	23·0	23·5	Swansea - -	20·8	16·3	24·2	19·8
Hull - -	19·4	23·8	24·2	20·7	West Ham - -	19·4	16·4	17·9	15·8
Leeds - -	20·1	23·1	23·7	23·9	Wolverhampton -	36·7	33·8	33·2	30·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in West Ham, in Derby, in Manchester, in Huddersfield, in Halifax, and in Leeds, 1·1 in Sheffield and in Sunderland, 1·3 in Preston, 2·3 in Wolverhampton and in Blackburn, 2·7 in Oldham, 3·1 in Plymouth, 3·2 in Cardiff, and 3·9 in Bristol; from *scarlet fever*, 1·4 in Oldham; from *whooping-cough*, 1·0 in Birmingham and in Gateshead, 1·1 in Manchester, 1·2 in West Ham, 1·3 in Portsmouth, 1·5 in Liverpool, 1·7 in Wolverhampton, 1·8 in Norwich, and 2·1 in Salford; from "*fever*," 1·2 in Wolverhampton; and from *diarrhœa*, 1·1 in Blackburn. The 51 deaths from *diphtheria* included 19 in London, 7 in Sheffield, 4 in Leeds, 3 in Birmingham, and 3 in Preston. Two deaths from *small-pox* were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2292 BIRTHS and 1844 DEATHS were registered. Allowing for increase of population, the births were 374 below, and the deaths 129

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·6, 20·3, and 22·0 in the preceding three weeks, fell again last week to 21·0. During the four weeks ending on Saturday last the death-rate averaged 21·0 per 1000, being 0·9 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1844 deaths included 59 from measles, 8 from scarlet fever, 19 from diphtheria, 51 from whooping-cough, 12 from enteric fever, 8 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 157 deaths were referred to these diseases, being 53 below the corrected average weekly number.

The deaths from *measles*, which had been 50, 60, and 62 in the preceding three weeks, fell again last week to 59, and were 16 below the corrected average; 12 cases belonged to St. Pancras, 7 to Islington, 4 to Kensington, 4 to Hammersmith, and 4 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 3, 7, and 7 in the preceding three weeks, were 8 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 36, 31, and 32 in the preceding three weeks, fell last week to 19, and were 16 below the corrected average. The deaths from *whooping-cough*, which had been 49, 45, and 50 in the preceding three weeks, were 51 last week, the corrected average being 65; 6 cases belonged to Islington, 5 to Bermondsey, and 4 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 7, 7, and 20 in the preceding three weeks, fell again last week to 12, but were 5 above the corrected average; 2 cases belonged to Chelsea and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 17, 8, and 6 in the preceding three weeks, were 8 last week, the corrected average being 14. The deaths referred to diseases of the respiratory organs, which had been 456, 469, and 499 in the preceding three weeks, were 501 last week, the corrected average being 376. The deaths attributed directly to *influenza* numbered 42, having been 25, 26, and 44 in the preceding three weeks.

Different forms of violence caused 69 deaths, concerning all of but 3 of which inquests were held. Of these 69 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 59 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 6 to burns and scalds, 8 to drowning, 1 to the effects of chloroform administered for surgical purposes, and 13 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 3 cases of small-pox, 1694 of scarlet fever, 1161 of diphtheria, and 224 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 189 cases, against 170, 172, and 185; of diphtheria, 134 cases, against 155, 111, and 137; and of enteric fever, 24 cases, against 41, 28, and 25.

Greater London.

In Greater London 3292 births and 2415 deaths were registered, corresponding to annual rates of 25·8 and 18·9 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 3 from scarlet fever, 10 from diphtheria, 20 from whooping-cough, 9 from "fever," and 3 from diarrhœa were registered. Six deaths from measles and 12 from whooping-cough occurred in West Ham district; 4 deaths from "fever" occurred in Edmonton district; 3 deaths from diphtheria occurred in Croydon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 48°·0; the latter being 2°·2 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 56 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 31·9 hours; the measured rainfall amounted to 0·22 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 4th April 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,296	5996	4998	1098	1306	2	182	27	51	144	38	33	170	359	1035	64	22·4	2·1	64·1	26·5	45·2	7·33	0·39	0·99	33 Towns.
London - -	4,589,129	2292	1844	356	539	-	59	8	19	51	12	8	69	162	515	12	21·0	1·8	64·1	32·5	48·0	8·89	0·22	0·56	London.
West Ham - -	314,472	156	95	30	17	-	6	-	-	7	1	1	2	5	6	1	15·8	2·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	59	47	6	14	-	1	-	1	1	-	-	-	2	8	-	18·7	1·2	64·0	26·5	46·0	7·78	0·19	0·48	Croydon.
Brighton - -	124,148	44	62	9	24	-	-	1	-	-	-	-	8	9½	13	1	26·0	0·4	58·8	34·2	46·1	7·83	0·22	0·56	Brighton.
Portsmouth -	194,955	95	68	13	20	-	-	-	1	5	1	2	3	3	14	1	18·2	2·4	58·5	35·0	47·2	8·44	0·23	0·58	Portsmouth.
Plymouth - -	102,161	45	49	10	17	-	6	-	-	-	-	-	1	5	7	1	25·0	3·1	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	165	137	23	45	-	24	-	-	-	-	-	3	13	25	1	22·0	3·9	58·0	31·0	46·0	7·78	0·26	0·66	Bristol.
Cardiff -	194,247	77	76	19	16	-	12	-	1	3	-	1	3	6	10	-	20·4	4·6	-	-	-	-	-	-	Cardiff.
Swansea -	105,472	49	40	11	12	-	-	-	2	-	-	-	2	5	4	-	19·8	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	62	52	16	11	-	4	-	-	3	2	1	3	4	5	-	30·3	5·8	56·0	28·5	42·2	5·67	0·21	0·53	Wolverhampton.
Birmingham -	519,610	299	247	58	66	-	1	2	3	10	5	-	9	16	56	8	24·8	2·1	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	52	45	17	11	-	-	-	-	4	-	1	-	1	4	-	20·4	2·3	62·4	36·0	46·1	7·83	0·21	0.53	Norwich.
Leicester - -	219,169	102	77	16	22	-	1	-	1	1	1	1	2	5	10	1	18·3	1·2	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	113	94	32	18	-	3	3	-	1	-	2	4	8	19	-	20·2	1·9	55·2	28·0	43·2	6·22	0·35	0·89	Nottingham.
Derby - - -	107,991	54	38	10	14	-	2	-	-	1	-	-	-	-	6	-	18·3	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	54	43	8	17	-	-	-	-	-	-	1	2	4	14	-	19·1	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	395	347	83	61	2	1	1	1	18	5	1	9	14	78	11	28·5	2·4	58·0	37·1	45·8	7·67	0·36	0·91	Liverpool.
Bolton - -	164,240	79	78	14	20	-	-	-	-	1	2	-	5	12	12	-	24·8	1·0	-	-	-	-	-	-	Bolton.
Manchester -	548,768	320	321	72	74	-	10	2	2	12	-	7	9	22	67	4	30·5	3·1	-	-	-	-	-	-	Manchester.
Salford - -	220,816	133	123	27	33	-	1	-	1	9	1	2	1	8	28	1	29·0	3·3	-	-	-	-	-	-	Salford.
Oldham - -	153,297	86	69	11	15	-	8	4	1	1	-	-	1	2	8	-	23·5	4·8	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	46	35	10	5	-	2	-	-	-	-	-	1	2	3	1	15·6	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	52	70	15	12	-	6	1	1	-	-	3	2	2	2	4	26·6	4·2	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	57	64	13	17	-	3	-	3	1	2	-	-	-	4	3	28·1	3·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	34	47	12	15	-	2	-	-	-	-	-	3	3	4	4	23·5	1·0	57·5	32·5	43·2	6·22	1·02	2·59	Huddersfield.
Halifax - -	100,710	44	51	9	15	-	2	-	-	-	1	-	-	-	7	1	26·4	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	124	109	27	27	-	5	1	1	1	3	2	3	4	21	1	19·5	2·3	54·0	34·6	43·6	6·44	0·92	2·34	Bradford.
Leeds - - -	431,287	240	198	50	46	-	8	3	4	3	1	-	3	17	27	1	23·9	2·3	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	241	191	48	37	-	8	-	7	6	-	-	8	8	23	4	27·2	3·0	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	139	95	25	22	-	2	-	2	2	1	-	4	5	7	-	20·7	1·5	61·0	30·0	44·6	7·00	0·44	1·12	Hull.
Sunderland -	147,398	85	47	21	9	-	3	-	-	-	-	-	4	4	4	1	16·6	1·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	71	44	9	13	-	-	-	-	2	-	-	1	1	9	-	21·0	1·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	132	95	18	22	-	2	1	-	1	-	-	5	7	15	2	21·1	0·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2360	2716	2187	2667	2600	2380	2682	2250	2623	2875	2665·8	2292
Males - -	1154	1345	1112	1313	1338	1233	1414	1144	1336	1526	1358·7	1131
Females - -	1206	1371	1075	1354	1262	1147	1268	1106	1287	1349	1307·1	1161
TOTAL **Deaths** -	1619	1766	1590	1681	1609	1622	1727	1418	1648	1624	1715·2	1844
Males - -	842	978	836	894	815	817	888	752	863	865	899·5	932
Females - -	777	788	754	787	794	805	839	666	785	759	815·7	912

*The numbers in this column are the average weekly numbers in the fifteenth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.
TOTAL **Births** - -	2533	2634	2498	2889	2439	2805	2561	2841	2628	2675	2736	2580	2292
TOTAL **Deaths** - - -	2365	1950	1722	1792	2013	1894	1668	1652	1659	1817	1785	1932	1844
Ages at Death: Under 1 year - -	385	344	356	356	380	355	340	345	385	413	368	366	356
1—5 years - -	231	198	192	200	200	218	189	208	215	260	247	250	249
5—20 " - -	105	89	83	104	104	91	72	102	87	94	96	106	91
20—40 " - -	282	247	222	221	230	245	218	219	216	232	227	238	229
40—60 " - -	501	391	367	354	448	392	362	367	327	352	340	405	380
60—80 " - -	682	524	400	444	519	476	375	342	339	368	414	458	452
80 years and upwards	179	157	102	113	132	117	112	69	90	98	93	109	87
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	1	-	-	-	-	-	[illegible]
Measles - - - - -	45	46	27	33	50	42	41	39	56	50	60	62	5[illegible]
Scarlet Fever - - -	6	6	10	7	5	4	9	8	6	3	7	7	[illegible]
Diphtheria - - - -	40	37	46	51	35	48	26	41	35	36	31	32	1[illegible]
Whooping-cough - - -	34	39	45	37	51	40	43	37	35	49	45	50	5[illegible]
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	17	13	17	22	18	17	18	13	13	7	7	20	1[illegible]
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	10	15	14	11	6	11	7	6	8	17	8	6	[illegible]
Cholera - - - -	-	-	-	1	-	1	-	-	-	-	-	-	-
All the above Diseases -	152	156	159	162	165	163	145	144	153	162	158	177	15[illegible]
Dis. of Respiratory System -	728	490	432	423	527	485	380	378	391	456	469	499	50[illegible]
Phthisis - - - - -	220	177	157	161	193	162	170	158	178	205	202	186	16[illegible]
Dis. of Circulatory System -	206	160	135	154	191	164	156	161	126	154	149	184	16[illegible]
Violence - - - -	91	75	77	89	75	76	82	82	63	61	91	77	6[illegible]
Inquest Cases - - - -	226	183	158	199	180	193	173	169	152	154	203	186	16[illegible]
Deaths in Public Institutions -	702	645	581	593	591	590	551	524	526	539	548	541	51[illegible]
TEMPERATURE OF THE AIR.													
Mean - - - - -	40°·2	44°·5	35°·2	31°·0	35°·2	45°·4	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9	43[illegible]
Mean of Highest readings -	46·2	49·3	37·3	36·2	41·4	51·6	48·0	43·7	47·6	45·7	44·2	51·1	56[illegible]
Mean of Lowest readings -	33·0	39·1	33·2	25·4	29·1	39·4	39·8	35·8	34·3	32·7	31·1	34·3	40[illegible]
Humidity of the Air - -	85	84	87	73	84	85	90	79	76	83	74	76	7[illegible]
Rain-fall (in inches) - -	0·74	0·32	0·96	0·29	1·46	0·51	0·65	0·02	0·08	0·61	0·16	0·45	0·2[illegible]
Registered Sunshine (in hours)	12·4	5·0	3·1	19·3	13·5	18·3	5·3	15·5	13·4	23·1	26·3	27·0	31[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	21	24	21	17	8	11	7	7	5	5	3	2	[illegible]
Scarlet Fever - - - -	2441	2287	2179	2089	2052	2009	1868	1777	1760	1715	1696	1713	169[illegible]
Diphtheria - - - -	1582	1606	1581	1549	1498	1437	1407	1385	1361	1329	1243	1198	116[illegible]
Enteric Fever - - - -	329	307	289	281	270	280	274	270	265	268	263	243	22[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by: J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; H. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTEENTH Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 15th Week of the 10 years 1890–99*.	In the Week ending Saturday, 14th April, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1715·2	1844	356	249	91	229	380	452	87
...ll- { Vaccinated† -	-	-	-	-	-	-	-	-	-
...x { Unvaccinated	0·1	-	-	-	-	-	-	-	-
{ No Statement	0·2	-	-	-	-	-	-	-	-
...les - - - - -	74·9	59	11	43	5	-	-	-	-
...et Fever - - -	14·2	8	1	7	-	-	-	-	-
...us - - - - -	0·2	-	-	-	-	-	-	-	-
...osing Fever - -	-	-	-	-	-	-	-	-	-
...enza - - - -	28·7	42	-	1	1	6	13	15	6
...oping-cough - -	64·7	51	15	33	3	-	-	-	-
...theria - -	34·7	19	1	11	6	-	-	1	-
...le Continued and defined Fever -	0·1	-	-	-	-	-	-	-	-
...ric Fever - - -	6·5	12	-	-	4	7	1	-	-
...era and Chol. Diarr.	0·4	-	-	-	-	-	-	-	-
...rhœa, Dysentery -	13·5	8	4	1	-	-	-	2	1
...ttent Fever - -	0·1	-	-	-	-	-	-	-	-
...ophobia - - -	0·1	-	-	-	-	-	-	-	-
...ders - - - -	0·1	-	-	-	-	-	-	-	-
...pox and Effects of ...cination - -	0·2	-	-	-	-	-	-	-	-
...real Affections - -	10·9	8	5	-	1	-	1	1	-
...ipelas - - -	5·2	4	1	-	-	1	-	2	-
...mia and Septicæmia	1·2	-	-	-	-	-	-	-	-
...peral Fever - -	4·3	2	-	-	-	2	-	-	-
...r Zymotic Diseases	2·5	4	1	3	-	-	-	-	-
...sh - - - -	0·7	-	-	-	-	-	-	-	-
...ns and other Parasitical Diseases -	0·7	1	-	-	-	1	-	-	-
...ation, Want of ...east-milk - -	1·6	2	2	-	-	-	-	-	-
...holism - - -	11·5	14	-	-	-	8	6	-	-
...matic Fever, ...eumatism of Heart	7·2	5	-	-	3	2	-	-	-
...matism - - -	3·2	3	-	-	-	-	2	1	-
... - - - - -	3·6	2	-	-	-	-	2	-	-
...ets - - - -	6·2	6	2	4	-	-	-	-	-
...er - - - -	68·9	93	-	-	1	8	49	33	2
...s Mesenterica - -	17·9	11	4	6	1	-	-	-	-
...rcular Meningitis -	25·0	25	6	15	4	-	-	-	-
...isis - - - -	163·1	160	1	6	16	62	56	19	-
...ula, Tuberculosis -	17·5	22	4	8	4	4	2	-	-
...r Constitutional ...eases - -	14·4	18	1	-	2	2	8	4	1
...ature Birth - -	51·0	52	52	-	-	-	-	-	-
...ectasis - - -	2·9	6	6	-	-	-	-	-	-
...enital Malformations - - - -	7·6	8	8	-	-	-	-	-	-
...Age - - - -	51·4	51	-	-	-	-	-	22	29
...plexy - - -	44·8	50	-	-	-	3	11	30	6
...epsy - - - -	9·4	7	-	-	-	2	1	3	1
...ulsions - - -	44·8	42	38	4	-	-	-	-	-
...r Diseases of Brain ...d Nervous System	87·5	71	13	7	4	6	11	23	7
...ses of Organs of ...ecial Sense -	3·2	5	1	-	3	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 15th Week of the 10 years 1890–99*.	In the Week ending Saturday, 14th April, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	145·6	169	2	1	12	21	54	75	4
Croup - - - -	4·7	2	-	2	-	-	-	-	-
Bronchitis - - -	186·7	226	35	29	3	8	33	99	19
Pneumonia - - -	151·7	233	48	42	8	34	39	60	2
Pleurisy - - - -	7·0	9	-	-	-	1	5	2	1
Other Diseases of Respiratory System -	25·8	31	5	3	-	5	9	8	1
Dentition - - - -	10·3	10	5	5	-	-	-	-	-
Quinsy, Sore Throat -	1·6	1	-	-	-	1	-	-	-
Enteritis - - -	12·5	12	2	1	1	3	3	2	-
Gastro-enteritis -		14	11	2	-	1	-	-	-
Peritonitis - - -	5·7	3	-	-	-	1	1	1	-
Diseases of Liver - -	27·5	23	1	-	-	1	14	7	-
Other Diseases of Digestive System	30·0	45	9	4	2	7	10	12	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	4	-	-	-	3	1	-	-
Diseases of Urinary System - - -	51·8	52	1	-	1	7	23	17	3
Diseases of Generative System - - -	5·9	6	-	-	-	1	4	1	-
Accidents of Childbirth -	5·5	8	-	-	-	7	1	-	-
Diseases of Locomotive System - - -	6·9	4	-	1	1	1	-	1	-
Diseases of Integumentary System - -	6·1	6	1	-	-	2	1	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		2	-	-	-	2	-	-	-
By Vehicles or Horses -		4	-	-	2	-	-	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	1	-	-	-	-
In Building Operations -		2	-	-	-	1	-	1	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	56·5	6	-	5	1	-	-	-	-
By Drowning - - -		8	-	1	-	3	4	-	-
By Suffocation in Bed -		13	13	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	1	-	-	1	-	-
Other or not stated causes - - - -		21	5	-	1	1	7	4	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·1	1	-	-	-	-	1	-	-
Suicide - - - -	9·0	9	-	-	-	3	4	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	53·8	46	41	3	-	-	2	-	-

...he numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase ...population.

...nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ...cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the ...e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

...he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ...ent, murder manslaughter or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 14th April, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2292	1844	356	539	-	59	8	19	51	-	12	-	8	69	162	515
WEST DISTRICTS - - -	778,251	378	328	57	106	-	17	2	3	4	-	2	-	2	11	20	96
NORTH DISTRICTS - - -	1,040,694	490	371	71	113	-	22	3	2	11	-	3	-	1	12	31	91
CENTRAL DISTRICTS - - -	233,635	115	106	21	22	-	3	-	2	4	-	-	-	1	7	13	37
EAST DISTRICTS - - -	716,334	423	325	77	94	-	5	-	1	10	-	-	-	2	14	55	106
SOUTH DISTRICTS - - -	1,642,796	886	667	130	179	-	12	2	11	22	-	7	-	2	25	43	138
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	47	-	25	-	-	1	-	-	-	-	-	-	-	-	47
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	38	33	8	11	-	-	-	-	1	-	-	-	-	-	1	4
St. John Paddington *H* - - G.	33,510	6	24	-	8	-	-	-	-	-	-	-	-	-	-	1	12
Kensington Town *Ww* - - W.	122,164	75	54	13	18	-	4	-	-	-	-	-	-	-	1	-	19
Brompton *HH*- - - W. & C.	48,301	11	16	1	8	-	-	-	-	-	-	-	-	-	1	1	3
North Hammersmith *H* W. & G	44,638	28	18	5	5	-	2	-	-	-	-	-	-	1	1	2	-
South Hammersmith *H* W. & G	59,561	25	22	4	10	-	1	-	-	-	-	-	-	-	3	3	6
Fulham *Ww* - - - W. & C.	113,781	85	55	13	15	-	2	2	2	1	-	1	-	1	4	7	17
Chelsea Kensal Town - C.	21,450	8	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	19	25	2	8	-	-	-	-	1	-	-	-	-	-	1	13
Chelsea South *HH* - - C.	33,139	13	15	1	5	-	2	-	-	-	-	1	-	-	-	2	1
May Fair *W* - - - - G.	23,827	6	8	-	5	-	-	-	-	-	-	-	-	-	-	-	5
Belgrave *WHHH* - - - C.	56,140	29	30	6	9	-	2	-	1	1	-	-	-	-	1	1	11
St. John Westminster *HH* - C.	31,492	15	7	-	2	-	1	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H*- C.	22,097	6	3	-	-	-	1	-	-	-	-	-	-	-	-	-	2
St. James Westminster *WH* N. & G.	23,050	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St Anne Soho *HHHHH* - N.	12,048	4	7	2	-	-	2	-	-	-	-	-	-	-	-	-	3
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	36,595	7	17	1	5	-	-	-	1	-	-	-	-	-	-	-	6
Rectory Marylebone *W* G. & W.	19,798	11	4	1	3	-	-	-	-	-	-	-	-	-	1	1	2
St. Mary Marylebone *HHHH* G. & W.	19,637	30	7	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	10	9	1	4	-	-	-	-	1	-	-	-	-	2	4	-
St. John Marylebone *HHH* - W.	32,611	15	10	1	7	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *WwHHHH* - N. & W.	75,449	17	24	5	3	-	3	2	-	-	-	2	-	-	1	1	8
Regent's Park † *HH* - W.	51,403	22	17	4	3	-	1	-	-	2	-	-	-	1	1	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	12	17	4	3	-	1	-	-	-	-	-	-	-	-	1	8
Gray's Inn Lane *HHHH* - N.	29,426	9	14	1	5	-	4	-	-	-	-	-	-	-	-	-	2
Somers Town *HH* - - - N.	32,161	20	11	2	1	-	4	-	-	-	-	-	-	-	-	1	2
Camden Town† *WH* - - N.	40,155	18	16	4	6	-	1	-	-	-	-	-	-	-	1	1	4
Kentish Town† *WW* - - N.	60,862	25	28	5	10	-	1	-	-	-	-	-	-	-	1	2	9
Upper Holloway *WWWWwHH* - - N.	98,273	50	55	8	17	-	-	-	-	2	-	1	-	-	2	4	28
Lower Holloway‡ - - - N.	41,805	20	16	3	3	-	5	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	31	11	6	-	-	2	1	-	-	-	-	-	-	-	2	-
Islington South-east‡ *H* - N.	75,725	33	28	6	9	-	-	-	1	4	-	-	-	-	-	4	-
Highbury *HH* - - - N.	64,577	33	12	4	3	-	-	-	-	-	-	-	-	-	1	2	1
Stoke Newington *H* - - N.	33,485	15	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	19	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		31	13	6	3	-	-	-	-	-	-	-	-	-	-	1	-
South-west Hackney *HHH* E. & N.		26	24	5	7	-	-	-	-	1	-	-	-	-	-	2	5
South-east Hackney *WwH* E. & N.		36	24	1	10	-	-	-	-	-	-	-	-	-	1	3	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 14th April, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	14	8	2	-	-	-	-	-	1	-	-	-	1	-	-	1	-
th *WH* - - }																		
iles North *H* - - - N.	9,151	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
artin-in-the-Fields *HH* N. & C.	13,077	1	6	-	2	-	-	-	-	-	-	-	-	-	1	1	2	-
nd *WHH* - - - - N.	11,839	4	10	3	1	-	-	-	-	-	-	-	-	-	2	2	7	-
d Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *wHHHHHH* - N.	31,042	13	19	4	1	-	-	-	1	1	-	-	-	-	1	1	9	-
mes Clerkenwell - - N.	15,777	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	19	13	3	6	-	1	-	1	-	-	-	-	-	-	2	-	-
ell-street - - - N.	16,069	7	4	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
-road *HHHHL* - - N.	29,897	29	10	1	2	-	1	-	-	1	-	-	-	-	-	2	2	-
ecross-street - - - N.	7,595	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
orn *Union Workhouse,* }	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tcham - - - - }																		
otolph* *H* - - N. & E.	13,061	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre *WH* - - N.	9,591	1	21	2	6	-	-	-	-	-	-	-	-	-	3	4	15	-
allows Barking - - - N.	9,059	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	6	8	2	2	-	-	-	-	1	-	-	-	-	-	2	2	-
ton New Town *w* - - N.	29,575	12	13	3	5	-	-	-	-	-	-	-	-	-	1	3	4	-
ton Old Town - - - N.	27,645	19	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
gerston *WH* - - N. & E.	47,163	27	24	2	13	-	-	-	-	-	-	-	-	-	-	3	10	-
nal Green North *H* - E.	49,301	42	11	4	3	-	-	-	-	1	-	-	-	-	1	1	-	-
nal Green South - - E.	34,194	22	13	5	2	-	-	-	-	1	-	-	-	-	1	2	-	-
nal Green East *WWHl* - E.	45,667	27	15	1	8	-	-	-	1	-	-	-	-	-	-	1	8	-
alfields - - - E. & N.	26,681	10	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
e End New Town *WH* - E. }	51,995 {	14	44	7	7	-	1	-	-	-	-	-	-	-	2	5	39	-
dman's Fields - - - E. }		7	8	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-
George's, North - - - E.	39,576	26	13	5	3	-	-	-	-	-	-	-	-	-	3	8	-	-
ohn, St. George East *W* E.	7 930	5	7	1	4	-	-	-	-	-	-	-	-	-	1	1	6	-
dwell *H* - - - E. & N.	10,434	4	7	3	1	-	-	-	-	-	-	-	-	-	1	1	3	-
cliff *W* - - - - E.	14,954	9	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ehouse - - - - E.	32,917	21	17	6	5	-	2	-	-	1	-	-	-	-	-	3	-	-
e End Old Town West *H* E. }	111,060 {	23	18	5	5	-	-	-	-	-	-	-	-	1	1	3	-	-
e End Old Town East } - E.		25	18	2	7	-	-	-	-	1	-	-	-	-	-	5	5	-
VWww }																		
w l - - - - E.	41,687	28	11	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-
mley *wwwH* - - - E.	69,821	51	55	13	19	-	-	-	-	3	-	-	-	-	2	8	29	-
plar *WW* - - - - E.	57,759	45	28	10	3	-	1	-	-	-	-	-	-	1	1	3	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 14th April, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	2	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	10	9	2	3	-	-	-	-	1	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	7	8	2	3	-	-	-	-	1	-	-	-	-	-	-	2
London-road *HL* - - L. & S.	21,316	11	10	1	4	-	-	-	1	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	12	10	3	1	-	-	-	-	-	-	-	-	-	-	2	-
St. Peter Walworth *W* - S. & L.	62,045	46	26	2	9	-	2	-	-	2	-	-	-	-	2	2	3
St. Mary Newington- - L. & S.	30,171	22	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave *WH* - - - - S.	11,731	6	24	3	3	-	-	-	-	-	-	-	-	-	2	2	17
Bermondsey *W* - - - S.	85,475	52	41	9	3	-	-	-	-	5	-	1	-	-	3	4	-
Rotherhithe *Ww* - S. & K.	40,379	22	26	3	5	-	-	-	-	1	-	-	-	-	1	1	10
Waterloo-road *HH* - L. & S.	28,396	26	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church 1st *H* - L. & S.	18,770	15	23	3	2	-	-	-	-	1	-	-	-	-	1	1	12
Lambeth Church 2nd *WW* L. & S.	40,994	26	30	5	13	-	-	-	-	-	-	-	-	-	-	1	18
Kennington 1st *H* - - S. & L.	52,486	27	14	3	5	-	1	-	-	-	-	-	-	-	-	2	-
Kennington 2nd - - S. & L.	43,244	25	14	2	6	-	1	-	1	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	30	27	6	6	-	1	-	-	1	-	1	-	-	-	-	-
Norwood *WH* - - - - L.	29,318	15	9	3	2	-	1	-	-	-	-	1	-	-	-	-	-
East Battersea - - - - S.	71,730	57	21	5	5	-	-	-	-	1	-	-	-	-	2	2	-
West Battersea *WwH* - - S.	93,385	45	41	6	14	-	1	-	1	1	-	-	-	-	3	4	8
Clapham *H* - - - - S.	46,953	19	19	1	4	-	-	-	-	-	-	-	-	-	1	1	2
Wandsworth *WHHL* - - S.	58,101	32	16	2	4	-	2	-	-	-	-	-	-	1	2	3	1
Putney - - - - - - S.	20,566	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwL* - - L.	61,644	28	18	3	4	-	1	1	2	-	-	-	-	-	-	1	3
Dulwich - - - L. & S.	7,519	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell *WWwll* - S. & L.	90,286	36	49	6	25	-	-	-	-	-	-	-	-	-	-	1	27
Peckham *WW* - S., L., & K.	88,242	54	20	8	6	-	-	-	-	-	-	-	-	-	-	1	-
St. George Camberwell - L. & S.	67,029	34	23	11	4	-	-	-	-	-	-	1	-	1	-	-	-
Deptford North - - - K.	36,152	20	13	5	3	-	1	-	-	2	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	27	14	7	1	-	-	-	1	-	-	2	-	-	-	1	2
Deptford South - - - K.	33,402	15	10	3	1	-	-	-	-	-	-	-	-	-	3	2	-
Greenwich West *H* - - K.	23,012	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	22	27	6	7	-	-	-	-	2	-	-	-	-	1	1	10
Eltham *wH* - - - - - K.	5,911	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	7	8	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	34	20	2	5	-	-	1	2	1	-	1	-	-	-	-	7
Sydenham *H* - - - - L.	37,601	13	8	2	3	-	-	-	-	2	-	-	-	-	-	2	-
Charlton *wHH* - - - - K.	15,928	12	12	3	1	-	1	-	3	-	-	-	-	-	-	-	6
Woolwich* *HHHH* - - K.	51,314	10	12	2	3	-	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *H* - - K.	16,714	6	9	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead East *WH* - - K.	42,538	28	24	4	11	-	-	-	-	1	-	-	-	-	3	4	7
Banstead Asylum - - - -	—	-	10	-	6	-	-	-	-	-	-	-	-	-	-	-	10
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Dartford Heath - - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hanwell Asylum - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch Asylum - - -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7
Claybury Asylum - - - -	—	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	8

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th April, 1900.

gis-ion rict nd b-rict m-rs.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON - OUTER RING -	368,749	1,422,063	1000	571	125	157	-	14	3	10	20	9	3	19	34	63	1
: 1	Carshalton *H* - - -	12,228	26,108	10	12	1	5	-	-	-	2	-	-	-	-	-	1	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	6	4	-	1	-	-	-	-	-	-	-	-	-	1	-
: 1	Godstone, *part of** *W* -	2,754	1,598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Croydon *WWwHHH* -	20,851	128,699	62	55	7	16	-	1	-	2	1	-	-	-	3	8	-
2	Mitcham *w* - - -	11,697	23,072	13	8	3	2	-	-	-	1	-	-	-	-	-	-	-
: 1	Wimbledon *HHH* - -	3,220	25,777	16	10	2	2	-	1	-	-	-	-	-	-	1	2	-
2	Kingston *WH* - - -	14,672	33,566	23	15	2	8	-	-	-	-	-	2	-	2	3	5	-
3	Surbiton *HH* - - -		12,178	5	7	2	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	2	8	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	5	4	-	1	-	-	-	-	-	-	-	1	1	-	
: 1	Richmond *WHH* - -	2,160	25,389	8	12	1	7	-	-	-	-	-	-	-	-	1	2	-
2	Mortlake *H* - - -	2,823	16,159	9	3	-	-	-	-	-	-	-	-	-	1	1	-	-
: 1	Bromley *HHH* - - -	9,127	23,815	13	6	1	4	-	-	-	-	-	-	-	1	1	1	-
2	Beckenham *H* - - -	6,542	21,969	13	4	1	2	-	-	-	-	1	-	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	7	6	1	2	-	-	-	-	-	-	-	-	-	-	-
: 1	Bexley *HHH* - - -	12,540	30,590	19	9	4	4	-	-	-	-	-	-	-	-	-	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Sunbury *w* - - -	11,054	13,671	14	7	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	12	5	1	1	-	-	-	-	-	-	-	-	-	1	-
: 1	Hillingdon *WHH* - -	6,035	12,237	3	3	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Uxbridge - - - -	12,757	7,253	5	2	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Hayes *wH* - - - -	7,952	11,051	6	3	2	1	-	-	-	1	-	-	-	-	-	-	-
: 1	Isleworth *WHH* - -	6,967	26,004	16	20	3	8	-	-	-	-	-	-	-	1	1	9	-
2	Twickenham *HH* - -	2,415	16,027	13	4	-	1	-	-	-	-	-	-	-	-	1	1	-
3	Brentford *HHHH* - -	4,318	37,777	15	10	4	3	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick - - - -	1,245	21,963	17	6	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	38	21	7	4	-	3	-	1	-	1	-	1	1	2	-
: 1	Harrow *HHH* - - -	13,809	15,715	10	10	3	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	66	24	7	5	-	2	2	-	1	1	-	1	-	3	-
4	Hendon *WH* - - -	8,382	15,843	14	7	1	3	-	-	-	-	-	-	-	-	1	-	-
: 1	South Mimms *HH* - -	21,077	6,367	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	14	5	-	3	-	-	-	-	-	-	-	-	-	-	-
: 1	Hornsey *HH* - - -	3,039	61,097	33	21	3	9	-	-	-	-	-	-	-	1	2	-	-
2	Tottenham *HHH* - -	4,642	97,174	60	28	4	4	-	1	-	1	1	1	-	2	2	1	-
3	Edmonton *Ww* - -	7,489	36,351	43	22	5	5	-	-	-	-	2	1	-	-	1	5	-
4	Enfield *WWHH* - -	12,602	31,536	24	12	1	4	-	-	1	-	-	2	-	-	-	-	-
5	Waltham Abbey - - -	11,017	6,066	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	8	4	2	1	-	-	-	-	-	-	-	1	1	-	-
: 1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Bushey *H* - - - -	9,331	7,737	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Stratford *H* - - -	4,706	38,612	24	14	4	2	-	-	-	-	-	-	-	1	1	1	-
2	Plaistow *HHH* - - -		58,030	44	27	9	5	-	3	-	-	3	-	-	-	1	-	1
3	Canning Town *H* - -		54,750	58	35	11	5	-	3	-	-	4	-	1	-	2	-	-
4	Forest Gate *w* - - -		53,511	30	14	6	2	-	-	-	-	-	1	-	1	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	52	26	5	4	-	-	-	-	1	-	1	-	1	1	-
6	Leyton *WWWwH* - -	4,334	70,188	40	36	6	15	-	-	-	-	3	-	-	1	3	14	-
7	Walthamstow *HHHL* -	6,501	57,330	64	17	3	4	-	-	-	1	1	-	-	1	1	-	-
: 1	Chigwell, *part of** *HHHH*	11,779	12,941	9	4	3	1	-	-	-	-	-	-	1	-	-	2	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
: 1	Romford, *part of** *W* -	6,556	4,324	3	3	1	-	-	-	-	1	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	16	6	2	1	-	-	-	-	1	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	20	4	4	-	-	-	-	-	1	-	-	-	-	-	-
	London County Asylum, Wandsworth.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring re as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham nd Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst ub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in atfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for nfectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are lso included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 14th April, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**18·9**	**1·7**	**2415**	**481**	**696**	–	**73**	**11**	**29**	**71**	**21**	**11**	**88**
INNER LONDON -	74,672	4,589,129	21·0	1·8	1844	356	539	–	59	8	19	51	12	8	69
OUTER RING -	368,749	2,063,016	14·4	1·5	571	125	157	–	14	3	10	20	9	3	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	April	14	153	124	21·4	–	1	–	–	2	1
GLASGOW - -	743,585	„	14	465	302	21·2	–	13	3	1	8	3
DUBLIN - -	349,594	„	14	184	230	34·3	–	2	–	–	1	2
CALCUTTA - -	466,460	Feb.	24	–	588	65·7	9	1	–	–	–	332†
BOMBAY - -	821,764	Mar.	20	201	2636	166·8	163	69	?	?	?	1039†
MADRAS - -	452,518	„	16	349	325	37·3	–	11	?	?	?	96
PARIS - - -	2,511,629	April	7	1202	1111	22·9	2	29	7	8*	6	26
BRUSSELS - -	561,130	„	7	329	206	19·1	–	2	1	2*	2	–
AMSTERDAM -	523,743	Mar.	31	314	159	15·8	–	–	–	1	1	–
ROTTERDAM -	315,305	„	31	238	131	21·2	–	–	–	–	1	2
THE HAGUE -	205,328	„	31	109	72	18·2	–	4	–	–	–	–
COPENHAGEN -	349,000	April	7	199	117	17·5	–	–	2	2	3	–
STOCKHOLM -	291,580	Mar.	31	133	100	17·9	–	–	–	5*	–	–
CHRISTIANIA -	221,255	April	7	166	55	21·9	–	1	–	–	2	–
ST. PETERSBURG	1,132,677	Mar.	31	795	665	30·6	4	11	17	14	6	14
MOSCOW - -	988,610	„	31	–	553	29·2	1	15	6	11	4	3
BERLIN - -	1,848,269	„	24	931	720	20·2	–	6	7	14	18	1
HAMBURG - -	691,349	April	7	–	209	15·7	–	–	–	–	3	–
DRESDEN - -	401,400	Mar.	17	255	170	21·9	–	1	–	2*	3	1
BRESLAU - -	406,012	April	7	–	195	24·6	–	–	–	3	2	–
MUNICH - -	463,000	Mar.	31	338	240	27·0	–	28	–	1*	–	–
VIENNA - -	1,639,811	„	31	953	876	27·7	–	19	4	6*	9	8
PRAGUE - -	385,952	„	31	197	212	28·6	–	–	–	–	–	1
BUDA-PESTH -	685,340	„	31	531	382	29·0	–	2	6	2	1	–
TRIESTE - -	167,286	„	24	105	123	37·6	–	–	1	2*	–	–
ROME - - -	512,423	„	10	265	210	21·4	1	17	–	3	–	2
TURIN (10 days)	344,203	Feb.	20	–	–	–	–	–	–	–	–	–
VENICE - -	172,491	Mar.	31	86	75	22·7	–	–	–	1*	–	1
CAIRO - -	570,062	Feb.	18	473	399	36·4	7	12	–	2*	1	9
ALEXANDRIA -	319,766	„	18	273	171	27·8	1	–	–	–	–	2
NEW YORK (including BROOKLYN)	3,654,594	Mar.	17	1522	1622	23·2	–	18	15	45	19	9
PHILADELPHIA -	1,266,832	„	24	–	637	26·2	–	17	3	26	3	13

* Including deaths from croup.
† Including 235 deaths from plague in Calcutta, and 780 in Bombay
‡ Including 40 deaths from cholera in Calcutta, and 5 in Bombay.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. Highest.	Of the Air. Lowest	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday	8	..	29·709	47·8	38·0	9·8	41·7	− 4·2	35·7	6·0	12·8	3·0	79	81·9	34·2	41·91	N.	N., NNW. & NNE.	2·0	0·0	0·2	227	− 65	0·01	0·0
Monday	9	..	29·558	54·8	32·5	22·3	43·6	− 2·0	37·0	6·6	15·8	2·6	77	95·7	27·4	42·09	Calm & NE.	WSW. & SW.	1·0	0·0	0·1	163	−127	0·02	0·0
Tuesday	10	..	29·632	54·6	39·4	15·2	46·7	+ 1·2	35·6	11·1	18·0	3·2	65	105·7	32·0	42·23	NW., W. & SW.	WNW., WSW. & SW.	3·5	0·0	0·4	356	+ 67	0·00	0·5
Wednesday	11	Apogee	29·424	58·1	42·3	15·8	50·2	+ 4·7	42·8	7·4	13·3	2·6	76	102·1	40·9	42·48	SSW., SW. & WSW.	SW. & SSW.	17·3	0·0	1·4	616	+328	0·18	1·5
Thursday	12	In Equator	29·606	57·0	44·3	12·7	50·7	+ 5·0	40·9	9·8	14·2	5·5	69	109·2	39·5	43·00	WSW., W. & WNW.	WSW. & SW.	11·0	0·0	1·3	604	+316	0·00	0·0
Friday	13	..	29·602	58·7	45·5	13·2	50·8	+ 4·8	37·1	13·7	19·0	6·7	60	116·9	40·4	43·40	WSW. & W.	WNW. & WSW.	20·0	0·0	3·1	776	+488	0·01	0·2
Saturday	14	..	29·890	64·1	42·6	21·5	52·0	+ 5·6	44·5	7·5	19·0	2·6	76	122·2	38·6	43·94	SW. & WSW.	WSW. & SW.	5·6	0·0	0·6	417	+128	0·00	1·8
Means	-		29·632	56·4	40·7	15·8	48·0	+ 2·2	39·1	8·9	16·0	3·7	72	104·8	36·1	42·72	SW.		..	..	..	Sum 3159	Sum +1135	Sum 0·22	0·6
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	8	m. P. throughout -	0·3	13·3	Generally overcast. Occasional slight rain.
Monday	9	m. P. generally till 8h. P.M.; m. P. and m. N. afterwards.	4·9	13·4	Hoar frost in morning; generally cloudy. Showery in evening.
Tuesday	10	s. P. generally till 7h. P.M.; m. P. afterwards.	6·5	13·5	Fine; partially cloudy. Lunar halo.
Wednesday	11	w. P. and w. N. till 6h. A.M.; w. P. till 4h. P.M.; w. P. and v. N. afterwards.	2·2	13·5	Showery in morning; fine, but generally cloudy during the day. Lunar halo. Gusty wind.
Thursday	12	w. P. till 4h. A.M.; m. P. till noon; w. P. afterwards.	5·4	13·6	Fine, partially cloudy till afternoon; overcast afterwards.
Friday	13	w. P., with occasional v. N. till 2h. P.M.; m. P. afterwards.	8·1	13·7	Fine; partially cloudy. Slight showers in morning. Strong wind.
Saturday	14	m. P. generally -	4·5	13·7	Cloudy in morning; fine and partially cloudy in afternoon; overcast at night.
			Sum 31·9	Sum 94·7	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·75 in. by 7h. A.M. on the 8th; decreased to 29·53 in. by 3h. P.M. on the 9th; increased to 29·68 in. by 9h. P.M. on the 10th; decreased to 29·27 in. by 10h. P.M. on the 11th; increased to 29·66 in. by noon on the 12th; decreased to 29·45 in. by 3h. A.M. on the 13th; increased to 29·90 in. by 9h. A.M. on the 14th; decreased to 29·86 in. by 3h. P.M. on the same day, and was 29·93 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 16. 1900. VOL. LXI.] WEEK ENDING SATURDAY, APRIL 21. [Price 1½*d.*

General Register Office, Somerset House,
April 23rd, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·3 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 21·4, 23·0, and 22·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Mar. 31	Apr. 7.	Apr. 14.	Apr. 21.		Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.
33 Great Towns	**21·4**	**23·0**	**22·4**	**21·3**	Leicester - -	17·1	20·7	18·3	23·8
Birkenhead -	20·9	16·5	19·1	12·9	Liverpool - -	31·3	31·6	28·5	26·9
Birmingham -	24·1	22·8	24·8	23·2	London - - -	20·3	22·0	21·0	20·6
Blackburn -	23·2	27·0	26·6	24·7	Manchester - -	27·2	31·0	30·5	28·8
Bolton - -	21·9	21·0	24·8	26·7	Newcastle-on-Tyne	17·6	20·0	21·1	18·9
Bradford -	18·6	21·6	19·5	18·4	Norwich - -	15·9	20·4	20·4	17·7
Brighton -	14·3	21·0	26·0	15·5	Nottingham - -	17·6	21·9	20·2	17·2
Bristol - -	20·9	21·2	22·0	24·1	Oldham - -	24·2	18·4	23·5	27·2
Burnley -	13·8	19·2	15·6	13·0	Plymouth - -	23·5	23·5	25·0	30·6
Cardiff - -	19·3	21·5	20·4	19·1	Portsmouth - -	14·4	23·5	18·2	17·7
Croydon -	11·9	19·9	18·7	16·7	Preston - -	29·4	32·9	28·1	25·4
Derby - -	21·7	15·0	18·3	20·3	Salford - - -	26·2	29·3	29·0	23·4
Gateshead -	15·7	17·2	21·0	21·0	Sheffield - -	25·6	21·8	27·2	22·7
Halifax -	17·1	27·4	26·4	19·7	Sunderland - -	20·5	17·3	16·6	21·2
Huddersfield-	13·5	23·0	23·5	25·0	Swansea - -	16·3	24·2	19·8	13·8
Hull - -	23·8	24·2	20·7	17·3	West Ham - -	16·4	17·9	15·8	17·1
Leeds - -	23·1	23·7	23·9	19·6	Wolverhampton -	33·8	33·2	30·3	18·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Leicester and in Huddersfield, 1·2 in West Ham, 1·4 in Derby and in Oldham, 1·7 in Hull, 1·8 in Preston, 1·9 in Blackburn, 2·3 in Wolverhampton, 2·4 in Cardiff, 2·6 in Bristol, and 4·6 in Plymouth ; from *scarlet fever*, 1·0 in Oldham ; from *whooping-cough*, 1·1 in Birmingham, 1·2 in Wolverhampton, 1·3 in Liverpool, and 1·4 in Manchester ; and from *diarrhœa*, 1·0 in Oldham and in Gateshead, and 1·5 in Blackburn. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 56 deaths from *diphtheria* included 17 in London, 8 in Sheffield, 4 in Leeds, 4 in Cardiff, 4 in Leicester, 3 in Bristol, 3 in Birmingham, and 3 in Liverpool. Three deaths from *small-pox* were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2610 BIRTHS and 1811 DEATHS were registered. Allowing for increase of population, the births were 174 below, and the deaths 111

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·3, 22·0, and 21·0 in the preceding three weeks, further fell last week to 20·6. During the four weeks ending on Saturday last the death-rate averaged 21·0 per 1000, being 1·3 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1811 deaths included 53 from measles, 5 from scarlet fever, 17 from diphtheria, 49 from whooping-cough, 9 from enteric fever, 8 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 141 deaths were referred to these diseases, being 84 below the corrected average weekly number.

The deaths from *measles*, which had been 60, 62, and 59 in the preceding three weeks, further fell last week to 53, and were 31 below the corrected average; 6 cases belonged to Kensington, 5 to Islington, 5 to Limehouse, and 5 to Newington sanitary areas. The deaths from *scarlet fever*, which had been 7, 7, and 8 in the preceding three weeks, fell last week to 5, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 31, 32, and 19 in the preceding three weeks, further fell last week to 17, and were 19 below the corrected average; 3 cases belonged to Fulham sanitary area. The deaths from *whooping-cough*, which had been 45, 50, and 51 in the preceding three weeks, were 49 last week, the corrected average being 69; 5 cases belonged to Hackney, 5 to Bethnal Green, and 5 to Lewisham sanitary areas. The fatal cases of *enteric fever*, which had been 7, 20, and 12 in the preceding three weeks, further fell last week to 9, but were 2 above the corrected average; 2 cases belonged to Lambeth sanitary area. The deaths from *diarrhœa*, which had been 8, 6, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 14. The deaths referred to diseases of the respiratory organs, which had been 469, 499, and 501 in the preceding three weeks, fell again last week to 460, but were 92 above the corrected average. The deaths attributed directly to *influenza* numbered 60, having been 26, 44, and 42 in the preceding three weeks.

Different forms of violence caused 76 deaths, concerning all but 3 of which inquests were held. Of these 76 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 61 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 5 to burns and scalds, 10 to drowning, and 16 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 4 cases of small-pox, 1676 of scarlet fever, 1141 of diphtheria, and 219 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 165 cases, against 172, 185, and 189; of diphtheria, 121 cases, against 111, 137, and 134; and of enteric fever, 33 cases, against 28, 25, and 24.

Greater London.

In Greater London 3730 births and 2432 deaths were registered, corresponding to annual rates of 29·2 and 19·1 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 4 from scarlet fever, 4 from diphtheria, 16 from whooping-cough, 4 from "fever," and 3 from diarrhœa were registered. Eight deaths from measles, 3 from diphtheria, and 8 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·11 inches, and that of the Thermometer 51°·8; the latter being 3°·9 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 2 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 50·8 hours; the measured rainfall amounted to 0·15 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 21st April 1900. Births	Registered during the Week ending 21st April 1900. Deaths	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Rainfall. Highest. Fahrenheit.	Rainfall. Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6523**	**4747**	**1050**	**1230**	**3**	**159**	**30**	**56**	**123**	**29**	**32**	**166**	**348**	**1090**	**59**	**21·3**	**1·9**	**77·1**	**33·0**	**50·0**	**10·00**	**0.15**	**0·38**	33 Towns.
London - -	4,589,129	2610	1811	369	518	-	53	5	17	49	9	8	76	169	581	11	20·6	1·6	76·1	39·1	51·8	11·00	0·15	0·38	London.
West Ham - -	314,472	166	103	22	23	-	7	-	1	5	-	1	7	9	14	4	17·1	2·3	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	75	42	13	14	-	-	-	-	1	-	-	1	4	2	-	16·7	0·4	77·1	36·0	50·2	10·11	0·04	0·10	Croydon.
Brighton - -	124,148	54	37	9	10	-	1	-	1	1	1	-	4	7	6	-	15·5	1·7	68·0	41·2	50·4	10·22	0·05	0·13	Brighton.
Portsmouth -	194,955	113	66	17	21	-	-	-	1	-	-	-	1	3	16	1	17·7	0·3	69·0	40.0	50·2	10·11	0·14	0·36	Portsmouth.
Plymouth - -	102,161	58	60	11	23	-	9	-	-	1	-	-	-	4	7	1	30·6	5·1	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	164	150	34	37	-	16	1	3	-	1	1	2	8	21	1	24·1	3·5	70·0	39·0	50·1	10·06	0·13	0·33	Bristol.
Cardiff - -	194,247	90	71	11	15	-	9	-	4	1	-	-	-	1	10	1	19·1	3·8	-	-			-	-	Cardiff.
Swansea - -	105,472	47	28	4	6	-	-	-	1	1	-	-	2	3	4	-	13·8	1·0	-	-	-	-		-	Swansea.
Wolverhampton	89,598	47	32	7	5	-	4	-	-	2	-	-	-	2	-	-	18·6	3·5	70·8	33·0	47·9	8·83	0·05	0·13	Wolverhampton.
Birmingham -	519,610	349	231	67	53	-	2	1	3	11	2	2	7	14	49	7	23·2	2·1	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	51	39	5	17	-	-	-	-	2	-	-	2	5	10	-	17·7	0·9	75·4	36·0	50·3	10·17	0·38	0·97	Norwich.
Leicester - -	219,169	110	100	17	32	-	4	-	4	1	1	-	4	6	30	-	23·8	2·4	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	129	80	18	22	-	1	1	-	-	1	1	2	2	11	4	17·2	0·9	69·4	36·0	49·3	9·61	0·09	0·23	Nottingham.
Derby - - -	107,991	61	42	17	12	-	3	-	-	-	-	-	3	7	3	-	20·3	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	87	29	9	6	-	1	-	-	-	-	1	-	1	6	-	12·9	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	403	328	81	68	3	2	2	3	16	1	1	10	16	96	12	26·9	2·3	70·0	42·0	50·6	10·33	0·16	0·41	Liverpool.
Bolton - -	164,240	101	84	14	18	-	1	1	-	2	2	-	5	8	10	1	26·7	1·9	-	-	-	-	-	-	Bolton.
Manchester -	548,768	348	303	54	60	-	4	2	2	15	4	3	5	17	51	7	28·8	2·9	-	-	-	-	-	-	Manchester.
Salford - -	220,816	138	99	16	36	-	4	3	1	3	-	-	4	8	21	-	23·4	2·6	-	-	-	-	-	-	Salford.
Oldham - -	153,297	51	80	10	14	-	4	3	-	2	-	3	-	-	6	-	27·2	4·1	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	55	29	8	3	-	-	-	-	2	-	1	-	-	6	-	13·0	1·3	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	74	65	22	20	-	5	2	2	1	-	4	2	2	8	-	24·7	5·3	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	70	58	15	15	-	4	-	1	1	-	1	2	3	5	2	25·4	3·1	-	-	-	-	-	-	Preston.
Huddersfield	104,484	29	50	8	15	-	2	1	-	1	1	-	1	1	1	2	25·0	2·5	72·0	38·5	49·7	9·83	0·21	0·53	Huddersfield.
Halifax - -	100,710	43	38	7	9	-	-	1	-	-	-	-	2	2	3	-	19·7	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	122	103	29	32	-	2	1	-	-	2	1	1	8	12	-	18·4	1·1	72·0	40·0	49·8	9·89	0·18	0·46	Bradford.
Leeds - - -	431,287	223	162	40	41	-	4	1	4	3	-	2	4	13	25	-	19·6	1·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	206	159	45	29	-	6	2	8	2	1	-	4	5	25	5	22·7	2·7	-	-	-	-	-	-	Sheffield
Hull - - -	238,736	148	79	28	12	-	8	1	-	-	1	-	4	4	19	-	17·3	2·2	75·0	34·0	50·1	10·06	0·23	0·58	Hull.
Sunderland -	147,398	90	60	12	14	-	-	1	-	-	2	-	2	4	15	-	21·2	1·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	74	44	7	11	-	-	1	-	-	-	2	2	3	2	-	21·0	1·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	137	85	24	19	-	3	-	-	-	-	-	7	9	15	-	18·9	0·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2735	2577	2494	2660	2457	2677	2836	2499	2769	2759	2784·0	2610
Males	1358	1308	1311	1357	1249	1355	1430	1255	1425	1388	1413·5	1298
Females	1377	1269	1183	1303	1208	1322	1406	1244	1344	1371	1370·5	1312
TOTAL **Deaths**	1611	1809	1715	1730	1509	1585	1653	1500	1546	1499	1699·7	1811
Males	816	928	876	872	787	854	900	790	805	789	885·4	985
Females	795	881	839	858	722	731	753	710	741	710	814·3	826

*The numbers in this column are the average weekly numbers in the sixteenth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.
TOTAL **Births**	2634	2498	2889	2439	2805	2561	2841	2628	2675	2736	2580	2292	2610
TOTAL **Deaths**	1950	1722	1792	2013	1894	1668	1652	1659	1817	1785	1932	1844	1811
Ages at Death: Under 1 year	344	356	356	380	355	340	345	385	413	368	366	356	369
1—5 years	198	192	200	200	218	189	208	215	260	247	250	249	220
5—20 "	89	83	104	104	91	72	102	87	94	96	106	91	102
20—40 "	247	222	221	230	245	218	219	216	232	227	238	229	250
40—60 "	391	367	354	448	392	362	367	327	352	340	405	380	352
60—80 "	524	400	444	519	476	375	342	339	368	414	458	452	423
80 years and upwards	157	102	113	132	117	112	69	90	98	93	109	87	95
Deaths from—													
Small pox	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	46	27	33	50	42	41	39	56	50	60	62	59	53
Scarlet Fever	6	10	7	5	4	9	8	6	3	7	7	8	5
Diphtheria	37	46	51	35	48	26	41	35	36	31	32	19	17
Whooping-cough	39	45	37	51	40	43	37	35	49	45	50	51	49
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	13	17	22	18	17	18	13	13	7	7	20	12	9
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	15	14	11	6	11	7	6	8	17	8	6	8	8
Cholera	–	–	1	–	1	–	–	–	–	–	–	–	–
All the above Diseases	156	159	162	165	163	145	144	153	162	158	177	157	141
Dis. of Respiratory System	490	432	423	527	485	380	378	391	456	469	499	501	460
Phthisis	177	157	161	193	162	170	158	178	205	202	186	160	177
Dis. of Circulatory System	160	135	154	191	164	156	161	126	154	149	184	169	139
Violence	75	77	89	75	76	82	82	63	61	91	77	69	76
Inquest Cases	183	158	199	180	193	173	169	152	154	203	186	162	169
Deaths in Public Institutions	645	581	593	591	590	551	524	526	539	548	541	515	581
TEMPERATURE OF THE AIR.													
Mean	44°·5	35°·2	31°·0	35°·2	45.4	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8
Mean of Highest readings	49·3	37·3	36·2	41·4	51·6	48·0	43·7	47·6	45·7	44·2	51·1	56·4	62·1
Mean of Lowest readings	39·1	33·2	25·4	29·1	39·4	39·8	35·8	34·3	32·7	31·1	34·3	40·7	41·2
Humidity of the Air	84	87	73	84	85	90	79	76	83	74	76	72	69
Rain-fall (in inches)	0·32	0·96	0·29	1·46	0·51	0·65	0·02	0·08	0·61	0·16	0·45	0·22	0·15
Registered Sunshine (in hours)	5·0	3·1	19·3	13·5	18·3	5·3	15·5	13·4	23·1	26·3	27·0	31·9	50·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	24	21	17	8	11	7	7	5	5	3	2	3	4
Scarlet Fever	2287	2179	2089	2052	2009	1868	1777	1760	1715	1696	1713	1694	1676
Diphtheria	1606	1581	1549	1498	1437	1407	1385	1361	1329	1243	1198	1161	1141
Enteric Fever	307	289	281	270	280	274	270	265	268	263	243	224	219

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SIXTEENTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 16th Week of the 10 years 1890–99*.	In the Week ending Saturday, 21st April, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1699·7	1811	369	220	102	250	352	423	95
Vaccinated† -	0·9	-	-	-	-	-	-	-	-
Unvaccinated	0·5	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
- - - -	84·0	53	15	36	2	-	-	-	-
Fever - - -	14·2	5	-	3	2	-	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
ngFever - -	-	-	-	-	-	-	-	-	-
a - - - -	22·9	60	-	1	1	11	19	20	8
ng-cough - -	68·6	49	18	29	2	-	-	-	-
ria - -	36·0	17	2	10	5	-	-	-	-
Continued and lned Fever -	0·2	-	-	-	-	-	-	-	-
Fever - - -	7·0	9	-	-	1	7	1	-	-
and Chol. Diarr.	-	-	-	-	-	-	-	-	-
a, Dysentery -	13·5	8	4	1	-	-	1	2	-
nt Fever - -	0·2	-	-	-	-	-	-	-	-
nobia - - -	-	-	-	-	-	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·2	-	-	-	-	-	-	-	-
l Affections - -	7·6	6	5	-	-	-	1	-	-
las - - -	3·1	-	-	-	-	-	-	-	-
and Septicæmia	2·4	1	1	-	-	-	-	-	-
al Fever - -	3·7	5	-	-	-	5	-	-	-
ymotic Diseases	1·7	-	-	-	-	-	-	-	-
- - - -	0·4	-	-	-	-	-	-	-	-
and other Para- l Diseases -	0·1	-	-	-	-	-	-	-	-
ion, Want of t-milk - -	1·4	3	3	-	-	-	-	-	-
ism - - -	11·5	9	-	-	-	2	6	1	-
atic Fever, natism of Heart	6·2	12	1	2	3	3	1	2	-
atism - - -	1·8	1	-	-	-	-	-	1	-
- - - -	3·9	3	-	-	-	-	-	3	-
- - - -	6·5	8	4	4	-	-	-	-	-
- - - -	68·6	76	-	1	-	10	25	36	4
Mesenterica - -	20·3	12	7	4	1	-	-	-	-
ular Meningitis -	26·4	24	6	12	6	-	-	-	-
s - - - -	172·2	177	4	2	17	80	60	14	-
a, Tuberculosis -	20·2	27	9	8	4	4	2	-	-
Constitutional ses - -	10·6	14	-	2	3	3	-	5	1
ure Birth - -	49·6	60	60	-	-	-	-	-	-
asis - - -	4·5	4	4	-	-	-	-	-	-
ital Malforma- - - -	7·3	6	5	-	1	-	-	-	-
e - - - -	52·6	59	-	-	-	-	1	20	38
xy - - -	41·7	54	-	-	1	1	18	28	6
y - - - -	6·7	4	-	-	1	-	2	1	-
sions - - -	40·7	35	28	6	1	-	-	-	-
Diseases of Brain Nervous System	86·2	92	15	8	7	10	19	32	1
s of Organs of al Sense -	3·5	5	2	-	3	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 16th Week of the 10 years 1890–99*.	In the Week ending Saturday, 21st April, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	149·9	139	1	2	10	20	27	71	8
Croup - - - -	3·4	2	-	2	-	-	-	-	-
Bronchitis - - -	187·2	184	37	16	-	2	24	83	22
Pneumonia - - -	143·6	233	30	40	13	36	70	42	2
Pleurisy - - - -	7·8	11	1	-	1	1	5	3	-
Other Diseases of Respiratory System -	26·1	30	4	5	2	3	5	10	1
Dentition - - - -	11·3	15	8	7	-	-	-	-	-
Quinsy, Sore Throat -	2·0	2	-	1	-	-	1	-	-
Enteritis - - -	13·6	16	5	-	2	3	4	2	-
Gastro-enteritis -		13	10	1	-		1	1	-
Peritonitis - - -	5·7	4	1	-	2	1	-	-	-
Diseases of Liver - -	22·7	29	-	-	-	4	16	8	1
Other Diseases of Digestive System	29·4	37	5	3	2	10	9	[illegible]	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	8	1	-	1	2	2	2	-
Diseases of Urinary System - - -	48·2	50	1	-	1	14	18	15	1
Diseases of Generative System - - -	6·0	3	-	-	-	2	1	-	-
Accidents of Childbirth -	5·2	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	5·8	2	-	1	1	-	-	-	-
Diseases of Integumentary System - -	5·0	6	2	-	-	-	-	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	52·0	2	-	-	-	1	1	-	-
By Vehicles or Horses -		6	-	3	2	-	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		5	1	2	1	-	-	1	-
By Drowning - - -		10	1	2	2	4	1	-	-
By Suffocation in Bed -		16	16	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	2	-	1	-	-	-
Other or not stated causes - - - -		19	4	3	1	-	6	4	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·2	2	1	-	-	1	-	-	-
Suicide - - - -	11·0	13	-	-	-	6	4	3	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·6	51	47	1	-	1	1	1	-

e numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 21st April, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2610	1811	369	518	–	53		17	49	–	9	–	8	76	169	581
WEST DISTRICTS - - -	778,251	370	306	50	102	–	13	–	5	3	–	2	–	1	9	20	103
NORTH DISTRICTS - - -	1,040,694	573	368	55	103	–	11	1	3	11	–	1	–	–	14	25	119
CENTRAL DISTRICTS - - -	233,635	113	79	14	19	–	–	–	–	3	–	–	–	2	4	8	37
EAST DISTRICTS - - -	716,334	542	357	92	93	–	13	1	2	11	–	1	–	2	11	48	125
SOUTH DISTRICTS - - -	1,642,796	1012	660	158	188	–	16	2	7	21	–	5	–	2	38	67	156
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	41	–	13	–	–	1	–	–	–	–	–	1	–	1	41
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	46	29	8	10	–	1	–	–	–	–	–	–	–	3	4	4
St. John Paddington *H* - - G.	33,510	6	14	–	3	–	–	–	–	–	–	–	–	–	–	–	12
Kensington Town *Ww* - - W.	122,164	52	58	14	22	–	6	–	–	1	–	–	–	–	1	3	18
Brompton *HH*- - - W. & C.	48,301	9	8	1	3	–	–	–	–	–	–	–	–	–	–	–	3
North Hammersmith *H* } W. & G	44,638	23	20	6	3	–	–	–	–	1	–	–	–	–	–	1	–
South Hammersmith *H* }	59,561	37	19	3	4	–	1	–	–	–	–	–	–	–	1	4	5
Fulham *Ww* - - - W. & C.	113,781	78	53	6	19	–	1	–	4	–	–	1	–	–	1	4	14
Chelsea Kensal Town - C.	21,450	19	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *WHHHH* - C.	42,057	26	15	–	8	–	1	–	1	–	–	–	–	–	–	–	8
Chelsea South *HH* - - C.	33,139	18	8	1	–	–	–	–	–	–	–	–	–	–	1	1	–
May Fair *W* - - - - G.	23,827	4	24	1	10	–	–	–	–	–	–	1	–	–	–	1	19
Belgrave *WHHH* - - - C.	56,140	20	22	4	7	–	–	–	–	–	–	–	–	–	1	2	10
St. John Westminster *HH* - C.	31,492	12	10	–	5	–	2	–	–	–	–	–	–	–	–	–	–
St. Margaret Westminster *H*- C.	22,097	6	11	2	1	–	–	–	–	1	–	–	–	–	1	–	7
St. James Westminster *WH* } N. & G.	23,050	7	10	2	6	–	–	–	–	–	–	–	–	1	–	–	3
St Anne Soho *HHHHH* - N.	12,048	7	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	36,595	12	15	2	1	–	–	–	–	–	–	–	–	–	1	1	7
Rectory Marylebone *W* G. & W.	19,798	7	9	3	4	–	–	–	–	1	–	–	–	–	1	2	5
St. Mary Marylebone *HHHH* } G. & W.	19,637	36	5	2	2	–	–	–	–	–	–	–	–	–	–	–	1
Christchurch Marylebone *H* - W	32,547	17	5	–	2	–	1	–	–	–	–	–	–	–	–	–	–
St. John Marylebone *HHH* - W.	32,611	11	6	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Hampstead *WwHHHH* } - N. & W.	75,449	36	30	3	11	–	1	–	1	–	–	–	–	–	–	2	10
Regent's Park † *HH* - W.	51,403	25	11	3	1	–	–	–	–	–	–	–	–	–	1	1	–
Tottenham-court *wHHHHHH* } - N. & W.	26,757	11	18	2	5	–	–	–	–	1	–	–	–	–	–	2	13
Gray's Inn Lane *HHHH* - N.	29,426	25	11	1	2	–	1	–	–	–	–	–	–	–	1	1	5
Somers Town *HH* - - - N.	32,161	13	10	1	1	–	2	–	–	1	–	–	–	–	–	2	5
Camden Town† *WH* - - N.	40,155	19	29	4	14	–	1	–	–	–	–	–	–	–	1	1	16
Kentish Town† *WW* - - N.	60,862	35	19	1	7	–	–	–	–	–	–	1	–	–	1	2	8
Upper Holloway *WWWWwHH* } - - - N.	98,273	48	58	7	18	–	2	–	–	–	–	–	–	–	3	5	33
Lower Holloway‡ - - - N.	41,805	25	9	2	2	–	2	–	–	–	–	–	–	–	–	–	–
Barnsbury‡ - - - - N.	56,384	43	19	4	3	–	–	–	–	–	–	–	–	–	2	2	–
Islington South-east‡ *H* - N.	75,725	38	28	5	3	–	–	–	–	2	–	–	–	–	–	1	–
Highbury *HH* - - - N.	64,577	33	9	2	3	–	1	–	–	1	–	–	–	–	2	2	–
Stoke Newington *H* - - N.	33,485	14	9	–	3	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney - - E. & N.	213,044	32	10	3	3	–	–	–	–	1	–	–	–	–	–	–	–
Central Hackney *ww* - E. & N.		29	15	2	4	–	–	1	2	1	–	–	–	–	–	–	[illegible]
South-west Hackney *HHH* E. & N.		28	17	3	3	–	–	–	–	1	–	–	–	–	–	–	[illegible]
South-east Hackney *WwH* E. & N.		36	26	3	10	–	–	–	–	2	–	–	–	–	1	1	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman CAPITALS signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 21st April, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles } th *WH* - - - N.	29,086	10	7	1	2	-	-	-	-	-	-	-	-	1	-	-	4	-
iles North *H* - - - N.	9,151	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
artin-in-the-Fields *HH* N. & C.	13,077	2	6	1	-	-	-	-	-	-	-	-	-	-	1	1	4	-
nd *WHH* - - - - N.	11,839	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	7	-
d Union Workhouse, Edmonton	†*1,037*	-	6	-	5	-	-	-	-	-	-	-	-	1	-	-	6	-
orn *wHHHHH* - N.	31,042	13	15	6	-	-	-	-	-	-	-	-	-	-	-	2	8	-
ames Clerkenwell - - N.	15,777	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	23	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well-street - - - - N.	16,069	12	3	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
-road *HHHHL* - - N.	29,897	30	8	2	3	-	-	-	-	-	-	-	-	-	1	1	1	-
tecross-street - - - N.	7,595	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
otolph* *H* - - N. & E.	13,061	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre *WH* - - - N.	9,591	4	11	-	4	-	-	-	-	-	-	-	-	-	2	3	6	-
allows Barking - - - N.	9,059	1	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
ton New Town *w* - - N.	29,575	23	11	3	4	-	2	-	1	-	-	-	-	-	-	1	4	-
ton Old Town - - - N.	27,645	15	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-
ggerston *WH* - - N. & E.	47,163	26	24	9	6	-	1	-	-	1	-	-	-	-	-	2	5	-
hnal Green North *H* - E.	49,301	43	18	8	5	-	-	-	-	2	-	-	-	-	1	3	-	-
hnal Green South - - E.	34,194	27	4	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-
hnal Green East *WWHl* - E.	45,667	25	34	7	12	-	-	-	-	2	-	-	-	-	-	2	17	-
talfields - - - E. & N.	26,681	30	9	3	3	-	1	-	-	1	-	-	-	-	-	5	-	-
e End New Town *WH* - E.	51,995	35	48	11	6	-	1	-	1	1	-	-	-	-	3	7	41	-
odman's Fields - - - E.		10	7	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	46	16	7	4	-	-	-	-	-	-	-	-	1	-	2	-	-
John, St. George East *W* E.	7 930	5	8	1	2	-	-	-	-	-	-	-	-	-	-	2	6	-
adwell *H* - - - E. & N.	10,434	8	13	4	1	-	-	-	-	1	-	-	-	-	1	2	7	-
tcliff *W* - - - - E.	14,954	6	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nehouse - - - - E.	32,917	25	16	5	2	-	5	-	-	-	-	-	-	-	1	3	-	-
le End Old Town West *H* E.	111,060	54	19	4	3	-	-	-	-	1	-	-	-	-	-	2	-	-
le End Old Town East } *WWww* - E.		31	30	7	11	-	2	-	-	-	-	-	-	-	1	3	11	-
w *l* - - - - E.	41,687	32	14	2	5	-	-	-	-	1	-	-	-	-	1	2	2	-
omley *wwwH* - - - E.	69,821	43	49	7	19	-	-	-	-	-	-	-	-	1	1	2	30	-
plar *WW* - - - - E.	57,759	46	21	4	5	-	1	-	-	1	-	-	-	-	1	5	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 21st April, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	7	4	1	1	-	-	-	-	1	-	-	-	-	1	1	-
St. Saviour Southwark - - S.	12,301	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	12	6	2	2	-	-	-	-	-	-	-	-	-	1	3	-
Borough-road *WH* - S. & L.	16,083	10	7	2	2	-	-	-	-	1	-	-	-	-	1	3	2
London-road *HL* - - L. & S.	21,316	14	7	1	2	-	-	-	-	-	-	-	-	-	1	2	-
Trinity Newington *H* - S. & L.	28,723	16	7	1	1	-	2	-	-	-	-	-	-	-	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	38	32	11	5	-	1	-	1	-	-	-	-	1	4	7	3
St. Mary Newington- - L. & S.	30,171	20	8	1	1	-	1	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	5	15	3	2	-	-	-	-	-	-	-	-	-	-	-	13
Bermondsey *W* - - - S.	85,475	65	25	6	12	-	1	-	-	-	-	-	-	-	1	2	2
Rotherhithe *Ww* - S. & K.	40,379	22	23	6	5	-	2	-	-	-	-	-	-	-	2	3	10
Waterloo-road *HH* - L. & S.	28,396	27	15	8	1	-	1	-	-	-	-	-	-	-	1	2	2
Lambeth Church 1st *H* - L. & S.	18,770	13	25	2	4	-	-	-	1	1	-	1	-	-	2	4	17
Lambeth Church 2nd *WW* L. & S.	40,994	19	26	4	5	-	-	-	-	-	-	-	-	-	3	4	16
Kennington 1st *H* - - S. & L.	52,486	29	15	4	6	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	24	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	31	26	4	6	-	2	1	-	1	-	2	-	-	2	2	3
Norwood *WH*- - - - L.	29,318	11	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	51	15	6	4	-	-	-	-	1	-	1	-	-	1	3	-
West Battersea *WwH* - - S.	93,385	42	36	8	11	-	-	-	-	2	-	-	-	-	2	8	7
Clapham *H* - - - - S.	46,953	30	26	5	9	-	-	-	-	-	-	-	-	-	1	2	1
Wandsworth *WHHL* - - S.	58,101	42	20	2	7	-	1	-	-	-	-	-	-	-	-	2	-
Putney - - - - - S.	20,566	13	10	1	3	-	1	-	-	-	-	-	-	-	1	1	-
Streatham *WwwwL* - - L.	61,644	49	21	4	6	-	-	-	1	-	-	-	-	-	1	2	1
Dulwich - - - L. & S.	7,519	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	54	64	11	24	-	2	-	-	1	-	-	-	-	6	7	41
Peckham *WW* - S., L., & K.	88,242	45	15	4	9	-	-	-	-	-	-	-	-	1	1	1	-
St. George Camberwell - L. & S.	67,029	44	25	8	3	-	-	-	-	2	-	-	-	-	1	2	-
Deptford North - - - K.	36,152	30	10	6	1	-	-	-	-	1	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	38	18	9	-	-	-	-	-	1	-	-	-	-	1	-	2
Deptford South - - - K.	33,402	9	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	15	9	3	3	-	-	-	-	1	-	-	-	-	1	1	3
Greenwich East *WH* - - K.	37,767	33	25	5	10	-	-	-	-	1	-	-	-	-	2	2	11
Eltham *wH* - - - - K.	5,911	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	11	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	28	25	5	12	-	-	-	3	3	-	1	-	-	-	1	12
Sydenham *H* - - - - L.	37,601	18	15	4	5	-	-	-	-	2	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	6	10	2	1	-	-	1	1	1	-	-	-	-	-	1	4
Woolwich* *HHHH* - - K.	51,314	27	19	7	5	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	9	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	30	17	1	7	-	1	-	-	-	-	-	-	-	-	-	6
Banstead Asylum - - - -	—	-	11	-	5	-	-	-	-	-	-	-	-	1	-	-	11
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum Dartford Heath - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Colney Hatch Asylum - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	10	-	3	-	-	-	-	-	-	-	-	-	-	-	10
Claybury Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	1	6

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich

—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ing Saturday, 21st April, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON-OUTER RING -	368,749	1,422,063	11201	621	128	190	-	14	4	4	16	4	3	23	54	81	5
Carshalton *H* - - -	12,228	26,108	9	5	-	2	-	-	-	-	-	-	-	-	1	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	12	5	1	-	-	-	-	-	-	-	-	1	1	2	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	83	47	13	16	-	-	-	-	1	-	-	2	5	3	-
Mitcham *w* - - -	11,697	23,072	18	12	2	6	-	-	-	-	1	-	-	-	1	-	-
Wimbledon *HHH* - -	3,220	25,777	21	11	3	2	-	-	-	-	-	-	-	-	-	-	-
Kingston *WH* - - -	14,672	33,566	24	7	2	4	-	-	-	-	-	-	-	-	-	-	-
Surbiton *HH* - - -		12,178	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	19	9	4	2	-	-	-	-	-	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	12	16	1	6	-	-	-	-	-	1	-	-	1	5	-
Mortlake *H* - - -	2,823	16,159	5	5	-	2	-	1	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	12	5	-	4	-	-	1	-	-	-	-	-	1	1	-
Beckenham *H* - - -	6,542	21,969	14	9	2	3	-	-	-	-	2	-	-	-	-	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	21	20	2	11	-	-	-	-	-	-	-	1	1	6	-
Bexley *HHH* - - -	12,540	30,590	29	19	2	6	-	-	-	-	-	-	-	-	-	1	1
Dartford *WH, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Sunbury *w* - - -	11,054	13,671	12	8	2	2	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	8	9	-	2	-	-	-	-	-	-	-	-	-	6	-
Hillingdon *WHH* - -	6,035	12,237	17	4	-	4	-	-	-	-	-	-	-	-	-	3	-
Uxbridge - - - -	12,757	7,253	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	14	6	1	3	-	-	1	-	-	-	-	-	1	1	-
Twickenham *HH* - -	2,415	16,027	13	8	3	2	-	-	-	-	-	-	-	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	18	20	4	7	-	3	-	-	-	-	-	-	1	2	-
Chiswick - - - -	1,245	21,963	14	11	3	1	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	18	10	1	2	-	-	-	-	-	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	11	12	2	4	-	-	-	-	-	-	-	1	4	1	-
Edgware *HH* - - -	6,994	3,844	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	64	26	5	6	-	2	2	1	1	-	-	1	1	2	-
Hendon *WH* - - -	8,382	15,843	14	10	1	5	-	-	-	-	-	-	-	-	-	7	-
South Mimms *HH* - -	21,077	6,367	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	11	8	-	5	-	-	-	-	-	-	-	-	-	6	-
Finchley *HHH* - - -	4,688	25,820	12	10	1	3	-	-	-	-	-	-	-	-	1	-	-
Hornsey *HH* - - -	3,039	61,097	52	16	5	7	-	-	-	-	-	-	-	-	-	-	-
Tottenham *HHH* - -	4,642	97,174	79	43	12	10	-	-	-	-	1	-	-	5	11	4	-
Edmonton *Ww* - -	7,489	36,351	33	26	5	8	-	-	-	-	2	1	1	1	4	6	-
Enfield *WWHH* - -	12,602	31,536	22	9	1	2	-	-	-	-	-	-	-	-	-	-	-
Waltham Abbey - - -	11,017	6,066	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	2	4	1	2	-	-	-	-	-	-	-	-	-	1	-
Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	28	10	2	2	-	-	-	-	1	-	1	2	2	1	-
Plaistow *HHH* - - -		58,030	60	28	8	6	-	5	-	1	3	-	-	3	4	1	1
Canning Town *H* - -		54,750	58	33	6	2	-	2	-	-	1	-	-	2	3	1	1
Forest Gate *w* - - -		53,511	20	21	4	8	-	-	-	-	-	-	-	-	-	-	2
East Ham *wHHH* - -	3,266	32,713	58	26	8	9	-	1	-	1	2	-	-	1	3	-	-
Leyton *WWWwH* - -	4,334	70,188	61	40	12	14	-	-	-	-	-	1	1	1	3	13	-
Walthamstow *HHHL* -	6,501	57,330	65	20	5	2	-	-	-	1	1	1	-	2	2	2	-
Chigwell, *part of** *HHHH*	11,779	12,941	4	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	26	8	2	-	-	-	-	-	-	-	-	-	2	-	-
Barking Town, *H* - -	3,814	14,301	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Middlesex County Asylum, Annexe, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring ollows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham rley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst trict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in d sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping ,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ous Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are cluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 21st April, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**19·1**	**1·5**	**2432**	**497**	**708**	**–**	**67**	**9**	**21**	**65**	**13**	**11**	**99**
INNER LONDON -	74,672	4,589,129	20·6	1·6	1811	369	518	–	53	5	17	49	9	8	76
OUTER RING -	368,749	2,063,016	15·7	1·1	621	128	190	–	14	4	4	16	4	3	23

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	April	21	170	107	18·5	–	3	–	–	–	–
GLASGOW - -	743,585	„	21	509	306	21·5	–	11	5	2	10	3
DUBLIN - -	349,594	„	21	225	204	30·4	–	2	–	2	2	3
CALCUTTA - -	466,460	Mar.	3	–	713	79·7	16	2	–	1	1	464†
BOMBAY - -	821,764	„	27	214	2312	146·3	138	57	?	?	?	896†
MADRAS - -	452,518	„	23	349	333	38·2	–	16	?	?	?	102
PARIS - - -	2,511,629	April	14	1217	1175	24·3	–	28	2	10*	6	23
BRUSSELS - -	561,130	„	14	254	189	17·5	–	1	1	2*	–	2
AMSTERDAM -	523,743	„	7	303	166	16·5	–	–	–	2	4	1
ROTTERDAM -	315,305	„	7	269	123	19·9	–	1	1	1	1	2
THE HAGUE -	205,328	„	7	121	71	18·0	–	3	–	1	–	–
COPENHAGEN -	349,000	„	14	–	–	–	–	–	–	–	–	–
STOCKHOLM -	291,580	„	7	125	106	18·6	–	–	–	3*	–	–
CHRISTIANIA -	221,255	„	14	146	79	18·6	–	–	–	1	4	–
ST. PETERSBURG	1,132,677	„	7	765	647	29·8	6	11	13	13	5	19
MOSCOW - -	988,610	„	7	–	567	29·9	–	8	7	18	3	2
BERLIN - -	1,848,269	Mar.	31	928	646	18·1	–	11	5	15	14	–
HAMBURG - -	691,349	April	14	–	226	17·0	–	2	–	1*	1	–
DRESDEN - -	401,400	Mar.	24	–	144	18·6	–	1	–	1*	1	1
BRESLAU - -	406,012	April	14	–	219	–	–	1	1	–	1	–
MUNICH - -	463,000	„	7	–	228	25·6	–	11	–	–	2	–
VIENNA - -	1,639,811	„	7	877	802	25·2	–	12	3	6*	2	7
PRAGUE - -	385,952	„	7	240	267	35·4	–	2	–	2	1	3
BUDA-PESTH -	685,340	„	7	508	393	29·8	–	2	7	4	–	1
TRIESTE - -	167,286	Mar.	31	119	104	32·3	–	–	1	1*	1	–
ROME - - -	512,423	„	17	236	232	23·6	–	17	–	1	–	1§
TURIN (10 days)	344,203	Feb.	20	222	283	30·0	–	13	–	4	3	1
VENICE - -	172,491	April	7	74	78	23·6	–	–	–	2*	1	–
CAIRO - -	570,062	Feb.	25	433	446	40·7	3	22	–	5*	–	6
ALEXANDRIA -	319,766	„	25	270	219	35·6	–	–	–	4*	–	1
NEW YORK (including BROOKLYN)	3,654,594	Mar.	24	1614	1729	24·7	–	34	10	46	19	8
PHILADELPHIA -	1,266,832	„	31	–	679	27·9	–	21	4	16	4	13

* Including deaths from croup.
† Including 373 deaths from plague in Calcutta, and 648 in Bombay
‡ Including 45 deaths from cholera in Calcutta, and 6 in Bombay.
§ Malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Of the Air Temperature and Dew Point Temperature. Mean daily value.	Of the Air Temperature and Dew Point Temperature. Great-est.	Of the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
April.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday	15	Full	29·800	56·7	42·2	14·5	49·6	+ 2·7	39·0	10·6	16·8	5·0	67	106·3	37·5	44·31	SW.	SW. & WSW.	7·5	0·0	1·1	538	+248	0·00	3·0
Monday	16	..	29·765	55·3	40·7	14·6	46·4	− 0·9	40·4	6·0	16·2	0·0	79	107·9	35·9	44·73	WSW. & SW.	W., WNW. & NW.	19·2	0·0	1·4	613	+322	0·11	0·0
Tuesday	17	..	30·064	51·1	39·1	12·0	45·3	− 2·4	42·9	2·4	6·7	2·0	91	73·5	32·9	44·91	WNW., WSW. & SW.	SW., WSW. & NW.	3·3	0·0	0·2	305	+ 13	0·04	0·0
Wednesday	18	..	30·260	61·1	41·8	19·3	51·8	+ 3·7	41·5	10·3	17·9	3·7	68	110·6	33·2	44·87	NW. & N.	N., NNE. & SE.	1·1	0·0	0·0	167	−125	0·00	0·0
Thursday	19	Greatest Dec. S.	30·388	67·0	45·0	22·0	55·4	+ 7·1	41·0	14·4	19·8	4·2	59	105·3	34·9	45·02	Calm & SSW.	SW., SSE. & NE.	0·1	0·0	0·0	83	−210	0·00	0·0
Friday	20	..	30·327	67·2	40·1	27·1	55·1	+ 6·6	42·2	12·9	21·4	1·6	62	124·5	31·8	45·40	NE. & SE.	ESE.	2·1	0·0	0·1	170	−123	0·00	0·0
Saturday	21	..	30·176	76·1	39·6	36·5	59·3	+10·8	42·7	16·6	28·9	1·6	54	121·1	34·1	45·83	E.	SW. & WSW.	0·7	0·0	0·0	129	−163	0·00	0·0
Means			30·111	62·1	41·2	20·9	51·8	+ 3·9	41·4	10·5	18·2	2·6	69	107·0	34·3	45·01	Variable		..	..	..	Sum 2005	Sum − 38	Sum 0·15	0·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	15	w. P. generally till 6h. P.M.; m. P. afterwards.	1·4	13·8	Cloudy in morning; fine in forenoon; overcast till 5h. P.M.; cloudless at night. Brisk wind.
Monday	16	w. P. till 8h. A.M.; v. P. and s. N. till 7h. P.M.; m. P. afterwards.	8·1	13·8	Very fine till 8h. A.M.; variable, with showers of rain and hail till afternoon; very fine at night. Distant thunder heard at 0h. 15m. P.M. Gusty wind prevalent till evening.
Tuesday	17	m. P. till 11h. A.M.; v. P. and s. N. till 1h. P.M.; w. P. till 9h. P.M.; m. P. afterwards.	0·0	13·9	Very fine in early morning; overcast, with frequent rain till evening; cloudless and very fine after 9h. P.M.
Wednesday	18	m. P. till 6h. P.M.; w. P. afterwards.	10·0	13·9	Very fine, with small amounts of cloud generally. Overcast between 7h. and 9h. P.M.
Thursday	19	w. P. generally -	9·6	14·0	Very fine and generally cloudless. Warm.
Friday	20	w. P. generally till 8h. P.M.; m. P. afterwards.	12·1	14·1	Cloudless throughout. A very fine, warm day.
Saturday	21	m. P. till 5h. A.M.; v. P. till 2h. P.M.; w. P. till 8h. P.M.; m. P. afterwards.	9·6	14·2	Very fine and generally cloudless. Hazy in forenoon, and slight fog prevalent between noon and 1h. P.M. A very warm day.
			Sum 50·8	Sum 97·7	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·72 in. by 11h. A.M. on the 16th; increased to 30·41 in. by 9h. A.M. on the 19th; and decreased to 30·11 in. by the end of the week

Erratum.—Report for week ending April 14th:—Greatest Pressure of Wind, Column 20, April 13th, *for* 20·0 lbs. *read* 23·0 lbs.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 17. 1900. VOL. LXI.] WEEK ENDING SATURDAY, APRIL 28. [Price 1½*d.*

General Register Office, Somerset House,
April 30th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·3 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 23·0, 22·4, and 21·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.		Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.
33 Great Towns	23·0	22·4	21·2	20·3	Leicester - -	20·7	18·3	23·8	18·1
Birkenhead -	16·5	19·1	12·9	12·9	Liverpool - -	31·6	28·5	26·9	26·0
Birmingham -	22·8	24·8	23·2	23·6	London - - -	22·0	21·0	20·6	19·6
Blackburn -	27·0	26·6	24·7	20·5	Manchester - -	31·0	30·5	25·9	26·1
Bolton - -	21·0	24·8	26·7	17·1	Newcastle-on-Tyne	20·0	21·1	18·9	14·0
Bradford -	21·6	19·5	18·4	20·4	Norwich - -	20·4	20·4	17·7	17·3
Brighton -	21·0	26·0	15·5	16·8	Nottingham - -	21·9	20·2	17·2	18·0
Bristol - -	21·2	22·0	24·1	19·1	Oldham - -	18·4	23·5	27·2	21·4
Burnley -	19·2	15·6	13·0	14·3	Plymouth - -	23·5	25·0	30·6	24·5
Cardiff - -	21·5	20·4	19·1	20·4	Portsmouth - -	23·5	18·2	17·7	16·9
Croydon -	19·9	18·7	16·7	16·3	Preston - -	32·9	28·1	25·4	23·2
Derby - -	15·0	18·3	20·3	20·3	Salford - - -	29·3	29·0	23·4	21·7
Gateshead -	17·2	21·0	21·0	20·0	Sheffield - -	21·8	27·2	22·7	22·2
Halifax -	27·4	26·4	19·7	23·3	Sunderland - -	17·3	16·6	21·2	17·7
Huddersfield-	23·0	23·5	25·0	18·0	Swansea - -	24·2	19·8	13·8	16·3
Hull - -	24·2	20·7	17·3	17·3	West Ham - -	17·9	15·8	17·1	15·6
Leeds - -	23·7	23·9	19·6	23·2	Wolverhampton -	33·2	30·3	18·6	30·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in West Ham, 1·1 in Leeds and in Hull, 1·4 in Derby, 1·5 in Huddersfield, 2·0 in Oldham, 2·4 in Bristol, 2·9 in Wolverhampton, 3·2 in Cardiff, and 4·6 in Plymouth; from *scarlet fever*, 1·0 in Oldham and 1·1 in Sunderland; from *whooping-cough*, 1·0 in Plymou h, 1·2 in Manchester and in Salford, 1·4 in Birmingham and in Oldham, 1·5i n Liverpool, and 1·8 in Norwich; and from *diarrhœa*, 1·0 in Plymouth and 1·2 in Wolverhampton. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 54 deaths from *diphtheria* included 20 in London, 5 in Leicester, 5 in Leeds, 4 in Cardiff, and 3 in West Ham. Four deaths from *small-pox* were registered in Liverpool, 1 in Cardiff, and 1 in London, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2697 BIRTHS and 1721 DEATHS were registered. Allowing for increase of population, the births were 51 below, and the deaths 53

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 22·0, 21·0, and 20·6 in the preceding three weeks, further fell last week to 19·6. During the four weeks ending on Saturday last the death-rate averaged 20·8 per 1000, being 1·5 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1721 deaths included 1 from small-pox, 68 from measles, 11 from scarlet fever, 20 from diphtheria, 40 from whooping-cough, 8 from enteric fever, 17 from diarrhœa and dysentery, 1 from choleraic diarrhœa, and not one death from typhus, or from any ill-defined form of continued fever; thus, 166 deaths were referred to these diseases, being 61 below the corrected average weekly number.

The death from *small-pox* was that of a male aged 42 years, who had been removed from Marylebone sanitary area to the Hospital Ship "Atlas." The deaths from *measles*, which had been 62, 59, and 53 in the preceding three weeks, rose again last week to 68, but were 15 below the corrected average; 8 cases belonged to St. Pancras, 8 to Bethnal Green, 7 to Islington, and 5 to Wandsworth sanitary areas. The deaths from *scarlet fever*, which had been 7, 8, and 5 in the preceding three weeks, rose again last week to 11, but were 5 below the corrected average; 2 cases belonged to Fulham and 2 to Hackney sanitary areas. The deaths from *diphtheria*, which had been 32, 19, and 17 in the preceding three weeks, rose again last week to 20, but were 16 below the corrected average; 3 cases belonged to Greenwich sanitary area. The deaths from *whooping-cough*, which had been 50, 51, and 49 in the preceding three weeks, further fell last week to 40, and were 32 below the corrected average; 5 cases belonged to Greenwich and 4 to Whitechapel sanitary areas. The fatal cases of *enteric fever*, which had been 20, 12, and 9 in the preceding three weeks, were 8 last week, the corrected average being 7; 3 cases belonged to Islington sanitary area. The deaths from *diarrhœa*, which had been 6, 8, and 8 in the preceding three weeks, rose last week to 17, and were 6 above the corrected average. The deaths referred to diseases of the respiratory organs, which had been 499, 501, and 460 in the preceding three weeks, further fell last week to 411, but were 62 above the corrected average. The deaths attributed directly to *influenza* numbered 39, having been 44, 42, and 60 in the preceding three weeks.

Different forms of violence caused 95 deaths, concerning all but 1 of which inquests were held. Of these 95 deaths, 22 were cases of suicide, and 1 of homicide, while the remaining 72 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 8 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 13 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 6 cases of small-pox, 1647 of scarlet fever, 1141 of diphtheria, and 208 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 5 cases, against 0, 2, and 2; of scarlet fever, 170 cases, against 185, 189, and 165; of diphtheria, 158 cases, against 137, 134, and 121; and of enteric fever, 27 cases, against 25, 24, and 33.

Greater London.

In Greater London 3932 births and 2290 deaths were registered, corresponding to annual rates of 30·8 and 18·0 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 2 from scarlet fever, 8 from diphtheria, 17 from whooping-cough, 3 from "fever," and 3 from diarrhœa were registered. Seven deaths from measles, 5 from diphtheria, and 6 from whooping-cough occurred in West Ham district; 5 deaths from whooping-cough occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 47°·5; the latter being 1°·0 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 30 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 39·9 hours; the measured rainfall amounted to 0·06 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 28th April 1900. Births.	Registered during the Week ending 28th April 1900. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**7119**	**4509**	**937**	**1111**	**6**	**168**	**34**	**54**	**132**	**34**	**44**	**183**	**366**	**1027**	**43**	**20·3**	**2·1**	**75·2**	**25·5**	**46·3**	**7·94**	**0·05**	**0·13**	33 Towns.
London - -	4,589,129	2697	1721	302	457	1	68	11	20	40	8	17	95	198	521	6	19·6	1·9	72·4	31·2	47·5	8·61	0·06	0·15	London.
West Ham - -	314,472	187	94	26	16	-	6	-	3	5	1	-	5	7	13	2	15·6	2·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	76	41	8	17	-	-	-	-	2	-	-	1	1	13	-	16·3	0·8	73·5	30·0	47·0	8·33	0·01	0·03	Croydon.
Brighton - -	124,148	67	40	9	13	-	-	1	-	1	1	-	4	7	12	-	16·8	1·3	63·6	33·6	47·1	8·39	0·00	0·00	Brighton.
Portsmouth -	194,955	102	63	12	21	-	-	-	2	3	-	-	5	8	18	-	16·9	1·3	70·5	33·0	48·3	9·06	0·00	0·00	Portsmouth.
Plymouth - -	102,161	71	48	3	16	-	9	-	1	2	-	2	-	1	2	-	24·5	7·1	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	193	119	24	23	-	15	-	2	-	2	1	2	5	13	3	19·1	3·2	64·0	27·5	46·8	8·22	0·00	0·00	Bristol.
Cardiff - -	194,247	109	76	14	14	1	12	1	4	-	-	-	2	3	8	-	20·4	4·8	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	52	33	7	8	-	-	-	1	1	1	-	3	5	3	-	16·3	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	79	53	7	19	-	5	-	-	1	1	2	-	2	13	-	30·8	5·2	72·0	25·5	46·2	7·89	0·00	0·00	Wolverhampton.
Birmingham -	519,610	366	235	63	44	-	8	-	1	14	2	4	6	11	52	5	23·6	2·9	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	77	38	11	12	-	-	-	-	4	-	-	-	1	4	-	17·3	1·8	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	115	76	13	21	-	-	-	5	1	1	1	3	7	19	-	18·1	1·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	127	84	18	25	-	-	2	-	-	1	-	3	9	15	-	18·0	0·6	71·3	28·4	46·1	7·83	0·07	0·18	Nottingham.
Derby - - -	107,991	68	42	12	10	-	3	-	-	-	-	-	-	1	10	-	20·3	1·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	62	29	4	8	-	-	-	-	-	-	-	2	3	6	-	12·9	-	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	483	317	85	57	4	1	1	2	18	1	3	15	19	77	9	26·0	2·5	57·0	33·6	45·3	7·39	0·15	0·38	Liverpool.
Bolton - -	164,240	93	54	10	11	-	1	-	-	2	1	1	2	5	3	-	17·1	1·6	-	-	-	-	-	-	Bolton.
Manchester -	548,768	364	275	60	64	-	5	1	2	13	1	3	10	19	56	2	26·1	2·4	-	-	-	-	-	-	Manchester.
Salford - -	220,816	148	92	26	19	-	1	1	-	5	1	2	2	4	22	-	21·7	2·4	-	-	-	-	-	-	Salford.
Oldham - -	153,297	76	63	8	14	-	6	3	1	4	-	2	2	5	9	-	21·4	5·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	60	32	7	9	-	-	-	-	1	-	1	1	1	3	-	14·3	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	62	54	20	10	-	1	-	1	1	-	2	1	2	5	2	20·5	1·9	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	76	53	13	13	-	2	-	2	-	2	-	-	-	8	1	23·2	2·6	-	-	-	-	-	-	Preston.
Huddersfield	104,484	63	36	6	10	-	3	-	-	1	-	-	1	1	6	1	18·0	2·0	63·3	29·0	44·0	6·67	0·10	0·25	Huddersfield.
Halifax - -	100,710	44	45	8	21	-	1	1	-	-	-	-	1	1	9	2	23·3	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	146	114	17	31	-	-	4	-	-	2	-	1	4	18	-	20·4	1·1	75·2	30·0	45·8	7·67	0·04	0·10	Bradford.
Leeds - - -	431,287	299	192	51	46	-	9	1	5	7	3	1	4	16	27	1	23·2	3·1	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	246	156	38	36	-	4	2	2	5	1	-	2	5	24	8	22·2	2·0	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	179	79	24	15	-	5	2	-	1	1	-	3	4	12	-	17·3	2·0	65·0	29·0	45·5	7·50	0·14	0·36	Hull.
Sunderland -	147,398	110	50	17	10	-	-	3	-	-	2	2	2	2	10	-	17·7	2·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	69	42	5	11	-	-	-	-	-	1	-	2	2	7	-	20·0	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	254,369	162	63	9	10	-	3	-	-	-	-	-	6	7	9	1	14·0	0·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2538	2507	2614	2582	2485	2691	2743	2750	2522	2693	2748·4	2697
Males - -	1288	1310	1318	1318	1274	1380	1374	1379	1260	1402	1399·5	1361
Females - -	1250	1197	1296	1264	1211	1311	1369	1371	1262	1291	1348·9	1336
TOTAL **Deaths** -	1567	2006	1619	1570	1543	1508	1641	1442	1485	1478	1668·4	1721
Males - -	826	1060	823	857	788	802	831	766	778	733	869·4	927
Females - -	741	946	796	713	755	706	810	676	707	745	799·0	794

*The numbers in this column are the average weekly numbers in the seventeenth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.
TOTAL **Births** - - -	2498	2889	2439	2805	2561	2841	2628	2675	2736	2580	2292	2610	2697
TOTAL **Deaths** - - -	1722	1792	2013	1894	1668	1652	1659	1817	1785	1932	1814	1811	1721
Ages at Death: Under 1 year - -	356	356	380	355	340	345	385	413	368	366	356	369	302
1—5 years - -	192	200	200	218	189	208	215	260	247	250	249	220	238
5—20 " - -	83	104	104	91	72	102	87	94	96	106	91	102	84
20—40 " - -	222	221	230	245	218	219	216	232	227	238	229	250	247
40—60 " - -	367	354	448	392	362	367	327	352	340	405	389	352	393
60—80 " - -	400	444	519	476	375	342	339	368	414	458	452	423	374
80 years and upwards	102	113	132	117	112	69	90	98	93	109	87	95	83
Deaths from—													
Small pox - - - - -	-	-	-	-	1	-	-	-	-	-	-	-	1
Measles - - - - -	27	33	50	42	41	39	56	50	60	62	59	53	68
Scarlet Fever - - -	10	7	5	4	9	8	6	3	7	7	8	5	11
Diphtheria - - - -	46	51	35	48	26	41	35	36	31	32	19	17	20
Whooping-cough - - -	45	37	51	40	43	37	35	49	45	50	51	49	40
Typhus - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	17	22	18	17	18	13	13	7	7	20	12	9	8
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	14	11	6	11	7	6	8	17	8	6	8	8	17
Cholera - - - -	-	1	-	1	-	-	-	-	-	-	-	-	1
All the above Diseases -	159	162	165	163	145	144	153	162	158	177	157	141	166
Dis. of Respiratory System -	432	423	527	485	380	378	391	456	469	499	501	460	411
Phthisis - - - - -	157	161	193	162	170	158	178	205	202	186	160	177	164
Dis. of Circulatory System -	135	154	191	164	156	161	126	154	149	181	169	139	146
Violence - - - - -	77	89	75	76	82	82	63	61	91	77	69	76	95
Inquest Cases - - - -	158	199	180	193	173	169	152	154	203	186	162	169	198
Deaths in Public Institutions -	581	593	591	590	551	524	526	539	548	541	515	581	520
TEMPERATURE OF THE AIR.													
Mean - - - - - -	35°·2	31°·0	35°·2	45°·4	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5
Mean of Highest readings -	37·3	36·2	41·4	51·6	48·0	43·7	47·6	45·7	44·2	51·1	56·4	62·1	57·7
Mean of Lowest readings -	33·2	25·4	29·1	39·4	39·8	35·8	34·3	32·7	31·1	34·3	40·7	41·2	38·0
Humidity of the Air - -	87	73	84	85	90	79	76	83	74	76	72	69	70
Rain-fall (in inches) - -	0·96	0·29	1·46	0·51	0·65	0·02	0·08	0·61	0·16	0·45	0·22	0·15	0·06
Registered Sunshine (in hours)	3·1	19·3	13·5	18·3	5·3	15·5	13·4	23·1	26·3	27·0	31·9	50·8	39·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	21	17	8	11	7	7	5	5	3	2	3	4	6
Scarlet Fever - - - -	2179	2089	2052	2009	1868	1777	1760	1715	1696	1713	1694	1676	1647
Diphtheria - - - -	1581	1549	1498	1437	1407	1385	1361	1329	1243	1198	1161	1141	1141
Enteric Fever - - - -	289	281	270	280	274	270	265	268	263	243	224	219	208

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the SEVENTEENTH Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 17th Week of the 10 years 1890-99*.	In the Week ending Saturday, 28th April, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
L CAUSES	1668·4	1721	302	238	84	247	393	374	83
mall-pox: Vaccinated†	0·5	1	-	-	-	-	1	-	-
mall-pox: Unvaccinated	0·4	-	-	-	-	-	-	-	-
mall-pox: No Statement	0·3	-	-	-	-	-	-	-	-
easles	83·2	68	12	52	4	-	-	-	-
arlet Fever	16·1	11	1	7	3	-	-	-	-
phus	-	-	-	-	-	-	-	-	-
elapsing Fever	-	-	-	-	-	-	-	-	-
fluenza	24·2	39	1	2	2	11	9	10	4
hooping-cough	72·3	40	15	24	1	-	-	-	-
phtheria	36·3	20	3	16	1	-	-	-	-
mple Continued and Ill-defined Fever	0·4	-	-	-	-	-	-	-	-
nteric Fever	6·6	8	-	-	1	6	1	-	-
olera and Chol. Diarr.	0·1	1	-	-	-	-	1	-	-
arrhœa, Dysentery	10·6	17	14	1	-	-	-	2	-
emittent Fever	-	-	-	-	-	-	-	-	-
ydrophobia	-	-	-	-	-	-	-	-	-
anders	-	-	-	-	-	-	-	-	-
wpox and Effects of Vaccination	0·1	-	-	-	-	-	-	-	-
nereal Affections	8·3	10	5	1	-	1	2	1	-
ysipelas	3·3	3	2	-	-	1	-	-	-
æmia and Septicæmia	1·8	4	1	-	2	-	1	-	-
erperal Fever	3·8	7	-	-	-	7	-	-	-
her Zymotic Diseases	1·5	1	1	-	-	-	-	-	-
rush	0·6	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases	0·6	-	-	-	-	-	-	-	-
arvation, Want of Breast-milk	0·8	-	-	-	-	-	-	-	-
coholism	10·4	17	-	-	-	7	8	2	-
eumatic Fever, Rheumatism of Heart	6·6	5	-	-	2	1	2	-	-
eumatism	4·0	4	-	-	-	-	2	2	-
out	3·8	1	-	-	-	-	-	1	-
ickets	5·9	7	3	3	-	1	-	-	-
ancer	72·9	73	-	-	1	3	36	32	1
abes Mesenterica	18·5	16	6	5	2	-	3	-	-
uberculer Meningitis	24·0	26	4	14	7	1	-	-	-
nthisis	163·9	164	-	2	12	79	59	12	-
rofula. Tuberculosis	22·4	17	1	7	6	3	-	-	-
ther Constitutional Diseases	12·2	12	-	-	1	-	6	4	1
remature Birth	47·9	39	39	-	-	-	-	-	-
telectasis	3·4	4	4	-	-	-	-	-	-
ongenital Malformations	6·8	6	5	1	-	-	-	-	-
ld Age	47·5	55	-	-	-	-	-	23	32
poplexy	45·5	52	2	-	-	1	12	27	10
pilepsy	8·5	9	-	-	4	2	2	1	-
onvulsions	37·6	24	22	2	-	-	-	-	-
ther Diseases of Brain and Nervous System	83·3	91	8	6	6	14	24	25	8
iseases of Organs of Special Sense	5·2	6	2	-	2	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 17th Week of the 10 years 1890-99*.	In the Week ending Saturday, 28th April, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	137·3	146	-	1	9	25	50	52	9
Croup	3·9	3	-	3	-	-	-	-	-
Bronchitis	167·8	160	27	22	1	6	30	65	9
Pneumonia	139·9	217	31	43	3	25	66	48	1
Pleurisy	9·5	6	-	1	-	-	2	3	-
Other Diseases of Respiratory System	27·4	25	5	3	1	1	8	5	2
Dentition	9·3	10	3	7	-	-	-	-	-
Quinsy, Sore Throat	1·5	-	-	-	-	-	-	-	-
Enteritis	12·0	11	1	1	1	7	-	1	-
Gastro-enteritis		11	10	1	-	-	-	-	-
Peritonitis	6·4	4	1	-	-	1	-	2	-
Diseases of Liver	24·3	30	3	-	-	5	13	6	3
Other Diseases of Digestive System	35·8	21	6	1	2	2	5	4	1
Diseases of Lymphatic System & of Ductless Glands	2·5	3	-	-	2	1	-	-	-
Diseases of Urinary System	43·9	57	-	-	-	6	20	29	2
Diseases of Generative System	5·3	1	-	-	-	-	-	1	-
Accidents of Childbirth	5·4	6	-	-	-	5	1	-	-
Diseases of Locomotive System	5·4	6	-	1	2	-	1	2	-
Diseases of Integumentary System	4·4	4	2	-	-	-	-	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	63·1	3	-	-	-	-	2	1	-
By Vehicles or Horses		10	-	-	3	3	3	1	-
In Ships, Boats, Docks, (exclusive of Drowning)		-	-	-	-	-	-	-	-
In Building Operations		1	-	-	-	-	-	1	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		6	1	2	1	1	-	1	-
By Drowning		8	1	-	-	4	2	1	-
By Suffocation in Bed		13	13	-	-	-	-	-	-
By Poisons or Poisonous Vapours		2	-	-	-	-	2	-	-
Other or not stated causes		29	4	7	2	5	5	6	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	2·0	1	-	-	-	-	1	-	-
Suicide	9·3	22	-	-	-	10	11	1	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	49·9	47	43	2	-	1	1	-	-

* The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 28th April, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2697	1721	302	457	1	68	11	20	40	-	8	-	17	95	198	621
WEST DISTRICTS - - -	778,251	377	289	47	89	-	10	2	1	3	-	-	-	3	16	37	90
NORTH DISTRICTS - - -	1,040,694	543	376	68	106	-	19	3	7	9	-	4	-	5	15	38	107
CENTRAL DISTRICTS - - -	233,635	122	83	14	10	-	6	-	1	2	-	1	-	1	4	7	39
EAST DISTRICTS - - -	716,334	593	298	62	57	-	14	-	1	11	-	-	-	5	21	51	86
SOUTH DISTRICTS - - -	1,642,796	1062	611	111	173	-	19	4	10	15	-	3	-	3	39	65	135
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	64	-	22	1	-	2	-	-	-	-	-	-	-	-	64
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	53	33	10	12	-	-	-	-	1	-	-	-	-	2	5	12
St. John Paddington *H* - - G.	33,510	5	12	-	6	-	-	-	-	-	-	-	-	-	2	3	6
Kensington Town *Ww* - - W.	122,164	64	46	7	14	-	2	-	-	-	-	-	-	1	4	8	15
Brompton *HH*- - - W. & C.	48,301	14	14	-	7	-	-	-	-	-	-	-	-	-	1	1	4
North Hammersmith *H* } W. & G.	44,638	24	16	5	3	-	1	-	-	-	-	-	-	1	1	2	-
South Hammersmith *H* } W. & G.	59,561	31	23	4	7	-	2	-	-	-	-	-	-	-	3	4	4
Fulham *Ww* - - - W. & C.	113,781	81	43	9	9	-	1	2	1	-	-	-	-	-	-	1	9
Chelsea Kensal Town - C.	21,450	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	16	25	3	8	-	2	-	-	-	-	-	-	-	-	4	8
Chelsea South *HH* - - C.	33,139	15	10	2	3	-	-	-	-	-	-	-	-	-	1	2	2
May Fair *W* - - - - G.	23,827	5	21	1	10	-	-	-	-	-	-	-	-	1	-	-	17
Belgrave *WHHH* - - - C.	56,140	26	23	2	4	-	-	-	-	1	-	-	-	-	1	3	7
St. John Westminster *HH* - C.	31,492	12	7	2	2	-	2	-	-	1	-	-	-	-	-	-	-
St. Margaret Westminster *H*- C.	22,097	7	7	-	2	-	-	-	-	-	-	-	-	-	-	1	5
St. James Westminster *WH* } N. & G.	23,050	6	5	2	-	-	-	-	-	-	-	-	-	-	1	3	-
St Anne Soho *HHHHH* - N.	12,048	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	10	13	1	3	-	-	-	-	-	-	-	-	1	1	3	5
Rectory Marylebone *W* G. & W.	19,798	5	9	1	4	-	-	-	-	-	-	-	-	-	1	2	1
St. Mary Marylebone *HHHH* } G. & W.	19,637	23	7	1	4	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone *H* - W	32,547	13	11	3	4	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *HHH* - W.	32,611	15	14	2	4	-	1	-	-	-	-	-	-	1	-	-	1
Hampstead *WwHHHH* } - N. & W.	75,449	34	29	1	4	-	2	-	2	-	-	3	-	-	-	1	13
Regent's Park † *HH* - W.	51,403	27	12	5	1	-	2	-	-	1	-	-	-	1	-	1	-
Tottenham-court *wHHHHHH* } - N. & W.	26,757	15	16	1	5	-	-	-	-	-	-	-	-	-	1	2	13
Gray's Inn Lane *HHHH* - N.	29,426	12	22	5	5	-	3	-	-	1	-	-	-	-	2	4	3
Somers Town *HH* - - - N.	32,161	15	18	5	3	-	3	-	-	-	-	-	-	-	-	1	1
Camden Town† *WH* - - N.	40,155	27	18	2	7	-	-	-	-	1	-	-	-	-	1	2	11
Kentish Town† *WW* - - N.	60,862	33	21	5	6	-	-	-	-	-	-	-	-	1	-	1	12
Upper Holloway *WWWWwHH* } - - N.	98,273	50	56	7	20	-	1	-	-	1	-	1	-	1	1	1	29
Lower Holloway‡ - - - N.	41,805	22	14	2	2	-	5	-	1	-	-	-	-	-	-	1	-
Barnsbury‡ - - - - N.	56,384	31	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	44	26	7	4	-	1	-	1	1	-	-	-	-	1	4	-
Highbury *HH* - - - N.	64,577	30	8	3	3	-	-	-	-	-	-	-	-	-	-	2	-
Stoke Newington *H* - - N.	33,485	11	7	1	4	-	-	-	-	1	-	-	-	-	1	1	-
North Hackney - - E. & N.	213,044	17	10	1	5	-	-	-	-	-	-	-	-	-	1	2	-
Central Hackney *ww* - E. & N.		24	16	2	1	-	1	3	3	-	-	-	-	-	-	1	6
South-west Hackney *HHH* E. & N.		36	19	4	7	-	-	-	-	1	-	-	-	-	1	2	6
South-east Hackney *WwH* E. & N.		49	20	6	7	-	-	-	-	2	-	-	-	-	3	5	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the[illegible] namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist[illegible] than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers [illegible] received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign[illegible] Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. [illegible] River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-[illegible] Sub-District.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 28th April, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
omsbury and St. Giles uth *WH* - - - N.	29,086	14	4	2	1	-	-	-	-	-	-	-	-	-	1	2	2	-
Giles North *H* - - - N.	9,151	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Martin-in-the-Fields *HH* N. & C.	13,077	4	7	2	1	-	-	-	-	-	-	-	-	-	-	-	5	-
and *WHH* - - - - N.	11,839	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
and Union Workhouse, Edmonton	†1,037	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
lborn *wHHHHH* - N.	31,042	12	14	5	-	-	2	-	-	-	-	-	-	1	-	-	5	-
James Clerkenwell - - N.	15,777	5	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
well Clerkenwell - - N.	34,356	24	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
well-street - - - - N.	16,069	7	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHHL* - - N.	29,897	33	10	1	-	-	2	-	-	1	-	-	-	-	-	1	2	-
itecross-street - - - N.	7,595	2	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
sbury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn Union Workhouse, fitcham - - - -	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph* *H* - - N. & E.	13,061	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Sepulchre *WH* - - - N.	9,591	2	15	-	1	-	-	-	1	-	-	1	-	-	1	1	13	-
hallows Barking - - - N.	9,059	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†388	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oxton New Town *w* - - N.	29,575	23	17	3	5	-	1	-	-	-	-	-	-	-	1	1	8	-
oxton Old Town - - - N.	27,645	17	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
aggerston *WH* - - N. & E.	47,163	35	17	3	5	-	-	-	-	-	-	-	-	1	2	4	9	-
thnal Green North *H* - E.	49,301	39	25	5	5	-	4	-	-	2	-	-	-	-	1	3	2	-
thnal Green South - - E.	34,194	21	9	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
thnal Green East *WWHl* - E.	45,667	38	16	-	6	-	2	-	-	-	-	-	-	-	-	-	7	-
italfields - - - E. & N.	26,681	27	5	2	1	-	-	-	-	2	-	-	-	-	-	1	-	-
ile End New Town *WH* - E.	51,995	37	31	3	4	-	1	-	-	-	-	-	-	-	3	9	26	-
oodman's Fields - - - E.		9	8	-	1	-	-	-	-	2	-	-	-	-	-	2	-	-
.George's, North - - - E.	39,576	52	16	6	3	-	-	-	-	-	-	-	-	1	2	5	-	-
.John, St. George East *W* E.	7 930	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hadwell *H* - - - E. & N.	10,434	10	15	5	-	-	-	-	-	-	-	-	-	-	1	3	5	-
atcliff *W* - - - - E.	14,954	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
imehouse - - - - E.	32,917	26	13	7	1	-	1	-	-	1	-	-	-	-	-	-	-	-
ile End Old Town West *H* E.	111,060	55	14	1	4	-	-	-	-	1	-	-	-	-	-	1	-	-
ile End Old Town East *WWww* - E.		34	22	6	3	-	2	-	-	2	-	-	-	1	1	1	6	-
ow *l* - - - - E.	41,687	36	15	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-
Bromley *wwwH* - - - E.	69,821	63	47	10	14	-	1	-	-	1	-	-	-	1	5	14	23	-
Poplar *WW* - - - - E.	57,759	47	14	4	2	-	-	-	-	-	-	-	-	1	4	5	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOL ENCE, &c., registered i
SUB-DISTRICT during the Week ending Saturday, 28th April, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	13,064	10	5	2	-	-	-	-	-	1	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	26	11	2	3	-	-	-	-	1	-	-	-	-	-	1
Borough-road *WH* - S. & L.	16,083	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-
London-road *HL* - - L. & S.	21,316	14	9	3	-	-	-	-	-	-	-	-	-	-	-	2
Trinity Newington *H* - S. & L.	28,723	15	11	2	3	-	2	-	-	-	-	-	-	-	-	1
St. Peter Walworth *W* - S. & L.	62,045	46	14	2	5	-	1	-	-	1	-	-	-	-	1	2
St. Mary Newington- - L. & S.	30,171	24	7	1	3	-	-	-	-	-	-	-	-	-	-	1
St. Olave *WH*- - - - S.	11,731	11	18	2	1	-	-	-	-	-	-	-	-	-	6	6
Bermondsey *W* - - - S.	85,475	50	24	6	4	-	1	-	-	1	-	-	-	-	5	7
Rotherhithe *Ww* - S. & K.	40,379	18	20	4	10	-	2	-	-	-	-	-	-	-	1	1
Waterloo-road *HH* - L. & S.	28,396	38	9	3	1	-	-	-	1	-	-	-	-	-	-	2
Lambeth Church 1st *H* - L. & S.	18,770	8	16	1	2	-	-	-	-	-	-	-	-	-	5	5
Lambeth Church 2nd *WW* L. & S.	40,994	29	20	1	9	-	1	-	-	-	-	-	-	-	-	-
Kennington 1st *H* - - S. & L.	52,486	42	13	-	7	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	10	12	4	3	-	1	-	-	-	-	-	-	-	-	1
Brixton *w* - - - L. & S.	81,825	52	12	6	5	-	-	-	-	-	-	1	-	-	-	-
Norwood *WH*- - - - L.	29,318	19	8	1	4	-	1	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	47	22	4	3	-	-	-	1	-	-	-	-	-	1	4
West Battersea *WwH* - - S.	93,385	75	43	9	14	-	1	-	-	2	-	-	-	1	1	3
Clapham *H* - - - - S.	46,953	23	14	2	4	-	-	-	-	-	-	-	-	1	2	2
Wandsworth *WHHL* - - S.	58,101	29	16	3	4	-	2	-	-	-	-	-	-	-	1	1
Putney - - - - - - S.	20,566	12	6	1	1	-	2	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	42	21	3	8	-	1	1	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	52	55	5	26	-	1	-	-	-	-	-	-	-	2	2
Peckham *WW* - S., L., & K.	88,242	53	29	8	3	-	-	-	2	1	-	-	-	-	-	2
St. George Camberwell - L. & S.	67,029	46	12	3	4	-	-	-	-	-	-	-	-	1	1	1
Deptford North - - - K.	36,152	26	10	1	3	-	-	-	1	1	-	-	-	-	2	2
Deptford Central *w* - - K.	45,441	37	13	8	1	-	1	-	1	3	-	-	-	-	1	2
Deptford South - - - K.	33,402	17	9	4	1	-	1	-	-	1	-	-	-	-	1	2
Greenwich West *H* - - K.	23,012	16	7	-	4	-	-	-	-	-	-	-	-	-	1	1
Greenwich East *WH* - - K.	37,767	21	25	2	7	-	-	-	1	-	-	-	-	-	3	5
Eltham *wH* - - - - K.	5,911	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	7	6	1	2	-	-	-	-	1	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	34	34	3	8	-	-	2	3	1	-	2	-	-	1	1
Sydenham *H* - - - - L.	37,601	13	14	1	6	-	-	-	-	1	-	-	-	-	1	2
Charlton *wHH* - - - K.	15,928	11	7	1	2	-	-	1	-	-	-	-	-	-	-	-
Woolwich* *HHHH* - - K.	51,314	29	13	3	3	-	-	-	-	-	-	-	-	-	1	2
Plumstead West *H* - - K.	16,714	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	34	27	5	4	-	1	-	-	-	-	-	-	-	2	4
Banstead Asylum - - - -	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	11	-	3	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	10	-	4	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 28th April, 1900.

is-on ict d -ict n-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON-OUTER RING -	368,749	1,422,063	1235	569	144	142	-	13	2	8	17	3	3	24	46	79	3
:1	Carshalton *H* - - -	12,228	26,108	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	7	4	1	-	-	-	1	-	-	-	-	-	1	3	-
:1	Godstone, *part of** *W* -	2,754	1,598	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	128,699	91	48	8	20	-	-	-	-	2	-	-	1	1	15	-
2	Mitcham *w* - - -	11,697	23,072	9	3	1	-	-	-	-	-	-	-	-	-	-	1	-
:1	Wimbledon *HHH* - -	3,220	25,777	23	15	3	3	-	1	-	-	-	-	2	-	1	2	-
2	Kingston *WH* - - -	14,672	33,566	23	16	1	6	-	-	-	-	-	-	-	3	3	4	-
3	Surbiton *HH* - - -		12,178	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	4	3	-	1	-	-	-	-	-	-	-	-	2	-	-
5	Hampton *HL* - - -	4,565	18,252	10	9	-	2	-	-	-	-	-	-	-	1	2	-	-
:1	Richmond *WHH* - -	2,160	25,389	9	4	1	1	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake *H* - - -	2,823	16,159	16	9	3	2	-	-	-	-	-	-	-	1	4	-	-
:1	Bromley *HHH* - - -	9,127	23,815	15	8	3	-	-	-	-	-	2	-	-	1	1	1	-
2	Beckenham *H* - - -	6,542	21,969	7	4	-	4	-	-	-	-	-	-	-	-	-	-	1
3	Chislehurst, *part of** *WHH*	14,307	20,372	11	5	1	3	-	-	-	-	-	-	-	-	1	2	-
:1	Bexley *HHH* - - -	12,540	30,590	28	17	5	4	-	-	-	1	-	1	-	1	2	1	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Sunbury *w* - - -	11,054	13,671	4	4	1	2	-	-	-	-	-	-	-	1	1	-	-
2	Staines *WH* - - -	13,277	13,221	11	3	-	-	-	-	-	-	-	-	-	-	1	1	-
:1	Hillingdon *WHH* - -	6,035	12,237	10	7	3	3	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,967	26,004	10	23	6	5	-	-	-	-	1	-	-	-	1	9	-
2	Twickenham *HH* - -	2,415	16,027	13	5	2	-	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	27	14	4	5	-	1	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	12	7	3	1	-	-	1	-	-	-	1	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	32	15	5	3	-	1	-	-	-	-	-	-	-	-	-
:1	Harrow *HHH* - - -	13,809	15,715	11	5	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	90	24	6	4	-	2	-	2	-	-	-	1	2	2	-
4	Hendon *WH* - - -	8,382	15,843	11	12	3	1	-	-	-	-	-	-	-	1	1	4	-
:1	South Mimms *HH* - -	21,077	6,367	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	27	12	6	3	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey *HH* - - -	3,039	61,097	52	19	7	6	-	-	-	-	2	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	94	26	10	4	-	-	-	-	-	-	-	3	5	3	-
3	Edmonton *Ww* - -	7,489	36,351	41	26	5	10	-	-	-	-	2	-	-	-	1	6	-
4	Enfield *WWHH* - -	12,602	31,536	26	9	3	1	-	-	-	-	1	-	-	2	3	-	-
5	Waltham Abbey - - -	11,017	6,066	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	4	-	-	-	-	-	-	-	-	-	1	1	1	-
:1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,331	7,737	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	4,706	38,612	27	10	3	1	-	-	-	-	-	-	-	-	-	-	1
2	Plaistow *HHH* - - -		58,030	69	27	7	5	-	2	-	3	3	-	-	-	1	5	-
3	Canning Town *H* - -		54,750	60	37	12	3	-	4	-	-	2	-	-	5	5	1	-
4	Forest Gate *w* - - -		53,511	31	13	4	4	-	-	-	-	-	1	-	-	1	-	1
5	East Ham *wHHH* - -	3,266	32,713	53	22	6	5	-	-	-	1	-	1	-	-	1	1	-
6	Leyton *WWWwH* - -	4,334	70,188	88	25	4	8	-	-	-	-	-	-	-	-	-	7	-
7	Walthamstow *HHHL* -	6,501	57,330	66	31	8	6	-	1	-	1	1	-	-	1	1	-	-
:1	Chigwell, *part of** *HHHH*	11,779	12,941	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
:1	Romford, *part of** *W* -	6,556	4,324	2	7	1	3	-	-	-	-	-	-	-	-	-	5	-
2	Ilford *H* - - - -	8,493	10,913	28	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	21	5	-	-	-	-	-	-	1	-	-	1	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring re as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham nd Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst ub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in Hatfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping pop. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for nfectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 28th April, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**18·0**	**1·7**	**2290**	**446**	**599**	**1**	**81**	**13**	**28**	**57**	**11**	**20**	**119**
INNER LONDON -	74,672	4,589,129	19·6	1·9	1721	302	457	1	68	11	20	40	8	17	95
OUTER RING -	368,749	2,063,016	14·4	1·2	569	144	142	–	13	2	8	17	3	3	24

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMO DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	April	28	188	116	20·0	–	1	–	4	2	–
GLASGOW - -	743,585	„	28	542	352	24·7	2	20	5	1	14	1
DUBLIN - -	349,594	„	28	202	178	26·5	–	–	–	–	2	3
CALCUTTA - -	466,460	Mar.	10	–	950	106·2	16	5	–	–	1	65‡†
BOMBAY - -	821,764	April	3	191	2405	152·2	120	65	?	?	?	948†
MADRAS - -	452,518	Mar.	30	–	–	–	–	–	–	–	–	–
PARIS - - -	2,511,629	April	21	1151	1015	21·0	–	24	1	7*	4	9
BRUSSELS - -	561,130	„	21	253	181	16·8	–	–	–	–	–	1
AMSTERDAM -	523,743	„	14	–	–	–	–	–	–	–	–	–
ROTTERDAM -	315,305	„	14	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	„	14	–	–	–	–	–	–	–	–	–
COPENHAGEN -	349,000	„	14	165	117	17·5	–	2	–	–	–	–
		„	21	268	126	18·8	–	–	–	3	–	–
STOCKHOLM -	291,580	„	14	147	124	21·7	–	–	1	3*	–	–
CHRISTIANIA -	221,255	„	21	153	105	24·7	–	–	1	–	1	–
ST. PETERSBURG	1,132,677	„	14	622	661	30·4	8	6	8	13	4	5
MOSCOW - -	988,610	„	14	–	–	–	–	–	–	–	–	–
BERLIN - -	1,848,269	„	7	–	–	–	–	–	–	–	–	–
HAMBURG - -	691,349	„	21	–	237	17·8	–	2	1	2*	1	–
DRESDEN - -	401,400	Mar.	31	–	–	–	–	–	–	–	–	–
BRESLAU - -	406,012	April	21	–	254	32·1	–	–	–	1	1	–
MUNICH - -	463,000	„	14	–	212	23·8	–	10	–	1*	–	1
VIENNA - -	1,639,811	„	14	929	854	26·8	–	16	3	7*	5	4
PRAGUE - -	385,952	„	14	232	231	30·7	–	–	1	1	2	1
BUDA-PESTH -	685,340	„	14	481	366	27·8	–	5	5	1	–	–
TRIESTE - -	167,286	„	7	117	91	28·2	–	–	1	1*	–	1
ROME - - -	512,423	Mar.	24	229	218	22·2	–	27	–	6	–	3§
TURIN (10 days)	344,203	Feb.	28	–	–	–	–	–	–	–	–	–
VENICE - -	172,491	April	14	84	78	23·6	–	–	–	–	–	2
CAIRO - -	570,062	Mar.	4	480	501	45·7	8	18	–	7*	1	9
ALEXANDRIA -	319,766	„	4	252	230	37·4	1	–	–	2*	–	4
NEW YORK (including BROOKLYN)	3,654,594	„	31	1605	1626	23·2	–	31	16	37	20	6
PHILADELPHIA -	1,266,832	April	7	–	732	30·1	–	19	6	29	6	11

* Including deaths from croup.
† Including 544 deaths from plague in Calcutta, and 685 in Bombay.
‡ Including 37 deaths from cholera in Calcutta, and 7 in Bombay.
§ Including one death from malarial fever.

1900. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 22	Last Quarter.	30·008	72·4	44·6	27·8	59·8	+11·3	45·3	14·5	27·0	3·3	59	107·3	36·4	46·31	WSW. & NW.	NW., NNW. & N.	0·7	0·0	0·0	171	−119	0·00	0·0
MONDAY - 23	..	29·947	62·5	41·6	20·9	49·8	+ 1·4	42·6	7·2	15·7	2·4	76	118·3	31·8	46·87	N., NNE. & NE.	NE. & ESE.	1·4	0·0	0·1	224	− 63	0·00	0·0
TUESDAY - 24	..	29·831	31·2	38·4	22·8	49·3	+ 0·9	39·2	10·1	17·1	2·5	68	122·3	28·5	47·32	ESE. & NE.	NE., N. & E.	0·7	0·0	0·0	148	−135	0·00	0·0
WEDNESDAY 25	In Equator	29·901	47·1	35·0	12·1	40·6	− 7·8	36·7	3·9	8·4	0·7	86	78·4	29·9	47·42	NNE. & NE.	NE., ENE. & E.	3·4	0·0	0·2	253	− 26	0·06	0·0
THURSDAY - 26	..	29·977	54·1	31·2	22·9	43·1	− 5·3	31·2	11·9	19·4	3·2	63	126·4	21·1	47·52	NE.	Variable & SW.	0·3	0·0	0·0	135	−140	0·00	0·0
FRIDAY - 27	Perigee	29·863	52·2	36·3	15·9	44·2	− 4·3	37·0	7·2	11·8	5·2	76	108·8	28·9	47·21	SW., WSW. & N.	NNE. & NE.	2·3	0·0	0·2	257	− 15	0·00	0·0
SATURDAY - 28	..	29·904	54·1	39·1	15·0	45·4	− 3·2	34·4	11·0	17·8	5·3	65	116·7	31·1	47·00	NE.	NE., SSE. & SSW.	1·2	0·0	0·1	183	− 86	0·00	0·0
MEANS -		29·919	57·7	38·0	19·6	47·5	− 1·0	38·1	9·4	16·7	3·2	70	111·2	29·7	47·09	Variable		..	..	..	Sum 1371	Sum −584	Sum 0·06	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 22	m. P. till noon; w. P. afterwards.	6·4	14·2	Cloudless and very fine till 10h. 30m. A.M.; partially cloudy afterwards. Partial solar halo in afternoon. Very warm.
MONDAY - 23	w. P. generally; m. P. occasionally.	6·8	14·3	Overcast till 9h. A.M.; fine and partially cloudy afterwards. Partial solar halo in afternoon.
TUESDAY - 24	m. P. till 5h. A.M.; s. P. till noon; v. P. till 7h P.M. m. P. afterwards.	7·0	14·4	Cloudless in morning; partially cloudy till 6h. P.M.; generally cloudless afterwards.
WEDNESDAY 25	v. P. till noon; s. P. generally afterwards.	0·3	14·4	Generally cloudy till evening, with rain between 8h. A.M. and noon; cloudless at night.
THURSDAY - 26	s. P. till 11h. A.M.; v. P. afterwards.	10·4	14·5	A very fine day; the amount of cloud was usually small. Hoar frost in early morning.
FRIDAY - 27	m. P. till 7h. A.M; s. P. generally afterwards.	0·7	14·5	Cloudless and very fine till 2h. 30m. A.M.; generally overcast afterwards.
SATURDAY - 28	m. P. generally -	8·3	14·6	Cloudy in morning; very fine and generally cloudless after 9h. A.M.
		Sum 39·9	Sum 100·9	
1.- -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·11 in. at the beginning of the week to 29·75 in. by 5h. A.M. on the 25th; increased to 30·06 in. by 8h. A.M. on the 26th; decreased to 29·82 in. by 5h. A.M. on the 27th; increased to 29·98 in. by 9h. A.M. on the 28th, and decreased to 29·81 in. by the end of the week

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 18. 1900. Vol. LXI.] WEEK ENDING SATURDAY, MAY 5. [Price 1½*d*.

General Register Office, Somerset House,
May 7th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 22·4, 21·2, and 20·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending				Towns.	Weeks ending			
	Apr. 14.	Apr. 21.	Apr. 28.	May 5.		Apr. 14.	Apr. 21.	Apr. 28.	May 5.
33 Great Towns	22·4	21·2	20·3	19·6	Leicester - -	18·3	23·8	18·1	16·4
Birkenhead -	19·1	12·9	12·9	14·7	Liverpool - -	28·5	26·9	26·0	23·2
Birmingham -	24·8	23·2	23·6	20·2	London - - -	21·0	20·6	19·6	19·0
Blackburn -	26·6	24·7	20·5	28·1	Manchester - -	30·5	25·9	26·1	27·2
Bolton - -	24·8	26·7	17·1	18·1	Newcastle-on-Tyne	21·1	18·9	14·0	18·9
Bradford -	19·5	18·4	20·4	17·7	Norwich - -	20·4	17·7	17·3	17·7
Brighton -	26·0	15·5	16·8	14·3	Nottingham - -	20·2	17·2	18·0	17·6
Bristol - -	22·0	24·1	19·1	21·8	Oldham - -	23·5	27·2	21·4	20·1
Burnley -	15·6	13·0	14·3	13·8	Plymouth - -	25·0	30·6	24·5	27·6
Cardiff - -	20·4	19·1	20·4	15·6	Portsmouth - -	18·2	17·7	16·9	13·4
Croydon -	18·7	16·7	16·3	14·7	Preston - -	28·1	25·4	23·2	24·6
Derby - -	18·3	20·3	20·3	20·3	Salford - - -	29·0	23·4	21·7	19·8
Gateshead -	21·0	21·0	20·0	13·3	Sheffield - -	27·2	22·7	22·2	21·4
Halifax -	26·4	19·7	23·3	17·6	Sunderland - -	16·6	21·2	17·7	25·1
Huddersfield-	23·5	25·0	18·0	17·0	Swansea - -	19·8	13·8	16·3	16·3
Hull - -	20·7	17·3	17·3	14·0	West Ham - -	15·8	17·1	15·6	14·4
Leeds - -	23·9	19·6	23·2	22·5	Wolverhampton -	30·3	18·6	30·8	30·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Huddersfield and in Sheffield, 1·1 in Leeds, 1·7 in Wolverhampton, 2·2 in Bristol, 2·4 in Derby, 2·7 in Blackburn, 3·5 in Cardiff, and 3·6 in Plymouth ; from *scarlet fever*, 1·0 in Oldham and 1·5 in Blackburn ; and from *whooping-cough*, 1·0 in Plymouth and in Leicester, 1·1 in Portsmouth, 1·2 in Wolverhampton, 1·3 in Bolton, 1·4 in Oldham, 1·8 in Manchester, and 1·9 in Salford. In none of the thirty-three towns did the death-rate from "*fever*," or from *diarrhœa* reach 1·0 per 1000. The 58 deaths from *diphtheria* included 21 in London, 5 in Leeds, 5 in Sheffield, 4 in West Ham, 4 in Bristol, 4 in Liverpool, 3 in Leicester, and 3 in Blackburn. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2737 BIRTHS and 1675 DEATHS were registered. Allowing for increase of population, the births were 38 below, and the deaths 65

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·0, 20·6, and 19·6 in the preceding three weeks, further fell last week to 19·0. During the four weeks ending on Saturday last the death-rate averaged 20·1 per 1000, being 1·0 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1675 deaths included 72 from measles, 4 from scarlet fever, 21 from diphtheria, 42 from whooping-cough, 6 from enteric fever, 11 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 156 deaths were referred to these diseases, being 64 below the corrected average weekly number.

The deaths from *measles*, which had been 59, 53, and 68 in the preceding three weeks, further rose last week to 72, but were 8 below the corrected average; 10 cases belonged to Hammersmith, 7 to Kensington, 7 to Islington, and 7 to Wandsworth sanitary areas. The deaths from *scarlet fever*, which had been 8, 5, and 11 in the preceding three weeks, fell again last week to 4, and were 12 below the corrected average; 2 cases belonged to Woolwich sanitary area. The deaths from *diphtheria*, which had been 19, 17, and 20 in the preceding three weeks, were 21 last week, the corrected average being 34; 4 cases belonged to Islington and 3 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 51, 49, and 40 in the preceding three weeks, rose again last week to 42, but were 22 below the corrected average; 4 cases belonged to Hackney and 4 to Battersea sanitary areas. The fatal cases of *enteric fever*, which had been 12, 9, and 8 in the preceding three weeks, further fell last week to 6, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 8, 8, and 17 in the preceding three weeks, fell again last week to 11, and were 6 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 501, 460, and 411 in the preceding three weeks, rose again last week to 417, and were 93 above the corrected average. The deaths attributed directly to *influenza* numbered 27, having been 42, 60, and 39 in the preceding three weeks.

Different forms of violence caused 67 deaths, concerning all but 2 of which inquests were held. Of these 67 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 55 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 10 to burns and scalds, 9 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 8 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 6 cases of small-pox, 1660 of scarlet fever, 1131 of diphtheria, and 192 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, no case, against 2, 2, and 5; of scarlet fever, 176 cases, against 189, 165, and 170; of diphtheria, 152 cases, against 134, 121, and 158; and of enteric fever, 19 cases, against 24, 33, and 27.

Greater London.

In Greater London 3901 births and 2198 deaths were registered, corresponding to annual rates of 30·6 and 17·2 per 1000 of the estimated population. In the Outer Ring 18 deaths from measles, 2 from scarlet fever, 14 from diphtheria, 14 from whooping-cough, 3 from "fever," and 5 from diarrhœa were registered. Eight deaths from diphtheria, and 7 from whooping-cough occurred in West Ham district; 5 deaths from measles occurred in Hendon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 52°·7; the latter being 3°·2 above the week's average in the 50 years 1841–90. The direction of the wind was South-westerly, the horizontal movement of the air being 21 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 41·4 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 5th May 1900. Births.	Registered during the Week ending 5th May 1900. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per cent. corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. (Fahrenheit.)	Temperature. Lowest. (Fahrenheit.)	Temperature. Mean. Fahrenheit.	Temperature. Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6896**	**4362**	**988**	**1090**	**–**	**167**	**32**	**58**	**126**	**18**	**28**	**163**	**323**	**1013**	**52**	**19·6**	**1·9**	**70·7**	**32·1**	**49·4**	**9·67**	**0·26**	**0·66**	**33 Towns.**
London	4,589,129	2737	1675	345	436	–	72	4	21	42	6	11	67	143	541	7	19·0	1·8	70·4	36·2	52·7	11·50	0·19	0·48	London.
West Ham	314,472	164	87	25	19	–	2	–	4	5	1	–	8	10	15	1	14·4	2·0	–	–	–	–	–	–	West Ham.
Croydon	131,186	86	37	4	16	–	1	–	–	–	–	–	2	3	8	–	14·7	0·4	70·7	33·5	51·5	10·83	0·29	0·74	Croydon.
Brighton	124,148	62	34	6	14	–	–	–	1	–	–	1	1	4	8	1	14·3	0·8	63·2	36·0	49·4	9·67	0·22	0·56	Brighton.
Portsmouth	194,955	89	50	8	13	–	–	–	–	4	–	–	4	6	8	1	13·4	1·1	61·5	39·0	50·1	10·06	0·30	0·76	Portsmouth.
Plymouth	102,161	65	54	8	14	–	7	–	–	2	–	–	3	4	3	–	27·6	4·6	–	–	–	–	–	–	Plymouth.
Bristol	324,973	173	136	25	45	–	14	–	4	1	–	–	4	9	27	1	21·8	3·0	–	–	–	–	–	–	Bristol.
Cardiff	194,247	102	58	18	9	–	13	1	–	–	–	–	2	3	3	–	15·6	3·8	–	–	–	–	–	–	Cardiff.
Swansea	105,472	60	33	12	4	–	–	–	1	1	1	–	1	5	7	–	16·3	1·5	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	63	52	15	12	–	3	–	–	2	–	1	2	4	8	–	30·3	3·5	63·0	32·1	47·1	8·39	0·34	0·86	Wolverhampton.
Birmingham	519,610	329	201	57	41	–	3	2	–	6	2	1	8	14	36	4	20·2	1·4	–	–	–	–	–	–	Birmingham.
Norwich	114,855	66	39	13	11	–	–	–	1	–	–	1	1	–	4	2	17·7	0·9	–	–	–	–	–	–	Norwich.
Leicester	219,169	120	69	12	16	–	1	–	3	4	–	1	2	5	17	2	16·4	2·1	–	–	–	–	–	–	Leicester.
Nottingham	242,676	148	82	19	26	–	–	4	–	1	1	–	2	4	18	1	17·6	1·3	60·4	36·1	47·9	8·83	0·24	0·61	Nottingham.
Derby	107,991	61	42	11	10	–	5	–	–	–	–	–	–	1	3	–	20·3	2·4	–	–	–	–	–	–	Derby.
Birkenhead	117,170	64	33	7	10	–	–	–	1	–	–	–	2	3	9	–	14·7	0·4	–	–	–	–	–	–	Birkenhead.
Liverpool	634,780	466	282	61	61	–	5	2	4	9	1	2	11	17	76	9	23·2	1·9	61·6	41·6	48·8	9·33	0·40	1·02	Liverpool.
Bolton	164,240	106	57	19	11	–	2	–	–	4	–	–	–	2	3	1	18·1	1·9	–	–	–	–	–	–	Bolton.
Manchester	548,768	363	286	62	72	–	7	2	1	19	1	5	10	21	64	3	27·2	3·3	–	–	–	–	–	–	Manchester.
Salford	220,816	122	84	22	14	–	1	2	2	8	1	2	2	6	13	–	19·8	3·3	–	–	–	–	–	–	Salford.
Oldham	153,297	57	59	12	9	–	1	3	1	4	–	–	1	2	8	–	20·1	3·1	–	–	–	–	–	–	Oldham.
Burnley	116,730	51	31	11	6	–	–	1	–	2	–	1	2	3	3	–	13·8	1·8	–	–	–	–	–	–	Burnley.
Blackburn	137,107	77	74	15	19	–	7	4	3	1	–	–	1	2	10	3	28·1	5·7	–	–	–	–	–	–	Blackburn.
Preston	118,902	73	56	14	14	–	2	1	1	2	–	–	1	2	9	2	24·6	2·6	–	–	–	–	–	–	Preston.
Huddersfield	104,484	37	34	5	9	–	2	–	–	–	–	–	–	1	5	–	17·0	1·0	61·0	39·5	48·6	9·22	0·24	0·61	Huddersfield.
Halifax	100,710	35	34	5	13	–	1	–	–	–	–	–	1	1	7	2	17·6	0·5	–	–	–	–	–	–	Halifax.
Bradford	291,535	158	99	21	29	–	–	2	–	3	–	1	1	3	14	–	17·7	1·1	62·0	40·6	49·3	9·61	0·26	0·66	Bradford.
Leeds	431,287	249	186	52	34	–	9	2	5	3	2	–	4	19	22	–	22·5	2·5	–	–	–	–	–	–	Leeds.
Sheffield	365,922	241	150	40	38	–	7	2	5	–	1	1	4	5	24	2	21·4	2·3	–	–	–	–	–	–	Sheffield.
Hull	238,736	156	64	13	19	–	1	–	–	–	–	–	6	6	11	4	14·0	0·2	65·0	35·0	48·8	9·33	0·12	0·30	Hull.
Sunderland	147,398	110	71	24	15	–	–	–	–	–	–	–	3	7	11	3	25·1	–	–	–	–	–	–	–	Sunderland.
Gateshead	109,403	74	28	6	8	–	1	–	–	–	–	–	1	1	1	1	13·3	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	234,369	132	85	17	23	–	–	–	–	3	1	–	6	7	17	2	18·9	0·9	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2613	2658	2735	2625	2637	2837	2565	2638	2449	2623	2775·2	2737
Males - -	1373	1408	1394	1338	1288	1421	1322	1365	1232	1314	1415·5	1364
Females - -	1240	1250	1341	1287	1349	1416	1243	1273	1217	1309	1359·7	1373
TOTAL **Deaths** -	1533	2069	1549	1576	1428	1395	1570	1323	1464	1397	1610·0	1675
Males - -	811	1056	819	805	756	729	815	720	761	705	839·2	889
Females - -	722	1013	730	771	672	666	755	603	703	692	770·8	786

*The numbers in this column are the average weekly numbers in the eighteenth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.
TOTAL **Births** - - -	2889	2439	2805	2561	2841	2628	2675	2736	2580	2292	2610	2697	2737
TOTAL **Deaths** - - -	1792	2013	1894	1668	1652	1659	1817	1785	1932	1844	1811	1721	1675
Ages at Death: Under 1 year - -	356	380	355	340	345	385	413	368	366	356	369	302	349
1—5 years - -	200	200	218	189	208	215	260	247	250	249	220	238	217
5—20 " - -	104	104	91	72	102	87	94	96	106	91	102	84	80
20—40 " - -	221	230	245	218	219	216	232	227	238	229	250	247	222
40—60 " - -	354	448	392	362	367	327	352	340	405	380	352	393	371
60—80 " - -	444	519	476	375	342	339	368	414	458	452	423	374	348
80 years and upwards	113	132	117	112	69	90	98	93	109	87	95	83	88
Deaths from—													
Small pox - - - -	-	-	-	1	-	-	-	-	-	-	-	1	-
Measles - - - - -	33	50	42	41	39	56	50	60	62	59	53	68	72
Scarlet Fever - - -	7	5	4	9	8	6	3	7	7	8	5	11	4
Diphtheria - - - -	51	35	48	26	41	35	36	31	32	19	17	20	21
Whooping-cough - - -	37	51	40	43	37	35	49	45	50	51	49	40	42
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	22	18	17	18	13	13	7	7	20	12	9	8	6
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	11	6	11	7	6	8	17	8	6	8	8	17	11
Cholera - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-
All the above Diseases -	162	165	163	145	144	153	162	158	177	157	141	166	156
Dis. of Respiratory System -	423	527	485	380	378	391	456	469	499	501	460	411	417
Phthisis - - - - -	161	193	162	170	158	178	205	202	186	160	177	164	168
Dis. of Circulatory System -	154	191	164	156	161	126	154	149	184	169	139	146	154
Violence - - - -	89	75	76	82	82	63	61	91	77	69	76	95	67
Inquest Cases - - - -	199	180	193	173	169	152	154	203	186	162	169	198	143
Deaths in Public Institutions -	593	591	590	551	524	526	539	548	541	515	581	520	541
TEMPERATURE OF THE AIR.													
Mean - - - - -	31°·0	35°·2	45°·4	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7
Mean of Highest readings -	36·2	41·4	51·6	48·0	43·7	47·6	45·7	44·2	51·1	56·4	62·1	57·7	61·7
Mean of Lowest readings -	25·4	29·1	39·4	39·8	35·8	34·3	32·7	31·1	34·3	40·7	41·2	38·0	44·0
Humidity of the Air - -	73	84	85	90	79	76	83	74	76	72	69	70	70
Rain-fall (in inches) - -	0·29	1·46	0·51	0·65	0·02	0·08	0·61	0·16	0·45	0·22	0·15	0·06	0·19
Registered Sunshine (in hours)	19·3	13·5	18·3	5·3	15·5	13·4	23·1	26·3	27·0	31·9	50·8	39·9	41·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	17	8	11	7	7	5	5	3	2	3	4	6	6
Scarlet Fever - - - -	2089	2052	2009	1868	1777	1760	1715	1696	1713	1694	1676	1647	1660
Diphtheria - - - -	1549	1498	1437	1407	1385	1361	1329	1243	1193	1161	1141	1141	1131
Enteric Fever - - - -	281	270	280	274	270	265	268	263	243	224	219	208	192

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the EIGHTEENTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 18th Week of the 10 years 1890–99*.	In the Week ending Saturday, 5th May, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1610·0	1675	349	217	80	222	371	348	88
l- Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Unvaccinated	0·4	-	-	-	-	-	-	-	-
No Statement	0·6	-	-	-	-	-	-	-	-
es - - - -	80·0	72	15	52	5	-	-	-	-
t Fever - - -	15·6	4	-	3	1	-	-	-	-
is - - - -	0·1	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	33·0	27	1	2	1	4	9	6	4
ping-cough - -	63·6	22	21	19	2	-	-	-	-
heria - -	34·2	21	2	13	5	1	-	-	-
e Continued and efined Fever -	0·1	-	-	-	-	-	-	-	-
ic Fever - - -	8·0	6	-	1	1	3	1	-	-
ra and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
hœa, Dysentery -	16·6	11	3	1	1	-	1	5	-
tent Fever - -	0·2	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects of cination - -	0·1	1	1	-	-	-	-	-	-
eal Affections - -	6·1	5	3	-	-	-	1	1	-
pelas - - -	4·1	4	1	-	1	-	1	1	-
nia and Septicæmia	1·7	2	1	-	-	1	-	-	-
eral Fever - -	3·6	3	-	-	-	3	-	-	-
Zymotic Diseases	2·0	2	1	-	-	-	1	-	-
gh - - - -	0·6	3	3	-	-	-	-	-	-
ns and other Parasical Diseases -	0·3	-	-	-	-	-	-	-	-
ation, Want of ast-milk - -	1·8	3	3	-	-	-	-	-	-
olism - - -	9·6	11	-	-	-	3	8	-	-
matic Fever, eumatism of Heart	5·6	2	-	-	-	2	-	-	-
matism - - -	1·6	-	-	-	-	-	-	-	-
- - - - -	4·0	2	-	-	-	1	-	1	-
ets - - - -	5·6	7	2	5	-	-	-	-	-
er - - - -	69·0	80	-	-	3	7	37	30	3
s Mesenterica - -	17·6	13	7	4	1	-	-	1	-
rcular Meningitis -	25·2	27	10	10	5	2	-	-	-
isis - - - -	160·3	168	-	4	11	72	63	18	-
ula, Tuberculosis -	23·9	24	6	3	6	5	1	3	-
r Constitutional eases - -	13·0	22	-	1	2	4	8	6	1
nature Birth - -	48·3	55	55	-	-	-	-	-	-
ectasis - - -	2·9	7	7	-	-	-	-	-	-
enital Malformans - - - -	7·9	8	7	1	-	-	-	-	-
Age - - - -	49·7	54	-	-	-	-	-	24	30
plexy - - -	42·0	38	2	-	-	2	16	13	5
epsy - - - -	8·1	6	-	-	1	3	1	1	-
ulsions - - -	33·0	23	21	1	-	1	-	-	-
r Diseases of Brain l Nervous System	82·5	72	9	16	4	6	15	19	3
ases of Organs of ecial Sense -	2·2	4	-	1	2	-	1	-	-

CAUSES OF DEATH	Corrected Averages for the 18th Week of the 10 years 1890–99*.	In the Week ending Saturday, 5th May, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	137·2	154	1	-	6	20	55	61	11
Croup - - - -	4·2	-	-	-	-	-	-	-	-
Bronchitis - - -	157·7	172	35	18	1	1	30	69	18
Pneumonia - - -	132·6	214	42	43	5	33	49	37	5
Pleurisy - - - -	7·4	8	1	-	-	-	5	2	-
Other Diseases of Respiratory System -	22·5	23	3	1	2	1	7	7	2
Dentition - - - -	10·9	9	3	6	-	-	-	-	-
Quinsy, Sore Throat -	1·6	4	-	-	-	-	2	1	1
Enteritis - - -	12·3	7	2	-	1	2	2	-	-
Gastro-enteritis -		9	7	1	-	-	1	-	-
Peritonitis - - -	6·6	3	-	-	1	2	-	-	-
Diseases of Liver - -	27·0	28	5	-	-	1	12	10	-
Other Diseases of Digestive System	32·5	30	9	2	3	3	4	8	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	44·0	44	-	2	3	7	18	14	-
Diseases of Generative System - - -	5·0	7	-	-	-	4	3	-	-
Accidents of Childbirth-	4·8	8	-	-	-	8	-	-	-
Diseases of Locomotive System - - -	6·7	4	-	-	-	1	-	3	-
Diseases of Integumentary System- -	5·6	8	2	-	-	-	1	3	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	52·7	1	-	-	-	1	-	-	-
By Vehicles or Horses -		6	-	-	1	2	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		3	-	-	-	2	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		10	1	5	1	1	1	1	-
By Drowning - - -		9	-	-	3	6	-	-	-
By Suffocation in Bed -		8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	1	-	-	-	-
Other or not stated causes - - - -		16	6	1	-	2	5	-	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	1	1	-	-	-	-	-	-
Suicide - - - -	10·2	11	-	-	-	3	6	2	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	39·7	46	42	1	-	1	2	-	-

The numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered dical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 5th May, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	
LONDON - - -	4,411,710	2737	1675	349	436	-	72	4	21	42	-	6	-	11	67	143	541
WEST DISTRICTS - - -	778,251	406	307	56	91	-	19	1	1	4	-	1	-	3	9	25	107
NORTH DISTRICTS - - -	1,040,694	581	318	61	76	-	15	1	7	9	-	1	-	1	12	24	88
CENTRAL DISTRICTS - - -	233,635	147	125	23	26	-	9	-	1	5	-	-	-	-	6	13	53
EAST DISTRICTS - - -	716,334	562	302	77	75	-	12	-	-	9	-	1	-	3	17	43	100
SOUTH DISTRICTS - - -	1,642,796	1041	587	132	153	-	17	2	12	15	-	3	-	4	23	38	151
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	15	-	-	-	-	-	-	-	-	-	-	-	36
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	63	42	11	13	-	-	-	-	2	-	-	-	1	1	8	7
St. John Paddington *H* - - G.	33,510	11	11	1	3	-	-	-	-	-	-	-	-	-	1	1	7
Kensington Town *Ww* - - W.	122,164	68	61	8	27	-	5	-	-	-	-	-	-	1	-	1	32
Brompton *HH* - - - W. & C.	48,301	17	10	2	3	-	1	-	-	-	-	-	-	1	-	1	-
North Hammersmith *H* } W. & G.	44,638	33	17	3	3	-	5	-	-	-	-	-	-	-	1	1	-
South Hammersmith *H* } W. & G.	59,561	26	26	5	3	-	5	-	-	-	-	-	-	-	1	3	9
Fulham *Ww* - - - W. & C.	113,781	85	44	9	10	-	1	1	1	-	-	1	-	-	2	4	14
Chelsea Kensal Town - C.	21,450	12	9	4	1	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea North *WHHHH* - C.	42,057	14	25	2	7	-	-	-	-	-	-	-	-	-	-	-	17
Chelsea South *HH* - - C.	33,139	14	12	-	8	-	-	-	-	-	-	-	-	-	-	-	2
May Fair *W* - - - - G.	23,827	7	8	-	5	-	-	-	-	-	-	-	-	-	-	-	7
Belgrave *WHHH* - - - C.	56,140	27	21	3	3	-	-	-	-	1	-	-	-	-	2	2	8
St. John Westminster *HH* - C.	31,492	9	8	3	-	-	2	-	-	-	-	-	-	-	-	2	-
St. Margaret Westminster *H* - C.	22,097	4	7	4	2	-	-	-	-	1	-	-	-	-	-	1	3
St. James Westminster *WH* } N. & G.	23,050	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1
St Anne Soho *HHHHH* - N.	12,048	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	8	13	-	4	-	-	-	-	-	-	-	-	-	2	2	4
Rectory Marylebone *W* G. & W.	19,798	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	23	5	3	-	-	3	-	-	1	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	18	7	3	-	-	-	-	1	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W.	32,611	16	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *WwHHHH* } - N. & W.	75,449	38	20	4	6	-	1	1	2	-	-	-	-	-	1	1	7
Regent's Park † *HH* - W.	51,403	27	20	3	5	-	-	-	1	2	-	-	-	-	1	2	1
Tottenham-court *wHHHHHH* } - N. & W.	26,757	5	16	1	1	-	-	-	-	-	-	-	-	-	2	2	13
Gray's Inn Lane *HHHH* - N.	29,426	14	11	4	2	-	1	-	-	-	-	-	-	-	1	1	2
Somers Town *HH* - - - N.	32,161	18	9	2	-	-	1	-	-	-	-	-	-	-	1	2	5
Camden Town† *WH* - - N.	40,155	29	19	6	4	-	1	-	-	1	-	-	-	-	2	4	9
Kentish Town† *WW* - - N.	60,862	37	15	3	4	-	-	-	-	-	-	-	-	-	-	-	5
Upper Holloway *WWWWwHH* } - - N.	98,273	46	58	6	14	-	-	-	1	-	-	-	-	1	-	3	32
Lower Holloway‡ - - - N.	41,805	26	10	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	29	8	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	41	26	6	7	-	2	-	1	1	-	-	-	-	-	2	2
Highbury *HH* - - - N.	64,577	41	8	2	3	-	1	-	-	-	-	-	-	-	-	1	1
Stoke Newington *H* - - N.	33,485	13	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	30	12	1	6	-	-	-	1	1	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		30	14	2	5	-	-	-	-	2	-	1	-	-	-	2	2
South-west Hackney *HHH* E. & N.		39	17	5	4	-	-	-	-	1	-	-	-	-	1	1	4
South-east Hackney *WwH* E. & N.		43	13	4	3	-	1	-	-	-	-	-	-	-	-	1	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two n Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 5th May, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles ith *WH* - - - N.	29,086	17	13	1	5	-	1	-	-	-	-	-	-	-	-	-	5	-
iles North *H* - - - N.	9,151	7	6	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-
artin-in-the-Fields *HH* N. & C.	13,077	5	8	1	-	-	-	-	-	-	-	-	-	-	-	1	5	-
nd *WHH* - - - - N.	11,839	1	7	-	1	-	-	-	-	-	-	-	-	-	-	1	5	-
d Union Workhouse, Edmonton	†1,037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
orn *wHHHHHH* - N.	31,042	20	20	7	1	-	6	-	-	2	-	-	-	-	1	2	9	-
mes Clerkenwell - - N.	15,777	13	8	1	2	-	-	-	-	2	-	-	-	-	1	1	-	-
ell Clerkenwell - - N.	34,356	24	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ell-street - - - - N.	16,069	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
road *HHHHL* - - N.	29,897	43	17	5	2	-	1	-	-	-	-	-	-	-	1	3	5	-
ecross-street - - - N.	7,595	6	7	2	4	-	-	-	-	-	-	-	-	-	1	1	-	-
bury - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, cham - - - -	†892	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	5	-
otolph* *H* - - N. & E.	13,061	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
epulchre *WH* - - - N.	9,591	3	15	1	2	-	-	-	1	-	-	-	-	-	1	2	12	-
allows Barking - - - N.	9,059	4	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
of London Asylum, Stone - -	†388	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	12	5	2	3	-	-	-	-	-	-	-	-	-	-	2	1	-
on New Town *w* - - N.	29,575	18	18	3	7	-	1	-	-	-	-	-	-	1	-	2	8	-
ton Old Town - - - N.	27,645	29	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
gerston *WH* - - N. & E.	47,163	36	27	9	3	-	-	-	-	2	-	-	-	1	1	3	8	-
nal Green North *H* - E.	49,301	42	14	3	1	-	2	-	-	1	-	-	-	-	1	1	1	-
nal Green South - - E.	34,194	21	8	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
nal Green East *WWHl* - E.	45,667	32	42	8	17	-	1	-	-	2	-	-	-	1	-	-	25	-
alfields - - - E. & N.	26,681	26	6	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
End New Town *WH* - E.	51,995	31	33	7	5	-	-	-	-	-	-	1	-	-	3	8	33	-
dman's Fields - - - E.		19	6	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
eorge's, North - - - E.	39,576	48	14	6	2	-	1	-	-	-	-	-	-	-	-	3	-	-
ohn, St. George East *W* E.	7,930	5	11	-	6	-	-	-	-	-	-	-	-	-	-	2	10	-
dwell *H* - - - E. & N.	10,434	12	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
cliff *W* - - - - E.	14,954	7	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ehouse - - - - E.	32,917	22	15	4	3	-	3	-	-	1	-	-	-	-	1	4	-	-
e End Old Town West *H* E.	111,060	66	14	3	4	-	-	-	-	-	-	-	-	-	1	2	-	-
e End Old Town East *Www* - E.		27	16	2	4	-	-	-	-	1	-	-	-	-	-	-	4	-
l - - - - E.	41,687	28	17	8	4	-	-	-	-	-	-	-	-	-	2	2	3	-
mley *wwwH* - - - E.	69,821	47	22	4	4	-	-	-	-	-	-	-	-	-	2	6	9	-
lar *WW* - - - - E.	57,759	34	24	4	10	-	2	-	-	1	-	-	-	-	4	4	3	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 5th May, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	13,064	11	4	2	1	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	7	7	1	1	–	–	–	–	–	–	–	–	–	2	2
Kent-road - - - - S. & L.	22,879	21	5	1	–	–	–	–	–	–	–	–	–	1	–	1
Borough-road *WH* - S. & L.	16,083	8	10	4	–	–	–	–	–	1	–	–	–	–	–	–
London-road *HL* - - L. & S.	21,316	14	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,723	26	9	6	–	–	1	–	–	–	–	–	–	–	1	1
St. Peter Walworth *W* - S. & L.	62,045	28	12	5	1	–	–	–	1	1	–	–	–	–	–	–
St. Mary Newington- - L. & S.	30,171	20	7	5	1	–	–	–	–	–	–	–	–	–	2	2
St. Olave *WH* - - - - S.	11,731	7	15	3	2	–	–	–	–	1	–	–	–	–	3	3
Bermondsey *W* - - - S.	85,475	59	29	3	5	–	–	–	1	1	–	1	–	–	–	1
Rotherhithe *Ww* - S. & K.	40,379	20	27	7	8	–	3	–	1	–	–	–	–	1	1	2
Waterloo-road *HH* - L. & S.	28,396	33	7	2	1	–	1	–	–	–	–	–	–	–	–	–
Lambeth Church 1st *H* - L. & S.	18,770	14	21	6	3	–	–	–	–	1	–	–	–	–	3	3
Lambeth Church 2nd *WW* L. & S.	40,994	41	20	2	9	–	–	–	–	–	–	–	–	–	1	1
Kennington 1st *H* - - S. & L.	52,486	33	12	2	6	–	–	–	–	–	–	–	–	–	1	1
Kennington 2nd - - S. & L.	43,244	19	10	1	2	–	–	–	–	–	–	–	–	–	–	–
Brixton *w* - - - L. & S.	81,825	55	29	9	8	–	2	–	2	–	–	–	–	–	1	2
Norwood *WH*- - - - L.	29,318	22	7	3	4	–	–	–	–	–	–	–	–	–	–	–
East Battersea - - - - S.	71,730	50	17	3	5	–	–	–	–	1	–	–	–	–	–	1
North-west Battersea† - - S. / South-west Battersea† *WwH* - S.	93,385	55	37	9	12	–	1	–	–	3	–	–	–	–	1	2
Clapham *H* - - - - S.	46,953	27	14	4	4	–	–	–	–	–	–	–	–	–	1	2
Streatham *WwwwwL* - - L.	61,644	28	22	7	6	–	5	–	–	1	–	–	–	–	–	–
Wandsworth *WHHL* - - S.	58,101	42	19	3	5	–	2	–	–	–	–	–	–	–	–	2
Putney - - - - - - S.	20,566	11	4	–	2	–	–	–	–	–	–	–	–	–	–	1
Dulwich - - - L. & S.	7,519	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	51	46	4	22	–	–	–	–	–	–	–	–	2	1	2
Peckham *WW* - S., L., & K.	88,242	57	23	4	7	–	–	–	1	1	–	–	–	–	–	1
St. George Camberwell - L. & S.	67,029	43	15	7	3	–	–	–	–	1	–	–	–	–	1	1
Deptford North - - - K.	36,152	25	11	4	1	–	1	–	1	–	–	–	–	–	1	2
Deptford Central *w* - - K.	45,441	25	6	2	2	–	–	–	–	–	–	–	–	–	–	–
Deptford South - - - K.	33,402	12	7	–	3	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,012	14	7	2	3	–	–	–	–	–	–	–	–	–	–	1
Greenwich East *WH* - - K.	37,767	17	27	2	9	–	–	–	–	–	–	–	–	–	–	–
Eltham *wH* - - - - K.	5,911	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	24,222	11	8	2	3	–	–	–	–	–	–	–	–	–	1	1
Lewisham *WwH* - - - K.	38,139	38	27	6	5	–	1	–	3	–	–	1	–	–	–	–
Sydenham *H* - - - - L.	37,601	18	11	2	5	–	–	–	–	–	–	–	–	–	–	–
Charlton *wHH* - - - K.	15,928	13	13	4	–	–	–	2	2	2	–	1	–	–	–	–
Woolwich* *HHHH* - - K.	41,314	20	17	3	–	–	–	–	–	1	–	–	–	–	1	2
Plumstead West *H* - - K.	16,714	10	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	42,538	30	18	1	3	–	–	–	–	–	–	–	–	–	1	1
Banstead Asylum - - - -	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	–
Horton Asylum, Epsom - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum Dartford Heath - - - - -	—	–	7	–	4	–	–	–	–	–	–	–	–	–	–	–
Hanwell Asylum - - - -	—	–	4	–	3	–	–	–	–	–	–	–	–	–	–	–
Colney Hatch Asylum - - -	—	–	7	–	2	–	–	–	–	–	–	–	–	–	–	–
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–
Claybury Asylum - - - -	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwi

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

-LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ng Saturday, 5th May, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
ON OUTER RING -	368,749	1,422,063	1164	523	105	161	-	18	2	14	14	3	5	23	45	73	4
Carshalton *H* - - -	12,228	26,108	15	3	1	1	-	-	-	1	-	-	-	-	1	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	2	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Godstone, *part of** *W* -	2,754	1,598	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	109	41	6	16	-	1	-	-	-	-	-	2	3	9	-
Mitcham *w* - - -	11,697	23,072	16	4	1	1	-	-	-	1	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	22	11	5	4	-	1	-	-	-	-	1	-	-	-	-
Kingston *WH* - - -	14,672	33,566	20	13	1	6	-	-	-	-	-	-	-	1	3	4	-
Surbiton *HH* - - -		12,178	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	11	5	1	-	-	1	-	-	-	-	-	-	1	-	-
Richmond *WHH* - -	2,160	25,389	11	8	-	5	-	-	-	-	-	-	-	-	-	2	-
Mortlake *H* - - -	2,823	16,159	10	8	1	3	-	-	-	-	-	-	-	1	1	-	-
Bromley *HHH* - - -	9,127	23,815	12	7	1	2	-	-	-	-	-	-	-	-	-	1	-
Beckenham *H* - - -	6,542	21,969	9	6	-	1	-	-	-	-	1	-	-	-	-	2	-
Chislehurst, *part of** *WHH*	14,307	20,372	11	12	2	4	-	-	-	-	-	-	-	1	1	3	-
Bexley *HHH* - - -	12,540	30,590	29	10	-	5	-	-	-	1	-	-	-	1	2	1	-
Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	13,671	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	5	10	1	1	-	1	-	-	-	-	-	-	-	5	-
Hillingdon *WHH* - -	6,035	12,237	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Uxbridge - - - -	12,757	7,253	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	6	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	23	9	1	4	-	-	-	-	-	-	-	-	-	2	-
Twickenham *HH* - -	2,415	16,027	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	20	11	1	4	-	2	-	1	-	-	1	1	1	1	-
Chiswick - - - -	1,245	21,963	12	7	3	3	-	-	-	-	1	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	25	18	4	5	-	1	-	-	-	-	1	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	14	3	2	1	-	-	-	-	1	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	72	24	7	7	-	5	-	-	2	-	-	-	2	1	-
Hendon *WH* - - -	8,382	15,843	10	3	1	2	-	-	-	-	-	-	-	-	-	1	-
South Mimms *HH* - -	21,077	6,367	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	12	5	1	2	-	-	-	-	-	-	-	-	1	1	-
Hornsey *HH* - - -	3,039	61,097	48	14	4	2	-	-	-	-	1	-	-	1	1	-	-
Tottenham *HHH* - -	4,642	97,174	87	37	4	8	-	3	-	1	-	1	2	-	2	2	1
Edmonton *Ww* - -	7,489	36,351	44	22	3	8	-	-	-	-	-	-	-	2	3	4	2
Enfield *WWHH* - -	12,602	31,536	23	9	1	3	-	-	-	-	-	-	-	-	1	-	-
Waltham Abbey - - -	11,017	6,066	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	41	22	7	4	-	-	-	1	-	-	-	2	3	3	-
Plaistow *HHH* - - -		58,030	54	27	5	4	-	1	-	2	2	-	-	1	1	2	-
Canning Town *H* - -		54,750	43	22	9	4	-	1	-	-	3	1	-	5	6	2	1
Forest Gate *w* - - -		53,511	26	8	2	3	-	-	-	1	-	-	-	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	83	19	2	5	-	-	-	1	-	-	-	1	3	1	-
Leyton *WWWwH* - -	4,334	70,188	58	35	8	11	-	1	-	-	-	1	-	2	5	14	-
Walthamstow *HHHL* -	6,501	57,330	69	29	9	5	-	-	-	3	2	-	-	1	2	2	-
Chigwell, *part of** *HHHH*	11,779	12,941	5	6	1	3	-	-	-	-	1	-	-	1	1	2	-
Epping *WH*, *part of** - -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Romford, *part of** *W* -	6,556	4,324	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	28	4	1	2	-	-	-	-	-	-	-	-	1	-	-
Barking Town, *H* - -	3,814	14,301	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Eastern Fever Hospital, Homerton.	—	—	-	2	-	-	-	-	1	1	-	-	-	-	-	2	-
Middlesex County Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham arley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are ncluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 5th May, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**17·2**	**1·7**	**2198**	**454**	**597**	**-**	**90**	**6**	**35**	**56**	**9**	**16**	**90**
INNER LONDON -	74,672	4,589,129	19·0	1·8	1675	349	436	-	72	4	21	42	6	11	67
OUTER RING -	368,749	2,063,016	13·2	1·4	523	105	161	-	18	2	14	14	3	5	23

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	May	4	182	134	23·1	-	2	-	2	2	1
GLASGOW - -	743,585	"	4	511	296	20·8	-	11	2	1	14	5
DUBLIN - -	349,594	"	4	246	199	29·7	-	-	-	-	4	6
CALCUTTA - -	466,460	Mar.	17	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	April	10	178	2365	149·7	111	45	?	?	?	980†
MADRAS - -	452,518	Mar.	30	-	-	-	-	-	-	-	-	-
PARIS - - -	2,511,629	April	28	1204	1044	21·6	-	30	4	6*	6	17
BRUSSELS - -	561,130	"	28	260	186	17.2	-	1	-	-	-	4
AMSTERDAM -	525,459	"	14	281	153	15·2	-	-	-	2	2	1
ROTTERDAM -	322,920	"	14	243	84	13·5	-	1	-	1	2	-
THE HAGUE -	205,328	"	14	111	64	16·2	-	2	-	-	-	-
COPENHAGEN -	349,000	"	28	177	130	19·4	-	3	-	3	2	-
STOCKHOLM -	29,7148	"	21	160	105	18·4	-	-	-	2*	1	-
CHRISTIANIA -	221,255	"	28	102	83	19·5	-	-	1	-	1	-
ST. PETERSBURG	1,132,677	"	21	476	628	28·9	8	11	9	19	3	16
MOSCOW - -	988,610	"	14	-	586	30·9	5	11	14	8	6	4
BERLIN - -	1,848,269	"	7	-	-	-	-	-	-	-	-	-
HAMBURG - -	691,349	"	28	-	244	18·4	-	1	-	2*	-	-
DRESDEN - -	403,400	"	7	264	154	19·8	-	1	1	1*	1	-
BRESLAU - -	412,959	"	28	-	192	24·2	-	-	-	1	-	1
MUNICH - -	463,000	"	21	328	205	23·0	-	7	-	1*	1	1
VIENNA - -	1,656,662	"	21	1077	802	25·2	-	16	4	3*	4	6
PRAGUE - -	385,952	"	21	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	685,340	"	21	487	342	25·9	-	2	7	3	4	-
TRIESTE - -	168,264	"	14	100	99	30·6	-	2	1	-	-	-
ROME - - -	514,306	"	7	238	197	20·0	1	15	-	-	-	2
TURIN (8 days)	344,203	Feb.	28	165	202	28·0	-	10	1	-	-	3
VENICE - -	172,491	April	21	91	65	19·6	1	-	-	6*	-	2
CAIRO - -	570,062	Mar.	11	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	319,766	"	11	-	-	-	-	-	-	-	-	-
NEW YORK (including BROOKLYN)	3,654,594	April	7	1602	1647	23·5	-	31	14	32	22	7
PHILADELPHIA -	1,266,832	"	14	-	691	28·4	-	22	8	19	7	15

* Including deaths from croup.
† Including 698 deaths from plague.
‡ Including 15 deaths from cholera.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	29	New	29·664	58·1	36·2	21·9	48·2	− 0·6	39·0	9·2	15·6	3·2	70	108·7	28·1	47·02	SW. & WSW.	WSW.	4·0	0·0	0·4	342	+ 76	0·00	0·0
MONDAY -	30	..	29·636	56·2	48·7	7·5	51·4	+ 2·4	49·2	2·2	5·1	1·5	93	79·7	46·7	47·01	SW.	SW	3·2	0·0	0·2	286	+ 24	0·05	0·0
MAY. TUESDAY -	1	..	29·873	59·4	44·5	14·9	51·4	+ 2·2	38·6	12·8	19·2	6·7	62	89·0	37·4	47·35	WSW., NW & NNW.	N., NE. & S.	1·0	0·0	0·0	180	− 79	0·00	0·0
WEDNESDAY	2	..	29·767	65·6	43·0	22·6	54·3	+ 4·9	41·5	12·8	19·4	5·1	62	129·0	35·8	47·66	S., SSW. & WSW.	SSW., S. & SSE.	2·4	0·0	0·2	251	− 6	0·00	0·0
THURSDAY-	3	..	29·423	60·2	43·7	16·5	50·5	+ 0·8	43·3	7·2	12·5	3·2	76	121·6	36·9	47·94	SSE., S. & SSW.	SW. & WSW.	15·0	0·0	1·0	474	+219	0·14	0·0
FRIDAY -	4	..	29·818	61·8	43·2	18·6	53·2	+ 3·2	42·2	11·0	16·0	2·6	66	125·3	37·6	48·21	SSW.	SSW. & SSE.	5·0	0·0	0·6	400	+146	0·00	0·0
SATURDAY -	5	..	29·715	70·4	48·4	22·0	59·7	+ 9·4	47·3	12·4	20·3	5·0	64	138·2	42·0	48·44	SSE., S. & SSW.	SSW., SW. & SSE.	4·0	0·0	0·2	259	+ 6	0·00	0·0
MEANS -			29·699	61·7	44·0	17·7	52·7	+ 3·2	43·0	9·7	15·4	3·9	70	113·1	37·8	47·66	SW.		..	..	..	Sum 2192	Sum +386	Sum 0·19	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. April.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	29	m. P. generally -	3·0	14·6	Very fine with hoar frost in early morning; cloudy afterwards with occasional slight showers after 3h. 30m. P.M.
MONDAY -	30	w. P. with occasional w. N. till noon; w. P. afterwards.	0·0	14·7	Generally overcast; frequent slight rain till evening.
MAY. TUESDAY -	1	w. P. and w. N. till 6h. A.M.; s. P. till 6h. P.M.; w. P. generally afterwards.	4·8	14·8	Cloudy in morning; fine with variable amounts of cloud till 9h. P.M.; cloudless afterwards.
WEDNESDAY	2	m. P. till 10h. A.M.; w. P. till 6h. P.M.; m. P. afterwards.	9·6	14·8	Very fine generally; the amount of cloud was usually small.
THURSDAY-	3	w. P. till 6h. A.M.; v. P. and v. N. till 6h. P.M.; m. P. afterwards.	5·0	14·9	Very fine till 2h. A.M.; variable and showery with gusty wind till 6h. P.M.; very fine afterwards.
FRIDAY -	4	w. P. generally -	10·7	14·9	Very fine with small amounts of cloud till evening; cloudy at night.
SATURDAY-	5	w. P. generally -	8·3	15·0	Cloudy in morning; very fine till 6h. P.M.; cloudy afterwards. Solar halo in afternoon. Slight shower at 6h. 15m. P.M. Very warm.
			Sum 41·4	Sum 103·7	
No. of Col. -		25	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·61 in. by 7h. P.M. on April 29th; increased to 29·91 in. by 10h. P.M. on May 1st; decreased to 29·31 in. by noon on May 3rd; increased to 29·84 in. by 9h. A.M. on May 4th, and decreased to 29·67 in. by the end of the week

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 19. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MAY 12. [Price 1½*d.*

General Register Office, Somerset House,
May 14th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 21·2, 20·3, and 19·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 21.	Apr. 28.	May 5.	May 12.		Apr. 21.	Apr. 28.	May 5.	May 12.
33 Great Towns	21·2	20·3	19·6	17·8	Leicester - -	23·8	18·1	16·4	17·1
Birkenhead -	12·9	12·9	14·7	11·6	Liverpool - -	26·9	26·0	23·2	23·9
Birmingham -	23·2	23·6	20·2	24·0	London - - -	20·6	19·6	19·0	16·4
Blackburn -	24·7	20·5	28·1	25·5	Manchester - -	25·9	26·1	27·2	21·7
Bolton - -	26·7	17·1	18·1	17·8	Newcastle-on-Tyne	18·9	14·0	18·9	17·6
Bradford -	18·4	20·4	17·7	17·3	Norwich - -	17·7	17·3	17·7	11·8
Brighton -	15·5	16·8	14·3	18·5	Nottingham - -	17·2	18·0	17·6	16·8
Bristol - -	24·1	19·1	21·8	14·8	Oldham - -	27·2	21·4	20·1	16·7
Burnley -	13·0	14·3	13·8	16·1	Plymouth - -	30·6	24·5	27·6	29·1
Cardiff - -	19·1	20·4	15·6	11·5	Portsmouth - -	17·7	16·9	13·4	16·6
Croydon -	16·7	16·3	14·7	11·9	Preston - -	25·4	23·2	24·6	14·9
Derby - -	20·3	20·3	20·3	18·3	Salford - - -	23·4	21·7	19·8	23·6
Gateshead -	21·0	20·0	13·3	17·6	Sheffield - -	22·7	22·2	21·4	19·5
Halifax -	19·7	23·3	17·6	17·6	Sunderland - -	21·2	17·7	25·1	19·8
Huddersfield-	25·0	18·0	17·0	19·5	Swansea - -	13·8	16·3	16·3	12·9
Hull - -	17·3	17·3	14·0	17·7	West Ham - -	17·1	15·6	14·4	12·8
Leeds - -	19·6	23·2	22·5	17·9	Wolverhampton -	18·6	30·8	30·3	25·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Manchester and in Leeds, 1·1 in Sheffield and in Sunderland, 1·4 in Oldham, 1·5 in Huddersfield, 1·6 in Cardiff, 1·9 in Derby and in Blackburn, 2·4 in Bristol, 4·7 in Wolverhampton, and 5·1 in Plymouth ; and from *whooping-cough*, 1·0 in Bolton, 1·2 in Liverpool, 1·6 in Manchester, 1·7 in Oldham, and 3·5 in Wolverhampton. In none of the thirty-three towns did the death-rate from *scarlet fever*, from "*fever*," or from *diarrhœa* reach 1·0 per 1000. The 61 deaths from *diphtheria* included 29 in London, 6 in Sheffield, 3 in Birmingham, 3 in Leicester, 3 in Liverpool, and 3 in Blackburn. One death from *small-pox* was registered in London, and 1 in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2581 BIRTHS and 1446 DEATHS were registered. Allowing for increase of population, the births were 108, and the deaths 168,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

5852—670—5/1900 Wt 82 D & S 3 T

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·6, 19·6, and 19·0 in the preceding three weeks, further fell last week to 16·4. During the four weeks ending on Saturday last the death-rate averaged 18·9 per 1000, being 0·1 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1446 deaths included 1 from small-pox, 56 from measles, 4 from scarlet fever, 29 from diphtheria, 35 from whooping-cough, 3 from enteric fever, 15 from diarrhœa and dysentery, 1 from cholera, and not one death from typhus, or from any ill-defined form of continued fever; thus, 144 deaths were referred to these diseases, being 70 below the corrected average weekly number.

The death from *small-pox* was that of a man aged 36 years, and occurred in Marylebone sanitary area. The deaths from *measles*, which had been 53, 68, and 72 in the preceding three weeks, fell again last week to 56, and were 20 below the corrected average; 7 cases belonged to St. Pancras, 7 to Islington, 4 to Kensington, 4 to Hammersmith, and 4 to Lambeth sanitary areas. The deaths from *scarlet fever*, which had been 5, 11, and 4 in the preceding three weeks, were again 4 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 17, 20, and 21 in the preceding three weeks, further rose last week to 29, but were 10 below the corrected average; 4 cases belonged to Hackney, 4 to Newington, 3 to Lambeth, and 3 to Islington sanitary areas. The deaths from *whooping-cough*, which had been 49, 40, and 42 in the preceding three weeks, fell again last week to 35, and were 26 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 8, and 6 in the preceding three weeks, further fell last week to 3, and were 5 below the corrected average. The deaths from *diarrhœa*, which had been 8, 17, and 11 in the preceding three weeks, rose again last week to 15, the corrected average being 14. The deaths referred to diseases of the respiratory organs, which had been 460, 411, and 417 in the preceding three weeks, fell again last week to 300, and were 15 below the corrected average. The deaths attributed directly to *influenza* numbered 26, having been 60, 39, and 27 in the preceding three weeks.

Different forms of violence caused 59 deaths, concerning all but 2 of which inquests were held. Of these 59 deaths, 8 were cases of suicide, while the remaining 51 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 5 to drowning, 1 to the effects of chloroform administered for surgical purposes, and 8 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 5 cases of small-pox, 1693 of scarlet fever, 1176 of diphtheria, and 185 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, no case, against 2, 5, and 0; of scarlet fever, 203 cases, against 165, 170, and 176; of diphtheria, 196 cases, against 121, 158, and 152; and of enteric fever, 19 cases, against 33, 27, and 19.

Greater London.

In Greater London 3690 births and 1929 deaths were registered, corresponding to annual rates of 28·9 and 15·1 per 1000 of the estimated population. In the Outer Ring 15 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 17 from whooping-cough, 4 from "fever," and 6 from diarrhœa were registered. Four deaths from measles, 5 from diphtheria, and 8 from whooping-cough occurred in West Ham district; 4 deaths from measles occurred in Hendon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 50°·9; the latter being 0°·4 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 23·1 hours; the measured rainfall amounted to 0·36 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of April, 1900. The supply was in the ratio of 225 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	April, 1899.	April, 1900.	April, 1899.	April, 1900.
Total Supply - - -	878,960	900,691	194,069,341	202,608,540
From Thames - - - - - -	421,620	430,140	104,087,846	107,622,558
From Lea and from other Sources -	457,340	470,551	89,981,495	94,985,982
Thames.				
Chelsea - - - - - - -	38,232	38,598	11,795,645	11,907,706
West Middlesex - - - - -	83,892	85,356	19,919,910	20,180,969
Southwark and Vauxhall - -	122,592	123,926	31,543,663	31,704,800
Grand Junction - - - - -	64,202	66,122	18,015,648	19,032,136
Lambeth - - - - - - -	112,702	116,138	22,812,980	24,796,947
Lea and other Sources				
New River - - - - - -	166,344	169,349	35,111,638	36,648,500
East London - - - - -	200,303	206,869	39,116,071	41,254,733
Kent - - - - - - - -	90,693	94,333	15,753,786	17,082,749

Note.—The Return for April, 1900, as compared with that for the corresponding month of 1899 shows an increase of 21,731 services and of 8,539,199 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during April, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
May 10, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of April.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·8, New River 1·8, Lambeth and East London 2·8, Chelsea 2·9, Southwark 3·0, Grand Junction 3·1, and West Middlesex 3·9.

The samples of water taken from the mains of the five Companies drawing from the Thames were clear. All the waters were of good chemical quality, the organic matter present being, in every case, less in amount than was found in the March samples.

The supplies of the New River and East London Companies, which distribute water chiefly derived from the river Lea, were clear and of good chemical quality. The organic matter in the East London Company's water was equal in amount to that found in the best of the Thames waters, but the quantity in the New River water was considerably less.

The sample drawn from the main of the Kent Company was found to be clear and of high organic purity.

Seen through a stratum two feet deep, the Kent water was colourless, the New River nearly colourless, and the East London and Thames Companies' supplies very pale yellow.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Analysis of Metropolitan Waters.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		°								
	Chelsea - - -	April 19th. Cab Rank, Horse Guards, Whitehall.	9·2	28·80	·148	·022	0	·254	·276	1·7	20·6
	West Middlesex -	April 19th. Cab Rank, Riding House-street.	8·7	27·52	·201	·028	0	·244	·272	1·7	19·1
	Southwark - -	April 19th. Cab Rank, St. George's Church, Borough.	10·8	28·52	·159	·017	0	·215	·232	1·7	20·0
	Grand Junction -	April 19th. Cab Rank, Portman-street, Oxford-street.	10·7	27·80	·161	·023	0	·226	·249	1·7	19·7
	Lambeth - - -	April 19th. Cab Rank, St. George's-road, Southwark.	10·7	29·60	·145	·023	0	·296	·319	1·8	20·6
	LEA.										
	New River - -	April 19th. Cab Rank, Tottenham Court-road.	10·7	29·20	·089	·018	0	·253	·271	1·6	20·3
	East London - -	April 19th. Cab Rank, Sidney-street, E.	11·5	33·92	·141	·022	0	·284	·306	2·0	21·8
	DEEP WELL.										
	Kent - - - -	April 19th. Police Station, Blackheath-road.	12·0	42·32	·038	·008	0	·529	·537	2·3	28·1
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 19th April at the Horse Guards cab rank, had a temperature of 9·2° C.; 100,000 lbs. of it contained 28·80 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·148 lb. of carbon and ·022 lb. of nitrogen. The above quantity of water also contained no ammonia and ·254 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·276 lb. The above weight of water also contained 1·7 lbs. of chlorine, and 20·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births (15th May 1900).	Deaths (15th May 1900).	Deaths under 1 Year of Age.	Deaths aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6770**	**3968**	**931**	**944**	**2**	**166**	**28**	**61**	**116**	**28**	**40**	**140**	**325**	**910**	**63**	**17·8**	**2·0**	**71·2**	**31·2**	**48·2**	**9·00**	**0·72**	**1·83**	**33 Towns.**
London	4,589,129	2581	1446	289	387	1	56	4	29	35	3	15	59	154	467	8	16·4	1·6	71·2	34·7	50·9	10·50	0·36	0·91	London.
West Ham	314,472	174	77	20	17	-	4	-	2	3	1	2	2	6	11	2	12·8	2·0	-	-	-	-	-	-	West Ham.
Croydon	131,186	56	30	7	5	-	-	-	-	-	-	-	2	5	8	-	11·9	-	67·2	33·5	51·3	10·72	0·18	0·46	Croydon.
Brighton	124,148	55	44	7	14	-	-	1	-	1	-	-	1	3	6	-	18·5	0·8	65·0	41·8	50·6	10·33	0·06	0·15	Brighton.
Portsmouth	194,955	103	62	12	21	-	-	-	1	1	-	-	6	7	9	1	16·6	0·5	65·0	40·0	50·6	10·33	0·25	0·63	Portsmouth.
Plymouth	102,161	55	57	8	13	-	10	-	-	1	-	1	2	3	10	-	29·1	6·1	-	-	-	-	-	-	Plymouth.
Bristol	324,973	189	92	17	27	-	15	-	-	1	-	-	2	8	8	1	14·8	2·6	62·6	40·0	49·0	9·44	1·06	2·69	Bristol.
Cardiff	194,247	98	43	11	12	-	6	-	2	1	-	-	-	3	7	-	11·5	2·4	-	-	-	-	-	-	Cardiff.
Swansea	105,472	42	26	7	6	-	-	-	1	-	-	-	3	4	4	-	12·9	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	39	43	17	6	-	8	1	1	6	1	-	-	2	4	1	25·0	9·9	64·0	31·2	46·8	8·22	1·25	3·17	Wolverhampton.
Birmingham	519,610	375	239	73	61	-	5	-	3	8	2	1	9	19	58	8	24·0	1·9	-	-	-	-	-	-	Birmingham.
Norwich	114,855	66	26	5	9	-	-	-	-	1	-	1	2	3	8	-	11·8	0·9	71·0	33·0	48·3	9·06	0·75	1·90	Norwich.
Leicester	219,169	124	72	18	19	-	1	2	3	-	2	-	5	7	15	1	17·1	1·9	-	-	-	-	-	-	Leicester.
Nottingham	242,676	144	78	18	25	-	3	1	-	1	2	2	2	5	18	1	16·8	1·9	62·4	33·8	47·4	8·56	1·06	2·69	Nottingham.
Derby	107,991	60	38	10	8	-	4	-	-	-	-	1	2	7	7	-	18·3	2·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	58	26	3	3	-	-	-	-	-	-	-	1	3	4	-	11·6	-	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	450	291	79	55	1	1	5	3	15	6	1	11	16	73	14	23·9	2·6	61·6	35·3	46·7	8·17	1·07	2·72	Liverpool.
Bolton	164,240	102	56	19	9	-	-	-	-	3	-	1	-	2	3	1	17·8	1·3	-	-	-	-	-	-	Bolton.
Manchester	548,768	387	228	46	47	-	10	3	2	17	1	5	7	12	54	2	21·7	3·6	-	-	-	-	-	-	Manchester.
Salford	220,816	147	100	20	23	-	3	3	-	4	1	1	5	11	21	-	23·6	2·3	-	-	-	-	-	-	Salford.
Oldham	153,297	63	49	5	9	-	4	1	-	5	-	1	-	1	6	-	16·7	3·7	-	-	-	-	-	-	Oldham.
Burnley	116,730	60	36	10	13	-	-	1	-	-	-	1	-	2	3	1	16·1	0·9	-	-	-	-	-	-	Burnley.
Blackburn	137,107	56	67	24	11	-	5	2	3	2	2	1	-	1	4	2	25·5	5·7	-	-	-	-	-	-	Blackburn.
Preston	118,902	74	34	9	6	-	1	-	-	-	-	-	-	-	4	2	14·9	0·4	-	-	-	-	-	-	Preston.
Huddersfield	104,484	57	39	8	7	-	3	-	-	1	1	-	2	2	5	2	19·5	2·5	60·4	38·0	44·6	7·00	0·94	2·39	Huddersfield.
Halifax	100,710	37	34	13	9	-	1	1	-	-	1	-	3	5	6	1	17·6	1·6	-	-	-	-	-	-	Halifax.
Bradford	291,535	150	97	24	20	-	1	1	1	1	2	1	-	3	10	2	17·3	1·3	62·0	39·2	47·2	8·44	0·76	1·93	Bradford.
Leeds	431,287	257	148	39	29	-	8	-	2	2	2	3	5	14	17	1	17·9	2·1	-	-	-	-	-	-	Leeds.
Sheffield	365,922	245	137	34	26	-	8	1	6	3	1	-	3	3	22	7	19·5	2·7	-	-	-	-	-	-	Sheffield.
Hull	238,736	155	81	28	17	-	4	1	1	3	-	1	4	7	17	3	17·7	2·2	63·0	32·0	45·0	7·22	0·90	2·29	Hull.
Sunderland	147,398	86	56	17	12	-	3	-	-	-	-	1	1	3	8	2	19·8	1·4	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	76	37	10	8	-	-	-	-	1	-	-	-	-	2	-	17·6	0·5	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	149	79	24	10	-	2	-	1	-	-	-	1	4	11	-	17·6	0·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINETEENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	190
TOTAL **Births**	2308	2582	2877	2532	2589	2549	2690	2430	2425	2574	2688·5	25
Males - -	1163	1292	1459	1290	1322	1271	1376	1235	1252	1320	1365·5	13
Females - -	1145	1290	1418	1242	1267	1278	1314	1195	1173	1254	1323·0	12
TOTAL **Deaths** -	1469	2245	1597	1460	1531	1398	1523	1334	1356	1428	1613·9	14
Males - -	781	1138	821	779	784	717	816	709	730	772	846·6	7
Females - -	688	1107	776	681	747	681	707	625	626	656	767·3	6

*The numbers in this column are the average weekly numbers in the nineteenth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	M 1
TOTAL **Births** - - -	2439	2805	2561	2841	2628	2675	2736	2580	2292	2610	2697	2737	25
TOTAL **Deaths** - - -	2013	1894	1668	1652	1659	1817	1785	1932	1844	1811	1721	1675	14
Ages at Death: Under 1 year - -	380	355	340	345	385	413	368	366	356	369	302	349	2
1—5 years - -	200	218	189	208	215	260	247	250	249	220	238	217	1
5—20 " - -	104	91	72	102	87	94	96	106	91	102	84	80	
20—40 " - -	230	245	218	219	216	232	227	238	229	250	247	222	1
40—60 " - -	448	392	362	367	327	352	340	405	389	352	393	371	3
60—80 " - -	519	476	375	342	339	368	414	458	452	423	374	348	3
80 years and upwards	132	117	112	69	90	98	93	109	87	95	83	88	
Deaths from—													
Small pox - - - -	-	-	1	-	-	-	-	-	-	-	1	-	
Measles - - - - -	50	42	41	39	56	50	60	62	59	53	68	72	
Scarlet Fever - - -	5	4	9	8	6	3	7	7	8	5	11	4	
Diphtheria - - - -	35	48	26	41	35	36	31	32	19	17	20	21	
Whooping-cough - - -	51	40	43	37	35	49	45	50	51	49	40	42	
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - - -	18	17	18	13	13	7	7	20	12	9	8	6	
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa and Dysentery -	6	11	7	6	8	17	8	6	8	8	17	11	
Cholera - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	
All the above Diseases -	165	163	145	144	153	162	158	177	157	141	166	156	1
Dis. of Respiratory System -	527	485	380	378	391	456	469	499	501	460	411	417	3
Phthisis - - - - -	193	162	170	158	178	205	202	186	160	177	164	168	1
Dis. of Circulatory System -	191	164	156	161	126	154	149	184	169	139	146	154	1
Violence - - - -	75	76	82	82	63	61	91	77	69	76	95	67	
Inquest Cases - - - -	180	193	173	169	152	154	203	186	163	169	198	143	1
Deaths in Public Institutions -	591	590	551	524	526	539	548	541	515	581	521	538	4
TEMPERATURE OF THE AIR.													
Mean - - - - - -	35°·2	45°.4	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7	5
Mean of Highest readings -	41·4	51·6	48·0	43·7	47·6	45·7	44·2	51·1	56·4	62·1	57·7	61·7	5
Mean of Lowest readings -	29·1	39·4	39·8	35·8	34·3	32·7	31·1	34·3	40·7	41·2	38·0	44·0	4
Humidity of the Air - -	84	85	90	79	76	83	74	76	72	69	70	70	
Rain-fall (in inches) - -	1·46	0·51	0·65	0·02	0·08	0·61	0·16	0·45	0·22	0·15	0·06	0·19	0
Registered Sunshine (in hours)	13·5	18·3	5·3	15·5	13·4	23·1	26·3	27·0	31·9	50·8	39·9	41·4	2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	8	11	7	7	5	5	3	2	3	4	6	6	
Scarlet Fever - - - -	2052	2009	1868	1777	1760	1715	1696	1713	1694	1676	1647	1660	16
Diphtheria - - - -	1498	1437	1407	1385	1361	1329	1243	1198	1161	1141	1141	1131	11
Enteric Fever - - - -	270	280	274	270	265	268	263	243	224	219	208	192	1

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

: 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the NINETEENTH Week of the Year 1900.

OF DEATH	Corrected Averages for the 19th Week of the 10 years 1890-99*.	In the Week ending Saturday, 12th May 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
S - - -	1613·9	1446	289	186	83	187	314	324	63
Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·8	-	-	-	-	-	-	-	-
No Statement	0·6	1	-	-	-	1	-	-	-
- - - -	76·0	56	12	42	1	-	-	1	-
ver - - -	14·2	4	1	-	2	1	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
Fever - -	-	-	-	-	-	-	-	-	-
- - - -	43·2	26	-	-	2	2	8	12	2
-cough - -	60·5	55	19	16	-	-	-	-	-
- - -	39·1	29	2	19	8	-	-	-	-
ntinued and ed Fever -	0·3	-	-	-	-	-	-	-	-
ever - - -	7·5	3	-	-	-	2	1	-	-
d Chol. Diarr.	-	1	1	-	-	-	-	-	-
Dysentery -	14·0	15	13	-	-	-	2	-	-
Fever - -	-	-	-	-	-	-	-	-	-
bia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
nd Effects of ion - -	0·1	-	-	-	-	-	-	-	-
Affections -	11·6	8	7	-	-	-	-	1	-
- - - -	3·7	1	1	-	-	-	-	-	-
nd Septicæmia	3·3	2	1	-	-	-	1	-	-
Fever - -	4·6	4	-	-	1	2	1	-	-
notic Diseases	1·2	-	-	-	-	-	-	-	-
- - - -	0·4	-	-	-	-	-	-	-	-
d other Para- diseases -	0·2	-	-	-	-	-	-	-	-
n, Want of milk - -	1·7	1	1	-	-	-	-	-	-
n - - -	11·0	11	-	-	-	4	7	-	-
ic Fever, atism of Heart	6·7	11	-	-	5	2	3	1	-
ism - - -	2·4	4	-	-	-	1	-	2	1
- - - -	3·1	3	-	-	-	-	-	3	-
- - - -	5·2	3	2	-	1	-	-	-	-
- - - -	67·6	71	-	1	1	6	32	28	3
senterica - -	18·3	9	7	1	1	-	-	-	-
ar Meningitis -	26·1	27	5	12	9	1	-	-	-
- - - -	164·5	131	-	2	9	52	57	11	-
Tuberculosis -	20·1	22	4	7	2	4	4	1	-
Constitutional s - -	13·3	19	-	-	1	6	5	6	1
re Birth - -	50·4	50	50	-	-	-	-	-	-
is - - -	4·1	1	1	-	-	-	-	-	-
al Malforma- - - -	7·9	6	4	2	-	-	-	-	-
- - - -	49·8	49	-	-	-	-	-	25	24
- - - -	44·1	40	-	-	2	1	12	21	4
- - - -	8·9	5	-	-	-	4	-	1	-
ons - - -	36·3	28	21	6	1	-	-	-	-
seases of Brain rvous System	80·4	65	7	16	2	9	13	18	-
of Organs of Sense -	3·3	8	3	2	-	3	-	-	-

CAUSES OF DEATH	Corrected Averages for the 19th Week of the 10 years 1890-99*.	In the Week ending Saturday, 12th May, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	131·6	140	1	1	13	25	30	61	9
Croup - - - -	3·4	-	-	-	-	-	-	-	-
Bronchitis - - -	150·0	125	34	8	1	3	21	51	7
Pneumonia - - -	129·2	145	21	37	4	23	36	22	2
Pleurisy - - - -	7·9	7	1	1	-	1	2	1	1
Other Diseases of Respiratory System -	24·3	23	3	2	1	2	5	6	4
Dentition - - - -	8·4	6	6	-	-	-	-	-	-
Quinsy, Sore Throat -	1·3	4	-	-	1	-	2	1	-
Enteritis - - -	12·1	12	6	-	-	2	3	1	-
Gastro-enteritis -		9	5	1	-	-	-	3	-
Peritonitis - - -	6·1	4	1	-	-	-	3	-	-
Diseases of Liver - -	23·7	28	-	-	-	4	18	4	2
Other Diseases of Digestive System	30·9	35	14	1	1	5	5	9	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	4	-	-	1	1	2	-	-
Diseases of Urinary System - - -	46·1	48	-	-	1	5	25	15	2
Diseases of Generative System - - -	5·0	6	-	-	-	3	2	1	-
Accidents of Childbirth -	4·1	2	-	-	1	1	-	-	-
Diseases of Locomotive System - - -	5·2	6	-	1	3	-	1	1	-
Diseases of Integumentary System - -	5·4	6	3	-	-	-	-	3	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	51.3	1	-	-	-	1	-	-	-
By Vehicles or Horses -		8	-	1	4	1	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		3	-	-	-	1	1	1	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		4	-	2	-	-	1	1	-
By Drowning - - -		5	-	-	-	4	1	-	-
By Suffocation in Bed -		8	8	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	1	-	-	-	-
Other or not stated causes - - - -		21	3	2	2	2	4	7	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·5	-	-	-	-	-	-	-	-
Suicide - - - -	8·8	8	-	-	-	2	4	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	48·0	28	21	3	1	-	2	1	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of , murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 12th May, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2581	1446	289	387	1	56	4	29	35	-	3	-	15	59	154	467
WEST DISTRICTS - - -	778,251	338	251	32	69	-	13	1	1	2	-	2	-	1	10	26	87
NORTH DISTRICTS - - -	1,040,694	557	316	66	83	1	17	-	9	9	-	-	-	3	14	36	78
CENTRAL DISTRICTS - - -	233,635	114	90	19	21	-	6	-	1	5	-	-	-	2	5	13	31
EAST DISTRICTS - - -	716,334	560	263	65	72	-	5	-	3	8	-	-	-	2	12	37	103
SOUTH DISTRICTS - - -	1,642,796	1012	495	106	129	-	15	1	15	11	-	1	-	7	18	42	137
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	1	13	-	-	2	-	-	-	-	-	-	-	-	31
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	45	25	2	5	-	2	-	-	1	-	-	-	-	-	1	4
St. John Paddington *H* - - G.	33,510	5	15	-	3	-	-	-	-	-	-	-	-	-	2	2	12
Kensington Town *Ww* - - W.	122,164	56	44	4	16	-	4	-	-	-	-	-	-	-	1	3	17
Brompton *HH* - - - W. & C.	48,301	9	12	1	4	-	-	-	-	-	-	-	-	-	-	2	4
North Hammersmith *H*	44,638	29	11	3	2	-	2	-	-	-	-	-	-	-	1	1	-
South Hammersmith *H* W. & G	59,561	38	19	6	5	-	2	-	-	-	-	1	-	-	1	2	3
Fulham *Ww* - - - W. & C.	113,781	81	29	10	4	-	1	-	1	-	-	-	-	1	2	3	7
Chelsea Kensal Town - C.	21,450	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	2	25	-	9	-	-	-	-	-	-	-	-	-	-	2	11
Chelsea South *HH* - - C.	33,139	14	13	2	7	-	-	-	-	-	-	-	-	-	1	3	1
May Fair *W* - - - - G.	23,827	2	16	2	6	-	-	1	-	-	-	-	-	-	-	-	14
Belgrave *WHHH* - - - C.	56,140	16	19	2	4	-	1	-	-	1	-	1	-	-	1	4	6
St. John Westminster *HH* - C.	31,492	9	5	-	2	-	-	-	-	-	-	-	-	-	1	3	-
St. Margaret Westminster *H* - C.	22,097	10	9	-	1	-	1	-	-	-	-	-	-	-	-	-	6
St. James Westminster *WH* N. & G.	23,050	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St Anne Soho *HHHHH* - N.	12,048	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	16	13	1	4	-	-	-	-	1	-	-	-	-	-	-	4
Rectory Marylebone *W* G. & W.	19,798	8	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	15	5	-	1	-	1	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *HHH* - W.	32,611	22	17	6	5	1	-	-	-	-	-	-	-	2	1	2	1
Hampstead *WwHHHH* - N. & W.	75,449	30	18	-	10	-	-	-	2	-	-	-	-	-	-	2	3
Regent's Park† *HH* - W.	51,403	27	14	2	2	-	3	-	-	-	-	-	-	-	1	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	13	13	1	3	-	1	-	-	-	-	-	-	-	-	-	9
Gray's Inn Lane *HHHH* - N.	29,426	19	22	4	3	-	1	-	-	2	-	-	-	-	1	1	8
Somers Town *HH* - - - N.	32,161	20	7	2	1	-	-	-	-	-	-	-	-	-	1	3	-
Camden Town† *WH* - - N.	40,155	23	16	3	5	-	-	-	-	-	-	-	-	-	-	2	6
Kentish Town† *WW* - - N.	60,862	27	15	1	3	-	1	-	-	-	-	-	-	1	-	-	5
Upper Holloway *WWWWwHH* - - N.	98,273	51	42	8	12	-	1	-	-	-	-	-	-	-	3	5	26
Lower Holloway‡ - - - N.	41,805	19	15	3	5	-	2	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	37	13	4	2	-	1	-	1	1	-	-	-	-	-	2	-
Islington South-east‡ *H* - N.	75,725	30	23	9	6	-	2	-	1	1	-	-	-	-	2	6	-
Highbury *HH* - - - N.	64,577	28	10	1	5	-	1	-	-	1	-	-	-	-	-	1	-
Stoke Newington *H* - - N.	33,485	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	25	12	3	1	-	-	-	-	1	-	-	-	-	3	3	-
Central Hackney *ww* - E. & N.		38	14	4	1	-	1	-	4	1	-	-	-	-	-	3	4
South-west Hackney *HHH* E. & N.		37	9	3	2	-	1	-	-	-	-	-	-	-	-	-	1
South-east Hackney *WwH* E. & N.		38	24	9	7	-	-	-	1	1	-	-	-	-	1	4	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers ar received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Nev River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-eas Sub-District.

. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, RLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER, DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 12th May, 1900—*continued.*

STRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
ENTRAL DISTRICTS.																		
bury and St. Giles } - N. WH - - }	29,086	21	8	1	4	-	-	-	-	1	-	-	-	-	-	-	2	-
s North H - - - N.	9,151	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
in-in-the-Fields HH N. & C.	13,077	4	7	-	-	-	-	-	1	-	-	-	-	-	1	1	7	-
WHH - - - - N.	11,839	6	8	1	1	-	1	-	-	1	-	-	-	1	1	2	4	-
Union Workhouse, Edmonton	†1,037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	1
n wHHHHH - N.	31,042	15	15	2	2	-	2	-	-	-	-	-	-	-	-	2	5	-
es Clerkenwell - - N.	15,777	9	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
l Clerkenwell - - N.	34,356	11	13	6	4	-	1	-	-	-	-	-	-	-	-	3	-	-
l-street - - - - N.	16,069	8	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
ad HHHHL - - N.	29,897	22	7	1	2	-	1	-	-	1	-	-	-	-	-	-	2	-
ross-street - - - N.	7,595	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ry - - - - - N.	4,035	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Union Workhouse, } am - - - - }	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
lph* H - - N. & E.	13,061	2	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
lchre WH - - - N.	9,591	3	11	2	1	-	-	-	-	-	-	-	-	-	3	4	8	-
ws Barking - - - N.	9,059	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
itch South Hl - E. & N.	17,975	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
New Town w - - N.	23,575	20	14	2	2	-	-	-	-	-	-	-	-	1	-	1	5	-
Old Town - - - N.	27,645	22	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ston WH - - N. & E.	47,163	39	30	6	11	-	-	-	2	-	-	-	-	-	1	1	18	-
l Green North H - E.	49,301	35	12	3	3	-	1	-	1	1	-	-	-	-	-	1	-	-
l Green South - - E.	34,194	15	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
l Green East WWHl - E.	45,667	27	20	5	6	-	-	-	-	-	-	-	-	-	1	4	8	-
elds - - - E. & N.	26,681	34	4	2	-	-	-	-	-	-	-	-	-	1	2	3	-	-
nd New Town WH - E. } 51,995 {		28	35	5	6	-	-	-	-	-	-	-	-	-	1	8	32	-
an's Fields - - - E. }		16	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
rge's, North - - - E.	39,576	48	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-
n, St. George East W E.	7 930	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ell H - - - E. & N.	10,434	9	5	2	-	-	-	-	-	-	-	-	-	-	1	2	4	-
f W - - - - E.	14,954	10	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
ouse - - - - - E.	32,917	22	11	6	-	-	-	-	-	3	-	-	-	-	-	1	-	-
nd Old Town West H E. } 111,060 {		53	14	3	6	-	1	-	-	1	-	-	-	-	1	1	1	-
nd Old Town East } - E. }		37	26	5	10	-	1	-	-	-	-	-	-	-	1	1	12	-
ww }																		
- - - - E.	41,687	23	14	3	5	-	-	-	-	-	-	-	-	-	-	2	-	-
ey wwwH - - - E.	69,821	63	33	8	10	-	-	-	-	2	-	-	-	-	3	5	19	-
WW - - - - E.	57,759	37	21	3	6	-	1	-	-	-	-	-	-	-	1	5	2	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 12th May, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	13,064	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.	12,301	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	19	6	2	1	-	1	-	-	-	-	-	-	-	-	-
London-road *HL* - - L. & S.	21,316	11	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Trinity Newington *H* - S. & L.	28,723	21	3	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	34	21	6	5	-	-	-	-	-	-	-	-	1	1	1
St. Mary Newington- - L. & S.	30,171	22	7	3	1	-	-	-	-	-	-	-	-	1	-	-
St. Olave *WH* - - - - S.	11,731	11	19	3	1	-	-	-	-	-	-	-	-	-	2	4
Bermondsey *W* - - - S.	85,475	61	22	6	3	-	-	-	-	2	-	-	-	-	2	6
Rotherhithe *Ww* - S. & K.	40,379	24	17	1	6	-	1	-	-	-	-	-	-	-	-	-
Waterloo-road *HH* - L. & S.	28,396	38	13	3	3	-	-	-	-	-	-	-	-	-	2	4
Lambeth Church 1st *H* - L. & S.	18,770	8	14	3	2	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church 2nd *WW* L. & S.	40,994	29	18	3	7	-	1	-	-	1	-	-	-	-	1	2
Kennington 1st *H* - - S. & L.	52,486	39	9	2	2	-	-	1	-	-	-	-	-	-	-	-
Kennington 2nd - - - S. & L.	43,244	16	12	1	2	-	1	-	1	1	-	-	-	-	1	2
Brixton *w* - - - L. & S.	81,825	39	16	2	2	-	2	-	3	-	-	-	-	-	1	1
Norwood *WH*- - - - L.	29,318	7	7	-	5	-	-	-	-	-	-	-	-	1	1	1
East Battersea - - - - S.	71,730	55	14	3	2	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea† - - S.	93,385	29	20	6	4	-	2	-	-	1	-	-	-	-	-	2
South-west Battersea† *WwH* - S.		20	26	5	10	-	-	-	-	2	-	-	-	-	1	2
Clapham *H* - - - - S.	46,953	27	7	1	1	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	41	25	10	3	-	1	-	2	1	-	1	-	1	-	2
Wandsworth *WHHL* - - S.	58,101	37	17	5	2	-	-	-	-	-	-	-	-	-	1	2
Putney - - - - - - S.	20,566	11	4	-	-	-	2	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	50	49	5	21	-	-	-	-	1	-	-	-	1	1	1
Peckham *WW* - S., L., & K.	88,242	60	11	3	3	-	1	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	67,029	23	15	5	4	-	-	-	-	-	-	-	-	-	-	1
Deptford North - - - K.	36,152	32	12	4	2	-	1	-	-	2	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	32	13	4	3	-	-	-	3	-	-	-	-	1	1	1
Deptford South - - - K.	33,402	11	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	20	8	2	3	-	-	-	-	-	-	-	-	-	1	2
Greenwich East *WH* - - K.	37,767	22	12	2	5	-	-	-	-	-	-	-	-	1	-	1
Eltham *wH* - - - - K.	5,911	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	31	19	3	4	-	1	-	4	-	-	-	-	-	-	-
Sydenham *H* - - - - L.	37,601	23	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	10	6	2	2	-	-	-	2	-	-	-	-	-	1	1
Woolwich* *HHHH* - - K.	41,314	26	14	2	6	-	-	-	-	-	-	-	-	-	1	1
Plumstead West *H* - - K.	16,714	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	18	14	2	4	-	-	-	-	-	-	-	-	-	-	-
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 12th May, 1900.

Is-on ict d-ict-n-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,749	1,422,063	1109	483	113	130	-	15	3	7	17	4	6	17	48	64	3
:1	Carshalton *H* - - -	12,228	26,108	14	5	1	3	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	9	7	6	-	-	-	-	-	-	-	-	-	1	4	-
:1	Godstone, *part of** *W* -	2,754	1,598	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
:1	Croydon *WWwHHH* -	20,851	128,699	70	38	7	9	-	-	-	-	-	-	-	2	7	11	-
2	Mitcham *w* - - -	11,697	23,072	14	4	1	1	-	-	-	-	-	-	-	-	1	-	-
:1	Wimbledon *HHH* - -	3,220	25,777	14	7	1	3	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	35	6	1	4	-	-	-	-	-	-	-	-	-	1	-
3	Surbiton *HH* - - -		12,178	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-
:1	Richmond *WHH* - -	2,160	25,389	8	12	-	7	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake *H* - - -	2,823	16,159	10	4	-	-	-	-	-	-	-	-	-	1	1	-	-
:1	Bromley *HHH* - - -	9,127	23,815	11	6	2	1	-	-	-	-	1	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	10	4	-	1	-	-	-	-	-	-	-	1	1	1	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	6	9	1	3	-	-	-	-	-	-	-	1	2	3	-
:1	Bexley *HHH* - - -	12,540	30,590	29	10	2	6	-	-	-	-	-	-	-	-	1	-	1
2	Dartford *WH*, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
:1	Sunbury *w* - - -	11,054	13,671	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	8	7	1	1	-	2	-	-	-	-	-	-	-	1	-
:1	Hillingdon *WHH* - -	6,035	12,237	4	2	-	-	-	-	-	1	-	-	-	-	-	1	-
2	Uxbridge - - - -	12,757	7,253	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-
:1	Isleworth *WHH* - -	6,967	26,004	27	10	3	4	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham *HH* - -	2,415	16,027	10	7	3	1	-	-	-	-	1	-	-	-	-	1	-
3	Brentford *HHHH* - -	4,318	37,777	16	11	2	2	-	-	1	-	-	-	-	1	1	1	-
4	Chiswick - - - -	1,245	21,963	11	3	-	1	-	-	-	-	-	-	-	-		-	-
5	Acton *wHH* - - -	6,132	30,945	31	11	7	-	-	2	-	-	-	-	-	1	2	-	-
:1	Harrow *HHH* - - -	13,809	15,715	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	65	22	6	2	-	4	1	-	1	-	-	1	3	2	-
4	Hendon *WH* - - -	8,382	15,843	19	7	1	4	-	-	-	-	-	-	-	1	1	2	-
:1	South Mimms *HH* - -	21,077	6,367	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	7	4	-	1	-	-	-	-	-	-	-	1	1	1	-
3	Finchley *HHH* - - -	4,688	25,820	15	6	-	3	-	-	-	-	-	-	-	-	-	-	-
:1	Hornsey *HH* - - -	3,039	61,097	31	17	4	4	-	-	-	-	3	-	-	1	1	-	-
2	Tottenham *HHH* - -	4,642	97,174	90	35	11	8	-	2	-	-	-	-	2	1	4	1	-
3	Edmonton *Ww* - -	7,489	36,351	40	14	3	3	-	-	-	-	1	1	-	-	1	3	-
4	Enfield *WWHH* - -	12,602	31,536	15	6	-	2	-	-	-	-	-	1	-	-	1	-	-
5	Waltham Abbey - - -	11,017	6,066	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	7	4	-	2	-	-	-	-	-	-	-	1	1	-	-
:1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,331	7,737	2	5	-	2	-	1	-	-	-	-	-	-	1	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	4,706	38,612	31	17	5	4	-	-	-	-	-	-	1	1	2	2	-
2	Plaistow *HHH* - - -		58,030	62	25	8	2	-	2	-	2	2	-	1	-	1	4	1
3	Canning Town *H* - -		54,750	59	21	7	1	-	1	-	-	1	1	-	1	2	1	1
4	Forest Gate *w* - - -		53,511	22	10	-	6	-	1	-	-	-	-	-	-	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	66	14	10	2	-	-	-	-	2	-	-	-	1	-	-
6	Leyton *WWWwH* - -	4,334	70,188	59	33	5	13	-	-	-	2	2	-	1	1	3	11	-
7	Walthamstow *HHHL* -	6,501	57,330	59	25	7	3	-	-	1	1	1	-	1	1	3	-	-
:1	Chigwell, *part of** *HHHH*	11,779	12,941	8	6	-	3	-	-	-	-	-	1	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
:1	Romford, *part of** *W* -	6,556	4,324	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Ilford *H* - - - -	8,493	10,913	23	7	1	2	-	-	-	-	1	-	-	-	1	-	-
3	Barking Town, *H* - -	3,814	14,301	15	6	1	3	-	-	-	-	1	-	-	-	-	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring re as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham nd Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst ub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in latfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping pop. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for nfectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 187: 2, Watford; and 187: 2 Epping sub-districts are lso included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 12th May, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.	1
GREATER LONDON	443,421	6,652,145	15·1	1·5	1929	402	517	1	71	7	36	52	7	21	76	53
INNER LONDON -	74,672	4,589,129	16·4	1·6	1446	289	387	1	56	4	29	35	3	15	59	4
OUTER RING -	368,749	2,063,016	12·2	1·3	483	113	130	–	15	3	7	17	4	6	17	

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. (Exclusive of Stillborn)	DEATHS. (Exclusive of Stillborn)	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	May 12	164	94	16·2	–	2	2	2	–	–	
GLASGOW - -	743,585	„ 12	524	282	19·8	–	9	4	2	16	3	
DUBLIN - -	349,594	„ 12	222	176	26·3	–	–	–	–	1	1	
CALCUTTA - -	466,460	Mar. 17	–	1042	116·5	17	2	–	–	1	774†	9
BOMBAY - -	821,764	April 17	198	2099	132·8	72	52	?	?	?	757†	29
MADRAS - -	452,518	Mar. 30	326	319	36·6	–	18	?	?	?	79	5
PARIS - - -	2,511,629	May 5	1076	1099	22·7	1	34	3	8*	3	18	4
BRUSSELS - -	561,130	„ 5	256	177	16·4	–	1	–	–	–	2	1
AMSTERDAM -	525 459	April 28	306	132	13·1	–	–	–	–	1	–	–
ROTTERDAM -	322,920	„ 28	222	115	18·5	–	1	–	2	–	–	–
THE HAGUE -	205,328	„ 28	104	67	17·0	–	1	–	1	–	–	–
COPENHAGEN -	349,000	May 5	197	106	15·8	–	1	1	1	–	–	
STOCKHOLM -	29,7148	April 28	136	120	21·0	–	–	–	2*	3	–	
CHRISTIANIA -	221,255	May 5	139	92	21·6	–	–	–	1	6	–	
ST. PETERSBURG	1,132,677	April 28	871	652	30·0	6	12	14	20	5	14	5
MOSCOW - -	988,610	„ 21	–	587	31·0	–	21	9	17	6	2	7
BERLIN - -	1,848,269	„ 21	880	722	20·4	1	14	6	11	14	3	3
HAMBURG - -	691,349	May 5	–	261	19·6	–	3	2	1*	–	–	
DRESDEN - -	403,400	April 14	241	163	21·0	–	–	–	1*	1	–	
BRESLAU - -	412,9[illegible]9	May 5	–	204	25·8	–	–	–	3	1	1	2
MUNICH - -	463,000	April 28	359	245	27·5	–	8	–	4*	1	2	3
VIENNA - -	1,656.662	„ 28	994	755	23·7	–	14	5	5*	4	1	5
PRAGUE - -	385,952	„ 21	–	–	–	–	–	–	–	–	–	–
BUDA-PESTH -	685,340	„ 28	489	346	26·3	–	7	2	2	2	–	
TRIESTE - -	168,264	„ 21	93	91	28·1	–	–	1	2*	2	1	
ROME - - -	514,306	„ 14	221	210	21·3	–	11	–	5	2	1§	
TURIN - - -	344,203	Mar. 10	–	–	–	–	–	–	–	–	–	–
VENICE - -	172,491	April 28	74	74	22·4	–	–	–	1*	–	–	
CAIRO - -	570,062	Mar. 18	454	504	46·0	8	22	–	2*	1	8	8
ALEXANDRIA -	319,766	„ 18	264	260	42·3	1	–	–	1*	1	–	4
NEW YORK (including BROOKLYN)	3,654,594	April 14	1381	1644	23·5	1	22	22	50	27	7	1
PHILADELPHIA -	1,266,832	„ 21	–	739	30·4	–	24	10	22	7	14	

* Including deaths from croup.
† Including 658 deaths from plague in Calcutta and 533 in Bombay.
‡ Including 44 deaths from cholera in Calcutta and 26 in Bombay.
§ Malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer: Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature of the Air: Highest.	Temperature of the Air: Lowest	Temperature of the Air: Daily Range.	Temperature of the Air: Mean daily value.	Temperature of the Air: Departure from Average of 50 years.	Temperature of the Dew point: Mean daily value.	Difference between the Air Temperature and Dew Point Temperature: Mean daily value.	Difference: Greatest.	Difference: Least.	Degree of Humidity (Saturation equals 100).	Radiation: Highest in Sun's Rays.	Radiation: Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	6	First Quarter.	29·420	71·2	47·6	23·6	58·3	+ 7·7	49·0	9·3	17·5	0·0	71	105·9	39·4	48·90	SW., ENE. & NE.	Variable	2·3	0·0	0·1	175	− 77	0·28	0·0
MONDAY -	7	..	29·463	65·0	45·6	19·4	54·2	+ 3·4	44·7	9·5	18·7	3·0	70	135·4	36·5	49·61	SSW., SW. & WSW.	SW	1·8	0·0	0·1	243	− 9	0·00	0·0
TUESDAY -	8	..	29·463	61·0	42·3	18·7	52·7	+ 1·7	44·3	8·4	14·6	0·9	73	100·2	34·5	50·10	WSW., N. & NE.	N., NE. & NNW.	1·8	0·0	0·1	208	− 43	0·00	0·0
WEDNESDAY	9	Apogee. In Eqr.	29·456	56 1	49·3	6·8	51·2	0·0	47·7	3·5	6·5	2·5	88	75·4	43·6	50·27	W. & WSW.	W., NW. & NNW.	3·3	0·0	0·2	301	+ 50	0·07	0·0
THURSDAY-	10	..	29·823	53·7	39·8	13·9	45·7	− 5·8	43·1	2·6	9·8	0·8	91	92·9	30·7	50·38	NNW., WSW. & NE.	ENE. & E.	2·3	0·0	0·1	219	− 32	0·01	0 0
FRIDAY -	11	..	29·877	58·6	34·7	23·9	47·5	− 4·2	36·3	11·2	18·8	3·2	65	118·0	25·3	50·34	NE.	NE., ENE. & E.	1·0	0·0	0·0	153	− 97	0·00	0·0
SATURDAY -	12	..	29·875	51·2	43·3	7·9	46·4	− 5·6	39·2	7·2	10·2	5·9	76	105·8	36·0	50·06	ENE., NE. & NNE.	NE., NNE. & ENE.	0·7	0·0	0·0	166	− 84	0·00	0·0
MEANS -			29·625	59·5	43·2	16·3	50·9	− 0·4	43·5	7·4	13·7	2·3	76	104·8	35·1	49 95	WSW. & NE.		..	..	..	Sum 1465	Sum −292	Sum 0·36	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	6	w. P. with occasional v. N. till 6h. P.M.; s. P. & s. N. till 9h. P.M.; w. P. afterwards.	1·9	15·1	Overcast till 2h. P.M. with occasional slight showers; partially cloudy till 6·30h. P.M.; overcast with heavy rain accompanied by lightning and thunder till 9h. P.M.: partially cloudy afterwards. Lunar halo at 10h. P.M.
MONDAY -	7	w. P. generally till 6h. P.M.; m. P. afterwards.	8·0	15·1	Cloudy in morning; very fine and partially cloudy till evening; cloudless at night.
TUESDAY -	8	m. P. generally. -	0·2	15·1	Very fine till 3h. A.M.; generally overcast till night; partially cloudy after 9h. P.M.
WEDNESDAY	9	m. P. till 3h. A.M.; w. P. & v. N. till 1h. P.M.; m. P. generally afterwards.	0·0	15·2	Generally overcast; frequent rain till 2h. P.M. Gloomy in forenoon.
THURSDAY-	10	m. P. till noon; w. P. till 7h. P.M.; m. P. afterwards.	1·1	15·3	Overcast till afternoon, with frequent fine rain between 8h A.M. and 1h. P.M.; very fine afterwards and cloudless at night. A very cold day.
FRIDAY -	11	m. P. generally till 7h. P.M.; w. P. afterwards.	11·6	15·3	Very fine with small amounts of cloud till 10h. P.M.; cloudy afterwards. Hoar frost in morning. Cold.
SATURDAY -	12	m. P. generally; occasional w. P.	0·3	15·4	Generally overcast. A very cold day.
			Sum 23·1	Sum 106·5	
No. of Col.	-	25	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive: N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·67 in. at the beginning of the week to 29·30 in. by 9h. P.M. on the 6th; increased to 29·51 in. by 10h. P.M. on the 7th; decreased to 29·36 in. by 7h. A.M. on the 9th; increased to 29·91 in. by 9h. A.M. on the 12th, and was 29·85 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 20. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MAY 19. [Price 1½*d.*

General Register Office, Somerset House,
May 21st, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 20·3, 19·6, and 17·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Apr. 28.	May 5.	May 12.	May 19.		Apr. 28.	May 5.	May 12.	May 19.
33 Great Towns	20·3	19·6	17·8	18·2	Leicester - -	18·1	16·4	17·1	19·3
Birkenhead -	12·9	14·7	11·6	12·9	Liverpool - -	26·0	23·2	23·9	25·3
Birmingham -	23·6	20·2	24·0	21·0	London - - -	19·6	19·0	16·4	16·3
Blackburn -	20·5	28·1	25·5	19·8	Manchester - -	26·1	27·2	21·7	26·9
Bolton - -	17·1	18·1	17·8	18·7	Newcastle-on-Tyne	14·0	18·9	17·6	17·4
Bradford -	20·4	17·7	17·3	17·7	Norwich - -	17·3	17·7	11·8	19·5
Brighton -	16·8	14·3	18·5	13·9	Nottingham - -	18·0	17·6	16·8	16·1
Bristol - -	19·1	21·8	14·8	16·5	Oldham - -	21·4	20·1	16·7	20·7
Burnley -	14·3	13·8	16·1	12·1	Plymouth - -	24·5	27·6	29·1	21·9
Cardiff - -	20·4	15·6	11·5	10·5	Portsmouth - -	16·9	13·4	16·6	18·2
Croydon -	16·3	14·7	11·9	10·3	Preston - -	23·2	24·6	14·9	21·9
Derby - -	20·3	20·3	18·3	15·0	Salford - - -	21·7	19·8	23·6	24·6
Gateshead -	20·0	13·3	17·6	20·0	Sheffield - -	22·2	21·4	19·5	20·5
Halifax -	23·3	17·6	17·6	17·6	Sunderland - -	17·7	25·1	19·8	23·3
Huddersfield-	18·0	17·0	19·5	19·0	Swansea - -	16·3	16·3	12·9	11·9
Hull - -	17·3	14·0	17·7	17·0	West Ham - -	15·6	14·4	12·8	13·3
Leeds - -	23·2	22·5	17·9	19·9	Wolverhampton -	30·8	30·3	25·0	19·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·1 in Blackburn and in Bradford, 1·4 in Bristol, in Derby, and in Oldham, 1·5 in Huddersfield, 1·6 in Leeds, 1·8 in Sunderland, and 2·0 in Plymouth ; from *scarlet fever*, 1·0 in Derby ; from *whooping-cough*, 1·0 in West Ham, and 1·4 in Norwich, in Liverpool, and in Oldham ; and from "*fever*," 1·7 in Wolverhampton. In none of the thirty-three towns did the death-rate from *diarrhœa* reach 1·0 per 1000. The 69 deaths from *diphtheria* included 22 in London, 9 in Leicester, 9 in Sheffield, and 8 in Leeds. One death from *small-pox* was registered in Oldham, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2512 BIRTHS and 1437 DEATHS were registered. Allowing for increase of population, the births were 56, and the deaths 168,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·6, 19·0, and 16·4 in the preceding three weeks, further fell last week to 16·3. During the four weeks ending on Saturday last the death-rate averaged 17·8 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1437 deaths included 49 from measles, 6 from scarlet fever, 22 from diphtheria, 56 from whooping-cough, 15 from enteric fever, 8 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 156 deaths were referred to these diseases, being 56 below the corrected average weekly number.

The deaths from *measles*, which had been 68, 72, and 56 in the preceding three weeks, further fell last week to 49, and were 32 below the corrected average; 7 cases belonged to Hammersmith and 6 to Islington sanitary areas. The deaths from *scarlet fever*, which had been 11, 4, and 4 in the preceding three weeks, rose again last week to 6, but were 10 below the corrected average. The deaths from *diphtheria*, which had been 20, 21, and 29 in the preceding three weeks, fell again last week to 22, and were 16 below the corrected average; 4 cases belonged to Islington, 3 to Bethnal Green, and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 40, 42, and 35 in the preceding three weeks, rose again last week to 56, and were 3 above the corrected average; 7 cases belonged to Greenwich, 5 to Limehouse, 4 to Bermondsey, and 4 to Camberwell sanitary areas. The fatal cases of *enteric fever*, which had been 8, 6, and 3 in the preceding three weeks, rose again last week to 15, and were 7 above the corrected average; 2 cases belonged to Islington, 2 to Poplar, 2 to Newington, 2 to Bermondsey, 2 to Lambeth, and 2 to Battersea sanitary areas. The deaths from *diarrhœa*, which had been 17, 11, and 15 in the preceding three weeks, fell again last week to 8, and were 7 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 411, 417, and 300 in the preceding three weeks, further fell last week to 270, and were 32 below the corrected average. The deaths attributed directly to *influenza* numbered 13, having been 39, 27, and 26 in the preceding three weeks.

Different forms of violence caused 73 deaths, concerning all of which inquests were held. Of these 73 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 59 were attributed to accident or negligence. Two of these were referred to vehicles in the streets, 9 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 17 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 3 cases of small-pox, 1733 of scarlet fever, 1188 of diphtheria, and 172 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 221 cases, against 170, 176, and 203; of diphtheria, 166 cases, against 158, 152, and 196; and of enteric fever, 24 cases, against 27, 19, and 19.

Greater London.

In Greater London 3624 births and 1923 deaths were registered, corresponding to annual rates of 28·4 and 15·1 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 1 from scarlet fever, 11 from diphtheria, 21 from whooping-cough, 2 from "fever," and 6 from diarrhœa were registered. Six deaths from measles, 4 from diphtheria, and 10 from whooping-cough occurred in West Ham district; 5 deaths from measles occurred in Hendon district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·90 inches, and that of the Thermometer 47°·1; the latter being 6°·0 above the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 36 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 39·1 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 19th May 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6808**	**4043**	**900**	**937**	**1**	**126**	**35**	**69**	**128**	**35**	**37**	**159**	**299**	**917**	**57**	**18·2**	**1·9**	**68·2**	**29·7**	**45·0**	**7·22**	**0·03**	**0·08**	33 Towns.
London - -	4,589,129	2512	1437	297	361	-	49	6	22	56	15	8	73	145	452	3	16·3	1·8	63·9	37·0	47·1	8·39	0·01	0·03	London.
West Ham - -	314,472	179	80	31	17	-	5	1	1	6	-	1	2	5	8	2	13·3	2·3	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	61	26	5	8	-	-	-	-	1	-	-	1	3	7	-	10·3	0·4	62·0	35·5	47·3	8·50	0·01	0·03	Croydon.
Brighton - -	124,148	72	33	8	12	-	-	-	2	-	-	-	-	3	5	-	13·9	0·8	60·8	38·8	47·2	8·44	0·01	0·03	Brighton.
Portsmouth -	194,955	101	68	14	21	-	-	-	2	1	1	1	1	3	15	-	18·2	1·3	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	54	43	5	16	-	4	-	-	-	-	-	2	3	-	-	21·9	2·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	191	103	24	22	-	9	-	2	4	1	1	1	7	15	2	16·5	2·7	62·3	33·0	46·0	7·78	0·09	0·23	Bristol.
Cardiff - -	194,247	103	39	5	7	-	3	-	-	-	1	-	2	7	6	-	10·5	1·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	53	24	4	6	-	-	-	-	-	-	-	-	1	1	-	11·9	-	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	54	34	3	11	-	-	-	-	1	3	-	-	-	8	-	19·8	2·3	58·0	31·8	42·6	5·89	0·0	0·00	Wolverhampton.
Birmingham -	519,610	328	209	63	37	-	2	4	2	8	2	2	5	10	39	5	21·0	2·0	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	77	43	9	12	-	-	-	1	3	-	1	2	3	3	1	19·5	2·3	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	162	81	23	20	-	-	-	9	-	1	1	5	8	15	4	19·3	2·6	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	139	75	20	18	-	-	1	-	-	1	1	5	6	18	2	16·1	0·6	66·3	29·7	42·9	6·06	0·09	0·23	Nottingham.
Derby - - -	107,991	66	31	6	7	-	3	2	-	-	-	-	1	4	7	-	15·0	2·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	53	29	6	6	-	-	-	-	1	-	-	1	1	4	-	12·9	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	481	308	67	65	-	-	2	1	17	4	2	13	18	82	24	25·3	2·1	56·8	37·7	45·8	7·67	0·00	0·00	Liverpool.
Bolton - -	164,240	110	59	10	18	-	2	-	-	2	-	1	2	3	2	-	18·7	1·6	-	-	-	-	-	-	Bolton.
Manchester -	548,768	365	283	70	60	-	7	2	2	9	2	7	10	16	68	3	26·9	2·8	-	-	-	-	-	-	Manchester.
Salford - -	220,816	139	104	21	20	-	-	3	-	2	1	-	1	4	28	-	24·6	1·4	-	-	-	-	-	-	Salford.
Oldham - -	153,297	72	61	14	9	1	4	1	-	4	-	-	1	1	6	-	20·7	3·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	60	27	4	6	-	-	1	1	-	1	-	1	2	4	-	12·1	1·3	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	87	52	11	8	-	3	-	1	2	-	1	-	1	5	1	19·8	2·7	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	59	50	8	11	-	1	1	1	-	-	-	4	5	5	1	21·9	1·3	-	-	-	-	-	-	Preston.
Huddersfield	104,484	50	38	11	6	-	3	1	-	-	-	-	1	2	3	-	19·0	2·0	64·7	32·5	42·8	6·00	0·00	0·00	Huddersfield.
Halifax - -	100,710	38	34	5	16	-	-	1	2	-	1	-	-	-	8	1	17·6	2·1	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	132	99	22	26	-	6	1	-	1	-	2	2	5	9	-	17·7	1·8	68·2	35·4	45·4	7·44	0·05	0·13	Bradford.
Leeds - - -	431,287	305	165	44	27	-	13	2	8	5	-	3	9	14	19	2	19·9	3·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	236	144	40	22	-	3	3	9	4	-	4	3	4	20	5	20·5	3·3	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	139	78	11	18	-	4	2	2	-	1	1	3	3	16	1	17·0	2·2	68·0	31·0	42·6	5·89	0·03	0·08	Hull.
Sunderland -	147,398	118	66	21	19	-	5	-	-	-	-	-	3	5	7	-	23·3	1·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	85	42	9	13	-	-	1	1	-	-	-	-	-	10	-	20·0	1·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	127	78	9	12	-	-	-	-	1	-	-	5	7	22	-	17·4	0·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTIETH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2468	2374	2600	2445	2241	2496	2462	2444	2285	2598	2568·3	2512
Males - -	1283	1214	1328	1267	1121	1246	1287	1260	1155	1318	1312·8	1282
Females - -	1185	1160	1272	1178	1120	1250	1175	1184	1130	1280	1255·5	1230
TOTAL **Deaths** -	1466	2235	1537	1503	1463	1389	1516	1321	1360	1419	1605·3	1437
Males - -	762	1166	883	796	759	747	812	693	705	730	847·2	781
Females - -	704	1069	704	707	704	642	704	628	655	689	758·1	656

*The numbers in this column are the average weekly numbers in the twentieth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.
TOTAL **Births** - - -	2805	2561	2841	2628	2675	2736	2580	2292	2610	2697	2737	2581	2512
TOTAL **Deaths** - - -	1894	1668	1652	1659	1817	1785	1932	1844	1811	1721	1675	1446	1437
Ages at Death: Under 1 year - -	355	340	345	385	413	368	366	356	369	302	349	289	297
1—5 years - -	218	189	208	215	260	247	250	249	220	238	217	186	182
5—20 " - -	91	72	102	87	94	96	106	91	102	84	80	83	101
20—40 " - -	245	218	219	216	232	227	238	229	250	247	222	187	194
40—60 " - -	392	362	367	327	352	340	405	389	352	393	371	314	302
60—80 " - -	476	375	342	339	368	414	458	452	423	374	348	324	300
80 years and upwards	117	112	69	90	98	93	109	87	95	83	88	63	61
Deaths from—													
Small pox - - - -	-	1	-	-	-	-	-	-	-	1	-	1	-
Measles - - - - -	42	41	39	56	50	60	62	59	53	68	72	56	49
Scarlet Fever - - -	4	9	8	6	3	7	7	8	5	11	4	4	6
Diphtheria - - - -	48	26	41	35	36	31	32	19	17	20	21	29	22
Whooping-cough - - -	40	43	37	35	49	45	50	51	49	40	42	35	56
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	17	18	13	13	7	7	20	12	9	8	6	3	15
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	11	7	6	8	17	8	6	8	8	17	11	15	8
Cholera - - - -	1	-	-	-	-	-	-	-	-	1	-	1	-
All the above Diseases -	163	145	144	153	162	158	177	157	141	166	156	144	156
Dis. of Respiratory System -	485	380	378	391	456	469	499	501	460	411	417	300	270
Phthisis - - - - -	162	170	158	178	205	202	186	160	177	164	168	131	159
Dis. of Circulatory System -	164	156	161	126	154	149	184	169	139	146	154	140	116
Violence - - - -	76	82	82	63	61	91	77	69	76	95	67	59	73
Inquest Cases - - - -	193	173	169	152	154	203	186	163	169	198	143	154	145
Deaths in Public Institutions -	590	551	524	526	539	548	541	515	581	521	538	467	452
TEMPERATURE OF THE AIR.													
Mean - - - - -	45.4°	43·1°	39·2°	40·8°	38·8°	37·0°	41·9°	48·0°	51·8°	47·5°	52·7°	50·9°	47·1°
Mean of Highest readings -	51·6	48·0	43·7	47·6	45·7	44·2	51·1	56·4	62·1	57·7	61·7	59·5	56·3
Mean of Lowest readings -	39·4	39·8	35·8	34·3	32·7	31·1	34·3	40·7	41·2	38·0	44·0	43·2	39·9
Humidity of the Air - -	85	90	79	76	83	74	76	72	69	70	70	76	68
Rain-fall (in inches) - -	0·51	0·65	0·02	0·08	0·61	0·16	0·45	0·22	0·15	0·06	0·19	0·36	0·01
Registered Sunshine (in hours)	18·3	5·3	15·5	13·4	23·1	26·3	27·0	31·9	50·8	39·9	41·4	23·1	39·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	11	7	7	5	5	3	2	3	4	6	6	5	3
Scarlet Fever - - - -	2009	1868	1777	1760	1715	1696	1713	1694	1676	1647	1660	1693	1733
Diphtheria - - - -	1437	1407	1385	1361	1329	1243	1198	1161	1141	1141	1131	1176	1188
Enteric Fever - - - -	280	274	270	265	268	263	243	224	219	208	192	185	172

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTIETH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 20th Week of the 10 years 1890–99*.	In the Week ending Saturday, 19th May 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1605·3	1437	297	182	101	194	302	300	61
- Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Unvaccinated	0·3	-	-	-	-	-	-	-	-
No Statement	0·7	-	-	-	-	-	-	-	-
s - - - -	80·5	49	7	39	3	-	-	-	-
Fever - - -	15·7	6	-	4	2	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	47·4	13	-	-	3	2	2	6	-
ing-cough - -	53·0	56	27	28	1	-	-	-	-
eria - -	38·2	22	1	12	9	-	-	-	-
Continued and efined Fever -	0·4	-	-	-	-	-	-	-	-
c Fever - - -	7·5	15	-	1	4	8	2	-	-
a and Chol. Diarr.	0·2	-	-	-	-	-	-	-	-
œa, Dysentery -	15·0	8	4	2	-	-	1	1	-
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·3	-	-	-	-	-	-	-	-
al Affections - -	8·5	8	6	-	1	-	-	1	-
elas - - -	3·9	1	-	-	-	-	-	1	-
a and Septicæmia	2·5	1	-	-	-	1	-	-	-
ral Fever - -	4·8	3	-	-	-	3	-	-	-
Zymotic Diseases	1·6	1	-	-	-	1	-	-	-
l - - - -	0·4	1	1	-	-	-	-	-	-
s and other Para- l Diseases -	0·4	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	0·6	1	1	-	-	-	-	-	-
lism - - -	11·6	16	-	-	-	5	10	1	-
matic Fever, matism of Heart	6·5	11	-	-	5	3	2	1	-
matism - - -	1·6	1	-	-	-	-	1	-	-
- - - - -	2·8	3	-	-	-	-	1	2	-
s - - - - -	5·8	4	2	1	1	-	-	-	-
- - - - -	73·2	71	-	-	1	9	28	29	4
Mesenterica - -	18·5	15	5	6	1	3	-	-	-
ular Meningitis -	27·4	22	5	12	4	1	-	-	-
is - - - - -	155·8	159	1	5	23	58	59	12	1
la, Tuberculosis -	18·3	31	5	9	7	5	4	1	-
Constitutional ases - -	14·2	15	-	1	-	1	4	9	-
ture Birth - -	48·2	51	51	-	-	-	-	-	-
tasis - - -	2·4	2	2	-	-	-	-	-	-
nital Malforma- - - - -	8·0	5	4	-	1	-	-	-	-
ge - - - -	45·6	45	-	-	-	-	-	19	26
oxy - - -	43·6	44	-	-	-	1	12	28	3
sy - - - -	6·0	3	-	-	-	1	2	-	-
lsions - - -	38·5	24	22	2	-	-	-	-	-
Diseases of Brain Nervous System	80·7	66	13	8	1	10	19	13	2
es of Organs of ial Sense -	3·8	7	3	-	3	-	1	-	-

CAUSES OF DEATH	Corrected Averages for the 20th Week of the 10 years 1890–99*.	In the Week ending Saturday, 19th May, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	137·6	116	2	-	6	20	36	44	8
Croup - - - -	3·9	1	-	1	-	-	-	-	-
Bronchitis - - -	142·4	110	28	9	2	2	17	49	3
Pneumonia - - -	127·4	124	16	25	6	20	29	23	5
Pleurisy - - - -	5·5	12	1	2	2	1	2	4	-
Other Diseases of Respiratory System -	23·1	23	3	4	-	2	6	6	2
Dentition - - - -	9·2	10	6	4	-	-	-	-	-
Quinsy, Sore Throat -	2·6	-	-	-	-	-	-	-	-
Enteritis - -	13·0	8	2	-	-	-	4	2	-
Gastro-enteritis -		9	7	-	-	-	-	2	-
Peritonitis - - -	6·4	6	-	-	2	4	-	-	-
Diseases of Liver - -	25·2	23	1	-	-	2	14	6	-
Other Diseases of Digestive System	30·9	23	4	1	2	6	4	6	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·9	2	-	-	-	1	1	-	-
Diseases of Urinary System - - -	43·7	51	3	1	1	6	17	20	3
Diseases of Generative System - - -	6·7	6	-	-	-	3	3	-	-
Accidents of Childbirth -	5·9	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	5·5	2	1	-	1	-	-	-	-
Diseases of Integumentary System - -	5·0	9	1	2	-	1	1	2	2
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	57·3	4	-	-	-	2	-	2	-
By Vehicles or Horses -		2	-	-	1	-	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		2	-	-	-	-	2	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		3	-	2	-	-	-	1	-
By Drowning - - -		9	1	-	2	2	4	-	-
By Suffocation in Bed -		17	17	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	-	-	1	1	-
Other or not stated causes - - - -		20	4	-	3	2	7	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·5	2	-	-	-	1	1	-	-
Suicide - - - -	10·8	12	-	-	1	4	5	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	44·1	46	40	1	2	-	-	3	-

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 19th May, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2512	1437	297	361	-	49	6	22	56	-	15	-	8	73	145	452
WEST DISTRICTS - - -	778,251	360	238	44	68	-	12	-	-	4	-	-	-	2	5	17	67
NORTH DISTRICTS - - -	1,040,694	538	319	60	93	-	12	2	8	7	-	3	-	3	19	32	96
CENTRAL DISTRICTS - - -	233,635	112	97	16	24	-	4	-	-	4	-	-	-	-	6	13	40
EAST DISTRICTS - - -	716,334	504	263	62	52	-	11	-	3	14	-	2	-	1	17	39	82
SOUTH DISTRICTS - - -	1,642,796	998	472	115	106	-	10	4	11	27	-	10	-	2	26	44	119
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	-	18	-	-	-	-	-	-	-	-	-	-	-	48
WEST-DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	45	38	8	13	-	1	-	-	2	-	-	-	-	1	3	6
St. John Paddington *H* - - G.	33,510	9	15	2	4	-	1	-	-	-	-	-	-	-	-	-	9
Kensington Town *Ww* - - W.	122,164	61	38	11	8	-	2	-	-	1	-	-	-	1	2	4	14
Brompton *HH*- - - W. & C.	48,301	13	9	-	3	-	1	-	-	-	-	-	-	-	1	1	2
North Hammersmith *H* / South Hammersmith *H* W. & G	44,638 / 59,561	24 / 25	19 / 13	5 / 3	5 / 3	- / -	7 / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / 1	- / 2
Fulham *Ww* - - - W. & C.	113,781	88	39	7	9	-	-	-	-	-	-	-	-	-	-	1	8
Chelsea Kensal Town - C.	21,450	12	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	14	15	1	4	-	-	-	-	-	-	-	-	1	-	1	10
Chelsea South *HH* - - C.	33,139	15	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-
May Fair *W* - - - - G.	23,827	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Belgrave *WHHH* - - - C.	56,140	16	12	2	5	-	-	-	-	-	-	-	-	-	-	3	3
St. John Westminster *HH* - C.	31,492	15	8	-	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Margaret Westminster *H*- C.	22,097	7	10	2	2	-	-	-	-	-	-	-	-	-	-	-	7
St. James Westminster *WH* N. & G.	23,050	4	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1
St Anne Soho *HHHHH* - N.	12,048	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	10	14	2	5	-	-	-	-	-	-	-	-	-	-	-	6
Rectory Marylebone *W* G. & W.	19,798	7	7	1	2	-	-	-	-	-	-	-	-	-	1	1	1
St. Mary Marylebone *HHHH* G. & W.	19,637	26	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	12	14	6	2	-	-	-	-	-	-	-	-	-	2	3	-
St. John Marylebone *HHH* - W.	32,611	19	13	2	2	-	-	-	-	-	-	-	-	1	1	1	-
Hampstead *WwHHHH* - N. & W.	75,449	34	17	4	3	-	2	1	3	-	-	-	-	-	-	-	9
Regent's Park † *HH* - W.	51,403	23	9	3	-	-	-	-	-	1	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	13	17	2	8	-	-	-	-	1	-	2	-	-	1	1	11
Gray's Inn Lane *HHHH* - N.	29,426	9	11	4	1	-	1	-	-	-	-	-	-	-	3	3	2
Somers Town *HH* - - - N.	32,161	14	7	-	2	-	1	-	-	-	-	-	-	-	1	2	3
Camden Town† *WH* - - N.	40,155	24	19	2	10	-	1	-	-	-	-	-	-	-	-	2	8
Kentish Town† *WW* - - N.	60,862	31	16	2	8	-	-	-	-	-	-	-	-	1	2	2	6
Upper Holloway *WWWWwHH* - - N.	98,273	42	42	2	13	-	1	-	1	-	-	1	-	-	1	4	26
Lower Holloway‡ - - - N.	41,805	31	13	3	4	-	3	-	-	1	-	-	-	-	-	2	-
Barnsbury‡ - - - - N.	56,384	20	8	2	2	-	1	-	-	-	-	-	-	-	1	1	-
Islington South-east‡ *H* - N.	75,725	55	17	1	8	-	1	-	-	-	-	-	-	-	1	2	-
Highbury *HH* - - - N.	64,577	27	21	4	4	-	-	-	-	1	-	-	-	-	1	2	-
Stoke Newington *H* - - N.	33,485	17	8	1	4	-	-	-	-	2	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	26	11	4	4	-	-	-	1	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		24	13	-	2	-	1	1	3	-	-	-	-	-	1	1	6
South-west Hackney *HHH* E. & N.		42	18	8	4	-	-	-	-	-	-	-	-	-	2	2	7
South-east Hackney *WwH* E. & N.		32	20	5	5	-	-	-	-	1	-	-	-	1	-	2	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two n Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 19th May, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles } th *WH* - - - N.	29,086	16	7	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
iles North *H* - - - N.	9,151	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
artin-in-the-Fields *HH* N. & C.	13,077	4	3	-	1	-	-	-	-	-	-	-	-	-	1	1	3	-
d *WHH* - - - - N.	11,839	4	4	-	1	-	-	-	-	1	-	-	-	-	-	-	4	-
d Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *wHHHHHH* - N.	31,042	11	16	4	4	-	1	-	-	-	-	-	-	-	-	-	9	-
mes Clerkenwell - - N.	15,777	7	8	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-
ell Clerkenwell - - N.	34,356	19	11	3	1	-	-	-	-	1	-	-	-	-	1	4	-	-
ell-street - - - - N.	16,069	12	8	3	1	-	2	-	-	1	-	-	-	-	1	1	-	-
road *H THHL* - - N.	29,897	31	7	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-
ecross-street - - - N.	7,595	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *cham* - - - -	†*892*	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
otolph* *H* - - N. & E.	13,061	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre *WH* - - - N.	9,591	2	16	-	3	-	1	-	-	-	-	-	-	-	2	3	12	-
allows Barking - - - N.	9,059	-	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
of London Asylum, Stone - -	†*388*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	10	5	2	2	-	-	-	-	1	-	-	-	-	1	1	1	-
ton New Town *w* - - N.	23,575	17	12	2	7	-	-	-	-	1	-	-	-	-	1	1	7	-
ton Old Town - - - N.	27,645	15	7	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
gerston *WH* - - N. & E.	47,163	27	26	5	6	-	1	-	-	1	-	-	-	1	2	3	12	-
nal Green North *H* - E.	49,301	35	11	2	2	-	3	-	1	-	-	-	-	-	-	1	-	-
nal Green South - - E.	34,194	24	8	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-
nal Green East *WWHl* - E.	45,667	27	20	2	7	-	-	-	-	-	-	-	-	-	1	2	13	-
alfields - - - E. & N.	26,681	22	9	5	1	-	-	-	-	1	-	-	-	-	1	4	-	-
End New Town *WH* - E. }	51,995 {	28	34	7	2	-	1	-	-	-	-	-	-	-	5	9	25	-
dman's Fields - - - E. }		21	10	2	2	-	-	-	-	-	-	-	-	-	1	3	-	-
George's, North - - - E.	39,576	41	7	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
ohn, St. George East *W* E.	7 930	4	7	-	4	-	-	-	-	-	-	-	-	-	1	1	5	-
dwell *H* - - - E. & N.	10,434	11	7	4	1	-	-	-	-	1	-	-	-	-	1	1	3	-
cliff *W* - - - - E.	14,954	7	3	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-
ehouse - - - - - E.	32,917	23	13	2	3	-	2	-	-	2	-	-	-	-	1	2	-	-
e End Old Town West *H* E. }	111,060 {	52	13	7	1	-	-	-	1	1	-	-	-	-	-	-	-	-
e End Old Town East } *WWw* - E.		35	21	6	4	-	1	-	-	-	-	-	-	-	-	1	8	-
w l - - - - E.	41,687	19	10	3	1	-	-	-	-	-	-	1	-	-	1	2	-	-
omley *wwwH* - - - E.	69,821	49	25	6	6	-	-	-	1	2	-	1	-	-	-	-	7	-
olar *WW* - - - - E.	57,759	37	15	2	2	-	2	-	-	1	-	-	-	-	-	1	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February. 1900.
† Population in 1891, not included in the total population of the Central Districts or of London,

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 19th May, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Causes.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	5	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Kent-road - - - - S. & L.	22,879	19	8	3	1	-	-	-	1	1	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,083	15	13	5	1	-	-	-	-	1	-	1	-	-	-	2	6
London-road *HL* - - L. & S.	21,316	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	19	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
St. Peter Walworth *W* - S. & L.	62,045	38	15	1	8	-	-	-	1	-	-	-	-	-	-	1	3
St. Mary Newington- - L. & S.	30,171	16	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	4	9	-	-	-	-	-	-	-	-	2	-	-	2	2	6
Bermondsey *W* - - - S.	85,475	57	19	3	4	-	-	-	-	4	-	-	-	-	1	2	1
Rotherhithe *Ww* - S. & K.	40,379	19	14	2	2	-	-	-	-	1	-	-	-	-	-	-	8
Waterloo-road *HH* - L. & S.	28,396	23	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *H* - L. & S.	18,770	6	13	2	2	-	-	-	-	-	-	-	-	-	5	6	11
Lambeth Church 2nd *WW* L. & S.	40,994	26	22	4	8	-	-	-	-	-	-	-	-	-	1	4	12
Kennington 1st *H* - - S. & L.	52,486	38	11	6	3	-	-	-	-	-	-	-	-	-	1	1	1
Kennington 2nd - - S. & L.	43,244	13	9	2	1	-	-	-	1	1	-	-	-	-	-	1	-
Brixton *w* - - - L. & S.	81,825	34	23	6	4	-	1	-	1	1	-	1	-	-	2	3	1
Norwood *WH*- - - - L.	29,318	14	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	62	12	7	1	-	-	-	1	1	-	1	-	-	-	-	-
North-west Battersea† - - S.	93,385	45	13	5	2	-	2	-	-	2	-	1	-	-	-	-	-
South-west Battersea† *WwH* - S.		16	18	1	4	-	-	-	-	-	-	-	-	-	-	-	10
Clapham *H* - - - - S.	46,953	22	10	3	7	-	1	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	38	13	3	2	-	1	-	2	-	-	1	-	-	-	-	3
Wandsworth *WHHL* - - S.	58,101	41	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Putney - - - - - - S.	20,566	14	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	4	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell *WWwll* - S. & L.	90,286	46	36	5	11	-	1	-	-	1	-	1	-	-	1	3	21
Peckham *WW* - S., L., & K.	88,242	51	24	4	5	-	-	-	1	1	-	-	-	-	2	2	1
St. George Camberwell - L. & S.	67,029	48	15	4	4	-	-	-	-	2	-	-	-	-	-	1	-
Deptford North - - - K.	36,152	35	14	5	1	-	2	-	-	1	-	-	-	-	4	4	-
Deptford Central *w* - - K.	45,441	28	17	5	2	-	-	2	2	2	-	-	-	-	-	1	5
Deptford South - - - K.	33,402	12	4	2	2	-	-	-	-	1	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,012	16	9	-	5	-	-	-	-	-	-	-	-	-	1	1	2
Greenwich East *WH* - - K.	37,767	26	22	4	3	-	1	-	-	3	-	2	-	-	-	-	14
Eltham *wH* - - - - - K.	5,911	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	10	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Lewisham *WwH* - - - K.	38,139	31	16	5	2	-	-	2	-	-	-	-	-	-	1	1	5
Sydenham *H* - - - - L.	37,601	16	8	4	2	-	-	-	-	3	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	6	9	3	1	-	-	-	1	-	-	-	-	-	-	-	4
Woolwich* *HHHH* - - K.	41,314	24	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *H* - - K.	16,714	8	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	42,538	31	17	4	5	-	-	-	-	1	-	-	-	-	1	1	5
Banstead Asylum - - - -	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6
Horton Asylum, Epsom - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Caterham Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch Asylum - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Claybury Asylum - - - -	—	-	10	-	7	-	-	-	-	-	-	-	-	-	-	-	10

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea an South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

3.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 19th May, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON OUTER RING -	368,749	1,422,063	1,112	486	128	126	-	14	1	11	21	2	6	18	33	71	4
Carshalton *H* - - -	12,228	26,108	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	68	32	5	13	-	-	-	-	1	-	2	1	3	7	-
Mitcham *w* - - -	11,697	23,072	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	19	6	1	3	-	-	-	-	-	-	-	-	-	1	-
Kingston *WH* - - -	14,672	33,566	19	19	5	7	-	-	-	-	-	-	-	1	2	8	-
Surbiton *HH* - - -		12,178	3	6	-	5	-	-	-	-	-	-	-	-	-	2	-
Esher, *part of** *H* - -		11,080	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	13	8	1	1	-	-	-	1	1	-	-	1	1	-	-
Richmond *WHH* - -	2,160	25,389	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Mortlake *H* - - -	2,823	16,159	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	9	4	-	2	-	-	-	-	-	-	-	2	3	-	-
Beckenham *H* - - -	6,542	21,969	17	7	4	3	-	-	-	-	-	-	-	-	-	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	10	4	-	3	-	-	-	-	-	-	-	1	1	3	-
Bexley *HHH* - - -	12,540	30,590	31	19	5	7	-	-	-	1	-	-	-	1	2	-	1
Dartford *WH*, *part of** -	—	—	-	3	-	-	-	-	-	1	-	-	-	-	-	3	-
Sunbury *w* - - -	11,054	13,671	9	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Staines *WH* - - -	13,277	13,221	7	4	-	1	-	1	-	-	-	-	-	-	-	3	-
Hillingdon *WHH* - -	6,035	12,237	11	7	4	2	-	-	-	-	-	-	-	-	-	2	-
Uxbridge - - - -	12,757	7,253	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	8	3	-	-	-	-	-	-	-	-	-	2	2	-	-
Isleworth *WHH* - -	6,967	26,004	23	11	3	2	-	-	-	-	-	-	-	-	-	1	1
Twickenham *HH* - -	2,415	16,027	8	6	1	-	-	-	-	-	-	-	-	-	1	-	-
Brentford *HHHH* - -	4,318	37,777	25	13	2	7	-	-	-	-	-	-	-	-	-	-	-
Chiswick - - - -	1,245	21,963	19	10	2	1	-	-	-	-	-	-	-	-	1	-	-
Acton *wHH* - - -	6,132	30,945	22	6	2	1	-	2	-	-	-	-	-	-	1	-	-
Harrow *HHH* - - -	13,809	15,715	15	4	2	-	-	1	-	-	-	-	-	1	1	-	-
Edgware *HH* - - -	6,994	3,844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	69	27	6	5	-	4	-	1	1	-	-	-	-	1	-
Hendon *WH* - - -	8,382	15,843	11	5	-	3	-	-	-	-	-	-	-	1	1	4	-
South Mimms *HH* - -	21,077	6,367	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	12	4	1	1	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH* - - -	4,688	25,820	21	10	3	2	-	-	-	-	-	-	-	-	1	-	-
Hornsey *HH* - - -	3,039	61,097	51	18	3	4	-	-	-	-	-	-	-	-	-	1	-
Tottenham *HHH* - -	4.642	97,174	93	30	9	3	-	-	-	-	1	-	-	3	3	3	-
Edmonton *Ww* - -	7,489	36,351	35	16	4	5	-	-	-	-	3	-	3	2	2	5	-
Enfield *WWHH* - -	12,602	31,536	22	12	2	3	-	-	-	-	-	-	-	-	1	-	-
Waltham Abbey - - -	11,017	6,066	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	9	2	1	-	-	-	-	-	1	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	26	3	2	-	-	-	-	-	1	-	-	-	-	-	-
Plaistow *HHH* - - -		58,030	59	28	13	9	-	2	1	-	3	-	-	1	2	1	-
Canning Town *H* - -		54,750	65	25	11	3	-	2	-	1	1	-	1	1	3	-	2
Forest Gate *w* - - -		53,511	29	17	5	3	-	1	-	-	1	-	-	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	53	15	7	-	-	1	-	-	1	-	-	-	1	1	-
Leyton *WWWwH* - -	4,334	70,188	56	27	7	6	-	-	-	-	2	1	-	-	-	9	-
Walthamstow *HHHL* -	6,501	57,330	58	20	7	1	-	-	-	3	2	-	-	-	-	2	-
Chigwell, *part of** *HHHH*	11,779	12,941	8	5	-	2	-	-	-	1	-	-	-	-	-	2	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	19	7	1	4	-	-	-	-	-	-	-	-	1	-	-
Barking Town, *H* - -	3,814	14,301	16	8	2	-	-	-	-	1	2	1	-	-	-	2	-
North-Western Fever Hospital, Hampstead.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
London County Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

ne parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst istrict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in eld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for tious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are ncluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 19th May, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**15·1**	**1·7**	**1923**	**425**	**487**	-	**63**	**7**	**33**	**77**	**17**	**14**	**91**
INNER LONDON -	74,672	4,589,129	16·3	1·8	1437	297	361	-	49	6	22	56	15	8	73
OUTER RING -	368,749	2,063,016	12·3	1·4	486	128	126	-	14	1	11	21	2	6	18

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	May	19	171	106	18·3	-	5	-	2	1	1
GLASGOW - -	743,585	"	19	463	290	20·3	1	10	5	4	23	2
DUBLIN - -	349,594	"	19	198	154†	23·0	-	2	-	1	1	3
CALCUTTA - -	466,460	Mar.	24	-	1189	132·9	30	3	-	-	-	883‡
BOMBAY - -	821,764	April	24	196	1941	122·8	53	42	?	?	?	699‡
MADRAS - -	452,518	"	6	387	326	37·4	-	8	?	?	?	93
PARIS - - -	2,511,629	May	12	1133	1001	20·7	-	25	4	6*	3	17
BRUSSELS - -	561,130	"	12	287	191	17·6	-	-	1	-	2	2
AMSTERDAM -	526,072	"	5	264	172	17·1	-	-	-	1	2	-
ROTTERDAM -	322,920	"	5	222	111	17·9	-	2	-	2	4	-
THE HAGUE -	205,328	"	5	96	63	15·9	-	6	-	-	-	-
COPENHAGEN -	349,000	"	12	193	132	19·7	-	-	2	1	-	-
STOCKHOLM -	29,7148	"	5	146	97	17·0	-	-	-	2*	1	-
CHRISTIANIA -	221,255	"	12	142	67	15·7	-	1	-	-	2	-
ST. PETERSBURG	1,132,677	"	5	743	640	29·5	3	12	11	17	2	11
MOSCOW - -	988,610	April	28	-	783	41·3	1	30	11	17	3	1
BERLIN - -	1,848,269	"	28	970	634	17·9	-	11	14	14	16	2
HAMBURG - -	691,349	May	12	-	293	22·0	-	7	1	4*	1	-
DRESDEN - -	403,400	April	21	-	133	17·2	-	1	-	3*	1	-
BRESLAU - -	412,959	May	12	-	203	25·6	-	-	-	-	3	-
MUNICH - -	463,000	"	5	-	224	25·2	-	7	1	3*	-	-
VIENNA - -	1,656,662	"	5	884	802	25·2	-	20	-	4*	5	4
PRAGUE - -	385,952	"	5	205	211	28·0	-	-	-	1	1	-
BUDA-PESTH -	685,340	"	5	540	364	27·6	-	9	8	-	5	3
TRIESTE - -	168,264	April	28	95	96	29·7	-	-	1	-	-	-
ROME - - -	514,306	"	21	220	199	20·2	-	13	-	1	1	3
TURIN (10 days)-	344,203	Mar.	10	187	261	27·7	-	10	-	2	2	-
VENICE - -	172,491	May	5	64	73	22·1	-	-	-	-	-	1
CAIRO - -	570,062	Mar.	25	434	467	42·6	9	[illegible]	-	2*	-	12
ALEXANDRIA -	319,766	"	25	254	265	43·1	2	1	-	1*	-	3
NEW YORK (including BROOKLYN)	3,654,594	April	21	1376	1578	22·5	-	27	18	55	14	3
PHILADELPHIA -	1,266,832	"	28	-	618	25·4	-	31	6	23	3	18

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration area.
‡ Including 786 deaths from plague in Calcutta and 473 in Bombay.
§ Including 56 deaths from cholera in Calcutta and 13 in Bombay.
‖ Including one death from malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	13	..	29·872	50·4	39·4	11·0	44·1	− 8·2	34·5	9·6	14·6	3·2	69	103·5	35·4	49·91	NNE.	NE. & NNE.	4·7	0·0	0·5	399	+149	0·00	0·0
MONDAY -	14	Full	29·831	53·9	37·0	16·9	45·2	− 7·4	32·7	12·5	19·8	4·3	62	120·0	32·1	49·78	NNE. & NE.	NE. & NNE.	13·0	0·0	1·5	582	+333	0·00	0·2
TUESDAY -	15	..	29·928	56·7	38·1	18·6	47·3	− 5·5	34·4	12·9	20·9	3·7	61	121·1	32·5	49·50	NNE. & NE.	NE. & NNE.	5·6	0·0	0·9	479	+230	0·00	0·8
WEDNESDAY	16	Greatest Dec. S.	29·970	56·6	37·8	18·8	46·4	− 6·7	36·8	9·6	16·9	3·6	69	128·3	30·5	49·31	N. & NNE.	NNE. & NE.	4·6	0·0	0·6	400	+151	0·00	0·0
THURSDAY-	17	..	29·917	63·9	42·2	21·7	50·5	− 2·8	41·5	9·0	20·5	2·5	71	123·9	40·8	49·26	NE. & NNE.	NE. & ESE.	0·9	0·0	0·0	167	− 81	0·00	0·0
FRIDAY -	18	..	29·834	54·4	43·3	11·1	48·0	− 5·6	41·7	6·3	10·8	1·0	79	82·7	40·2	49·39	ESE., E. & ENE.	E. & NE.	1·4	0·0	0·0	188	− 60	0·01	0·0
SATURDAY-	19	..	29·946	57·9	41·6	16·3	48·0	− 5·9	35·4	12·6	20·7	2·0	62	117·1	38·9	49·61	N. & NNW.	N., NE. & SE.	0·6	0·0	0·0	155	− 93	0·00	0·0
MEANS -			29·900	56·3	39·9	16·3	47·1	− 6·0	36·7	10·4	17·7	2·9	68	113·8	35·8	49·54	NNE.		..	..	..	Sum 2370	Sum +629	Sum 0·01	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	13	w. P. till noon; m. P. afterwards.	1·4	15·4	Generally overcast till 8h. P.M.; fine with small amounts of cloud afterwards. A very cold day.
MONDAY -	14	m. P. till 6h. A.M.; v. P. till 8h. P.M.; s. P. afterwards.	9·3	15·5	Fine and partially cloudy; strong wind till night. Very cold.
TUESDAY -	15	m. P. till 6h. A.M.; v. P. till 8h. P.M.; s. P. afterwards.	10·9	15·5	Very fine generally. The amount of cloud was usually small. Brisk wind till evening. Cold.
WEDNESDAY	16	s. P. till 10h. A.M.; v. P. afterwards.	5·9	15·6	Very fine in early morning; partially cloudy till afternoon: overcast afterwards. Brisk wind till evening. Very cold.
THURSDAY-	17	v. P till 9h. A.M.; s. P. till 7h. P.M.; m. P. afterwards.	8·0	15·6	Overcast till 9h. A.M.; very fine and generally cloudless till evening; overcast at night.
FRIDAY -	18	w. P. till evening; m. P. afterwards.	0·0	15·7	Overcast throughout. Showery in evening. Cold.
SATURDAY-	19	s. P. till 7h. P.M.; w. P. afterwards.	3·6	15·7	Fine; partially cloudly. Cold.
			Sum 39·1	Sum 109·0	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·85 in. at the beginning of the week to 29·88 in. by noon on the 13th; decreased to 29·79 in. by 3h. P.M. on the 14th; increased to 30·01 in. by 9h. P.M. on the 16th; decreased to 29·82 in. by 3h. P.M. on the 18th, and increased to 29·97 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 1-3, GREAT ST. THOMAS APOSTLE, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 21. 1900. VOL. LXI.] WEEK ENDING SATURDAY, MAY 26. [Price 1½*d.*

General Register Office, Somerset House,
May 28th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 19·6, 17·8, and 18·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending May 5.	May 12.	May 19.	May 26.	TOWNS.	Weeks ending May 5.	May 12.	May 19.	May 26.
33 Great Towns	19·6	17·8	18·2	18·4	Leicester - -	16·4	17·1	19·3	16·4
Birkenhead -	14·7	11·6	12·9	13·4	Liverpool - -	23·2	23·9	25·3	27·4
Birmingham -	20·2	24·0	21·0	20·1	London - - -	19·0	16·4	16·3	16·4
Blackburn -	28·1	25·5	19·8	21·3	Manchester - -	27·2	21·7	26·9	25·5
Bolton - -	18·1	17·8	18·7	20·6	Newcastle-on-Tyne	18·9	17·6	17·4	17·6
Bradford -	17·7	17·3	17·7	16·1	Norwich - -	17·7	11·8	19·5	18·2
Brighton -	14·3	18·5	13·9	16·4	Nottingham - -	17·6	16·8	16·1	17·0
Bristol - -	21·8	14·8	16·5	18·5	Oldham - -	20·1	16·7	20·7	23·5
Burnley -	13·8	16·1	12·1	18·3	Plymouth - -	27·6	29·1	21·9	16·3
Cardiff - -	15·6	11·5	10·5	12·6	Portsmouth - -	13·4	16·6	18·2	16·0
Croydon -	14·7	11·9	10·3	12·3	Preston - -	24·6	14·9	21·9	16·2
Derby - -	20·3	18·3	15·0	16·9	Salford - - -	19·8	23·6	24·6	23·8
Gateshead -	13·3	17·6	20·0	18·6	Sheffield - -	21·4	19·5	20·5	19·4
Halifax -	17·6	17·6	17·6	17·6	Sunderland - -	25·1	19·8	23·3	23·0
Huddersfield-	17·0	19·5	19·0	20·0	Swansea - -	16·3	12·9	11·9	15·8
Hull - -	14·0	17·7	17·0	21·2	West Ham - -	14·4	12·8	13·3	13·4
Leeds - -	22·5	17·9	19·9	22·1	Wolverhampton -	30·3	25·0	19·8	19·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Oldham and in Sheffield, 1·1 in Cardiff, 1·2 in Leeds, 1·5 in Plymouth and in Huddersfield, and 2·9 in Derby ; from *scarlet fever*, 1·1 in Blackburn ; from *whooping-cough*, 1·0 in Sheffield and in Gateshead, 1·2 in Manchester and in Salford, 1·4 in Oldham, and 1·5 in Liverpool. In none of the thirty-three towns did the death-rate from "*fever*," or from *diarrhœa* reach 1·0 per 1000. The 81 deaths from *diphtheria* included 29 in London, 9 in Leicester, 9 in Sheffield, 5 in Brighton, 4 in Leeds, 3 in West Ham, 3 in Liverpool, and 3 in Blackburn. Two deaths from *small-pox* were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2435 BIRTHS and 1440 DEATHS were registered. Allowing for increase of population, the births were 159, and the deaths 151,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·0, 16·4, and 16·3 in the preceding three weeks, rose again last week to 16·4. During the four weeks ending on Saturday last the death-rate averaged 17·0 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1440 deaths included 56 from measles, 8 from scarlet fever, 29 from diphtheria, 50 from whooping-cough, 8 from enteric fever, 7 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 158 deaths were referred to these diseases, being 60 below the corrected average weekly number.

The deaths from *measles*, which had been 72, 56, and 49 in the preceding three weeks, rose again last week to 56, but were 24 below the corrected average; 9 cases belonged to Paddington sanitary area. The deaths from *scarlet fever*, which had been 4, 4, and 6 in the preceding three weeks, further rose last week to 8, but were 7 below the corrected average; 2 cases belonged to Islington and 2 to Battersea sanitary areas. The deaths from *diphtheria*, which had been 21, 29, and 22 in the preceding three weeks, rose again last week to 29, but were 8 below the corrected average; 5 cases belonged to Lambeth sanitary area. The deaths from *whooping-cough*, which had been 42, 35, and 56 in the preceding three weeks, fell again last week to 50, and were 9 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 3, and 15 in the preceding three weeks, fell again last week to 8, and were equal to the corrected average; 2 cases belonged to Poplar sanitary area. The deaths from *diarrhœa*, which had been 11, 15, and 8 in the preceding three weeks, were 7 last week, the corrected average being 15. The deaths referred to diseases of the respiratory organs, which had been 417, 300, and 270 in the preceding three weeks, were 269 last week, the corrected average being 296. The deaths attributed directly to *influenza* numbered 19, having been 27, 26, and 13 in the preceding three weeks.

Different forms of violence caused 66 deaths, concerning all but 1 of which inquests were held. Of these 66 deaths, 5 were cases of suicide, and 1 of execution, while the remaining 60 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 7 to burns and scalds, 6 to drowning, and 14 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 5 cases of small-pox, 1784 of scarlet fever, 1222 of diphtheria, and 176 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 216 cases, against 176, 203, and 221; of diphtheria, 181 cases, against 152, 196, and 166; and of enteric fever, 29 cases, against 19, 19, and 24.

Greater London.

In Greater London 3464 births and 1920 deaths were registered, corresponding to annual rates of 27·2 and 15·0 per 1000 of the estimated population. In the Outer Ring 19 deaths from measles, 2 from scarlet fever, 8 from diphtheria, 20 from whooping-cough, 5 from "fever," and 4 from diarrhœa were registered. Five deaths from measles occurred in Hendon, 5 in Edmonton, and 5 in West Ham districts; 5 fatal cases of diphtheria and 3 of "fever" belonged to West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·74 inches, and that of the Thermometer 53°·0; the latter being 2°·2 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 25 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 33·1 hours; the measured rainfall amounted to 0·81 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 26th May 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Mean. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6230**	**4098**	**920**	**1021**	**2**	**127**	**34**	**81**	**126**	**34**	**39**	**190**	**318**	**988**	**53**	**18·4**	**2·0**	**67·6**	**32·8**	**50·9**	**10·50**	**0·47**	**1·19**	**33 Towns.**
London	4,589,129	2435	1440	295	397	-	56	8	29	50	8	7	66	127	485	12	16·4	1·8	65·7	36·8	53·0	11·67	0·81	2·06	London.
West Ham	314,472	167	81	22	14	-	3	-	3	5	2	2	4	7	14	1	13·4	2·5	-	-	-	-	-	-	West Ham.
Croydon	131,186	64	31	5	11	-	-	-	-	1	-	-	3	6	7	-	12·3	0·4	67·5	39·0	52·4	11·33	1·03	2·62	Croydon.
Brighton	124,148	53	39	11	9	-	-	-	5	-	-	-	2	5	13	-	16·4	2·1	63·6	41·0	51·6	10·89	0·34	0·86	Brighton.
Portsmouth	194,955	80	60	9	17	-	-	1	2	2	-	-	3	4	13	-	16·0	1·3	-	-	-	-	-	-	Portsmouth.
Plymouth	102,161	51	32	6	12	-	3	-	1	-	-	-	2	4	3	-	16·3	2·0	-	-	-	-	-	-	Plymouth.
Bristol	324,973	174	115	16	33	-	5	2	2	2	1	-	3	6	26	-	18·5	1·9	65·2	39·0	50·6	10·33	0·99	2·51	Bristol.
Cardiff	194,247	104	47	12	9	-	4	-	2	1	1	1	1	4	4	-	12·6	2·4	-	-	-	-	-	-	Cardiff.
Swansea	105,472	59	32	7	8	-	-	-	2	-	1	1	2	2	3	-	15·8	2·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	69	34	13	9	-	1	-	-	1	-	1	4	4	1	-	19·8	1·7	66·8	35·8	48·1	8·94	0·22	0·56	Wolverhampton.
Birmingham	519,610	321	200	55	50	-	2	5	1	4	1	1	16	19	41	5	20·1	1·4	-	-	-	-	-	-	Birmingham.
Norwich	114,855	69	40	8	17	-	-	-	-	2	1	-	-	3	5	-	18·2	1·4	67·6	33·4	51·3	10·72	0·74	1·88	Norwich.
Leicester	219,169	119	69	14	19	-	1	-	9	-	1	1	3	3	19	1	16·4	2·9	-	-	-	-	-	-	Leicester.
Nottingham	242,676	135	79	19	25	-	1	2	-	-	-	-	8	9	13	2	17·0	0·6	63·4	32·8	49·5	9·72	0·23	0·58	Nottingham.
Derby	107,991	48	35	10	6	-	6	-	-	1	-	-	2	2	5	-	16·9	3·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	65	30	7	11	-	-	-	-	-	-	1	1	3	2	-	13·4	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	375	334	88	76	2	1	2	3	18	-	5	16	22	93	12	27·4	2·5	64·3	43·7	51·2	10·67	0·26	0·66	Liverpool.
Bolton	164,240	85	65	18	18	-	1	-	-	2	2	1	4	4	5	-	20·6	1·9	-	-	-	-	-	-	Bolton.
Manchester	548,768	312	268	60	53	-	6	1	1	13	1	6	11	17	74	2	25·5	2·7	-	-	-	-	-	-	Manchester.
Salford	220,816	118	101	26	20	-	4	1	1	5	1	3	5	6	12	1	23·3	3·5	-	-	-	-	-	-	Salford.
Oldham	153,297	60	69	13	17	-	3	-	2	4	1	1	-	1	11	-	23·5	3·7	-	-	-	-	-	-	Oldham.
Burnley	116,730	53	41	11	6	-	-	-	-	1	2	2	2	2	7	1	18·3	2·2	-	-	-	-	-	-	Burnley.
Blackburn	137,107	64	56	10	12	-	1	3	3	-	-	2	3	5	6	1	21·3	3·4	-	-	-	-	-	-	Blackburn.
Preston	118,902	66	37	11	9	-	-	1	-	-	1	-	2	3	3	2	16·2	0·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	43	40	3	16	-	3	1	-	-	1	-	2	2	7	1	20·0	2·5	62·3	40·8	50·7	10·39	0·16	0·41	Huddersfield.
Halifax	100,710	48	34	9	6	-	1	-	1	-	-	-	-	1	4	2	17·6	1·0	-	-	-	-	-	-	Halifax.
Bradford	291,535	120	90	20	18	-	2	3	1	-	1	1	2	5	8	-	16·1	1·4	65·0	43·0	51·3	10·72	0·12	0·30	Bradford.
Leeds	431,287	211	183	39	33	-	10	1	4	3	4	1	8	17	21	-	22·1	2·8	-	-	-	-	-	-	Leeds.
Sheffield	365,922	240	136	32	25	-	7	1	9	7	-	2	5	7	27	7	19·4	3·7	-	-	-	-	-	-	Sheffield.
Hull	238,736	116	97	21	29	-	3	1	-	1	2	-	1	5	21	2	21·2	1·5	64·0	36·0	50·5	10·28	0·24	0·61	Hull.
Sunderland	147,398	100	65	22	12	-	1	-	-	-	2	-	2	3	12	-	23·0	1·1	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	72	39	14	8	-	-	-	-	2	-	-	1	1	2	1	18·6	1·0	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	134	79	14	16	-	2	1	-	1	-	-	6	9	21	-	17·6	0·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2443	2681	2508	2242	2414	2640	2421	2437	2569	2306	2594·4	2435
Males - -	1265	1388	1262	1152	1218	1337	1228	1264	1327	1185	1328·3	1270
Females - -	1178	1293	1246	1090	1196	1303	1193	1173	1242	1121	1266·1	1165
TOTAL **Deaths** -	1451	2337	1534	1459	1440	1371	1509	1275	1385	1366	1591·4	1440
Males - -	742	1166	802	758	764	709	810	662	697	736	825·4	764
Females - -	709	1171	732	701	676	662	699	613	688	630	766·0	676

*The numbers in this column are the average weekly numbers in the twenty-first week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.
TOTAL **Births** - - -	2561	2841	2628	2675	2736	2580	2292	2610	2697	2737	2581	2512	2435
TOTAL **Deaths** - - -	1668	1652	1659	1817	1785	1932	1844	1811	1721	1675	1446	1437	1440
Ages at Death: Under 1 year - -	340	345	385	413	368	366	356	369	302	349	289	297	295
1—5 years - -	189	208	215	260	247	250	249	220	238	217	186	182	196
5—20 " - -	72	102	87	94	96	106	91	102	84	80	83	101	69
20—40 " - -	218	219	216	232	227	238	229	250	247	222	187	194	195
40—60 " - -	362	367	327	352	340	405	380	352	393	371	314	302	288
60—80 " - -	375	342	339	368	414	458	452	423	374	348	324	300	327
80 years and upwards	112	69	90	98	93	109	87	95	83	88	63	61	70
Deaths from—													
Small pox - - - - -	1	-	-	-	-	-	-	-	1	-	1	-	-
Measles - - - - -	41	39	56	50	60	62	59	53	68	72	56	49	56
Scarlet Fever - - -	9	8	6	3	7	7	8	5	11	4	4	6	8
Diphtheria - - - -	26	41	35	36	31	32	19	17	20	21	29	22	29
Whooping-cough - - -	43	37	35	49	45	50	51	49	40	42	35	56	50
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	18	13	13	7	7	20	12	9	8	6	3	15	8
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	7	6	8	17	8	6	8	8	17	11	15	8	7
Cholera - - - -	-	-	-	-	-	-	-	-	1	-	1	-	-
All the above Diseases -	145	144	153	162	158	177	157	141	166	156	144	156	158
Dis. of Respiratory System -	380	378	391	453	469	499	501	460	411	417	300	270	269
Phthisis - - - - - -	170	158	178	205	202	186	160	177	164	168	131	159	155
Dis. of Circulatory System -	156	161	126	154	149	184	169	139	146	154	140	116	117
Violence - - - -	82	82	63	61	91	77	69	76	95	67	59	73	63
Inquest Cases - - - -	173	169	152	154	203	186	163	169	198	143	154	145	127
Deaths in Public Institutions -	551	524	526	539	548	541	515	581	521	538	467	452	485
TEMPERATURE OF THE AIR.													
Mean - - - - - -	43°·1	39°·2	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0
Mean of Highest readings -	48·0	43·7	47·6	45·7	44·2	51·1	56·4	62·1	57·7	61·7	59·5	56·3	62·2
Mean of Lowest readings -	39·8	35·8	34·3	32·7	31·1	34·3	40·7	41·2	38·0	44·0	43·2	39·9	45·1
Humidity of the Air - -	90	79	76	83	74	76	72	69	70	70	76	68	78
Rain-fall (in inches) - -	0·65	0·02	0·08	0·61	0·16	0·45	0·22	0·15	0·06	0·19	0·36	0·01	0·81
Registered Sunshine (in hours)	5·3	15·5	13·4	23·1	26·3	27·0	31·9	50·8	39·9	41·4	23·1	39·1	33·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	7	7	5	5	3	2	3	4	6	6	5	3	5
Scarlet Fever - - - -	1868	1777	1760	1715	1696	1713	1694	1676	1647	1660	1693	1733	1784
Diphtheria - - - -	1407	1385	1361	1329	1243	1198	1161	1141	1141	1131	1176	1188	1222
Enteric Fever - - - -	271	270	265	268	263	243	224	219	208	192	185	172	176

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIRST Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 21st Week of the 10 years 1890-99*.	In the Week ending Saturday, 26th May 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1591·4	1440	295	196	69	195	288	327	70
all-pox { Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Unvaccinated	0·9	-	-	-	-	-	-	-	-
No Statement	1·2	-	-	-	-	-	-	-	-
asles - - - -	80·2	56	14	36	5	1	-	-	-
arlet Fever - - -	14·6	8	-	5	3	-	-	-	-
phus - - - -	0·2	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
uenza - - - -	44·9	19	-	1	1	3	4	8	2
ooping-cough - -	59·4	50	29	20	1	-	-	-	-
phtheria - -	36·9	29	2	22	4	1	-	-	-
ple Continued and l-defined Fever -	0·2	-	-	-	-	-	-	-	-
teric Fever - - -	7·8	8	-	-	3	4	1	-	-
olera and Chol. Diarr.	0·3	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	15·3	7	5	-	-	1	-	1	-
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
wpox and Effects of accination - -	0·1	-	-	-	-	-	-	-	-
nereal Affections - -	10·5	10	3	1	-	1	1	4	-
ysipelas - - -	3·6	3	1	-	-	-	-	2	-
æmia and Septicæmia	1·7	4	1	2	-	-	1	-	-
erperal Fever - -	4·1	2	-	-	-	2	-	-	-
her Zymotic Diseases	1·8	2	1	1	-	-	-	-	-
rush - - - -	0·5	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
rvation, Want of Breast-milk - -	0·9	1	1	-	-	-	-	-	-
coholism - - -	10·4	8	-	-	-	5	2	1	-
eumatic Fever, Rheumatism of Heart	5·6	5	-	-	3	1	1	-	-
eumatism - - -	1·7	3	-	-	-	1	1	1	-
out - - - - -	3·4	2	-	-	-	-	1	1	-
ickets - - - -	6·5	2	-	1	1	-	-	-	-
ncer - - - -	71·2	81	-	-	-	2	43	35	1
bes Mesenterica - -	18·3	9	3	5	1	-	-	-	-
bercular Meningitis -	27·2	29	9	14	6	-	-	-	-
thisis - - - -	154·5	155	2	4	9	68	53	19	-
rofula, Tuberculosis -	20·4	21	5	2	4	4	3	3	-
her Constitutional Diseases - -	12·5	10	-	-	-	1	4	5	-
emature Birth - -	51·1	37	37	-	-	-	-	-	-
electasis - - -	4·0	4	4	-	-	-	-	-	-
ngenital Malformations - - -	7·2	5	5	-	-	-	-	-	-
d Age - - - -	47·6	63	-	-	-	-	-	29	34
oplexy - - -	42·5	49	1	-	1	3	14	27	3
pilepsy - - - -	7·8	9	-	-	-	2	7	-	-
onvulsions - - -	35·3	24	17	7	-	-	-	-	-
ther Diseases of Brain and Nervous System	84·8	72	12	5	4	10	16	21	4
iseases of Organs of Special Sense -	2·9	5	2	1	1	-	1	-	-

CAUSES OF DEATH	Corrected Averages for the 21st Week of the 10 years 1890-99*.	In the Week ending Saturday, 26th May, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	135·3	117	-	1	7	20	35	50	4
Croup - - - -	2·9	1	-	1	-	-	-	-	-
Bronchitis - - -	139·0	112	20	15	1	4	18	48	6
Pneumonia - - -	126·1	126	31	32	3	13	23	19	5
Pleurisy - - - -	6·6	7	1	1	-	-	1	4	-
Other Diseases of Respiratory System -	21·6	23	3	4	-	1	4	9	2
Dentition - - - -	10·9	5	4	1	-	-	-	-	-
Quinsy, Sore Throat -	1·7	1	-	-	-	-	-	1	-
Enteritis - - -	14·9	12	4	1	2	3	-	2	-
Gastro-enteritis -		9	4	2	-	-	1	2	-
Peritonitis - - -	5·3	4	-	-	1	1	1	1	-
Diseases of Liver - -	24·0	30	3	-	1	7	11	6	2
Other Diseases of Digestive System	26·9	25	6	-	1	4	7	5	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	42·7	39	-	-	1	7	11	17	3
Diseases of Generative System - - -	4·5	6	-	-	-	1	5	-	-
Accidents of Childbirth -	4·4	8	-	-	-	7	1	-	-
Diseases of Locomotive System - - -	6·1	1	-	-	1	-	-	-	-
Diseases of Integumentary System - -	5·0	6	1	-	-	2	1	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	54·0	2	-	-	-	1	1	-	-
By Vehicles or Horses -		7	-	3	1	2	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		2	-	-	-	1	-	1	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		7	-	5	-	1	1	-	-
By Drowning - - -		6	1	-	1	1	3	-	-
By Suffocation in Bed -		14	14	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		-	-	-	-	-	-	-	-
Other or not stated causes - - - -		22	3	1	2	5	7	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·4	-	-	-	-	-	-	-	-
Suicide - - - -	9·2	5	-	-	-	2	3	-	-
Execution - - -	-	1	-	-	-	1	-	-	-
OTHER CAUSES - -	45·8	50	46	2	-	1	-	1	-

* The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON,*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 26th May, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2435	1440	295	397	-	56	8	29	50	-	8	-	7	66	127	485
WEST DISTRICTS - - -	778,251	364	254	50	69	-	16	-	4	3	-	1	-	-	8	15	87
NORTH DISTRICTS - - -	1,040,694	519	313	51	100	-	10	3	6	8	-	2	-	1	15	27	100
CENTRAL DISTRICTS - - -	233,635	115	99	18	25	-	7	1	2	3	-	1	-	1	5	11	46
EAST DISTRICTS - - -	716,334	522	259	64	57	-	6	-	3	6	-	1	-	2	14	32	98
SOUTH DISTRICTS - - -	1,642,796	915	485	112	134	-	17	4	14	30	-	3	-	3	24	41	124
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	30	-	12	-	-	-	-	-	-	-	-	-	-	1	30
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	47	41	12	7	-	8	-	1	2	-	-	-	-	-	1	7
St. John Paddington *H* - - G.	33,510	8	11	-	3	-	1	-	-	-	-	-	-	-	1	1	5
Kensington Town *Ww* - - W.	122,164	52	36	5	12	-	2	-	-	1	-	-	-	-	1	1	10
Brompton *HH*- - - W & C.	48,301	12	10	1	2	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *H* } W. & G.	44,638	33	10	3	2	-	3	-	-	-	-	-	-	-	1	1	-
South Hammersmith *H* } W. & G.	59,561	29	20	5	3	-	1	-	1	-	-	1	-	-	2	3	4
Fulham *Ww* - - - W. & C.	113,781	89	46	11	18	-	-	-	1	-	-	-	-	-	2	2	14
Chelsea Kensal Town - C.	21,450	6	9	3	3	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	23	15	4	4	-	1	-	-	-	-	-	-	-	1	2	8
Chelsea South *HH* - - C.	33,139	14	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-
May Fair *W* - - - - G.	23,827	1	14	1	4	-	-	-	-	-	-	-	-	-	-	-	10
Belgrave *WHHH* - - - C.	56,140	20	18	2	1	-	-	-	-	-	-	-	-	-	-	-	11
St. John Westminster *HH* - C.	31,492	14	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Margaret Westminster *H*- C.	22,097	3	10	-	4	-	-	-	-	-	-	-	-	-	-	-	5
St. James Westminster *WH* } N. & G.	23,050	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2
St Anne Soho *HHHHH* - N.	12,048	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	7	20	2	3	-	-	-	1	-	-	-	-	-	-	2	13
Rectory Marylebone *W* G. & W.	19,798	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	27	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	9	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. John Marylebone *HHH* - W.	32,611	18	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* } - N. & W.	75,449	38	24	2	7	-	2	1	1	-	-	-	-	-	-	2	8
Regent's Park † *HH* - W.	51,403	24	15	3	5	-	-	-	-	-	-	-	-	1	2	2	1
Tottenham-court *wHHHHHH* } - N. & W.	26,757	3	12	2	4	-	-	-	1	-	-	-	-	-	1	2	8
Gray's Inn Lane *HHHH* - N.	29,426	18	10	2	4	-	1	-	-	1	-	-	-	-	1	2	1
Somers Town *HH* - - - N.	32,161	13	11	3	2	-	1	-	-	-	-	-	-	-	1	1	3
Camden Town† *WH* - - N.	40.155	16	12	2	7	-	-	-	-	1	-	-	-	-	1	1	7
Kentish Town† *WW* - - N.	60,862	31	18	2	10	-	1	-	-	1	-	-	-	-	-	1	6
Upper Holloway *WWWWwHH* } - - N.	98,273	59	56	5	19	-	-	-	-	-	-	-	-	-	3	4	36
Lower Holloway‡ - - - N.	41,805	19	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	26	15	5	5	-	-	-	-	1	-	-	-	-	2	3	-
Islington South-east‡ *H* - N.	75.725	47	25	7	6	-	3	1	-	1	-	-	-	-	1	2	-
Highbury *HH* - - - N.	64,577	26	11	1	4	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H* - - N.	33,485	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	27	9	3	4	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney *ww* - E. & N.		31	21	2	7	-	1	1	3	1	-	2	-	-	2	2	5
South-west Hackney *HHH* E. & N.		35	9	2	3	-	-	-	-	-	-	-	-	-	-	-	2
South-east Hackney *WwH* E. & N.		27	18	-	6	-	-	-	-	2	-	-	-	-	-	-	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 26th May, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles } h *WH* - - - N.	29,086	12	9	1	5	-	-	-	-	-	-	-	-	-	-	-	7	-
les North *H* - - - N.	9,151	4	8	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
rtin-in-the-Fields *HH* N. & C.	13,077	-	5	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-
d *WHH* - - - - N.	11,839	6	9	-	-	-	-	-	1	1	-	-	-	-	-	-	8	-
Union Workhouse, Edmonton	†*1,037*	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
rn *wHHHHH* - N.	31,042	11	14	7	1	-	2	-	-	-	-	1	-	1	-	1	6	-
nes Clerkenwell - - N.	15,777	12	7	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-
ll Clerkenwell - - N.	34,356	19	9	3	2	-	3	-	-	1	-	-	-	-	-	1	-	-
ll-street - - - - N.	16,069	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
oad *HHHL* - - N.	29,897	39	8	2	3	-	2	-	-	-	-	-	-	-	-	2	2	-
cross-street - - - N.	7,595	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ury - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, } *ham* - - - -	†*892*	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
tolph* *H* - - N. & E.	13,061	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
pulchre *WH* - - - N.	9,591	4	16	-	2	-	-	1	-	-	-	-	-	-	4	4	13	-
lows Barking - - - N.	9,059	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
litch South *Hl* - E. & N.	17,975	6	6	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-
n New Town *w* - - N.	29,575	12	18	3	6	-	1	-	1	-	-	-	-	-	1	3	6	-
n Old Town - - - N.	27,645	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rston *WH* - - N. & E.	47,163	38	18	5	3	-	-	-	-	1	-	-	-	-	1	2	7	-
al Green North *H* - E.	49,301	33	9	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-
al Green South - - E.	34,194	28	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
al Green East *WWHl* - E.	45,667	32	16	4	5	-	-	-	-	1	-	-	-	-	2	4	5	-
fields - - - E. & N.	26,681	35	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nd New Town *WH* - E. }	51,995	28	41	8	4	-	-	-	1	-	-	-	-	-	4	9	40	-
nan's Fields - - - E. }		19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orge's, North - - - E.	39,576	31	11	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-
n, St. George East *W* E.	7 930	3	9	1	5	-	-	-	-	-	-	-	-	-	-	1	7	-
well *H* - - - E. & N.	10,434	5	9	2	-	-	-	-	-	-	-	-	-	-	-	-	7	-
ff *W* - - - - E.	14,954	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ouse - - - - - E.	32,917	21	10	1	5	-	1	-	-	-	-	-	-	-	-	1	-	-
nd Old Town West *H* E. }	111,060	49	17	6	4	-	-	-	-	1	-	-	-	2	-	1	-	-
nd Old Town East } *ww* - E. }		39	21	5	5	-	1	-	-	-	-	-	-	-	1	4	7	-
l - - - - E.	41,687	27	11	2	2	-	1	-	-	1	-	-	-	-	1	1	2	-
ey *wwwH* - - - E.	69,821	46	32	5	10	-	-	-	-	-	-	1	-	-	3	5	14	-
r *WW* - - - - E.	57,759	42	12	4	2	-	1	-	-	1	-	-	-	-	-	-	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered i
SUB-DISTRICT during the Week ending Saturday, 26th May, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL* L.&S.	13,064	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark - - S.	12,301	6	4	2	-	-	-	-	-	1	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	10	9	4	-	-	-	-	-	-	-	-	-	-	1	1
Borough-road *WH* - S. & L.	16,083	9	6	3	1	-	-	-	1	-	-	-	-	1	1	1
London-road *HL* - - L. & S.	21,316	7	6	3	1	-	-	-	-	2	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	33	17	2	11	-	-	-	-	1	-	-	-	-	-	1
St. Mary Newington- - L. & S.	30,171	13	9	2	3	-	1	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	5	18	1	3	-	-	-	-	-	-	-	-	-	2	4
Bermondsey *W* - - - S.	85,475	59	28	11	8	-	1	-	1	3	-	-	-	-	2	2
Rotherhithe *Ww* - S. & K.	40,379	25	11	-	5	-	-	-	-	-	-	-	-	1	-	-
Waterloo-road *HH* - L. & S.	28,396	21	8	5	1	-	1	-	-	2	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18,770	12	14	1	1	-	-	-	-	-	-	-	-	-	4	4
Lambeth Church 2nd *WW* L. & S.	40,994	29	15	2	7	-	-	-	-	-	-	-	-	-	-	-
Kennington 1st *H* - - S. & L.	52,486	30	13	4	1	-	-	-	-	-	-	-	-	-	1	1
Kennington 2nd - - S. & L.	43,244	10	3	2	1	-	-	-	-	1	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	46	20	5	3	-	-	-	3	1	-	-	-	-	-	-
Norwood *WH* - - - - L.	29,318	18	7	2	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	41	18	6	4	-	-	-	-	1	-	-	-	-	2	6
North-west Battersea† - - S.	93,385	28	9	4	-	-	2	-	-	3	-	-	-	-	2	2
South-west Battersea† *WwH* - S.		16	21	2	11	-	1	-	-	-	-	-	-	-	2	2
Clapham *H* - - - - - S.	46,953	17	15	2	6	-	-	-	-	1	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	32	23	5	8	-	-	2	2	-	-	1	-	-	-	1
Wandsworth *WHHL* - - S.	58,101	34	10	2	5	-	2	-	-	-	-	-	-	-	1	4
Putney - - - - - - S.	20,566	14	6	-	2	-	-	-	-	-	-	-	-	-	-	1
Dulwich - - - L. & S.	7,519	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	46	27	3	14	-	1	-	-	1	-	-	-	-	-	-
Peckham *WW* - S., L., & K.	88,242	38	17	6	3	-	-	-	1	4	-	-	-	-	1	1
St. George Camberwell - L. & S.	67,029	30	16	3	4	-	3	-	-	-	-	1	-	-	-	-
Deptford North - - - - K.	36,152	20	12	1	5	-	1	-	-	2	-	-	-	-	-	4
Deptford Central *w* - - K.	45,441	41	11	2	2	-	-	-	1	-	-	-	-	-	-	-
Deptford South - - - - K.	33,402	14	12	4	3	-	-	-	-	2	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	14	8	1	1	-	-	-	-	1	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	23	22	3	5	-	1	-	-	-	-	-	-	-	1	2
Eltham *wH* - - - - - K.	5,911	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	35	19	4	4	-	-	1	4	3	-	-	-	-	2	2
Sydenham *H* - - - - L.	37,601	21	3	-	1	-	-	-	-	1	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	12	10	2	3	-	-	1	1	-	-	1	-	-	-	2
Woolwich* *HHHH* - - K.	41,314	24	9	5	-	-	1	-	-	-	-	-	-	1	1	1
Plumstead West *H* - - K.	16,714	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	34	18	6	5	-	2	-	-	-	-	-	-	-	1	1
Banstead Asylum - - - -	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	1
Claybury Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Wo
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Batte
South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ling Saturday, 26th May, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON · OUTER RING -	368,749	1,422,063	1029	480	93	132	-	19	2	8	20	5	4	13	34	67	2
Carshalton *H* - - -	12,228	26,108	7	8	-	1	-	-	1	-	-	-	-	-	-	2	-
Epsom, *part of** *WwHHH*	10,423	12,508	4	8	-	2	-	1	-	-	-	-	-	-	-	4	-
Godstone, *part of** *W* -	2,754	1,598	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Croydon *WWwHHH* -	20,851	128,699	77	36	6	14	-	-	-	-	1	-	-	3	6	7	-
Mitcham *w* - - -	11,697	23,072	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	19	9	2	3	-	1	-	-	-	-	-	-	-	-	-
Kingston *WH* - - -	14,672	33,566	28	9	2	3	-	-	-	-	-	-	-	-	1	1	-
Surbiton *HH* - - -		12,178	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	12	6	-	2	-	-	-	-	-	-	-	1	1	-	-
Richmond *WHH* - -	2,160	25,389	12	8	1	4	-	-	-	-	-	-	-	-	-	1	-
Mortlake *H* - - -	2,323	16,159	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	8	8	1	2	-	1	-	1	1	-	-	-	-	1	-
Beckenham *H* - - -	6,542	21,969	8	5	1	1	-	-	-	-	1	-	-	1	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	12	5	-	2	-	-	-	-	-	-	-	-	-	1	-
Bexley *HHH* - - -	12,540	30,590	26	15	7	2	-	-	-	-	-	-	-	1	1	-	-
Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury *w* - - -	11,054	13,671	15	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Staines *WH* - - -	13,277	13,221	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	10	3	-	2	-	-	-	-	1	-	-	-	-	-	-
Uxbridge - - - -	12,757	7,253	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	16	19	3	9	-	-	-	-	-	-	-	-	-	8	-
Twickenham *HH* - -	2,415	16,027	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	17	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Chiswick - - - -	1,245	21,963	17	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	33	12	4	3	-	-	-	-	1	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	77	28	8	5	-	5	-	1	-	-	1	-	3	2	-
Hendon *WH* - - -	8,382	15,843	10	6	3	2	-	-	-	-	-	-	-	-	-	1	-
South Mimms *HH* - -	21,077	6,367	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	1	5	-	2	-	-	-	-	1	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	33	8	2	4	-	-	1	-	-	-	-	-	-	-	-
Tottenham *HHH* - -	4,642	97,174	77	43	6	7	-	5	-	-	4	-	-	-	3	-	1
Edmonton *Ww* - -	7,489	36,351	34	17	3	5	-	-	-	-	1	-	-	1	2	4	-
Enfield *WWHH* - -	12,602	31,536	16	13	-	6	-	-	-	1	-	2	-	-	-	5	-
Waltham Abbey - - -	11,017	6,066	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	1	4	-	1	-	1	-	-	-	-	-	-	-	1	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	26	5	2	-	-	-	-	-	-	-	-	1	1	1	-
Plaistow *HHH* - - -		58,030	66	27	7	6	-	2	-	1	2	-	-	2	3	1	1
Canning Town *H* - -		54,750	52	20	4	2	-	1	-	1	2	1	2	1	3	1	-
Forest Gate *w* - - -		53,511	23	18	8	3	-	-	-	-	1	1	-	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	51	21	7	5	-	2	-	-	1	1	1	1	1	-	-
Leyton *WWWwH* - -	4,334	70,188	48	27	5	8	-	-	-	-	-	-	-	-	1	15	-
Walthamstow *HHHL* -	6,501	57,330	47	19	4	5	-	-	-	2	1	-	-	-	5	1	-
Chigwell, *part of** *HHHH*	11,779	12,941	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	3	3	1	2	-	-	-	-	-	-	-	-	-	3	-
Ilford *H* - - - -	8,493	10,913	23	7	4	-	-	-	-	-	-	-	-	-	1	-	-
Barking Town, *H* - -	3,814	14,301	13	9	1	1	-	-	-	-	2	-	-	1	1	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Asylum, Streatham.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
S.E. Fever Hospital, Deptford.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

he parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping . 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ctious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS an Rates of MORTALITY during the week ending Saturday, 26th May, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**15·0**	**1·7**	**1920**	**394**	**529**	**-**	**75**	**10**	**37**	**70**	**13**	**11**	**79**
INNER LONDON -	74,672	4,589,129	16·4	1·8	1440	295	397	-	56	8	29	50	8	7	66
OUTER RING -	368,749	2,063,016	12·1	1·5	480	99	132	-	19	2	8	20	5	4	13

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	May	26	147	119	20·5	-	2	-	1	1	-
GLASGOW - -	743,585	"	26	436	306	21·5	1	6	2	2	28	1
DUBLIN - -	349,594	"	26	214	169†	25·2	-	-	-	-	3	2
CALCUTTA - -	466,460	Mar.	31	-	1134	126·8	38	11	-	1	-	848‡
BOMBAY - -	821,764	May	1	192	1844	116·7	48	36	?	?	?	624‡
MADRAS - -	452,518	April	13	340	309	35·5	3	10	?	?	?	80
PARIS - - -	2,511,629	May	19	1122	1030	21·3	-	26	3	7*	9	12
BRUSSELS - -	561,130	"	19	244	158	14·6	-	-	-	-	1	-
AMSTERDAM -	526,072	"	12	269	139	13·8	-	-	-	-	3	-
ROTTERDAM -	322,920	"	12	256	105	16·9	-	1	-	2	-	-
THE HAGUE -	205,328	"	12	93	71	18·0	-	5	1	-	-	-
COPENHAGEN -	349,000	"	19	217	106	15·8	-	-	-	3	1	-
STOCKHOLM -	29,7148	"	12	131	120	21·0	-	-	-	3*	-	-
CHRISTIANIA -	221,255	"	19	169	93	21·9	-	-	1	-	4	-
ST. PETERSBURG	1,132,677	"	12	578	596	27·4	8	15	9	15	6	12
MOSCOW - -	988,610	"	12	-	728	38·4	3	22	11	16	4	1
BERLIN - -	1,848,269	"	5	884	629	17·7	-	15	20	11	9	-
HAMBURG - -	691,349	"	19	-	224	16·8	-	1	1	1*	-	1
DRESDEN - -	403,400	April	28	-	-	-	-	-	-	-	-	-
BRESLAU - -	412,939	May	19	-	206	26·0	-	-	-	2	1	-
MUNICH - -	463,000	"	12	-	246	27·6	-	9	-	-	1	1
VIENNA - -	1,656,662	"	19	945	704	22·1	-	15	1	6*	4	2
PRAGUE - -	385,952	"	12	205	209	27·7	-	-	-	-	-	2
BUDA-PESTH -	685,340	"	12	455	348	26·4	-	8	4	3	3	-
TRIESTE - -	168,264	"	5	132	89	27·5	-	-	1	-	-	-
ROME - - -	514,306	April	28	202	174	17·6	-	5	-	-	-	7‖
TURIN (10 days)-	344,203	Mar.	20	229	267	28·3	-	10	-	-	1	-
VENICE - -	172,491	May	12	70	72	21·8	-	-	-	3*	1	-
CAIRO - -	570,062	April	1	441	456	41·6	7	18	-	8*	-	4
ALEXANDRIA -	319,766	"	1	208	249	40·5	-	-	1	1*	-	3
NEW YORK (including BROOKLYN)	3,654,594	"	28	1605	1538	22·0	-	27	13	43	21	8
PHILADELPHIA -	1,266,832	May	5	-	517	21·3	-	18	6	23	7	8

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration area.
‡ Including 797 deaths from plague in Calcutta and 421 in Bombay.
§ Including 64 deaths from cholera in Calcutta, 24 in Bombay, and one in Madras.
‖ Including 3 deaths from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 20	..	29·933	65·2	36·8	28·4	51·5	− 2·7	38·7	12·8	18·7	0·7	62	127·2	26·1	49·79	SE., SW. & WSW.	SW. & SSW.	1·7	0·0	0·1	233	− 15	0·00	0·7
MONDAY - 21	Last Quarter.	29·755	65·7	44·4	21·3	55·9	+ 1·3	47·9	8·0	14·4	4·4	75	127·8	36·1	49·89	SSW.	SSW. & SW.	6·8	0·0	0·7	395	+147	0·00	3·8
TUESDAY - 22	..	29·489	58·6	50·0	8·6	53·6	− 1·4	51·4	2·2	4·8	1·8	92	87·2	45·6	50·24	SW. & SSW.	SSW. & SW.	7·2	0·0	1·3	533	+285	0·23	4·5
WEDNESDAY 23	In Equator.	29·511	62·0	47·3	14·7	53·7	− 1·6	47·7	6·0	12·5	1·3	80	125·7	40·8	50·71	SW.	SW.	5·5	0·0	0·7	401	+153	0·16	1·0
THURSDAY - 24	Perigee	29·566	60·2	47·2	13·0	52·9	− 2·7	46·5	6·4	9·9	2·9	79	122·8	43·7	50·91	SSW.	Variable, N. & NNW.	1·9	0·0	0·0	177	− 70	0·41	3·0
FRIDAY - 25	..	29·850	61·7	45·0	16·7	52·6	− 3·1	44·6	8·0	15·6	2·9	74	112·9	39·6	51·10	NNW. & NW.	NNW., N. & NNE.	2·3	0·0	0·2	267	+ 20	0·01	0·0
SATURDAY - 26	..	30·082	62·1	45·2	16·9	50·8	− 5·1	46·1	4·7	12·2	2·0	84	128·2	36·9	51·14	NNE. & NE.	ESE., SE. & SSE.	1·3	0·0	0·0	156	− 91	0·00	0·0
MEANS -		29·741	62·2	45·1	17·1	53·0	− 2·2	46·1	6·9	12·6	2·3	78	118·8	38·4	50·54	SW. & N.		..	..	..	Sum 2162	Sum +429	Sum 0·81	1·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. May.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 20	m. P. till 10h. A.M.; w. P. till 8h. P.M.; m. P. afterwards.	6·3	15·7	Fine; partially cloudy.
MONDAY - 21	m. P. till 10h. A.M.; w. P. and w. N. till 8h. P.M.; w. P. generally afterwards.	5·2	15·8	Fine; partially cloudy till 9h. P.M.; overcast afterwards. Gusty wind prevalent after 9h. A.M.
TUESDAY - 22	w. P. generally with occasional v. N. till 6h. P.M.; m. P. afterwards.	0·0	15·8	Generally overcast; frequent rain. Brisk wind till night.
WEDNESDAY 23	w. P. till noon; v. P. and v. N till 7h. P.M.; w. P. generally afterwards.	5·6	15·9	Variable and showery. Brisk wind till evening.
THURSDAY - 24	w. P. till noon; v. P. and v. N. till 6h. P.M.; m. P. afterwards.	2·4	15·9	Generally cloudy. Heavy rain and hail between 0h. 45m. and 1h. 20m. P.M. with gentler rain continuing till 2h. 15m. P.M. Distant thunder at and about 1h. P.M.
FRIDAY - 25	m. P. generally.	7·1	16·0	Fine and partially cloudy till noon; showery till evening; very fine after 10h. P.M.
SATURDAY - 26	w. P. generally.	6·5	16·0	Fine in early morning; cloudy till noon; very fine, with small amounts of cloud till 9 p.m.; cloudy afterwards.
		Sum 33·1	Sum 111·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·97 in. at the beginning of the week to 29·45 in. by 3h. P.M. on the 22nd and increased to 30·12 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 22. 1900. Vol. LXI.] WEEK ENDING SATURDAY, JUNE 2. [Price 1½*d.*

General Register Office, Somerset House,
June 5th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·7 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·8, 18·2, and 18·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending				Towns.	Weeks ending			
	May 12.	May 19.	May 26.	June 2.		May 12.	May 19.	May 26.	June 2.
33 Great Towns	17·8	18·2	18·4	17·7	Leicester - -	17·1	19·3	16·4	15·5
Birkenhead -	11·6	12·9	13·4	13·8	Liverpool - -	23·9	25·3	27·4	21·4
Birmingham -	24·0	21·0	20·1	19·3	London - - -	16·4	16·3	16·4	17·0
Blackburn -	25·5	19·8	21·3	22·1	Manchester - -	21·7	26·9	25·5	21·5
Bolton - -	17·8	18·7	20·6	18·1	Newcastle-on-Tyne	17·6	17·4	17·6	17·6
Bradford -	17·3	17·7	16·1	18·4	Norwich - -	11·8	19·5	18·2	13·6
Brighton -	18·5	13·9	16·4	12·6	Nottingham - -	16·8	16·1	17·0	15·3
Bristol - -	14·8	16·5	18·5	19·9	Oldham - -	16·7	20·7	23·5	16·0
Burnley -	16·1	12·1	18·3	15·6	Plymouth - -	29·1	21·9	16·3	25·5
Cardiff - -	11·5	10·5	12·6	15·6	Portsmouth - -	16·6	18·2	16·0	14·2
Croydon -	11·9	10·3	12·3	11·1	Preston - -	14·9	21·9	16·2	17·1
Derby - -	18·3	15·0	16·9	13·5	Salford - - -	23·6	24·6	23·8	21·0
Gateshead -	17·6	20·0	18·6	11·0	Sheffield - -	19·5	20·5	19·4	21·7
Halifax -	17·6	17·6	17·6	22·8	Sunderland - -	19·8	23·3	23·0	18·0
Huddersfield-	19·5	19·0	20·0	18·0	Swansea - -	12·9	11·9	15·8	22·2
Hull - -	17·7	17·0	21·2	14·6	West Ham - -	12·8	13·3	13·4	15·4
Leeds - -	17·9	19·9	22·1	19·1	Wolverhampton -	25·0	19·8	19·8	18·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Huddersfield and in West Ham, 1·1 in Bristol and in Sheffield, 1·3 in Cardiff, 1·5 in Blackburn, 1·8 in Sunderland, 2·6 in Plymouth, and 3·9 in Derby ; from *scarlet fever*, 1·3 in Burnley ; from *whooping-cough*, 1·0 in Huddersfield, 1·4 in Salford, 1·7 in Wolverhampton, and 2·0 in Oldham ; from "*fever*," 1·0 in Swansea ; and from *diarrhœa*, 1·1 in Blackburn. The 77 deaths from *diphtheria* included 29 in London, 9 in Leicester and in Sheffield, 5 in Birmingham, 4 in Liverpool, and 3 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2579 BIRTHS and 1497 DEATHS were registered. Allowing for increase of population, the births were 8, and the deaths 57, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

16·4, 16·3, and 16·4 in the preceding three weeks, further rose last week to 17·0. During the four weeks ending on Saturday last the death-rate averaged 16·5 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1497 deaths included 68 from measles, 7 from scarlet fever, 29 from diphtheria, 48 from whooping-cough, 10 from enteric fever, 11 from diarrhœa and dysentery, and 1 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 174 deaths were referred to these diseases, being 30 below the corrected average weekly number.

The deaths from *measles*, which had been 56, 49, and 56 in the preceding three weeks, further rose last week to 68, but were 8 below the corrected average; 12 cases belonged to Kensington, 6 to Hammersmith, 5 to Shoreditch, and 5 to Mile End Old Town sanitary areas. The deaths from *scarlet fever*, which had been 4, 6, and 8 in the preceding three weeks, fell again last week to 7, and were 8 below the corrected average; 2 cases belonged to Hackney and 2 to Lambeth sanitary areas. The deaths from *diphtheria*, which had been 29, 22, and 29 in the preceding three weeks, were again 29 last week, and were 7 below the corrected average; 6 cases belonged to St. Pancras sanitary area. The deaths from *whooping-cough*, which had been 35, 56, and 50 in the preceding three weeks, fell again last week to 48, and were 2 below the corrected average; 7 cases belonged to Poplar, 4 to Bethnal Green, and 4 to Limehouse sanitary areas. The fatal cases of *enteric fever*, which had been 3, 15, and 8 in the preceding three weeks, rose again last week to 10, and were 3 above the corrected average; 2 cases belonged to Bermondsey sanitary area. The deaths from *diarrhœa*, which had been 15, 8, and 7 in the preceding three weeks, rose again last week to 11, but were 6 below the corrected average. Of the 11 deaths from diarrhœa, 9 were of children under 5 years of age; 10 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 300, 270, and 269 in the preceding three weeks, were 266 last week, the corrected average being 281. The deaths attributed directly to *influenza* numbered 14, having been 26, 13, and 19 in the preceding three weeks.

Different forms of violence caused 59 deaths, concerning all but 3 of which inquests were held. Of these 59 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 49 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 4 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 7 cases of small-pox, 1759 of scarlet fever, 1220 of diphtheria, and 176 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 4 cases, against 0, 0, and 3; of scarlet fever, 194 cases, against 203, 221, and 216; of diphtheria, 174 cases, against 196, 166, and 181; and of enteric fever, 29 cases, against 19, 24, and 29.

Greater London.

In Greater London 3637 births and 1984 deaths were registered, corresponding to annual rates of 28·5 and 15·6 per 1000 of the estimated population. In the Outer Ring 24 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 19 from whooping-cough, 5 from "fever," and 4 from diarrhœa were registered. Seven deaths from measles occurred in West Ham, 6 in Hendon, and 4 in Edmonton districts; 3 fatal cases of diphtheria and 2 of "fever" occurred in West Ham district; and 7 deaths from whooping-cough occurred in Edmonton, and 5 in Romford districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·06 inches, and that of the Thermometer 54°·0; the latter being 2°·6 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 27 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 31·0 hours; the measured rainfall amounted to 0·24 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, 2nd June 1900.	Deaths, 2nd June 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths to the Week's Deaths. From All Causes.	Deaths to the Week's Deaths. From Diseases in Cols. 6–13.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6932**	**3951**	**844**	**956**	**–**	**142**	**29**	**77**	**115**	**26**	**34**	**144**	**298**	**907**	**36**	**17·7**	**1·9**	**71·5**	**38·0**	**51·9**	**11·06**	**0·19**	**0·48**	33 Towns.
London - -	4,589,129	2579	1497	323	360	–	68	7	29	48	10	11	59	138	470	8	17·0	2·0	70·0	41·1	54·0	12·22	0·24	0·61	London.
West Ham - -	314,472	182	93	24	23	–	6	–	2	2	2	1	2	3	11	1	15·4	2·2	–	–	–	–	–	–	West Ham.
Croydon - -	131,186	57	28	3	12	–	–	–	1	–	–	–	1	3	9	–	11·1	0·4	71·5	42·5	53·4	11·89	0·51	1·30	Croydon.
Brighton - -	124,148	56	30	5	10	–	–	–	–	1	–	–	–	–	7	–	12·6	0·4	71·2	45·2	54·4	12·44	0·10	0·25	Brighton.
Portsmouth -	194,955	103	53	10	16	–	–	1	2	3	–	–	3	5	12	–	14·2	1·6	–	–	–	–	–	–	Portsmouth.
Plymouth - -	102,161	71	50	11	10	–	5	–	–	–	–	–	3	4	7	–	25·5	2·6	–	–	–	–	–	–	Plymouth.
Bristol - -	324,973	210	124	25	36	–	7	1	1	–	1	–	4	12	9	1	19·9	1·6	66·8	41·8	52·4	11·33	0·16	0·41	Bristol.
Cardiff - -	194,247	109	58	12	17	–	5	–	1	–	–	–	3	5	13	1	15·6	1·6	–	–	–	–	–	–	Cardiff.
Swansea - -	105,472	50	45	9	10	–	1	–	1	–	2	–	2	4	6	–	22·2	2·0	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	67	32	12	7	–	–	–	–	3	1	1	–	1	3	1	18·6	2·9	65·5	41·8	51·5	10·83	0·03	0·08	Wolverhampton.
Birmingham -	519,610	343	192	52	48	–	1	–	5	9	2	4	5	10	39	4	19·3	2·1	–	–	–	–	–	–	Birmingham.
Norwich - -	114,855	66	30	6	16	–	–	–	–	–	–	–	–	–	6	–	13·6	–	69·0	38·0	51·0	10·56	0·90	2·29	Norwich.
Leicester - -	219,169	123	65	13	16	–	–	–	9	2	–	1	2	4	10	–	15·5	2·9	–	–	–	–	–	–	Leicester.
Nottingham -	242,676	140	71	17	20	–	–	2	1	–	–	1	4	5	13	–	15·3	0·9	64·7	44·3	50·9	10·50	0·02	0·05	Nottingham.
Derby - - -	107,991	58	28	9	5	–	8	1	–	–	1	–	–	3	1	–	13·5	4·8	–	–	–	–	–	–	Derby.
Birkenhead -	117,170	66	31	8	4	–	–	–	1	–	–	–	2	3	7	–	13·8	0·4	–	–	–	–	–	–	Birkenhead.
Liverpool - -	634,780	447	260	46	59	–	–	2	4	9	2	4	13	15	74	6	21·4	1·7	67·8	42·4	52·2	11·22	0·01	0·03	Liverpool.
Bolton - -	164,240	116	57	10	19	–	1	1	–	–	–	–	2	3	7	1	18·1	0·6	–	–	–	–	–	–	Bolton.
Manchester -	548,768	370	226	46	33	–	3	1	1	9	1	4	10	15	49	2	21·5	1·8	–	–	–	–	–	–	Manchester.
Salford - -	220,816	183	89	21	6	–	1	1	1	6	1	2	–	6	15	–	21·0	2·8	–	–	–	–	–	–	Salford.
Oldham - -	153,297	73	47	7	8	–	2	–	–	6	–	–	1	1	2	–	16·0	2·7	–	–	–	–	–	–	Oldham.
Burnley - -	116,730	48	35	12	4	–	–	3	–	1	–	1	1	1	4	–	15·6	2·2	–	–	–	–	–	–	Burnley.
Blackburn - -	137,107	78	58	21	12	–	4	1	2	–	–	3	–	1	5	1	22·1	3·8	–	–	–	–	–	–	Blackburn.
Preston - -	118,902	51	39	8	9	–	–	2	–	–	–	–	–	1	6	–	17·1	0·9	–	–	–	–	–	–	Preston.
Huddersfield	104,484	60	36	6	7	–	2	1	–	2	–	–	1	1	8	1	18·0	2·5	66·3	42·4	50·7	10·39	0·01	0·03	Huddersfield.
Halifax - -	100,710	46	44	2	20	–	1	–	–	–	–	–	–	–	6	2	22·8	0·5	–	–	–	–	–	–	Halifax.
Bradford - -	291,535	131	103	20	31	–	4	1	1	2	–	–	5	11	11	1	18·4	1·4	66·0	43·2	50·3	10·17	0·03	0·08	Bradford.
Leeds - - -	431,287	296	158	34	37	–	6	2	3	4	3	1	1	9	23	–	19·1	2·3	–	–	–	–	–	–	Leeds.
Sheffield - -	365,922	263	152	30	45	–	8	1	9	6	–	–	6	8	27	1	21·7	3·4	–	–	–	–	–	–	Sheffield.
Hull - - -	238,736	155	67	12	22	–	1	1	2	–	–	–	3	5	11	3	14·6	0·9	69·0	43·0	50·3	10·17	0·09	0·23	Hull.
Sunderland -	147,398	112	51	12	11	–	5	–	1	1	–	–	2	6	10	2	18·0	2·5	–	–	–	–	–	–	Sunderland.
Gateshead - -	109,403	77	23	7	1	–	–	–	–	–	–	–	2	2	2	–	11·0	–	–	–	–	–	–	–	Gateshead.
Newcastle - -	234,369	146	79	11	22	–	3	–	–	1	–	–	7	13	14	–	17·6	0·9	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2091	2553	2563	2643	2374	2569	2326	2596	2199	2678	2587·1	2579
Males - -	1054	1325	1291	1346	1245	1336	1207	1341	1140	1346	1328·8	1298
Females - -	1037	1228	1272	1297	1129	1233	1119	1255	1059	1332	1258·3	1281
TOTAL **Deaths** -	1411	2189	1419	1455	1366	1308	1430	1320	1392	1483	1554·1	1497
Males - -	770	1097	735	785	706	669	671	722	756	781	809·2	793
Females - -	641	1092	684	670	660	639	759	598	636	702	744·9	704

*The numbers in this column are the average weekly numbers in the twenty-second week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2
TOTAL **Births** - - -	2841	2628	2675	2736	2580	2292	2610	2697	2737	2581	2512	2435	2579
TOTAL **Deaths** - - -	1652	1659	1817	1785	1932	1844	1811	1721	1675	1446	1437	1440	1497
Ages at Death: Under 1 year - -	345	385	413	368	366	356	369	302	349	289	297	295	323
1—5 years - -	208	215	260	247	250	249	220	238	217	186	182	196	218
5—20 " - -	102	87	94	96	106	91	102	84	80	83	101	69	86
20—40 " - -	219	216	232	227	238	229	250	247	222	187	194	195	197
40—60 " - -	367	327	352	340	405	389	352	393	371	314	302	288	313
60—80 " - -	342	339	368	414	458	452	423	374	348	324	300	327	302
80 years and upwards	69	90	98	93	109	87	95	83	88	63	61	70	58
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-
Measles - - - - -	39	56	50	60	62	59	53	68	72	56	49	56	68
Scarlet Fever - - -	8	6	3	7	7	8	5	11	4	4	6	8	7
Diphtheria - - - -	41	35	36	31	32	19	17	20	21	29	22	29	29
Whooping-cough - - -	37	35	49	45	50	51	49	40	42	35	56	50	48
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	13	13	7	7	20	12	9	8	6	3	15	8	10
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	6	8	17	8	6	8	8	17	11	15	8	7	11
Cholera - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1
All the above Diseases -	144	153	162	158	177	157	141	166	156	144	156	158	174
Dis. of Respiratory System -	378	391	456	469	499	501	460	411	417	300	270	269	266
Phthisis - - - - -	158	178	205	202	186	160	177	164	168	131	159	155	150
Dis. of Circulatory System -	161	126	154	149	184	169	139	146	154	140	116	117	138
Violence - - - -	82	63	61	91	77	69	76	95	67	59	73	66	59
Inquest Cases - - - -	169	152	154	203	186	163	169	198	143	154	145	127	138
Deaths in Public Institutions -	524	526	539	548	541	515	581	521	538	467	452	485	470
TEMPERATURE OF THE AIR.													
Mean - - - - -	39°·2	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0
Mean of Highest readings -	43·7	47·6	45·7	44·2	51·1	56·4	62·1	57·7	61·7	59·5	56·3	62·2	62·4
Mean of Lowest readings -	35·8	34·3	32·7	31·1	34·3	40·7	41·2	38·0	44·0	43·2	39·9	45·1	47·1
Humidity of the Air - -	79	76	83	74	76	72	69	70	70	76	68	78	78
Rain-fall (in inches) - -	0·02	0·08	0·61	0·16	0·45	0·22	0·15	0·06	0·19	0·36	0·01	0·81	0·24
Registered Sunshine (in hours)	15·5	13·4	23·1	26·3	27·0	31·9	50·8	39·9	41·4	23·1	39·1	33·1	31·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	7	5	5	3	2	3	4	6	6	5	3	5	7
Scarlet Fever - - - -	1777	1760	1715	1696	1713	1694	1676	1647	1660	1693	1733	1784	1759
Diphtheria - - - -	1385	1361	1329	1243	1198	1161	1141	1141	1131	1176	1188	1222	1220
Enteric Fever - - - -	270	265	268	263	243	224	219	208	192	185	172	176	176

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SECOND Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 22nd Week of the 10 years 1890-99*.	In the Week ending Saturday, 2nd June, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1554·1	1497	323	218	86	197	313	302	58
Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Unvaccinated	1·3	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
- - - -	76·4	68	15	50	3	-	-	-	-
Fever - - -	15·4	7	-	4	2	1	-	-	-
- - - -	0·3	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	43·0	14	-	-	-	4	4	6	-
ng-cough - -	49·9	48	21	27	-	-	-	-	-
eria - -	36·2	29	2	22	5	-	-	-	-
Continued and fined Fever -	0·3	-	-	-	-	-	-	-	-
Fever - - -	7·0	10	-	-	4	4	2	-	-
and Chol. Diarr.	0·5	1	-	-	1	-	-	-	-
ea, Dysentery -	16·5	11	9	-	-	-	-	2	-
ent Fever - -	-	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
k and Effects of nation - -	0·1	-	-	-	-	-	-	-	-
al Affections - -	10·0	11	7	1	-	2	1	-	-
elas - - -	3·5	1	-	-	-	-	-	-	1
a and Septicæmia	1·8	3	1	1	-	-	1	-	-
ral Fever - -	3·7	4	-	-	-	4	-	-	-
Zymotic Diseases	1·1	3	2	-	-	-	1	-	-
- - - -	0·4	-	-	-	-	-	-	-	-
and other Para- l Diseases -	0·3	-	-	-	-	-	-	-	-
ion, Want of t-milk - -	1·1	2	2	-	-	-	-	-	-
ism - - -	11·8	15	-	-	-	6	8	1	-
atic Fever, matism of Heart	6·9	7	2	-	1	-	3	1	-
atism - - -	2·1	2	1	-	-	-	-	1	-
- - - -	2·8	4	-	-	-	-	2	2	-
- - - -	4·8	4	2	2	-	-	-	-	-
- - - -	70·5	84	-	-	1	7	33	41	2
Mesenterica - -	18·3	12	6	3	1	1	1	-	-
ular Meningitis -	25·6	23	4	13	5	1	-	-	-
s - - - -	155·4	150	1	2	17	62	53	13	2
a, Tuberculosis -	19·6	22	2	8	5	2	5	-	-
Constitutional ses - -	12·7	9	-	-	2	1	4	2	-
ture Birth - -	46·3	62	62	-	-	-	-	-	-
asis - - -	2·4	4	4	-	-	-	-	-	-
ital Malforma- - - -	6·8	11	11	-	-	-	-	-	-
e - - - -	48·0	46	-	-	-	-	1	22	23
xy - - -	37·5	36	-	-	-	-	15	19	2
sy - - - -	7·0	11	-	1	1	5	3	1	-
sions - - -	30·9	34	32	2	-	-	-	-	-
Diseases of Brain Nervous System	80·7	79	6	14	4	12	14	28	1
es of Organs of ial Sense -	2·7	8	1	4	1	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 22nd Week of the 10 years 1890-99*.	In the Week ending Saturday, 2nd June, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	138·8	138	1	1	5	27	38	58	8
Croup - - - -	2·8	1	1	-	-	-	-	-	-
Bronchitis - - -	131·9	111	27	15	-	2	19	39	9
Pneumonia - - -	119·4	126	23	32	5	18	29	17	2
Pleurisy - - - -	6·2	5	1	-	-	1	2	1	-
Other Diseases of Respiratory System -	21·1	23	5	1	-	1	9	6	1
Dentition - - - -	9·3	-	-	-	-	-	-	-	-
Quinsy, Sore Throat -	1·2	-	-	-	-	-	-	-	-
Enteritis - - -	14·5	22	6	2	7	4	2	1	-
Gastro-enteritis -		12	8	2	-	-	1	-	1
Peritonitis - - -	7·3	3	-	-	-	1	2	-	-
Diseases of Liver - -	24·3	18	1	-	-	3	8	6	-
Other Diseases of Digestive System	31·5	29	3	-	3	5	10	8	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·9	-	-	-	-	-	-	-	-
Diseases of Urinary System - - -	46·8	45	-	1	1	4	17	20	2
Diseases of Generative System - - -	6·2	6	-	-	-	1	4	1	-
Accidents of Childbirth -	4·6	5	-	-	-	5	-	-	-
Diseases of Locomotive System - - -	5·7	4	-	-	-	1	2	1	-
Diseases of Integumentary System - -	4·5	6	3	-	1	1	-	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	59·6	2	-	-	-	-	2	-	-
By Vehicles or Horses -		9	-	3	2	1	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	1	-	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		4	-	1	3	-	-	-	-
By Drowning - -		2	-	-	-	1	-	1	-
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	1	1	1	-	-
Other or not stated causes - - - -		21	1	5	3	1	7	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	2·4	2	-	-	1	1	-	-	-
Suicide - - - -	9·9	8	-	-	1	2	4	-	1
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	41·1	49	44	1	-	1	1	1	1

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered i SUB-DISTRICT during the Week ending Saturday, 2nd June, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2579	1497	323	360	-	68	7	29	48	-	10	-	11	59	138
WEST DISTRICTS - - -	778,251	371	274	54	73	-	21	-	1	7	-	2	-	5	13	33
NORTH DISTRICTS - - -	1,040,694	605	296	59	75	-	8	2	9	8	-	1	-	2	15	27
CENTRAL DISTRICTS - - -	233,635	109	75	15	15	-	5	-	1	1	-	-	-	-	4	8
EAST DISTRICTS - - -	716,334	481	293	79	66	-	20	-	3	17	-	1	-	-	11	34
SOUTH DISTRICTS - - -	1,642,796	1,013	519	116	119	-	14	3	15	15	-	6	-	4	16	36
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	40	-	12	-	-	2	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	43	38	6	12	-	3	-	-	3	-	-	-	1	3	6
St. John Paddington *H* - - G.	33,510	12	14	-	4	-	-	-	-	-	-	-	-	-	3	3
Kensington Town *Ww* - - W.	122,164	59	61	17	14	-	12	-	-	-	-	-	-	-	1	5
Brompton *HH*- - - W. & C.	48,301	15	10	1	4	-	-	-	-	-	-	1	-	-	-	2
North Hammersmith *H* / South Hammersmith *H* W. & G.	44,638 / 59,561	28 / 30	20 / 12	6 / 1	2 / 6	- / -	6 / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / 1	2 / 1
Fulham *Ww* - - - W. & C.	113,781	97	37	7	9	-	-	-	1	2	-	1	-	-	1	6
Chelsea Kensal Town - C.	21,450	12	4	2	1	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - C.	42,057	14	15	2	5	-	-	-	-	-	-	-	-	1	-	1
Chelsea South *HH* - - C.	33,139	9	9	1	4	-	-	-	-	1	-	-	-	-	-	-
May Fair *W* - - - - G.	23,827	3	8	1	3	-	-	-	-	-	-	-	-	1	-	-
Belgrave *WHHH* - - - C.	56,140	24	20	2	3	-	-	-	-	-	-	-	-	-	1	2
St. John Westminster *HH* - C.	31,492	9	10	3	3	-	-	-	-	-	-	-	-	-	-	2
St. Margaret Westminster *H*- C.	22,097	5	9	2	2	-	-	-	-	1	-	-	-	-	1	2
St. James Westminster *WH* N. & G.	23,050	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
St Anne Soho *HHHHH* - N.	12,048	6	5	2	-	-	-	-	-	-	-	-	-	1	2	1
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	17	16	3	3	-	1	-	-	-	-	-	-	-	-	-
Rectory Marylebone *W* G. & W.	19,798	16	9	4	-	-	-	-	-	2	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	30	6	4	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	35	23	1	9	-	-	1	4	-	-	-	-	-	1	1
Regent's Park † *HH* - W.	51,403	26	14	2	5	-	1	-	-	-	-	-	-	-	2	4
Tottenham-court *wHHHHHH* - N. & W.	26,757	15	16	2	2	-	1	-	-	-	-	-	-	-	3	3
Gray's Inn Lane *HHHH* - N.	29,426	22	13	2	3	-	-	-	-	1	-	-	-	-	1	1
Somers Town *HH* - - - N.	32,161	29	8	1	-	-	1	-	-	1	-	-	-	-	-	-
Camden Town† *WH* - - N.	40,155	30	17	5	5	-	-	-	1	-	-	-	-	-	-	2
Kentish Town† *WW* - - N.	60,862	35	16	3	4	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway *WWWWwHH* - - N.	98,273	60	39	6	15	-	-	-	1	-	-	1	-	-	5	7
Lower Holloway‡ - - - N.	41,805	20	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	29	7	2	-	-	1	-	-	-	-	-	-	-	1	2
Islington South-east‡ *H* - N.	75,725	35	21	5	6	-	3	-	-	-	-	-	-	1	-	2
Highbury *HH* - - - N.	64,577	29	11	3	4	-	-	-	-	1	-	-	-	-	-	1
Stoke Newington *H* - - N.	33,485	17	8	2	2	-	-	-	-	-	-	-	-	-	1	1
North Hackney - - E. & N.	213,044	21	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		30	11	2	1	-	-	1	3	1	-	-	-	-	-	1
South-west Hackney *HHH* E. & N.		39	17	4	2	-	-	-	-	-	-	-	-	-	1	2
South-east Hackney *WwH* E. & N.		38	28	5	11	-	-	-	-	2	-	-	-	1	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. I River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 2nd June, 1900—*continued.*

EGISTRATION SUB-DISTRICTS.	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	15	7	1	2	-	1	-	-	-	-	-	-	-	-	1	2	-
ith *WH* - -																		
iles North *H* - - - N.	9,151	8	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
artin-in-the-Fields *HH* N. & C.	13,077	1	6	-	3	-	-	-	-	-	-	-	-	-	-	1	2	-
nd *WHH* - - - - N.	11,839	4	7	-	-	-	-	-	-	-	-	-	-	-	2	2	5	-
d Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *wHHHHH* - N.	31,042	15	15	6	4	-	-	-	-	-	-	-	-	-	-	-	4	-
ames Clerkenwell - - N.	15,777	8	8	3	1	-	2	-	-	-	-	-	-	-	-	1	-	-
ell Clerkenwell - - N.	34,356	23	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ell-street - - - - N.	16,069	7	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
-road *HHHHL* - - N.	29,897	20	8	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
ecross-street - - - N.	7,595	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
bury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tham* - - - -	†*892*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
otolph* *H* - - N. & E.	13,061	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
epulchre *WH* - - - N.	9,591	1	12	2	-	-	-	-	-	1	-	-	-	-	1	1	9	-
allows Barking - - - N.	9,059	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ton New Town *w* - - N.	29,575	16	11	3	3	-	-	-	-	-	-	-	-	-	1	2	2	-
ton Old Town - - - N.	27,645	19	9	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
gerston *WH* - - N. & E.	47,163	30	28	3	9	-	5	-	1	-	-	-	-	-	-	2	16	-
nal Green North *H* - E.	49,301	29	11	7	-	-	4	-	-	2	-	-	-	-	-	2	-	-
nal Green South - - E.	34,194	22	9	4	-	-	-	-	-	1	-	-	-	-	1	3	-	-
nal Green East *WWHl* - E.	45,667	30	17	1	8	-	-	-	-	1	-	-	-	-	-	1	10	-
alfields - - - E. & N.	26,681	17	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
e End New Town *WH* - E.	} 51,995 {	25	37	6	6	-	1	-	-	-	-	1	-	-	4	4	30	-
dman's Fields - - - E.		13	8	3	1	-	-	-	-	1	-	-	-	-	1	3	-	-
eorge's, North - - - E.	39,576	30	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ohn, St. George East *W* E.	7 930	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
dwell *H* - - - E. & N.	10,434	5	5	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-
cliff *W* - - - - E.	14,954	12	7	4	1	-	-	-	1	1	-	-	-	-	-	1	-	-
ehouse - - - - - E.	32,917	22	12	5	-	-	1	-	-	2	-	-	-	-	-	-	-	-
e End Old Town West *H* E.	} 111,060 {	45	12	7	1	-	1	-	-	1	-	-	-	-	1	1	1	-
e End Old Town East } *Www* - E.		30	29	4	11	-	4	-	-	-	-	-	-	-	-	3	7	-
v *l* - - - - E.	41,687	30	14	4	4	-	1	-	-	5	-	-	-	-	-	1	-	-
mley *wwwH* - - - E.	69,821	53	42	9	13	-	2	-	-	1	-	-	-	-	3	6	15	-
lar *WW* - - - - E.	57,759	43	22	7	5	-	1	-	-	1	-	-	-	-	-	2	2	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 2nd June, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	4	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Kent-road - - - - S. & L.	22,879	15	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	10	9	3	-	-	-	-	-	1	-	-	-	-	-	-	6
London-road *HL* - - L. & S.	21,316	6	6	1	1	-	1	-	-	1	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	17	9	2	3	-	-	-	-	-	-	-	-	-	1	1	1
St. Peter Walworth *W* - S. & L.	62,045	36	15	6	5	-	-	-	1	-	-	-	-	-	-	1	4
St. Mary Newington- - L. & S.	30,171	17	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH*- - - - S.	11,731	12	13	1	2	-	-	-	-	-	-	1	-	-	2	3	12
Bermondsey *W* - - - S.	85,475	53	17	4	3	-	-	-	-	1	-	1	-	-	1	3	-
Rotherhithe *Ww* - S. & K.	40,379	29	21	3	5	-	1	-	-	3	-	-	-	-	-	-	10
Waterloo-road *HH* - L. & S.	28,396	19	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *H* - L. & S.	18,770	14	17	2	4	-	-	-	-	-	-	-	-	-	3	2	13
Lambeth Church 2nd *WW* L. & S.	40,994	29	21	3	6	-	1	-	-	2	-	-	-	-	-	1	14
Kennington 1st *H* - - S. & L.	52,486	40	10	2	3	-	-	-	-	1	-	-	-	-	-	1	-
Kennington 2nd - - S. & L.	43,244	20	11	3	5	-	-	-	-	-	-	-	-	-	1	2	-
Brixton *w* - - - L. & S.	81,825	38	20	4	5	-	-	1	4	-	-	1	-	-	-	1	5
Norwood *WH*- - - - L.	29,318	17	14	8	2	-	-	1	-	-	-	-	-	-	1	1	-
East Battersea - - - - S.	71,730	54	13	4	4	-	-	-	-	1	-	-	-	-	1	1	-
North-west Battersea† - - S.	93,385	36	11	3	1	-	2	-	-	1	-	1	-	-	-	1	-
South-west Battersea† *WwH*- S.		18	12	-	3	-	-	-	-	-	-	-	-	-	-	1	7
Clapham *H* - - - - S.	46,953	17	9	3	2	-	-	-	-	-	-	-	-	-	1	3	2
Streatham *WwwwwL* - - L.	61,644	52	22	8	4	-	-	-	3	-	-	1	-	-	-	-	4
Wandsworth *WHHL* - - S.	58,101	38	13	3	3	-	1	-	-	-	-	-	-	2	-	-	-
Putney - - - - - - S.	20,566	14	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	55	52	6	16	-	-	-	-	-	-	-	-	-	-	-	34
Peckham *WW* - S., L., & K.	88,242	50	19	8	2	-	1	-	-	2	-	-	-	1	-	1	1
St. George Camberwell - L. & S.	67,029	41	18	3	2	-	-	-	-	-	-	-	-	-	1	3	-
Deptford North - - - K.	36,152	23	11	2	3	-	1	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	31	11	6	1	-	-	-	4	-	-	-	-	-	-	-	4
Deptford South - - - K.	33,402	16	5	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West *H* - - K.	23,012	12	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Greenwich East *WH* - - K.	37,767	17	26	3	9	-	1	-	-	1	-	-	-	-	1	1	15
Eltham *wH* - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	13	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	34	20	3	5	-	-	-	1	-	-	-	-	-	-	1	4
Sydenham *H* - - - - L.	37,601	36	11	3	6	-	-	-	-	1	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	9	12	1	-	-	-	-	1	-	-	1	-	-	1	1	7
Woolwich* *HHHH* - - K.	41,314	21	12	4	-	-	1	-	-	-	-	-	-	-	1	1	-
Plumstead West *H* - - K.	16,714	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	32	19	2	2	-	2	1	1	-	-	-	-	-	1	2	8
Banstead Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Caterham Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum, Dartford Heath - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell Asylum - - - -	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch Asylum - - -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8
N.E. Hospital - - - - -	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Claybury Asylum - - - -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 2nd June, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON OUTER RING -	368,749	1,422,063	1058	487	125	115	-	24	1	6	19	5	4	16	33	52	4
1	Carshalton *H* - - -	12,228	26,108	10	6	1	-	-	-	-	-	-	-	-	-	1	-	-
2	Epsom, *part of* WwHHH*	10,423	12,508	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, *part of* W* -	2,754	1,598	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	69	35	4	14	-	1	-	1	-	-	-	1	3	11	-
2	Mitcham *w* - - -	11,697	23,072	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	20	10	1	3	-	-	-	-	-	-	-	-	1	1	-
2	Kingston *WH* - - -	14,672	33,566	19	13	2	4	-	-	-	-	-	-	-	1	1	3	-
3	Surbiton *HH* - - -		12,178	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H* - -		11,080	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-
5	Hampton *HL* - - -	4,565	18,252	8	4	2	1	-	-	-	-	-	-	-	-	1	-	-
1	Richmond *WHH* - -	2,160	25,389	14	6	2	1	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake *H* - - -	2,823	16,159	10	7	3	-	-	3	-	-	1	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	11	4	1	2	-	-	-	-	1	-	1	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of* WHH*	14,307	20,372	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-
1	Bexley *HHH* - - -	12,540	30,590	28	11	2	1	-	-	-	-	-	-	1	-	-	-	-
2	Dartford *WH, part of** -	—	—	-	3	-	-	-	-	-	-	-	1	-	1	1	3	-
1	Sunbury *w* - - -	11,054	13,671	8	2	-	-	-	-	-	-	-	-	-	1	1	-	1
2	Staines *WH* - - -	13,277	13,221	8	8	-	1	-	-	-	1	-	-	-	-	-	1	-
1	Hillingdon *WHH* - -	6,035	12,237	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	15	12	3	2	-	1	-	-	-	-	-	-	-	1	-
2	Twickenham *HH* - -	2,415	16,027	11	3	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	20	6	2	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	18	12	3	6	-	-	-	-	-	1	-	-	-	-	1
5	Acton *wHH* - - -	6,132	30,945	17	9	3	1	-	1	-	-	-	-	-	1	3	1	-
1	Harrow *HHH* - - -	13,809	15,715	11	4	1	1	-	-	-	-	-	-	-	-	1	-	-
2	Edgware *HH* - - -	6,994	3,844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	61	22	4	3	-	5	1	-	-	1	-	1	1	-	-
4	Hendon *WH* - - -	8,382	15,843	8	7	2	1	-	1	-	-	-	-	-	-	-	1	-
1	South Mimms *HH* - -	21,077	6,367	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	11	8	-	2	-	-	-	-	1	-	-	-	-	-	-
1	Hornsey *HH* - - -	3,039	61,097	39	17	8	4	-	-	-	-	1	-	-	1	1	-	-
2	Tottenham *HHH* - -	4,642	97,174	72	34	9	4	-	4	-	1	3	-	-	1	2	3	-
3	Edmonton *Ww* - -	7,489	36,351	32	20	7	6	-	-	-	-	3	-	-	-	-	3	1
4	Enfield *WWHH* - -	12,602	31,536	34	18	5	3	-	-	-	-	-	-	-	2	4	1	-
5	Waltham Abbey - - -	11,017	6,066	5	4	-	1	-	-	-	-	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Hatfield, *part of* W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Bushey *H* - - - -	9,331	7,737	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Stratford *H* - - -	4,706	38,612	33	16	4	3	-	-	-	-	-	-	1	-	-	-	-
2	Plaistow *HHH* - - -		58,030	65	28	7	6	-	5	-	1	1	-	-	-	-	1	-
3	Canning Town *H* - -		54,750	55	22	11	1	-	-	-	1	-	1	-	2	3	1	1
4	Forest Gate *w* - - -		53,511	29	18	2	8	-	-	-	-	1	-	-	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	62	23	4	8	-	-	-	-	-	-	-	1	2	-	-
6	Leyton *WWWwH* - -	4,334	70,188	53	30	6	13	-	1	-	-	1	1	-	-	-	17	-
7	Walthamstow *HHHL* -	6,501	57,330	59	20	10	2	-	1	-	1	1	-	-	-	3	-	-
:1	Chigwell, *part of* HHHH*	11,779	12,941	13	6	1	2	-	1	-	-	-	-	-	1	1	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of* W* -	6,556	4,324	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	19	11	6	1	-	-	-	-	5	-	1	1	1	-	-
	Middlesex County Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham and Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst sub-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in Cuffield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping (pop. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for Infectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are also included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 2nd June, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include — Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	1
GREATER LONDON	**443,421**	**6,652,145**	**15·6**	**1·8**	**1984**	**448**	**475**	–	**92**	**8**	**35**	**67**	**15**	**15**	**75**
INNER LONDON –	74,672	4,589,129	17·0	2·0	1497	323	360	–	68	7	29	48	10	11	59
OUTER RING –	368,749	2,063,016	12·3	1·5	487	125	115	–	24	1	6	19	5	4	16

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH –	302,262	June 2	163	110	19·0	–	1	–	–	–	–
GLASGOW – –	743,585	„ 2	415	296	20·8	1	14	–	3	21	1
DUBLIN – –	349,594	„ 2	199	147†	21·9	–	–	1	–	–	1
CALCUTTA – –	466,460	April 7	–	1012	113·0	54	3	–	–	–	692‡
BOMBAY – –	821,764	May 8	181	1696	107·3	33	17	?	?	?	512‡
MADRAS – –	452,518	April 27	414	288	33·0	2	3	?	?	?	63
PARIS – – –	2,511,629	May 26	1000	937	19·3	1	28	2	4*	3	13
BRUSSELS – –	561,130	„ 26	265	161	14·9	–	–	–	1*	1	2
AMSTERDAM –	526,072	„ 19	263	154	15·2	–	–	–	–	4	2
ROTTERDAM –	322,920	„ 19	246	91	14·7	–	1	–	1	2	1
THE HAGUE –	205,328	„ 19	97	64	16·2	–	6	–	1	1	–
COPENHAGEN –	349,000	„ 26	188	127	19·0	–	–	–	5	3	–
STOCKHOLM –	29,7148	„ 19	132	130	22·8	–	–	1	5*	–	–
CHRISTIANIA –	221,255	„ 26	178	95	21·9	–	3	1	–	1	–
ST. PETERSBURG	1,132,677	„ 19	604	604	27·8	8	12	8	19	4	19
MOSCOW – –	988,610	„ 19	–	655	34·5	2	28	13	14	6	1
BERLIN – –	1,848,269	„ 12	921	692	19·5	–	10	20	7	14	2
HAMBURG – –	691,349	„ 26	–	254	19·1	–	5	3	1*	2	1
DRESDEN – –	403,400	April 28	–	–	–	–	–	–	–	–	–
BRESLAU – –	412,959	May 26	–	204	25·8	–	1	–	–	2	2
MUNICH – –	463,000	„ 19	–	236	26·5	–	7	–	–	1	1
VIENNA – –	1,656,662	„ 26	1017	718	22·5	–	18	4	6*	7	2
PRAGUE – –	385,952	„ 19	190	177	23·5	–	–	–	1	1	2
BUDA-PESTH –	685,340	„ 19	520	313	23·7	–	3	6	1	–	2
TRIESTE – –	168,264	„ 19	108	76	23·5	–	–	1	–	–	–
ROME – – –	514,306	„ 5	209	163	16·5	–	9	–	–	–	4‖
TURIN (11 days) –	344,203	Mar. 31	–	–	–	–	–	–	–	–	–
VENICE – –	172,491	May 19	83	66	20·0	–	–	–	–	–	–
CAIRO – –	570,062	April 15	465	481	43·9	14	15	–	1*	–	6
ALEXANDRIA –	319,766	„ 15	206	152	24·7	4	–	–	2*	–	1
NEW YORK (including BROOKLYN)	3,654,594	May 12	1588	1353	19·3	–	14	12	44	20	13
PHILADELPHIA –	1,266,832	„ 12	–	494	20·3	–	23	6	23	–	15

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration area.
‡ Including 625 deaths from plague in Calcutta and 340 in Bombay.
§ Including 75 deaths from cholera in Calcutta and 23 in Bombay.
‖ Including one death from malarial fever.

1900. Month and Day		Phases of the Moon.	METER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	27	..	30·087	70·0	41·1	28·9	57·2	+ 1·2	46·8	10·4	19·1	2·1	68	133·9	32·8	51·30	SE. & SSW.	SW. & SSW.	1·6	0·0	0·1	215	− 32	0·00	0·2
MONDAY -	28	New	30·084	68·8	53·0	15·8	59·3	+ 3·3	48·3	11·0	19·3	5·2	67	127·3	42·7	51·65	SW. & WSW.	W., WNW. & NNW.	2·8	0·0	0·3	311	+ 65	0·00	0·8
TUESDAY -	29	Greatest Dec. N.	30·136	65·4	45·5	19·9	55·6	− 0·6	43·9	11·7	19·1	1·3	65	125·7	36·3	52·01	NNW. & WSW.	NNW., N. & NNE.	3·0	0·0	0·2	265	+ 19	0·00	0·0
WEDNESDAY	30	..	30·142	57·1	48·2	8·9	51·2	− 5·3	44·3	6·9	11·6	4·0	77	105·2	42·3	52·34	N.	N. & NNE.	2·4	0·0	0·2	313	+ 68	0·00	0·0
THURSDAY- JUNE.	31	..	30·097	57·9	47·0	10·9	50·9	− 5·9	45·4	5·5	10·5	2·1	82	118·5	44·2	52·43	NNE. & N.	N.	2·8	0·0	0·3	317	+ 72	0·00	0·0
FRIDAY -	1	..	29·964	53·1	47·5	5·6	49·5	− 7·7	46·6	2·9	6·0	0·0	90	65·2	46·4	52·43	N.	N. & NNE.	7·5	0·0	1·1	507	+263	0·23	0·0
SATURDAY -	2	..	29·874	64·7	47·5	17·2	54·5	− 3·2	53·9	0·6	8·3	0·0	98	103·0	45·6	52·40	NNE.	NNE.	2·0	0·0	0·1	261	+ 17	0·01	1·0
MEANS -			30·055	62·4	47·1	15·3	54·0	− 2·6	47·0	7·0	13·4	2·1	78	111·3	42·9	52·08	SW. & N.		..	..	..	Sum 2189	Sum +472	Sum 0·24	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	27	w. P. generally.	11·4	16·1	Very fine with small amounts of cloud till evening: cloudy at night.
MONDAY -	28	w. P. till 1h. P.M.; m. P. afterwards.	6·1	16·1	Overcast with occasional slight showers till 10h. A.M.; fine and partially cloudy till evening; cloudless at night.
TUESDAY -	29	m. P. generally; occasional s. P.	10·5	16·1	Very fine generally with small amounts of cloud. Cloudy after 11h. P.M.
WEDNESDAY	30	m. P. throughout.	0·9	16·2	Generally overcast.
THURSDAY- JUNE.	31	m. P. generally.	0·6	16·2	Generally overcast; frequent slight rain at night.
FRIDAY -	1	m. P. and v. N. till 8h. A.M.; w. P. generally afterwards.	0·0	16·2	Overcast; frequent rain. Brisk wind till evening.
SATURDAY -	2	W. P. throughout.	1·5	16·3	Generally cloudy; fine in evening. Frequent slight rain till 3h. A.M.
			Sum 31·0	Sum 113·2	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·12 in. at the beginning of the week to 30·06 in. by 6h. A.M. on May 28th; increased to 30·16 in. by 9h. A.M. on May 30th; decreased to 29·84 in. by 5h. P.M. on June 2nd; and was 29·86 in. at the end of the week.

Erratum.—Report for week ending May 12th:—Rainfall, column 25, May 9th, *for* 0·07 in., *read* 0·11 in. Sum for week, *for* 0·36 in., *read* 0·40 in.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 23. 1900. Vol. LXI.] Week ending Saturday, June 9. [Price 1½*d.*

General Register Office, Somerset House,
June 11th, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·2, 18·4, and 17·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending May 19.	May 26.	June 2.	June 9.	Towns.	Weeks ending May 19.	May 26.	June 2.	June 9.
33 Great Towns	18·2	18·4	17·7	16·8	Leicester - -	19·3	16·4	15·5	15·0
Birkenhead -	12·9	13·4	13·8	8·0	Liverpool - -	25·3	27·4	21·4	24·8
Birmingham -	21·0	20·1	19·3	16·6	London - - -	16·3	16·4	17·0	15·9
Blackburn -	19·8	21·3	22·1	18·6	Manchester - -	26·9	25·5	21·5	23·1
Bolton - -	18·7	20·6	18·1	18·1	Newcastle-on-Tyne	17·4	17·6	17·6	17·8
Bradford -	17·7	16·1	18·4	15·9	Norwich - -	19·5	18·2	13·6	12·7
Brighton -	13·9	16·4	12·6	18·5	Nottingham - -	16·1	17·0	15·3	18·3
Bristol - -	16·5	18·5	19·9	14·3	Oldham - -	20·7	23·5	16·0	18·0
Burnley -	12·1	18·3	15·6	12·1	Plymouth - -	21·9	16·3	25·5	16·3
Cardiff - -	10·5	12·6	15·6	15·0	Portsmouth - -	18·2	16·0	14·2	13·4
Croydon -	10·3	12·3	11·1	12·3	Preston - -	21·9	16·2	17·1	15·3
Derby - -	15·0	16·9	13·5	12·1	Salford - - -	24·6	23·8	21·0	21·3
Gateshead -	20·0	18·6	11·0	15·3	Sheffield - -	20·5	19·4	21·7	19·9
Halifax -	17·6	17·6	22·8	17·1	Sunderland - -	23·3	23·0	18·0	19·5
Huddersfield-	19·0	20·0	18·0	17·5	Swansea - -	11·9	15·8	22·2	11·4
Hull - -	17·0	21·2	14·6	13·3	West Ham - -	13·3	13·4	15·4	14·1
Leeds - -	19·9	22·1	19·1	18·0	Wolverhampton -	19·8	19·8	18·6	15·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Bolton, in Oldham, and in Plymouth, 1·1 in Bristol, 1·4 in Sunderland, 2·1 in Cardiff, and 2·9 in Derby; from *whooping-cough*, 1·0 in Gateshead and in Oldham, 1·2 in Manchester, and 1·3 in Liverpool; and from *diarrhœa*, 1·1 in Blackburn. In none of the thirty-three towns did the death-rate from *scarlet fever*, or "*fever*," reach 1·0 per 1000. The 65 deaths from *diphtheria* included 24 in London, 7 in Leeds, 6 in Leicester, 4 in Cardiff and 4 in Sheffield. One death from *small-pox* was registered in Oldham, but none in any other of the thirty-three towns.

London.

In London† 2276 births and 1398 deaths were registered. Allowing for increase of population, the births were 321, and the deaths 103, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

6067—670—6/1900 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 16·3, 16·4, and 17·0 in the preceding three weeks, fell again last week to 15·9. During the four weeks ending on Saturday last the death-rate averaged 16·4 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1398 deaths included 60 from measles, 11 from scarlet fever, 24 from diphtheria, 37 from whooping-cough, 7 from enteric fever, 1 from an ill-defined form of continued fever, 5 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus, 145 deaths were referred to these diseases, being 67 below the corrected average weekly number.

The deaths from *measles*, which had been 49, 56, and 68 in the preceding three weeks, declined last week to 60, and were 24 below the corrected average; 6 cases belonged to Islington, 5 to Marylebone, 5 to Shoreditch, and 5 to Mile End Old Town sanitary areas. The deaths from *scarlet fever*, which had been 6, 8, and 7 in the preceding three weeks, rose again last week to 11, but were 4 below the corrected average. The deaths from *diphtheria*, which had been 22, 29, and 29 in the preceding three weeks, fell last week to 24, and were 10 below the corrected average; 4 cases belonged to Bethnal Green and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 56, 50, and 48 in the preceding three weeks, further fell last week to 37, and were 10 below the corrected average; 4 cases belonged to Limehouse sanitary area. The fatal cases of *enteric fever*, which had been 15, 8, and 10 in the preceding three weeks, fell last week to 7, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 8, 7, and 11 in the preceding three weeks, fell last week to 5, and were 17 below the corrected average. Of the 5 deaths from diarrhœa, 4 were of children under 5 years of age; 10 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 270, 269, and 266 in the preceding three weeks, were 268 last week, the corrected average being 248. The deaths attributed directly to *influenza* numbered 12, having been 13, 19, and 14 in the preceding three weeks.

Different forms of violence caused 66 deaths, concerning all but 1 of which inquests were held. Of these 66 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 53 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets and 11 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 11 cases of small-pox, 1754 of scarlet fever, 1238 of diphtheria, and 172 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 4 cases, against 0, 3, and 4; of scarlet fever, 203 cases, against 221, 216, and 194; of diphtheria, 146 cases, against 166, 181, and 174; and of enteric fever, 21 cases, against 24, 29, and 29.

Greater London.

In Greater London 3289 births and 1868 deaths were registered, corresponding to annual rates of 25·8 and 14·6 per 1000 of the estimated population. In the Outer Ring 27 deaths from measles, 9 from diphtheria, 21 from whooping-cough, 2 from "fever," and 2 from diarrhœa were registered. Eight deaths from measles occurred in Edmonton, and 8 in West Ham districts; 4 fatal cases of diphtheria and 6 of whooping-cough occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 58°·4; the latter being 0°·2 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 28 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 54·0 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of May, 1900. The supply was in the ratio of 237 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	May, 1899.	May, 1900.	May, 1899.	May, 1900.
Total Supply - - -	880,923	902,923	207,071,881	214,391,582
From Thames - - - - - -	422,426	430,895	111,365,360	112,873,033
From Lea and from other Sources -	458,497	472,028	95,706,521	101,518,549
Thames.				
Chelsea - - - - - - -	38,256	38,654	12,328,007	12,650,349
West Middlesex - - - - -	83,990	85,404	21,512,422	21,780,006
Southwark and Vauxhall - -	122,719	124,050	33,477,199	32,333,950
Grand Junction - - - - -	64,378	66,301	18,981,377	20,494,947
Lambeth - - - - - - -	113,083	116,486	25,066,355	25,613,781
Lea and other Sources				
New River - - - - - -	166,531	169,658	37,809,973	40,946,615
East London - - - - -	201,194	207,717	41,112,000	42,689,391
Kent - - - - - - - -	90,772	94,653	16,784,548	17,882,543

Note.—The Return for May, 1900, as compared with that for the corresponding month of 1899, shows an increase of 22,000 services and of 7,319,701 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during May, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
June 1, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of May.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·7, New River 1·3, Chelsea 1·8, Southwark 2·1, Lambeth and East London 2·2, Grand Junction 2·3, and West Middlesex 2·5.

The samples taken from the mains of the five Companies supplying water derived from the River Thames were clear and of very good chemical quality. Compared with last month's supplies, all the samples exhibited a further reduction in the amount of organic matter which they contained, the actual amount being, on the average, less than was found in the official samples examined in the corresponding month last year.

The Lea-derived supplies of the New River and East London Companies were clear and of very good quality.

The Kent Company's water was clear and of its usual high organic purity.

Seen through a stratum two feet deep, the Kent water was colourless; that of the New River Company nearly colourless; and the supplies of the remaining Companies very pale yellow in colour.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Analysis of Metropolitan Waters.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

	Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Inner Circle.	THAMES.		°								
	Chelsea - - -	May 8th. Cab Rank, Horse Guards, Whitehall.	13·0	26·60	·094	·016	0	·212	·228	1·7	19·1
	West Middlesex -	May 8th. Cab Rank, Riding House-street.	11·6	26·04	·128	·018	0	·208	·226	1·6	18·9
	Southwark - -	May 8th. Cab Rank, St. George's Church, Borough.	15·7	26·56	·104	·017	0	·182	·199	1·6	19·1
	Grand Junction -	May 8th. Cab Rank, Portman-street, Oxford-street.	14·3	27·00	·117	·016	0	·211	·227	1·7	19·7
	Lambeth - - -	May 8th. Cab Rank, St. George's-road, Southwark.	14·4	27·24	·118	·014	0	·242	·256	1·7	19·4
	LEA.										
	New River - -	May 8th. Cab Rank, Tottenham Court-road.	13·5	29·44	·061	·013	0	·217	·230	1·7	20·6
	East London - -	May 8th. Cab Rank, Sidney-street, E.	14·8	30·00	·107	·020	0	·248	·268	1·9	21·2
	DEEP WELL.										
	Kent - - - -	May 8th. Police Station, Blackheath-road.	12·8	39·28	·030	·009	0	·500	·509	2·2	27·5
	Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 lbs. of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 8th May at the Horse Guards cab rank, had a temperature of 13·0° C.; 100,000 lbs. of it contained 26·60 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·094 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained no ammonia and ·212 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·228 lb. The above weight of water also contained 1·7 lbs. of chlorine, and 19·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births (the Week ending 9th June 1900)	Deaths (the Week ending 9th June 1900)	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths: From All Causes.	From Diseases in Cols. 6–12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**5473**	**3748**	**833**	**855**	**1**	**128**	**30**	**65**	**111**	**24**	**27**	**143**	**290**	**886**	**52**	**16·8**	**1·7**	**76·0**	**40·8**	**56·6**	**13·68**	**0·21**	**0·53**	**33 Towns.**
London	4,589,129	2276	1398	295	326	–	60	11	24	37	8	5	66	139	451	5	15·9	1·6	75·5	45·3	58·4	14·67	0·19	0·48	London.
West Ham	314,472	145	85	25	19	–	3	–	2	4	2	1	4	6	23	1	14·1	2·0	–	–	–	–	–	–	West Ham.
Croydon	131,186	69	31	5	6	–	–	–	1	2	–	–	2	4	4	–	12·3	1·2	76·0	46·6	58·1	14·50	0·23	0·58	Croydon.
Brighton	124,148	57	44	8	12	–	–	–	2	1	–	–	3	3	13	–	18·5	1·3	–	–	–	–	–	–	Brighton.
Portsmouth	194,955	99	50	9	14	–	–	–	1	2	1	–	2	6	16	2	13·4	1·1	–	–	–	–	–	–	Portsmouth.
Plymouth	102,161	50	32	8	6	–	2	–	–	–	–	–	–	–	2	–	16·3	1·0	–	–	–	–	–	–	Plymouth.
Bristol	324,973	114	89	16	27	–	7	2	–	–	1	–	1	11	15	1	14·3	1·6	72·0	45·0	55·8	13·22	0·21	0·53	Bristol.
Cardiff	194,247	70	56	12	9	–	8	–	4	2	1	–	1	4	9	–	15·0	4·0	–	–	–	–	–	–	Cardiff.
Swansea	105,472	51	23	7	4	–	–	–	2	1	–	1	2	2	1	–	11·4	2·0	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	42	26	4	8	–	–	–	1	–	1	–	2	3	6	–	15·1	1·2	73·4	40·8	55·2	12·89	0·34	0·86	Wolverhampton.
Birmingham	519,610	251	165	55	31	–	2	3	–	7	1	1	6	11	29	4	16·6	1·4	–	–	–	–	–	–	Birmingham.
Norwich	114,855	56	28	9	11	–	–	–	–	1	–	–	1	4	3	1	12·7	0·5	–	–	–	–	–	–	Norwich.
Leicester	219,169	99	63	14	21	–	–	1	6	–	1	–	2	3	12	1	15·0	1·9	–	–	–	–	–	–	Leicester.
Nottingham	242,676	109	85	21	22	–	1	1	2	–	–	–	2	6	24	–	18·3	0·9	–	–	–	–	–	–	Nottingham.
Derby	107,991	37	25	9	4	–	6	–	–	1	–	–	–	1	4	–	12·1	3·4	–	–	–	–	–	–	Derby.
Birkenhead	117,170	58	18	6	4	–	–	1	–	–	–	–	–	1	5	1	8·0	0·4	–	–	–	–	–	–	Birkenhead.
Liverpool	634,780	352	302	68	67	–	1	–	2	16	4	4	11	15	87	19	24·8	2·2	72·3	50·0	57·0	13·89	0·16	0·41	Liverpool.
Bolton	164,240	72	57	17	11	–	3	–	–	2	–	1	–	1	6	–	18·1	1·9	–	–	–	–	–	–	Bolton.
Manchester	548,768	172	243	56	51	–	6	3	1	13	–	1	9	18	56	2	23·1	2·3	–	–	–	–	–	–	Manchester.
Salford	220,816	96	90	26	17	–	1	–	1	2	–	3	5	6	19	1	21·3	1·7	–	–	–	–	–	–	Salford.
Oldham	153,297	39	53	8	13	1	3	2	–	3	–	1	–	2	6	–	18·0	3·4	–	–	–	–	–	–	Oldham.
Burnley	116,730	42	27	7	7	–	1	2	–	1	–	1	1	2	3	–	12·1	2·2	–	–	–	–	–	–	Burnley.
Blackburn	137,107	55	49	16	7	–	1	2	–	1	–	3	–	1	–	2	18·6	2·7	–	–	–	–	–	–	Blackburn.
Preston	118,902	63	35	9	6	–	–	1	1	2	–	–	–	1	2	1	15·3	1·8	–	–	–	–	–	–	Preston.
Huddersfield	104,484	31	35	2	10	–	1	–	–	–	–	–	2	2	2	–	17·5	0·5	–	–	–	–	–	–	Huddersfield.
Halifax	100,710	31	33	5	13	–	1	–	2	–	–	1	2	3	7	–	17·1	2·1	–	–	–	–	–	–	Halifax.
Bradford	291,535	116	89	23	24	–	3	–	1	1	1	–	4	5	12	2	15·9	1·1	70·0	42·0	55·2	12·89	0·10	0·25	Bradford.
Leeds	431,287	209	149	40	36	–	6	–	7	4	–	1	5	11	16	1	18·0	2·2	–	–	–	–	–	–	Leeds.
Sheffield	365,922	198	140	36	30	–	4	1	4	3	–	1	6	10	20	3	19·9	1·9	–	–	–	–	–	–	Sheffield.
Hull	238,736	131	61	21	10	–	4	–	1	–	1	–	1	2	7	3	13·3	1·3	–	–	–	–	–	–	Hull.
Sunderland	147,398	93	55	17	7	–	4	–	–	–	2	1	–	–	9	1	19·5	2·5	–	–	–	–	–	–	Sunderland.
Gateshead	109,403	66	32	9	6	–	–	–	–	2	–	1	1	2	–	–	15·3	1·4	–	–	–	–	–	–	Gateshead.
Newcastle	234,369	124	80	20	16	–	–	–	–	3	–	–	2	5	17	1	17·8	0·7	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2399	2698	2422	2582	2300	2333	2545	2314	2646	2445	2596·8	2276
Males - -	1231	1370	1223	1324	1147	1176	1307	1208	1385	1206	1323·1	1185
Females - -	1168	1328	1199	1258	1153	1157	1238	1106	1261	1239	1273·7	1091
TOTAL **Deaths** -	1393	1886	1428	1491	1398	1247	1467	1177	1411	1365	1500·5	1398
Males - -	733	948	772	806	760	633	723	649	732	710	785·4	769
Females - -	660	938	656	685	638	614	744	528	679	655	715·1	629

*The numbers in this column are the average weekly numbers in the twenty-third week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.
TOTAL **Births** - - -	2628	2675	2736	2580	2292	2610	2697	2737	2581	2512	2435	2579	2276
TOTAL **Deaths** - - -	1659	1817	1785	1932	1844	1811	1721	1675	1446	1437	1440	1497	1398
Ages at Death: Under 1 year - -	385	413	368	366	356	369	302	349	289	297	295	323	295
1—5 years - -	215	260	247	250	249	220	238	217	186	182	196	218	185
5—20 " - -	87	94	96	106	91	102	84	80	83	101	69	86	96
20—40 " - -	216	232	227	238	229	250	247	222	187	194	195	197	214
40—60 " - -	327	352	340	405	389	352	393	371	314	302	288	313	282
60—80 " - -	339	368	414	458	452	423	374	348	324	300	327	302	274
80 years and upwards	90	98	93	109	87	95	83	88	63	61	70	58	52
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-
Measles - - - - -	56	50	60	62	59	53	68	72	56	49	56	68	60
Scarlet Fever - - -	6	3	7	7	8	5	11	4	4	6	8	7	11
Diphtheria - - - -	35	36	31	32	19	17	20	21	29	22	29	29	24
Whooping-cough - - -	35	49	45	50	51	49	40	42	35	56	50	48	37
Typhus - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	13	7	7	20	12	9	8	6	3	15	8	10	7
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa and Dysentery -	8	17	8	6	8	8	17	11	15	8	7	11	5
Cholera - - - -	-	-	-	-	-	-	1	-	1	-	-	1	-
All the above Diseases -	153	162	158	177	157	141	166	156	144	156	158	174	145
Dis. of Respiratory System -	391	456	469	499	501	460	411	417	300	270	269	266	268
Phthisis - - - - -	178	205	202	186	160	177	164	168	131	159	155	150	150
Dis. of Circulatory System -	126	154	149	184	169	139	146	154	140	116	117	138	127
Violence - - - -	63	61	91	77	69	76	95	67	59	73	66	59	66
Inquest Cases - - - -	152	154	203	186	163	169	198	143	154	145	127	138	
Deaths in Public Institutions -	526	539	548	541	515	581	521	538	467	452	485	470	
TEMPERATURE OF THE AIR.													
Mean - - - - -	40°·8	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0	58°·4
Mean of Highest readings -	47·6	45·7	44·2	51·1	56·4	62·1	57·7	61·7	59·5	56·3	62·2	62·4	69·4
Mean of Lowest readings -	34·3	32·7	31·1	34·3	40·7	41·2	38·0	44·0	43·2	39·9	45·1	47·1	49·3
Humidity of the Air - -	76	83	74	76	72	69	70	70	76	68	78	78	72
Rain-fall (in inches) - -	0·08	0·61	0·16	0·45	0·22	0·15	0·06	0·19	0·36	0·01	0·81	0·24	0·19
Registered Sunshine (in hours)	13·4	23·1	26·3	27·0	31·9	50·8	39·9	41·4	23·1	39·1	33·1	31·0	54·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	5	5	3	2	3	4	6	6	5	3	5	7	11
Scarlet Fever - - - -	1760	1715	1696	1713	1694	1676	1647	1660	1693	1733	1784	1760	1754
Diphtheria - - - -	1361	1329	1243	1198	1161	1141	1141	1131	1176	1188	1222	1220	1238
Enteric Fever - - - -	265	268	263	243	224	219	208	192	185	172	176	176	172

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-THIRD Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 23rd Week of the 10 years 1890-99*.	In the Week ending Saturday, 9th June, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1500·5	1398	295	185	96	214	282	274	52
Vaccinated† -	0·6	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·5	-	-	-	-	-	-	-	-
- - - -	84·2	60	16	41	3	-	-	-	-
ever - - -	14·7	11	1	6	4	-	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
g Fever - -	-	-	-	-	-	-	-	-	-
a - - - -	35·5	12	-	-	1	2	3	6	-
g-cough - -	47·4	37	15	22	-	-	-	-	-
ria - -	34·2	24	-	16	7	1	-	-	-
Continued and ned Fever -	0·2	1	-	1	-	-	-	-	-
Fever - - -	7·2	7	1	1	1	3	1	-	-
and Chol. Diarr.	0·7	-	-	-	-	-	-	-	-
a, Dysentery -	22·0	5	4	-	-	1	-	-	-
nt Fever - -	0·1	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·1	-	-	-	-	-	-	-	-
Affections - -	9·5	9	2	2	-	2	1	2	-
as - - -	3·6	3	1	1	-	-	1	-	-
and Septicæmia	1·8	1	1	-	-	-	-	-	-
al Fever - -	5·6	2	-	-	-	2	-	-	-
rmotic Diseases	1·2	4	-	-	-	2	2	-	-
- - - -	0·5	-	-	-	-	-	-	-	-
and other Para- Diseases -	0·3	-	-	-	-	-	-	-	-
on, Want of -milk - -	1·6	1	1	-	-	-	-	-	-
sm - - -	10·5	12	-	-	-	3	8	1	-
tic Fever, natism of Heart	4·8	8	-	-	3	1	3	1	-
tism - - -	2·2	2	-	-	-	-	1	1	-
- - - -	3·2	1	-	-	-	-	1	-	-
- - - -	6·8	4	2	2	-	-	-	-	-
- - - -	74·3	81	1	-	-	12	38	26	4
esenterica - -	17·3	14	7	2	3	1	1	-	-
lar Meningitis -	29·2	25	7	9	9	-	-	-	-
- - - -	154·0	150	1	3	13	72	51	10	-
„ Tuberculosis -	17·[illegible]	25	3	10	7	4	1	-	-
„ Constitutional ies - -	1[illegible]·1	13	-	-	2	1	5	4	1
ure Birth - -	44·0	47	47	-	-	-	-	-	-
sis - - -	3·5	7	7	-	-	-	-	-	-
tal Malforma- - - -	8·4	7	7	-	-	-	-	-	-
- - - -	44·2	46	-	-	-	-	-	26	20
y - - -	42·4	29	1	-	-	-	16	10	2
y - - - -	5·9	7	-	-	-	-	4	3	-
ions - - -	33·9	40	33	6	1	-	-	-	-
Diseases of Brain ervous System	79·2	64	9	7	7	10	10	18	3
s of Organs of l Sense -	2·5	3	2	-	-	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 23rd Week of the 10 years 1890-99*.	In the Week ending Saturday, 9th June, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	122·7	127	1	1	10	24	29	54	8
Croup - - - -	2·3	1	-	1	-	-	-	-	-
Bronchitis - - -	112·0	80	13	8	1	3	13	36	6
Pneumonia - - -	107·5	161	23	30	5	31	45	27	-
Pleurisy - - - -	6·6	3	-	-	-	1	1	1	-
Other Diseases of Respiratory System -	19·3	23	4	5	1	2	5	5	1
Dentition - - - -	8·7	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	2·8	1	-	-	-	-	-	1	-
Enteritis - - -	15·3	8	4	-	1	2	1	-	-
Gastro-enteritis -		11	10	-	-	-	1	-	-
Peritonitis - - -	6·1	4	1	-	-	2	-	1	-
Diseases of Liver - -	25·7	22	2	-	1	6	8	4	1
Other Diseases of Digestive System	27·9	21	10	1	2	1	2	4	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·6	2	-	-	2	-	-	-	-
Diseases of Urinary System - - -	41·2	42	-	-	1	-	14	23	4
Diseases of Generative System - - -	5·9	2	-	-	-	1	1	-	-
Accidents of Childbirth -	5·5	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	6·3	9	1	2	3	3	-	-	-
Diseases of Integumentary System - -	4·9	7	3	-	-	1	3	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	57·0	4	-	-	-	3	1	-	-
By Vehicles or Horses -		8	-	-	3	2	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		6	-	3	3	-	-	-	-
By Drowning - - -		6	1	-	2	1	2	-	-
By Suffocation in Bed -		11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	-	-	1	-	-
Other or not stated causes - - - -		17	5	2	-	4	1	4	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·8	1	1	-	-	-	-	-	-
Suicide - - - -	10·4	12	-	-	-	5	3	4	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	40·7	38	33	2	-	-	2	1	-

e numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ulation.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 9th June, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2276	1398	295	326	-	60	11	24	37	-	7	1	5	66	139	45
WEST DISTRICTS - - -	778,251	317	251	39	67	-	14	1	2	5	-	-	-	1	12	27	74
NORTH DISTRICTS - - -	1,040,694	539	300	57	83	-	16	3	7	8	-	2	-	1	12	25	97
CENTRAL DISTRICTS - - -	233,635	104	91	23	13	-	3	-	-	1	-	1	-	-	6	8	33
EAST DISTRICTS - - -	716,334	434	271	74	58	-	17	1	2	13	-	-	1	1	15	40	193
SOUTH DISTRICTS - - -	1,642,796	882	464	102	101	-	10	5	13	10	-	4	-	2	21	39	126
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	21	-	4	-	-	1	-	-	-	-	-	-	-	-	21
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	39	21	5	10	-	3	-	-	-	-	-	-	-	1	2	7
St. John Paddington *H* - - G.	33,510	6	11	-	5	-	-	-	-	-	-	-	-	-	3	3	6
Kensington Town *Ww* - - W.	122,164	48	50	9	11	-	4	-	-	-	-	-	-	-	2	6	17
Brompton *HH* - - - W & C.	48,301	13	12	-	3	-	-	-	-	1	-	-	-	-	-	1	4
North Hammersmith *H* W. & G	44,638	22	20	8	5	-	4	-	-	-	-	-	-	1	-	1	-
South Hammersmith *H* W. & G	59,561	19	13	2	5	-	-	-	-	1	-	-	-	-	1	1	-
Fulham *Ww* - - - W. & C.	113,781	66	41	8	8	-	1	1	2	2	-	-	-	-	2	2	11
Chelsea Kensal Town - C.	21,450	10	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	15	13	2	3	-	-	-	-	-	-	-	-	-	1	3	4
Chelsea South *HH* - - C.	33,139	13	9	2	3	-	-	-	-	-	-	-	-	-	-	2	-
May Fair *W* - - - - G.	23,827	3	6	-	4	-	-	-	-	-	-	-	-	-	-	-	5
Belgrave *WHHH* - - - C.	56,140	24	21	2	3	-	-	-	-	-	-	-	-	-	1	1	9
St. John Westminster *HH* - C.	31,492	19	9	-	3	-	1	-	-	-	-	-	-	-	-	2	-
St. Margaret Westminster *H* - C.	22,097	3	13	-	1	-	1	-	-	-	-	-	-	-	-	1	9
St. James Westminster *WH* N. & G.	23,050	9	5	-	3	-	-	-	-	-	-	-	-	-	1	2	2
St Anne Soho *HHHHH* - N.	12,048	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	8	14	2	5	-	-	-	-	-	-	-	-	1	-	-	10
Rectory Marylebone *W* G. & W.	19,798	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	38	6**	2	1	-	1	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	8	7	2	2	-	3	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *HHH* - W.	32,611	10	12	3	5	-	1	-	-	1	-	-	-	-	2	3	-
Hampstead *WwHHHH* - N. & W.	75,449	30	17	-	4	-	2	2	1	-	-	-	-	-	-	2	7
Regent's Park † *HH* - W.	51,403	19	8	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	17	2	2	-	-	-	-	-	-	-	-	-	2	4	12
Gray's Inn Lane *HHHH* - N.	29,426	16	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Somers Town *HH* - - - N.	32,161	16	11	3	1	-	1	-	-	-	-	-	-	-	-	1	1
Camden Town† *WH* - - N.	40,155	23	16	3	5	-	1	-	-	-	-	-	-	-	1	1	11
Kentish Town† *WW* - - N.	60,862	33	20	4	5	-	-	-	-	-	-	1	-	-	1	2	8
Upper Holloway *WWWWwHH* - - N.	98,273	61	44	9	11	-	2	-	-	1	-	-	-	-	-	3	29
Lower Holloway‡ - - - N.	41,805	27	12	5	2	-	-	-	-	-	-	-	-	-	1	2	-
Barnsbury‡ - - - - N.	56,384	30	13	2	3	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	40	17	5	4	-	2	-	-	1	-	-	-	-	-	1	-
Highbury *HH* - - - N.	64,577	38	12	3	4	-	1	-	-	1	-	-	-	-	1	1	-
Stoke Newington *H* - - N.	33,485	18	9	1	5	-	-	-	-	1	-	1	-	-	-	-	-
North Hackney - - E. & N.	213,044	18	10	1	4	-	-	-	-	-	-	-	-	-	2	2	-
Central Hackney *ww* - E. & N.		19	12	1	-	-	-	1	6	1	-	-	-	-	-	-	6
South-west Hackney *HHH* E. & N.		34	13	3	2	-	-	-	-	1	-	-	-	-	-	-	4
South-east Hackney *WwH* E. & N.		42	25	6	14	-	-	-	-	1	-	-	-	-	1	2	7

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District.

. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, RLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 9th June, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
sbury and St. Giles } - N.	29,086	18	10	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-
n WH - - }																		
es North H - - - N.	9,151	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tin-in-the-Fields HH N. & C.	13,077	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
WHH - - - - N.	11,839	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn wHHHHHH - N.	31,042	9	14	4	5	-	1	-	-	-	-	1	-	-	-	1	3	-
hes Clerkenwell - - N.	15,777	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ll Clerkenwell - - N.	34,356	16	7	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-
ll-street - - - - N.	16,069	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oad HHHHL - - N.	29,897	32	16	5	1	-	-	-	-	-	-	-	-	-	1	1	1	-
cross-street - - - N.	7,595	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ury - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Union Workhouse, }	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ham - - - - }																		
tolph* H - - N. & E.	13,061	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre WH - - - N.	9,591	-	21	5	1	-	-	-	-	-	-	-	-	-	4	4	19	-
lows Barking - - - N.	9,059	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†388	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
ditch South Hl - E. & N.	17,975	8	4	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
n New Town w - - N.	29,575	17	14	2	7	-	1	-	-	-	-	-	-	-	-	-	5	-
n Old Town - - - N.	27,645	10	8	2	3	-	-	-	-	2	-	-	-	-	1	1	-	-
erston WH - - N. & E.	47,163	21	31	5	7	-	4	-	-	1	-	-	1	-	1	2	18	-
al Green North H - E.	49,301	27	14	4	1	-	-	-	1	1	-	-	-	-	1	2	2	-
al Green South - - E.	34,194	20	7	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-
al Green East WWHl - E.	45,667	30	7	1	4	-	-	-	-	-	-	-	-	-	1	3	3	-
lfields - - - E. & N.	26,681	25	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town WH - E.	51,995	23	31	4	4	-	-	-	1	-	-	-	-	-	4	7	29	-
man's Fields - - - E.		12	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	43	7	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
hn, St. George East W E.	7 930	7	9	1	4	-	1	-	-	-	-	-	-	-	-	2	9	-
well H - - - E. & N.	10,434	4	11	5	-	-	2	-	-	1	-	-	-	-	-	-	5	-
liff W - - - - E.	14,954	3	4	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-
house - - - - - E.	32,917	10	18	6	4	-	-	-	-	3	-	-	-	-	-	-	-	-
End Old Town West H E. }	111,060	57	13	4	5	-	2	-	-	-	-	-	-	-	-	-	2	-
End Old Town East } - E.		37	16	8	1	-	3	-	-	2	-	-	-	-	1	5	2	-
Www }																		
l - - - - E.	41,687	20	19	8	3	-	2	-	-	-	-	-	-	-	1	3	1	-
nley wwwH - - - E.	69,821	35	36	7	9	-	-	-	-	2	-	-	-	-	3	5	22	-
ar WW - - - - E.	57,759	25	15	7	1	-	-	-	-	-	-	-	-	1	1	5	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 9th June, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WH*L.&S.	13,064	11	2	1	1	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	8	5	1	2	–	–	–	–	–	–	–	–	–	–	–
Kent-road - - - - S. & L.	22,879	15	9	3	2	–	–	–	–	–	–	–	–	–	–	–
Borough-road *WH* - S. & L.	16,083	13	6	1	1	–	–	–	1	–	–	1	–	–	–	–
London-road *HL* - - L. & S.	21,316	13	2	1	–	–	–	–	–	1	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,723	13	8	3	–	–	–	–	–	–	–	–	–	–	–	–
St. Peter Walworth *W* - S. & L.	62,045	55	11	4	5	–	–	–	–	–	–	–	–	–	–	1
St. Mary Newington- - L. & S.	30,171	19	7	4	–	–	1	–	1	1	–	–	–	–	1	1
St. Olave *WH* - - - - S.	11,731	5	20	1	4	–	2	–	1	–	–	–	–	–	3	3
Bermondsey *W* - - - S.	85,475	45	24	6	3	–	–	–	–	3	–	–	–	–	–	4
Rotherhithe *Ww* - S. & K.	40,379	14	13	–	4	–	–	–	–	–	–	–	–	–	1	1
Waterloo-road *HH* - L. & S.	28,396	26	11	1	–	–	–	–	–	–	–	–	–	–	1	1
Lambeth Church 1st *H* - L. & S.	18,770	12	10	3	1	–	–	–	–	–	–	–	–	–	2	2
Lambeth Church 2nd *WW* L. & S.	40,994	29	20	1	8	–	–	–	–	–	–	–	–	–	–	–
Kennington 1st *H* - - S. & L.	52,486	32	10	6	2	–	–	–	–	–	–	–	–	–	1	4
Kennington 2nd - - S. & L.	43,244	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Brixton *w* - - - L. & S.	81,825	40	15	1	5	–	–	2	2	–	–	–	–	–	–	2
Norwood *WH*- - - - L.	29,318	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
East Battersea - - - - S.	71,730	43	17	8	1	–	–	–	–	–	–	–	–	1	1	2
North-west Battersea† - - S. }	93,385	37	14	4	1	–	1	–	–	–	–	1	–	–	1	1
South-west Battersea† *WwH* - S. }		17	16	2	6	–	–	–	–	–	–	–	–	–	2	2
Clapham *H* - - - - S.	46,953	22	12	1	2	–	–	–	–	–	–	–	–	–	–	–
Streatham *Wwww L* - - L.	61,644	30	16	1	4	–	1	1	2	–	–	2	–	–	–	–
Wandsworth *WHHL* - - S.	58,101	37	9	3	1	–	–	–	–	–	–	–	–	–	1	3
Putney - - - - - S.	20,566	13	3	1	1	–	–	–	–	–	–	–	–	–	1	1
Dulwich - - - L. & S.	7,519	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	41	35	4	12	–	–	–	1	1	–	–	–	–	1	1
Peckham *WW* - S., L., & K.	88,242	28	17	7	6	–	–	–	–	1	–	–	–	–	–	2
St. George Camberwell - L. & S.	67,029	39	19	8	2	–	–	–	–	1	–	–	–	–	1	2
Deptford North - - - K.	36,152	21	15	3	3	–	–	–	–	1	–	–	–	–	1	1
Deptford Central *w* - - K.	45,441	25	17	6	–	–	2	2	4	–	–	–	–	–	–	–
Deptford South - - - K.	33,402	10	8	1	4	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,012	10	7	1	3	–	–	–	–	–	–	–	–	–	–	1
Greenwich East *WH* - - K.	37,767	24	23	2	7	–	1	–	–	–	–	–	–	–	1	1
Eltham *wH* - - - - K.	5,911	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1
Lee *H* - - - - - K.	24,222	11	4	2	1	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwH* - - - K.	38,139	29	16	3	2	–	–	–	1	–	–	–	–	–	–	–
Sydenham *H* - - - - L.	37,601	16	4	–	2	–	–	–	–	1	–	–	–	–	1	1
Charlton *wHH* - - - K.	15,928	14	5	–	1	–	–	–	–	–	–	–	–	1	–	–
Woolwich* *HHHH* - - K.	41,314	16	8	2	2	–	–	–	–	–	–	–	–	–	1	1
Plumstead West *H* - - K.	16,714	8	6	1	1	–	1	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	42,538	21	10	3	–	–	1	–	–	–	–	–	–	–	–	–
Banstead Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton Asylum, Epsom - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Asylum Dartford Heath - - - - - - }	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanwell Asylum - - - -	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Colney Hatch Asylum - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
N.E. Hospital - - - - -	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–
Claybury Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 9th June, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON OUTER RING -	368,749	1,422,063	1013	470	117	117	-	27	-	9	21	2	2	25	39	72	4
Carshalton *H* - - -	12,228	26,108	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	5	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	84	35	5	7	-	-	-	1	2	-	-	2	4	4	-
Mitcham *w* - - -	11,697	23,072	12	8	2	6	-	-	-	-	-	-	-	1	1	-	-
Wimbledon *HHH* - -	3,220	25,777	26	10	3	1	-	3	-	-	-	-	-	1	1	1	-
Kingston *WH* - - -	14,672	33,566	26	5	1	1	-	-	-	-	-	-	-	-	1	-	-
Surbiton *HH* - - -		12,178	5	3	-	-	-	-	-	1	-	-	-	-	-	1	-
Esher, *part of** *H* - -		11,080	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	13	9	-	4	-	-	-	-	-	-	-	1	1	6	-
Mortlake *H* - - -	2,823	16,159	9	4	-	-	-	2	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	13	8	2	4	-	1	-	-	-	-	-	-	-	-	1
Beckenham *H* - - -	6,542	21,969	9	7	2	5	-	-	-	-	1	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	16	6	-	1	-	-	-	-	-	-	1	-	-	3	-
Bexley *HHH* - - -	12,540	30,590	26	13	4	4	-	-	-	-	-	-	-	1	1	1	1
Dartford *WH*, *part of** -	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Sunbury *w* - - -	11,054	13,671	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	7	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Hillingdon *WHH* - -	6,035	12,237	9	9	4	4	-	-	-	-	1	-	-	-	-	3	-
Uxbridge - - - -	12,757	7,253	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	12	2	1	1	-	-	-	-	-	-	-	1	1	-	-
Isleworth *WHH* - -	6,967	26,004	19	8	2	1	-	-	-	1	-	-	-	-	1	4	-
Twickenham *HH* - -	2,415	16,027	7	5	-	-	-	-	-	-	-	-	-	3	3	1	-
Brentford *HHHH* - -	4,318	37,777	15	11	1	6	-	-	-	-	-	-	-	-	-	-	-
Chiswick - - - -	1,245	21,963	13	5	-	-	-	1	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	28	10	2	5	-	1	-	-	-	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	62	19	6	2	-	2	-	-	1	-	-	1	1	1	-
Hendon *WH* - - -	8,382	15,843	14	11	1	2	-	1	-	-	-	-	-	3	3	4	-
South Mimms *HH* - -	21,077	6,367	2	2	-	-	-	-	-	-	1	-	-	1	1	-	-
Barnet *WHH* - - -		14,152	9	4	-	4	-	-	-	-	-	-	-	-	-	3	-
Finchley *HHH* - - -	4,688	25,820	9	8	3	3	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	27	15	4	3	-	1	-	-	-	-	-	-	-	1	-
Tottenham *HHH* - -	4,642	97,174	63	39	11	6	-	6	-	2	2	-	-	1	5	2	-
Edmonton *Ww* - -	7,489	36,351	31	12	6	2	-	-	-	1	1	-	-	1	2	1	1
Enfield *WWHH* - -	12,602	31,536	21	12	3	1	-	1	-	1	3	-	-	1	1	1	-
Waltham Abbey - - -	11,017	6,066	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	28	13	6	1	-	1	-	1	-	2	-	-	-	-	-
Plaistow *HHH* - - -		58,030	53	22	9	3	-	1	-	-	2	-	-	2	2	3	-
Canning Town *H* - -		54,750	39	19	6	5	-	-	-	-	2	-	1	2	4	2	1
Forest Gate *w* - - -		53,511	25	13	3	4	-	-	-	-	-	-	-	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	66	22	7	1	-	5	-	-	-	-	-	-	3	-	-
Leyton *WWWwH* - -	4,334	70,188	46	47	12	13	-	1	-	1	-	-	-	2	2	23	-
Walthamstow *HHHL* -	6,501	57,330	49	13	4	2	-	-	-	-	1	-	-	1	1	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	5	4	1	2	-	-	-	-	1	-	-	-	-	1	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	18	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Barking Town, *H* - -	3,814	14,301	11	6	3	-	-	-	-	-	3	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham arley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst istrict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are ncluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 9th June, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**14·6**	**1·6**	**1868**	**412**	**443**	**-**	**87**	**11**	**33**	**58**	**10**	**7**	**91**
INNER LONDON -	74,672	4,589,129	15·9	1·6	1398	295	326	-	60	11	24	37	8	5	66
OUTER RING -	368,749	2,063,016	11·9	1·5	470	117	117	-	27	-	9	21	2	2	25

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	June	9	170	93	16·0	-	4	-	1	1	-
GLASGOW - -	743,585	„	9	501	285	20·0	-	14	4	2	14	4
DUBLIN - -	349,594	„	9	222	155	23·1	-	-	-	2	5	1
CALCUTTA - -	466,460	April	14	-	688	76·9	26	4	-	-	-	457‡
BOMBAY - -	821,764	May	15	178	1517	96·0	24	20	?	?	?	462‡
MADRAS - -	452,518	„	4	321	355	40·7	1	5	?	?	?	88
PARIS - - -	2,511,629	June	2	1023	969	20·0	1	31	8	13*	6	9
BRUSSELS - -	561,130	„	2	263	167	15·4	-	2	-	1*	1	1
AMSTERDAM -	526,072	May	26	269	151	15·0	-	-	-	1	1	-
ROTTERDAM -	323,487	„	26	242	98	15·8	-	-	-	3	1	-
THE HAGUE -	205,328	„	26	123	66	16·7	-	3	-	3	-	-
COPENHAGEN -	349,000	June	2	200	167	25·0	-	1	2	2	-	-
STOCKHOLM -	29,7148	May	26	138	111	19·4	-	1	-	2*	-	-
CHRISTIANIA -	221,255	June	2	143	72	16·0	-	2	-	-	4	-
ST. PETERSBURG	1,132,677	May	26	677	583	26·8	7	14	14	14	5	19
MOSCOW - -	988,610	„	26	-	671	35·4	4	31	5	9	5	5
BERLIN - -	1,848,269	„	19	879	611	17·2	-	5	12	11	11	2
HAMBURG - -	691,349	June	2	-	212	15·9	-	11	5	1*	3	-
DRESDEN - -	403,400	April	28	-	-	-	-	-	-		-	-
BRESLAU - -	412,9[illegible]9	June	2	-	200	25·3	-	1	-	-	1	1
MUNICH - -	463,000	May	26	-	250	28·1	-	6	-	2*	1	-
VIENNA - -	1,656,662	June	2	1001	683	21·4	-	24	2	3*	3	2
PRAGUE - -	385,952	May	26	221	205	27·2	-	1	1	1	6	1
BUDA-PESTH -	685,340	„	26	466	313	23·7	-	5	4	1	5	1
TRIESTE - -	168,264	June	2	126	106	32·8	-	-	-	-	2	-
ROME - - -	514,306	May	12	182	156	15·8	-	5	-	-	-	1
TURIN (11 days) -	344,203	Mar.	31	222	253	24·4	-	5	-	5	1	5
VENICE - -	172,491	May	26	85	71	21·5	-	4	-	2*	-	-
CAIRO - -	570,062	April	22	427	437	39·9	15	24	-	1*	-	4
ALEXANDRIA -	319,766	„	22	210	181	29·4	2	-	-	1*	1	5
NEW YORK (including BROOKLYN)	3,654,594	May	19	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,266,832	„	19	-	535	22·0	-	22	12	36	-	9

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration area.
‡ Including 395 deaths from plague in Calcutta and 304 in Bombay.
§ Including 72 deaths from cholera in Calcutta, 15 in Bombay, and one in Madras.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
JUNE.																									
SUNDAY -	3	..	29·775	71·0	49·7	21·3	60·6	+ 2·6	52·9	7·7	14·0	0·0	76	120·7	40·7	52·41	NNE., N. & NNW.	NNE. & N.	3·4	0·0	0·3	314	+ 69	0·00	0·0
MONDAY -	4	..	29·760	75·5	49·0	26·5	62·8	+ 4·6	47·1	15·7	24·1	2·7	57	137·9	39·6	52·72	N., NNE. & NE.	NE. & NNE.	3·2	0·0	0·4	367	+121	0·00	0·2
TUESDAY -	5	First Qr. In Eqr. Apogee.	29·796	62·3	45·3	17·0	53·0	− 5·3	48·2	4·8	11·2	1·9	84	135·6	37·9	53·00	NNE. & N.	N.	2·2	0·0	0·2	307	+ 60	0·00	0·8
WEDNESDAY	6	..	29·766	72·8	48·2	24·6	59·5	+ 1·2	48·8	10·7	25·9	2·5	68	115·9	45·1	53·39	N.	NE., W. & WSW.	1·2	0·0	0·0	171	− 78	0·02	0·0
THURSDAY-	7	..	29·678	67·9	51·3	16·6	57·0	− 1·2	49·3	7·7	16·9	3·6	76	134·6	47·0	53·70	WSW.	WSW. & SW.	3·7	0·0	0·4	344	+ 93	0·09	0·0
FRIDAY -	8	..	29·701	67·8	50·4	17·4	57·3	− 0·9	48·7	8·6	18·7	1·6	73	131·7	46·5	53·94	SW. & WSW.	W. & WSW.	5·9	0·0	0·7	443	+191	0·08	0·0
SATURDAY-	9	..	29·807	68·7	50·9	17·8	58·6	+ 0·4	49·9	8·7	15·8	3·0	73	130·8	38·2	54·16	SW.	SSW. & SSE.	2·3	0·0	0·2	289	+ 36	0·00	0·5
MEANS	-		29·755	69·4	49·3	20·2	58·4	+ 0·2	49·3	9·1	18·1	2·2	72	129·6	42·1	53·33	N. & SW.		..	..	..	Sum 2235	Sum +492	Sum 0·19	0·2
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	3	w. P. throughout.	5·7	16·3	Generally cloudy till afternoon; very fine afterwards and cloudless at night.
MONDAY -	4	w. P. generally.	13·1	16·3	Very fine and warm. The amount of cloud was usually small.
TUESDAY -	5	w. P. till 9h. A.M.; m. P. afterwards.	8·3	16·4	Fine; partially cloudy. Slight shower between 1h and 2h. P.M.
WEDNESDAY	6	m. P. generally; occasional m. N.	8·5	16·4	Cloudy with lightning in early morning; fine with small amounts of cloud till 5h. P.M.; cloudy afterwards with heavy shower at 7h. P.M.
THURSDAY-	7	w. P with occasional w. N. till 1h. P.M.; s. P. and s. N. till 4h. P.M.; w. P. afterwards.	5·7	16·4	Variable. Frequent showers till afternoon.
FRIDAY -	8	w. P. generally with occasional v. N. till noon; w. P. generally afterwards.	5·6	16·4	Variable and showery till afternoon; fine and partially cloudy afterwards. Brisk wind prevalent between 6h A.M. and 6h. P.M.
SATURDAY-	9	w. P. till 7h P.M.; m. P. afterwards.	7·1	16·4	Cloudy in morning; fine with large amounts of cloud till afternoon; very fine afterwards and cloudless at night.
			Sum 54·0	Sum 114·6	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·86 in. at the beginning of the week to 29·74 in. by 5h. A.M. on the 4th; increased to 29·83 in. by 9h. P.M. on the 5th; decreased to 29·65 in. by 3h. A.M. on the 8th; increased to 29·82 in. by 9h. P.M. on the 9th, and was 29·80 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 1-3, Great St. Thomas Apostle, E.C.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 24. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JUNE 16. [Price 1½*d.*

General Register Office, Somerset House,
June 18th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 17·8, and 16·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	May 26.	June 2.	June 9.	June 16.		May 26.	June 2.	June 9.	June 16.
33 Great Towns	18·4	17·8	16·8	18·0	Leicester - -	16·4	15·5	15·0	16·7
Birkenhead -	13·4	13·8	8·0	18·2	Liverpool - -	27·4	21·4	24·8	23·7
Birmingham -	20·1	19·4	16·6	19·8	London - - -	16·4	17·0	15·9	17·4
Blackburn -	21·3	22·1	18·6	20·5	Manchester - -	25·5	21·5	23·1	25·2
Bolton - -	20·6	18·1	18·1	18·4	Newcastle-on-Tyne	17·6	17·6	17·8	15·8
Bradford -	16·1	18·4	15·9	13·4	Norwich - -	18·2	13·6	12·7	11·3
Brighton -	16·4	12·6	18·5	13·4	Nottingham - -	17·0	15·3	18·3	12·0
Bristol - -	18·5	19·9	14·3	14·0	Oldham - -	23·5	16·0	18·0	19·7
Burnley -	18·3	15·6	12·1	13·0	Plymouth - -	16·3	25·5	16·3	20·9
Cardiff - -	12·6	15·6	15·0	9·4	Portsmouth - -	16·0	14·2	13·4	12·3
Croydon -	12·3	11·1	12·3	12·7	Preston - -	16·2	17·1	15·3	13·6
Derby - -	16·9	13·5	12·1	20·8	Salford - - -	23·8	21·0	21·3	24·8
Gateshead -	18·6	11·0	15·3	17·2	Sheffield - -	19·4	21·7	19·9	22·9
Halifax -	17·6	22·8	17·1	21·7	Sunderland - -	23·0	18·0	19·5	17·7
Huddersfield-	20·0	18·0	17·5	22·0	Swansea - -	15·8	22·2	11·4	14·3
Hull - -	21·2	14·6	13·3	17·5	West Ham - -	13·4	15·4	14·1	13·9
Leeds - -	20·9	19·1	18·0	20·3	Wolverhampton -	19·8	18·6	15·1	21·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Manchester and in Halifax, 1·1 in Leeds, 1·4 in Sunderland, and 1·5 in Huddersfield and in Hull; from *scarlet fever*, 2·3 in Blackburn; from *whooping-cough*, 1·0 in Oldham, 1·2 in Croydon and in Liverpool, and 2·3 in Wolverhampton; and from *diarrhœa*, 1·0 in Huddersfield, 1·1 in Blackburn, and 1·3 in Birkenhead and in Burnley. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 65 deaths from *diphtheria* included 28 in London, 9 in Sheffield, 4 in Manchester, and 4 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2646 BIRTHS and 1533 DEATHS were registered. Allowing for increase of population, the births were 35 below, and the deaths 68 above, the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 16·4, 17·0, and 15·9 in the preceding three weeks, rose again last week to 17·4. During the four weeks ending on Saturday last the death-rate averaged 16·7 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1533 deaths included 64 from measles, 5 from scarlet fever, 28 from diphtheria, 49 from whooping-cough, 8 from enteric fever, 1 from an ill-defined form of continued fever, 15 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus, 170 deaths were referred to these diseases, being 44 below the corrected average weekly number.

The deaths from *measles*, which had been 56, 68, and 60 in the preceding three weeks, rose again last week to 64, but were 12 below the corrected average; 11 cases belonged to Islington, 9 to Paddington, 5 to Limehouse, and 5 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 8, 7, and 11 in the preceding three weeks, fell again last week to 5, and were 13 below the corrected average. The deaths from *diphtheria*, which had been 29, 29, and 24 in the preceding three weeks, rose again last week to 28, but were 12 below the corrected average; 4 cases belonged to Lambeth, 3 to Bethnal Green, 3 to Camberwell, and 3 to Islington sanitary areas. The deaths from *whooping-cough*, which had been 50, 48, and 37 in the preceding three weeks, rose again to 49, and were 7 above the corrected average; 5 cases belonged to Islington and 4 to Battersea sanitary areas. The fatal cases of *enteric fever*, which had been 8, 10, and 7 in the preceding three weeks, were 8 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 7, 11, and 5 in the preceding three weeks, rose again last week to 15, but were 12 below the corrected average. Of the 15 deaths from diarrhœa, 13 were of children under 5 years of age; 12 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 269, 266, and 268 in the preceding three weeks, fell again last week to 257, and were 29 above the corrected average. The deaths attributed directly to *influenza* numbered 11, having been 19, 14, and 12 in the preceding three weeks.

Different forms of violence caused 97 deaths, concerning all but 8 of which inquests were held. Of these 97 deaths, 17 were cases of suicide, and 1 of homicide, while the remaining 79 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 7 to sunstroke, and 13 (12 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 15 cases of small-pox, of 1766 scarlet fever, 1228 of diphtheria, and 153 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 8 cases, against 3, 4, and 4; of scarlet fever, 210 cases, against 216, 194, and 203; of diphtheria, 150 cases, against 181, 174, and 146; and of enteric fever, 24 cases, against 29, 29, and 21.

Greater London.

In Greater London 3808 births and 2048 deaths were registered, corresponding to annual rates of 29·9 and 16·1 per 1000 of the estimated population. In the Outer Ring 30 deaths from measles, 2 from scarlet fever, 10 from diphtheria, 18 from whooping-cough, 6 from "fever," and 7 from diarrhœa were registered. Ten deaths from measles occurred in West Ham and 5 in Hendon districts; 4 fatal cases of diphtheria belonged to Edmonton, and 4 occurred in West Ham districts.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 64°·4; the latter being 5°·7 above the week's average in the 50 years 1841–90. The direction of the wind was southerly, the horizontal movement of the air being 4 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 60·0 hours; the measured rainfall amounted to 0·44 of an inch

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the Week ending 16th June 1900.	Deaths, the Week ending 16th June 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Diphtheria.	Deaths from Whooping-cough.	Deaths from Fever.	Deaths from Diarrhœa.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	Corresponding to the Week's Deaths. From Diseases in Cols. 6–12.	Mean. Highest. Fahrenheit.	Mean. Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**7006**	**4004**	**869**	**949**	-	**138**	**26**	**65**	**108**	**29**	**61**	**203**	**362**	**1012**	**43**	**18·0**	**1·9**	**89·4**	**42·0**	**61·1**	**16·17**	**1·03**	**2·62**	**33 Towns.**
London - -	4,589,129	2646	1533	333	359	-	64	5	28	49	9	15	97	181	525	16	17·4	1·9	89·4	49·2	64·4	18·00	0·44	1·12	London.
West Ham - -	314,472	186	84	23	13	-	4	-	1	1	1	3	4	6	14	-	13·9	1·7	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	63	32	6	13	-	1	-	-	3	-	1	-	-	7	-	12·7	2·0	88·0	49·5	62·9	17·17	0·36	0·91	Croydon.
Brighton - -	124,148	63	32	4	13	-	1	-	1	1	-	-	-	3	8	-	13·4	1·3	-	-	-	-	-	-	Brighton.
Portsmouth -	194,955	99	46	10	12	-	-	-	2	2	1	-	1	3	16	-	12·3	1·3	-	-	-	-	-	-	Portsmouth.
Plymouth - -	162,161	62	41	9	15	-	1	-	-	-	-	-	2	2	14	-	20·9	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	195	87	18	25	-	3	-	1	1	1	-	7	12	15	-	14·0	1·0	78·0	48·0	58·5	14·72	0·66	1·68	Bristol.
Cardiff - -	194,247	111	35	10	3	-	1	-	1	-	-	-	3	6	1	-	9·4	0·5	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	45	29	2	6	-	-	-	1	-	-	-	1	2	6	1	14·3	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	58	37	13	6	-	-	-	-	4	-	-	-	2	3	-	21·5	2·3	79·4	42·0	58·4	14·67	0·63	1·60	Wolverhampton.
Birmingham -	519,610	347	197	51	53	-	1	2	2	7	3	5	5	6	51	-	19·8	2·0	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	81	25	6	13	-	-	-	1	1	-	1	-	2	2	-	11·3	1·4	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	111	70	11	20	-	-	-	1	-	1	-	4	5	17	2	16·7	0·5	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	118	56	10	21	-	3	1	-	1	-	1	1	1	15	1	12·0	1·3	79·2	48·6	60·9	16·06	2·64	6·71	Nottingham.
Derby - - -	107,991	64	43	10	10	-	4	3	-	-	-	2	3	3	12	-	20·8	4·3	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	66	41	13	12	-	-	-	-	-	2	3	1	4	4	-	18·2	2·2	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	449	289	66	59	-	1	1	2	14	1	5	15	25	77	11	23·7	2·0	-	-	-	-	-	-	Liverpool.
Bolton - -	164,240	107	58	11	15	-	2	-	-	-	1	1	5	6	8	-	18·4	1·3	-	-	-	-	-	-	Bolton.
Manchester -	548,768	425	265	50	48	-	10	2	4	9	2	7	8	18	56	2	25·2	3·2	-	-	-	-	-	-	Manchester.
Salford - -	220,816	178	105	23	19	-	2	3	-	4	1	3	3	7	19	2	24·8	3·1	-	-	-	-	-	-	Salford.
Oldham - -	153,297	88	58	8	17	-	2	1	-	3	-	1	3	4	7	-	19·7	2·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	70	29	8	4	-	-	-	1	-	-	3	-	-	4	-	13·0	1·8	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	76	54	11	9	-	1	6	-	2	1	3	1	3	8	-	20·5	4·9	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	79	31	5	9	-	-	-	-	-	-	2	1	1	5	1	13·6	0·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	61	44	6	11	-	3	-	-	-	-	2	1	1	7	1	22·0	2·5	78·7	50·0	60·9	16·06	1·14	2·90	Huddersfield.
Halifax - -	100,710	36	42	7	16	-	2	-	1	-	-	-	-	1	8	1	21·7	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	142	75	14	21	-	2	-	1	-	-	-	5	5	10	-	13·4	0·5	78·8	50·2	61·7	16·50	1·31	3·33	Bradford.
Leeds - - -	431,287	260	168	37	38	-	9	1	4	1	3	2	9	18	25	-	20·3	2·4	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	259	161	36	40	-	6	-	9	2	-	-	7	13	28	3	22·9	2·4	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	143	80	15	18	-	7	1	-	2	2	1	7	8	14	1	17·5	2·8	-	-	-	-	-	-	Hull.
Sunderland -	147,398	106	50	10	6	-	4	-	2	-	-	-	3	4	6	1	17·7	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	82	36	10	7	-	1	-	-	-	-	-	-	1	6	-	17·2	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	130	71	23	18	-	3	-	2	1	-	-	6	9	14	-	15·8	1·3	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2477	2485	2803	2474	2436	2678	2482	2546	2532	2571	2681·0	2646
Males - -	1298	1296	1475	1272	1182	1397	1290	1310	1261	1311	1377·3	1302
Females - -	1179	1189	1328	1202	1254	1281	1192	1236	1271	1260	1303·7	1344
TOTAL **Deaths** -	1375	1865	1402	1581	1336	1213	1397	1248	1193	1316	1465·0	1533
Males - -	721	945	769	829	690	637	745	637	629	707	768·9	796
Females - -	654	920	633	752	646	576	652	611	564	609	696·1	737

*The numbers in this column are the average weekly numbers in the twenty-fourth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.
TOTAL **Births** - - -	2675	2736	2580	2292	2610	2697	2737	2581	2512	2435	2579	2276	2646
TOTAL **Deaths** - - -	1817	1785	1932	1844	1811	1721	1675	1446	1437	1440	1497	1398	1533
Ages at Death: Under 1 year - -	413	368	366	356	369	302	349	289	297	295	323	295	335
1—5 years - -	260	247	250	249	220	238	217	186	182	196	218	185	203
5—20 " - -	94	96	106	91	102	84	80	83	101	69	86	96	90
20—40 " - -	232	227	238	229	250	247	222	187	194	195	197	214	223
40—60 " - -	352	340	405	389	352	393	371	314	302	288	313	282	325
60—80 " - -	368	414	458	452	423	374	348	324	300	327	302	274	288
80 years and upwards	98	93	109	87	95	83	88	63	61	70	58	52	71
Deaths from—													
Small pox - - - -	-	-	-	-	-	1	-	1	-	-	-	-	-
Measles - - - -	50	60	62	59	53	68	72	56	49	56	68	60	64
Scarlet Fever - - -	3	7	7	8	5	11	4	4	6	8	7	11	5
Diphtheria - - - -	36	31	32	19	17	20	21	29	22	29	29	24	28
Whooping-cough - - -	49	45	50	51	49	40	42	35	56	50	48	37	49
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	7	20	12	9	8	6	3	15	8	10	7	8
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhœa and Dysentery -	17	8	6	8	8	17	11	15	8	7	11	5	15
Cholera - - - -	-	-	-	-	-	1	-	1	-	-	1	-	-
All the above Diseases -	162	158	177	157	141	166	156	144	156	158	174	145	170
Dis. of Respiratory System -	456	469	499	501	460	411	417	300	270	269	266	268	257
Phthisis - - - - -	205	202	186	160	177	164	168	131	159	155	150	150	151
Dis. of Circulatory System -	154	149	184	169	139	146	154	140	116	117	138	127	107
Violence - - - -	61	91	77	69	76	95	67	59	73	66	59	66	97
Inquest Cases - - - -	154	203	186	163	169	198	143	154	145	127	138	139	181
Deaths in Public Institutions -	539	548	541	515	581	521	538	467	452	485	470	451	525
TEMPERATURE OF THE AIR.													
Mean - - - - -	38°·8	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0	58°·4	64°·4
Mean of Highest readings -	45·7	44·2	51·1	56·4	62·1	57·7	61·7	59·5	56·3	62·2	62·4	69·4	75·4
Mean of Lowest readings -	32·7	31·1	34·3	40·7	41·2	38·0	44·0	43·2	39·9	45·1	47·1	49·3	53·9
Humidity of the Air - -	83	74	76	72	69	70	70	76	68	78	78	72	72
Rain-fall (in inches) - -	0·61	0·16	0·45	0·22	0·15	0·06	0·19	0·36	0·01	0·81	0·24	0·19	0·44
Registered Sunshine (in hours)	23·1	26·3	27·0	31·9	50·8	39·9	41·4	23·1	39·1	33·1	31·0	54·0	60·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	5	3	2	3	4	6	6	5	3	5	7	11	15
Scarlet Fever - - - -	1715	1696	1713	1694	1676	1647	1660	1693	1733	1784	1760	1754	1766
Diphtheria - - - -	1329	1243	1198	1161	1141	1141	1131	1176	1188	1222	1220	1238	1228
Enteric Fever - - - -	268	263	243	224	219	208	192	185	172	176	176	172	153

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FOURTH Week of the Year 1900.

AUSES OF DEATH	Corrected Averages for the 24th Week of the 10 years 1890-99*.	In the Week ending Saturday, 16th June, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1465·0	1533	333	203	90	223	325	288	71
ll- Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·4	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
les - - - -	76·3	64	19	42	2	1	-	-	-
et Fever - - -	18·2	5	-	-	5	-	-	-	-
us - - - -	0·1	-	-	-	-	-	-	-	-
osing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	26·5	11	-	-	-	2	6	2	1
ping-cough - -	42·4	49	21	24	4	-	-	-	-
theria - -	39·5	28	-	15	13	-	-	-	-
le Continued and defined Fever -	0·5	1	1	-	-	-	-	-	-
ric Fever - - -	8·2	8	-	-	1	5	2	-	-
ra and Chol. Diarr.	0·9	-	-	-	-	-	-	-	-
hœa, Dysentery -	26·8	15	12	1	1	1	-	-	-
ttent Fever - -	-	-	-	-	-	-	-	-	-
ophobia - - -	-	-	-	-	-	-	-	-	-
lers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects of cination - -	0·3	-	-	-	-	-	-	-	-
real Affections - -	9·2	6	4	-	-	2	-	-	-
pelas - - -	4·1	1	-	-	-	-	-	1	-
nia and Septicæmia	1·4	2	-	-	-	-	2	-	-
peral Fever - -	3·4	5	-	-	-	5	-	-	-
Zymotic Diseases	1·9	3	3	-	-	-	-	-	-
gh - - - -	1·1	1	1	-	-	-	-	-	-
ns and other Parasical Diseases -	0·4	-	-	-	-	-	-	-	-
ation, Want of ast-milk - -	0·9	1	1	-	-	-	-	-	-
olism - - -	11·8	22	-	-	-	9	10	3	-
matic Fever, umatism of Heart	8·3	4	-	-	3	1	-	-	-
matism - - -	1·3	2	-	-	-	-	1	1	-
- - - - -	4·2	3	-	-	-	-	-	3	-
ts - - - -	5·8	7	2	5	-	-	-	-	-
r - - - -	77·3	97	-	1	2	9	48	33	4
Mesenterica - -	19·3	18	11	4	-	3	-	-	-
ecular Meningitis -	25·6	21	7	8	6	-	-	-	-
sis - - - -	152·3	151	3	3	7	74	54	10	-
ula, Tuberculosis -	16·6	23	4	6	4	2	6	1	-
Constitutional eases - -	12·5	10	-	-	-	-	2	8	-
ature Birth - -	44·9	53	53	-	-	-	-	-	-
ctasis - - -	5·0	3	3	-	-	-	-	-	-
enital Malforma- s - - -	6·9	6	4	-	1	1	-	-	-
ge - - - -	42·7	54	-	-	-	-	-	20	34
lexy - - -	38·4	47	1	-	2	2	11	27	4
psy - - - -	7·0	8	-	-	1	1	5	1	-
ulsions - - -	31·4	28	21	6	1	-	-	-	-
Diseases of Brain Nervous System	77·3	104	14	15	7	15	29	22	2
ses of Organs of cial Sense -	3·5	4	-	-	1	2	1	-	-

CAUSES OF DEATH	Corrected Averages for the 24th Week of the 10 years 1890-99*.	In the Week ending Saturday, 16th June, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	119·2	107	-	-	5	19	35	42	6
Croup - - - - -	3·1	-	-	-	-	-	-	-	-
Bronchitis - - -	105·6	86	25	14	-	1	12	31	3
Pneumonia - - -	95·6	149	29	37	6	11	37	24	5
Pleurisy - - - -	5·3	5	-	-	-	2	2	1	-
Other Diseases of Respiratory System -	18·4	17	1	4	2	3	2	3	2
Dentition - - - -	6·8	8	4	4	-	-	-	-	-
Quinsy, Sore Throat -	1·9	1	-	-	1	-	-	-	-
Enteritis - - -	17·5	17	7	2	-	3	1	4	-
Gastro-enteritis -		12	11	1	-	-	-	-	-
Peritonitis - - -	6·5	3	1	1	-	-	1	-	-
Diseases of Liver - -	24·9	22	4	-	-	3	8	7	-
Other Diseases of Digestive System	26·8	28	6	2	3	8	2	5	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·6	4	-	-	1	1	1	1	-
Diseases of Urinary System - - -	40·9	48	-	-	2	5	16	22	3
Diseases of Generative System - - -	5·9	6	-	-	-	2	3	1	-
Accidents of Childbirth -	4·7	6	-	-	-	5	1	-	-
Diseases of Locomotive System - - -	5·8	3	-	1	-	-	2	-	-
Diseases of Integumentary System - -	6·9	4	1	-	-	2	-	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	53·0	2	-	-	-	-	1	1	-
By Vehicles or Horses -		9	-	1	1	2	2	3	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		7	1	1	-	4	1	-	-
By Drowning - - -		8	-	-	1	3	4	-	-
By Suffocation in Bed -		13	12	-	-	-	-	-	1
By Poisons or Poisonous Vapours - -		3	-	-	-	1	1	1	-
Other or not stated causes - - - -		37	2	4	6	5	8	8	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·8	1	1	-	-	-	-	-	-
Suicide - - - -	9·9	17	-	-	1	8	7	1	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	48·7	45	43	1	-	-	1	-	-

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 16th June, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 189 .	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2646	1533	333	359	-	64	5	28	49	-	8	1	15	97	181	52
WEST DISTRICTS - - -	778,251	388	265	53	79	-	15	1	1	4	-	-	1	4	15	32	83
NORTH DISTRICTS - - -	1,040,694	571	323	65	76	-	19	1	8	13	-	3	-	4	20	35	114
CENTRAL DISTRICTS - - -	233,635	97	82	14	12	-	1	-	1	5	-	1	-	-	9	12	40
EAST DISTRICTS - - -	716,334	530	303	84	57	-	15	-	5	10	-	1	-	2	27	54	111
SOUTH DISTRICTS - - -	1,642,796	1060	501	116	120	-	14	2	13	17	-	3	-	5	25	47	118
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	59	1	15	-	-	1	-	-	-	-	-	-	1	1	59
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	50	37	13	5	-	9	-	-	3	-	-	-	1	2	4	3
St. John Paddington *H* - - G.	33,510	10	16	-	8	-	-	-	-	-	-	-	-	-	2	4	7
Kensington Town *Ww* - - W.	122,164	58	38	9	12	-	4	-	-	-	-	-	1	-	2	7	17
Brompton *HH* - - - W. & C.	48,301	14	8	1	3	-	-	-	-	-	-	-	-	-	1	1	1
North Hammersmith *H* / South Hammersmith *H* W. & G	44,638 / 59,561	26 / 26	8 / 24	5 / 4	1 / 6	- / -	1 / -	- / -	- / -	- / 1	- / -	- / -	- / -	- / -	- / -	- / 1	- / 6
Fulham *Ww* - - - W. & C.	113,781	94	38	13	8	-	-	1	1	-	-	-	-	2	3	5	9
Chelsea Kensal Town - C.	21,450	13	5	-	3	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	19	21	2	6	-	-	-	-	-	-	-	-	1	1	3	11
Chelsea South *HH* - - C.	33,139	20	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-
May Fair *W* - - - - G.	23,827	3	18	-	11	-	-	-	-	-	-	-	-	-	-	2	12
Belgrave *WHHH* - - - C.	56,140	20	17	2	4	-	-	-	-	-	-	-	-	-	1	3	10
St. John Westminster *HH* - C.	31,492	18	12	2	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* - C.	22,097	3	9	-	2	-	-	-	-	-	-	-	-	-	2	2	5
St. James Westminster *WH* N. & G.	23,050	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2
St Anne Soho *HHHHH* - N.	12,048	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	15	9	1	3	-	-	-	-	-	-	-	-	-	-	2	3
Rectory Marylebone *W* G. & W.	19,798	12	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary Marylebone *HHHH* G. & W.	19,637	32	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	14	10	4	2	-	-	-	-	1	-	-	-	-	1	1	-
St. John Marylebone *HHH* - W.	32,611	14	10	2	2	-	2	-	-	1	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	38	21	3	3	-	-	1	2	-	-	1	-	-	3	2	12
Regent's Park † *HH* - W.	51,403	24	10	4	1	-	-	-	-	-	-	-	-	-	-	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	6	14	1	4	-	-	-	-	-	-	-	-	-	-	-	13
Gray's Inn Lane *HHHH* - N.	29,426	18	11	3	2	-	-	-	-	1	-	-	-	1	-	-	3
Somers Town *HH* - - - N.	32,161	17	15	2	2	-	3	-	-	2	-	-	-	-	-	1	2
Camden Town† *WH* - - N.	40,155	18	17	-	6	-	1	-	-	-	-	-	-	-	-	3	10
Kentish Town† *WW* - - N.	60,862	33	15	1	8	-	-	-	-	-	-	-	-	-	3	3	6
Upper Holloway *WWWWwHH* - - N.	98,273	69	63	10	18	-	3	-	1	2	-	-	-	2	4	5	41
Lower Holloway‡ - - - N.	41,805	20	8	2	2	-	1	-	-	1	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	33	9	5	1	-	2	-	-	-	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	45	30	11	2	-	5	-	-	2	-	-	-	-	2	6	-
Highbury *HH* - - - N.	64,577	22	10	3	4	-	-	-	-	-	-	-	-	1	-	-	1
Stoke Newington *H* - - N.	33,485	16	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	24	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		19	14	1	2	-	-	-	5	1	-	2	-	-	-	1	8
South-west Hackney *HHH* E. & N.		48	13	3	4	-	-	-	-	1	-	-	-	-	2	3	4
South-east Hackney *WwH* E. & N.		34	27	5	5	-	1	-	-	1	-	-	-	-	4	6	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 16th June, 1900—*continued.*

BISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - - N.	29,086	12	7	2	1	-	-	-	-	1	-	-	-	-	2	1	3	-
les North *H* - - - N.	9,151	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rtin-in-the-Fields *HH* N. & C.	13,077	2	10	2	-	-	-	-	-	-	-	1	-	-	3	3	6	-
d *WHH* - - - - - N.	11,839	4	8	3	1	-	1	-	-	-	-	-	-	-	-	-	7	1
d Union Workhouse, Edmonton	†1,037	-	5	-	4	-	-	-	-	-	-	-	-	-	-	2	5	-
orn *wHHHHH* - N.	31,042	5	13	3	1	-	-	-	-	1	-	-	-	-	1	2	2	1
mes Clerkenwell - - N.	15,777	12	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	16	11	2	2	-	-	-	1	-	-	-	-	-	-	1	-	-
ell-street - - - - N.	16,069	8	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
road *HHHHL* - - N.	29,897	27	6	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-
ecross-street - - - N.	7,595	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ury - - - - - N.	4,035	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, cham - - - -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
tolph* *H* - - N. & E.	13,061	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	1	14	-	-	-	-	-	-	2	-	-	-	-	1	2	13	-
llows Barking - - - N.	9,059	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	15	8	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-
on New Town *w* - - N.	29,575	23	16	3	6	-	-	-	-	1	-	-	-	-	1	1	9	-
on Old Town - - - N.	27,645	17	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
erston *WH* - - N. & E.	47,163	31	22	7	6	-	-	-	-	1	-	-	-	-	1	1	13	-
nal Green North *H* - E.	49,301	36	10	3	-	-	-	-	2	-	-	-	-	-	-	1	3	-
nal Green South - - E.	34,194	20	9	4	2	-	-	-	-	1	-	-	-	1	-	2	-	-
nal Green East *WWHl* - E.	45,667	24	25	3	14	-	1	-	-	-	-	-	-	-	2	5	18	-
lfields - - - E. & N.	26,681	28	6	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-
End New Town *WH* - E.	51,995	29	42	6	6	-	1	-	2	-	-	1	-	1	8	11	34	-
man's Fields - - - E.		14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	34	7	4	1	-	-	-	-	-	-	-	-	-	1	3	-	-
hn, St. George East *W* E.	7 930	8	11	-	5	-	-	-	-	-	-	-	-	-	-	-	7	-
well *H* - - - E. & N.	10,434	6	10	-	1	-	1	-	-	-	-	-	-	-	4	5	3	-
liff *W* - - - - E.	14,954	15	7	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-
house - - - - E.	32,917	17	14	6	1	-	3	-	-	-	-	-	-	-	-	5	-	-
End Old Town West *H* E.	111,060	58	19	8	2	-	-	-	-	1	-	-	-	-	-	2	1	-
End Old Town East *Www* - E.		40	19	5	3	-	4	-	-	1	-	-	-	-	-	-	5	-
l - - - - E.	41,687	32	13	8	1	-	1	-	-	1	-	-	-	-	2	4	-	-
ley *wwwH* - - - E.	69,821	49	40	15	8	-	1	-	1	1	-	-	-	-	5	5	16	-
ar *WW* - - - - E.	57,759	34	16	2	1	-	2	-	-	1	-	-	-	-	2	4	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in
SUB-DISTRICT during the Week ending Saturday, 16th June, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	13,064	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	6	5	2	–	–	1	–	–	–	–	–	–	–	1	1
Kent-road - - - - S. & L.	22,879	19	10	4	2	–	–	–	–	–	–	–	–	–	1	4
Borough-road *WH* - S. & L.	16,083	17	3	1	–	–	–	–	–	–	–	–	–	–	–	1
London-road *HL* - - L. & S.	21,316	16	4	2	1	–	1	–	–	–	–	–	–	–	–	–
Trinity Newington *H* - S. & L.	28,723	16	7	1	1	–	2	–	–	–	–	–	–	–	–	–
St. Peter Walworth *W* - S. & L.	62,045	41	18	9	6	–	–	–	–	1	–	–	–	–	2	2
St. Mary Newington- - L. & S.	30,171	10	9	1	2	–	–	–	–	–	–	–	–	–	–	–
St. Olave *WH*- - - - S.	11,731	11	17	1	1	–	–	–	–	1	–	–	–	–	1	1
Bermondsey *W* - - - S.	85,475	48	13	7	3	–	–	–	–	1	–	–	–	–	–	1
Rotherhithe *Ww* - S. & K.	40,379	19	16	4	1	–	1	–	–	–	–	–	–	–	1	3
Waterloo-road *HH* - L. & S.	28,396	26	9	4	1	–	–	–	1	–	–	–	–	–	1	4
Lambeth Church 1st *H* - L. & S.	18,770	14	20	2	6	–	–	–	–	–	–	–	–	–	4	4
Lambeth Church 2nd *WW* L. & S.	40,994	40	16	3	4	–	–	–	–	–	–	–	–	–	–	–
Kennington 1st *H* - - S. & L.	52,486	33	13	3	4	–	–	–	–	–	–	–	–	–	2	3
Kennington 2nd - - S. & L.	43,244	27	6	–	1	–	–	–	–	1	–	–	–	–	–	–
Brixton *w* - - - L. & S.	81,825	41	20	5	6	–	1	–	–	1	–	–	–	1	–	1
Norwood *WH*- - - - L.	29,318	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–
East Battersea - - - - S.	71,730	49	20	7	6	–	–	–	–	3	–	–	–	–	–	–
North-west Battersea† - - S.	93,385	36	11	2	1	–	–	–	–	–	–	–	–	1	2	3
South-west Battersea† *WwH* - S.		28	15	1	3	–	–	–	–	1	–	–	–	–	–	1
Clapham *H* - - - - S.	46,953	33	10	4	4	–	–	–	–	–	–	–	–	–	–	–
Streatham *WwwwwL* - - L.	61,644	36	18	3	3	–	–	–	2	1	–	1	–	–	–	–
Wandsworth *WHHL* - - S.	58,101	46	16	6	2	–	2	–	–	1	–	–	–	1	–	3
Putney - - - - - - S.	20,566	11	5	2	1	–	–	–	–	–	–	–	–	–	–	–
Dulwich - - - L. & S.	7,519	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	44	49	6	19	–	–	–	1	1	–	1	–	–	2	3
Peckham *WW* - S., L., & K.	88,242	60	26	8	8	–	–	–	–	1	–	–	–	–	2	1
St. George Camberwell - L. & S.	67,029	29	16	4	2	–	–	–	–	–	–	–	–	1	1	2
Deptford North - - - K.	36,152	26	7	2	–	–	–	–	1	–	–	–	–	–	1	2
Deptford Central *w* - - K.	45,441	30	15	4	5	–	–	–	3	–	–	–	–	–	1	3
Deptford South - - - K.	33,402	9	9	2	3	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,012	15	6	–	2	–	–	–	–	2	–	–	–	–	–	–
Greenwich East *WH* - - K.	37,767	31	13	3	3	–	1	–	–	1	–	–	–	–	2	2
Eltham *wH* - - - - K.	5,911	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	24,222	10	3	–	2	–	–	–	–	–	–	–	–	–	–	–
Lewisham *WwH* - - - K.	38,139	39	18	2	5	–	1	–	3	–	–	1	–	1	–	–
Sydenham *H* - - - - L.	37,601	25	10	1	3	–	–	–	–	1	–	–	–	–	–	1
Charlton *wHH* - - - K.	15,928	13	4	–	–	–	–	2	2	–	–	–	–	–	–	–
Woolwich* *HHHH* - - K.	41,314	26	14	3	4	–	3	–	–	–	–	–	–	–	–	–
Plumstead West *H* - - K.	16,714	7	6	2	2	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *WH* - - K.	42,538	41	14	2	3	–	1	–	–	–	–	–	–	–	1	1
Banstead Asylum - - - -	—	–	12	–	1	–	–	–	–	–	–	–	–	–	–	–
Horton Asylum, Epsom - - -	—	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Caterham Asylum - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -	—	–	12	–	1	–	–	–	–	–	–	–	–	–	–	–
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–
London County Asylum, Dartford Heath - - - - -	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	–
Hanwell Asylum - - - -	—	–	7	–	3	–	–	–	–	–	–	–	–	–	–	–
Colney Hatch Asylum - - -	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–
N.E. Hospital - - - - -	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	5	–	3	–	–	–	–	–	–	–	–	–	1	1
Claybury Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea
South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 16th June, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON-OUTER RING -	368,749	1,422,063	1162	515	125	113	-	30	2	10	18	6	7	24	36	81	-
Carshalton *H* - - -	12,228	26,108	17	9	-	5	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	4	4	-	1	-	-	1	-	-	-	-	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	82	40	6	16	-	1	-	-	3	-	1	-	1	7	-
Mitcham *w* - - -	11,697	23,072	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	29	10	4	3	-	2	-	-	-	1	-	-	-	-	-
Kingston *WH* - - -	14,672	33,566	27	11	6	-	-	-	-	-	-	-	1	1	1	4	-
Surbiton *HH* - - -		12,178	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	10	7	2	-	-	-	-	-	-	-	-	-	-	1	-
Richmond *WHH* - -	2,160	25,389	13	11	1	6	-	-	-	-	-	-	-	1	2	3	-
Mortlake *H* - - -	2,823	16,159	6	6	1	1	-	3	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	8	11	2	2	-	2	-	2	-	-	-	1	1	4	-
Beckenham *H* - - -	6,542	21,969	16	6	3	-	-	-	-	-	1	1	-	1	1	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	19	5	-	2	-	-	-	-	-	-	-	-	-	1	-
Bexley *HHH* - - -	12,540	30,590	32	12	5	3	-	-	-	-	-	-	-	-	1	-	-
Dartford *WH*, *part of** -	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Sunbury *w* - - -	11,054	13,671	9	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Staines *WH* - - -	13,277	13,221	7	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Hillingdon *WHH* - -	6,035	12,237	9	4	2	-	-	-	-	-	-	-	-	-	-	1	-
Uxbridge - - - -	12,757	7,253	4	4	1	1	-	-	-	-	-	-	-	1	1	-	-
Hayes *wH* - - - -	7,952	11,051	6	3	-	1	-	-	-	-	-	-	-	2	2	-	-
Isleworth *WHH* - -	6,967	26,004	18	14	3	8	-	-	-	-	-	-	1	-	-	6	-
Twickenham *HH* - -	2,415	16,027	5	7	2	1	-	-	-	-	-	-	-	1	1	2	-
Brentford *HHHH* - -	4,318	37,777	18	9	1	3	-	1	-	-	1	-	-	1	2	-	-
Chiswick - - - -	1,245	21,963	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	20	7	3	-	-	1	-	-	-	-	-	1	-	-	-
Harrow *HHH* - - -	13,809	15,715	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	86	21	8	1	-	5	-	-	1	1	-	-	-	-	-
Hendon *WH* - - -	8,382	15,843	7	8	1	1	-	-	-	-	-	-	-	-	1	6	-
South Mimms *HH* - -	21,077	6,367	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	12	7	2	1	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH* - - -	4,688	25,820	28	8	1	2	-	1	-	-	-	-	-	-	-	1	-
Hornsey *HH* - - -	3,039	61,097	34	15	4	5	-	-	-	1	-	-	-	-	-	1	-
Tottenham *HHH* - -	4,642	97,174	72	41	6	6	-	3	-	-	3	-	-	1	4	3	-
Edmonton *Ww* - -	7,489	36,351	34	15	7	3	-	-	1	-	-	-	-	2	3	3	-
Enfield *WWHH* - -	12,602	31,536	28	10	3	1	-	1	-	2	1	-	-	2	2	2	-
Waltham Abbey - - -	11,017	6,066	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	8	1		-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	35	11	5	1	-	-	-	-	-	-	1	2	2	2	-
Plaistow *HHH* - - -		58,030	65	36	9	5	-	2	-	1	-	1	1	-	2	3	-
Canning Town *H* - -		54,750	57	18	6	1	-	2	-	-	-	-	1	1	1	1	-
Forest Gate *w* - - -		53,511	29	11	3	3	-	-	-	-	1	-	-	1	1	-	-
East Ham *wHHH* - -	3,266	32,713	65	21	9	3	-	5	-	1	-	-	-	-	1	1	-
Leyton *WWWwH* - -	4,334	70,188	65	45	9	10	-	1	-	2	3	-	1	2	2	13	-
Walthamstow *HHHL* -	6,501	57,330	62	13	3	3	-	-	-	-	1	-	-	1	1	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	6	8	1	2	-	-	-	-	-	1	-	1	1	3	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	4	4	-	-	-	-	-	-	-	-	-	-	-	2	-
Ilford *H* - - - -	8,493	10,913	24	11	3	2	-	-	-	-	-	-	-	-	-	-	-
Barking Town, *H* - -	3,814	14,301	13	4	1	1	-	-	-	-	3	-	-	-	-	-	-
Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	5	-	1	-	-	-	-	-	1	-	-	-	5	-
London County Asylum, Cane Hill.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham arley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst istrict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are ncluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 16th June, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	443,421	6,652,145	16·1	1·9	2048	458	472	-	94	7	38	67	15	22	121
INNER LONDON -	74,672	4,589,129	17.4	1·9	1533	333	359	-	64	5	28	49	9	15	97
OUTER RING -	368,749	2,063,016	13·0	1·8	515	125	113	-	30	2	10	18	6	7	24

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	June	16	172	110	19·0	-	4	2	1	2	-
GLASGOW - -	743,585	"	16	494	286	20·1	-	14	1	1	17	2
DUBLIN - -	349,594	"	16	194	160	23·9	-	-	1	2	-	2
CALCUTTA - -	466,460	April	21	-	659	73·7	25	2	-	-	1	382‡
BOMBAY - -	821,764	May	22	296	1439	91·1	15	15	?	?	?	391‡
MADRAS - -	452,518	"	11	366	365	41·9	1	2	?	?	?	98
PARIS - - -	2,511,629	June	9	1145	1004	20·7	3	38	6	4*	6	10
BRUSSELS - -	561,130	"	9	260	144	13·3	-	-	-	1*	-	-
AMSTERDAM -	526,072	"	2	298	144	14·3	-	-	-	-	2	2
ROTTERDAM -	323,487	"	2	235	100	16·1	-	3	-	3	1	-
THE HAGUE -	205,228	"	2	112	73	18·5	-	-	-	1	-	-
COPENHAGEN -	349,000	"	9	207	102	15·2	-	1	-	-	1	2
STOCKHOLM -	29,7148	"	2	146	119	20·8	-	-	1	2*	3	-
CHRISTIANIA -	221,255	"	9	172	74	17·4	-	1	-	-	1	-
ST. PETERSBURG	1,132,677	"	2	607	549	25·3	6	17	13	14	8	17
MOSCOW - -	988,610	"	2	-	601	31·7	3	26	8	8	11	2
BERLIN - -	1,848,269	May	26	888	590	16·6	-	5	19	14	8	-
HAMBURG - -	691,349	June	9	-	235	17·7	-	7	1	3*	-	-
DRESDEN - -	403,499	April	28	233	154	19·8	-	1	-	-	-	-
BRESLAU - -	412,939	June	9	-	253	32·0	-		1	-	1	-
MUNICH - -	463,000	"	2	-	211	23·9	-	3	-	2*	1	-
VIENNA - -	1,656,662	"	9	935	683	21·4	-	16	4	2*	2	3
PRAGUE - -	385,952	"	2	201	203	27·0	-	-	-	1	-	4
BUDA-PESTH -	685,340	"	2	459	505	23·1	-	6	2	4	-	1
TRIESTE - -	168,264	"	9	116	91	28·1	-	-	-	-	1	1
ROME - - -	514,306	May	19	200	147	14·9	-	4	-	2	-	2
TURIN (11 days)-	344,203	April	10	-	-	-	-	-	-	-	-	-
VENICE - -	172,491	June	2	54	66	20·0	-	-	-	-	1	-
CAIRO - -	570,062	April	29	418	518	47·3	11	29	-	5*	-	9
ALEXANDRIA -	319,766	"	29	285	140	22·8	-	-	-	-	-	2
NEW YORK (including BROOKLYN)	3,654,594	May	19	1320	1469	21·0	1	23	16	45	14	4
PHILADELPHIA -	1,266,832	"	26	-	424	17·5	-	14	2	17	5	6

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration area.
‡ Including 297 deaths from plague in Calcutta and 233 in Bombay.
§ Including 74 deaths from cholera in Calcutta, 43 in Bombay, and one in Madras.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Wet Bulb and Dew Point Temperature. Mean daily value.	Wet Bulb and Dew Point Temperature. Great-est.	Wet Bulb and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Depar-ture from Average of 16 Years.	Rainfall in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 10	..	29·707	81·2	49·2	32·0	68·4	+10·2	48·4	20·0	28·4	4·2	49	138·0	35·8	54·50	SSE. & SE.	SSE. & SE.	4·8	0·0	0·3	258	+ 4	0·00	1·5
MONDAY - 11	..	29·679	89·4	59·6	29·8	74·4	+16·0	57·1	17·3	30·7	4·7	55	155·3	49·0	55·07	S., SW. & SE.	SE., E. & SW.	2·6	0·0	0·1	178	− 76	0·00	0·0
TUESDAY - 12	Greatest Dec. S.	29·678	82·6	57·6	25·0	70·3	+11·7	59·7	10·6	20·2	1·9	69	136·0	48·6	55·73	Variable	NE. & ESE.	1·7	0·0	0·1	157	− 96	0·09	0·0
WEDNESDAY 13	Full	29·790	65·8	53·3	12·5	57·3	− 1·5	53·5	3·8	9·9	2·1	87	114·8	44·3	56·49	SW.	SW.	1·8	0·0	0·2	254	+ 2	0·15	0·0
THURSDAY- 14	..	29·945	67·7	49·3	18·4	57·6	− 1·3	50·9	6·7	14·0	1·2	79	125·0	38·8	56·92	SW.	SW., S. & ESE.	3·0	0·0	0·2	242	− 8	0·12	0·2
FRIDAY - 15	..	29·830	71·2	54·0	17·2	61·0	+ 2·0	57·8	3·2	12·2	0·8	89	130·0	53·6	57·02	ESE. & SW.	SW. & WSW.	3·4	0·0	0·3	304	+ 56	0·08	0·8
SATURDAY - 16	..	29·923	69·9	54·2	15·7	61·5	+ 2·5	54·4	7·1	14·2	1·6	78	128·0	50·1	57·12	WSW. & SW.	SW.	1·8	0·0	0·2	300	+ 55	0·00	0·0
MEANS -		29·793	75·4	53·9	21·5	64·4	+ 5·7	54·5	9·8	18·5	2·4	72	132·4	45·7	56·12	SE. & SW.		..	..	..	Sum 1693	Sum − 63	Sum 0·44	0·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 10	w. P. generally.	15·2	16·5
MONDAY - 11	w. P. generally; occasional m. P.	13·8	16·5
TUESDAY - 12	m. P. till 10h. A.M.; w. P. generally with occasional s. P. and s. N. afterwards.	10·6	16·5
WEDNESDAY 13	w P. generally; s. P. and s. N. between 2h. and 3h. P.M.	4·0	16·5
THURSDAY- 14	w. P. till 9h. A.M.; v. P. and v. N. till 1h. P.M.; w. P. afterwards.	7·5	16·5
FRIDAY - 15	w. P. generally; occasional w. N.	2·5	16·5
SATURDAY - 16	w. P. throughout.	6·4	16·5
		Sum 60·0	Sum 115·5
No. of Col. -	27	28	29

GENERAL REMARKS.

A very fine and hot day. Generally cloudless till the evening; partially cloudy after 9h. P.M.

Partially cloudy till 1h. 30m. A.M.; very fine with small amounts of cloud afterwards. Lunar halo at night. A very hot day.

Very fine with few light clouds till 10h. A.M.; variable afterwards with slight thunderstorms at 10h. A.M. and 9h. 30m. P.M. Continued lightning at night. Very warm.

Cloudy with lightning in early morning; overcast and showery till afternoon; fine and partially cloudy afterwards.

Very fine till 9h. A.M.; cloudy with frequent rain afterwards. Distant thunder observed at 11h. 30m. A.M. Brilliant solar halo at 4h. P.M.

Overcast with continuous rain in morning; cloudy with occasional slight rain till 9h. P.M.; very fine afterwards.

Very fine in morning; fine and partially cloudy afterwards with a little fine rain in evening.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + i ndicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w, weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·80 in. at the beginning of the week to 29·64 in. by 5h. P.M. on the 11th; increased to 29·76 in. by 10h. A.M. on the 12th; decreased to 29·61 in. by 9h. P.M. on the same day; increased to 29·97 in. by 11h. A.M. on the 14th; decreased to 29·81 in. by 8h. P.M. on the 15th; increased to 29·94 in. by 3h. P.M. on the 16th, and was 29·91 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34–40, Bacon Street, E.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 25. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JUNE 23. [Price 1½*d.*

General Register Office, Somerset House,
June 25th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·8, 16·8, and 18·0. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending June 2.	June 9.	June 16.	June 23	TOWNS.	Weeks ending June 2.	June 9.	June 16.	June 23.
33 Great Towns	17·8	16·8	18·0	14·9	Leicester - -	15·5	15·0	16·7	10·9
Birkenhead -	13·8	8·0	18·2	8·0	Liverpool - -	21·4	24·8	23·7	21·2
Birmingham -	19·4	16·6	19·8	15·4	London - - -	17·0	15·9	17·4	13·3
Blackburn -	22·1	18·6	20·5	19·4	Manchester - -	21·5	23·1	25·2	20·7
Bolton - -	18·1	18·1	18·4	15·2	Newcastle-on-Tyne	17·6	17·8	15·8	16·0
Bradford -	18·4	15·9	13·4	13·6	Norwich - -	13·6	12·7	11·3	10·0
Brighton -	12·6	18·5	13·4	14·7	Nottingham - -	15·3	18·3	12·0	9·9
Bristol - -	19·9	14·3	14·0	15·7	Oldham - -	16·0	18·0	19·7	21·8
Burnley -	15·6	12·1	13·0	16·5	Plymouth - -	25·5	16·3	20·9	19·4
Cardiff - -	15·6	15·0	9·4	9·9	Portsmouth - -	14·2	13·4	12·3	10·2
Croydon -	11·1	12·3	12·7	13·5	Preston - -	17·1	15·3	13·6	19·3
Derby - -	13·5	12·1	20·8	14·0	Salford - - -	21·0	21·3	24·8	22·4
Gateshead -	11·0	15·3	17·2	12·4	Sheffield - -	21·7	19·9	22·9	16·1
Halifax -	22·8	17·1	21·7	15·5	Sunderland - -	18·0	19·5	17·7	21·2
Huddersfield-	18·0	17·5	22·0	17·0	Swansea - -	22·2	11·4	14·3	12·9
Hull - -	14·6	13·3	17·5	13·3	West Ham - -	15·4	14·1	13·9	11·9
Leeds - -	19·1	18·0	20·3	17·5	Wolverhampton -	18·6	15·1	21·5	17·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Plymouth and in Manchester, 1·5 in Huddersfield, 2·5 in Sunderland, 2·7 in Oldham, and 4·3 in Derby; from *whooping-cough*, 1·0 in Oldham; and from *diarrhœa*, 1·1 in Sunderland, 1·2 in Wolverhampton, and 1·8 in Preston. In none of the thirty-three towns did the death-rate from *scarlet fever*, or from "*fever*," reach 1·0 per 1000. The 56 deaths from *diphtheria* included 21 in London, 6 in Leicester, 6 in Sheffield, 4 in Leeds, 3 in Birmingham, and 3 in Salford. One death from *small-pox* was registered in Wolverhampton, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2464 BIRTHS and 1171 DEATHS were registered. Allowing for increase of population, the births were 111, and the deaths 306, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

6205—670—6/1900 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 17·0, 15·9, and 17·4 in the preceding three weeks, fell again last week to 13·3. During the four weeks ending on Saturday last the death-rate averaged 15·9 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1171 deaths included 42 from measles, 9 from scarlet fever, 21 from diphtheria, 35 from whooping-cough, 4 from enteric fever, 20 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 131 deaths were referred to these diseases, being 94 below the corrected average weekly number.

The deaths from *measles*, which had been 68, 60, and 64 in the preceding three weeks, fell again last week to 42, and were 31 below the corrected average; 9 cases belonged to Islington, 6 to St. Pancras, and 4 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 7, 11, and 5 in the preceding three weeks, rose again last week to 9, but were 7 below the corrected average. The deaths from *diphtheria*, which had been 29, 24, and 28 in the preceding three weeks, fell again last week to 21, and were 16 below the corrected average; 5 cases belonged to Islington and 4 to Bethnal Green sanitary areas. The deaths from *whooping-cough*, which had been 48, 37, and 49 in the preceding three weeks, fell again last week to 35, and were 6 below the corrected average; 5 cases belonged to Islington, 4 to Hackney, and 4 to St. Marylebone sanitary areas. The fatal cases of *enteric fever*, which had been 10, 7, and 8 in the preceding three weeks, fell again last week to 4, and were 4 below the corrected average. The deaths from *diarrhœa*, which had been 10, 5, and 15 in the preceding three weeks, further rose last week to 20, but were 27 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 266, 268, and 257 in the preceding three weeks, further fell last week to 181, and were 28 below the corrected average. The deaths attributed directly to *influenza* numbered 7, having been 14, 12, and 11 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all but 5 of which inquests were held. Of these 64 deaths, 11 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 6 to drowning, and 6 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 13 cases of small-pox, 1810 of scarlet fever, 1226 of diphtheria, and 147 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, no case, against 4, 4, and 8 cases; of scarlet fever, 219 cases, against 194, 203, and 210; of diphtheria, 156 cases, against 174, 146, and 150; and of enteric fever, 16 cases, against 29, 21, and 24.

Greater London.

In Greater London 3523 births and 1596 deaths were registered, corresponding to annual rates of 27·6 and 12·5 per 1000 of the estimated population. In the Outer Ring 20 deaths from measles, 2 from scarlet fever, 14 from diphtheria, 21 from whooping-cough, 4 from "fever," and 11 from diarrhœa were registered. Eight deaths from measles, 5 from diphtheria, and 9 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 59°·7; the latter being 0°·3 below the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 52·9 hours; the measured rainfall amounted to 0·77 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the week ending 23rd June 1900.	Deaths, the week ending 23rd June 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,296	6569	3325	734	781	1	117	28	56	82	18	64	148	277	770	44	14·9	1·6	75·0	42·2	57·5	14·17	0·83	2·11	33 Towns.
London - -	4,589,129	2464	1171	257	276	-	42	9	21	35	4	20	64	128	376	5	13·3	1·5	74·1	47·4	59·7	15·39	0·77	1·96	London.
West Ham - -	314,472	152	72	16	15	-	5	-	1	4	-	1	5	6	19	1	11·9	1·8	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	61	34	4	12	-	1	-	1	2	-	-	2	6	9	-	13·5	1·6	74·5	47·0	58·6	14·78	1·16	2·95	Croydon.
Brighton - -	124,148	50	35	5	14	-	1	1	-	-	-	1	1	1	8	-	14·7	1·3	-	-	-	-	-	-	Brighton.
Portsmouth -	194,955	99	38	7	9	-	-	-	-	1	2	-	1	3	4	-	10·2	0·8	-	-	-	-	-	-	Portsmouth.
Plymouth - -	162,161	58	38	6	8	-	2	-	-	-	-	1	3	4	4	-	19·4	1·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	165	98	18	36	-	3	-	1	1	1	1	3	7	21	1	15·7	1·1	-	-	-	-	-	-	Bristol.
Cardiff - -	194,247	107	37	8	7	-	2	-	2	-	-	-	1	3	2	-	9·9	1·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	45	26	6	9	-	-	-	1	-	-	-	1	3	4	-	12·9	0·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	59	30	9	7	1	-	-	1	1	-	2	3	4	5	1	17·5	2·9	72·0	42·4	55·8	13·22	0·70	1·78	Wolverhampton.
Birmingham -	519,610	346	153	35	30	-	3	2	3	5	2	2	8	12	28	2	15·4	1·7	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	67	22	8	8	-	-	-	-	2	1	-	-	-	3	-	10·0	1·4	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	122	46	13	7	-	-	-	6	-	-	3	2	2	7	-	10·9	2·1	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	131	46	12	11	-	1	-	-	-	-	-	-	1	9	-	9·9	0·2	69·4	47·2	57·0	13·89	0·62	1·57	Nottingham.
Derby - - -	107,991	50	29	6	5	-	9	-	-	1	-	-	2	3	3	-	14·0	4·8	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	70	18	3	6	-	-	-	-	-	-	-	1	2	4	1	8·0	-	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	435	258	50	57	-	2	2	1	9	-	9	12	19	81	12	21·2	1·9	64·0	49·2	55·5	13·06	1·12	2·84	Liverpool.
Bolton - -	164,240	89	48	8	13	-	2	1	-	2	-	-	2	5	10	-	15·2	1·6	-	-	-	-	-	-	Bolton.
Manchester -	548,768	365	218	41	37	-	11	1	2	8	2	6	5	13	48	1	20·7	2·9	-	-	-	-	-	-	Manchester.
Salford - -	220,816	172	95	23	20	-	1	2	3	-	1	3	3	4	19	-	22·4	2·4	-	-	-	-	-	-	Salford.
Oldham - -	153,297	73	64	19	15	-	8	-	-	3	-	2	1	5	8	-	21·8	4·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	71	37	11	9	-	-	-	1	-	-	1	5	6	3	1	16·5	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	86	51	11	13	-	-	1	-	1	2	2	1	1	5	1	19·4	2·3	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	86	44	14	11	-	-	-	2	1	-	4	1	1	4	3	19·3	3·1	-	-	-	-	-	-	Preston.
Huddersfield	104,484	48	34	5	16	-	3	1	-	-	-	-	-	-	4	2	17·0	2·0	-	-	-	-	-	-	Huddersfield.
Halifax - -	100,710	39	30	6	11	-	-	-	-	-	1	-	1	1	7	2	15·5	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	130	76	13	19	-	2	2	-	1	-	-	2	5	8	1	13·6	0·9	71·2	42·2	57·5	14·17	0·63	1·60	Bradford.
Leeds - - -	431,287	259	145	34	31	-	3	5	4	1	1	1	4	10	13	2	17·5	1·8	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	237	113	30	23	-	5	1	6	3	-	1	8	8	17	4	16·1	2·3	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	133	61	18	15	-	3	-	-	-	-	1	-	3	10	2	13·3	0·9	75·0	49·0	58·2	14·56	0·78	1·98	Hull.
Sunderland -	147,398	82	60	14	10	-	7	-	-	-	1	3	3	5	12	-	21·2	3·9	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	85	26	10	4	-	-	-	-	1	-	-	-	-	-	1	12·4	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	133	72	14	17	-	1	-	-	-	-	-	3	6	15	1	16·0	0·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2516	2389	2654	2520	2334	2639	2511	2110	2385	2422	2575·3	246
Males - -	1295	1228	1319	1291	1167	1369	1281	1083	1247	1223	1315·3	122
Females - -	1221	1161	1335	1229	1167	1270	1230	1027	1138	1199	1260·0	124
TOTAL **Deaths** -	1387	1538	1415	1866	1330	1276	1371	1246	1257	1355	1477·1	117
Males - -	718	827	733	1015	684	638	694	624	654	739	770·7	64
Females - -	669	711	682	851	646	638	677	622	603	616	706·4	52

*The numbers in this column are the average weekly numbers in the twenty-fifth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	Jun 23.
TOTAL **Births** - - -	2736	2580	2292	2610	2697	2737	2581	2512	2435	2579	2276	2646	246
TOTAL **Deaths** - - -	1785	1932	1844	1811	1721	1675	1446	1437	1440	1497	1398	1533	117
Ages at Death: Under 1 year - -	368	366	356	369	302	349	289	297	295	323	295	333	26
1—5 years - -	247	250	249	220	238	217	186	182	196	218	185	203	14
5—20 " - -	96	106	91	102	84	80	83	101	69	86	96	90	7
20—40 " - -	227	238	229	250	247	222	187	194	195	197	214	223	14
40—60 " - -	340	405	380	352	393	371	314	302	288	313	282	325	27
60—80 " - -	414	458	452	423	374	348	324	300	327	302	274	288	23
80 years and upwards	93	109	87	95	83	88	63	61	70	58	52	71	4
Deaths from—													
Small pox - - - -	-	-	-	-	1	-	1	-	-	-	-	-	-
Measles - - - - -	60	62	59	53	68	72	56	49	56	68	60	64	4
Scarlet Fever - - -	7	7	8	5	11	4	4	6	8	7	11	5	
Diphtheria - - - -	31	32	19	17	20	21	29	22	29	29	24	28	2
Whooping-cough - - -	45	50	51	49	40	42	35	56	50	48	37	49	3
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	20	12	9	8	6	3	15	8	10	7	8	
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	1	1	-
Diarrhœa and Dysentery -	8	6	8	8	17	11	15	8	7	10	5	15	2
Cholera - - - -	-	-	-	-	1	-	1	-	-	1	-	-	-
All the above Diseases -	158	177	157	141	166	156	144	156	158	173	145	170	13
Dis. of Respiratory System -	469	499	501	460	411	417	300	270	269	266	268	257	18
Phthisis - - - - -	202	186	160	177	164	168	131	159	155	150	150	151	12
Dis. of Circulatory System -	149	184	169	139	146	154	140	116	117	138	127	107	10
Violence - - - - -	91	77	69	76	95	67	59	73	66	59	66	97	6
Inquest Cases - - - -	203	186	163	169	198	143	154	145	127	138	139	181	12
Deaths in Public Institutions -	548	541	515	581	521	538	467	452	485	470	451	525	37
TEMPERATURE OF THE AIR.													
Mean - - - - - -	37°·0	41°·9	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0	58°·4	64°·4	59
Mean of Highest readings -	44·2	51·1	56·4	62·1	57·7	61·7	59·5	56·3	62·2	62·4	69·4	75·4	69
Mean of Lowest readings -	31·1	34·3	40·7	41·2	38·0	44·0	43·2	39·9	45·1	47·1	49·3	53·9	52
Humidity of the Air - -	74	76	72	69	70	70	76	68	78	78	72	72	7
Rain-fall (in inches) - -	0·16	0·45	0·22	0·15	0·06	0·19	0·36	0·01	0·81	0·24	0·19	0·44	0·7
Registered Sunshine (in hours)	26·3	27·0	31·9	50·8	39·9	41·4	23·1	39·1	33·1	31·0	54·0	60·0	52
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	3	2	3	4	6	6	5	3	5	7	11	15	1
Scarlet Fever - - - -	1696	1713	1694	1676	1647	1660	1693	1733	1784	1760	1754	1766	181
Diphtheria - - - -	1243	1198	1161	1141	1141	1131	1176	1188	1222	1220	1238	1228	123
Enteric Fever - - - -	263	243	224	219	208	192	185	172	176	176	172	153	14

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-FIFTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 25th Week of the 10 years 1890-99*.	In the Week ending Saturday, 23rd June, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1477·1	1171	257	149	72	147	270	231	45
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·8	-	-	-	-	-	-	-	-
No Statement	0·8	-	-	-	-	-	-	-	-
s - - - -	72·5	42	12	26	3	-	1	-	-
Fever - - -	16·1	9	-	7	2	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	18·9	7	-	-	1	2	1	2	1
ing-cough - -	41·0	35	20	13	2	-	-	-	-
eria - -	36·9	21	1	13	7	-	-	-	-
Continued and fined Fever -	0·7	-	-	-	-	-	-	-	-
Fever - - -	7·8	4	-	-	1	3	-	-	-
and Chol. Diarr.	1·5	-	-	-	-	-	-	-	-
ea, Dysentery -	46·7	20	15	3	-	-	1	-	1
ent Fever - -	0·1	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	0·2	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·2	-	-	-	-	-	-	-	-
al Affections - -	9·4	8	6	-	-	1	-	1	-
elas - - -	4·9	1	1	-	-	-	-	-	-
a and Septicæmia	1·3	-	-	-	-	-	-	-	-
ral Fever - -	4·1	2	-	-	-	2	-	-	-
Zymotic Diseases	1·8	-	-	-	-	-	-	-	-
- - - - -	0·9	1	1	-	-	-	-	-	-
and other Para- l Diseases -	0·2	-	-	-	-	-	-	-	-
ion, Want of t-milk - -	0·9	4	4	-	-	-	-	-	-
ism - - -	12·1	17	-	-	-	6	9	2	-
atic Fever, matism of Heart	7·8	3	-	-	3	-	-	-	-
atism - - -	1·4	-	-	-	-	-	-	-	-
- - - - -	2·5	-	-	-	-	-	-	-	-
- - - - -	5·5	10	2	8	-	-	-	-	-
- - - - -	74·8	71	-	-	1	7	34	27	2
Mesenterica - -	20·3	12	5	4	2	-	1	-	-
ular Meningitis -	25·7	20	4	14	2	-	-	-	-
s - - - -	149·2	123	-	6	8	39	55	14	1
a, Tuberculosis -	19·8	20	2	5	7	3	2	1	-
Constitutional ses - -	14·4	15	2	-	3	2	3	3	2
ure Birth - -	47·5	50	50	-	-	-	-	-	-
asis - - -	3·6	1	1	-	-	-	-	-	-
ital Malforma- - - -	7·7	6	6	-	-	-	-	-	-
e - - - -	47·5	29	-	-	-	-	-	15	14
xy - - -	40·7	35	-	-	-	2	15	18	-
sy - - - -	6·7	10	-	-	-	4	6	-	-
sions - - -	41·8	22	21	1	-	-	-	-	-
Diseases of Brain Nervous System	76·3	57	7	9	4	5	8	20	4
s of Organs of al Sense -	2·2	4	-	-	1	3	-	-	-

CAUSES OF DEATH	Corrected Averages for the 25th Week of the 10 years 1890-99*.	In the Week ending Saturday, 23rd June, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	121·8	109	-	2	6	11	40	47	3
Croup - - - -	2·7	-	-	-	-	-	-	-	-
Bronchitis - - -	89·1	56	10	4	-	2	12	25	3
Pneumonia - - -	93·2	110	24	17	2	17	30	16	4
Pleurisy - - - -	5·7	7	1	-	1	-	3	1	1
Other Diseases of Respiratory System -	18·7	8	1	1	-	1	-	5	-
Dentition - - - -	8·2	6	4	2	-	-	-	-	-
Quinsy, Sore Throat -	1·5	-	-	-	-	-	-	-	-
Enteritis - - -	18·0	11	5	1	2	1	1	-	1
Gastro-enteritis -		7	5	-	-	1	1	-	-
Peritonitis - - -	7·4	4	-	-	-	2	1	1	-
Diseases of Liver - -	23·1	21	-	-	-	4	10	5	2
Other Diseases of Digestive System	27·9	27	10	1	1	3	5	5	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	2	-	-	-	-	2	-	-
Diseases of Urinary System - - -	43·2	37	-	1	1	8	10	15	2
Diseases of Generative System - - -	6·1	3	-	-	-	1	2	-	-
Accidents of Childbirth -	5·7	5	-	-	1	3	1	-	-
Diseases of Locomotive System - - -	6·3	1	-	1	-	-	-	-	-
Diseases of Integumentary System - -	6·7	5	-	-	1	1	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	52·9	2	-	-	1	1	-	-	-
By Vehicles or Horses -		8	-	-	4	-	3	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		1	-	1	-	-	-	-	-
By Drowning - - -		6	-	1	1	4	-	-	-
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	1	-	-	-	-
Other or not stated causes - - - -		29	6	4	3	4	6	4	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·6	-	-	-	-	-	-	-	-
Suicide - - - -	9·7	11	-	-	-	4	5	2	-
Execution - - -	0·5	-	-	-	-	-	-	-	-
OTHER CAUSES - -	49·8	29	25	4	-	-	-	-	-

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 23rd June, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 189 .	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2464	1171	257	276	-	42	9	21	35	-	4	-	20	64	128	376
WEST DISTRICTS - - -	778,251	353	187	41	58	-	8	1	1	4	-	2	-	3	9	19	50
NORTH DISTRICTS - - -	1,040,694	519	258	53	60	-	17	2	9	14	-	1	-	4	12	21	96
CENTRAL DISTRICTS - - -	233,635	125	83	18	14	-	4	1	-	3	-	-	-	1	7	11	27
EAST DISTRICTS - - -	716,334	485	225	50	47	-	8	1	1	6	-	-	-	5	6	25	75
SOUTH DISTRICTS - - -	1,642,796	982	397	95	93	-	5	2	10	8	-	1	-	6	29	51	107
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	21	-	4	-	-	2	-	-	-	-	-	1	1	1	21
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	42	20	6	4	-	3	-	-	1	-	-	-	1	2	2	4
St. John Paddington *H* - - G.	33,510	7	10	1	2	-	-	-	-	-	-	-	-	-	1	1	5
Kensington Town *Ww* - - W.	122,164	55	28	8	10	-	2	-	-	-	-	-	-	1	-	2	9
Brompton *HH* - - - W. & C.	48,301	9	9	-	8	-	-	-	-	-	-	-	-	-	1	1	1
North Hammersmith *H* W. & G	44,638	28	10	4	2	-	1	-	-	-	-	-	-	-	-	1	-
South Hammersmith *H* W. & G	59,561	23	17	6	5	-	-	-	-	1	-	-	-	1	1	3	2
Fulham *Ww* - - - W. & C.	113,781	80	33	7	9	-	1	1	1	2	-	1	-	-	1	2	9
Chelsea Kensal Town - C.	21,450	12	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	17	9	-	6	-	-	-	-	-	-	-	-	-	-	-	4
Chelsea South *HH* - - C.	33,139	15	9	3	3	-	-	-	-	-	-	-	-	-	1	1	2
May Fair *W* - - - - G.	23,827	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Belgrave *WHHH* - - - C.	56,140	19	13	1	2	-	-	-	-	-	-	-	-	-	-	-	6
St. John Westminster *HH* - C.	31,492	22	6	2	1	-	1	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster *H* - C.	22,097	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. James Westminster *WH* N. & G.	23,050	3	5	1	2	-	-	-	-	-	-	-	-	-	2	3	1
St Anne Soho *HHHHH* - N.	12,048	7	7	1	-	-	-	-	-	-	-	1	-	-	-	2	2
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	15	15	2	2	-	-	-	-	-	-	-	-	-	-	-	10
Rectory Marylebone *W* G. & W.	19,798	4	9	1	3	-	1	-	-	1	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.	19,637	22	8	2	2	-	1	-	-	-	-	-	-	1	-	1	1
Christchurch Marylebone *H* - W	32,547	15	4	1	-	-	-	-	-	2	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	10	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	34	19	3	4	-	-	1	2	-	-	-	-	-	2	2	14
Regent's Park † *HH* - W.	51,403	30	8	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	6	2	-	-	-	-	-	-	-	-	-	1	-	-	6
Gray's Inn Lane *HHHH* - N.	29,426	12	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Somers Town *HH* - - - N.	32,161	18	9	2	1	-	2	-	-	-	-	-	-	-	-	-	5
Camden Town† *WH* - - N.	40,155	25	15	2	5	-	4	-	-	-	-	1	-	1	-	1	9
Kentish Town† *WW* - - N.	60,862	39	13	-	4	-	-	-	-	-	-	-	-	-	1	1	5
Upper Holloway *WWWWwHH* - - N.	98,273	41	40	6	14	-	1	-	-	3	-	-	-	-	2	2	22
Lower Holloway‡ - - - N.	41,805	25	10	3	3	-	2	-	-	1	-	-	-	-	-	2	-
Barnsbury‡ - - - - N.	56,384	46	14	5	1	-	3	-	-	-	-	-	-	-	1	3	-
Islington South-east‡ *H* - N.	75,725	33	11	5	1	-	3	-	-	-	-	-	-	-	2	2	-
Highbury *HH* - - - N.	64,577	22	7	1	2	-	-	-	-	1	-	-	-	-	-	-	1
Stoke Newington *H* - - N.	33,485	14	8	1	3	-	-	-	1	-	-	-	-	1	3	2	1
North Hackney - - E. & N.		27	8	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.	213,044	23	12	1	1	-	-	1	6	1	-	-	-	-	-	1	9
South-west Hackney *HHH* E. & N.		23	7	2	3	-	-	-	-	1	-	-	-	-	-	-	2
South-east Hackney *WwH* E. & N.		34	25	8	6	-	-	-	-	1	-	-	-	-	1	3	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES RLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 23rd June, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
bury and St. Giles WH - - - N.	29,086	16	4	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
s North H - - - N.	9,151	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
tin-in-the-Fields HH N. & C.	13,077	1	7	2	1	-	1	-	-	-	-	-	-	-	-	-	4	-
WHH - - - - N.	11,839	5	6	3	1	-	-	-	-	1	-	-	-	-	1	1	2	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n wHHHHHH - N.	31,042	14	9	3	1	-	1	-	-	-	-	-	-	-	-	2	2	-
es Clerkenwell - - N.	15,777	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Clerkenwell - - N.	34,356	22	13	6	2	-	1	-	-	1	-	-	-	-	-	-	-	-
l-street - - - - N.	16,069	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ad HHHHL - - N.	29,897	30	10	3	1	-	-	-	-	-	-	-	-	1	1	2	1	-
ross-street - - - N.	7,595	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ry - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Union Workhouse, am - - - -	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
olph* H - - N. & E.	13,061	7	5	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
nlchre WH - - - N.	9,591	5	17	1	1	-	-	-	-	-	-	-	-	-	5	6	12	-
ows Barking - - - N.	9,059	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
tch South Hl - E. & N.	17,975	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
New Town w - - N.	29,575	14	9	2	3	-	-	-	-	-	-	-	-	1	-	1	4	-
Old Town - - - N.	27,645	15	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ston WH - - N. & E.	47,163	31	18	7	3	-	-	-	-	2	-	-	-	2	-	1	8	-
l Green North H - E.	49,301	39	12	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
l Green South - - E.	34,194	22	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
l Green East WWHl - E.	45,667	20	12	2	2	-	-	-	-	1	-	-	-	-	-	1	8	-
elds - - - E. & N.	26,681	23	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
d New Town WH - E.	51,995	30	32	4	3	-	1	-	-	-	-	-	-	-	-	1	26	-
an's Fields - - - E.		13	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
rge's, North - - - E.	39,576	38	5	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-
, St. George East W E.	7 930	2	9	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
ell H - - - E. & N.	10,434	3	7	3	2	-	1	-	1	-	-	-	-	-	-	1	1	-
W - - - - E.	14,954	9	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
use - - - - E.	32,917	17	8	1	-	-	1	-	-	-	-	-	-	-	-	3	-	-
d Old Town West H E.	111,060	61	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
d Old Town East ww - E.		35	18	4	6	-	-	-	-	1	-	-	-	-	1	2	5	-
- - - - E.	41,687	30	13	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-
y wwwH - - - E.	69,821	46	37	5	8	-	4	-	-	1	-	-	-	2	4	7	14	-
WW - - - - E.	57,759	31	11	1	5	-	-	-	-	-	-	-	-	-	1	3	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 23rd June, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL.&S.*	13,064	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.	12,301	13	2	-	-	-	-	-	-	-	-	-	-	2	2	-
Kent-road - - - - S. & L.	22,879	24	3	2	-	-	-	-	-	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,083	8	6	3	-	-	-	-	1	1	-	-	-	-	-	3
London-road *HL* - - L. & S.	21,316	16	5	3	1	-	-	-	-	-	-	-	-	1	1	-
Trinity Newington *H* - S. & L.	28,723	10	4	3	-	-	-	-	-	-	-	-	-	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	32	10	3	2	-	-	-	-	-	-	-	2	1	-	-
St. Mary Newington- - L. & S.	30,171	24	6	3	2	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	7	13	1	2	-	-	-	-	-	-	-	-	4	3	12
Bermondsey *W* - - - S.	85,475	58	15	6	1	-	-	-	-	-	-	-	-	1	2	-
Rotherhithe *Ww* - S. & K.	40,379	24	13	2	3	-	-	-	-	1	-	-	-	1	2	6
Waterloo-road *HH* - L. & S.	28,396	25	5	2	1	-	-	-	-	-	-	-	-	1	2	-
Lambeth Church 1st *H* - L. & S.	18,770	10	17	-	5	-	-	-	-	-	-	-	-	1	4	12
Lambeth Church 2nd *WW* L. & S.	40,994	27	16	1	6	-	-	-	-	-	-	-	-	1	4	10
Kennington 1st *H* - - S. & L.	52,486	29	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	25	5	2	2	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	55	19	6	5	-	-	1	1	-	-	-	-	-	1	2
Norwood *WH* - - - - L.	29,318	12	7	2	2	-	-	-	-		-	-	-	1	1	-
East Battersea - - - - S.	71,730	49	13	6	1	-	-	-	-	1	-	-	-	1	-	1
North-west Battersea† - - S.	93,385	42	10	4	2	-	-	-	-	-	-	-	-	-	2	4
South-west Battersea† *WwH* - S.		21	21	1	6	-	1	-	-	1	-	-	-	-	1	2
Clapham *H* - - - - S.	46,953	18	8	2	4	-	-	-	-	-	-	-	-	-	-	1
Streatham *WwwwL* - - L.	61,644	38	26	8	6	-	3	-	3	-	-	-	1	1	3	4
Wandsworth *WHHL* - - S.	58,101	44	11	3	1	-	-	-	-	1	-	-	-	-	1	2
Putney - - - - - - S.	20,566	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	39	38	9	12	-	-	-	-	-	-	-	1	3	3	21
Peckham *WW* - S., L., & K.	88,242	50	8	1	3	-	-	-	-	1	-	-	-	-	1	-
St. George Camberwell - L. & S.	67,029	41	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	28	12	3	3	-	-	-	-	-	-	-	-	1	1	-
Deptford Central *w* - - K.	45,441	34	10	4	2	-	-	-	3	-	-	-	-	-	-	3
Deptford South - - - K.	33,402	7	5	-	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West *H* - - K.	23,012	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	17	19	1	4	-	-	-	-	-	-	-	-	1	2	12
Eltham *wH* - - - - - K.	5,911	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	33	14	2	2	-	-	1	2	-	-	-	-	1	2	9
Sydenham *H* - - - - L.	37,601	22	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	7	10	1	1	-	-	-	-	-	-	1	-	-	1	3
Woolwich* *HHHH* - - K.	41,314	24	9	2	3	-	-	-	-	1	-	-	-	2	3	1
Plumstead West *H* - - K.	16,714	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	17	9	1	2	-	-	-	-	1	-	-	-	-	-	1
Banstead Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	1	1	3
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Hanwell Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch Asylum - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	3	-	-	-	-	2	-	-	-	-	1	-	-	3
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5
Claybury Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

3.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 23rd June, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON OUTER RING -	368,749	1,422,063	1,059	425	97	110	-	20	2	14	21	4	11	19	39	67	4
Carshalton *H* - - - -	12,228	26,108	14	8	1	1	-	-	-	-	-	-	-	1	1	1	-
Epsom, *part of** *WwHHH*	10,423	12,508	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	73	40	4	14	-	1	-	2	2	-	-	4	8	9	-
Mitcham *w* - - - -	11,697	23,072	16	8	3	1	-	-	-	-	-	-	1	-	1	-	-
Wimbledon *HHH* - -	3,220	25,777	26	9	2	1	-	3	-	-	-	-	-	-	-	-	-
Kingston *WH* - - -	14,672	33,566	19	9	5	2	-	-	-	-	-	-	1	-	-	1	-
Surbiton *HH* - - -		12,178	8	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Esher, *part of** *H* - -		11,080	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	17	6	3	-	-	-	-	-	-	-	1	-	1	-	-
Richmond *WHH* - -	2,160	25,389	12	9	2	3	-	-	-	-	-	-	1	-	-	1	-
Mortlake *H* - - -	2,823	16,159	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	7	7	-	2	-	-	-	1	-	-	-	-	-	3	-
Beckenham *H* - - -	6,542	21,969	12	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	6	7	1	2	-	-	-	2	-	-	-	-	-	-	-
Bexley *HHH* - - -	12,540	30,590	25	5	1	2	-	-	-	-	-	-	1	-	-	-	-
Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	13,671	9	5	2	2	-	-	-	-	-	-	-	1	1	-	-
Staines *WH* - - -	13,277	13,221	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Hillingdon *WHH* - -	6,035	12,237	10	6	3	1	-	-	-	1	1	-	-	-	1	3	-
Uxbridge - - - -	12,757	7,253	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	16	7	-	4	-	-	1	-	-	-	-	-	-	1	-
Twickenham *HH* - -	2,415	16,027	6	4	1	1	-	-	-	-	-	1	-	-	1	-	-
Brentford *HHHH* - -	4,318	37,777	15	11	2	2	-	-	-	-	-	-	-	-	-	1	-
Chiswick - - - -	1,245	21,963	21	8	1	2	-	-	-	-	-	-	-	1	1	-	-
Acton *wHH* - - -	6,132	30,945	37	13	5	4	-	1	-	-	-	-	2	-	2	-	-
Harrow *HHH* - - -	13,809	15,715	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	61	18	4	4	-	4	-	-	-	1	-	1	1	1	1
Hendon *WH* - - -	8,382	15,843	7	8	2	3	-	-	-	-	-	-	-	-	-	3	-
South Mimms *HH* - -	21,077	6,367	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Barnet *WHH* - - -		14,152	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	8	5	2	1	-	-	-	-	2	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	36	9	1	3	-	-	-	2	-	-	-	1	1	1	-
Tottenham *HHH* - -	4,642	97,174	83	27	9	6	-	3	-	-	2	1	2	2	5	-	-
Edmonton *Ww* - -	7,489	36,351	34	15	6	2	-	-	-	-	3	-	1	-	2	1	1
Enfield *WWHH* - -	12,602	31,536	28	6	1	4	-	-	-	-	-	-	-	-	-	1	-
Waltham Abbey - - -	11,017	6,066	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Watford *WHH*, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Stratford *H* - - -	4,706	38,612	24	15	5	3	-	1	-	-	2	-	-	-	-	1	-
Plaistow *HHH* - - -		58,030	43	12	3	3	-	1	-	-	-	-	-	1	1	1	-
Canning Town *H* - -		54,750	43	19	6	2	-	-	-	-	2	-	1	4	5	3	-
Forest Gate *w* - - -		53,511	42	12	2	2	-	-	-	1	-	-	-	-	-	-	1
East Ham *wHHH* - -	3,266	32,713	73	19	4	5	-	1	-	-	-	-	-	1	2	-	-
Leyton *WWWwH* - -	4,334	70,188	67	33	3	12	-	5	-	2	2	1	-	-	-	21	-
Walthamstow *HHHL* -	6,501	57,330	41	19	6	4	-	-	-	2	3	-	-	1	1	1	1
Chigwell, *part of** *HHHH*	11,779	12,941	10	4	2	-	-	-	-	-	2	-	-	-	-	2	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Ilford *H* - - - -	8,493	10,913	22	6	1	4	-	-	-	-	-	-	-	-	1	-	-
Barking Town, *H* - -	3,814	14,301	15	5	3	-	-	-	-	-	-	-	-	-	1	-	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Asylum Annexe, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Eastern Fever Hospital, Homerton.	—	—	-	3	-	-	-	-	1	1	-	-	-	-	-	3	-

he parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in eld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for tions Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 23rd June, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**12·5**	**1·6**	**1596**	**354**	**386**	-	**62**	**11**	**35**	**56**	**8**	**31**	**83**
INNER LONDON -	74,672	4,589,129	13·3	1·5	1171	257	276	-	42	9	21	35	4	20	64
OUTER RING -	368,749	2,063,016	10·7	1·8	425	97	110	-	20	2	14	21	4	11	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	June	23	178	99	17·1	-	2	-	1	1	1
GLASGOW - -	743,585	"	23	510	269	18·9	1	11	2	3	16	1
DUBLIN - -	349,594	"	23	198	120†	17·9	-	-	-	1	1	2
CALCUTTA - -	466,460	April	28	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	May	29	240	1285	81·3	14	11	?	?	?	306‡
MADRAS - -	452,518	"	18	426	333	38·2	1	5	?	?	?	92
PARIS - - -	2,511,629	June	16	1168	942	19·4	-	18	1	5*	6	14
BRUSSELS - -	561,130	"	16	272	183	16·7	-	1	-	-	3	2
AMSTERDAM -	526,072	"	9	272	152	15·1	-	-	-	-	1	-
ROTTERDAM -	323,487	"	9	188	108	17·4	-	-	-	2	1	2
THE HAGUE -	205,328	"	9	85	58	14·7	-	-	-	-	1	-
COPENHAGEN -	349,000	"	16	243	127	19·0	-	1	2	-	-	-
STOCKHOLM -	29,7148	"	9	144	95	16·6	-	-	-	4*	1	-
CHRISTIANIA -	221,255	"	16	130	88	20·7	-	3	-	-	2	-
ST. PETERSBURG	1,132,677	"	9	667	516	23·8	4	16	8	23	4	28
MOSCOW - -	988,610	"	9	-	620	32·7	5	40	3	7	3	4
BERLIN - -	1,848,269	"	2	858	617	17·3	-	5	20	6	15	-
HAMBURG - -	691,349	"	16	-	247	18·6	-	10	1	1*	3	1
DRESDEN - -	403,400	May	5	264	137	17·6	-	-	-	-	-	1
		"	12	243	124	15·9	-	-	-	2*	-	-
BRESLAU - -	412,959	June	16	-	189	23·9	-	-	-	-	2	1
MUNICH - -	463,000	"	9	-	255	28·6	-	8	-	-	-	1
VIENNA - -	1,656,662	"	16	916	680	21·3	-	21	1	2*	4	3
PRAGUE - -	385,952	"	9	234	199	26·4	-	2	-	-	-	4
BUDA-PESTH -	685,340	"	9	481	276	20·9	-	10	4	1	-	1
TRIESTE - -	168,264	"	16	100	85	26·3	-	-	2	1*	1	-
ROME - - -	514,306	May	26	187	162	16·4	-	-	-	3	-	3
TURIN (10 days) -	344,203	April	10	-	-	-	-	-	-	-	-	-
VENICE - -	172,491	June	9	83	72	21·8	-	1	-	3*	-	2
CAIRO - -	570,062	May	6	402	523	47·7	9	16	-	1*	-	13
ALEXANDRIA -	319,766	"	6	178	171	27·8	1	-	-	-	-	6§
NEW YORK (including BROOKLYN)	3,654,594	"	26	1557	1288	18·4	-	22	10	42	14	6
PHILADELPHIA -	1,266,832	June	2	-	419	17·2	-	15	5	13	3	10

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration area.
‡ Including 177 deaths from plague in Bombay, and one in Alexandria.
§ Including 67 deaths from cholera in Bombay.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. Highest.	Of the Air. Lowest	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Air Temperature and Dew Point Temperature. Mean daily value.	Air Temperature and Dew Point Temperature. Greatest.	Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	17	..	29·903	72·6	55·5	17·1	62·3	+ 3·2	51·3	11·0	18·7	4·6	67	130·4	46·5	57·32	SW., WSW. & W.	WSW. & W.	2·0	0·0	0·2	297	+ 55	0·00	0·0
MONDAY -	18	..	29·939	74·1	50·0	24·1	61·7	+ 2·5	48·7	13·0	23·6	2·3	63	134·0	40·0	57·57	WSW. & W.	WSW., W. & WNW.	1·0	0·0	0·0	152	- 88	0·00	0·0
TUESDAY -	19	Perigee In Eqr.	29·737	73·9	54·7	19·2	63·8	+ 4·3	48·1	15·7	22·9	2·0	57	142·9	51·0	57·83	SW. & S.	SW. & SSW.	2·7	0·0	0·2	257	+ 19	0·00	0·2
WEDNESDAY	20	Last Quarter.	29·612	69·8	53·0	16·8	58·3	- 1·6	53·2	5·1	15·5	0·0	83	139·1	48·6	57·99	SSW. & SW.	SW. & WSW.	4·4	0·0	0·3	321	+ 84	0·24	0·8
THURSDAY-	21	..	29·580	61·6	51·5	10·1	55·6	- 4·7	53·7	1·9	8·2	0·6	93	101·2	46·9	58·07	SW. & SSW.	Variable	1·2	0·0	0·1	212	- 25	0·43	3·0
FRIDAY -	22	..	29·727	68·5	53·0	15·5	59·2	- 1·5	49·4	9·8	18·4	1·8	70	122·1	51·0	58·14	WSW & W	WSW., SW. & SSW.	5·0	0·0	0·5	399	+161	0·01	0·0
SATURDAY-	23	..	29·742	66·2	47·4	18·8	56·7	- 4·3	46·1	10·6	18·4	2·5	68	126·9	46·4	58·04	SSW., WSW. & W.	W., WNW. & WSW.	6·0	0·0	0·4	354	+115	0·09	0·0
MEANS -			29·749	69·5	52·2	17·4	59·7	- 0·3	50·1	9·6	18·0	2·0	72	128·1	47·2	57·85	SW.		..	..	..	Sum 1992	Sum +321	Sum 0·77	0·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	17	w. P. generally.	7·6	16·6	Overcast in morning with a little fine rain at 1h. A.M.; generally cloudy till 3h. P.M.; very fine afterwards.
MONDAY -	18	m. P. generally till noon: w. P. afterwards.	10·1	16·6	Very fine generally; partially cloudy at night; Solar halo in afternoon.
TUESDAY -	19	w. P. generally.	8·9	16·6	Very fine with small amounts of cloud till 5h. P.M.; cloudy afterwards with slight rain at and about 9h. P.M. Solar halo in afternoon.
WEDNESDAY	20	w. P. generally; occasional s. P. and s. N.	7·4	16·6	Variable and showery.
THURSDAY-	21	w. P. till noon; w. P. and w. N. afterwards.	0·4	16·6	Generally overcast; frequent rain.
FRIDAY -	22	w. P. generally.	8·0	16·6	Overcast in morning; fine with large amounts of cloud till evening; variable and showery at night. Distant thunder about 8h. P.M.
SATURDAY-	23	v. P. and v. N. till 5h. A.M.; w P. till 9h. A.M.; m P. generally afterwards.	10·5	16·6	Variable and showery in morning; fine with variable amounts of cloud afterwards.
			Sum 52·9	Sum 116·2	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·91 in. at the beginning of the week to 29·88 in. by 3h. A.M. on the 17th; increased to 29·97 in. by 7h. A.M. on the 18th; decreased to 29·48 in. by 8h. P.M. on the 21st; increased to 29·74 in. by noon on the 22nd; decreased to 29·60 in. by 3h. A.M. on the 23rd, and increased to 29·85 by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40, BACON STREET E.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 26. 1900. Vol. LXI.] Week ending Saturday, June 30. [Price 1½*d.*

General Register Office, Somerset House,
July 2nd, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 15·1 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 18·0, and 14·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending June 9.	June 16.	June 23.	June 30.	Towns.	Weeks ending June 9.	June 16.	June 23.	June 30.
33 Great Towns	16·8	18·0	14·9	15·1	Leicester - -	15·0	16·7	10·9	14·5
Birkenhead -	8·0	18·2	8·0	16·9	Liverpool - -	24·8	23·7	21·2	22·7
Birmingham -	16·6	19·8	15·4	16·6	London - - -	15·9	17·4	13·3	14·5
Blackburn -	18·6	20·5	19·4	16·7	Manchester - -	23·1	25·2	20·7	20·7
Bolton - -	18·1	18·4	15·2	13·0	Newcastle-on-Tyne	17·8	15·8	16·0	14·0
Bradford -	15·9	13·4	13·6	13·8	Norwich - -	12·7	11·3	10·0	13·6
Brighton -	18·5	13·4	14·7	10·1	Nottingham - -	18·3	12·0	9·9	17·4
Bristol - -	14·3	14·0	15·7	12·7	Oldham - -	18·0	19·7	21·8	15·0
Burnley -	12·1	13·0	16·5	10·3	Plymouth - -	16·3	20·9	19·4	12·8
Cardiff - -	15·0	9·4	9·9	11·5	Portsmouth - -	13·4	12·3	10·2	9·4
Croydon -	12·3	13·1	13·5	9·9	Preston - -	15·3	13·6	19·3	15·3
Derby - -	12·1	20·8	14·0	15·9	Salford - - -	21·3	24·8	22·4	21·3
Gateshead -	15·3	17·2	12·4	16·7	Sheffield - -	19·9	22·9	16·1	17·4
Halifax -	17·1	21·7	15·5	18·1	Sunderland - -	19·5	17·7	21·2	17·0
Huddersfield-	17·5	22·0	17·0	17·0	Swansea - -	11·4	14·3	12·9	9·4
Hull - -	13·3	17·5	13·3	13·1	West Ham - -	14·1	13·9	11·9	9·0
Leeds - -	18·0	20·3	17·5	12·7	Wolverhampton -	15·1	21·5	17·5	18·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Huddersfield, 1·1 in Cardiff and in Hull, 1·8 in Sunderland, and 1·9 in Derby; from *scarlet fever*, 1·0 in Gateshead, and 1·9 in Blackburn; from *whooping-cough*, 1·0 in Oldham and in Sheffield, 1·4 in Derby and in Gateshead, and 1·7 in Wolverhampton; from "*fever*," 1·0 in Huddersfield; and from *diarrhœa*, 1·1 in Blackburn, and 1·8 in Birkenhead. The 70 deaths from *diphtheria* included 29 in London, 10 in Sheffield, 6 in Leicester, and 5 in Liverpool. One death from *small-pox* was registered in Salford, but not one in any other of the thirty-three towns.

London.

In London† 2483 births and 1274 deaths were registered. Allowing for increase of population, the births were 143, and the deaths 168, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 15·9, 17·4 and 13·3, in the preceding three weeks, rose again last week to 14·5. During the four weeks ending on Saturday last the death-rate averaged 15·3 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1274 deaths included 53 from measles, 12 from scarlet fever, 29 from diphtheria, 53 from whooping-cough, 12 from enteric fever, 17 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 176 deaths were referred to these diseases, being 67 below the corrected average weekly number.

The deaths from *measles*, which had been 60, 64, and 42 in the preceding three weeks, rose again last week to 53, but were 14 below the corrected average; 5 cases belonged to Poplar, 4 to Mile End Old Town, 4 to Paddington, 4 to St. Marylebone, 4 to Clerkenwell, 4 to Wandsworth, and 4 to Plumstead sanitary areas. The deaths from *scarlet fever*, which had been 11, 5, and 9 in the preceding three weeks, further rose last week to 12, but were 5 below the corrected average; 2 cases belonged to Clerkenwell and 2 to Mile End Old Town sanitary areas. The deaths from *diphtheria*, which had been 24, 28, and 21 in the preceding three weeks, rose again last week to 29, but were 9 below the corrected average; 4 cases belonged to Shoreditch, 3 to Bethnal Green, 3 to Kensington, and 3 to St. Pancras sanitary areas. The deaths from *whooping-cough*, which had been 37, 49, and 35 in the preceding three weeks, rose again last week to 53, and were 13 above the corrected average; 8 cases belonged to Greenwich and 7 to Islington sanitary areas. The fatal cases of *enteric fever*, which had been 7, 8, and 4 in the preceding three weeks, rose again last week to 12, and were 3 above the corrected average. The deaths from *diarrhœa*, which had been 5, 15, and 20 in the preceding three weeks, fell again last week to 17, and were 50 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 268, 257, and 181 in the preceding three weeks, were 180 last week, being 8 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 12, 11, and 7 in the preceding three weeks.

Different forms of violence caused 71 deaths, concerning all but 1 of which inquests were held. Of these 71 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 59 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 4 to drowning, 1 to sunstroke, and 12 (including 10 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 16 cases of small-pox, 1832 of scarlet fever, 1219 of diphtheria, and 148 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 8 cases, against 4, 8, and 0; of scarlet fever, 210 cases, against 203, 210, and 219; of diphtheria, 155 cases, against 146, 150, and 156; and of enteric fever, 21 cases, against 21, 24, and 16.

Greater London.

In Greater London 3540 births and 1665 deaths were registered, corresponding to annual rates of 27·7 and 13·1 per 1000 of the estimated population. In the Outer Ring 16 deaths from measles, 1 from scarlet fever, 9 from diphtheria, 11 from whooping-cough, 1 from "fever," and 11 from diarrhœa were registered. Seven deaths from measles, and 3 from diphtheria, occurred in West Ham district; 3 fatal cases of diphtheria belonged to Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 57°·6; the latter being 3°·7 below the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 23·5 hours; the measured rainfall amounted to 1·15 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	30th June 1960. Births.	30th June 1960. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. C-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6592**	**3368**	**761**	**751**	**1**	**112**	**41**	**70**	**110**	**27**	**55**	**144**	**263**	**829**	**40**	**15·1**	**1·9**	**74·0**	**42·1**	**56·0**	**13·33**	**0·71**	**1·80**	**33 Towns.**
London - -	4,589,129	2483	1274	283	260	-	53	12	29	53	12	17	71	135	421	6	14·5	2·0	72·8	47·4	57·6	14·22	1·15	2·92	London.
West Ham - -	314,472	153	54	18	9	-	1	-	2	3	-	-	1	3	6	1	9·0	1·0	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	39	25	4	7	-	-	-	1	2	-	-	-	2	4	-	9·9	1·2	74·0	49·3	57·0	13·89	0·72	1·83	Croydon.
Brighton - -	124,148	63	24	2	8	-	-	-	1	-	-	-	-	-	4	-	10·1	0·4	-	-	-	-	-	-	Brighton.
Portsmouth -	194,955	100	35	6	6	-	-	-	-	1	-	1	3	4	5	1	9·4	0·5	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	51	25	4	7	-	-	-	-	-	1	-	1	3	4	-	12·8	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	165	79	22	25	-	2	-	1	2	-	2	2	7	16	1	12·7	1·1	69·0	45·4	56·2	13·44	0·53	1·35	Bristol.
Cardiff - -	194,247	102	43	15	5	-	4	-	1	-	1	-	1	1	6	1	11·5	1·6	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	50	19	4	6	-	-	-	2	-	-	-	-	1	2	2	9·4	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	44	32	11	11	-	1	1	-	3	-	-	1	2	5	-	18·6	2·9	70·0	42·1	53·1	11·72	0·58	1·47	Wolverhampton.
Birmingham -	519,610	336	165	37	30	-	2	4	1	3	-	-	8	11	40	4	16·6	1·0	-	-	-	-	-		Birmingham.
Norwich - -	114,855	68	30	10	10	-	-	-	-	1	1	1	-	2	5	-	13·6	1·4	72·0	45·8	56·3	13·50	0·85	2·16	Norwich.
Leicester - -	219,169	159	61	23	12	-	1	-	6	-	-	-	4	5	12	1	14·5	1·7	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	135	81	22	20	-	3	1	1	1	2	2	2	2	21	1	17·4	2·1	69·3	47·1	55·3	12·94	0·35	0·89	Nottingham.
Derby - - -	107,991	72	33	7	9	-	4	-	-	3	-	-	2	4	2	-	15·9	3·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	74	38	14	12	-	-	-	-	1	1	4	1	4	3	-	16·9	2·7	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	430	276	48	69	-	1	2	5	10	1	8	16	23	84	9	22·7	2·2	-	-	-	-	-	-	Liverpool.
Bolton - -	164,240	91	41	7	9	-	1	-	-	-	1	-	-	1	4	-	13·0	0·6	-	-	-	-	-	-	Bolton.
Manchester -	548,768	397	218	47	41	-	7	3	2	5	-	6	8	13	56	1	20·7	2·2	-	-	-	-	-	-	Manchester.
Salford - -	220,816	161	90	22	15	1	3	3	2	-	1	1	3	5	19	1	21·3	2·6	-	-	-	-	-	-	Salford.
Oldham - -	153,297	68	44	6	9	-	1	1	-	3	-	-	5	6	6	-	15·0	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	51	23	5	3	-	-	-	1	1	2	1	1	1	5	-	10·3	2·2	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	57	44	12	12	-	1	5	-	1	-	3	2	3	10	1	16·7	3·8	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	60	35	7	8	-	-	-	-	-	1	-	1	1	5	1	15·3	0·4	-	-	-	-	-	-	Preston.
Huddersfield	104,484	51	34	5	10	-	2	1	1	-	2	1	-	-	5	1	17·0	3·5	-	-	-	-	-	-	Huddersfield.
Halifax - -	100,710	45	35	7	10	-	-	-	-	-	-	-	1	1	9	-	18·1	-	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	164	77	13	25	-	3	5	-	1	-	1	2	3	9	2	13·8	1·8	68·2	50·4	56·6	13·67	0·77	1·96	Bradford.
Leeds - - -	431,287	231	105	18	30	-	6	1	2	1	-	1	2	4	15	1	12·7	1·3	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	219	122	26	22	-	3	3	10	7	-	1	3	6	17	2	17·4	3·4	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	155	60	15	17	-	5	-	-	4	-	2	-	1	8	-	13·1	2·4	-	-	-	-	-	-	Hull.
Sunderland -	147,398	90	48	13	11	-	5	-	2	-	-	2	1	3	9	2	17·0	3·2	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	83	35	12	8	-	1	2	-	3	-	-	2	2	1	-	16·7	2·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	145	63	16	15	-	2	-	-	1	1	1	-	4	11	1	14·0	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2359	2458	2489	2469	2458	2488	2501	2821	2475	2441	2625·7	2483
Males - -	1196	1240	1272	1260	1226	1291	1283	1442	1200	1260	1332·9	1257
Females - -	1163	1218	1217	1209	1232	1197	1218	1379	1275	1181	1292·8	1226
TOTAL **Deaths** -	1346	1363	1377	1831	1282	1429	1370	1156	1256	1297	1442·0	1247
Males - -	666	749	708	978	609	732	698	624	661	692	748·7	699
Females - -	680	614	669	853	673	697	672	532	595	605	693·3	575

*The numbers in this column are the average weekly numbers in the twenty-sixth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.
TOTAL **Births** - - -	2580	2292	2610	2697	2737	2581	2512	2435	2579	2276	2646	2464	2483
TOTAL **Deaths** - - -	1932	1844	1811	1721	1675	1446	1437	1440	1497	1398	1533	1171	1274
Ages at Death: Under 1 year - -	366	356	369	302	349	289	297	295	323	295	333	257	283
1–5 years - -	250	249	220	238	217	186	182	196	218	185	203	149	179
5–20 " - -	106	91	102	84	80	83	101	69	86	96	90	72	84
20–40 " - -	238	229	250	247	222	187	194	195	197	214	223	147	179
40–60 " - -	405	380	352	393	371	314	302	288	313	282	325	270	289
60–80 " - -	458	452	423	374	348	324	300	327	302	274	288	231	220
80 years and upwards	109	87	95	83	88	63	61	70	58	52	71	45	40
Deaths from—													
Small pox - - - -	-	-	-	1	-	1	-	-	-	-	-	-	-
Measles - - - -	62	59	53	68	72	56	49	56	68	60	64	42	53
Scarlet Fever - - -	7	8	5	11	4	4	6	8	7	11	5	9	12
Diphtheria - - - -	32	19	17	20	21	29	22	29	29	24	28	21	29
Whooping-cough - - -	50	51	49	40	42	35	56	50	48	37	49	35	53
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	20	12	9	8	6	3	15	8	10	7	8	4	12
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	1	1	-	-
Diarrhœa and Dysentery -	6	8	8	17	11	15	8	7	10	5	15	20	17
Cholera - - - - -	-	-	-	1	-	1	-	-	1	-	-	-	-
All the above Diseases -	177	157	141	166	156	144	156	158	173	145	170	131	176
Dis. of Respiratory System -	499	501	460	411	417	300	270	269	266	268	257	181	180
Phthisis - - - - -	186	160	177	164	168	131	159	155	150	150	151	123	138
Dis. of Circulatory System -	184	169	139	146	154	140	116	117	138	127	107	109	120
Violence - - - -	77	69	76	95	67	59	73	66	59	66	97	64	71
Inquest Cases - - - -	186	163	169	198	143	154	145	127	138	139	181	128	135
Deaths in Public Institutions -	541	515	581	521	538	467	452	485	470	451	525	376	421
TEMPERATURE OF THE AIR.													
Mean - - - - -	41°·9	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0	58°·4	64°·4	59°·7	57°·6
Mean of Highest readings -	51·1	56·4	62·1	57·7	61·7	59·5	56·3	62·2	62·4	69·4	75·4	69·5	66·7
Mean of Lowest readings -	34·3	40·7	41·2	38·0	44·0	43·2	39·9	45·1	47·1	49·3	53·9	52·2	51·2
Humidity of the Air - - -	76	72	69	70	70	76	68	78	78	72	72	72	80
Rain-fall (in inches) - -	0·45	0·22	0·15	0·06	0·19	0·36	0·01	0·81	0·24	0·19	0·44	0·77	1·15
Registered Sunshine (in hours)	27·0	31·9	50·8	39·9	41·4	23·1	39·1	33·1	31·0	54·0	60·0	52·9	23·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	2	3	4	6	6	5	3	5	7	11	15	13	16
Scarlet Fever - - - -	1713	1694	1676	1647	1660	1693	1733	1784	1760	1754	1766	1810	1832
Diphtheria - - - -	1193	1161	1141	1141	1131	1176	1188	1222	1220	1238	1228	1226	1219
Enteric Fever - - - -	243	224	219	208	192	185	172	176	176	172	153	147	148

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brighton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; A. Johnson Esq. M.Inst. C.E., Bradford; and E. Peak, Esq., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SIXTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 26th Week of the 10 years 1890-99*.	In the Week ending Saturday, 30th June, 1900 — Deaths of Persons of the Ages: All Ages.	Under 20: 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	1442·0	1274	283	179	84	179	289	220	40
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·6	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
- - - -	67·3	53	13	37	3	-	-	-	-
ever - - -	17·3	12	-	8	3	1	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
gFever - -	-	-	-	-	-	-	-	-	-
, - - - -	11·4	3	-	-	-	1	1	1	-
g-cough - -	40·2	53	25	27	1	-	-	-	-
ia - -	38·0	29	2	18	6	2	1	-	-
Continued and ned Fever -	0·9	-	-	-	-	-	-	-	-
Fever - - -	8·9	12	-	1	6	4	-	1	-
nd Chol. Diarr.	2·1	-	-	-	-	-	-	-	-
, Dysentery -	67·2	17	14	1	-	-	-	2	-
t Fever - -	-	-	-	-	-	-	-	-	-
obia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
and Effects of tion - -	0·2	-	-	-	-	-	-	-	-
Affections - -	7·4	13	7	2	1	2	1	-	-
s - - -	2·7	4	-	1	-	1	2	-	-
and Septicæmia	2·1	2	-	-	2	-	-	-	-
l Fever - -	3·7	2	-	-	-	2	-	-	-
motic Diseases	1·3	1	-	1	-	-	-	-	-
- - - -	1·3	-	-	-	-	-	-	-	-
nd other Para- Diseases -	0·2	1	-	1	-	-	-	-	-
n, Want of milk - -	1·4	4	4	-	-	-	-	-	-
m - - -	11·2	13	-	-	-	5	8	-	-
ic Fever, atism of Heart	5·4	5	-	-	2	-	3	-	-
ism - -	1·2	1	-	-	-	-	1	-	-
- - - -	2·9	1	-	-	-	-	-	1	-
- - - -	5·6	1	-	1	-	-	-	-	-
- - - -	70·5	71	-	1	1	2	39	26	2
senterica - -	22·5	9	6	3	-	-	-	-	-
ar Meningitis -	22·6	25	8	14	2	-	1	-	-
- - - -	146·8	138	2	1	9	62	58	6	-
Tuberculosis -	20·1	17	5	7	1	2	1	1	-
Constitutional s - -	12·8	12	1	1	3	2	3	1	1
re Birth - -	45·9	52	52	-	-	-	-	-	-
is - - -	4·5	2	2	-	-	-	-	-	-
al Malforma- - - -	7·3	3	3	-	-	-	-	-	-
- - - -	40·4	31	-	-	-	-	-	17	14
- - - -	35·7	42	1	-	-	1	13	20	7
- - - -	7·0	6	-	-	1	2	2	1	-
ons - - -	36·9	16	13	3	-	-	-	-	-
seases of Brain rvous System	80·5	73	11	3	5	7	24	22	1
of Organs of Sense -	5·0	5	2	-	1	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 26th Week of the 10 years 1890-99*.	In the Week ending Saturday, 30th June, 1900. — Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	112·8	120	-	1	13	11	44	45	6
Croup - - - -	1·8	-	-	-	-	-	-	-	-
Bronchitis - - -	79·9	65	15	12	-	2	10	21	5
Pneumonia - - -	83·3	98	17	17	4	19	25	16	-
Pleurisy - - - -	6·5	4	-	-	-	-	4	-	-
Other Diseases of Respiratory System -	16·8	13	4	2	-	-	2	3	2
Dentition - - - -	9·3	5	3	2	-	-	-	-	-
Quinsy, Sore Throat -	1·7	1	1	-	-	-	-	-	-
Enteritis - - -	26·4	11	5	-	2	3	-	1	-
Gastro-enteritis -		12	6	2	-	2	-	2	-
Peritonitis - - -	5·9	4	-	-	-	2	2	-	-
Diseases of Liver - -	22·4	23	2	-	-	2	10	9	-
Other Diseases of Digestive System	30·3	24	10	2	4	2	4	1	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	5	-	-	1	2	1	1	-
Diseases of Urinary System - - -	42·8	40	-	2	1	6	17	13	1
Diseases of Generative System - - -	5·3	4	-	-	-	1	2	1	-
Accidents of Childbirth -	4·9	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	5·4	4	-	1	1	2	-	-	-
Diseases of Integumentary System - -	4·7	4	4	-	-	-	-	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	57·9	4	-	1	-	3	-	-	-
By Vehicles or Horses -		11	-	2	3	2	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		2	-	2	-	-	-	-	-
By Drowning - - -		4	1	-	-	2	1	-	-
By Suffocation in Bed -		12	10	1	1	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	-	1	-	2	-
Other or not stated causes - - - -		23	4	-	6	7	4	2	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·6	2	-	-	-	2	-	-	-
Suicide - - - -	9·3	10	-	-	1	7	2	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	51·0	34	30	1	-	1	-	2	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase lation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t. murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered SUB-DISTRICT during the Week ending Saturday, 30th June, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2483	1274	283	260	-	53	12	29	53	-	12	-	17	71	135
WEST DISTRICTS - - -	778,251	378	201	48	50	-	8	2	5	5	-	2	-	5	15	23
NORTH DISTRICTS - - -	1,040,694	568	272	55	66	-	11	4	8	16	-	2	-	1	15	29
CENTRAL DISTRICTS - - -	233,635	140	93	18	16	-	6	-	2	1	-	2	-	-	8	12
EAST DISTRICTS - - -	716,334	455	233	61	29	-	16	-	3	12	-	1	-	4	12	32
SOUTH DISTRICTS - - -	1,642,796	942	436	101	91	-	12	4	11	19	-	5	-	7	21	39
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	8	-	-	2	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	53	18	6	4	-	5	-	-	1	-	-	-	1	1	1
St. John Paddington *H* - - G.	33,510	9	12	-	4	-	-	-	-	-	-	-	-	-	-	2
Kensington Town *Ww* - - W.	122,164	54	35	7	13	-	2	-	-	-	-	-	-	1	1	1
Brompton *HH*- - - W. & C.	48,301	17	5	-	2	-	-	-	1	-	-	-	-	-	-	-
North Hammersmith *H* } W. & G	44,638	25	13	3	1	-	1	-	-	-	-	-	-	-	-	-
South Hammersmith *H* } W. & G	59,561	29	7	2	1	-	-	-	-	-	-	-	-	-	2	2
Fulham *Ww* - - - W. & C.	113,781	88	34	11	4	-	-	1	4	2	-	-	-	1	3	4
Chelsea Kensal Town - C.	21,450	11	2	-	-	-	-	-	-	-	-	-	-	-	1	2
Chelsea North *WHHHH* - C.	42,057	16	25	7	9	-	-	-	-	1	-	-	-	1	2	2
Chelsea South *HH* - - C.	33,139	16	7	3	1	-	-	-	-	1	-	-	-	1	1	1
May Fair *WH*- - - - G.	23,827	3	9	1	3	-	-	-	-	-	-	-	-	-	1	1
Belgrave *WHHH* - - - C.	56,140	17	18	3	5	-	-	1	-	-	-	-	-	-	2	5
St. John Westminster *HH* - C.	31,492	13	7	2	1	-	-	-	-	-	-	1	-	-	-	-
St. Margaret Westminster *H*- C.	22,097	4	4	2	1	-	-	-	-	-	-	1	-	-	-	1
St. James Westminster *WH* } N. & G.	23,050	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-
St Anne Soho *HHHHH* - N.	12,048	7	2	1	-	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* } - - W.	36,595	6	21	2	4	-	-	-	1	-	-	-	-	-	1	4
Rectory Marylebone *W* G. & W.	19,798	12	3	1	-	-	1	-	-	1	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	34	3	1	-	-	-	-	-	1	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	14	7	1	-	-	2	-	-	-	-	-	-	-	-	1
St. John Marylebone *HHH* - W.	32,611	9	10	-	3	-	1	-	1	-	-	-	-	-	-	-
Hampstead *WwHHHH* } - N. & W.	75,449	39	22	1	5	-	2	3	3	-	-	-	-	-	1	1
Regent's Park † *HH* - W.	51,403	38	8	2	-	-	2	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* } - N. & W.	26,757	14	6	1	-	-	-	-	-	-	-	-	-	-	1	1
Gray's Inn Lane *HHHH* - N.	29,426	10	9	3	-	-	-	-	-	-	-	-	-	-	2	3
Somers Town *HH* - - - N.	32,161	13	6	-	2	-	-	-	-	-	-	-	-	-	1	1
Camden Town† *WH* - - N.	40,155	27	17	3	8	-	1	-	-	1	-	-	-	-	2	3
Kentish Town† *WW* - - N.	60,862	35	12	4	2	-	-	-	-	-	-	-	-	-	1	1
Upper Holloway *WWWWwHH* } - - N.	98,273	54	37	6	12	-	-	-	-	2	-	-	-	-	1	1
Lower Holloway‡ - - - N.	41,805	13	10	3	-	-	1	-	-	-	-	-	-	1	1	1
Barnsbury‡ - - - - N.	56,384	31	14	6	3	-	-	-	-	1	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	38	13	5	3	-	1	-	-	3	-	-	-	-	-	1
Highbury *HH* - - - N.	64,577	28	14	4	2	-	-	-	-	1	-	1	-	-	2	3
Stoke Newington *H* - - N.	33,485	17	8	3	3	-	-	-	-	2	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	29	8	2	1	-	-	-	1	2	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		30	14	5	3	-	-	1	2	2	-	1	-	-	-	1
South-west Hackney *HHH* E. & N.		46	8	-	5	-	-	-	-	-	-	-	-	-	1	2
South-east Hackney *WwH* E. & N.		31	22	2	10	-	-	-	-	-	-	-	-	-	1	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupe received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. si Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into tw Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington Sout Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 30th June, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	20	8	4	-	-	2	-	-	-	-	-	-	-	-	-	1	-
ith *WH* - - }																		
iles North *H* - - - N.	9,151	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Martin-in-the-Fields *HH* N. & C.	13,077	6	11	2	-	-	-	-	1	-	-	1	-	-	4	5	8	-
nd *WHH* - - - - N.	11,839	5	15	1	3	-	-	-	-	-	-	1	-	-	1	2	10	-
nd Union Workhouse, Edmonton	†*1,037*	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
oorn *wHHHHH* - N.	31,042	21	10	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-
ames Clerkenwell - - N.	15,777	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	11	7	2	2	-	3	-	-	1	-	-	-	-	-	-	-	-
well-street - - - - N.	16,069	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *HHHHL* - - N.	29,897	35	13	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
tecross-street - - - N.	7,595	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Botolph* *H* - - N. & E.	13,061	3	3	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
epulchre *WH* - - - N.	9,591	1	9	2	-	-	-	-	1	-	-	-	-	-	-	-	8	-
allows Barking - - - N.	9,059	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	11	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
tton New Town *w* - - N.	29,575	19	10	3	3	-	2	-	-	-	-	-	-	-	-	-	6	-
tton Old Town - - - N.	27,645	12	7	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
gerston *WH* - - N. & E.	47,163	24	26	5	4	-	2	-	2	-	-	-	-	-	1	2	12	-
hnal Green North *H* - E.	49,301	36	7	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
hnal Green South - - E.	34,194	18	4	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-
hnal Green East *WWHl* - E.	45,667	23	14	1	2	-	-	-	1	-	-	-	-	-	-	1	5	-
alfields - - - E. & N.	26,681	23	6	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-
e End New Town *WH* - E.	} 51,995 {	30	35	6	3	-	1	-	-	1	-	1	-	-	7	9	30	-
dman's Fields - - - E.	}	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	27	10	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-
John, St. George East *W* E.	7 930	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	4	-
dwell *H* - - - E. & N.	10,434	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
cliff *W* - - - - E.	14,954	8	7	2	-	-	-	-	-	1	-	-	-	-	-	2	-	-
nehouse - - - - E.	32,917	24	15	5	2	-	2	-	-	-	-	-	-	3	-	2	-	-
e End Old Town West *H* E.	} 111,060 {	37	11	6	1	-	1	-	-	2	-	-	-	-	-	2	-	-
e End Old Town East } - E.		39	19	4	2	-	3	-	-	-	-	-	-	-	1	2	8	-
VWww																		
w *l* - - - - E.	41,687	22	16	5	2	-	5	-	-	3	-	-	-	-	-	1	-	-
omley *wwwH* - - - E.	69,821	50	17	4	6	-	-	-	-	-	-	-	-	-	-	-	10	-
plar *WW* - - - - E.	57,759	27	14	3	1	-	-	-	-	1	-	-	-	-	2	4	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 30th June, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	13,064	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	7	4	1	1	-	-	-	-	-	-	-	-	-	1	2
Kent-road - - - - S. & L.	22,879	19	7	4	-	-	-	-	-	2	-	-	-	-	-	1
Borough-road *WH* - S. & L.	16,083	7	8	5	1	-	-	-	-	-	-	-	-	-	1	1
London-road *HL* - - L. & S.	21,316	16	5	3	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	9	5	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Peter Walworth *W* - S. & L.	62,045	46	10	1	1	-	1	-	-	-	-	1	-	-	1	2
St. Mary Newington- - L. & S.	30,171	25	9	4	-	-	1	-	-	-	-	-	-	-	-	1
St. Olave *WH* - - - - S.	11,731	8	13	1	1	-	-	-	-	-	-	-	-	-	2	2
Bermondsey *W* - - - S.	85,475	47	14	6	3	-	-	-	-	2	-	-	-	-	-	1
Rotherhithe *Ww* - S. & K.	40,379	24	19	2	4	-	-	-	1	1	-	-	-	-	-	-
Waterloo-road *HH* - L. & S.	28,396	34	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18,770	12	15	4	3	-	-	-	-	-	-	1	-	1	1	1
Lambeth Church 2nd *WW* L. & S.	40,994	34	15	5	4	-	-	-	-	-	-	-	-	1	-	-
Kennington 1st *H* - - S. & L.	52,486	40	9	3	2	-	-	-	-	-	-	-	-	-	-	1
Kennington 2nd - - S. & L.	43,244	25	9	2	2	-	-	-	-	-	-	-	-	-	-	1
Brixton *w* - - - L. & S.	81,825	51	12	2	4	-	-	-	1	-	-	-	-	-	-	2
Norwood *WH* - - - - L.	29,318	18	5	1	2	-	-	-	-	-	-	-	-	-	1	1
East Battersea - - - - S.	71,730	42	12	4	2	-	-	-	-	-	-	-	-	1	2	3
North-west Battersea† - - S. }	93,385	20	10	5	-	-	-	-	-	-	-	-	-	-	-	1
South-west Battersea† *WwH* - S. }		10	16	2	5	-	-	-	-	-	-	-	-	-	1	2
Clapham *H* - - - - S.	46,953	15	6	2	1	-	-	-	-	-	-	-	-	1	-	-
Streatham *WwwwL* - - L.	61,644	32	23	5	6	-	2	1	1	1	-	1	-	-	1	1
Wandsworth *WHHL* - - S.	58,101	42	13	1	1	-	1	-	-	-	-	-	-	-	2	4
Putney - - - - - - S.	20,566	7	5	-	3	-	1	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	48	44	6	15	-	-	-	-	-	-	1	-	-	2	2
Peckham *WW* - S., L., & K.	88,242	49	19	4	7	-	-	-	-	1	-	-	-	-	1	2
St. George Camberwell - L. & S.	67,029	29	9	3	-	-	-	-	-	1	-	-	-	-	-	-
Deptford North - - - K.	36,152	19	6	2	1	-	-	-	-	2	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	23	11	3	-	-	1	2	4	1	-	-	-	-	-	-
Deptford South - - - K.	33,402	18	8	1	3	-	-	-	-	1	-	-	-	-	3	2
Greenwich West *H* - - K.	23,012	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	25	27	4	8	-	-	-	-	4	-	-	-	-	1	2
Eltham *wH* - - - - K.	5,911	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	20	14	3	2	-	-	1	2	1	-	1	-	1	-	2
Sydenham *H* - - - - L.	37,601	20	4	2	1	-	-	-	-	-	-	-	-	1	-	7
Charlton *wHH* - - - K.	15,928	10	4	1	-	-	-	-	2	-	-	-	-	1	-	1
Woolwich* *HHHH* - - K.	41,314	18	11	2	1	-	1	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	14	4	1	1	-	-	-	-	1	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	21	14	1	4	-	4	-	-	1	-	-	-	-	-	1
Banstead Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
Caterham Asylum - - - -	—	-	8	-	4	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	9	-	1	-	-	-	-	-	-	-	-	-	-	8
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
Darenth Asylum - - - -	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - - }	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5
Hanwell Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hendon - - - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ing Saturday, 30th June, 1900.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population. 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON-OUTER RING -	368,749	1,422,053	1,057	391	99	101	–	16	1	9	11	1	11	11	26	47	6
Carshalton *H* - - - -	12,228	26,108	9	4	1	–	–	–	–	–	–	–	–	–	–	1	–
Epsom, *part of** *WwHHH*	10,423	12,508	6	2	–	2	–	–	–	–	–	–	–	–	–	2	–
Godstone, *part of** *W* -	2,754	1,598	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH* -	20,851	128,699	52	32	5	8	–	–	–	1	3	1	–	–	2	5	–
Mitcham *w* - - -	11,697	23,072	20	5	1	3	–	–	–	–	–	–	–	–	–	–	–
Wimbledon *HHH* - -	3,220	25,777	27	12	2	4	–	1	–	–	–	–	–	–	1	–	–
Kingston *WH* - - -	14,672	33,566	13	13	4	4	–	–	–	–	–	–	–	2	2	1	–
Surbiton *HH* - - -		12,178	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Esher, *part of** *H* - -		11,080	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Hampton *HL* - - -	4,565	18,252	8	3	–	–	–	–	–	–	–	–	–	2	2	1	–
Richmond *WHH* - -	2,160	25,389	11	6	1	4	–	–	–	–	–	–	–	–	–	1	–
Mortlake *H* - - -	2,823	16,159	11	4	–	1	–	–	–	–	–	–	1	–	–	–	–
Bromley *HHH* - - -	9,127	23,815	12	4	–	2	–	–	–	–	–	–	–	–	–	1	–
Beckenham *H* - - -	6,542	21,969	10	6	1	3	–	–	–	–	–	–	–	–	1	1	–
Chislehurst, *part of** *WHH*	14,307	20,372	14	5	1	4	–	–	–	–	–	–	–	–	–	1	–
Bexley *HHH* - - -	12,540	30,590	18	6	1	2	–	–	–	–	–	–	–	–	–	–	–
Dartford *WH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sunbury *w* - - -	11,054	13,671	6	7	4	–	–	–	–	–	–	–	1	1	1	–	–
Staines *WH* - - -	13,277	13,221	8	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hillingdon *WHH* - -	6,035	12,237	3	5	1	2	–	–	–	–	–	–	–	–	–	–	–
Uxbridge - - - -	12,757	7,253	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH* - - - -	7,952	11,051	11	7	3	–	–	–	–	1	–	–	–	–	1	–	–
Isleworth *WHH* - -	6,967	26,904	16	9	1	3	–	–	–	–	–	–	–	–	–	2	–
Twickenham *HH* - -	2,415	16,027	13	6	2	–	–	1	–	–	–	–	–	1	1	1	–
Brentford *HHHH* - -	4,318	37,777	28	9	4	1	–	–	–	–	1	–	1	–	1	–	–
Chiswick - - - -	1,245	21,963	16	8	2	2	–	–	–	–	–	–	1	1	1	–	–
Acton *wHH* - - -	6,132	30,945	25	13	4	3	–	–	–	–	–	–	1	–	–	–	–
Harrow *HHH* - - -	13,809	15,715	14	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Edgware *HH* - - -	6,994	3,844	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Willesden *HHH* - -	4,383	61,265	77	16	9	1	–	4	–	1	–	–	2	–	1	–	–
Hendon *WH* - - -	8,382	15,843	9	9	2	3	–	–	–	–	–	–	1	–	–	7	–
South Mimms *HH* - -	21,077	6,367	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–
Barnet *WHH* - - -		14,152	7	4	–	2	–	–	–	–	–	–	–	–	1	–	–
Finchley *HHH* - - -	4,688	25,820	13	5	–	3	–	–	–	–	–	–	–	–	–	–	–
Hornsey *HH* - - -	3,039	61,097	33	9	–	3	–	–	–	–	–	–	1	–	1	–	–
Tottenham *HHH* - -	4,642	97,174	68	30	10	4	–	3	–	1	3	–	–	1	2	–	1
Edmonton *Ww* - -	7,489	36,351	39	13	–	7	–	–	–	–	–	–	–	–	–	5	–
Enfield *WWHH* - -	12,602	31,536	33	7	–	2	–	–	–	1	–	–	–	–	1	–	1
Waltham Abbey - - -	11,017	6,066	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cheshunt *H* - - -	8,480	9,620	7	2	1	–	–	–	–	–	–	–	–	–	–	–	1
Hatfield, *part of** *W* - -	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H* - - - -	9,331	7,737	5	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford *H* - - -	4,706	38,612	23	13	5	4	–	–	–	–	–	–	–	–	1	1	–
Plaistow *HHH* - - -		58,030	52	16	3	2	–	1	–	2	2	–	–	–	–	3	–
Canning Town *H* - -		54,750	45	10	5	–	–	–	–	–	–	–	–	1	2	–	–
Forest Gate *w* - - -		53,511	33	13	5	2	–	–	–	–	1	–	–	–	–	–	1
East Ham *wHHH* - -	3,266	32,713	70	13	6	–	–	3	–	–	–	–	–	–	–	–	–
Leyton *WWWwH* - -	4,334	70,188	53	19	3	6	–	3	–	–	–	–	2	–	1	8	1
Walthamstow *HHHL* -	6,501	57,330	76	16	7	2	–	–	–	1	1	–	–	–	1	–	1
Chigwell, *part of** *HHHH*	11,779	12,941	10	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W* -	6,556	4,324	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Ilford *H* - - - -	8,493	10,913	16	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Barking Town, *H* - -	3,814	14,301	14	6	2	3	–	–	–	–	–	–	–	2	2	–	–
North-Western Fever Hospital.	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
Middlesex County Asylum, Wandsworth.	—	—	–	4	–	2	–	–	–	–	–	–	–	–	–	4	–

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham arley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are ncluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 30th June, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	443,421	6,652,145	13·1	1·8	1665	382	361	-	69	13	38	64	13	28	82
INNER LONDON -	74,672	4,589,129	14·5	2·0	1274	283	260	-	53	12	29	53	12	17	71
OUTER RING -	368,749	2,063,016	9·9	1·2	391	99	101	-	16	1	9	11	1	11	11

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zym Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	June	30	173	101	17·4	-	4	1	-	-	2
GLASGOW - -	743,585	"	30	501	271	19·0	2	11	5	1	23	1
DUBLIN - -	349,594	"	30	228	134†	20·0	-	-	-	-	2	-
CALCUTTA - -	466,460	May	5	-	465	52·0	32	4	-	-	-	241‡
BOMBAY - -	821,764	June	5	243	1111	70·3	13	11	-	-	-	261‡
MADRAS - -	452,518	May	25	397	371	42·6	-	4	-	-	-	126
PARIS - - -	2,511,629	June	23	1110	827	17·1	1	27	13	4*	4	9
BRUSSELS - -	561,130	"	23	248	166	15·4	-	5	-	3*	1	2
AMSTERDAM -	526,072	"	16	300	134	13·3	-	-	-	-	-	-
ROTTERDAM -	323,487	"	16	223	97	15·6	-	-	-	1	-	-
THE HAGUE -	205,328	"	16	106	61	15·4	-	1	-	1	-	-
COPENHAGEN -	349,000	"	23	165	102	15·2	-	1	1	2	-	1
STOCKHOLM -	29,7148	"	16	155	122	21·4	-	1	-	3*	1	-
CHRISTIANIA -	221,255	"	23	181	72	16·5	-	3	-	-	3	-
ST. PETERSBURG	1,132,677	"	16	604	564	26·0	9	22	13	16	3	17
MOSCOW - -	988,610	"	16	-	577	30·4	2	36	7	15	4	2
BERLIN - -	1,848,269	"	9	-	-	-	-	-	-	-	-	-
HAMBURG - -	691,349	"	23	-	212	15·9	-	7	1	4*	1	-
DRESDEN - -	403,400	May	19	299	130	16·7	-	1	-	-	1	-
BRESLAU - -	412,959	June	23	-	226	28·5	-	1	-	-	2	1
MUNICH - -	463,000	"	16	291	262	29·4	-	5	-	1*	-	1
VIENNA - -	1,656,662	"	23	857	641	20·1	-	8	2	4*	3	-
PRAGUE - -	385,952	"	16	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	685,340	"	16	434	262	19·9	-	7	-	2	1	2
TRIESTE - -	168,264	"	23	109	85	26·3	-	-	1	3*	-	1
ROME - - -	514,306	"	2	207	142	14·4	-	3	-	1	-	1
TURIN (10 days)-	344,203	April	10	193	224	23·8	-	8	-	2	2	1
VENICE - -	172,491	June	16	80	66	20·0	-	1	-	-	1	2
CAIRO - -	570,062	May	13	380	525	47·9	5	36	-	2*	-	16
ALEXANDRIA -	319,766	"	13	194	172	28·0	2	-	-	2*	1	5‡
NEW YORK (including BROOKLYN)	3,654,594	June	2	1443	1165	16·6	-	16	8	40	10	10
PHILADELPHIA -	1,266,832	"	9	-	409	16·8	-	11	3	17	5	9

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 131 deaths from plague in Bombay, 179 in Calcutta, and 2 in Alexandria.
§ Including 51 deaths from cholera in Bombay, 39 in Calcutta, and one in Madras.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	24	..	29·734	66·1	50·3	15·8	56·8	− 4·4	50·8	6·0	15·3	1·3	80	127·1	45·4	57·89	SW.	SW. & SSW.	4·3	0·0	0·5	329	+ 88	0·02	1·2
MONDAY -	25	Greatest Dec. N.	29·390	64·1	52·3	11·8	54·9	− 6·4	53·3	1·6	11·0	0·0	94	115·4	49·2	57·81	SW. & SSW.	NW. & NNW.	4·0	0·0	0·4	329	+ 86	0·67	3·8
TUESDAY -	26	..	29·749	62·1	51·5	10·6	56·0	− 5·4	50·2	5·8	10·8	1·8	81	106·3	49·5	57·80	WNW. & W.	WNW., NW. & W.	5·2	0·0	0·6	382	+136	0·00	0·0
WEDNESDAY	27	New	29·861	66·0	47·4	18·6	57·0	− 4·4	49·5	7·5	14·8	1·5	76	113·9	42·1	57·61	WSW., W. & WNW.	W., NW. & SW.	1·0	0·0	0·1	180	− 68	0·00	0·0
THURSDAY-	28	..	29·845	69·0	50·0	19·0	57·9	− 3·4	53·5	4·4	16·0	0·2	85	111·9	44·1	57·43	SW., NW. & NNE.	N. & ESE.	1·0	0·0	0·0	88	−162	0·26	0·0
FRIDAY -	29	..	29·[illegible]58	72·8	53·6	19·2	62·1	+ 0·9	50·8	11·3	20·0	0·0	66	132·5	46·4	57·45	Calm & SW.	SW.	2·6	0·0	0·1	203	− 48	0·00	1·0
SATURDAY-	30	..	29·580	66·9	53·2	13·7	58·7	− 2·5	52·8	5·9	12·2	2·0	81	116·7	52·0	57·52	SSW. & WSW.	SW.	5·7	0·0	0·5	337	+ 85	0·20	3·5
MEANS -			29·702	66·7	51·2	15·5	57·6	− 3·7	51·6	6·1	14·3	1·0	80	117·7	47·0	57·64	SW. & NW.		..	..	..	Sum 1848	Sum +117	Sum 1·15	1·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	24	w. P. generally; w. N. between 2h. and 3h. P.M.	3·1	16·6	Generally cloudy; frequent slight rain after 6h. P.M.
MONDAY -	25	w. P. till 6h. A.M.; v. P. and v. N. till 9h. P.M.; w. P. afterwards.	2·2	16·6	Cloudy: frequent heavy showers. Lightning and thunder between 1h. 20m. and 2h. 0m. P.M., and distant thunder about 7h. P.M.
TUESDAY -	26	w. P. generally.	1·0	16·5	Generally overcast.
WEDNESDAY	27	w. P. generally till 9h. A.M.; m. P. generally afterwards.	5·5	16·5	Fine; large amounts of thin cloud prevalent throughout. Solar halo observed about 5h. P.M.
THURSDAY-	28	w. P. till 4h. P.M.; s. N. and s. P. till 7h. P.M.; w. P. afterwards.	2·6	16·5	Generally cloudy. Distant thunder between 4h. and 5h. P.M., followed by very heavy rain till 6h. P.M. Misty in morning and at night.
FRIDAY -	29	w. P. throughout.	7·9	16·5	Cloudy and slightly foggy in early morning; Solar halo between 9h. A.M. and 10h. A.M.; very fine and partially cloudy till 3h. P.M.; overcast afterwards.
SATURDAY-	30	v. P. throughout.	1·2	16·5	Overcast generally. Rain fell throughout the morning (till 8h. A.M.); occasionally showery afterward.
			Sum 23·5	Sum 115·7	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·85 in. at the beginning of the week to 29·29 in. by noon on the 25th; increased to 29·87 in. by 9h. A.M. on the 28th, and decreased to 29·56 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40, Bacon Street E.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 27. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JULY 7. [Price 1½*d.*

General Register Office, Somerset House,
July 9th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·0, 14·9, and 15·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending June 16.	June 23.	June 30.	July 7.	Towns.	Weeks ending June 16.	June 23.	June 30.	July 7.
33 Great Towns	**18·0**	**14·9**	**15·1**	**14·5**	Leicester - -	16·7	10·9	14·5	12·6
Birkenhead -	18·2	8·0	16·9	10·2	Liverpool - -	23·7	21·2	22·7	19·9
Birmingham -	19·8	15·4	16·6	16·3	London - - -	17·4	13·3	14·5	13·5
Blackburn -	20·5	19·4	16·7	15·2	Manchester - -	25·2	20·7	20·7	19·3
Bolton - -	18·4	15·2	13·0	13·7	Newcastle-on-Tyne	15·8	16·0	14·0	15·1
Bradford -	13·4	13·6	13·8	11·6	Norwich - -	11·3	10·0	13·6	13·6
Brighton -	13·4	14·7	10·1	15·1	Nottingham - -	12·0	9·9	17·4	11·4
Bristol - -	14·0	15·7	12·7	10·1	Oldham - -	19·7	21·8	15·0	13·9
Burnley -	13·0	16·5	10·3	10·7	Plymouth - -	20·9	19·4	12·8	17·4
Cardiff - -	9·4	9·9	11·5	11·5	Portsmouth - -	12·3	10·2	9·4	13·4
Croydon -	13·1	13·5	9·9	9·9	Preston - - -	13·6	19·3	15·3	14·9
Derby - -	20·8	14·0	15·9	14·5	Salford - - -	24·8	22·4	21·5	18·9
Gateshead -	17·2	12·4	16·7	18·1	Sheffield - -	22·9	16·1	17·4	18·0
Halifax -	21·7	15·5	18·1	15·0	Sunderland - -	17·7	21·2	17·0	24·1
Huddersfield-	22·0	17·0	17·0	14·5	Swansea - -	14·3	12·9	9·4	14·8
Hull - -	17·5	13·3	13·1	14·2	West Ham - -	13·9	11·9	9·0	9·1
Leeds - -	20·3	17·5	12·7	15·1	Wolverhampton -	21·5	17·5	18·6	12·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·4 in Oldham, and 2·4 in Derby; from *whooping-cough*, 1·1 in Sunderland, and 1·7 in Wolverhampton; and from *diarrhœa*, 1·4 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000. The 53 deaths from *diphtheria* included 20 in London, 4 in Swansea, 4 in Liverpool, 4 in Leeds, 3 in Brighton, 3 in Leicester, and 3 in Manchester. Two deaths from

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

small-pox were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2466 BIRTHS and 1191 DEATHS were registered. Allowing for increase of population, the births were 137, and the deaths 314, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4 13·3, and 14·5, in the preceding three weeks, fell again last week to 13·5. During the four weeks ending on Saturday last the death-rate averaged 14·7 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1191 deaths included 35 from measles, 10 from scarlet fever, 20 from diphtheria, 37 from whooping-cough, 7 from enteric fever, 20 from diarrhœa and dysentery, 1 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 130 deaths were referred to these diseases, being 141 below the corrected average weekly number.

The deaths from *measles*, which had been 64, 42, and 53 in the preceding three weeks, fell again last week to 35, and were 30 below the corrected average; 4 cases belonged to Whitechapel, 4 to Limehouse, 3 to Bethnal Green, and 3 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 5, 9, and 12 in the preceding three weeks, fell again last week to 10, and were 7 below the corrected average; 2 cases belonged to Fulham and 2 to Limehouse sanitary areas. The deaths from *diphtheria*, which had been 28, 21, and 29 in the preceding three weeks, fell again last week to 20, and were 19 below the corrected average. The deaths from *whooping-cough*, which had been 49, 35, and 53 in the preceding three weeks, fell again last week to 37, and were 4 below the corrected average; 5 cases belonged to Camberwell and 4 to Mile End Old Town sanitary areas. The fatal cases of *enteric fever*, which had been 8, 4, and 12 in the preceding three weeks, fell again last week to 7, the corrected average being 8; 2 cases belonged to St. Pancras sanitary area. The deaths from *diarrhœa*, which had been 15, 20, and 17 in the preceding three weeks, rose again last week to 20, but were 77 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 257, 181, and 180 in the preceding three weeks, further fell last week to 140, and were 48 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 11, 7, and 3 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 9 were cases of suicide and 3 of homicide, and 1 occurred as the result of a wound in battle, while the remaining 50 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 5 to drowning, and 7 (of infants under one year of age), to suffocation in bed.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

Deaths of Persons belonging to London and its Sanitary Areas, Registered in the 13 weeks ending 30th June, 1900.

Sanitary Areas.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple and ill-defined Fever.	Diarrhœa.			
REGISTRATION LONDON	19,615	2	755	97	317	594	-	113	2	142	1,952	4,074	124
West.													
Paddington	523	-	37	-	5	18	-	-	-	5	35	100	142
Kensington	651	-	56	-	7	5	-	1	-	6	47	122	132
Hammersmith	494	-	51	2	3	4	-	3	-	4	54	112	152
Fulham	519	-	8	7	8	9	-	5	-	4	48	117	104
Chelsea	420	-	9	-	5	6	-	4	-	6	42	63	113
St. George Hanover Square	281	-	3	4	1	3	-	2	-	2	35	37	111
St. Marg' & St. John Westr.	257	-	13	-	2	5	-	3	-	-	32	35	144
St. James Westminster	83	-	2	-	3	-	-	-	-	1	7	11	99
North.													
St. Marylebone	673	2	25	3	8	17	-	-	1	8	73	110	111
Hampstead	212	-	12	-	1	-	-	2	-	-	15	28	65
St. Pancras	1,058	-	67	3	18	26	-	10	-	7	122	190	117
Islington	1,390	-	75	10	30	43	-	11	-	8	144	291	127
Stoke Newington	116	-	-	1	1	6	-	1	-	1	8	18	97
Hackney	764	-	6	6	16	45	-	4	-	3	67	158	98
Central.													
St. Giles	176	-	7	-	2	5	-	1	-	2	29	26	104
St. Martin-in-the-Fields	64	-	-	-	-	-	-	1	-	-	8	5	135
Strand	121	-	3	-	2	3	-	1	-	2	16	17	138
Holborn	206	-	12	1	1	6	-	1	-	3	23	48	279
Clerkenwell	334	-	22	3	5	16	-	-	-	1	51	68	139
St. Luke	253	-	13	1	1	6	-	-	-	3	34	43	94
City of London	148	-	1	3	1	2	-	-	-	-	20	13	146
East.													
Shoreditch	613	-	23	7	16	19	-	2	1	7	50	148	150
Bethnal Green	606	-	26	2	21	29	-	1	-	2	66	146	131
Whitechapel	420	-	7	4	3	12	-	1	-	4	46	86	101
St. George-in-the-East	258	-	6	1	4	5	-	2	-	3	28	65	116
Limehouse	423	-	30	3	4	29	-	-	-	3	44	109	220
Mile End Old Town	527	-	29	2	4	17	-	-	-	4	48	133	121
Poplar	863	-	32	1	7	31	-	5	-	7	69	220	150
South.													
St. Saviour	146	-	1	-	7	3	-	-	-	1	13	28	153
St. Geo.-the-Martyr Southwk.	380	-	5	4	3	14	-	-	-	3	49	89	168
Newington	605	-	22	2	16	11	-	5	-	6	61	132	133
St. Olave	55	-	1	-	-	2	-	-	-	-	6	8	80
Bermondsey	437	-	3	1	12	23	-	11	-	1	36	88	125
Rotherhithe	194	-	15	3	4	8	-	1	-	1	10	41	149
Lambeth	1,207	-	22	5	29	21	-	12	-	5	127	257	110
Battersea	666	-	16	3	6	32	-	6	-	5	62	158	119
Wandsworth	766	-	44	4	6	5	-	3	-	9	72	159	110
Camberwell	955	-	9	1	20	28	-	6	-	7	91	222	125
Greenwich	784	-	19	2	13	44	-	3	-	3	72	184	133
Lee	137	-	1	-	2	3	-	2	-	1	7	34	126
Lewisham (excluding Penge)	342	-	1	2	10	24	-	1	-	3	25	67	95
Woolwich	228	-	6	3	2	3	-	1	-	-	37	41	135
Plumstead	260	-	15	3	8	6	-	1	-	1	23	47	98

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 581 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 564 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 17 cases of small-pox, 1843 of scarlet fever, 1207 of diphtheria, and 155 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 4 cases, against 8, 0, and 8; of scarlet fever, 229 cases, against 210, 219, and 210; of diphtheria, 177 cases, against 150, 156, and 155; and of enteric fever, 23 cases, against 24, 16, and 21.

Greater London.

In Greater London 3530 births and 1591 deaths were registered, corresponding to annual rates of 27·7 and 12·5 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 2 from scarlet fever, 8 from diphtheria, 15 from whooping-cough, 1 from "fever," and 5 from diarrhœa were registered. Three deaths from diphtheria, and 7 from whooping-cough occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 59°·2; the latter being 2°·6 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 47·5 hours; the measured rainfall amounted to 0·57 of an inch.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of June, 1900. The supply was in the ratio of 244 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	June, 1899.	June, 1900.	June, 1899.	June, 1900.
Total Supply	882,864	904,628	234,661,844	221,148,703
From Thames	423,481	431,851	126,205,109	117,929,528
From Lea and from other Sources	459,383	472,777	108,456,735	103,219,175
Thames.				
Chelsea	38,306	38,679	14,412,567	13,904,123
West Middlesex	84,248	85,653	24,650,120	22,449,387
Southwark and Vauxhall	122,866	124,188	35,135,630	33,050,345
Grand Junction	64,575	66,489	22,794,262	21,709,373
Lambeth	113,486	116,842	29,212,530	26,816,300
Lea and other Sources.				
New River	166,766	170,086	43,482,015	41,521,322
East London	201,194	207,717	45,471,272	43,153,760
Kent	91,423	94,974	19,503,448	18,544,093

Note.—The Return for June, 1900, as compared with that for the corresponding month of 1899, shows an increase of 21,764 services and a decrease of 13,513,141 gallons of water supplied daily.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Analysis of Metropolitan Water Supply during June, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.
July 6, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis during the month of June.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·9, New River 1·3, Chelsea 1·9, East London 2·0, West Middlesex, Southwark, and Grand Junction 2·2, and Lambeth 2·3.

Analysis of Metropolitan Waters.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.		°								
Chelsea - - -	June 13th. Cab Rank, Horse Guards, Whitehall.	17·5	25·28	·100	·013	0	·173	·186	1·7	18·6
West Middlesex -	June 13th. Cab Rank, Riding House-street.	15·4	24·56	·109	·020	0	·149	·169	1·7	18·3
Southwark - -	June 13th. Cab Rank, St. George's Church, Borough.	20·6	25·72	·114	·013	0	·140	·153	1·7	19·1
Grand Junction -	June 13th. Cab Rank, Portman-street, Oxford-street.	20·0	26·32	·111	·016	0	·185	·201	1·7	18·9
Lambeth - - -	June 13th. Cab Rank, St. George's-road, Southwark.	19·5	26·64	·114	·021	0	·184	·205	1·7	19·7
Lea.										
New River - -	June 13th. Cab Rank, Tottenham Court-road.	17·7	29·44	·062	·013	0	·200	·213	1·6	20·6
East London - -	June 13th. Cab Rank, Sidney-street, E.	19·8	28·48	·104	·016	0	·189	·205	1·9	20·0
Deep Well.										
Kent - - - -	June 13th. Police Station, Blackheath-road.	12·9	42·48	·047	·009	0	·525	·534	2·3	29·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water collected on the 13th June at the Horse Guards cab rank, had a temperature of 17·5° C.; 100,000 lbs. of it contained 25·28 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·100 lb. of carbon and ·013 lb. of nitrogen. The above quantity of water also contained no ammonia and ·173 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·186 lb. The above weight of water also contained 1·7 lbs. of chlorine and 18·6 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

All the samples drawn from the mains of the Thames Companies were clear and of very good chemical quality. The amounts of organic matter in these supplies exhibited but slight variations among themselves and closely corresponded to the best summer quality of the Thames derived waters.

The New River and East London Companies' supplies, chiefly derived from the River Lea were clear and of very good chemical quality.

The Kent Company's water was clear and of high organic purity.

Seen through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless, whilst the supplies of the remaining Companies were very pale yellow in colour.

I am, Sir,

Your obedient Servant.

T. E. THORPE.

The Registrar-General,

Somerset House, W.C.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	7th July 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6553**	**3220**	**734**	**720**	**2**	**84**	**27**	**53**	**89**	**26**	**63**	**130**	**261**	**789**	**46**	**14·5**	**1·5**	**75·1**	**46·8**	**57·4**	**14·11**	**0·47**	**1·19**	33 Towns.
London - -	4,589,129	2466	1191	243	265	-	35	10	20	37	7	20	63	132	408	6	13·5	1·5	75·1	48·2	59·2	15·11	0·57	1·45	London.
West Ham - -	314,472	148	55	14	9	-	1	-	1	2	-	1	3	6	12	2	9·1	0·8	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	58	25	3	9	-	-	-	-	1	-	-	2	4	8	-	9·9	0·4	72·0	43·2	57·6	14·22	0·56	1·42	Croydon.
Brighton - -	124,148	68	36	6	13	-	1	-	3	1	-	-	1	1	7	-	15·1	2·1	-	-	-	-	-	-	Brighton.
Portsmouth -	194,955	96	50	11	13	-	-	-	2	1	2	-	3	6	8	1	13·4	1·3	-	-	-	-	-	-	Portsmouth.
Plymouth - -	162,161	56	34	7	13	-	1	-	-	-	-	1	-	-	1	-	17·4	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	195	63	13	19	-	3	-	2	1	-	2	1	3	13	1	10·1	1·3	70·0	46·8	56·8	13·78	0·29	0·74	Bristol.
Cardiff - -	194,247	96	43	10	16	-	2	-	-	2	-	2	2	4	3	-	11·5	1·6	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	75	30	6	7	-	1	-	4	-	-	1	-	1	3	-	14·8	3·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	59	22	7	5	-	-	-	-	3	-	1	2	2	5	-	12·8	2·3	-	-	-	-	-	-	Wolverhampton.
Birmingham -	519,610	321	162	50	34	-	1	2	1	6	5	5	2	4	37	4	16·3	2·0	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	54	30	6	9	-	-	-	-	1	-	1	-	2	3	2	13·6	0·9	73·6	49·8	57·9	14·39	0·94	2·39	Norwich.
Leicester - -	219,169	116	53	17	13	-	-	1	3	2	-	2	4	6	10	1	12·6	1·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	151	53	17	10	-	2	-	1	-	1	-	2	2	8	-	11·4	0·9	67·4	47·5	55·9	13·28	0·14	0·36	Nottingham.
Derby - - -	107,991	52	30	5	11	-	5	-	-	-	-	-	2	2	6	-	14·5	2·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	77	23	4	5	-	-	-	-	1	-	-	3	4	4	-	10·2	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	413	242	58	43	2	-	2	4	11	-	9	10	16	66	11	19·9	2·3	-	-	-	-	-	-	Liverpool.
Bolton - -	164,240	79	43	5	11	-	-	-	-	1	1	-	1	5	4	-	13·7	0·6	-	-	-	-	-	-	Bolton.
Manchester -	548,768	347	203	52	43	-	5	2	3	6	3	1	8	15	47	2	19·3	1·9	-	-	-	-	-	-	Manchester.
Salford - -	220,816	129	80	19	14	-	-	-	2	2	1	2	3	10	19	1	18·9	1·7	-	-	-	-	-	-	Salford.
Oldham - -	153,297	88	41	14	6	-	4	-	-	-	-	-	1	3	4	-	13·9	1·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	57	24	7	6	-	-	2	-	-	-	1	1	1	5	-	10·7	1·3	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	78	40	7	9	-	1	-	-	-	1	2	2	2	5	1	15·2	1·5	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	65	34	10	6	-	-	1	-	-	-	1	-	1	2	1	14·9	0·9	-	-	-	-	-	-	Preston.
Huddersfield	104,484	51	29	3	6	-	1	-	-	-	1	-	-	-	6	1	14·5	1·0	-	-	-	-	-	-	Huddersfield.
Halifax - -	100,710	39	29	4	5	-	1	-	-	1	-	1	1	1	7	1	15·0	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	145	65	9	20	-	3	1	1	-	1	-	2	4	8	1	11·6	1·1	68·8	48·0	57·2	14·00	0·29	0·74	Bradford.
Leeds - - -	431,287	272	125	33	25	-	7	3	4	2	1	2	3	10	22	-	15·1	2·3	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	222	126	34	23	-	2	1	1	4	1	3	2	4	20	2	18·0	1·7	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	145	65	12	15	-	2	2	-	-	-	1	1	2	6	5	14·2	1·1	-	-	-	-	-	-	Hull.
Sunderland -	147,398	95	68	18	16	-	2	-	-	3	1	1	2	3	13	1	24·1	2·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	86	38	10	11	-	-	-	-	1	-	3	1	1	7	1	18·1	1·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	154	68	20	10	-	4	-	1	-	-	-	2	4	12	1	15·1	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY SEVENTH Week of ea of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*
TOTAL **Births**	2480	2453	2564	2220	2254	2651	2446	2689	2502	2484	2603·0
Males - -	1300	1209	1315	1096	1158	1342	1279	1401	1235	1247	1323·6
Females - -	1180	1244	1249	1124	1096	1309	1167	1288	1267	1237	1279·4
TOTAL **Deaths** -	1481	1352	1405	1847	1314	1519	1552	1293	1232	1310	1504·9
Males - -	792	743	726	969	696	802	783	712	622	705	794·3
Females - -	689	609	679	878	618	717	769	581	610	605	710·6

*The numbers in this column are the average weekly numbers in the twenty-seventh week of the t years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNE in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.
TOTAL **Births** - - -	2292	2610	2697	2737	2581	2512	2435	2579	2276	2646	2464	2483
TOTAL **Deaths** - - -	1814	1811	1721	1675	1446	1437	1440	1497	1398	1533	1171	1274
Ages at Death: Under 1 year - -	356	369	302	349	289	297	295	323	295	333	257	283
1—5 years - -	249	220	238	217	186	182	196	218	185	203	149	179
5—20 " - -	91	102	84	80	83	101	69	86	96	90	72	84
20—40 " - -	229	250	247	222	187	194	195	197	214	223	147	179
40—60 " - -	389	352	393	371	314	302	288	313	282	325	270	289
60—80 " - -	452	423	374	348	324	300	327	302	274	288	231	220
80 years and upwards	87	95	83	88	63	61	70	58	52	71	45	40
Deaths from—												
Small pox - - - -	-	-	1	-	1	-	-	-	-	-	-	-
Measles - - - - -	59	53	68	72	56	49	56	68	60	64	42	53
Scarlet Fever - - -	8	5	11	4	4	6	8	7	11	5	9	12
Diphtheria - - - -	19	17	20	21	29	22	29	29	24	28	21	29
Whooping-cough - - -	51	49	40	42	35	56	50	48	37	49	35	53
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	12	9	8	6	3	15	8	10	7	8	4	12
Simple Continued Fever -	-	-	-	-	-	-	-	-	1	1	-	-
Diarrhœa and Dysentery -	8	8	17	11	15	8	7	10	5	15	20	17
Cholera - - - -	-	-	1	-	1	-	-	1	-	-	-	-
All the above Diseases -	157	141	166	156	144	156	158	173	145	170	131	176
Dis. of Respiratory System -	501	460	411	417	300	270	269	266	268	257	181	180
Phthisis - - - - -	160	177	164	168	131	159	155	150	150	151	123	138
Dis. of Circulatory System -	169	139	146	154	140	116	117	138	127	107	109	120
Violence - - - -	69	76	95	67	59	73	66	59	66	97	64	71
Inquest Cases - - - -	163	169	198	143	154	145	127	138	139	181	128	135
Deaths in Public Institutions -	515	581	521	538	467	452	485	470	451	525	376	421
TEMPERATURE OF THE AIR.												
Mean - - - - -	48°·0	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0	58°·4	64°·4	59°·7	57°·6
Mean of Highest readings -	56·4	62·1	57·7	61·7	59·5	56·3	62·2	62·4	69·4	75·4	69·5	66·7
Mean of Lowest readings -	40·7	41·2	38·0	44·0	43·2	39·9	45·1	47·1	49·3	53·9	52·2	51·2
Humidity of the Air - -	72	69	70	70	76	68	78	78	72	72	72	80
Rain-fall (in inches) - -	0·22	0·15	0·06	0·19	0·36	0·01	0·81	0·24	0·19	0·44	0·77	1·15
Registered Sunshine (in hours)	31·9	50·8	39·9	41·4	23·1	39·1	33·1	31·0	54·0	60·0	52·9	23·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK												
Small-pox - - - - -	3	4	6	6	5	3	5	7	11	15	13	16
Scarlet Fever - - - -	1694	1676	1647	1660	1693	1733	1784	1760	1754	1766	1810	1832
Diphtheria - - - -	1161	1141	1141	1131	1176	1188	1222	1220	1238	1228	1226	1219
Enteric Fever - - - -	224	219	208	192	185	172	176	176	172	153	147	148

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed t meteorological observations at the disposal of the Registrar-General, and the results have been compile J. Glaisher, Esq., F.R.S.:—A. Mearns Fraser, Esq., M.B., Portsmouth; Arthur Newsholme, Esq., M.D., Brigh A. W. Preston, Esq., F.R. Met. Soc., Norwich; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippin Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; Arthur Brown, Esq., M.Inst. C.E., P. Boobbyer, Esq., M.B., Nottingham; E. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R. Preston; A. Johnson Esq M.Inst. C.E., Bradford; and E. Peak, Esq., Hull

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-SEVENTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 27th Week of the 10 years 1890–99*.	In the Week ending Saturday, 7th July, 1900 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1504·9	1191	243	145	70	193	275	217	48
Vaccinated -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·5	-	-	-	-	-	-	-	-
No Statement	0·6	-	-	-	-	-	-	-	-
- - - -	64·5	35	9	26	-	-	-	-	-
Fever - - -	16·9	10	-	9	1	-	-	-	-
- - - - -	0·1	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
a - - - -	9·8	2	-	-	-	1	-	-	1
ng-cough - -	41·2	37	14	22	1	-	-	-	-
eria - -	38·5	20	2	12	6	-	-	-	-
Continued and fined Fever -	0·3	-	-	-	-	-	-	-	-
Fever - - -	7·7	7	-	-	1	6	-	-	-
and Chol. Diarr.	3·3	1	1	-	-	-	-	-	-
ea, Dysentery -	97·3	20	16	3	-	1	-	-	-
nt Fever - -	0·1	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
and Effects of nation - -	0·3	-	-	-	-	-	-	-	-
l Affections - -	7·9	6	2	-	-	3	1	-	-
las - - -	2·5	2	1	-	-	-	-	1	-
and Septicæmia	2·0	-	-	-	-	-	-	-	-
al Fever - -	4·2	1	-	-	-	1	-	-	-
ymotic Diseases	2·0	-	-	-	-	-	-	-	-
- - - - -	1·1	-	-	-	-	-	-	-	-
and other Para- l Diseases -	0·3	-	-	-	-	-	-	-	-
ion, Want of t-milk - -	2·2	-	-	-	-	-	-	-	-
ism - - -	9·6	11	-	-	-	4	4	3	-
atic Fever, matism of Heart	5·4	8	-	2	1	3	-	2	-
atism - - -	1·9	1	-	-	-	-	-	1	-
- - - - -	2·1	1	-	-	-	-	1	-	-
- - - - -	5·6	4	1	2	1	-	-	-	-
- - - - -	77·2	96	-	1	1	9	50	33	2
Mesenterica - -	23·4	8	4	-	2	1	1	-	-
ular Meningitis -	28·1	21	5	11	2	3	-	-	-
s - - - - -	138·1	148	1	4	11	68	50	14	-
a, Tuberculosis -	21·0	16	4	5	3	2	1	1	-
Constitutional ses - -	12·2	9	-	-	1	1	3	4	-
ure Birth - -	47·1	45	45	-	-	-	-	-	-
asis - - -	3·6	4	4	-	-	-	-	-	-
ital Malforma- - - -	7·7	5	5	-	-	-	-	-	-
e - - - - -	41·3	34	-	-	-	-	1	14	19
xy - - - -	39·5	30	-	-	-	3	9	16	2
sy - - - -	6·7	8	-	-	2	-	3	3	-
sions - - -	43·7	28	23	4	-	1	-	-	-
Diseases of Brain Nervous System	74·9	60	6	3	6	8	13	21	3
es of Organs of ial Sense -	2·4	3	-	-	2	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 27th Week of the 10 years 1890–99*.	In the Week ending Saturday, 7th July, 1900 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	115·5	129	3	1	8	21	42	43	11
Croup - - - -	3·4	-	-	-	-	-	-	-	-
Bronchitis - - -	80·2	49	14	6	-	2	8	16	3
Pneumonia - - -	83·3	76	13	20	3	11	21	7	1
Pleurisy - - - -	4·9	3	1	-	-	-	-	2	-
Other Diseases of Respiratory System -	16·4	12	3	2	-	2	2	3	-
Dentition - - - -	9·7	4	2	2	-	-	-	-	-
Quinsy, Sore Throat -	2·0	1	-	-	1	-	-	-	-
Enteritis - - -	39·9	9	5	-	1	2	1	-	-
Gastro-enteritis -		13	11	-	-	1	1	-	-
Peritonitis - - -	6·7	2	-	-	-	1	-	1	-
Diseases of Liver - -	26·4	20	1	-	-	4	11	4	-
Other Diseases of Digestive System	35·0	30	7	1	4	6	5	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·9	4	-	1	-	1	2	-	-
Diseases of Urinary System - - -	40·6	47	-	-	1	9	21	14	2
Diseases of Generative System - - -	6·1	2	-	-	-	1	1	-	-
Accidents of Childbirth -	4·9	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	5·6	4	-	-	1	1	1	1	-
Diseases of Integumentary System - -	5·8	5	-	-	-	-	2	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		1	-	-	-	1	-	-	-
By Vehicles or Horses -		9	-	2	5	1	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	51·1	2	-	1	-	-	1	-	-
By Drowning - - -		5	-	-	3	1	1	-	-
By Suffocation in Bed -		7	7	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	1	-	1	1	-	-
Other or not stated causes - - - -		22	3	2	1	1	9	4	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Battle - - - -	-	1	-	-	-	1	-	-	-
Homicide - - -	1·2	3	2	-	-	1	-	-	-
Suicide - - - -	10·4	9	-	-	-	4	4	1	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	57·9	33	28	2	1	-	2	-	-

he numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered i SUB-DISTRICT during the Week ending Saturday, 7th July, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2466	1191	243	265	-	35	10	20	37	-	7	-	20	63	132
WEST DISTRICTS - - -	778,251	365	190	41	42	-	4	3	2	4	-	-	-	6	6	11
NORTH DISTRICTS - - -	1,040,694	544	267	50	59	-	5	3	8	5	-	3	-	2	12	29
CENTRAL DISTRICTS - - -	233,635	123	60	12	17	-	1	-	-	-	-	1	-	1	5	9
EAST DISTRICTS - - -	716,334	497	235	50	38	-	16	1	3	10	-	1	-	1	20	46
SOUTH DISTRICTS - - -	1,642,796	937	412	89	100	-	8	3	7	18	-	2	-	10	20	37
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	1	9	-	1	-	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	38	26	9	4	-	1	-	-	2	-	-	-	2	-	-
St. John Paddington *H* - - G.	33,510	7	13	4	2	-	-	-	-	-	-	-	-	1	1	1
Kensington Town *Ww* - - W.	122,164	50	28	5	10	-	1	-	-	-	-	-	-	2	1	2
Brompton *HH*- - - W. & C.	48,301	15	8	-	1	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* W. & G	44,638	28	9	3	1	-	1	-	-	-	-	-	-	-	1	1
South Hammersmith *H* W. & G	59,561	35	12	2	2	-	-	-	-	-	-	-	-	-	1	1
Fulham *Ww* - - - W. & C.	113,781	73	28	3	6	-	-	3	2	2	-	-	-	-	1	1
Chelsea Kensal Town - C.	21,450	15	3	-	1	-	-	-	-	-	-	-	-	-	1	1
Chelsea North *WHHHH* - C.	42,057	18	14	4	3	-	-	-	-	-	-	-	-	-	-	-
Chelsea South *HH* - - C.	33,139	17	9	2	2	-	1	-	-	-	-	-	-	-	-	2
May Fair *WH*- - - - G.	23,827	7	6	-	4	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHHH* - - - C.	56,140	27	13	2	3	-	-	-	-	-	-	-	-	-	-	1
St. John Westminster *HH* - C.	31,492	13	6	3	1	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H*- C.	22,097	8	10	2	1	-	-	-	-	-	-	-	-	-	-	1
St. James Westminster *WH* N. & G.	23,050	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St Anne Soho *HHHHH* - N.	12,048	6	3	2	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	4	17	-	3	-	-	-	-	-	-	-	-	-	2	3
Rectory Marylebone *W* G. & W.	19,798	8	7	-	-	-	1	-	-	1	-	-	-	-	1	2
St. Mary Marylebone *HHHH* G. & W.	19,637	26	5	2	1	-	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone *H* - W	32,547	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	16	6	3	1	-	-	-	-	1	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	33	14	1	1	-	1	1	4	1	-	-	-	-	-	1
Regent's Park † *HH* - W.	51,403	29	16	1	3	-	-	-	-	-	-	-	-	1	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	12	-	3	-	-	-	1	-	-	-	-	-	1	1
Gray's Inn Lane *HHHH* - N.	29,426	14	9	2	2	-	-	-	-	-	-	1	-	-	1	3
Somers Town *HH* - - - N.	32,161	14	9	-	4	-	1	-	-	-	-	-	-	-	-	-
Camden Town† *WH* - - N.	40,155	19	10	3	6	-	-	-	-	-	-	-	-	-	-	-
Kentish Town† *WW* - - N.	60,862	29	12	1	1	-	-	-	-	1	-	1	-	-	-	-
Upper Holloway *WWWWwHH* - - N.	98,273	49	35	5	8	-	-	-	-	1	-	-	-	-	1	1
Lower Holloway‡ - - - N.	41,805	22	8	3	1	-	1	-	-	-	-	-	-	-	-	1
Barnsbury‡ - - - - N.	56,384	43	16	8	3	-	-	-	-	-	-	-	-	-	-	3
Islington South-east‡ *H* - N.	75,725	48	20	9	2	-	1	-	1	-	-	-	-	-	1	2
Highbury *HH* - - - N.	64,577	32	12	2	1	-	-	-	-	-	-	-	-	-	2	2
Stoke Newington *H* - - N.	33,485	18	2	-	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	20	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		36	9	4	2	-	-	1	2	-	-	-	-	-	-	2
South-west Hackney *HHH* E. & N.		37	17	3	6	-	-	-	-	-	-	1	-	-	-	2
South-east Hackney *WwH* E. & N.		26	22	1	8	-	-	-	-	-	-	-	-	-	2	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which pauper received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note * on second page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South Sub-District

. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES LET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 7th July, 1900—*continued.*

STRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
JENTRAL DISTRICTS.																		
bury and St. Giles } - N.	29,086	24	12	3	3	-	-	-	-	-	-	-	-	-	1	3	2	-
1 *WH* - - }																		
s North *H* - - - N.	9,151	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
tin-in-the-Fields *HH* N. & C.	13,077	3	4	-	2	-	-	-	-	-	-	-	-	-	1	2	3	-
WHH - - - - N.	11,839	1	8	2	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n *wHHHHHH* - N.	31,042	15	12	5	1	-	1	-	-	-	-	-	-	-	-	-	7	-
es Clerkenwell - - N.	15,777	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
l Clerkenwell - - N.	34,356	20	7	1	2	-	-	-	-	-	-	1	-	1	-	1	-	-
ll-street - - - - N.	16,069	6	2	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
oad *HHHHL* - - N.	29,897	35	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
ross-street - - - N.	7,595	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ry - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n *Union Workhouse,* }	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
ham - - - - }																		
olph* *H* - - N. & E.	13,061	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ulchre *WH* - - - N.	9,591	1	5	1	-	-	-	-	-	-	-	-	-	-	1	1	3	-
ows Barking - - - N.	9,059	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
litch South *Hl* - E. & N.	17,975	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
n New Town *w* - - N.	29,575	16	5	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-
n Old Town - - - N.	27,645	21	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
rston *WH* - - N. & E.	47,163	39	13	2	1	-	1	-	-	-	-	-	-	-	-	1	8	-
al Green North *H* - E.	49,301	33	15	1	2	-	2	-	1	1	-	-	-	-	-	1	-	-
al Green South - - E.	34,194	19	7	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
al Green East *WWHl* - E.	45,667	33	25	4	7	-	-	1	-	-	-	-	-	-	4	8	12	-
fields - - - E. & N.	26,681	22	6	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
End New Town *WH* - E. }	51,995 {	33	47	13	2	-	3	-	1	-	-	1	-	1	6	14	42	-
man's Fields - - - E. }		18	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
orge's, North - - - E.	39,576	36	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
un, St. George East *W* E.	7 930	7	9	-	1	-	-	-	-	-	-	-	-	-	-	-	8	-
well *H* - - - E. & N.	10,434	5	4	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-
iff *W* - - - - E.	14,954	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
nouse - - - - E.	32,917	23	7	1	-	-	2	-	-	-	-	-	-	-	1	2	-	-
End Old Town West *H* E. }	111,060 {	46	13	3	4	-	-	-	-	2	-	-	-	-	-	3	-	-
End Old Town East } - E.		29	18	5	5	-	1	-	-	2	-	-	-	-	2	4	4	-
Vww }																		
l - - - - - E.	41,687	22	10	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-
ley *wwwH* - - - E.	69,821	32	27	4	3	-	4	-	-	-	-	-	-	-	5	7	13	-
ar *WW* - - - - E.	57,759	50	12	6	5	-	-	-	-	3	-	-	-	-	-	-	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered SUB-DISTRICT during the Week ending Saturday, 7th July, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.
SOUTH DISTRICTS.															
Christchurch Southwark *WHL*.&S.	13,064	15	5	2	-	-	-	-	-	1	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	7	3	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	14	4	1	1	-	-	-	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,083	7	8	3	-	-	1	-	-	2	-	-	-	-	1
London-road *HL* - - L. & S.	21,316	9	7	1	2	-	-	-	-	-	-	-	-	-	-
Trinity Nowington *H* - S. & L.	28,723	14	6	2	1	-	1	-	-	1	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	41	10	3	2	-	-	-	1	-	-	-	-	-	-
St. Mary Newington- - L. & S.	30,171	20	4	3	-	-	-	-	-	-	-	-	-	1	-
St. Olave *WH* - - - - S.	11,731	5	15	1	2	-	-	-	-	-	-	-	-	-	2
Bermondsey *W* - - - S.	85,475	48	20	6	6	-	-	-	-	2	-	-	-	-	-
Rotherhithe *Ww* - S. & K.	40,379	18	8	2	2	-	1	-	-	1	-	-	-	2	-
Waterloo-road *HH* - L. & S.	28,396	27	5	2	1	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st *H* - L. & S.	18,770	9	13	1	2	-	-	-	-	-	-	-	-	-	2
Lambeth Church 2nd *WW* L. & S.	40,994	42	22	4	10	-	-	-	-	-	-	-	-	-	1
Kennington 1st *H* - - S. & L.	52,486	34	10	3	1	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	21	8	-	2	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	47	11	1	5	-	-	-	-	-	-	-	-	-	1
Norwood *WH*- - - - L.	29,318	18	3	-	2	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	42	13	6	1	-	1	-	-	1	-	-	-	-	1
North-west Batterseat† - - S. }	93,385	27	9	5	1	-	-	-	-	-	-	-	-	-	2
South-west Batterseat† *WwH* - S. }		18	16	1	3	-	-	-	-	-	-	-	-	-	1
Clapham *H* - - - - S.	46,953	21	9	3	1	-	1	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	34	9	1	4	-	-	-	1	-	-	-	-	-	-
Wandsworth *WHHL* - - S.	58,101	42	9	3	2	-	-	-	-	-	-	-	-	1	-
Putney - - - - - S.	20,566	8	4	2	-	-	-	-	-	-	-	-	-	-	1
Dulwich - - - L. & S.	7,519	4	2	-	2	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	46	40	9	11	-	-	-	-	-	-	-	-	2	1
Peckham *WW* - S., L., & K.	88,242	43	23	6	6	-	-	-	-	2	-	-	-	2	1
St. George Camberwell - L. & S.	67,029	35	14	1	3	-	-	-	-	3	-	-	-	-	1
Deptford North - - - K.	36,152	18	9	3	2	-	-	-	-	-	-	-	-	-	1
Deptford Central *w* - - K.	45,441	22	12	4	1	-	-	-	2	2	-	1	-	1	-
Deptford South - - - K.	33,402	15	5	-	1	-	-	-	1	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	10	4	1	1	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	26	13	1	9	-	-	-	-	-	-	-	-	-	1
Eltham *wH* - - - - K.	5,911	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	7	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	29	20	4	6	-	-	3	2	2	-	-	-	-	-
Sydenham *H* - - - - L.	37,601	18	3	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	13	7	1	1	-	1	-	-	-	-	-	-	-	1
Woolwich* *HHHH* - - K.	41,314	15	9	1	3	-	-	-	-	-	-	-	-	-	1
Plumstead West *H* - - K.	16,714	3	7	-	1	-	2	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	42,538	41	11	2	2	-	-	-	-	1	-	-	-	-	-
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-
London County Asylum. Dartford Heath - - - - - - }	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named W
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Batt
South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ng Saturday, 7th July, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
ON-OUTER RING -	368,749	1,422,063	1,064	400	108	91	-	9	2	8	15	1	5	19	35	61	4
Carshalton *H* - - -	12,228	26,108	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	10	4	-	1	-	-	-	-	-	-	-	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	72	30	4	12	-	-	-	-	1	-	-	2	4	10	-
Mitcham *w* - - -	11,697	23,072	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	23	7	1	1	-	2	-	1	-	-	-	-	1	-	-
Kingston *WH* - - -	14,672	33,566	31	12	2	3	-	-	-	1	-	-	-	1	2	-	-
Surbiton *HH* - - -		12,178	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Esher, *part of** *H* - -		11,080	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	10	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	9	5	1	1	-	-	-	-	1	-	-	-	-	3	-
Mortlake *H* - - -	2,823	16,159	11	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley *HHH* - - -	9,127	23,815	4	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Beckenham *H* - - -	6,542	21,969	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	5	13	1	4	-	-	-	-	-	-	-	1	1	5	1
Bexley *HHH* - - -	12,540	30,590	26	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury *w* - - -	11,054	13,671	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	6	5	3	1	-	-	-	-	-	-	-	-	-	-	1
Hillingdon *WHH* - -	6,035	12,237	6	4	3	1	-	-	-	-	1	-	1	1	1	1	-
Uxbridge - - - -	12,757	7,253	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	7	5	2	1	-	-	-	-	-	-	-	1	1	-	-
Isleworth *WHH* - -	6,967	26,004	10	6	-	1	-	-	-	1	-	1	-	-	1	3	-
Twickenham *HH* - -	2,415	16,027	8	4	-	1	-	1	-	-	-	-	-	-	-	1	-
Brentford *HHHH* - -	4,318	37,777	21	7	3	1	-	-	-	-	-	-	-	2	3	1	-
Chiswick - - - -	1,245	21,963	19	12	2	5	-	-	-	-	-	-	-	-	1	-	-
Acton *wHH* - - -	6,132	30,945	22	8	-	3	-	-	-	-	-	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	72	18	10	3	-	1	1	-	-	-	-	1	1	-	-
Hendon *WH* - - -	8,382	15,843	11	9	1	2	-	1	-	-	-	-	-	-	-	2	-
South Mimms *HH* - -	21,077	6,367	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	4	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	39	11	1	4	-	-	-	-	1	-	-	-	-	-	-
Tottenham *HHH* - -	4,642	97,174	69	29	8	6	-	1	-	-	2	-	-	1	4	2	-
Edmonton *Ww* - -	7,489	36,351	41	14	5	3	-	-	-	-	1	-	1	1	1	1	-
Enfield *WWHH* - -	12,602	31,536	24	6	3	2	-	-	-	-	-	-	1	-	-	-	-
Waltham Abbey - - -	11,017	6,066	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	20	7	1	1	-	-	-	-	1	-	-	2	3	2	-
Plaistow *HHH* - - -		58,030	55	19	5	-	-	-	-	-	1	-	-	-	2	3	-
Canning Town *H* - -		54,750	37	13	4	2	-	1	-	-	-	-	-	1	1	-	1
Forest Gate *w* - - -		53,511	36	9	4	3	-	-	-	-	-	-	1	-	-	-	1
East Ham *wHHH* - -	3,266	32,713	59	24	10	4	-	1	-	-	1	-	-	1	3	-	-
Leyton *WWWwH* - -	4,334	70,188	60	37	8	9	-	1	1	1	1	-	1	1	1	19	-
Walthamstow *HHHL* -	6,501	57,330	70	27	12	7	-	-	-	2	3	-	-	2	2	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Ilford *H* - - - -	8,493	10,913	19	5	2	-	-	-	-	1	-	-	-	-	-	1	-
Barking Town, *H* - -	3,814	14,301	17	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring ollows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham rley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst trict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in l sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping ,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ous Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are cluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS
Rates of MORTALITY during the week ending Saturday, 7th July, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12	13.	14
GREATER LONDON	443,421	6,652,145	12·5	1·3	1591	351	356	-	44	12	28	52	8	25
INNER LONDON -	74,672	4,589,129	13·5	1·5	1191	243	265	-	35	10	20	37	7	20
OUTER RING -	368,749	2,063,016	10·1	1·0	400	108	91	-	9	2	8	15	1	5

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equi the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBL and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.
EDINBURGH -	302,262	July	7	140	91	15·7	-	3	-	1	1
GLASGOW - -	743,585	"	7	466	290	20·3	2	13	3	-	17
DUBLIN - -	349,534	"	7	181	119†	17·8	-	-	-	-	3
CALCUTTA - -	466,480	May	12	-	428	47·8	35	2	-	-	-
BOMBAY - -	821,764	June	12	239	1071	67·8	12	6	?	?	?
MADRAS - -	452,518	"	1	365	380	43·6	1	3	?	?	?
PARIS - - -	2,511,629	"	30	1038	799	16·5	4	21	7	7*	7
BRUSSELS - -	561,130	"	30	211	141	12·8	-	-	1	-	1
AMSTERDAM -	526 072	"	23	275	150	14·9	-	1	-	1	2
ROTTERDAM -	323 487	"	23	181	99	15·8	-	1	-	1	-
THE HAGUE -	205,328	"	23	108	45	11·4	-	2	-	-	-
COPENHAGEN -	349,000	"	30	169	106	15·8	-	-	3	3	-
STOCKHOLM -	29,7148	"	23	142	94	16·4	-	1	1	2*	2
CHRISTIANIA -	221,255	"	30	103	55	12·6	-	2	-	-	1
ST. PETERSBURG	1,132,677	"	23	511	540	24·9	8	14	5	14	6
MOSCOW - -	988,610	"	23	-	589	31·1	5	30	4	9	3
BERLIN - -	1,848,269	"	16	850	614	17·2	-	13	14	10	8
HAMBURG - -	691,349	"	30	-	225	16·9	-	5	-	4*	1
DRESDEN - -	403,400	May	26	-	151	19·4	-	1	-	1*	2
BRESLAU - -	412 939	June	30	-	178	22·5	-	1	-	1	1
MUNICH - -	463,000	"	23	332	232	26·1	-	8	-	3*	-
VIENNA - -	1,656,662	"	30	964	601	18·9	-	9	4	4*	2
PRAGUE - -	385,952	"	16	218	183	24·3	-	-	-	1	1
BUDA-PESTH -	685,340	"	23	409	286	21·7	-	12	5	3	1
TRIESTE - -	168,264	"	30	89	97	29·8	-	-	-	1*	1
ROME - - -	514,306	"	9	166	157	15·9	-	2	-	1	-
TURIN (10 days)-	344,203	April	20	194	192	20·4	-	-	-	2	-
VENICE - -	172,491	June	23	83	62	18·7	-	-	-	1*	-
CAIRO - -	570,062	May	20	374	550	50·2	4	63	-	1*	1
ALEXANDRIA -	319,766	"	20	203	170	27·8	4	-	-	-	-
NEW YORK (including BROOKLYN)	3,654,594	June	9	1530	1148	16·4	-	21	7	43	10
PHILADELPHIA -	1,266,832	"	16	-	455	18·7	-	11	3	16	2

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 136 deaths from plague in Calcutta, 117 in Bombay, and one in Alexandria.
§ Including 43 deaths from cholera in Calcutta, and 72 in Bombay, and 2 in Madras.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	1	..	29·531	66·3	55·5	10·8	60·4	− 0·9	49·3	11·1	15·5	3·8	67	126·5	52·7	57·69	SSW. & WSW.	SW.	6·0	0·0	0·8	398	+146	0·00	1·5
MONDAY -	2	In Equator.	29·482	65·3	54·2	11·1	57·9	− 3·5	55·2	2·7	9·9	0·8	91	104·6	54·0	57·93	SW.	SE. & NNW.	0·7	0·0	0·0	125	−126	0·43	0·0
TUESDAY -	3	Apogee.	29·662	68·8	54·3	14·5	59·6	− 2·1	51·0	8·6	14·0	4·6	73	128·2	49·5	58·12	W & WSW.	WSW. & NNW.	4·4	0·0	0·2	244	− 6	0·12	0·0
WEDNESDAY	4	..	29·977	68·1	52·4	15·7	59·6	− 2·3	50·0	9·6	16·7	2·0	71	136·0	48·7	58·32	N.	N., SE. & SW.	1·4	0·0	0·1	190	− 58	0·00	0·0
THURSDAY-	5	First Quarter.	29·872	75·1	53·9	21·2	62·4	+ 0·3	57·6	4·8	16·0	1·0	84	124·4	49·5	58·29	SW.	WSW & NW.	2·2	0·0	0·1	263	+ 18	0·00	0·0
FRIDAY -	6	..	29·813	66·1	54·0	12·1	59·3	− 2·9	45·3	14·0	19·6	8·9	60	123·6	49·0	58·50	WSW. & NW.	NW, WNW. & NNW.	8·3	0·0	1·3	478	+236	0·02	0·0
SATURDAY -	7	..	29·988	62·2	48·2	14·0	55·1	− 7·0	42·0	13·1	19·8	4·0	62	123·0	38·0	58·63	NNW.	N. & NE.	4·7	0·0	0·7	350	+111	0·00	0·0
MEANS -			29·761	67·4	53·2	14·2	59·2	− 2·6	50·1	9·1	15·9	3·6	73	123·8	48·8	58·21	Variable		..	..	..	Sum 2048	Sum +321	Sum 0·57	0·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	1	w. P. throughout -	5·8	16·5	Fine; partially cloudy till evening; overcast at night. Slight shower at 11h. P.M.
MONDAY -	2	w. P. till noon; loss of register till 6h. P.M.; w. P. afterwards.	0·1	16·5	Overcast. Frequent rain.
TUESDAY -	3	w. P. till noon; s. N. and s. P. till 6h. P.M.; m. P. afterwards.	7·9	16·5	Overcast till 6h. A.M.; fine till noon; variable in afternoon with frequent thundershowers; fine at night; lightning between 9h. P.M. and 10h. P.M.
WEDNESDAY	4	w. P. throughout -	9·0	16·4	A fine day; partially cloudy. Distant thunder at 1h. P.M.
THURSDAY-	5	w. P. till 10h. A.M.; no register afterwards.	4·6	16·4	Overcast till 1h. P.M.; fine and partially cloudy afterwards. A little rain in evening.
FRIDAY -	6	No record; instrument out of action.	8·7	16·4	Fine: partially cloudy. A heavy shower shortly before 11h. 30m. A.M. Brisk wind.
SATURDAY-	7	No record; instrument out of action.	11·4	16·4	A fine day; variable amounts of light cloud.
			Sum 47·5	Sum 115·1	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·56 in. at the beginning of the week to 29·46 in. by 4h. A.M. on the 1st of July; increased to 29·56 in. by 7h. P.M. on the same day; decreased to 29·46 in. by 9h. P.M. on the 2nd; increased to 29·99 in. by noon on the 4th; decreased to 29·79 in. by 9h. A.M. on the 6th; and increased to 30·05 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 28. 1900. Vol. LXI.] Week ending Saturday, July 14. [Price 1½*d.*

General Register Office, Somerset House,
July 16th, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 15·1, and 14·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending June 23.	June 30.	July 7.	July 14.	Towns.	Weeks ending June 23.	June 30.	July 7.	July 14.
33 Great Towns	14·9	15·1	14·5	15·6	Leicester - -	10·9	14·5	12·6	11·7
Birkenhead -	8·0	16·9	10·2	15·6	Liverpool - -	21·2	22·7	19·9	20·9
Birmingham -	15·4	16·6	16·3	19·5	London - - -	13·3	14·5	13·5	14·2
Blackburn -	19·4	16·7	15·2	16·7	Manchester - -	20·7	20·7	19·3	20·0
Bolton - -	15·2	13·0	13·7	17·1	Newcastle-on-Tyne	16·0	14·0	15·1	19·8
Bradford -	13·6	13·8	11·6	12·7	Norwich - -	10·0	13·6	13·6	18·6
Brighton -	14·7	10·1	15·1	11·3	Nottingham - -	9·9	17·4	11·4	18·7
Bristol - -	15·7	12·7	10·1	14·9	Oldham - -	21·8	15·0	13·9	19·7
Burnley -	16·5	10·3	10·7	12·1	Plymouth - -	19·4	12·8	17·4	16·8
Cardiff - -	9·9	11·5	11·5	14·8	Portsmouth - -	10·2	9·4	13·4	9·6
Croydon -	13·5	9·9	9·9	11·5	Preston - -	19·3	15·3	14·9	18·0
Derby - -	14·0	15·9	14·5	13·5	Salford - - -	22·4	21·5	18·9	18·2
Gateshead -	12·4	16·7	18·1	20·0	Sheffield - -	16·1	17·4	18·0	18·5
Halifax -	15·5	18·1	15·0	16·1	Sunderland - -	21·2	17·0	24·1	17·3
Huddersfield -	17·0	17·0	14·5	14·5	Swansea - -	12·9	9·4	14·8	16·3
Hull - -	13·3	13·1	14·2	15·9	West Ham - -	11·9	9·0	9·1	11·1
Leeds - -	17·5	12·7	15·1	14·0	Wolverhampton -	17·5	18·6	12·8	12·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Halifax, 1·1 in Cardiff, 1·4 in Oldham, 1·8 in Newcastle-on-Tyne, 2·1 in Sunderland, and 2·4 in Derby; from *whooping-cough*, 1·0 in Derby and in Sheffield, 1·3 in Burnley, and 2·4 in Gateshead; from "*fever*," 1·0 in Huddersfield and 1·2 in Wolverhampton; and from *diarrhœa*, 1·0 in Leicester and in Liverpool, 1·1 in Blackburn, 1·3 in Sheffield, and 1·4 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 72 deaths from *diphtheria* included 26 in London, 9 in Leicester, 5 in Cardiff, 5 in Salford, 5 in Sheffield, 3 in West Ham, 3 in Swansea, and 3 in Birmingham. One death from *small-pox* was registered in Liverpool, and 1 in Oldham, but not one in any other of the thirty-three towns.

London.

In London† 2479 births and 1252 deaths were registered. Allowing for increase of population, the births were 165, and the deaths 343, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 13·3, 14·5 and 13·5, in the preceding three weeks, rose again last week to 14·2. During the four weeks ending on Saturday last the death-rate averaged 13·9 per 1000, being 3·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1252 deaths included 42 from measles, 4 from scarlet fever, 26 from diphtheria, 43 from whooping-cough, 13 from enteric fever, 27 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 155 deaths were referred to these diseases, being 172 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 53, and 35 in the preceding three weeks, rose again last week to 42, but were 16 below the corrected average; 5 cases belonged to Limehouse, 4 to Paddington, 4 to Islington, and 4 to Plumstead sanitary areas. The deaths from *scarlet fever*, which had been 9, 12, and 10 in the preceding three weeks, further fell last week to 4, and were 12 below the corrected average; 2 cases belonged to Lambeth sanitary area. The deaths from *diphtheria*, which had been 21, 29, and 2 in the preceding three weeks, rose again last week to 26, but were 1 below the corrected average; 3 cases belonged to Islington and 3 i Lambeth sanitary areas. The deaths from *whooping-cough*, which ha been 35, 53, and 37 in the preceding three weeks, rose again last wee to 43, the corrected average being 42; 4 cases belonged to Hackney sanitar area. The fatal cases of *enteric fever*, which had been 4, 12, and 7 i the preceding three weeks, rose again last week to 13, and were 4 abov the corrected average; 2 cases belonged to Lambeth and 2 to Camberwel sanitary areas. The deaths from *diarrhœa*, which had been 20, 17, and 2 in the preceding three weeks, further rose last week to 27, but were 12 below the corrected average. The deaths referred to diseases of th respiratory organs, which had been 181, 180, and 140 in the precedin three weeks, rose again last week to 160, but were 27 below the correcte average. The deaths attributed directly to *influenza* numbered 4, havin been 7, 3, and 2 in the preceding three weeks.

Different forms of violence caused 56 deaths, concerning all but 2 o which inquests were held. Of these 56 deaths, 9 were cases of suicid and 1 of homicide, while the remaining 46 were attributed to accident o negligence. Six of these were referred to vehicles in the streets, 12 t drowning, and 9 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and Londo Fever Hospitals there were 17 cases of small-pox, 1861 of scarlet fever, 1212 o diphtheria, and 143 of enteric fever under treatment in these hospitals o Saturday last (Table 3). The admissions during the week, as compared wit those in the preceding three weeks, were as follow:—Of small-pox, 4 case against 0, 8, and 4; of scarlet fever, 208 cases, against 219, 210, and 229 of diphtheria, 175 cases, against 156, 155, and 177; and of enteric fever, 1 cases, against 16, 21, and 23.

Greater London.

In Greater London 3597 births and 1658 deaths were registered, corresponding to annual rates of 28·2 and 13·0 per 1000 of the estimate population. In the Outer Ring 14 deaths from measles, 2 from scarlet feve 11 from diphtheria, 18 from whooping-cough, 4 from "fever," and 9 fro diarrhœa were registered. Six deaths from measles, 6 from diphtheri and 5 from whooping-cough occurred in West Ham district; 7 deaths fro whooping-cough occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of t Thermometer 65°·4; the latter being 3°·0 above the week's average in the 50 years 1841–9 The direction of the wind was variable, the horizontal movement of the air being 2 p cent. below the week's average in the 16 years 1860–75. The duration of registered brig sunshine in the week was 76·2 hours; no rain was measured during the week.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scar Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, t diagnosis is found after sojourn in the Hospital to have been erroneous.

BOROUGHS.	the Year 1900.*	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Fahrenheit.	Centigrade.	In Inches.	In millimetres.	BOROUGHS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 TOWNS -	**11,610,296**	**6470**	**3476**	**845**	**801**	**2**	**104**	**24**	**72**	**96**	**27**	**102**	**158**	**285**	**850**	**34**	**15·6**	**1·9**	**86·0**	**41·5**	**62·4**	**16·89**	**0·47**	**1·19**	33 TOWNS.
LONDON - -	4,589,129	2479	1252	292	308	-	42	4	26	43	13	27	56	115	406	11	14·2	1·8	84·7	46·3	65·4	18·56	0·00	0·00	LONDON.
WEST HAM - -	314,472	158	67	26	7	-	1	-	3	2	-	2	3	3	11	1	11·1	1·3	-	-	-	-	-	-	WEST HAM.
CROYDON - -	131,186	76	29	8	11	-	1	-	1	1	-	1	1	1	5	-	11·5	1·6	84·5	41·5	63·2	17·33	0·00	0·00	CROYDON.
BRIGHTON - -	124,148	54	27	5	7	-	2	-	2	-	-	-	2	3	5	2	11·3	1·7	-	-	-	-	-	-	BRIGHTON.
PORTSMOUTH -	194,955	87	36	7	12	-	-	-	1	1	1	1	3	3	5	-	9·6	1·1	-	-	-	-	-	-	PORTSMOUTH.
PLYMOUTH - -	102,161	58	33	7	8	-	1	-	1	-	-	1	-	3	6	-	16·8	1·5	-	-	-	-	-	-	PLYMOUTH.
BRISTOL - -	324,973	149	93	17	21	-	4	-	2	1	-	4	2	8	21	-	14·9	1·8	-	-	-	-	-	-	BRISTOL.
CARDIFF - -	194,247	102	55	15	10	-	4	-	5	-	1	3	6	8	5	-	14·8	3·5	-	-	-	-	-	-	CARDIFF.
SWANSEA - -	105,472	55	33	4	7	-	-	-	3	-	-	-	2	2	3	-	16·3	1·5	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON	89,598	55	21	6	5	-	-	-	-	1	2	1	-	2	2	-	12·2	2·3	86·0	43·2	60·8	16·00	0·12	0·30	WOLVERHAMPTON.
BIRMINGHAM -	519,610	303	194	60	48	-	1	2	3	5	3	4	10	13	66	4	19·5	1·8	-	-	-	-	-	-	BIRMINGHAM.
NORWICH - -	114,855	67	41	8	16	-	-	-	-	-	-	-	4	6	9	-	18·6	-	81·6	46·8	61·2	16·22	0·09	0·23	NORWICH.
LEICESTER - -	219,169	121	49	12	7	-	-	-	9	-	-	4	2	3	7	-	11·7	3·1	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	242,676	146	87	19	27	-	3	-	-	1	1	1	3	5	14	-	18·7	1·3	-	-	-	-	-	-	NOTTINGHAM.
DERBY - - -	107,991	68	28	12	3	-	5	1	-	2	-	-	2	2	5	-	13·5	3·9	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	117,170	68	35	7	9	-	-	-	1	-	-	2	3	4	7	-	15·6	1·3	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL - -	634,780	422	255	58	62	1	-	1	2	8	-	12	15	23	77	8	20·9	2·0	80·0	54·1	61·0	16·11	0·12	0·30	LIVERPOOL.
BOLTON - -	164,240	106	54	13	12	-	-	1	-	-	-	2	3	4	5	-	17·1	1·0	-	-	-	-	-	-	BOLTON.
MANCHESTER -	548,768	339	210	41	42	-	6	-	-	8	1	6	6	19	48	1	20·0	2·0	-	-	-	-	-	-	MANCHESTER.
SALFORD - -	220,816	125	77	18	20	-	1	2	5	-	-	2	5	7	15	1	18·2	2·4	-	-	-	-	-	-	SALFORD.
OLDHAM - -	153,297	66	58	12	7	1	4	2	-	-	-	2	-	2	9	-	19·7	3·1	-	-	-	-	-	-	OLDHAM.
BURNLEY - -	116,730	53	27	6	3	-	-	-	-	3	-	1	1	2	4	-	12·1	1·8	-	-	-	-	-	-	BURNLEY.
BLACKBURN - -	137,107	62	44	11	12	-	1	2	-	1	-	3	-	3	7	-	16·7	2·7	-	-	-	-	-	-	BLACKBURN.
PRESTON - -	118,902	57	41	10	10	-	-	-	-	-	-	2	2	2	12	1	18·0	0·9	-	-	-	-	-	-	PRESTON.
HUDDERSFIELD	104,484	44	29	2	8	-	1	1	-	-	2	-	1	2	8	-	14·5	2·0	85·0	42·2	62·1	16·72	1·30	3·30	HUDDERSFIELD.
HALIFAX - -	100,710	51	31	5	9	-	2	-	1	-	1	-	-	-	5	1	16·1	2·1	-	-	-	-	-	-	HALIFAX.
BRADFORD - -	291,535	125	71	18	19	-	2	1	-	-	-	2	4	7	10	1	12·7	0·9	85·6	45·2	62·9	17·17	1·68	4·27	BRADFORD.
LEEDS - - -	431,287	253	116	32	19	-	3	1	1	-	1	3	3	10	12	1	14·0	1·1	-	-	-	-	-	-	LEEDS.
SHEFFIELD - -	365,922	227	130	44	21	-	4	3	5	7	1	9	4	4	17	1	18·5	4·1	-	-	-	-	-	-	SHEFFIELD.
HULL - - -	238,736	153	73	20	18	-	2	2	-	1	-	3	2	2	19	-	15·9	1·7	-	-	-	-	-	-	HULL.
SUNDERLAND -	147,398	122	49	12	8	-	6	-	-	2	-	-	3	4	7	1	17·3	2·8	-	-	-	-	-	-	SUNDERLAND.
GATESHEAD - -	109,403	80	42	15	9	-	-	-	-	5	-	3	1	1	1	-	20·0	3·8	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE - -	234,369	139	89	23	16	-	8	1	1	4	-	1	9	12	17	-	19·8	3·3	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this return.

TABLE 2 LONDON.—**Births** and **Deaths** Registered in the TWENTY-EIGHTH Week of eac of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*
TOTAL **Births**	2472	2488	2545	2607	2371	2586	2634	2579	2502	2351	2644·3
Males - -	1281	1263	1263	1339	1207	1345	1353	1308	1255	1202	1348·3
Females - -	1191	1225	1282	1268	1164	1241	1281	1271	1247	1149	1296·0
TOTAL **Deaths** -	1471	1373	1546	1887	1356	1768	1770	1391	1214	1387	1595·2
Males - -	747	748	814	1006	715	921	912	695	649	733	835·3
Females - -	724	625	732	881	641	847	858	696	565	654	759·9

*The numbers in this column are the average weekly numbers in the twenty-eighth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNE in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.	July 7.
TOTAL **Births** - - -	2610	2697	2737	2581	2512	2435	2579	2276	2646	2464	2483	2466
TOTAL **Deaths** - - -	1811	1721	1675	1446	1437	1440	1497	1398	1533	1171	1274	1191
Ages at Death: Under 1 year - -	369	302	349	289	297	295	323	295	333	257	283	243
1—5 years - -	220	238	217	186	182	196	218	185	203	149	179	145
5—20 " - -	102	84	80	83	101	69	86	96	90	72	84	70
20—40 " - -	250	247	222	187	194	195	197	214	223	147	179	193
40—60 " - -	352	393	371	314	302	288	313	282	325	270	289	275
60—80 " - -	423	374	348	324	300	327	302	274	288	231	220	217
80 years and upwards	95	83	88	63	61	70	58	52	71	45	40	48
Deaths from—												
Small pox - - - -	-	1	-	1	-	-	-	-	-	-	-	-
Measles - - - - -	53	68	72	56	49	56	68	60	64	42	53	35
Scarlet Fever - - -	5	11	4	4	6	8	7	11	5	9	12	10
Diphtheria - - - -	17	20	21	29	22	29	29	24	28	21	29	20
Whooping-cough - - -	49	40	42	35	56	50	48	37	49	35	53	37
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	9	8	6	3	15	8	10	7	8	4	12	7
Simple Continued Fever -	-	-	-	-	-	-	-	1	1	-	-	-
Diarrhœa and Dysentery -	8	17	11	15	8	7	10	5	15	20	17	20
Cholera - - - -	-	1	-	1	-	-	1	-	-	-	-	1
All the above Diseases -	141	166	156	144	156	158	173	145	170	131	176	130
Dis. of Respiratory System -	460	411	417	300	270	269	266	268	257	181	180	140
Phthisis - - - - -	177	164	168	131	159	155	150	150	151	123	138	148
Dis. of Circulatory System -	139	146	154	140	116	117	138	127	107	109	120	129
Violence - - - -	76	95	67	59	73	66	59	66	97	64	71	63
Inquest Cases - - - -	169	198	143	154	145	127	138	139	181	128	135	132
Deaths in Public Institutions -	581	521	538	467	452	485	470	451	525	376	421	408
TEMPERATURE OF THE AIR.												
Mean - - - - -	51°·8	47°·5	52°·7	50°·9	47°·1	53°·0	54°·0	53°·4	64°·4	59°·7	57°·6	59°·2
Mean of Highest readings -	62·1	57·7	61·7	59·5	56·3	62·2	62·4	69·4	75·4	69·5	66·7	67·4
Mean of Lowest readings -	41·2	38·0	44·0	43·2	39·9	45·1	47·1	49·3	53·9	52·2	51·2	53·2
Humidity of the Air - -	69	70	70	76	68	78	78	72	72	72	80	73
Rain-fall (in inches) - -	0·15	0·06	0·19	0·36	0·01	0·81	0·24	0·19	0·44	0·77	1·15	0·57
Registered Sunshine (in hours)	50·8	39·9	41·4	23·1	39·1	33·1	31·0	54·0	60·0	52·9	23·5	47·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.												
Small-pox - - - - -	4	6	6	5	3	5	7	11	15	13	16	17
Scarlet Fever - - - -	1676	1647	1660	1693	1733	1784	1760	1754	1766	1810	1832	1843
Diphtheria - - - -	1141	1141	1131	1176	1188	1222	1220	1238	1228	1226	1219	1207
Enteric Fever - - - -	219	208	192	185	172	176	176	172	153	147	148	155

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed t meteorological observations at the disposal of the Registrar-General, and the results have been compile J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmo John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrotte Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., P. Boobbyer, Esq., M.B., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-EIGHTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 28th Week of the 10 years 1890–99*.	In the Week ending Saturday, 14th July, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1595·2	1252	292	153	69	183	247	249	59
Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
- - - -	57·5	42	14	27	1	-	-	-	-
Fever - - -	16·4	4	-	3	1	-	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	9·3	4	-	-	1	2	1	-	-
ng-cough - -	41·6	43	27	15	1	-	-	-	-
eria - -	41·7	26	-	18	7	-	-	-	-
Continued and fined Fever -	0·2	-	-	-	-	-	-	-	-
Fever - - -	8·5	13	-	-	1	10	2	-	-
and Chol. Diarr.	5·8	-	-	-	-	-	-	-	-
ea, Dysentery -	153·9	27	23	2	-	-	-	-	2
ent Fever - -	-	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
and Effects of ation - -	0·2	-	-	-	-	-	-	-	-
l Affections -	9·5	5	2	1	-	-	2	-	-
las - - -	4·0	3	2	-	-	-	1	-	-
and Septicæmia	1·9	-	-	-	-	-	-	-	-
al Fever - -	3·6	2	-	-	-	2	-	-	-
ymotic Diseases	2·0	1	1	-	-	-	-	-	-
- - - -	0·9	1	1	-	-	-	-	-	-
and other Parasitic Diseases -	0·3	-	-	-	-	-	-	-	-
on, Want of -milk - -	1·9	2	2	-	-	-	-	-	-
sm - - -	11·3	18	-	-	-	9	6	3	-
tic Fever, natism of Heart	5·9	8	-	-	4	2	1	1	-
tism - - -	1·7	2	-	-	-	-	-	-	2
- - - -	2·9	3	-	-	-	-	1	2	-
- - - -	6·3	4	-	4	-	-	-	-	-
- - - -	73·4	79	-	-	-	4	31	37	7
esenterica - -	32·7	14	7	4	1	2	-	-	-
lar Meningitis -	28·1	23	10	8	4	1	-	-	-
- - - -	137·3	138	1	3	11	67	45	10	1
, Tuberculosis -	23·4	15	2	4	2	5	2	-	-
Constitutional es - -	11·6	9	-	-	2	3	2	2	-
re Birth - -	49·2	40	40	-	-	-	-	-	-
sis - - -	3·3	4	4	-	-	-	-	-	-
tal Malforma- - - -	7·7	10	10	-	-	-	-	-	-
- - - -	42·5	34	-	-	-	-	-	16	18
y - - -	40·9	33	-	-	-	2	11	19	1
- - - -	7·0	5	-	-	-	2	1	2	-
ions - - -	41·1	30	24	5	1	-	-	-	-
iseases of Brain ervous System	80·1	60	6	6	2	9	14	20	3
of Organs of l Sense -	4·1	5	-	1	2	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 28th Week of the 10 years 1890–99*.	In the Week ending Saturday, 14th July, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	115·5	130	1	1	6	19	38	54	11
Croup - - - -	3·8	2	-	2	-	-	-	-	-
Bronchitis - - -	75·4	72	15	12	-	1	12	26	6
Pneumonia - - -	83·2	72	21	16	5	6	13	9	2
Pleurisy - - - -	6·0	2	1	1	-	-	-	-	-
Other Diseases of Respiratory System -	18·1	12	-	3	-	2	2	5	-
Dentition - - - -	10·1	3	3	-	-	-	-	-	-
Quinsy, Sore Throat -	2·1	1	-	-	-	-	1	-	-
Enteritis - - -	52·1	13	7	2	2	1	1	-	-
Gastro-enteritis -		15	12	3	-	-	-	-	-
Peritonitis - - -	5·9	1	-	-	1	-	-	-	-
Diseases of Liver - -	27·9	28	2	-	1	4	13	7	1
Other Diseases of Digestive System	32·5	31	9	4	-	5	5	7	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	2	-	-	-	2	-	-	-
Diseases of Urinary System - - -	38·8	53	-	2	2	8	18	20	3
Diseases of Generative System - - -	6·7	7	-	-	-	3	3	1	-
Accidents of Childbirth -	4·9	5	-	-	-	5	-	-	-
Diseases of Locomotive System - - -	4·5	3	1	-	-	-	1	1	-
Diseases of Integumentary System - -	3·9	5	1	-	-	-	1	3	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	53·3	-	-	-	-	-	-	-	-
By Vehicles or Horses -		6	-	1	-	-	4	-	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		2	-	-	-	-	2	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		2	-	-	2	-	-	-	-
By Drowning - - -		12	-	2	3	4	3	-	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		-	-	-	-	-	-	-	-
Other or not stated causes - - - -		15	3	2	5	1	-	4	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - - -	1·6	1	-	-	-	-	1	-	-
Suicide - - - -	11·4	9	-	-	-	1	8	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	64·2	32	31	-	1	-	-	-	-

numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase ulation.

y those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered l men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of t, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered
SUB-DISTRICT during the Week ending Saturday, 14th July, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2479	1252	292	308	-	42	4	26	43	-	13	-	27	56	115
WEST DISTRICTS - - -	778,251	375	194	39	54	-	4	-	3	6	-	2	-	6	15	23
NORTH DISTRICTS - - -	1,040,694	545	301	57	80	-	9	1	11	9	-	3	-	7	9	26
CENTRAL DISTRICTS - - -	233,635	112	79	21	19	-	3	-	-	3	-	-	-	3	3	4
EAST DISTRICTS - - -	716,334	455	227	77	47	-	13	-	1	8	-	1	-	4	13	26
SOUTH DISTRICTS - - -	1,642,796	992	430	98	102	-	13	3	11	17	-	7	-	7	16	36
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	21	-	6	-	-	-	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	53	22	5	5	-	2	-	-	-	-	-	-	-	2	2
St. John Paddington *H* - - G.	33,510	6	14	-	6	-	2	-	-	-	-	-	-	-	2	3
Kensington Town *Ww* - - W.	122,164	55	45	10	15	-	-	-	-	1	-	-	-	2	4	3
Brompton *HH*- - - W. & C.	48,301	13	8	1	1	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* W. & G	44,638	30	7	1	2	-	-	-	-	-	-	-	-	1	-	2
South Hammersmith *H* W. & G	59,561	28	13	2	6	-	-	-	-	1	-	-	-	-	1	1
Fulham *Ww* - - - W. & C.	113,781	84	26	9	3	-	-	-	2	2	-	1	-	2	2	4
Chelsea Kensal Town - C.	21,450	9	5	-	1	-	-	-	-	-	-	-	-	1	1	1
Chelsea North *WHHHH* - C.	42,057	18	15	2	3	-	-	-	1	1	-	-	-	-	-	1
Chelsea South *HH* - - C.	33,139	12	10	2	4	-	-	-	-	-	-	-	-	-	1	2
May Fair *WH*- - - - G.	23,827	3	7	-	5	-	-	-	-	1	-	-	-	-	-	-
Belgrave *WHHH* - - - C.	56,140	27	7	2	1	-	-	-	-	-	-	1	-	-	-	-
St. John Westminster *HH* - C.	31,492	18	6	5	1	-	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster *H*- C.	22,097	1	7	-	-	-	-	-	-	-	-	-	-	-	2	3
St. James Westminster *WH* N. & G.	23,050	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St Anne Soho *HHHHH* - N.	12,048	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	18	17	2	4	-	-	-	-	-	-	-	-	-	2	2
Rectory Marylebone *W* G. & W.	19,798	6	8	1	3	-	-	-	-	1	-	-	-	1	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	42	5	1	2	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W.	32,547	18	4	-	-	-	-	-	-	-	-	-	-	-	-	1
St. John Marylebone *HHH* - W.	32,611	14	10	2	2	-	-	-	-	1	-	1	-	1	-	-
Hampstead *WwHHHH* - N. & W.	75,449	30	21	4	4	-	-	1	4	-	-	-	-	1	1	1
Regent's Park † *HH* - W.	51,403	22	16	3	2	-	1	-	-	-	-	-	-	-	2	4
Tottenham-court *wHHHHHH* - N. & W.	26,757	6	11	1	-	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane *HHHH* - N.	29,426	13	11	2	4	-	1	-	-	-	-	-	-	-	-	-
Somers Town *HH* - - - N.	32,161	16	16	2	5	-	-	-	-	-	-	-	-	-	1	2
Camden Town† *WH* - - N.	40,155	23	13	2	8	-	-	-	-	1	-	1	-	-	1	1
Kentish Town† *WW* - - N.	60,862	34	25	3	8	-	-	-	-	1	-	-	-	-	-	1
Upper Holloway *WWWWwHH* - - N.	98,273	40	39	5	14	-	-	-	-	1	-	1	-	1	-	2
Lower Holloway‡ - - - N.	41,805	23	5	1	-	-	1	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	46	13	4	1	-	3	-	1	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	34	17	3	7	-	-	-	-	1	-	-	-	-	1	4
Highbury *HH* - - - N.	64,577	34	11	1	4	-	-	-	-	-	-	-	-	-	-	2
Stoke Newington *H* - - N.	33,485	14	7	-	2	-	-	-	1	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	25	5	2	-	-	2	-	-	1	-	-	-	-	-	1
Central Hackney *ww* - E. & N.		31	17	5	2	-	-	-	5	2	-	-	-	-	1	1
South-west Hackney *HHH* E. & N.		36	9	3	4	-	-	-	-	-	-	-	-	1	-	-
South-east Hackney *WwH* E. & N.		30	21	10	4	-	1	-	-	-	-	-	-	2	-	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated
namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other
than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paup
received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G.
Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N
River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into tw
Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington Sou
Sub-District

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 14th July, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Un fied Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } nth *WH* - - - N.	29,086	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
iles North *H* - - - N.	9,151	7	7	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Iartin-in-the-Fields *HH* N. & C.	13,077	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
nd *WHH* - - - - N.	11,839	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
nd Union Workhouse, Edmonton	†*1,037*	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
born *wHHHHHH* - N.	31,042	10	9	3	3	-	1	-	-	1	-	-	-	-	-	-	4	-
ames Clerkenwell - - N.	15,777	6	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	27	10	3	-	-	2	-	-	-	-	-	-	1	2	2	-	-
well-street - - - - N.	16,069	11	7	4	1	-	-	-	-	-	-	-	-	2	-	-	-	-
-road *HHHHL* - - N.	29,897	22	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
tecross-street - - - N.	7,595	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *itcham* - - - -	†*892*	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Botolph* *H* - - N. & E.	13,061	3	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre *WH* - - - N.	9,591	6	9	2	3	-	-	-	-	-	-	-	-	-	-	-	7	-
allows Barking - - - N.	9,059	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	5	7	2	-	-	1	-	-	-	-	-	-	-	-	-	2	-
ton New Town *w* - - N.	29,575	14	8	-	6	-	-	-	-	-	-	-	-	-	1	2	5	-
ton Old Town - - - N.	27,645	26	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
gerston *WH* - - N. & E.	47,163	19	18	6	3	-	2	-	-	-	-	-	-	1	-	2	5	-
nal Green North *H* - E.	49,301	38	10	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
nal Green South - - E.	34,194	20	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nal Green East *WWHl* - E.	45,667	30	21	6	2	-	1	-	-	-	-	-	-	1	-	-	10	-
alfields - - - E. & N.	26,681	15	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
e End New Town *WH* - E.	51,995	16	27	5	4	-	1	-	-	1	-	-	-	-	4	6	22	-
dman's Fields - - - E.		6	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
George's, North - - - E.	39,576	41	9	5	1	-	1	-	-	1	-	-	-	-	1	2	-	-
ohn, St. George East *W* E.	7 930	5	9	1	3	-	-	-	-	-	-	-	-	-	-	1	8	-
dwell *H* - - - E. & N.	10,434	2	12	4	-	-	1	-	-	-	-	-	-	-	-	-	11	-
cliff *W* - - - - E.	14,954	5	5	3	1	-	3	-	-	-	-	-	-	-	-	2	-	-
ehouse - - - - E.	32,917	22	10	4	2	-	2	-	-	1	-	-	-	-	-	-	-	-
e End Old Town West *H* E. } e End Old Town East } *Www* - E.	111,060	44	10	9	-	-	-	-	-	2	-	-	-	1	-	-	-	-
		41	15	8	3	-	1	-	-	1	-	-	-	-	1	3	3	-
v l - - - - E.	41,687	26	10	3	3	-	-	-	-	-	-	1	-	-	-	-	2	-
mley *wwwH* - - - E.	69,821	42	25	7	10	-	-	-	-	-	-	-	-	-	2	4	12	-
lar *WW* - - - - E.	57,759	38	16	4	5	-	-	-	-	1	-	-	-	1	3	3	2	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 14th July, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL* S.	13,064	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	3	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	22	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	9	9	3	-	-	-	-	-	-	-	-	-	1	-	-	4
London-road *HL* - - L. & S.	21,316	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	9	6	2	1	-	1	-	-	1	-	-	-	-	-	1	-
St. Peter Walworth *W* - S. & L.	62,045	51	11	3	2	-	-	-	-	1	-	-	-	1	-	-	1
St. Mary Newington- - L. & S.	30,171	17	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	3	12	1	2	-	-	-	-	-	-	1	-	-	2	2	11
Bermondsey *W* - - - S.	85,475	56	14	3	2	-	-	-	-	1	-	-	-	-	2	6	1
Rotherhithe *Ww* - S. & K.	40,379	23	17	1	7	-	-	-	-	-	-	-	-	-	2	3	10
Waterloo-road *HH* - L. & S.	28,396	33	8	2	-	-	-	-	-	-	-	-	-	-	-	-	4
Lambeth Church 1st *H* - L. & S.	18,770	6	16	1	1	-	-	-	-	-	-	2	-	-	1	2	14
Lambeth Church 2nd *WW* L. & S.	40,994	30	20	5	7	-	1	-	-	-	-	-	-	2	-	2	9
Kennington 1st *H* - - S. & L.	52,486	22	8	3	1	-	-	1	-	-	-	-	-	-	1	2	-
Kennington 2nd - - S. & L.	43,244	20	8	2	2	-	-	-	1	1	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	39	18	3	5	-	-	-	2	-	-	1	-	-	1	2	3
Norwood *WH* - - - - L.	29,318	10	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-
East Battersea - - - - S.	71,730	41	10	3	2	-	1	-	-	-	-	-	-	-	2	2	-
North-west Battersea† - - S.	93,385	30	5	2	1	-	-	-	-	2	-	-	-	-	-	-	-
South-west Battersea† *WwH* - S.		21	16	2	7	-	-	-	-	-	-	-	-	-	-	-	12
Clapham *H* - - - - S.	46,953	13	12	5	3	-	-	-	-	1	-	-	-	1	-	-	-
Streatham *Wwwwl* - - L.	61,644	41	11	4	3	-	-	-	1	-	-	-	-	1	-	1	1
Wandsworth *WHHL* - - S.	58,101	51	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - - - S.	20,566	15	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	53	34	7	10	-	-	-	-	1	-	-	-	-	1	4	21
Peckham *WW* - S., L., & K.	88,242	49	18	1	3	-	-	-	1	2	-	-	-	-	-	1	-
St. George Camberwell - L. & S.	67,029	36	19	7	1	-	-	-	1	-	-	1	-	-	-	1	-
Deptford North - - - K.	36,152	28	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	35	13	1	3	-	3	-	1	1	-	2	-	-	-	1	4
Deptford South - - - K.	33,402	7	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	13	7	3	1	-	-	-	-	1	-	-	-	1	-	-	1
Greenwich East *WH* - - K.	37,767	26	20	2	9	-	-	-	1	-	-	-	-	-	2	2	13
Eltham *wH* - - - - K.	5,911	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	34	20	5	8	-	-	1	1	2	-	-	-	-	-	1	7
Sydenham *H* - - - - L.	37,601	25	8	5	-	-	-	-	-	1	-	-	-	-	-	-	-
Charlton *wHB* - - - K.	15,928	12	5	1	-	-	1	-	2	1	-	-	-	-	1	-	3
Woolwich* *HHHH* - - K.	41,314	25	16	2	4	-	1	-	-	-	-	-	-	-	1	2	-
Plumstead West *H* - - K.	16,714	12	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	42	13	6	-	-	3	-	-	1	-	-	-	-	-	-	-
Banstead Asylum - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Leavesden Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-															

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwi

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 14th July, 1900.

gis-tion trict nd ub-trict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,749	1,422,063	1,118	406	99	103	-	14	2	11	18	4	9	19	27	57	3
0:1	Carshalton *H* - - -	12,228	26,108	13	2	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	8	3	-	2	-	-	1	-	-	-	-	-	-	3	-
7:1	Godstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8:1	Croydon *WWwHHH* -	20,851	128,699	85	33	8	14	-	1	-	1	1	-	1	1	1	6	-
2	Mitcham *w* - - -	11,697	23,072	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Wimbledon *HHH* - -	3,220	25,777	20	10	3	3	-	1	-	-	1	-	1	-	-	1	-
2	Kingston *WH* - - -	14,672	33,566	13	9	-	5	-	-	-	-	-	1	-	-	-	4	-
3	Surbiton *HH* - - -		12,178	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
5	Hampton *HL* - - -	4,565	18,252	9	3	-	-	-	1	-	-	-	-	-	-	-	-	-
0:1	Richmond *WHH* - -	2,160	25,389	8	7	-	3	-	-	-	-	-	-	-	1	1	3	-
2	Mortlake *H* - - -	2,823	16,159	11	5	1	2	-	-	-	-	1	-	-	1	1	-	-
1:1	Bromley *HHH* - - -	9,127	23,815	19	7	1	2	-	-	-	-	-	-	-	1	-	1	-
2	Beckenham *H* - - -	6,542	21,969	13	4	1	1	-	-	-	-	-	1	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	14	8	4	2	-	-	-	-	1	-	-	-	-	-	-
2:1	Bexley *HHH* - - -	12,540	30,590	36	11	3	4	-	-	-	1	-	-	-	1	1	1	-
2	Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4:1	Sunbury *w* - - -	11,054	13,671	11	4	-	1	-	-	-	-	-	-	-	-	-	-	1
2	Staines *WH* - - -	13,277	13,221	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-
5:1	Hillingdon *WHH* - -	6,035	12,237	5	3	-	1	-	-	-	1	-	-	-	-	-	1	-
2	Uxbridge - - - -	12,757	7,253	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	8	3	-	1	-	-	-	-	-	-	-	1	1	-	-
6:1	Isleworth *WHH* - -	6,967	26,004	15	12	1	5	-	-	-	-	-	-	-	-	-	4	-
2	Twickenham *HH* - -	2,415	16,027	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	18	9	4	2	-	-	-	1	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	15	6	2	-	-	1	-	-	1	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	41	8	-	3	-	-	-	-	-	-	-	-	-	-	-
7:1	Harrow *HHH* - - -	13,809	15,715	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	75	20	6	4	-	1	-	-	1	-	-	1	1	-	1
4	Hendon *WH* - - -	8,382	15,843	11	9	1	3	-	1	-	-	-	-	-	-	1	3	-
8:1	South Mimms *HH* - -	21,077	6,367	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	17	5	-	4	-	-	-	-	-	-	1	-	-	2	-
3	Finchley *HHH* - - -	4,688	25,820	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-
9:1	Hornsey *HH* - - -	3,039	61,097	34	12	3	4	-	-	-	-	-	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	65	34	5	4	-	-	-	-	6	-	1	3	7	5	-
3	Edmonton *Ww* - -	7,489	36,351	35	22	7	2	-	1	-	-	1	1	1	1	4	3	-
4	Enfield *WWHH* - -	12,602	31,536	18	8	2	3	-	-	-	1	-	-	2	-	1	1	-
5	Waltham Abbey - - -	11,017	6,066	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	9,620	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-
5:1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey *H* - - - -	9,331	7,737	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5:1	Stratford *H* - - -	4,706	38,612	18	15	6	-	-	-	-	-	-	-	-	1	1	-	-
2	Plaistow *HHH* - - -		58,030	61	21	10	3	-	-	-	2	-	-	1	1	1	4	-
3	Canning Town *H* - -		54,750	47	12	5	2	-	1	-	-	1	-	1	1	1	-	-
4	Forest Gate *w* - - -		53,511	32	12	5	2	-	-	-	1	1	-	-	-	-	-	1
5	East Ham *wHHH* - -	3,266	32,713	75	10	4	2	-	3	-	-	-	-	-	-	-	-	-
6	Leyton *WWWwH* - -	4,334	70,188	61	22	3	2	-	2	-	1	2	-	-	-	-	8	-
7	Walthamstow *HHHL* -	6,501	57,330	67	25	10	5	-	-	-	2	1	-	-	2	2	4	-
7:1	Chigwell, *part of** *HHHH*	11,779	12,941	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, *part of** *W* -	6,556	4,324	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	26	4	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-
	Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring o as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in atfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 14th July, 1900.

GREATER LONDON	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**13·0**	**1·7**	**1658**	**391**	**411**	**-**	**56**	**6**	**37**	**61**	**17**	**36**	**75**
INNER LONDON -	74,672	4,589,129	14·2	1·8	1252	292	308	-	42	4	26	43	13	27	56
OUTER RING -	368,749	2,063,016	10·3	1·5	406	99	103	-	14	2	11	18	4	9	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending		Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-Rate per 1000 living.	Deaths from Principal Zymo Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	July	14	170	105	18·1	-	6	1	1	1	-
GLASGOW - -	743,585	"	14	460	249	17·5	2	9	5	3	12	-
DUBLIN - -	349,594	"	14	218	122†	18·2	-	-	-	-	4	3
CALCUTTA - -	466,460	May	19	-	367	41·0	30	3	-	-	-	156‡
BOMBAY - -	821,764	June	19	299	1146	72·5	5	7	?	?	?	242‡
MADRAS - -	452,518	"	8	444	344	39·5	1	4	?	?	?	111
PARIS - - -	2,511,629	July	7	1226	816	16·8	4	18	7	4*	7	15
BRUSSELS - -	561,130	"	7	284	152	13·4	1	2	-	-	2	4
AMSTERDAM -	526,538	June	30	282	145	14·4	-	1	-	-	2	3
ROTTERDAM -	323,487	"	30	213	89	14·2	-	-	-	1	-	-
THE HAGUE -	205,328	"	30	105	38	9·6	-	-	-	-	1	-
COPENHAGEN -	349,000	July	7	178	108	16·1	-	1	-	3	-	-
STOCKHOLM -	297,148	June	30	172	75	13·0	-	1	-	1*	-	-
CHRISTIANIA -	221,255	July	7	161	58	13·3	-	1	-	-	1	-
ST. PETERSBURG	1,132,677	June	30	544	512	23·6	8	15	17	13	2	19
MOSCOW - -	988,610	"	30	-	594	31·3	4	35	2	8	4	-
BERLIN - -	1,848,269	"	23	888	589	16·5	-	16	12	6	7	1
HAMBURG - -	691,349	July	7	-	213	16·0	-	1	2	2*	2	2
DRESDEN - -	403,400	June	2	231	122	15·6	-	2	-	2*	2	-
BRESLAU - -	412,959	July	7	-	238	30·1	-	3	-	-	-	-
MUNICH - -	463,000	June	30	365	208	23·4	-	4	-	1*	3	1
VIENNA - -	1,656,662	July	7	886	585	18·4	-	12	1	2*	3	3
PRAGUE - -	385,952	June	23	209	185	24·6	-	-	1	-	1	2
BUDA-PESTH -	685,340	"	30	461	278	21·1	-	7	-	1	2	2
TRIESTE - -	168,264	July	7	130	79	24·4	-	-	1	-	-	-
ROME - - -	514,306	June	16	200	147	14·9	-	2	-	-	-	1
TURIN (10 days)-	344,203	April	30	205	200	21·2	-	-	-	2	2	2
VENICE - -	172,491	June	30	73	50	15·1	-	-	-	-	-	-
CAIRO - -	570,062	May	27	401	484	44·1	7	64	-	4*	-	17
ALEXANDRIA -	319,766	"	27	221	173	28·1	1	-	-	2*	-	3
NEW YORK (including BROOKLYN)	3,654,594	June	16	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,266,832	"	23	-	380	15·6	-	2	3	20	2	6

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 95 deaths from plague in Calcutta, 99 in Bombay.
§ Including 48 deaths from cholera in Calcutta, 90 in Bombay.

1900. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. De-parture from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 8	..	30·089	65·5	46·3	19·2	56·3	− 5·7	45·3	11·0	18·0	4·6	67	122·3	33·9	58·62	NNW.	NNW.	2·2	0·0	0·1	209	− 28	0·00	0·0
MONDAY - 9	..	30·041	69·9	55·9	14·0	62·3	+ 0·3	53·2	9·1	14·4	5·0	72	119·4	52·0	58·54	NNW., W. & WSW.	WNW. & WSW.	2·1	0·0	0·1	273	+ 39	0·00	0·0
TUESDAY - 10	Greatest Dec. S.	29·933	82·7	51·9	30·8	67·2	+ 5·1	47·8	19·4	28·6	4·4	50	130·0	44·7	58·80	WSW.	SW. & S.	1·0	0·0	0·1	224	− 8	0·00	0·0
WEDNESDAY 11	..	29·774	84·7	54·4	30·3	70·9	+ 8·6	54·0	16·9	28·7	4·0	55	143·8	44·8	59·09	SE. & S.	SE. & E.	1·9	0·0	0·1	216	− 14	0·00	0·0
THURSDAY - 12	Full	29·577	76·9	58·2	18·7	67·9	+ 5·3	52·3	15·6	24·8	0·9	58	147·0	49·4	59·52	E.	E. & ESE.	2·7	0·0	0·1	173	− 56	0·00	0·0
FRIDAY - 13	..	29·695	83·6	55·4	28·2	68·0	+ 5·1	55·3	12·7	23·3	1·2	64	143·0	49·2	60·21	SW. & N.	SSW.	2·0	0·0	0·1	186	− 43	0·00	0·0
SATURDAY - 14	..	29·815	75·9	56·3	19·6	65·5	+ 2·4	55·4	10·1	18·4	2·0	70	139·1	48·6	60·60	SSW.	SSW.	4·1	0·0	0·3	301	+ 72	0·00	0·0
MEANS -		29·846	77·0	54·1	23·0	65·4	+ 3·0	51·9	13·5	22·3	3·2	62	134·9	46·1	59·34	Variable		..	..	..	Sum 1582	Sum − 38	Sum 0·00	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 8	The electrometer was not in action.	8·8	16·4	Fine and partially cloudy till 4h. P.M.; overcast afterwards. Solar halo in afternoon.
MONDAY - 9	The electrometer was not in action.	0·7	16·3	Overcast generally.
TUESDAY - 10	Out of action till noon; w. P. afterwards.	15·3	16·3	A very fine day; cloudless generally.
WEDNESDAY 11	w. P. throughout -	15·1	16·3	Cloudless till evening; generally cloudy at night. Very fine and warm.
THURSDAY - 12	w. P. throughout -	13·4	16·2	A very fine day The amount of cloud was generally small.
FRIDAY - 13	w. P. increasing to m. P.	12·4	16·2	A very fine warm day. Partially cloudy.
SATURDAY - 14	w. P. throughout -	10·5	16·2	A very fine day; partially cloudy till evening; cloudless at night. A slight shower at 10h. A.M.
		Sum 76·2	Sum 113·9	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·05 in. at the beginning of the week to 30·09 in. by 10h. A.M. on the 8th; decreased to 29·56 in. by 3h. P.M. on the 12th; and increased to 29·90 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 29. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JULY 21. [Price 1½*d.*

General Register Office, Somerset House,
July 23rd, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·4 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 15·1, 14·5, and 15·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	June 30.	July 7.	July 14.	July 21		June 30.	July 7.	July 14.	July 21.
33 Great Towns	15·1	14·5	15·6	16·4	Leicester - -	14·5	12·6	11·7	15·2
Birkenhead -	16·9	10·2	15·6	17·8	Liverpool - -	22·7	19·9	20·9	23·6
Birmingham -	16·6	16·3	19·5	15·5	London - - -	14·5	13·5	14·2	16·1
Blackburn -	16·7	15·2	16·7	15·2	Manchester - -	20·7	19·3	20·0	21·0
Bolton - -	13·0	13·7	17·1	15·6	Newcastle-on-Tyne	14·0	15·1	19·8	17·4
Bradford -	13·8	11·6	12·7	12·9	Norwich - -	13·6	13·6	18·6	14·1
Brighton -	10·1	15·1	11·3	18·1	Nottingham - -	17·4	11·4	18·7	12·2
Bristol - -	12·7	10·1	14·9	11·7	Oldham - -	15·0	13·9	19·7	13·9
Burnley -	10·3	10·7	12·1	11·6	Plymouth - -	12·8	17·4	16·8	18·9
Cardiff - -	11·5	11·5	14·8	10·7	Portsmouth - -	9·4	13·4	9·6	11·8
Croydon -	9·9	9·9	11·5	14·7	Preston - -	15·3	14·9	18·0	18·9
Derby - -	15·9	14·5	13·5	13·5	Salford - - -	21·5	18·9	18·2	22·2
Gateshead -	16·7	18·1	20·0	16·2	Sheffield - -	17·4	18·0	18·5	18·7
Halifax -	18·1	15·0	16·1	15·5	Sunderland - -	17·0	24·1	17·3	23·0
Huddersfield -	17·0	14·5	14·5	10·0	Swansea - -	9·4	14·8	16·3	17·3
Hull - -	13·1	14·2	15·9	16·2	West Ham - -	9·0	9·1	11·1	15·4
Leeds - -	12·7	15·1	14·0	16·1	Wolverhampton -	18·6	12·8	12·2	18·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Huddersfield, 1·4 in Oldham, 1·8 in Sunderland, and 2·9 in Derby; from *scarlet fever*, 1·5 in Blackburn; from *whooping-cough*, 1·0 in Liverpool and in Bolton, and 1·1 in Blackburn; and from *diarrhœa*, 1·0 in Leicester, in Derby, and in Manchester, 1·1 in London, 1·4 in Norwich, 1·7 in West Ham, in Salford, and in Sheffield, 1·8 in Leeds, 1·9 in Liverpool, and 2·7 in Birkenhead. In none of the thirty-three towns did the death-rate from "*fever*," reach 1·0 per 1000. The 69 deaths from *diphtheria* included 21 in London, 10 in Sheffield, 6 in Leicester, 5 in Leeds, 4 in Cardiff, 4 in Liverpool, 3 in West Ham, and 3 in Swansea. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2384 BIRTHS and 1417 DEATHS were registered. Allowing for increase of population, the births were 230, and the deaths 299,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·5, 13·5, and 14·2 in the preceding three weeks, further rose last week to 16·1. During the four weeks ending on Saturday last the death-rate averaged 14·6 per 1000, being 3·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1417 deaths included 54 from measles, 5 from scarlet fever, 21 from diphtheria, 40 from whooping-cough, 9 from enteric fever, 1 from an ill-defined form of continued fever, 100 from diarrhœa and dysentery, and not one death from small-pox, from typhus, or from cholera; thus, 230 deaths were referred to these diseases, being 166 below the corrected average weekly number.

The deaths from *measles*, which had been 53, 35, and 42 in the preceding three weeks, further rose last week to 54, but were 3 below the corrected average; 5 cases belonged to Mile End Old Town, 5 to Plumstead, and 4 to Islington sanitary areas. The deaths from *scarlet fever*, which had been 12, 10, and 4 in the preceding three weeks, were 5 last week, the corrected average being 19. The deaths from *diphtheria*, which had been 29, 20, and 26 in the preceding three weeks, fell again last week to 21, and were 20 below the corrected average; 7 cases belonged to Lambeth sanitary area. The deaths from *whooping-cough*, which had been 53, 37, and 43 in the preceding three weeks, fell again last week to 40, the corrected average being 41; 5 cases belonged to Camberwell sanitary area. The fatal cases of *enteric fever*, which had been 12, 7, and 13 in the preceding three weeks, fell again last week to 9, but were 2 above the corrected average. The deaths from *diarrhœa*, which had been 17, 20, and 27 in the preceding three weeks, further rose last week to 100, but were 122 below the corrected average. Of the 100 deaths from diarrhœa, 92 were of children under 5 years of age; 21 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 180, 140, and 160 in the preceding three weeks, further rose last week to 169, but were 8 below the corrected average. The deaths attributed directly to *influenza* numbered 6, having been 3, 2, and 4 in the preceding three weeks.

Different forms of violence caused 77 deaths, concerning all but 10 of which inquests were held. Of these 77 deaths, 8 were cases of suicide, while the remaining 69 were attributed to accident or negligence. Ten of of these were referred to vehicles in the streets, 12 to sunstroke, 6 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 7 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 14 cases of small-pox, 1877 of scarlet fever, 1236 of diphtheria, and 135 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 1 case, against 8, 4, and 4; of scarlet fever, 222 cases, against 210, 230, and 208; of diphtheria, 192 cases, against 155, 176, and 175; and of enteric fever, 19 cases, against 21, 23, and 18.

Greater London.

In Greater London 3541 births and 1895 deaths were registered, corresponding to annual rates of 27·8 and 14·9 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 1 from scarlet fever, 11 from diphtheria, 15 from whooping-cough, 5 from "fever," and 26 from diarrhœa were registered. Four deaths from measles, 4 from diphtheria, 6 from whooping-cough, 4 from "fever," and 12 from diarrhœa occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 72°·1; the latter being 9°·0 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 24 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 83·2 hours; no rain was measured during the week.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 21st July 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6486**	**3662**	**983**	**801**		**118**	**26**	**69**	**91**	**37**	**214**	**161**	**292**	**845**	**39**	**16·4**	**2·5**	**94·0**	**45·6**	**66·1**	**18·94**	**0·25**	**0·63**	**33 Towns.**
London - -	4,589,129	2384	1417	368	325	-	54	5	21	40	10	100	77	133	452	5	16·1	2·6	94·0	52·6	72·1	22·28	0·00	0·00	London.
West Ham - -	314,472	181	93	31	18	-	2	-	3	2	3	10	4	6	18	1	15·4	3·3	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	65	37	3	15	-	1	-	2	1	-	1	4	5	16	-	14·7	2·0	92·8	52·0	68·9	20·50	0·00	0·00	Croydon.
Brighton - -	124,148	58	43	9	13	-	1	-	-	1	1	1	4	8	8	1	18·1	1·7	-	-	-	-	-	-	Brighton.
Portsmouth -	194,955	98	44	14	9	-	-	-	2	-	1	1	3	4	6	-	11·8	1·1	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	42	37	4	11	-	-	-	-	-	-	-	1	2	4	-	18·9	-	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	179	73	16	27	-	4	-	1	1	-	2	4	13	13	1	11·7	1·3	88·4	47·0	64·7	18·17	0·03	0·08	Bristol.
Cardiff - -	194,247	89	40	8	7	-	1	-	4	1	1	-	1	5	3	1	10·7	1·9	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	50	35	9	7	-	1	1	3	-	-	-	-	1	1	-	17·3	2·5	-	-	-	-	-	-	Swansea.
Wolverhampton	59,598	57	31	10	3	-	-	-	1	-	-	-	2	2	3	-	18·0	0·6	86·8	45·6	63·3	17·39	0·07	0·18	Wolverhampton.
Birmingham -	519,610	323	154	49	26	-	1	2	1	3	3	2	4	7	37	1	15·5	1·2	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	63	31	9	9	-	1	-	-	-	1	3	-	-	2	-	14·1	2·3	85·0	53·2	66·4	19·11	0·57	1·45	Norwich.
Leicester - -	219,169	95	64	19	10	-	1	-	6	-	2	4	2	2	6	4	15·2	3·1	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	142	57	16	16	-	-	-	-	1	-	4	3	4	9	1	12·2	1·1	82·0	49·1	64·5	18·06	0·82	2·08	Nottingham.
Derby - - -	107,991	49	28	7	5	-	6	1	-	1	-	2	2	5	3	-	13·5	4·8	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	78	40	18	7	-	-	-	1	-	-	6	2	3	5	-	17·8	3·1	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	412	287	81	56	-	2	2	4	12	4	23	7	15	74	5	23·6	3·9	80·3	54·8	65·0	18·33	0·45	1·14	Liverpool.
Bolton - -	164,240	99	49	13	15	-	2	1	-	3	-	1	2	5	10	-	15·6	2·2	-	-	-	-	-	-	Bolton.
Manchester -	548,768	379	221	56	40	-	8	3	2	8	-	11	15	24	45	2	21·0	3·0	-	-	-	-	-	-	Manchester.
Salford - -	220,816	142	94	31	17	-	2	4	2	1	2	7	2	6	27	3	22·2	4·3	-	-	-	-	-	-	Salford.
Oldham - -	153,297	77	41	8	6	-	4	-	-	2	-	-	1	3	3	-	13·9	2·0	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	48	26	6	4	-	-	-	-	1	-	-	3	3	1	-	11·6	0·4	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	82	40	8	17	-	1	4	1	3	-	1	2	4	4	-	15·2	3·8	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	48	43	15	6	-	-	-	-	-	2	1	-	1	8	1	18·9	1·3	80·0	55·0	64·9	18·28	0·15	0·38	Preston.
Huddersfield	104,484	45	20	2	7	-	2	-	-	-	-	-	-	1	2	1	10·0	1·0	-	-	-	-	-	-	Huddersfield.
Halifax - -	100,710	57	30	3	13	-	1	-	-	-	-	-	1	2	3	1	15·5	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	139	72	16	20	-	1	-	-	-	1	-	2	6	10	2	12·9	0·4	80·2	54·2	65·1	18·39	0·13	0·33	Bradford.
Leeds - - -	431,287	293	133	46	14	-	6	1	5	4	4	15	3	7	18	1	16·1	4·2	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	258	131	45	24	-	4	2	10	2	1	12	2	2	17	1	18·7	4·4	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	147	74	19	19	-	3	-	-	1	-	3	3	4	11	3	16·2	1·5	-	-	-	-	-	-	Hull.
Sunderland -	147,398	94	65	12	12	-	5	-	-	1	-	2	-	3	7	1	23·0	2·8	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	66	34	9	7	-	1	-	-	-	-	-	-	-	1	-	16·2	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	147	78	23	16	-	3	-	-	2	1	2	5	6	18	3	17·4	1.8	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2346	2504	2541	2498	2423	2557	2429	2601	2505	2444	2614·1	2384
Males - -	1230	1293	1337	1280	1262	1307	1203	1366	1256	1279	1348·0	1239
Females - -	1116	1211	1204	1218	1161	1250	1226	1235	1249	1165	1266·1	1145
TOTAL **Deaths** -	1522	1462	1554	1855	1495	1996	1891	1798	1330	1539	1716·1	1417
Males - -	805	782	788	1000	744	1037	999	921	713	855	900·4	777
Females - -	717	680	766	855	661	959	892	787	617	734	806·7	640

*The numbers in this column are the average weekly numbers in the twenty-ninth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.
TOTAL **Births** - - -	2697	2737	2581	2512	2435	2579	2276	2646	2464	2483	2466	2479	2384
TOTAL **Deaths** - - -	1721	1675	1446	1437	1440	1497	1398	1533	1171	1274	1191	1252	1417
Ages at Death: Under 1 year - -	302	349	289	297	295	323	295	333	257	283	243	292	368
1—5 years - -	238	217	186	182	196	218	185	203	149	179	145	153	210
5—20 " - -	84	80	83	101	69	86	96	90	72	84	70	69	8[illegible]
20—40 " - -	247	222	187	194	195	197	214	223	147	179	193	183	16[illegible]
40—60 " - -	393	371	314	302	288	313	282	325	270	289	275	247	26[illegible]
60—80 " - -	374	348	324	300	327	302	274	288	231	220	217	249	27[illegible]
80 years and upwards	83	88	63	61	70	58	52	71	45	40	48	59	5[illegible]
Deaths from—													
Small pox - - - -	1	-	1	-	-	-	-	-	-	-	-	-	[illegible]
Measles - - - -	68	72	56	49	56	68	60	64	42	53	35	42	5[illegible]
Scarlet Fever - - -	11	4	4	6	8	7	11	5	9	12	10	4	[illegible]
Diphtheria - - - -	20	21	29	22	29	29	24	28	21	29	20	26	2[illegible]
Whooping-cough - - -	40	42	35	56	50	48	37	49	35	53	37	43	4[illegible]
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	8	6	3	15	8	10	7	8	4	12	7	13	[illegible]
Simple Continued Fever -	-	-	-	-	-	-	1	1	-	-	-	-	
Diarrhœa and Dysentery -	17	11	15	8	7	10	5	15	20	17	20	27	10[illegible]
Cholera - - - -	1	-	1	-	-	1	-	-	-	-	1	-	-
All the above Diseases -	166	156	144	156	158	173	145	170	131	176	130	155	23[illegible]
Dis. of Respiratory System -	411	417	300	270	269	266	268	257	181	180	140	160	16[illegible]
Phthisis - - - - -	164	168	131	159	155	150	150	151	123	138	148	138	12[illegible]
Dis. of Circulatory System -	146	154	140	116	117	138	127	107	109	120	129	130	10[illegible]
Violence - - - -	95	67	59	73	66	59	66	97	64	71	63	56	7[illegible]
Inquest Cases - - - -	198	143	154	145	127	138	139	181	128	135	132	115	13[illegible]
Deaths in Public Institutions -	521	538	467	452	485	470	451	525	376	421	408	406	45[illegible]
TEMPERATURE OF THE AIR.													
Mean - - - - -	47·5°	52·7°	50·9°	47·1°	53·0°	54·0°	58·4°	64·4°	59·7°	57·6°	59·2°	65·4°	72·[illegible]°
Mean of Highest readings -	57·7	61·7	59·5	56·3	62·2	62·4	69·4	75·4	69·5	66·7	67·4	77·0	83·[illegible]
Mean of Lowest readings -	38·0	44·0	43·2	39·9	45·1	47·1	49·3	53·9	52·2	51·2	53·2	54·1	57·[illegible]
Humidity of the Air - -	70	70	76	68	78	78	72	72	72	80	73	62	6[illegible]
Rain-fall (in inches) - -	0·06	0·19	0·36	0·01	0·81	0·24	0·19	0·44	0·77	1·15	0·57	0·00	0·0[illegible]
Registered Sunshine (in hours)	39·9	41·4	23·1	39·1	33·1	31·0	54·0	60·0	52·9	23·5	47·5	76·2	83·[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	6	6	5	3	5	7	11	15	13	16	17	17	1[illegible]
Scarlet Fever - - - -	1647	1660	1693	1733	1784	1760	1754	1766	1810	1832	1843	1861	187[illegible]
Diphtheria - - - -	1141	1131	1176	1188	1222	1220	1233	1228	1226	1219	1207	1212	123[illegible]
Enteric Fever - - - -	208	192	185	172	176	176	172	153	147	148	155	143	13[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley; Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the TWENTY-NINTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 29th Week of the 10 years 1890-99*.	In the Week ending Saturday, 21st July, 1900 — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1716·1	1417	368	210	82	163	269	272	53
Vaccinated† -	0·4	-	-	-	-	-	-	-	-
Unvaccinated	0·8	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
s - - - -	56·9	51	18	35	1	-	-	-	-
Fever - - -	19·0	5	-	3	1	1	-	-	-
s - - - -	0·2	-	-	-	-	-	-	-	-
ing Fever - -	0·1	-	-	-	-	-	-	-	-
za - - - -	6·5	6	-	1	-	1	3	1	-
ing-cough - -	41·2	40	17	22	1	-	-	-	-
eria - - -	41·1	21	4	11	5	1	-	-	-
Continued and fined Fever -	0·4	1	-	-	-	1	-	-	-
c Fever - - -	6·7	9	-	-	1	5	1	2	-
a and Chol. Diarr.	6·5	-	-	-	-	-	-	-	-
œa, Dysentery -	222·4	100	74	18	1	-	2	4	1
ent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	0·1	-	-	-	-	-	-	-	-
rs - - - -	0·2	-	-	-	-	-	-	-	-
x and Effects of nation - -	-	1	1	-	-	-	-	-	-
al Affections - -	12·2	6	3	-	-	-	2	1	-
elas - - -	3·1	-	-	-	-	-	-	-	-
a and Septicæmia	0·9	1	-	-	-	1	-	-	-
ral Fever - -	4·8	4	-	-	-	4	-	-	-
Zymotic Diseases	1·2	1	-	1	-	-	-	-	-
- - - - -	1·1	-	-	-	-	-	-	-	-
and other Para-l Diseases -	0·4	1	-	-	-	-	-	1	-
ion, Want of st-milk - -	1·8	1	1	-	-	-	-	-	-
lism - - -	10·1	10	-	-	-	4	6	-	-
atic Fever, matism of Heart	7·4	6	-	-	1	5	-	-	-
atism - - -	1·1	7	-	-	-	-	3	4	-
- - - - -	2·7	1	-	-	-	-	1	-	-
s - - - -	6·9	5	2	3	-	-	-	-	-
- - - - -	74·6	92	-	-	2	5	43	41	1
Mesenterica - -	37·3	10	9	-	1	-	-	-	-
ular Meningitis -	27·8	31	8	15	8	-	-	-	-
is - - - -	141·7	126	3	2	11	56	46	8	-
la, Tuberculosis -	21·8	32	5	12	6	2	6	1	-
Constitutional ases - -	11·5	17	2	1	-	1	7	6	-
ture Birth - -	52·7	35	35	-	-	-	-	-	-
tasis - - -	3·4	4	4	-	-	-	-	-	-
nital Malforma- - - - -	9·4	3	3	-	-	-	-	-	-
ge - - - -	35·8	49	-	-	-	-	-	20	29
oxy - - -	35·7	37	-	-	1	-	9	23	4
sy - - - -	6·8	6	-	-	-	3	3	-	-
lsions - - -	46·0	43	40	2	-	1	-	-	-
Diseases of Brain Nervous System	86·1	94	14	13	8	11	14	32	2
es of Organs of ial Sense -	3·9	4	2	-	2	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 29th Week of the 10 years 1890-99*.	In the Week ending Saturday, 21st July, 1900 — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	116·9	106	1	1	3	18	38	38	7
Croup - - - -	2·2	-	-	-	-	-	-	-	-
Bronchitis - - -	74·4	59	14	9	-	2	6	25	3
Pneumonia - - -	79·8	92	27	25	4	8	18	9	1
Pleurisy - - - -	3·9	8	1	3	-	1	2	1	-
Other Diseases of Respiratory System -	17·0	10	1	1	1	-	1	6	-
Dentition - - - -	12·5	10	5	5	-	-	-	-	-
Quinsy, Sore Throat -	1·3	1	-	-	-	-	1	-	-
Enteritis - - -	67·4	13	5	1	3	1	1	1	1
Gastro-enteritis -		23	14	7	-	-	2	-	-
Peritonitis - - -	6·4	4	-	-	1	-	-	3	-
Diseases of Liver - -	27·1	20	-	1	-	1	12	6	-
Other Diseases of Digestive System	43·0	30	10	5	2	6	3	4	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·4	2	-	-	-	1	1	-	-
Diseases of Urinary System - - -	44·6	40	-	-	2	3	17	18	-
Diseases of Generative System - - -	5·2	5	-	-	-	-	3	2	-
Accidents of Childbirth -	4·4	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	5·4	7	-	1	4	-	-	2	-
Diseases of Integumentary System - -	4·7	7	2	-	-	2	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		-	-	-	-	-	-	-	-
By Vehicles or Horses -		10	-	2	3	-	2	2	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -		2	-	-	-	2	-	-	-
In Building Operations -		2	-	-	-	1	-	1	-
In Conflagrations -		1	-	-	-	-	1	-	-
By Burns, Scalds, Explosions - -	56·1	5	-	2	1	1	1	-	-
By Drowning - - -		6	-	-	4	1	1	-	-
By Suffocation in Bed -		7	7	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	1	1	1	-	-
Other or not stated causes - - -		33	3	7	2	4	6	8	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·7	-	-	-	-	-	-	-	-
Suicide - - - -	10·2	8	-	-	1	4	3	-	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	78·1	36	33	1	-	-	1	1	-

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of lent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered
SUB-DISTRICT during the Week ending Saturday, 21st July, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2384	1417	368	325	-	54	5	21	40	-	9	1	100	77	133
WEST DISTRICTS - - -	778,251	361	230	53	60	-	9	-	2	-	-	1	1	14	17	24
NORTH DISTRICTS - - -	1,040,694	527	273	67	66	-	11	-	5	9	-	4	-	22	14	23
CENTRAL DISTRICTS - - -	233,635	108	74	19	10	-	1	-	1	2	-	-	-	4	5	10
EAST DISTRICTS - - -	716,334	454	330	92	68	-	15	-	2	8	-	-	-	37	20	40
SOUTH DISTRICTS - - -	1,642,796	934	485	137	114	-	18	5	11	21	-	4	-	23	20	35
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	25	-	7	-	-	-	-	-	-	-	-	-	1	1
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	48	21	8	4	-	2	-	-	-	-	-	1	3	-	1
St. John Paddington *H* - - G.	33,510	11	10	1	1	-	-	-	-	-	-	-	-	-	1	1
Kensington Town *Ww* - - W.	122,164	50	46	10	13	-	3	-	-	-	-	-	-	2	4	5
Brompton *HH*- - - W. & C.	48,301	13	10	-	4	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *H* } W. & G	44,638	29	12	4	3	-	1	-	-	-	-	1	-	2	-	1
South Hammersmith *H* } W. & G	59,561	24	13	5	1	-	-	-	-	-	-	-	-	2	1	2
Fulham *Ww* - - - W. & C.	113,781	91	45	13	10	-	3	-	2	-	-	-	-	3	3	6
Chelsea Kensal Town - C.	21,450	5	6	2	4	-	-	-	-	-	-	-	-	2	-	-
Chelsea North *WHHHH* - C.	42,057	22	15	-	7	-	-	-	-	-	-	-	-	-	1	3
Chelsea South *HH* - - C.	33,139	16	7	-	4	-	-	-	-	-	-	-	-	-	1	1
May Fair *WH*- - - - G.	23,827	3	6	1	4	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHHH* - - - C.	56,140	21	22	5	-	-	-	-	-	-	-	-	-	-	2	2
St. John Westminster *HH* - C.	31,492	10	5	2	3	-	-	-	-	-	-	-	-	-	1	1
St. Margaret Westminster *H*- C.	22,097	6	3	-	1	-	-	-	-	-	-	-	-	-	1	-
St. James Westminster *WH* } N. & G.	23,050	8	6	2	1	-	-	-	-	-	-	-	-	-	1	1
St. Anne Soho *HHHHH* - N.	12,048	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	7	18	2	5	-	-	-	-	-	-	-	-	-	1	2
Rectory Marylebone *W* G. & W.	19,798	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	30	8	3	1	-	1	-	-	-	-	-	-	1	-	2
Christchurch Marylebone *H* - W	32,547	12	10	4	1	-	-	-	-	-	-	-	-	2	-	1
St. John Marylebone *HHH* - W.	32,611	20	9	4	-	-	1	-	-	1	-	-	-	2	1	1
Hampstead *WwHHHH* } - N. & W.	75,449	27	13	3	2	-	3	-	2	-	-	-	-	-	-	-
Regent's Park† *HH* - W.	51,403	19	8	2	2	-	-	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* } - N. & W.	26,757	5	11	1	1	-	1	-	1	-	-	1	-	-	-	-
Gray's Inn Lane *HHHH* - N.	29,426	15	11	1	3	-	-	-	-	-	-	-	-	-	1	2
Somers Town *HH* - - - N.	32,161	16	12	5	1	-	-	-	-	-	-	-	-	3	1	1
Camden Town† *WH* - - N.	40,155	23	13	1	9	-	-	-	-	-	-	-	-	-	1	2
Kentish Town† *WW* - - N.	60,862	46	15	2	2	-	-	-	-	1	-	-	-	-	2	2
Upper Holloway *WWWWwHH* } - - N.	98,273	51	37	8	8	-	1	-	-	1	-	1	-	2	1	2
Lower Holloway‡ - - - N.	41,805	29	3	2	-	-	1	-	-	1	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	37	9	2	4	-	-	-	1	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	29	15	3	4	-	2	-	-	1	-	-	-	-	2	2
Highbury *HH* - - - N.	64,577	36	11	1	6	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	12	14	2	7	-	-	-	-	1	-	1	-	1	1	1
North Hackney - - E. & N.	213,044	18	3	1	-	-	-	-	-	-	-	1	-	-	-	-
Central Hackney *ww* - E. & N.		20	5	1	1	-	-	-	1	-	-	-	-	1	-	-
South-west Hackney *HHH* E. & N.		43	15	5	3	1	-	-	-	2	-	-	-	-	1	1
South-east Hackney *WwH* E. & N.		26	31	14	5	-	1	-	-	1	-	-	-	10	2	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situate
namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other
than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which pa
received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G.
Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth;
River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into
Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington S
Sub-District.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES JARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 21st July, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	14	10	2	2	-	-	-	1	-	-	-	-	-	1	-	3	-
uth *WH* - -																		
Giles North *H* - - - N.	9,151	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin-in-the-Fields *HH* N. & C.	13,077	1	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
and *WHH* - - - - N.	11,339	5	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
and Union Workhouse, Edmonton	†*1,037*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
bborn *wHHHHHH* - N.	31,042	14	16	8	-	-	1	-	-	-	-	-	-	-	-	1	9	-
James Clerkenwell - - N.	15,777	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	17	7	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-
swell-street - - - - N.	16,069	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHHL* - - N.	29,897	27	5	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-
itecross-street - - - N.	7,595	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury - - - - - N.	4,035	2	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
lborn Union Workhouse, Fitcham - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph* *H* -- - N. & E.	13,061	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	3	17	3	-	-	-	-	-	-	-	-	-	1	3	5	14	-
haliows Barking - - - N.	9,059	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
y of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	5	6	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-
oxton New Town *w* - - N.	29,575	20	16	4	8	-	1	-	-	-	-	-	-	1	1	1	8	-
oxton Old Town - - - N.	27,645	18	11	6	1	-	-	-	-	-	-	-	-	3	-	1	-	-
aggerston *WH* - - N. & E.	47,163	31	19	8	2	-	1	-	-	-	-	-	-	3	-	1	8	-
thnal Green North *H* - E.	49,301	32	8	3	1	-	1	-	-	-	-	-	-	1	-	1	-	-
thnal Green South - - E.	34,194	21	11	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-
thnal Green East *WWHl* - E.	45,667	32	22	-	8	-	1	-	-	1	-	-	-	-	2	5	10	
italfields - - - E. & N.	26,681	19	5	2	-	-	-	-	1	1	-	-	-	2	-	-	-	-
ile End New Town *WH* - E. }	51,995	23	45	9	6	-	1	-	-	-	-	-	-	-	3	7	42	-
oodman's Fields - - - E. }		15	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
.George's, North - - - E.	39,576	36	14	9	1	-	-	-	-	-	-	-	-	1	1	2	-	-
.John, St. George East *W* E.	7 930	7	6	1	-	-	-	-	-	-	-	-	-	1	-	-	3	-
hadwell *H* - - - E. & N.	10,434	2	15	6	1	-	1	-	-	-	-	-	-	2	1	2	7	-
atcliff *W* - - - - E.	14,954	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
imehouse - - - - - E.	32,917	17	17	5	3	-	1	-	-	-	-	-		2	1	2	-	-
Iile End Old Town West *H* E. }	111,060	49	14	4	3	-	-	-	-	2	-	-	-	3	-	-	-	-
Iile End Old Town East } - E.		33	25	10	8	-	5	-	-	-	-	-	-	3	1	1	8	-
WWww																		
ow *l* - - - - - E.	41,687	19	26	11	3	-	-	-	-	-	-	-	-	11	2	3	1	-
Bromley *wwwH* - - - E.	69,821	40	46	4	21	-	1	-	-	1	-	-	-	1	6	9	26	-
Poplar *WW* - - - - E.	57,759	28	19	6	2	-	2	-	-	-	-	-	-	1	1	4	1	

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 21st July, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WH* L.&S.	13,064	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Saviour Southwark - - S.	12,301	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Kent-road - - - - S. & L.	22,879	18	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Borough-road *WH* - S. & L.	16,083	5	6	1	1	-	-	-	-	1	-	-	-	-	-	1	2
London-road *HL* - - L. & S.	21,316	10	12	2	1	-	1	-	-	-	-	-	-	-	1	1	2
Trinity Newington *H* - S. & L.	28,723	13	7	1	-	-	3	-	-	-	-	-	-	1	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	50	24	11	5	-	-	-	1	2	-	-	-	-	-	3	2
St. Mary Newington- - L. & S.	30,171	21	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	8	8	-	4	-	-	-	-	-	-	-	-	-	1	1	8
Bermondsey *W* - - - S.	85,475	38	21	11	1	-	-	-	-	2	-	1	-	-	1	2	-
Rotherhithe *Ww* - S. & K.	40,379	16	17	4	6	-	-	-	1	-	-	-	-	-	-	-	7
Waterloo-road *HH* - L. & S.	28,396	15	10	4	-	-	-	-	-	2	-	-	-	1	-	1	1
Lambeth Church 1st *H* - L. & S.	18,770	12	19	4	1	-	-	-	-	-	-	-	-	-	3	6	11
Lambeth Church 2nd *WW* L. & S.	40,994	35	26	9	8	-	1	-	-	-	-	-	-	-	2	3	12
Kennington 1st *H* - - S. & L.	52,486	49	12	3	3	-	-	-	1	-	-	-	-	-	-	1	-
Kennington 2nd - - S. & L.	43,244	18	7	1	3	-	-	-	1	-	-	-	-	-	1	2	-
Brixton *w* - - - L. & S.	81,825	44	18	3	3	-	1	-	4	1	-	1	-	-	-	1	3
Norwood *WH* - - - - L.	29,318	13	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - - S.	71,730	46	14	8	-	-	1	-	-	1	-	-	-	2	1	1	-
North-west Battersea† - - S.	93,385	29	11	7	3	-	1	-	-	1	-	-	-	4	-	-	-
South-west Battersea† *WwH* - S.		17	14	1	6	-	-	-	-	1	-	1	-	-	1	2	7
Clapham *H* - - - - S.	46,953	22	10	3	4	-	-	-	-	-	-	-	-	-	-	-	1
Streatham *WwwwwL* - - L.	61,644	50	23	4	6	-	-	1	2	1	-	1	-	-	-	-	6
Wandsworth *WHHL* - - S.	58,101	29	12	4	3	-	1	-	-	-	-	-	-	2	-	-	-
Putney - - - - - - S.	20,566	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	48	39	5	15	-	-	-	-	2	-	-	-	-	-	1	22
Peckham *WW* - S., L., & K.	88,242	44	17	7	4	-	-	-	-	1	-	-	-	3	1	1	-
St. George Camberwell - L. & S.	67,029	39	11	4	1	-	-	-	-	1	-	-	-	-	1	-	-
Deptford North - - - K.	36,152	25	7	1	1	-	1	-	-	-	-	-	-	1	-	-	-
Deptford Central *w* - - K.	45,441	34	14	8	2	-	2	1	-	-	-	-	-	1	-	-	1
Deptford South - - - K.	33,402	8	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	8	4	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Greenwich East *WH* - - K.	37,767	27	19	5	8	-	-	-	-	1	-	-	-	1	-	-	8
Eltham *wH* - - - - - K.	5,911	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	6	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Lewisham *WwH* - - - K.	38,139	40	13	2	4	-	-	2	1	-	-	-	-	1	-	-	9
Sydenham *H* - - - - L.	37,601	15	6	2	-	-	-	-	-	1	-	-	-	1	-	-	1
Charlton *wHH* - - - K.	15,928	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Woolwich* *HHHH* - - K.	41,314	17	15	3	5	-	1	-	-	-	-	-	-	1	3	4	4
Plumstead West *H* - - K.	16,714	8	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	29	27	3	6	-	5	1	-	3	-	-	-	-	-	-	4
Banstead Asylum - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell Asylum - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	1	1	5
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwic
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ling Saturday, 21st July, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON—OUTER RING -	368,749	1,422,063	1,157	478	142	127	-	8	1	11	15	5	26	25	53	67	4
Carshalton *H* - - -	12,228	26,108	18	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	3	4	1	2	-	-	-	-	-	-	1	-	-	-	-
Godstone, *part of** *W* -	2,754	1,598	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	73	43	4	18	-	1	-	2	1	-	1	4	6	18	-
Witham *w* - - -	11,697	23,072	11	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	27	10	1	1	-	-	-	-	1	1	-	-	-	-	-
Kingston *WH* - - -	14,672	33,566	30	7	1	2	-	-	-	-	-	-	-	-	-	-	-
Surbiton *HH* - - -		12,178	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Hampton *HL* - - -	4,565	18,252	9	6	2	2	-	-	-	1	-	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	16	6	-	5	-	-	-	-	-	-	-	-	-	2	-
Mortlake *H* - - -	2,823	16,159	9	6	2	1	-	-	-	-	-	-	-	1	1	-	-
Bromley *HHH* - - -	9,127	23,815	9	4	-	2	-	-	-	-	-	-	-	-	-	1	1
Beckenham *H* - - -	6,542	21,969	16	4	2	2	-	-	-	-	-	-	1	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	14	10	4	2	-	1	-	-	-	-	-	-	-	3	1
Bexley *HHH* - - -	12,540	30,590	21	10	3	1	-	-	-	-	-	-	1	3	4	1	-
Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury *w* - - -	11,054	13,671	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Staines *WH* - - -	13,277	13,221	15	8	5	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	7	4	1	1	-	-	-	-	-	-	-	1	1	-	-
Uxbridge - - - -	12,757	7,253	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	12	6	1	1	-	-	1	-	-	-	-	-	-	2	-
Twickenham *HH* - -	2,415	16,027	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	15	6	2	3	-	-	-	-	-	-	-	1	1	-	-
Chiswick - - - -	1,245	21,963	14	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	26	11	5	-	-	-	-	-	-	-	1	-	2	-	-
Harrow *HHH* - - -	13,809	15,715	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	73	25	9	6	-	-	-	1	1	-	2	1	2	2	-
Hendon *WH* - - -	8,382	15,843	13	6	2	2	-	1	-	-	2	-	-	-	1	-	-
South Mimms *HH* - -	21,077	6,367	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnet *WHH* - - -		14,152	10	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH* - - -	4,688	25,820	17	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	33	12	3	6	-	-	-	-	1	-	1	-	-	-	1
Tottenham *HHH* - -	4,642	97,174	76	38	15	5	-	1	-	-	2	-	2	4	8	4	-
Edmonton *Ww* - -	7,489	36,351	44	18	7	6	-	-	-	1	1	-	2	-	3	4	-
Enfield *WWHH* - -	12,602	31,536	26	11	4	4	-	-	-	-	-	-	-	1	3	2	-
Waltham Abbey - - -	11,017	6,066	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	6	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Stratford *H* - - -	4,706	38,612	21	16	8	2	-	1	-	-	-	-	6	2	2	2	-
Plaistow *HHH* - - -		58,030	60	36	16	2	-	1	-	3	2	-	3	1	1	5	1
Canning Town *H* - -		54,750	62	18	5	6	-	-	-	-	-	2	1	-	1	2	-
Forest Gate *w* - - -		53,511	35	14	2	4	-	-	-	-	-	-	-	1	1	-	-
East Ham *wHHH* - -	3,266	32,713	61	23	11	7	-	2	-	-	1	-	-	-	2	-	-
Leyton *WWWwH* - -	4,334	70,188	62	26	5	11	-	-	-	-	1	1	1		2	12	-
Walthamstow *HHHL* -	6,501	57,330	72	18	8	3	-	-	-	1	2	1	1	1	1	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	9	4	-	3	-	-	-	-	-	-	-	1	2	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	5	6	2	3	-	-	-	-	-	-	-	-	-	2	-
Ilford *H* - - - -	8,493	10,913	30	7	3	-	-	-	-	1	-	-	-	1	2	-	-
Barking Town, *H* - -	3,814	14,301	25	7	1	-	-	-	-	-	-	-	1	-	2	-	-
Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

e parts of sub-districts included within that portion of the Metropolitan Police District which form's the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham arley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are cluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS a
Rates of MORTALITY during the week ending Saturday, 21st July, 1900.

GREATER LONDON	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From All Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14
GREATER LONDON	**443,421**	**6,652,145**	**14·9**	**2·3**	**1895**	**510**	**452**	-	**62**	**6**	**32**	**55**	**15**	**126**
INNER LONDON -	74,672	4,589,129	16·1	2·6	1417	368	325	-	54	5	21	40	10	100
OUTER RING -	368,749	2,063,016	12·1	1·7	478	142	127	-	8	1	11	15	5	26

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equival the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZY DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	July	21	144	98	16·9	-	6	2	3	1	
GLASGOW - -	743,585	,,	21	501	317	22·2	2	10	2	3	16	1
DUBLIN - -	349,594	,,	21	186	157	23·4	-	-	1	1	5	
CALCUTTA - -	466,460	May	26	-	358	40·0	30	1	-	-	-	14
BOMBAY - -	821,764	June	26	225	1013	64·1	7	9	?	?	?	21
MADRAS - -	452,518	,,	15	412	415	47·6	-	7	?	?	?	13
PARIS - - -	2,511,629	July	14	1208	955	19·7	3	24	2	4*	3	1
BRUSSELS - -	561,130	,,	14	-	-	-	-	-	-	-	-	-
AMSTERDAM -	526,538	,,	7	271	118	11·7	-	1	-	2	4	-
ROTTERDAM -	323,487	,,	7	178	89	14·2	-	1	-	-	1	1
THE HAGUE -	205,328	,,	7	112	53	13·4	-	1	-	-	-	-
COPENHAGEN -	349,000	,,	14	187	118	17·6	-	-	3	-	2	1
STOCKHOLM -	297,148	,,	7	125	80	14·0	-	1	-	-	-	-
CHRISTIANIA -	221,255	,,	14	124	38	8·7	-	-	-	-	2	-
ST. PETERSBURG	1,132,677	,,	7	638	633	29·1	10	11	15	18	3	26
MOSCOW - -	988,610	,,	7	-	715	37·7	3	38	5	8	2	5
BERLIN - -	1,848,269	June	30	896	587	16·5	-	12	15	4	12	3
HAMBURG - -	691,349	July	14	-	181	13·6	-	3	1	-	3	1
DRESDEN - -	403,400	June	9	247	163	20·8	-	2	-	2*	2	-
BRESLAU - -	412,959	July	14	-	207	26·1	-	-	-	-	3	1
MUNICH - -	463,000	,,	7	-	209	23·5	-	4	-	4*	-	2
VIENNA - -	1,656,662	,,	14	901	604	18·9	-	15	4	4*	6	1
PRAGUE - -	385,952	June	30	187	146	19·4	-	-	-	1	1	1
BUDA-PESTH -	685,340	July		417	275	20·8	-	10	5	1	-	2
TRIESTE - -	168,264	,,	14	98	72	23·2	-	-	1	-	1	-
ROME - - -	514,306	June	23	194	176	17·8	-	2	-	-	-	1
TURIN (10 days)-	344,203	May	10	198	198	21·0	-	3	1	-	3	4
VENICE - -	172,491	July	7	67	58	17·5	-	-	-	-	-	1
CAIRO - -	570,062	June	3	404	510	46·5	3	51	-	2*	1	16
ALEXANDRIA -	319,766	,,	3	190	183	29·8	4	1	-	-	-	6
NEW YORK (including BROOKLYN)	3,654,594	,,	23	1397	1153	16·5	1	14	8	30	8	9
PHILADELPHIA -	1,266,832	,,	30	-	497	20·5	-	3	3	17	2	6

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 95 deaths from plague in Calcutta, 86 in Bombay, and one in Alexandria.
§ Including 36 deaths from cholera in Calcutta, 89 in Bombay, and one in Madras.
‖ Malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Temperature. Mean daily value.	Temperature. Great-est.	Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind. General Direction. A.M.	Wind. General Direction. P.M.	Pressure on the Square Foot. Great-est.	Pressure on the Square Foot. Least.	Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	15	Perigee	29·945	84·1	52·8	31·3	67·4	+ 4·2	55·9	11·5	24·5	0·4	67	149·7	44·0	61·10	SSW. & SW.	SSW., S. & E.	1·1	0·0	0·0	115	-115	0·00	0·0
MONDAY -	16	In Equator.	29·886	94·0	58·3	35·7	76·1	+12·9	61·7	14·4	29·3	3·2	61	156·1	50·1	61·57	NE. & variable.	SSW., WNW. & NNW.	3·7	0·0	0·1	187	- 43	0·00	0·0
TUESDAY -	17	..	30·091	82·9	62·0	20·9	71·2	+ 8·1	54·3	16·9	30·3	3·2	55	132·0	51·0	61·91	NNW. & N.	Variable	0·8	0·0	0·0	153	- 78	0·00	0·0
WEDNESDAY	18	..	30·014	85·3	56·4	28·9	71·1	+ 8·1	54·0	17·1	26·0	0·8	55	145·0	47·7	62·56	SSW. & S.	SSW., S. & SSE.	1·0	0·0	0·0	151	- 80	0·00	0·0
THURSDAY-	19	Last Quarter.	29·848	91·7	52·6	39·1	73·2	+10·2	56·7	16·5	31·0	1·2	56	148·7	43·1	63·07	Variable & NE.	S. & ESE.	1·0	0·0	0·0	134	-108	0·00	0·0
FRIDAY -	20	..	29·840	90·2	62·1	28·1	76·6	+13·6	60·6	16·0	23·5	3·2	58	155·0	56·9	63·50	ESE., E. & ENE.	E. & WSW.	3·0	0·0	0·2	242	+ 10	0·00	0·0
SATURDAY -	21	..	29·972	78·1	61·4	16·7	69·1	+ 6·1	58·6	10·5	18·9	2·7	69	144·9	52·3	63·89	WSW. & SW.	WSW & SW.	3·1	0·0	0·2	262	+ 30	0·00	0·0
MEANS -			29·942	86·6	57·9	28·7	72·1	+ 9·0	57·4	14·7	26·2	2·1	60	147·3	49·3	62·51	Variable		..	..	..	Sum 1234	Sum -384	Sum 0·00	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	15	w. P. generally -	13·0	16·1	Fine and partially cloudy till noon; very fine and generally cloudless afterwards. Very warm.
MONDAY -	16	w. P. generally -	11·4	16·1	An exceptionally hot day; the amount of cloud was usually small. Misty in morning. Lightning at night. The highest shade temperature recorded since 1863, Aug. 18, when it was 95°·1.
TUESDAY -	17	w. P. till 6h. A.M.; m. P. generally afterwards.	13·3	16·1	A very fine and warm day; small amounts of light cloud generally prevalent. Misty in morning.
WEDNESDAY	18	w. P. generally -	13·7	16·0	Cloudless throughout; a very fine warm day. Misty in morning.
THURSDAY-	19	w. P. generally -	13·5	16·0	A very fine and hot day. Cloudless till noon: small amounts of light cloud prevalent afterwards.
FRIDAY -	20	w. P. throughout -	11·2	15·9	Cloudy in morning with lightning and distant thunder between 1h. and 3h. A.M.; very fine afterwards with occasional cloudy intervals. Lightning at night. Very hot.
SATURDAY -	21	w. P. throughout -	7·1	15·9	Fine in morning with lightning and distant thunder till 1h. A.M.; generally cloudy afterwards. A little fine rain at intervals.
			Sum 83·2	Sum 112·1	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·90 in. at the beginning of the week to 29·97 in. by 11h. P.M. on the 15th; decreased to 29·85 in. by 1h. P.M. on the 16th; increased to 30·11 in. by 16h. P.M. on the 17th; decreased to 29·81 in. by 6h. P.M. on the 19th; and increased to 29·99 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1900. VOL. LXI.] WEEK ENDING SATURDAY, JULY 28. [Price 1½*d.*

General Register Office, Somerset House,
July 30th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 15·6, and 16·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 7.	July 14.	July 21.	July 28.		July 7.	July 14.	July 21.	July 28.
33 Great Towns	14·5	15·6	16·4	19·4	Leicester - -	12·6	11·7	15·2	18·3
Birkenhead -	10·2	15·6	17·8	21·4	Liverpool - -	19·9	20·9	23·6	28·0
Birmingham -	16·3	19·5	15·5	19·0	London - - -	13·5	14·2	16·1	21·0
Blackburn -	15·2	16·7	15·2	17·1	Manchester - -	19·3	20·0	21·0	16·8
Bolton - -	13·7	17·1	15·6	11·4	Newcastle-on-Tyne	15·1	19·8	17·4	17·8
Bradford -	11·6	12·7	12·9	13·6	Norwich - -	13·6	18·6	14·1	16·8
Brighton -	15·1	11·3	18·1	16·8	Nottingham - -	11·4	18·7	12·2	14·6
Bristol - -	10·1	14·9	11·7	11·6	Oldham - -	13·9	19·7	13·9	17·0
Burnley -	10·7	12·1	11·6	13·4	Plymouth - -	17·4	16·8	18·9	13·3
Cardiff - -	11·5	14·8	10·7	14·0	Portsmouth - -	13·4	9·6	11·8	17·9
Croydon -	9·9	11·5	14·7	13·5	Preston - -	14·9	18·0	18·9	14·9
Derby - -	14·5	13·5	13·5	11·1	Salford - - -	18·9	18·2	22·2	24·1
Gateshead -	18·1	20·0	16·2	18·1	Sheffield - -	18·0	18·5	18·7	22·1
Halifax -	15·0	16·1	15·5	14·0	Sunderland - -	24·1	17·3	23·0	18·0
Huddersfield-	14·5	14·5	10·0	11·5	Swansea - -	14·8	16·3	17·3	12·9
Hull - -	14·2	15·9	16·2	13·8	West Ham - -	9·1	11·1	15·4	28·0
Leeds - -	15·1	14·0	16·1	22·0	Wolverhampton -	12·8	12·2	18·0	16·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Swansea, 1·5 in Huddersfield, 2·4 in Derby, and 2·9 in Brighton ; from *scarlet fever*, 1·1 in Blackburn ; from *whooping-cough*, 1·1 in Sheffield, and 1·2 in West Ham ; from "*fever*," 1·1 in Portsmouth ; and from *diarrhœa*, 2·4 in Portsmouth, 2·6 in Birmingham, 2·7 in Birkenhead, 2·9 in Leicester, 3·3 in London, 3·4 in Nottingham, 3·5 in Preston, 4·8 in Sheffield, 5·2 in Salford, 5·8 in Liverpool, 5·9 in Leeds, and 7·8 in West Ham. The 66 deaths from *diphtheria* included 27 in London, 10 in Leicester, 6 in Sheffield, 5 in West Ham, 4 in Leeds, and 3 in Liverpool. One death from *small-pox* was registered in Blackburn, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2507 BIRTHS and 1846 DEATHS were registered. Allowing for increase of population, the births were 164 below, and the deaths 45

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 13·5, 14·2, and 16·1 in the preceding three weeks, further rose last week to 21·0. During the four weeks ending on Saturday last the death-rate averaged 16·2 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1846 deaths included 30 from measles, 6 from scarlet fever, 27 from diphtheria, 47 from whooping-cough, 13 from enteric fever, 1 from an ill-defined form of continued fever, 292 from diarrhœa and dysentery, 8 from cholera and choleraic diarrhœa, and not one death from small-pox, or from typhus; thus, 424 deaths were referred to these diseases, being 32 below the corrected average weekly number.

The deaths from *measles*, which had been 35, 42, and 54 in the preceding three weeks, fell again last week to 30, and were 26 below the corrected average; 4 cases belonged to Limehouse, 3 to Shoreditch, and 3 to Hackney sanitary areas. The deaths from *scarlet fever*, which had been 10, 4, and 5 in the preceding three weeks, were 6 last week, the corrected average being 18; 2 cases belonged to St. George in the East sanitary area. The deaths from *diphtheria*, which had been 20, 26, and 21 in the preceding three weeks, rose again last week to 27, but were 14 below the corrected average; 3 cases belonged to Clerkenwell, 3 to Lambeth, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 37, 43, and 40 in the preceding three weeks, rose again last week to 47, and were 7 above the corrected average; 5 cases belonged to St. Pancras, 4 to Islington, and 4 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 7, 13, and 9 in the preceding three weeks, rose again last week to 13, and were 4 above the corrected average; 3 cases belonged to Poplar sanitary area. The deaths from *diarrhœa*, which had been 20, 27, and 100 in the preceding three weeks, further rose last week to 292, and were 10 above the corrected average. Of the 292 deaths from diarrhœa, 284 were of children under 5 years of age; 69 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 140, 160, and 169 in the preceding three weeks, further rose last week to 196, and were 19 above the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 2, 4, and 6 in the preceding three weeks.

Different forms of violence caused 93 deaths, concerning all but 13 of which inquests were held. Of these 93 deaths, 6 were cases of suicide, 1 of homicide, and 1 of execution, while the remaining 85 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 9 to drowning, 24 to sunstroke, and 13 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 11 cases of small-pox, 1859 of scarlet fever, 1271 of diphtheria, and 129 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, 3 cases, against 4, 4, and 1; of scarlet fever, 207 cases, against 230, 208, and 222; of diphtheria, 198 cases, against 176, 175, and 192; and of enteric fever, 20 cases, against 23, 18, and 19.

Greater London.

In Greater London 3557 births and 2516 deaths were registered, corresponding to annual rates of 27·9 and 19·7 per 1000 of the estimated population. In the Outer Ring 14 deaths from measles, 3 from scarlet fever, 16 from diphtheria, 26 from whooping-cough, 3 from "fever," and 124 from diarrhœal diseases were registered. Six deaths from measles, 2 from scarlet fever, 6 from diphtheria, 13 from whooping-cough, 2 from "fever," and 75 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 71°·1; the latter being 8°·6 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 58·8 hours; the measured rainfall amounted to 0·84 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6–12.	Highest.	Lowest.	Mean.		Rainfall.		Cities and Boroughs.
																			Fahrenheit.		Fahrenheit.	Centigrade.	In Inches.	In Centimetres.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6531**	**4313**	**1577**	**775**	**1**	**76**	**24**	**66**	**88**	**27**	**662**	**166**	**284**	**938**	**54**	**19·4**	**4·2**	**93·0**	**51·5**	**66·3**	**19·06**	**0·57**	**1·45**	**33 Towns.**
London	4,589,129	2507	1846	671	357	-	30	6	27	47	14	292	93	155	509	11	21·0	4·7	93·0	57·9	71·1	21·72	0·84	2·13	London.
West Ham	314,472	156	169	97	7	-	3	1	5	7	2	47	3	6	29	3	28·0	10·8	-	-	-	-	-	-	West Ham.
Croydon	131,186	51	34	4	11	-	1	-	-	-	-	3	7	7	5	-	13·5	1·6	92·6	57·5	70·0	21·11	0·44	1·12	Croydon.
Brighton	124,148	52	40	7	14	-	7	-	2	-	-	2	1	1	7	-	16·8	4·6	-	-	-	-	-	-	Brighton.
Portsmouth	194,955	74	67	15	12	-	-	-	-	1	4	9	5	7	11	1	17·9	3·7	-	-	-	-	-	-	Portsmouth.
Plymouth	102,161	41	26	6	11	-	-	-	-	-	-	2	-	1	9	-	13·3	1·0	-	-	-	-	-	-	Plymouth.
Bristol	324,973	178	72	14	20	-	-	-	1	1	-	3	2	4	16	-	11·6	0·8	81·4	56·0	67·6	19·78	0·34	0·86	Bristol.
Cardiff	194,247	97	52	22	9	-	-	-	1	-	-	6	1	2	7	2	14·0	1·9	-	-	-	-	-	-	Cardiff.
Swansea	105,472	60	26	5	4	-	2	-	-	-	-	-	2	2	5	1	12·9	1·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	63	29	8	7	-	-	-	-	-	-	1	-	-	6	2	16·9	0·6	-	-	-	-	-	-	Wolverhampton.
Birmingham	519,610	330	189	64	27	-	1	1	1	1	-	26	6	11	46	4	19·0	3·0	-	-	-	-	-	-	Birmingham.
Norwich	114,855	57	37	12	9	-	-	-	1	1	-	4	1	2	5	1	16·8	2·7	-	-	-	-	-	-	Norwich.
Leicester	219,169	115	77	24	13	-	-	-	10	-	-	12	4	6	15	-	18·3	5·2	-	-	-	-	-	-	Leicester.
Nottingham	242,676	121	68	31	18	-	-	-	-	1	1	16	3	4	6	1	14·6	3·9	82·2	57·9	66·1	18·94	0·56	1·42	Nottingham.
Derby	107,991	74	23	12	2	-	5	-	-	1	-	1	2	2	4	-	11·1	3·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	77	48	19	5	-	-	-	-	2	-	6	2	3	6	1	21·4	3·6	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	431	341	155	52	-	3	2	3	7	-	70	3	7	62	12	28·0	7·0	74·4	56·7	62·7	17·06	0·46	1·17	Liverpool.
Bolton	164,240	86	36	11	8	-	-	-	-	-	-	4	2	4	2	-	11·4	1·3	-	-	-	-	-	-	Bolton.
Manchester	548,768	329	177	53	37	-	5	-	1	4	1	16	5	12	47	3	16·8	2·6	-	-	-	-	-	-	Manchester.
Salford	220,816	131	102	37	19	-	-	3	2	2	-	22	3	4	17	1	24·1	6·8	-	-	-	-	-	-	Salford.
Oldham	153,297	73	50	14	8	-	1	1	-	2	1	3	1	2	9	1	17·0	2·7	-	-	-	-	-	-	Oldham.
Burnley	116,730	68	30	9	7	-	-	-	-	1	-	1	1	1	9	-	13·4	0·9	-	-	-	-	-	-	Burnley.
Blackburn	137,107	67	45	9	13	1	-	3	-	-	-	3	1	1	10	1	17·1	2·7	-	-	-	-	-	-	Blackburn.
Preston	118,902	65	34	18	1	-	-	1	-	-	-	8	-	-	1	1	14·9	3·9	75·0	53·0	63·3	17·39	0·42	1·07	Preston.
Huddersfield	104,484	48	23	4	6	-	3	-	-	-	-	-	1	1	4	1	11·5	1·5	77·8	51·5	63·7	17·61	0·84	2·13	Huddersfield.
Halifax	100,710	63	27	5	8	-	1	1	-	-	-	-	-	-	3	-	14·0	1·0	-	-	-	-	-	-	Halifax.
Bradford	291,535	128	76	16	17	-	2	1	-	-	-	7	3	4	17	-	13·6	1·8	81·0	53·4	65·7	18·72	0·66	1·68	Bradford.
Leeds	431,287	283	182	89	18	-	3	1	4	1	2	49	3	12	18	1	22·0	7·3	-	-	-	-	-	-	Leeds.
Sheffield	365,922	243	155	64	23	-	3	-	6	8	-	34	4	8	22	2	22·1	7·3	-	-	-	-	-	-	Sheffield.
Hull	238,736	155	63	27	10	-	3	3	-	-	-	7	3	7	9	-	13·8	2·8	-	-	-	-	-	-	Hull.
Sunderland	147,398	92	51	16	11	-	-	-	1	-	1	2	1	2	5	1	18·0	1·4	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	88	38	15	3	-	1	-	-	-	-	1	1	1	-	-	18·1	1·0	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	128	80	24	8	-	2	-	1	1	1	5	2	5	17	3	17·8	2.2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTIETH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2512	2424	2720	2497	2419	2575	2448	2599	2696	2494	2670·5	2507
Males - -	1283	1211	1389	1275	1249	1316	1236	1320	1381	1240	1357·2	1267
Females - -	1229	1213	1331	1222	1170	1259	1212	1279	1315	1254	1313·3	1240
TOTAL **Deaths** -	1418	1662	1431	1729	1437	1939	2146	2023	1452	1884	1801·2	1846
Males - -	754	898	751	894	726	1003	1136	1101	777	1039	955·2	967
Females - -	664	764	680	835	711	936	1010	922	675	845	846·0	879

* The numbers in this column are the average weekly numbers in the thirtieth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.
TOTAL **Births** - - -	2737	2581	2512	2435	2579	2276	2646	2464	2483	2466	2479	2384	2507
TOTAL **Deaths** - - -	1675	1446	1437	1440	1497	1398	1533	1171	1274	1191	1252	1417	1846
Ages at Death: Under 1 year - -	349	289	297	295	323	295	333	257	283	243	292	368	671
1—5 years - -	217	186	182	196	218	185	203	149	179	145	153	210	236
5—20 " - -	80	83	101	69	86	96	90	72	84	70	69	82	75
20—40 " - -	222	187	194	195	197	214	223	147	179	193	183	163	213
40—60 " - -	371	314	302	288	313	282	325	270	289	275	247	269	294
60—80 " - -	348	324	300	327	302	274	288	231	220	217	249	272	288
80 years and upwards	88	63	61	70	58	52	71	45	40	48	59	53	69
Deaths from—													
Small pox - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	72	56	49	56	68	60	64	42	53	35	42	54	30
Scarlet Fever - - -	4	4	6	8	7	11	5	9	12	10	4	5	6
Diphtheria - - - -	21	29	22	29	29	24	28	21	29	20	26	21	27
Whooping-cough - - -	42	35	56	50	48	37	49	35	53	37	43	40	47
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	6	3	15	8	10	7	8	4	12	7	13	9	13
Simple Continued Fever -	-	-	-	-	-	1	1	-	-	-	-	1	1
Diarrhœa and Dysentery -	11	15	8	7	10	5	15	20	17	20	27	100	292
Cholera - - - - -	-	1	-	-	1	-	-	-	-	1	-	-	8
All the above Diseases -	156	144	156	158	173	145	170	131	176	130	155	230	424
Dis. of Respiratory System -	417	300	270	269	266	268	257	181	180	140	160	169	196
Phthisis - - - - -	168	131	159	155	150	150	151	123	138	148	138	126	151
Dis. of Circulatory System -	154	140	116	117	138	127	107	109	120	129	130	106	130
Violence - - - -	67	59	73	66	59	66	97	64	71	63	56	77	93
Inquest Cases - - - -	143	154	145	127	138	139	181	128	135	132	115	133	155
Deaths in Public Institutions -	538	467	452	485	470	451	525	376	421	408	406	452	509
TEMPERATURE OF THE AIR.													
Mean - - - - - -	52°·7	50°·9	47°·1	53°·0	54°·0	53°·4	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1
Mean of Highest readings -	61·7	59·5	56·3	62·2	62·4	69·4	75·4	69·5	66·7	67·4	77·0	86·6	82·8
Mean of Lowest readings -	44·0	43·2	39·9	45·1	47·1	49·3	53·9	52·2	51·2	53·2	54·1	57·9	61·3
Humidity of the Air - -	70	76	68	78	78	72	72	72	80	73	62	60	65
Rain-fall (in inches) - -	0·19	0·36	0·01	0·81	0·24	0·19	0·44	0·77	1·15	0·57	0·00	0·00	0·84
Registered Sunshine (in hours)	41·4	23·1	39·1	33·1	31·0	54·0	60·0	52·9	23·5	47·5	76·2	83·2	58·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	6	5	3	5	7	11	15	13	16	17	17	14	11
Scarlet Fever - - - -	1660	1693	1733	1784	1760	1754	1766	1810	1832	1843	1861	1877	1859
Diphtheria - - - -	1131	1176	1188	1222	1220	1238	1228	1226	1219	1207	1212	1236	1271
Enteric Fever - - - -	192	185	172	176	176	172	153	147	148	155	143	135	129

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E Peak, Esq, F.R. Met. Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTIETH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 30th Week of the 10 years 1890-99*.	In the Week ending Saturday, 28th July, 1900 — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	1801·2	1846	671	236	75	213	294	288	69
Vaccinated† -	0·7	-	-	-	-	-	-	-	-
Unvaccinated	0·3	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
- - - -	55·9	30	9	19	2	-	-	-	-
ever - - -	18·2	6	-	6	-	-	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
g Fever - -	-	-	-	-	-	-	-	-	-
- - - -	5·5	3	-	1	-	-	1	1	-
g-cough - -	39·7	47	23	23	1	-	-	-	-
ia - -	41·4	27	1	15	11	-	-	-	-
Continued and ned Fever -	0·1	1	-	-	1	-	-	-	-
Fever - - -	8·5	13	-	1	3	6	2	1	-
nd Chol. Diarr.	9·5	8	8	-	-	-	-	-	-
, Dysentery -	281·6	292	235	49	-	-	-	5	3
t Fever - -	-	-	-	-	-	-	-	-	-
obia - - -	-	-	-	-	-	-	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
and Effects of tion - -	0·3	-	-	-	-	-	-	-	-
Affections - -	13·0	8	3	1	-	3	1	-	-
s - - -	3·9	-	-	-	-	-	-	-	-
and Septicæmia	2·0	5	3	-	1	1	-	-	-
l Fever - -	3·3	4	-	-	-	4	-	-	-
motic Diseases	2·7	6	1	2	-	1	1	1	-
- - - -	1·7	-	-	-	-	-	-	-	-
nd other Para- Diseases -	0·5	-	-	-	-	-	-	-	-
n, Want of milk - -	2·4	-	-	-	-	-	-	-	-
m - - -	10·1	6	-	-	-	1	3	2	-
ic Fever, atism of Heart	6·9	6	-	-	1	4	1	-	-
ism - - -	1·2	-	-	-	-	-	-	-	-
- - - -	3·2	6	-	-	-	-	1	3	2
- - - -	6·3	7	6	1	-	-	-	-	-
- - - -	74·5	91	-	-	2	6	43	40	-
senterica - -	42·4	22	12	8	1	1	-	-	-
r Meningitis -	29·5	35	12	18	4	1	-	-	-
- - - -	138·0	151	2	2	8	69	65	5	-
Tuberculosis -	23·1	15	3	5	3	3	1	-	-
Constitutional s - -	13·6	20	2	1	2	1	7	6	1
e Birth - -	54·0	44	44	-	-	-	-	-	-
s - - -	3·5	1	1	-	-	-	-	-	-
l Malforma- - - -	6·6	9	8	1	-	-	-	-	-
- - - -	36·7	61	-	-	-	-	1	24	36
- - - -	37·5	45	1	-	-	3	13	25	3
- - - -	7·4	8	-	-	-	1	4	3	-
ns - - -	49·1	51	45	6	-	-	-	-	-
eases of Brain vous System	86·8	77	9	12	7	11	13	23	2
of Organs of Sense -	3·7	4	1	1	1	-	-	1	-

CAUSES OF DEATH	Corrected Averages for the 30th Week of the 10 years 1890-99*.	In the Week ending Saturday, 28th July, 1900. — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	115·3	130	1	-	9	21	45	45	9
Croup - - - -	2·2	1	1	-	-	-	-	-	-
Bronchitis - - -	78·6	74	17	11	2	1	10	28	5
Pneumonia - - -	76·6	99	30	22	1	13	17	15	1
Pleurisy - - - -	5·4	6	-	-	-	1	2	3	-
Other Diseases of Respiratory System -	14·1	16	3	3	-	1	6	3	-
Dentition - - - -	11·0	17	14	3	-	-	-	-	-
Quinsy, Sore Throat -	2·5	2	-	1	-	1	-	-	-
Enteritis - - -	95·5	37	22	3	3	3	3	3	-
Gastro-enteritis -		72	63	6	-	-	1	2	-
Peritonitis - - -	6·7	5	-	-	-	3	-	2	-
Diseases of Liver - -	26·1	34	3	-	-	8	13	10	-
Other Diseases of Digestive System	36·0	33	9	2	2	5	5	8	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·2	4	-	-	2	1	-	1	-
Diseases of Urinary System - - -	39·5	38	2	-	-	9	12	11	4
Diseases of Generative System - - -	6·1	7	-	-	-	2	2	3	-
Accidents of Childbirth -	4·2	6	-	-	-	5	1	-	-
Diseases of Locomotive System - - -	5·7	3	1	-	1	-	1	-	-
Diseases of Integumentary System - -	4·2	10	5	-	-	1	1	3	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	56·4	1	-	-	-	-	-	1	-
By Vehicles or Horses -		7	-	1	-	3	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		4	-	4	-	-	-	-	-
By Drowning - - -		9	-	-	3	4	2	-	-
By Suffocation in Bed -		13	13	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	1	1	-	1	-	-
Other or not stated causes - - - -		47	8	7	3	9	10	9	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·3	1	-	-	-	1	-	-	-
Suicide - - - -	10·5	6	-	-	-	4	2	-	-
Execution - - -	-	1	-	-	-	1	-	-	-
OTHER CAUSES - -	74·9	50	50	-	-	-	-	-	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

vidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 28th July, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2507	1846	671	357	–	30	6	27	47	–	13	1	292	93	155	509
WEST DISTRICTS - - -	778,251	389	278	106	51	–	2	–	3	3	–	2	–	48	14	18	71
NORTH DISTRICTS - - -	1,040,694	524	381	117	90	–	6	1	11	14	–	4	1	55	16	39	89
CENTRAL DISTRICTS - - -	233,635	130	106	41	13	–	3	–	1	1	–	1	–	11	6	9	37
EAST DISTRICTS - - -	716,334	473	412	182	57	–	14	–	1	9	–	3	–	94	19	43	130
SOUTH DISTRICTS - - -	1,642,796	991	642	225	136	–	5	3	11	20	–	3	–	84	38	46	155
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	27	–	10	–	–	2	–	–	–	–	–	–	–	–	27
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	43	27	12	8	–	1	–	–	–	–	–	–	8	–	–	5
St. John Paddington *H* - - G.	33,510	17	20	6	2	–	–	–	–	–	–	–	–	3	1	1	10
Kensington Town *Ww* - - W.	122,164	73	54	28	11	–	–	–	–	1	–	1	–	9	2	2	12
Brompton *HH* - - - W. & C.	48,301	7	7	2	–	–	–	–	–	–	–	–	–	1	–	–	–
North Hammersmith *H* W. & G	44,638	23	14	9	1	–	–	–	–	–	–	–	–	4	2	2	–
South Hammersmith *H*	59,561	31	19	6	4	–	–	–	–	1	–	–	–	2	2	2	2
Fulham *Ww* - - - W. & C.	113,781	103	51	24	7	–	–	–	3	1	–	–	–	13	–	3	11
Chelsea Kensal Town - C.	21,450	12	9	5	1	–	–	–	–	–	–	1	–	4	–	–	–
Chelsea North *WHHHH* - C.	42,057	19	15	1	4	–	–	–	–	–	–	–	–	–	–	–	10
Chelsea South *HH* - - C.	33,139	7	9	3	3	–	–	–	–	–	–	–	–	2	–	2	2
May Fair *WH* - - - - G.	23,827	2	11	–	3	–	–	–	–	–	–	–	–	–	–	–	8
Belgrave *WHHH* - - - C.	56,140	15	16	1	5	–	–	–	–	–	–	–	–	–	4	3	4
St. John Westminster *HH* - C.	31,492	18	8	4	–	–	1	–	–	–	–	–	–	1	–	–	1
St. Margaret Westminster *H* - C.	22,097	5	9	3	–	–	–	–	–	–	–	–	–	1	3	2	5
St. James Westminster *WH* N. & G.	23,050	7	7	1	2	–	–	–	–	–	–	–	–	–	–	1	1
St. Anne Soho *HHHHH* - N.	12,048	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	10	19	2	3	–	–	–	–	–	–	1	–	1	–	2	11
Rectory Marylebone *W* G. & W.	19,798	12	8	1	4	–	1	–	–	1	–	1	–	1	1	2	–
St. Mary Marylebone *HHHH* G. & W.	19,637	21	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Christchurch Marylebone *H* - W	32,547	13	12	1	2	–	–	–	–	–	–	–	–	1	3	3	–
St. John Marylebone *HHH* - W.	32,611	18	11	4	4	–	–	–	1	2	–	–	–	3	1	1	–
Hampstead *WwHHHH* - N. & W.	75,449	25	23	2	5	–	–	1	4	1	–	–	–	–	4	2	12
Regent's Park † *HH* - W.	51,403	25	8	3	1	–	–	–	–	–	–	–	–	2	–	–	–
Tottenham-court *wHHHHHH* - N. & W.	26,757	14	20	5	2	–	–	–	1	1	–	1	–	2	–	1	15
Gray's Inn Lane *HHHH* - N.	29,426	18	13	7	–	–	1	–	–	–	–	–	–	3	–	2	2
Somers Town *HH* - - - N.	32,161	19	14	6	2	–	–	–	–	2	–	–	–	3	–	1	3
Camden Town† *WH* - - N.	40,155	22	14	4	8	–	–	–	–	–	–	–	–	2	1	3	5
Kentish Town† *WW* - - N.	60,862	25	21	10	5	–	–	–	–	2	–	–	–	4	1	2	3
Upper Holloway *WWWWwHH* - - N.	98,273	43	47	8	17	–	–	–	–	1	–	–	–	3	1	5	20
Lower Holloway‡ - - - N.	41,805	24	6	2	3	–	–	–	–	1	–	–	–	–	–	–	–
Barnsbury‡ - - - - N.	56,384	28	14	4	2	–	–	–	–	1	–	–	–	1	1	2	–
Islington South-east‡ *H* - N.	75,725	35	23	7	5	–	–	–	1	1	–	–	1	–	3	4	–
Highbury *HH* - - - N.	64,577	31	20	4	8	–	–	–	–	–	–	–	–	1	–	4	–
Stoke Newington *H* - - N.	33,485	12	5	1	3	–	1	–	–	–	–	–	–	–	–	–	–
North Hackney - - E. & N.	213,044	20	10	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Central Hackney *ww* - E. & N.		33	18	5	4	–	–	–	3	1	–	1	–	1	–	2	3
South-west Hackney *HHH* E. & N.		36	19	9	3	–	–	–	–	–	–	–	–	6	–	1	2
South-east Hackney *WwH* E. & N.		40	51	31	7	–	3	–	–	–	–	–	–	20	–	2	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-Sub-District

. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES RLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each -DISTRICT during the Week ending Saturday, 28th July, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
sbury and St. Giles h *WH* - - - N.	29,086	11	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
es North *H* - - - N.	9,151	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	4	-
rtin-in-the-Fields *HH* N. & C.	13,077	3	4	2	1	-	-	-	-	-	-	-	-	1	-	-	3	-
l *WHH* - - - - N.	11,839	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Union Workhouse, Edmonton	†1,037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
rn *wHHHHH* - N.	31,042	18	26	12	4	-	-	-	-	-	-	-	-	3	1	2	10	-
nes Clerkenwell - - N.	15,777	6	5	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
ll Clerkenwell - - N.	34,356	18	10	8	-	-	-	-	-	-	-	-	-	3	-	-	-	-
ll-street - - - - N.	16,069	14	6	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
oad *HHHHL* - - N.	29,697	31	12	7	1	-	-	-	-	1	-	-	-	4	-	-	2	-
cross-street - - - N.	7,595	4	4	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
ary - - - - - N.	4,035	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
rn Union Workhouse, ham - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tolph* *H* - - N. & E.	13,061	5	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - N.	9,591	2	17	2	2	-	-	-	1	-	-	-	-	-	1	2	13	-
llows Barking - - N.	9,059	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
f London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	9	7	5	2	-	-	-	-	-	-	-	-	4	1	1	-	-
on New Town *w* - - N.	29,575	18	23	12	5	-	1	-	-	-	-	-	-	9	-	1	8	-
on Old Town - - - N.	27,645	11	10	5	1	-	-	-	-	-	-	-	-	4	-	-	-	-
erston *WH* - - N. & E.	47,163	38	39	14	7	-	3	-	-	-	-	-	-	10	2	4	17	-
al Green North *H* - E.	49,301	44	13	3	1	-	-	-	-	1	-	-	-	1	-	2	-	-
al Green South - - E.	34,194	22	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
al Green East *WWHl* - E.	45,667	30	27	5	12	-	-	-	-	-	-	-	-	1	-	-	11	-
lfields - - - E. & N.	26,681	23	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
End New Town *WH* - E.	51,995	20	51	11	6	-	2	-	1	-	-	2	-	2	5	6	47	-
man's Fields - - - E.		20	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	20	22	16	1	-	1	-	-	-	-	-	-	5	-	4	-	-
hn, St. George East *W* E.	7 930	3	7	2	1	-	-	-	-	1	-	-	-	2	-	-	3	-
well *H* - - - E. & N.	10,434	7	16	12	-	-	2	-	-	-	-	-	-	4	-	-	10	-
liff *W* - - - - E.	14,954	8	6	4	-	-	1	-	-	-	-	-	-	1	-	1	-	-
house - - - - E.	32,917	18	15	8	-	-	1	-	-	2	-	-	-	4	1	2	-	-
End Old Town West *H* E.	111,060	50	33	26	-	-	-	-	-	3	-	-	-	8	1	3	-	-
End Old Town East *Www* - E.		31	35	15	4	-	2	-	-	-	-	-	-	9	3	4	10	-
l - - - - E.	41,687	20	25	13	1	-	-	-	-	1	-	-	-	12	1	2	2	-
nley *wwwH* - - - E.	69,821	49	48	17	12	-	1	-	-	-	-	-	-	14	2	5	21	-
ar *WW* - - - - E.	57,759	32	22	5	4	-	-	-	-	1	-	1	-	3	3	7	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 28th July, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WH* L.&S.	13,064	5	6	2	2	-	-	-	-	-	-	-	-	2	-	-	-
St. Saviour Southwark - - S.	12,301	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	22	9	7	-	-	-	-	-	1	-	-	-	3	-	-	-
Borough-road *WH* - S. & L.	16,083	17	12	5	1	-	-	-	-	1	-	-	-	-	1	1	4
London-road *HL* - - L. & S.	21,316	10	6	2	-	-	1	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	16	10	3	1	-	-	-	-	-	-	-	-	3	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	41	20	10	3	-	-	-	-	1	-	-	-	3	1	2	1
St. Mary Newington- - L. & S.	30,171	18	4	3	-	-	-	-	-	1	-	-	-	1	-	-	-
St. Olave *WH* - - - - S.	11,731	6	23	4	2	-	-	-	-	1	-	-	-	-	3	7	19
Bermondsey *W* - - - - S.	85,475	59	39	20	6	-	-	-	-	1	-	-	-	8	1	-	2
Rotherhithe *Ww* - S. & K.	40,379	19	10	3	2	-	-	-	-	-	-	-	-	1		3	3
Waterloo-road *HH* - L. & S.	28,396	23	10	6	1	-	-	-	-	-	-	-	-	-	2	2	2
Lambeth Church 1st *H* - L. & S.	18,770	15	29	8	4	-	-	-	-	-	-	-	-	8	5	4	18
Lambeth Church 2nd *WW* L. & S.	40,994	32	31	7	8	-	-	-	-	2	-	-	-	5	4	4	18
Kennington 1st *H* - - S. & L.	52,486	27	22	12	3	-	-	-	-	-	-	-	-	5	1	2	1
Kennington 2nd - - S. & L.	43,244	24	7	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Brixton *w* - - - L. & S.	81,825	49	27	4	11	-	-	-	3	-	-	-	-	1	1	1	2
Norwood *WH* - - - - L.	29,318	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	58	26	14	3	-	-	-	-	1	-	1	-	6	-	-	-
North-west Battersea† - - S.	93,385	46	25	19	-	-	1	-	-	2	-	-	-	9	-	2	-
South-west Battersea† *WwH* - S.		21	16	5	5	-	-	-	-	-	-	-	-	-	-	1	9
Clapham *H* - - - - S.	46,953	28	11	2	2	-	-	-	-	-	-	-	-	2	1	-	3
Streatham *WwwwwL* - - L.	61,644	34	24	9	8	-	1	-	-	1	-	-	-	2	2	2	1
Wandsworth *WHHL* - - S.	58,101	31	17	6	2	-	-	-	1	1	-	-	-	3	1	2	-
Putney - - - - - - S.	20,566	7	5	2	1	-	1	-	-	-	-	-	-	1	-	-	-
Dulwich - - - L. & S.	7,519	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	31	51	8	21	-	-	-	-	1	-	-	-	1	-	1	28
Peckham *WW* - S., L., & K.	88,242	60	32	13	11	-	-	-	-	1	-	-	-	4	1	1	2
St. George Camberwell - L. & S.	67,029	36	19	6	1	-	-	-	-	-	-	-	-	2	-	1	-
Deptford North - - - K.	36,152	26	14	6	2	-	-	-	-	2	-	1	-	1	2	3	-
Deptford Central *w* - - K.	45,441	27	17	8	2	-	-	-	1	-	-	-	-	2	-	-	2
Deptford South - - - K.	33,402	16	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	10	7	2	1	-	-	-	-	1	-	-	-	-	1	1	1
Greenwich East *WH* - - K.	37,767	22	24	5	12	-	-	-	-	-	-	-	-	3	2	2	16
Eltham *wH* - - - - - K.	5,911	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	9	7	1	3	-	-	-	-	1	-	-	-	-	1	1	-
Lewisham *WwH* - - - K.	38,139	33	21	6	5	-	-	2	5	1	-	-	-	3	-	-	10
Sydenham *H* - - - - - L.	37,601	23	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Charlton *wHH* - - - K.	15,928	6	10	-	-	-	-	1	1	-	-	1	-	-	3	2	7
Woolwich* *HHHH* - - K.	41,314	19	7	3	-	-	1	-	-	-	-	-	-	-	1	1	-
Plumstead West *H* - - K.	16,714	11	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	42,538	24	16	4	5	-	-	-	-	-	-	-	-	1	1	-	5
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Caterham Asylum - - - -	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Dartford Heath - - - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Claybury Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES TALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week g Saturday, 28th July, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
N—OUTER RING -	368,749	1,422,063	1,050	670	273	132	-	14	3	16	26	3	109	30	57	76	6
rshalton *H* - - -	12,228	26,108	14	7	2	3	-	-	-	1	-	-	-	-	-	1	-
som, *part of** *WwHHH*	10,423	12,508	5	8	2	2	-	-	-	-	-	1	1	-	-	3	-
dstone, *part of** *W* -	2,754	1,598	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oydon *WWwHHH* -	20,851	128,699	54	37	5	12	-	1	-	-	-	-	3	7	7	5	-
tcham *w* - - -	11,697	23,072	18	9	4	3	-	-	-	-	-	-	2	-	-	-	-
mbledon *HHH* - -	3,220	25,777	18	12	2	1	-	-	-	-	-	-	2	2	3	2	-
ngston *WH* - - -	14,672	33,566	30	16	5	6	-	-	-	-	-	-	2	-	-	3	-
rbiton *HH* - - -		12,178	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
her, *part of** *H* - -		11,080	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mpton *HL* - - -	4,565	18,252	8	6	-	2	-	-	-	-	1	-	-	-	-	-	-
chmond *WHH* - -	2,160	25,389	16	15	6	4	-	-	-	-	-	-	2	1	1	1	-
rtlake *H* - - -	2,823	16,159	8	3	-	1	-	-	-	1	-	-	-	1	1	1	-
omley *HHH* - - -	9,127	23,815	19	3	2	-	-	-	-	-	-	-	-	-	1	-	-
ckenham *H* - - -	6,542	21,969	8	7	2	2	-	-	-	1	1	-	1	-	-	1	-
islehurst, *part of** *WHH*	14,307	20,372	16	6	2	3	-	2	-	-	-	-	1	-	-	-	-
xley *HHH* - - -	12,540	30,590	30	11	2	5	-	-	-	-	-	-	-	1	1	-	2
rtford *WH*, *part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
nbury *w* - - -	11,054	13,671	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ines *WH* - - -	13,277	13,221	5	4	2	-	-	-	-	-	-	-	-	-	-	1	-
llingdon *WHH* - -	6,035	12,237	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-
bridge - - - -	12,757	7,253	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
yes *wH* - - - -	7,952	11,051	8	6	3	1	-	-	-	-	-	-	-	-	-	-	-
eworth *WHH* - -	6,967	26,004	20	14	6	5	-	-	-	-	-	-	2	1	2	2	-
ickenham *HH* - -	2,415	16,027	12	6	2	2	-	-	-	-	-	-	1	1	1	-	-
entford *HHHH* - -	4,318	37,777	28	10	-	6	-	-	-	1	-	-	1	1	1	1	-
iswick - - - -	1,245	21,963	18	12	4	-	-	1	-	-	-	-	-	3	5	-	-
ton *wHH* - - -	6,132	30,945	33	12	5	4	-	1	-	-	-	-	2	-	1	1	-
rrow *HHH* - - -	13,809	15,715	12	5	1	3	-	-	-	-	-	-	1	-	1	-	-
gware *HH* - - -	6,994	3,844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
llesden *HHH* - -	4,383	61,265	57	29	9	3	-	2	-	1	-	-	3	2	2	1	-
ndon *WH* - - -	8,382	15,843	10	8	2	3	-	-	-	-	-	-	-	1	1	3	-
uth Mimms *HH* - -	21,077	6,367	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
rnet *WHH* - - -		14,152	4	4	1	1	-	-	-	-	-	-	-	-	1	-	-
ichley *HHH* - - -	4,688	25,820	14	2	1	-	-	-	-	-	-	-	1	-	-	-	-
rnsey *HH* - - -	3,039	61,097	30	15	5	4	-	-	-	1	1	-	-	1	2	-	-
ttenham *HHH* - -	4,642	97,174	69	56	25	9	-	-	1	-	7	-	8	1	7	3	-
monton *Ww* - -	7,489	36,351	36	24	15	4	-	-	-	2	2	-	4	1	1	3	1
field *WWHH* - -	12,602	31,536	25	11	2	7	-	-	-	-	-	-	-	1	2	-	-
ltham Abbey - - -	11,017	6,066	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
eshunt *H* - - -	8,480	9,620	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
tfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
shey *H* - - - -	9,331	7,737	1	3	1	1	-	-	-	-	1	-	-	-	1	-	-
atford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
atford *H* - - -	4,706	38,612	22	40	26	1	-	1	-	-	1	-	19	-	-	3	-
istow *HHH* - - -		58,030	58	49	32	1	-	2	-	3	4	-	18	-	-	12	2
nning Town *H* - -		54,750	49	48	24	-	-	-	1	2	1	2	7	3	6	3	1
rest Gate *w* - - -		53,511	27	21	15	1	-	-	-	-	1	-	3	-	-	-	-
st Ham *wHHH* - -	3,266	32,713	54	29	16	1	-	2	-	-	1	-	6	2	4	-	-
yton *WWWwH* - -	4,334	70,188	52	47	14	13	-	-	1	-	3	-	5	-	1	19	-
lthamstow *HHHL* -	6,501	57,330	70	35	14	9	-	1	-	1	2	-	6	-	3	-	-
igwell, *part of** *HHHH*	11,779	12,941	5	5	-	2	-	-	-	1	-	-	-	-	-	-	-
ping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mford, *part of** *W* -	6,556	4,324	1	3	3	-	-	-	-	-	-	-	3	-	-	-	-
ord *H* - - - -	8,493	10,913	16	5	3	-	-	1	-	-	-	-	3	-	1	-	-
rking Town, *H* - -	3,814	14,301	17	8	5	1	-	-	-	-	-	-	2	-	-	-	-
stern Fever Hospital, omerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
ddlesex County Asylum, Wandsworth.			-	4	-	1	-	-	-	-	-	-	-	-	-	4	-
ndon County Asylum, Horton.			-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

rts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring ows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham y in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst t, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are led.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS a
Rates of MORTALITY during the week ending Saturday, 28th July, 1900.

GREATER LONDON	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14
GREATER LONDON	443,421	6,652,145	19·7	4·6	2516	947	489	–	44	9	43	73	17	401
INNER LONDON -	74,672	4,589,129	20·1	4·7	1846	671	357	–	30	6	27	47	14	292
OUTER RING -	368,749	2,063,016	16·9	4·3	670	276	132	–	14	3	16	26	3	109

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equival the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZY DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	July	28	190	106	18·3	–	5	–	–	–	–
GLASGOW - -	743,585	„	28	489	270	18·9	2	18	5	–	8	3
DUBLIN - -	349,594	„	28	187	123†	18·3	–	–	–	1	–	–
CALCUTTA - -	466,460	June	2	–	328	36·6	24	1	–	–	–	145
BOMBAY - -	821,764	July	3	305	957	60·6	3	9	?	?	?	145
MADRAS - -	452,518	June	22	410	362	41·5	–	2	?	?	?	104
PARIS - - -	2,511,629	July	21	1270	1547	32·0	2	43	8	5*	6	20
BRUSSELS - -	561,130	„	21	271	187	17·0	–	4	–	–	2	1
AMSTERDAM -	526,538	„	14	318	132	13·1	–	–	–	1	2	3
ROTTERDAM -	323,487	„	14	223	95	15·2	–	1	1	1	1	1
THE HAGUE -	205,328	„	14	102	59	14·9	–	–	–	–	1	–
COPENHAGEN -	349,000	„	21	207	113	16·9	–	–	–	1	–	–
STOCKHOLM -	297,148	„	14	148	84	14·7	–	–	–	–	3	–
CHRISTIANIA -	221,255	„	21	171	78	17·9	–	5	–	–	–	–
ST. PETERSBURG	1,132,677	„	14	668	654	30·1	6	11	7	17	3	28
MOSCOW - -	988,610	„	14	–	860	45·4	3	25	6	8	4	1
BERLIN - -	1,848,269	„	7	916	557	15·6	–	7	12	7	6	1
HAMBURG - -	691,349	„	21	–	281	21·1	–	4	4	2*	3	–
DRESDEN - -	403,400	June	16	245	128	16·4	–	1	–	–	1	1
BRESLAU - -	412,959	July	21	–	272	34·3	–	–	1	–	6	–
MUNICH - -	463,000	„	14	–	175	19·7	–	4	–	1*	1	–
VIENNA - -	1,656,662	„	21	914	631	19·8	–	6	2	4*	6	3
PRAGUE - -	385,952	„	7	173	164	21·8	–	2	–	1	4	2
BUDA-PESTH -	685,340	„	14	382	273	20·7	–	4	3	1	–	2
TRIESTE - -	168,264	„	21	117	97	30·0	–	–	2	1*	2	2
ROME - - -	514,306	June	30	228	194	19·7	–	1	–	1	–	2
TURIN (10 days)-	344,203	May	20	217	201	21·3	–	3	–	–	1	2
VENICE - -	172,491	July	14	80	63	19·0	–	–	–	–	–	1
CAIRO - -	570,062	June	10	–	–	–	–	–	–	–	–	–
ALEXANDRIA -	319,766	„	10	–	–	–	–	–	–	–	–	–
NEW YORK (including BROOKLYN)	3,654,594	„	30	1501	1406	20·1	–	24	4	35	7	7
PHILADELPHIA -	1,266,832	July	7	–	544	22·4	–	10	2	18	1	8

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 91 deaths from plague in Calcutta, 49 in Bombay.
§ Including 31 deaths from cholera in Calcutta, 109 in Bombay, and 2 in Madras.
‖ Malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Dew point. Mean daily value.	Temperature. Mean daily value.	Temperature. Great-est.	Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	General Direction. A.M.	General Direction. P.M.	Pressure on the Square Foot. Great-est.	Pressure on the Square Foot. Least.	Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	22	..	29·971	80·9	62·7	18·2	70·4	+ 7·5	57·7	12·7	23·5	5·9	64	139·0	59·9	64·31	WSW., W. & WNW.	NW. & NNW.	1·2	0·0	0·1	204	− 29	0·00	0·0
MONDAY -	23	Greatest Dec. N.	29·944	82·9	65·3	17·6	71·7	+ 8·9	59·6	12·1	22·3	3·1	66	133·6	59·0	64·61	NNW.	NNW. & SSW.	0·4	0·0	0·0	128	−105	0·00	0·0
TUESDAY -	24	..	29·871	88·2	62·3	25·9	75·4	+12·8	58·4	17·0	25·1	2·3	56	150·2	55·8	65·09	SW.	SSW. & S.	1·7	0·0	0·1	191	− 43	0·00	0·0
WEDNESDAY	25	..	29·736	93·0	59·8	33·2	77·9	+15·5	56·9	21·0	33·4	4·2	49	153·7	52·6	65·42	Calm & SSW.	SW. & WSW.	5·0	0·0	0·3	243	+ 9	0·00	0·0
THURSDAY-	26	New	29·887	80·7	60·8	19·9	69·6	+ 7·3	56·0	13·6	24·8	3·2	62	142·8	52·5	65·60	W. & NNW.	N. & E.	2·2	0·0	0·1	217	− 18	0·00	0·0
FRIDAY -	27	..	29·835	76·5	57·9	18·6	66·0	+ 3·7	57·0	9·0	15·1	1·3	73	146·0	49·5	65·93	ESE. & E.	E. & ESE.	6·2	0·0	0·6	299	+ 64	0·84	0·0
SATURDAY-	28	..	29·613	77·3	60·3	17·0	66·5	+ 4·2	60·9	5·6	14·5	1·3	82	127·1	55·0	66·13	ESE., SSE. & SW.	SW.	4·4	0·0	0·2	261	+ 25	0·00	0·0
MEANS -			29·837	82·8	61·3	21·5	71·1	+ 8·6	58·1	13·0	22·7	3·0	65	141·8	54·9	65·30	Variable		..	..	..	Sum 1543	Sum − 97	Sum 0·84	0·0
No. of Column -			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	22	w. P. throughout -	5·3	15·8	Generally cloudy; fine at times. A slight shower at 10h. A.M.
MONDAY -	23	w. P. till 9h. A.M.; m. P. generally afterwards.	3·6	15·8	Generally cloudy till evening; cloudless and very fine at night.
TUESDAY -	24	w. P. throughout -	14·4	15·7	A very fine and hot day; the amount of cloud was usually small.
WEDNESDAY	25	w. P. generally -	14·6	15·7	A very fine and hot day. Generally cloudless.
THURSDAY-	26	m. P. generally till 9h. P.M.; w. P. afterwards.	8·6	15·7	Cloudy in morning; very fine afterwards with occasional cloudy intervals during the afternoon.
FRIDAY -	27	w. P. till noon; s. P. and s. N. generally afterwards.	7·1	15·6	Very fine till 1h. P.M.; cloudy afterwards. Thunderstorms with heavy rain at 3h. P.M., 7h. P.M., and 10h. P.M.
SATURDAY-	28	v. P. and v. N. till 6h. A.M.; w. P. afterwards.	5·2	15·6	Cloudy till noon with slight showers at 4h. A.M.: fine with variable amounts of cloud afterwards.
			Sum 58·8	Sum 109·9	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·99 in. at the beginning of the week to 29·71 in. by 6h. P.M. on the 25th; increased to 29·93 in. by 11h. P.M. on the 26th; decreased to 29·58 in. by 5h. A.M. on the 28th; and increased to 29·66 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 31. 1900. VOL. LXI.] WEEK ENDING SATURDAY, AUG. 4. [Price 1½*d.*

General Register Office, Somerset House,
August 7th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 16·4, and 19·4. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	July 14.	July 21.	July 28.	Aug. 4.		July 14.	July 21.	July 28.	Aug. 4.
33 Great Towns	15·6	16·4	19·4	20·5	Leicester - -	11·7	15·2	18·3	19·5
Birkenhead -	15·6	17·8	21·4	24·5	Liverpool - -	20·9	23·6	28·0	34·6
Birmingham -	19·5	15·5	19·0	19·8	London - - -	14·2	16·1	21·0	20·1
Blackburn -	16·7	15·2	17·1	12·9	Manchester - -	20·0	21·0	16·8	19·6
Bolton - -	17·1	15·6	11·4	22·9	Newcastle-on-Tyne	19·8	17·4	17·8	16·0
Bradford -	12·7	12·9	13·6	12·5	Norwich - -	18·6	14·1	16·8	17·7
Brighton -	11·3	18·1	16·8	19·3	Nottingham - -	18·7	12·2	14·6	17·4
Bristol - -	14·9	11·7	11·6	12·2	Oldham - -	19·7	13·9	17·0	17·7
Burnley -	12·1	11·6	13·4	8·0	Plymouth - -	16·8	18·9	13·3	23·5
Cardiff - -	14·8	10·7	14·0	9·4	Portsmouth - -	9·6	11·8	17·9	18·5
Croydon -	11·5	14·7	13·5	15·9	Preston - -	18·0	18·9	14·9	25·9
Derby - -	13·5	13·5	11·1	14·5	Salford - - -	18·2	22·2	24·1	30·0
Gateshead -	20·0	16·2	18·1	19·1	Sheffield - -	18·5	18·7	22·1	33·5
Halifax -	16·1	15·5	14·0	11·4	Sunderland - -	17·3	23·0	18·0	22·3
Huddersfield-	14·5	10·0	11·5	15·5	Swansea - -	16·3	17·3	12·9	15·8
Hull - -	15·9	16·2	13·8	16·8	West Ham - -	11·1	15·4	28·0	26·2
Leeds - -	14·0	16·1	22·0	23·2	Wolverhampton -	12·2	18·0	16·9	11·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles,* 1·0 in Leeds, 1·1 in Sunderland, 1·5 in Huddersfield, 2·1 in Brighton, and 2·4 in Derby; from *whooping-cough,* 1·5 in West Ham; from "*fever,*" 1·1 in Portsmouth; and from *diarrhœa,* 4·1 in Plymouth and in Bolton, 4·4 in London, 4·5 in Norwich, 4·6 in Birmingham, 4·7 in Nottingham, 5·0 in Leicester, 5·3 in Birkenhead, 6·6 in Leeds, 7·6 in Salford, 8·0 in Preston, 10·8 in Sheffield, 11·4 in West Ham, and 11·8 in Liverpool. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 70 deaths from *diphtheria* included 24 in London, 8 in Leeds, 8 in Sheffield, 7 in West Ham, and 7 in Leicester. One death from *small-pox* was registered in Blackburn, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2701 BIRTHS and 1768 DEATHS were registered. Allowing for increase of population, the births were 64 above, and the deaths 101

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below, the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·2, 16·1 and 21·0, in the preceding three weeks, fell again last week to 20·1. During the four weeks ending on Saturday last the death-rate averaged 17·9 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1768 deaths included 29 from measles, 5 from scarlet fever, 24 from diphtheria, 44 from whooping-cough, 7 from enteric fever, 389 from diarrhœa and dysentery, 9 from cholera and choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 507 deaths were referred to these diseases, being 20 above the corrected average weekly number.

The deaths from *measles*, which had been 42, 54, and 30 in the preceding three weeks, were 29 last week, the corrected average being 52; 4 cases belonged to St. Marylebone, 3 to Poplar, and 3 to Woolwich sanitary areas. The deaths from *scarlet fever*, which had been 4, 5, and 6 in the preceding three weeks, were 5 last week, the corrected average being 20. The deaths from *diphtheria*, which had been 26, 21, and 27 in the preceding three weeks, fell again last week to 24, and were 22 below the corrected average; 4 cases belonged to Battersea, 3 to Whitechapel, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 43, 40, and 47 in the preceding three weeks, fell again last week to 44, but were 9 above the corrected average; 8 cases belonged to Camberwell sanitary area. The fatal cases of *enteric fever*, which had been 13, 9, and 13 in the preceding three weeks, fell again last week to 7, and were 4 below the corrected average; 2 cases belonged to Islington, and 2 to Poplar sanitary areas. The deaths from *diarrhœa*, which had been 27, 100, and 292 in the preceding three weeks, further rose last week to 389, and were 81 above the corrected average. Of the 389 deaths from diarrhœa, 378 were of children under 5 years of age; 91 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 160, 169, and 196 in the preceding three weeks, fell again last week to 136, and were 43 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 4, 6, and 3 in the preceding three weeks.

Different forms of violence caused 82 deaths, concerning all but 7 of which inquests were held. Of these 82 deaths, 11 were cases of suicide, and 3 of homicide, while the remaining 68 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 10 to drowning, 11 to sunstroke, and 6 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 7 cases of small-pox, 1827 of scarlet fever, 1261 of diphtheria, and 137 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, not one case, against 4, 1, and 3; of scarlet fever, 156 cases, against 208, 222, and 207; of diphtheria, 171 cases, against 175, 192, and 198; and of enteric fever, 33 cases, against 18, 19, and 20.

Greater London.

In Greater London 3894 births and 2499 deaths were registered, corresponding to annual rates of 30·5 and 19·6 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 4 from scarlet fever, 11 from diphtheria, 21 from whooping-cough, 4 from "fever," and 235 from diarrhœal diseases were registered. Five deaths from measles, 8 from diphtheria, 12 from whooping-cough, 4 from "fever," and 125 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·62 inches, and that of the Thermometer 61°·9; the latter being 0°·3 below the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 71 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 50·4 hours; the measured rainfall amounted to 0·58 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of July, 1900. The supply was in the ratio of 273 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	July, 1899.	July, 1900.	July, 1899.	July, 1900.
Total Supply - - -	885,103	906,743	241,321,119	247,802,605
From Thames - - - - - -	424,306	432,562	130,604,098	130,991,389
From Lea and from other Sources -	460,797	474,181	110,717,021	116,811,216
Thames.				
Chelsea - - - - - - -	38,355	38,731	14,930,069	15,376,858
West Middlesex - - - - -	84,354	85,763	24,797,025	24,774,602
Southwark and Vauxhall - -	122,975	124,298	36,920,407	36,476,980
Grand Junction - - - - - -	64,804	66,664	23,513,794	24,339,446
Lambeth - - - - - - -	113,818	117,106	30,442,803	30,023,503
Lea and other Sources				
New River - - - - - - -	167,246	170,477	44,255,488	47,802,855
East London - - - - - -	201,905	208,366	46,600,463	48,086,667
Kent - - - - - - - -	91,646	95,338	19,861,070	20,921,694

Note.—The Return for July, 1900, as compared with that for the corresponding month of 1899, shows an increase of 21,640 services and of 6,481,486 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during July, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
August 1, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the waters supplied to the Metropolis during the month of July.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 1·0, New River 1·3, East London 2·3, Chelsea and West Middlesex 2·4, Southwark 2·5, Lambeth 2·7, and Grand Junction 2·8.

All the samples drawn from the mains of the Thames Companies were clear and of good chemical quality, but the amounts of organic matter in all the supplies were very slightly in excess of those found in the previous month's examination.

The samples taken from the mains of the New River and East London Companies were clear. The New River Company's water was of very good chemical quality, and the East London Company's supply was equal in quality to that delivered by the best of the Thames Companies.

The Kent Company's water was clear and of its usual high organic purity.

Seen through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless, and the supplies of all the remaining Companies were very pale yellow in colour.

I am, Sir,

Your obedient Servant,

p.p. T. E. Thorpe.
H. J. Helm.

The Registrar-General,

Somerset House, W.C.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.		°								
Chelsea - - -	July 3rd. Cab Rank, Horse Guards, Whitehall.	17·0	25·96	·117	·022	0	·154	·176	1·7	18·9
West Middlesex -	July 3rd. Cab Rank, Riding House-street.	15·7	24·52	·117	·024	0	·144	·168	1·7	18·3
Southwark - -	July 3rd. Cab Rank, St. George's Church, Borough.	18·3	26·04	·126	·021	0	·143	·164	1·7	18·6
Grand Junction -	July 3rd. Cab Rank, Portman-street, Oxford-street.	18·0	26·44	·138	·025	0	·180	·205	1·7	19·1
Lambeth - - -	July 3rd. Cab Rank, St. George's-road, Southwark.	17·4	27·96	·139	·020	0	·218	·238	1·8	20·0
LEA.										
New River - -	July 3rd. Cab Rank, Tottenham Court-road.	16·7	31·28	·062	·014	0	·198	·212	1·7	21·5
East London - -	July 3rd. Cab Rank, Sidney-street, E.	17·4	30·56	·118	·020	0	·193	·213	2·0	20·6
DEEP WELL.										
Kent - - - -	July 3rd. Police Station, Blackheath-road.	14·3	41·60	·048	·009	0	·477	·486	2·4	28·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected on the 3rd July at the Horse Guards cab rank, had a temperature of 17·0° C.; 100,000 lbs. of it contained 25·69 lbs. of solid matter in solution ; the organic substances, constituting a portion of this matter, contained ·117 lb. of carbon and ·022 lb. of nitrogen. The above quantity of water also contained no ammonia and ·154 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·176 lb. The above weight of water also contained 1·7 lbs. of chlorine and 18·9 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the week ending 4th Aug. 1900.	Deaths, the week ending 4th Aug. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,296	6889	4564	2013	750	1	79	26	70	88	25	1040	160	300	788	53	20·5	6·0	79·0	46·8	60·0	15·56	1·23	3·12	33 Towns.
London - -	4,589,129	2701	1768	797	303	-	29	5	24	44	7	389	82	155	415	6	20·1	5·7	79·0	50·8	61·9	16·61	0·58	1·47	London.
West Ham - -	314,472	182	158	97	8	-	3	1	7	9	2	69	6	9	13	3	26·2	15·1	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	83	40	18	6	-	1	-	-	2	-	7	1	1	8	-	15·9	4·0	77·0	50·3	61·5	16·39	0·90	2·29	Croydon.
Brighton - -	124,148	45	46	13	15	-	5	-	1	1	-	6	-	-	16	-	19·3	5·5	75·0	54·6	62·1	16·72	0·42	1·07	Brighton.
Portsmouth -	194,955	77	69	25	9	-	-	-	2	-	4	9	4	5	13	1	18·5	4·0	74·5	55·0	62·5	16·94	0·33	0·84	Portsmouth.
Plymouth - -	162,161	53	46	17	16	-	1	-	1	-	-	8	-	-	3	1	23·5	5·1	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	169	76	15	30	-	2	2	1	2	-	5	2	8	18	-	12·2	1·9	73·0	52·0	59·9	15·50	1·06	2·69	Bristol.
Cardiff - -	194,247	104	35	10	7	-	1	-	1	-	-	3	2	5	5	-	9·4	1·3	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	44	32	6	7	-	1	1	1	1	-	1	2	3	4	-	15·8	2·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	71	19	6	7	-	-	-	-	-	-	4	-	-	3	-	11·1	2·3	74·5	46·8	58·0	14·44	1·26	3·20	Wolverhampton.
Birmingham -	519,610	343	197	86	37	-	2	4	-	4	1	46	5	7	38	3	19·8	5·7	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	58	39	20	8	-	-	-	-	-	-	10	1	2	6	-	17·7	4·5	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	140	82	41	12	-	-	-	7	1	-	21	2	2	12	1	19·5	6·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	159	81	45	9	-	1	-	-	1	-	22	2	3	5	-	17·4	5·2	73·5	50·2	59·4	15·22	1·22	3·10	Nottingham.
Derby - - -	107,991	52	30	13	5	-	5	-	-	2	-	1	1	4	7	-	14·5	3·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	77	55	32	4	-	-	-	-	1	-	12	1	1	5	-	24·5	5·8	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	486	421	213	50	-	1	1	-	5	3	44	7	18	56	16	34·6	12·7	70·2	51·7	58·8	14·89	2·08	5·28	Liverpool.
Bolton - -	164,240	94	72	20	20	-	2	-	-	-	1	13	3	5	12	-	22·9	5·1	-	-	-	-	-	-	Bolton.
Manchester -	548,768	337	206	82	27	-	4	2	-	4	-	35	2	9	37	3	19·6	4·3	-	-	-	-	-	-	Manchester.
Salford - -	220,816	143	127	55	20	-		3	3	2	2	32	3	8	20	2	30·0	10·4	-	-	-	-	-	-	Salford.
Oldham - -	153,297	73	52	9	13	-	1	1	1	-	-	2	1	2	2	-	17·7	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	70	18	7	4	-	-	1	1	-	-	1	2	3	1	-	8·0	1·3	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	68	34	10	5	1	-	-	2	-	-	2	1	2	5	-	12·9	1·9	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	78	59	30	8	-	-	-	1	1	-	18	2	4	1	1	25·9	8·8	71·0	50·0	59·8	15·44	1·65	4·19	Preston.
Huddersfield -	104,484	51	31	10	8	-	3	-	-	-	-	5	-	-	1	2	15·5	4·0	71·8	48·0	57·9	14·39	2·66	6·76	Huddersfield.
Halifax - -	100,710	40	22	3	3	-	-	1	-	-	1	-	-	1	6	1	11·4	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	125	70	22	15	-	-	-	1	-	-	11	3	6	8	1	12·5	2·1	72·8	48·0	59·2	15·11	1·34	3·40	Bradford.
Leeds - - -	431,287	233	192	94	20	-	8	1	8	-	-	55	3	10	21	1	23·2	8·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	250	235	129	21	-	2	-	8	4	3	76	9	9	16	6	33·5	13·3	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	153	77	27	14	-	1	2	-	2	-	15	5	7	6	3	16·8	4·4	75·0	47·0	59·1	15·06	1·26	3·20	Hull.
Sunderland -	147,398	125	63	23	13	-	3	1	-	1	1	10	3	3	5	2	22·3	5·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	84	40	13	10	-	-	-	-	-	-	2	2	2	5	-	19·1	1·0	-	-	-	-	-	-	Gateshead.
Newcastle - -	254,369	121	72	25	11	-	1	-	-	1	-	6	3	6	15	-	16·0	1·8	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	190
TOTAL **Births**	2557	2317	2376	2570	2695	2624	2623	2395	2335	2577	2637·3	270
Males - -	1338	1199	1258	1359	1379	1376	1343	1227	1171	1338	1366·4	138
Females - -	1219	1118	1118	1211	1316	1248	1280	1168	1164	1239	1270·9	131
TOTAL **Deaths** -	1683	1646	1409	1715	1464	1806	2058	2202	1586	2200	1869·3	176
Males - -	881	883	734	913	775	915	1103	1176	852	1120	983·8	92
Females - -	802	763	675	802	689	891	955	1026	734	1080	885·5	84

*The numbers in this column are the average weekly numbers in the thirty-first week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 12.	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Au 4
TOTAL **Births** - - -	2581	2512	2435	2579	2276	2646	2464	2483	2466	2479	2384	2507	270
TOTAL **Deaths** - - -	1446	1437	1440	1497	1398	1533	1171	1274	1191	1252	1417	1846	176
Ages at Death: Under 1 year - -	289	297	295	323	295	333	257	283	243	292	368	671	79
1—5 years - -	186	182	196	218	185	203	149	179	145	153	210	236	18
5—20 " - -	83	101	69	86	96	90	72	84	70	69	82	75	7
20—40 " - -	187	194	195	197	214	223	147	179	193	183	163	213	14
40—60 " - -	314	302	288	313	282	325	270	289	275	247	269	294	26
60—80 " - -	324	300	327	302	274	288	231	220	217	249	272	288	26
80 years and upwards	63	61	70	58	52	71	45	40	48	59	53	69	5
Deaths from—													
Small pox - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	56	49	56	68	60	64	42	53	35	42	54	30	2
Scarlet Fever - - -	4	6	8	7	11	5	9	12	10	4	5	6	
Diphtheria - - - -	29	22	29	29	24	28	21	29	20	26	21	27	2
Whooping-cough - - -	35	56	50	48	37	49	35	53	37	43	40	47	4
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	3	15	8	10	7	8	4	12	7	13	9	13	
Simple Continued Fever -	-	-	-	-	1	1	-	-	-	-	1	1	2
Diarrhœa and Dysentery -	15	8	7	10	5	15	20	17	20	27	100	292	38
Cholera - - - -	1	-	-	1	-	-	-	-	1	-	-	8	
All the above Diseases -	144	156	158	173	145	170	131	176	130	155	230	424	50
Dis. of Respiratory System -	300	270	269	266	268	257	181	180	140	160	169	196	13
Phthisis - - - - -	131	159	155	150	150	151	123	138	148	138	126	151	13
Dis. of Circulatory System -	140	116	117	138	127	107	109	120	129	130	106	130	9
Violence - - - -	59	73	66	59	66	97	64	71	63	56	77	93	8
Inquest Cases - - - -	154	145	127	138	139	181	128	135	132	115	133	155	15
Deaths in Public Institutions -	467	452	485	470	451	525	376	421	408	406	452	509	41
TEMPERATURE OF THE AIR.													
Mean - - - - -	50°·9	47°·1	53°·0	54°·0	58°·4	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61
Mean of Highest readings -	59·5	56·3	62·2	62·4	69·4	75·4	69·5	66·7	67·4	77·0	86·6	82·8	72
Mean of Lowest readings -	43·2	39·9	45·1	47·1	49·3	53·9	52·2	51·2	53·2	54·1	57·9	61·3	54
Humidity of the Air - -	76	68	78	78	72	72	72	80	73	62	60	65	7
Rain-fall (in inches) - -	0·36	0·01	0·81	0·24	0·19	0·44	0·77	1·15	0·57	0·00	0·00	0·84	0·5
Registered Sunshine (in hours)	23·1	39·1	33·1	31·0	54·0	60·0	52·9	23·5	47·5	76·2	83·2	58·8	50
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	5	3	5	7	11	15	13	16	17	17	14	11	
Scarlet Fever - - - -	1693	1733	1784	1760	1754	1766	1810	1832	1843	1861	1877	1859	182
Diphtheria - - - -	1176	1188	1222	1220	1238	1228	1226	1219	1207	1212	1236	1271	126
Enteric Fever - - - -	185	172	176	176	172	153	147	148	155	143	135	129	13

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley; Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIRST Week of the Year 1900.

S OF DEATH	Corrected Averages for the 31st Week of the 10 years 1890-99*.	In the Week ending Saturday, 4th August, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	1869·3	1768	797	184	71	145	263	252	56
Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Unvaccinated	0·3	-	-	-	-	-	-	-	-
No Statement	0·5	-	-	-	-	-	-	-	-
- - - -	52·4	29	7	20	1	-	1	-	-
ever - - -	20·3	5	-	4	-	1	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
g Fever - -	-	-	-	-	-	-	-	-	-
- - - -	4·6	2	-	-	-	1	1	-	-
g-cough - -	34·9	44	29	15	-	-	-	-	-
ia - -	46·2	24	3	13	6	-	2	-	-
Continued and ned Fever -	0·6	-	-	-	-	-	-	-	-
Fever - - -	11·2	7	-	-	1	5	-	1	-
nd Chol. Diarr.	12·1	9	5	3	-	1	-	-	-
, Dysentery -	308·0	389	342	36	-	-	2	6	3
t Fever - -	-	-	-	-	-	-	-	-	-
obia - - -	-	-	-	-	-	-	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
and Effects of tion - -	0·2	-	-	-	-	-	-	-	-
Affections - -	9·8	18	12	2	-	-	3	1	-
s - - -	4·7	6	3	-	1	1	-	1	-
and Septicæmia	1·9	1	-	-	1	-	-	-	-
l Fever - -	3·1	2	-	-	-	2	-	-	-
motic Diseases	2·0	1	-	-	-	1	-	-	-
- - - -	1·4	-	-	-	-	-	-	-	-
nd other Para- Diseases -	0·4	-	-	-	-	-	-	-	-
n, Want of milk - -	3·4	2	2	-	-	-	-	-	-
m - - -	10·2	8	-	-	-	5	2	1	-
ic Fever, atism of Heart	5·7	7	-	-	1	3	1	2	-
ism - - -	1·5	3	-	-	1	1	1	-	-
- - - -	2·0	-	-	-	-	-	-	-	-
- - - -	7·8	5	1	4	-	-	-	-	-
- - - -	75·2	88	-	1	-	7	40	38	2
senterica - -	40·1	30	22	4	2	-	2	-	-
ar Meningitis -	30·1	17	10	5	2	-	-	-	-
- - - -	144·2	133	-	3	12	42	59	17	-
Tuberculosis -	24·5	24	10	8	2	3	1	-	-
Constitutional s - -	10·5	6	-	-	-	-	4	2	-
e Birth - -	58·2	55	55	-	-	-	-	-	-
s - - -	3·6	5	5	-	-	-	-	-	-
al Malforma- - - -	8·5	4	3	-	1	-	-	-	-
- - - -	38·3	33	-	-	-	-	-	6	27
- - - -	39·2	38	-	1	1	4	11	16	5
- - - -	8·0	7	-	-	1	3	3	-	-
ns - - -	46·7	43	39	4	-	-	-	-	-
seases of Brain rvous System	82·4	69	8	11	4	6	15	20	5
of Organs of Sense -	4·4	3	2	-	1	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 31st Week of the 10 years 1890-99*.	In the Week ending Saturday, 4th August, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	113·6	97	-	-	7	10	31	44	5
Croup - - - -	2·6	1	-	1	-	-	-	-	-
Bronchitis - - -	80·7	52	18	2	-	-	4	24	4
Pneumonia - - -	73·9	75	20	10	6	10	10	18	1
Pleurisy - - - -	5·5	3	1	1	-	-	-	1	-
Other Diseases of Respiratory System -	16·3	5	1	1	-	-	1	2	-
Dentition - - - -	10·9	10	8	2	-	-	-	-	-
Quinsy, Sore Throat -	1·5	1	-	-	-	1	-	-	-
Enteritis - - -	108·3	46	29	4	2	2	7	2	-
Gastro-enteritis -		95	77	14	-	-	4	-	-
Peritonitis - - -	7·7	4	-	-	-	1	1	2	-
Diseases of Liver - -	26·9	20	2	-	-	2	11	5	-
Other Diseases of Digestive System	37·3	42	14	4	2	5	8	9	-
Diseases of Lymphatic System & of Ductless Glands - - -	3·2	2	-	-	1	-	1	-	-
Diseases of Urinary System - - -	41·7	35	-	-	2	3	12	16	2
Diseases of Generative System - - -	6·1	9	-	-	1	4	3	1	-
Accidents of Childbirth-	5·2	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	6·5	4	1	-	1	-	1	1	-
Diseases of Integumentary System- -	7·0	8	3	-	-	-	1	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	62·8	4	-	-	-	4	-	-	-
By Vehicles or Horses -		7	1	2	1	1	-	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		3	-	-	-	-	1	2	-
In Building Operations -		2	-	-	-	-	2	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		3	-	2	-	-	1	-	-
By Drowning - - -		10	-	-	4	4	1	1	-
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	-	1	-	-	-
Other or not stated causes - - - -		32	4	5	6	6	7	3	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·8	3	-	1	-	-	2	-	-
Suicide - - - -	10·2	11	-	-	-	2	5	4	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	80·8	57	54	1	-	-	1	-	1

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·20 per cent. for increase ation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

vidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered i SUB-DISTRICT during the Week ending Saturday, 4th August, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2701	1768	797	308	-	29	5	24	44	-	7	-	389	82	155
WEST DISTRICTS - - -	778,251	437	264	112	55	-	1	-	1	1	-	-	-	65	7	17
NORTH DISTRICTS - - -	1,040,694	590	363	166	64	-	9	-	8	10	-	4	-	73	15	32
CENTRAL DISTRICTS - - -	233,635	134	96	38	11	-	3	-	1	1	-	-	-	20	11	15
EAST DISTRICTS - - -	716,334	480	381	201	51	-	8	1	2	8	-	1	-	104	14	44
SOUTH DISTRICTS - - -	1,642,796	1060	627	286	108	-	8	3	12	24	-	2	-	127	34	46
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON *	—	-	37	-	19	-	-	1	-	-	-	-	-	-	1	1
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	70	29	17	4	-	1	-	-	1	-	-	-	10	1	4
St. John Paddington *H* - - G.	33,510	5	10	2	3	-	-	-	-	-	-	-	-	1	2	-
Kensington Town *Ww* - - W.	122,164	73	47	21	13	-	-	-	-	-	-	-	-	12	1	4
Brompton *HH* - - - W. & C.	48,301	11	6	1	3	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* } W. & G	44,638	24	18	11	4	-	-	-	-	-	-	-	-	8	1	1
South Hammersmith *H* } W. & G	59,561	43	17	9	1	-	-	-	-	-	-	-	-	7	-	2
Fulham *Ww* - - - W. & C.	113,781	92	58	29	5	-	-	-	-	-	-	-	-	17	1	3
Chelsea Kensal Town - C.	21,450	10	3	2	1	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - C.	42,057	27	25	7	7	-	-	-	-	-	-	-	-	3	-	1
Chelsea South *HH* - - C.	33,139	21	13	6	6	-	-	-	1	-	-	-	-	4	-	-
May Fair *WH* - - - - G.	23,827	2	9	-	3	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHHH* - - - C.	56,140	30	14	4	3	-	-	-	-	-	-	-	-	1	-	-
St. John Westminster *HH* - C.	31,492	18	6	1	1	-	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster *H* - C.	22,097	3	6	1	-	-	-	-	-	-	-	-	-	1	1	1
St. James Westminster *WH* N. & G.	23,050	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	17	17	2	4	-	-	-	1	-	-	1	-	1	-	1
Rectory Marylebone *W* G. & W.	19,798	6	3	1	-	-	1	-	-	-	-	-	-	1	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	38	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	16	12	6	2	-	1	-	-	-	-	-	-	3	1	1
St. John Marylebone *HHH* - W.	32,611	20	12	5	1	-	1	-	-	1	-	-	-	3	1	3
Hampstead *WwHHHH* - N. & W.	75,449	35	16	2	6	-	1	-	1	-	-	-	-	1	-	-
Regent's Park † *HH* - W.	51,403	42	17	13	2	-	1	-	-	2	-	-	-	3	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	16	2	3	-	-	-	-	-	-	1	-	-	-	1
Gray's Inn Lane *HHHH* - N.	29,426	12	15	3	4	-	1	-	-	-	-	-	-	1	2	2
Somers Town *HH* - - - N.	32,161	17	10	6	1	-	-	-	-	-	-	-	-	3	1	1
Camden Town† *WH* - - N.	40,155	12	13	4	4	-	-	-	-	-	-	-	-	2	-	-
Kentish Town† *WW* - - N.	60,862	22	26	13	4	-	-	-	-	-	-	-	-	6	2	4
Upper Holloway *WWWWwHH* - - N.	98,273	62	54	17	15	-	1	-	-	1	-	-	-	4	2	4
Lower Holloway‡ - - - N.	41,805	30	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	30	13	5	3	-	-	-	-	1	-	-	-	2	1	1
Islington South-east‡ *H* - N.	75,725	47	13	5	4	-	-	-	-	-	-	1	-	3	1	3
Highbury *HH* - - - N.	64,577	38	11	1	2	-	-	-	-	1	-	-	-	1	-	-
Stoke Newington *H* - - N.	33,485	15	11	5	2	-	-	-	-	1	-	-	-	3	-	1
North Hackney - - E. & N.	213,044	25	5	2	-	-	1	-	-	-	-	-	-	2	-	-
Central Hackney *ww* - E. & N.		32	29	15	1	-	1	-	6	-	-	-	-	8	2	3
South-west Hackney *HHH* E. & N.		37	19	15	1	-	-	-	-	-	-	-	-	7	1	1
South-east Hackney *WwH* E. & N.		29	45	35	4	-	-	-	-	3	-	1	-	19	1	6

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which pauper received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

‡ The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South Sub-District.

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 4th August, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - N.	29,086	15	9	5	2	-	-	-	-	-	-	-	-	6	-	1	1	-
les North *H* - - - N.	9,151	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
rtin-in-the-Fields *HH* N. & C.	13,077	2	11	1	2	-	-	-	-	-	-	-	-	-	3	3	7	-
d *WHH* - - - - N.	11,839	1	4	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
d Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *WwHHHHH* - N.	31,042	15	11	6	-	-	-	-	-	-	-	-	-	5	-	1	7	-
mes Clerkenwell - - N.	15,777	9	5	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
ell Clerkenwell - - N.	34,356	18	11	5	1	-	1	-	-	1	-	-	-	-	2	3	-	-
ell-street - - - - N.	16,069	7	3	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-
road *HHHHL* - - N.	29,897	46	15	9	1	-	1	-	-	-	-	-	-	4	-	1	3	-
ross-street - - - N.	7,595	5	4	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
ury - - - - - N.	4,035	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, cham - - - -	†*892*	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
tolph* *H* - - N. & E.	13,061	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - N.	9,591	4	15	2	1	-	-	-	1	-	-	-	-	1	4	2	13	-
llows Barking - - - N.	9,059	2	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
f London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	3	5	2	1	-	-	-	-	-	-	-	-	3	-	1	-	-
n New Town *w* - - N.	29,575	21	23	13	5	-	-	-	-	1	-	-	-	13	-	-	9	-
n Old Town - - - N.	27,645	22	7	4	1	-	-	-	-	-	-	-	-	2	-	-	-	-
rston *WH* - - N. & E.	47,163	24	26	11	7	-	-	-	-	-	-	-	-	11	2	3	8	-
al Green North *H* - E.	49,301	22	14	7	1	-	-	-	-	-	-	-	-	2	-	1	-	-
al Green South - - E.	34,194	25	15	12	-	-	-	-	-	1	-	-	-	5	1	2	-	1
al Green East *WWHl* - E.	45,667	32	32	13	5	-	-	-	-	1	-	-	-	6	-	5	14	-
fields - - - E. & N.	26,681	14	5	4	-	-	-	-	-	-	-	-	-	2	1	4	-	-
End New Town *WH* - E.	51,995	33	33	11	4	-	1	-	1	1	-	-	-	4	3	6	21	-
nan's Fields - - - E.		18	10	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	39,576	35	16	9	2	-	-	-	-	-	-	-	-	3	-	2	-	-
n, St. George East *W* E.	7 930	6	6	2	-	-	-	-	-	1	-	-	-	-	-	1	3	-
well *H* - - - E. & N.	10,434	6	16	12	1	-	1	-	-	-	-	-	-	3	1	1	9	-
ff *W* - - - - E.	14,954	11	5	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-
house - - - - - E.	32,917	14	18	8	2	-	1	-	-	-	-	-	-	5	1	3	-	-
End Old Town West *H* E.	111,060	58	29	19	4	-	1	-	-	1	-	-	-	2	-	2	1	-
End Old Town East *Www* - E.		23	30	15	4	-	-	1	-	2	-	-	-	8	1	2	6	-
l - - - - - E.	41,687	26	24	15	2	-	1	-	-	-	-	-	-	9	-	3	-	-
ley *wwwH* - - - E.	69,821	49	47	26	9	-	1	-	1	-	-	1	-	18	2	4	11	-
r *WW* - - - - E.	57,759	38	20	10	2	-	1	-	-	-	-	-	-	6	2	3	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 4th August, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	6	6	2	2	-	-	-	-	-	-	-	-	1	2	2	-
St. Saviour Southwark - - S.	12,301	7	7	2	2	-	-	-	1	-	-	-	-	-	2	2	-
Kent-road - - - - S. & L.	22,879	13	13	10	1	-	-	-	-	-	-	-	-	8	-	-	-
Borough-road *WH* - S. & L.	16,083	13	13	4	1	-	-	-	-	3	-	-	-	1	-	-	3
London-road *HL* - - L. & S.	21,316	11	14	9	1	-	1	-	-	-	-	-	-	2	-	-	2
Trinity Newington *H* - S. & L.	28,723	19	15	5	5	-	1	-	-	-	-	-	-	3	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	37	30	16	2	-	1	-	-	2	-	-	-	14	-	2	1
St. Mary Newington- - L. & S.	30,171	29	12	4	2	-	-	-	-	-	-	-	-	2	1	2	-
St. Olave *WH*- - - - S.	11,731	9	12	2	-	-	-	-	-	-	-	-	-	1	4	4	10
Bermondsey *W* - - - S.	85,475	61	25	12	2	-	-	-	-	2	-	-	-	4	2	2	-
Rotherhithe *Ww* - S. & K.	40,379	26	9	4	1	-	-	-	-	-	-	-	-	2	1	1	3
Waterloo-road *HH* - L. & S.	28,396	39	16	11	1	-	-	-	-	-	-	-	-	3	1	3	4
Lambeth Church 1st *H* - L. & S.	18,770	12	19	7	2	-	-	-	1	-	-	-	-	5	3	3	9
Lambeth Church 2nd *WW* L. & S.	40,994	31	31	10	9	-	-	-	-	-	-	-	-	5	3	4	18
Kennington 1st *H* - - S. & L.	52,486	36	9	6	1	-	-	-	-	-	-	-	-	1	-	-	-
Kennington 2nd - - S. & L.	43,244	26	5	4	1	-	-	-	-	-	-	-	-	1	-	-	-
Brixton *w* - - - L. & S.	81,825	31	20	6	7	-	-	-	-	-	-	-	-	2	-	-	-
Norwood *WH*- - - - L.	29,318	25	7	1	1	-	-	-	-	1	-	-	-	1	-	-	1
East Battersea - - - - S.	71,730	44	23	12	2	-	1	-	3	-	-	-	-	10	-	1	-
North-west Battersea† - - S.	93,385	48	28	17	1	-	-	-	-	1	-	-	-	10	-	1	-
South-west Battersea† *WwH* - S.		29	20	3	8	-	-	-	1	1	-	-	-	-	-	1	10
Clapham *H* - - - - S.	46,953	26	13	7	4	-	-	-	-	-	-	-	-	2	-	-	1
Streatham *WwwwL* - - L.	61,644	38	24	9	6	-	1	-	-	1	-	-	-	1	2	2	-
Wandsworth *WHHL* - - S.	58,101	40	17	9	4	-	-	-	-	-	-	-	-	4	-	-	2
Putney - - - - - S.	20,566	7	4	4	-	-	-	-	-	-	-	-	-	3	-	-	-
Dulwich - - - L. & S.	7,519	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	49	34	11	12	-	-	-	-	1	-	-	-	1	2	2	26
Peckham *WW* - S., L., & K.	88,242	53	30	21	2	-	-	-	-	4	-	-	-	10	2	2	2
St. George Camberwell - L. & S.	67,029	50	21	10	4	-	-	-	-	3	-	-	-	8	-	-	-
Deptford North - - - K.	36,152	32	12	11	-	-	-	-	-	-	-	-	-	3	1	1	-
Deptford Central *w* - - K.	45,441	30	18	11	2	-	-	-	1	1	-	-	-	4	1	1	2
Deptford South - - - K.	33,402	11	8	3	2	-	-	-	-	-	-	-	-	2	-	-	-
Greenwich West *H* - - K.	23,012	8	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	30	22	9	2	-	-	-	-	-	-	-	-	3	3	3	5
Eltham *wH* - - - - K.	5,911	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	35	21	7	3	-	-	1	4	2	-	1	-	3	-	1	10
Sydenham *H* - - - - L.	37,601	18	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Charlton *wHH* - - - K.	15,928	13	11	4	1	-	-	1	1	-	-	1	-	1	1	1	4
Woolwich* *HHHH* - - K.	41,314	21	23	8	4	-	3	-	-	-	-	-	-	4	1	2	-
Plumstead West *H* - - K.	16,714	1	5	1	2	-	-	-	-	-	-	-	-	1	1	1	-
Plumstead East *WH* - - K.	42,538	35	19	10	4	-	-	1	-	1	-	-	-	-	-	-	1
Banstead Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	9	-	4	-	-	-	-	-	-	-	-	-	1	1	9
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Hanwell Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Central London Sick Asylum, Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch Asylum - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6
Claybury Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea an South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 4th August, 1900.

s-on ct l- ct i-.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON—OUTER RING -	368,749	1,422,063	1,193	731	388	98	-	13	4	11	21	4	224	26	48	60	7
1	Carshalton *H* - - -	12,228	26,108	11	3	2	-	-	-	-	-	-	-	1	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	4	4	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Godstone, *part of** *W* -	2,754	1,598	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	90	46	20	9	-	1	-	-	2	-	7	1	1	10	-
2	Mitcham *w* - - -	11,697	23,072	11	6	3	2	-	-	-	-	-	-	2	1	1	-	-
1	Wimbledon *HHH* - -	3,220	25,777	21	8	4	3	-	-	-	-	-	-	2	1	1	1	-
2	Kingston *WH* - - -	14,672	33,566	24	8	-	1	-	-	-	-	-	-	-	1	1	2	-
3	Surbiton *HH* - - -		12,178	8	4	-	1	-	-	-	-	-	-	-	-	1	2	-
4	Esher, *part of** *H* - -		11,080	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	14	11	2	2	-	-	-	-	1	-	3	-	1	1	-
1	Richmond *WHH* - -	2,160	25,389	7	7	2	1	-	-	-	-	-	-	-	3	3	1	-
2	Mortlake *H* - - -	2,823	16,159	7	10	4	1	-	-	-	-	-	-	3	3	3	-	-
1	Bromley *HHH* - - -	9,127	23,815	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	7	3	-	-	-	2	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	12	5	2	3	-	-	-	-	-	-	-	-	-	-	-
1	Bexley *HHH* - - -	12,540	30,590	24	9	4	3	-	-	-	-	-	-	4	-	-	-	-
2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	13,671	12	5	2	2	-	-	-	-	-	-	-	-	-	-	1
2	Staines *WH* - - -	13,277	13,221	11	6	2	4	-	-	-	-	-	-	1	-	1	1	-
1	Hillingdon *WHH* - -	6,035	12,237	6	5	2	1	-	-	-	-	-	-	1	-	-	-	-
2	Uxbridge - - - -	12,757	7,253	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	10	3	3	-	-	-	-	-	-	-	2	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	10	11	7	2	-	-	-	-	-	-	1	1	1	3	-
2	Twickenham *HH* - -	2,415	16,027	12	8	6	1	-	1	-	-	-	-	3	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	23	14	7	1	-	-	-	1	-	-	2	-	1	1	-
4	Chiswick - - - -	1,245	21,963	17	10	6	-	-	-	-	-	1	-	1	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	20	22	13	2	-	-	-	1	-	-	6	4	5	2	-
1	Harrow *HHH* - - -	13,809	15,715	19	3	1	1	-	-	-	-	-	-	-	-	-	-	1
2	Edgware *HH* - - -	6,994	3,844	2	3	1	1	-	-	-	-	-	-	-	-	-	-	1
3	Willesden *HHH* - -	4,383	61,265	83	49	24	6	-	-	-	-	1	-	14	2	5	1	-
4	Hendon *WH* - - -	8,382	15,843	12	11	2	4	-	-	-	-	-	-	1	-	-	7	-
1	South Mimms *HH* - -	21,077	6,367	4	6	-	1	-	3	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	15	7	1	-	-	-	2	1	-	-	1	1	1	-	-
1	Hornsey *HH* - - -	3,039	61,097	35	12	4	5	-	-	-	-	-	-	3	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	80	54	32	4	-	1	1	-	2	-	13	1	7	2	-
3	Edmonton *Ww* - -	7,489	36,351	39	29	21	2	-	-	-	-	-	-	16	-	2	2	-
4	Enfield *WWHH* - -	12,602	31,536	27	8	6	-	-	-	-	-	-	-	3	1	1	-	1
5	Waltham Abbey - - -	11,017	6,066	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	35	26	19	4	-	-	-	-	-	-	18	-	2	-	-
2	Plaistow *HHH* - - -		58,030	66	61	38	1	-	2	-	2	7	1	26	2	2	7	3
3	Canning Town *H* - -		54,750	45	44	28	-	-	-	-	5	-	-	16	3	3	1	-
4	Forest Gate *w* - - -		53,511	36	22	12	2	-	1	-	-	2	1	9	1	2	-	-
5	East Ham *wHHH* - -	3,266	32,713	86	51	32	5	-	1	-	1	-	1	23	-	2	1	-
6	Leyton *WWWwH* - -	4,334	70,188	67	37	17	7	-	1	-	-	-	1	10	-	-	9	-
7	Walthamstow *HHHL* -	6,501	57,330	65	41	28	3	-	-	-	-	3	-	19	-	1	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	9	5	3	2	-	-	-	-	-	-	1	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	7	6	2	2	-	-	-	-	-	-	2	-	-	2	-
2	Ilford *H* - - - -	8,493	10,913	24	15	11	2	-	-	-	-	-	-	2	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	25	15	10	2	-	-	-	-	1	-	8	-	-	-	-
	North-Western Fever Hospital.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring e as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in atfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are o included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 4th August, 1900.

GREATER LONDON	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	19·6	6·1	2499	1185	406	-	42	9	35	65	11	613	108
INNER LONDON -	74,672	4,589,129	20·1	5·7	1768	797	308	-	29	5	24	44	7	389	82
OUTER RING -	368,749	2,063,016	18·5	7·0	731	388	98	-	13	4	11	21	4	224	26

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	August	4	160	88	15·2	-	4	-	1	1	4
GLASGOW - -	743,585	"	4	467	279	19·6	2	14	-	1	9	6
DUBLIN† - -	349,594	"	4	245	161	24·0	-	-	-	-	3	2
CALCUTTA - -	466,460	June	9	-	336	37·5	28	2	-	-	-	127‡
BOMBAY - -	821,764	July	10	250	1034	65·4	4	9	?	?	?	139‡
MADRAS - -	452,518	June	29	364	305	35·0	-	1	?	?	?	95
PARIS - - -	2,511,629	July	28	1239	1350	27·9	2	37	10	10*	7	24
BRUSSELS - -	561,130	"	28	284	224	20·4	-	1	-	-	1	1
AMSTERDAM -	526,538	"	21	286	178	17·6	-	1	-	1	3	5
ROTTERDAM -	325,556	"	21	244	120	19·2	-	4	-	2	1	-
THE HAGUE -	205,328	"	21	109	52	13·2	-	-	-	1	-	-
COPENHAGEN -	349,000	"	28	177	113	16·9	-	-	1	-	3	-
STOCKHOLM -	297,148	"	21	151	68	11·9	-	-	-	1*	2	-
CHRISTIANIA -	221,255	"	28	158	74	17·0	-	-	-	-	1	-
ST. PETERSBURG	1,132,677	"	21	495	618	28·4	12	16	4	20	4	15
MOSCOW - -	988,610	"	21	-	889	46·9	-	21	6	4	1	2
BERLIN - -	1,848,269	"	14	950	584	16·4	-	17	10	8	14	1
HAMBURG - -	691,349	"	28	-	318	23·9	-	1	1	-	3	-
DRESDEN - -	403,400	June	23	-	128	16·4	-	1	1	-	1	-
BRESLAU - -	412,959	July	28	-	301	38·0	-	2	-	-	1	2
MUNICH - -	463,000	"	21	-	284	31·9	-	-	-	-	-	-
VIENNA - -	1,656,662	"	28	874	712	22·3	-	15	2	4*	8	3
PRAGUE - -	385,952	"	14	195	153	20·3	-	-	-	-	-	-
BUDA-PESTH -	685,340	"	21	416	266	20·2	-	2	4	-	-	-
TRIESTE - -	168,264	"	28	114	120	36·1	-	-	1	2*	-	1
ROME - - -	514,306	"	7	191	195	19·8	-	1	-	-	-	8‖
TURIN (11 days)-	344,203	May	31	190	186	17·9	-	1	-	-	1	2
VENICE - -	172,491	July	21	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	June	10	449	545	49·7	5	79	-	6*	-	8
ALEXANDRIA -	319,766	"	10	225	186	30·2	2	-	-	1*	1	3
NEW YORK (including BROOKLYN)	3,654,594	July	7	1614	1524	21·8	-	16	8	36	12	10
PHILADELPHIA -	1,266,832	"	14	-	633	26·1	-	7	3	17	2	11

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 64 deaths from plague in Calcutta, and 60 in Bombay.
§ Including 33 deaths from cholera in Calcutta, 175 in Bombay, and 1 in Madras.
‖ Including 3 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. Highest.	Of the Air. Lowest	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	29	..	29·622	75·2	57·2	18·0	64·6	+ 2·3	55·0	9·6	20·4	0·8	71	138·1	51·0	65·89	SW. & WSW.	WSW.	4·0	0·0	0·3	268	+ 31	0·01	0·0
MONDAY -	30	In Equator.	29·750	75·7	57·2	18·5	65·3	+ 3·0	49·6	15·7	25·5	2·1	57	135·3	53·5	65·58	WSW. & W.	W., WNW. & WSW.	7·5	0·0	0·7	399	+160	0·00	0·0
TUESDAY -	31	Apogee.	29·877	79·0	56·2	22·8	66·3	+ 4·0	54·5	11·8	23·3	1·3	66	147·5	49·6	65·32	WSW.	SW. & SSW.	2·8	0·0	0·2	257	+ 15	0·00	0·0
AUGUST. WEDNESDAY	1	..	29·668	66·6	56·7	9·9	59·8	− 2·4	56·8	3·0	9·9	0·9	90	118·2	52·2	64·91	SSW.	SW. & WSW.	5·4	0·0	0·4	312	+ 68	0·28	0·0
THURSDAY -	2	..	29·635	73·7	54·7	19·0	62·9	+ 0·8	49·8	13·1	24·3	4·8	62	134·5	49·5	64·90	WSW.	WSW & W.	7·2	0·0	1·0	479	+232	0·00	0·0
FRIDAY -	3	First Quarter.	29·210	68·9	51·3	17·6	58·3	− 3·8	54·3	4·0	14·9	1·8	87	125·8	50·8	64·48	SW. & SSW.	SSW., WSW. & WNW.	27·0	0·0	2·0	658	+408	0·29	0·0
SATURDAY -	4	..	29·591	64·6	50·8	13·8	56·4	− 5·8	44·4	12·0	17·8	3·2	64	122·0	44·5	64·69	WNW.	WNW, NW. & NNW.	15·0	0·0	1·7	553	+300	0·00	0·0
MEANS -			29·622	72·0	54·9	17·1	61·9	− 0·3	52·1	9·9	19·4	2·1	71	131·6	50·2	65·11	SW.		..	..	..	Sum 2926	Sum +1214	Sum 0·58	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	29	w. P. till 1h. P.M.; v. P. and s. N. till 8h. P.M.; w. P. afterwards.	6·4	15·5	Fine and partially cloudy. Occasional slight showers in afternoon. Lightning and thunder at 7h. P.M.
MONDAY -	30	w. P. generally till 4h. P.M. Loss of register afterwards.	13·0	15·5	Cloudy in morning; very fine with variable amounts of cloud afterwards.
TUESDAY -	31	Loss of register till 9h. A.M.; w. P. afterwards.	9·7	15·4	Fine and partially cloudy. Cloudless at night.
AUGUST. WEDNESDAY	1	w. P. till 10h. A.M.; s. P. and s. N. till 2h. P.M.; w. P. generally afterwards.	1·8	15·4	Cloudy and showery till 9h. P.M.; very fine afterwards with small amounts of cloud. Solar halo in afternoon.
THURSDAY -	2	w. P. generally; m. N. at 10h. 30m. A.M.	10·9	15·3	Fine and partially cloudy with brisk wind till evening; overcast at night. A slight shower at 10h. A.M.
FRIDAY -	3	w. P. till 2h. P.M.; v. P. and v. N. afterwards.	3·1	15·3	Cloudy; showery. A gale of wind after 9h. A.M.
SATURDAY -	4	w. P. generally till 6h. A.M.; m. P. afterwards.	5·5	15·2	Overcast in morning; fine with variable amounts of cloud afterwards. Strong gusty wind till evening.
			Sum 50·4	Sum 107·6	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·66 in. at the beginning of the week to 29·60 in. by 2h. P.M. on July 29th; increased to 29·91 in. by 9h. A.M. on July 31st; decreased to 29·59 in. by 4h. A.M. on August 2nd; increased to 29·67 in. by 9h. P.M. on the same day; decreased to 29·11 in. by 9h. P.M. on Aug. 3rd; and increased to 29·67 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1900. VOL. LXI.] WEEK ENDING SATURDAY, AUG. 11. [Price 1½*d.*

General Register Office, Somerset House,
August 13th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 20·3 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 16·4, 19·4, and 20·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending July 21.	July 28.	Aug. 4.	Aug. 11.	TOWNS.	Weeks ending July 21.	July 28.	Aug. 4.	Aug. 11.
33 Great Towns	16·4	19·4	20·5	20·3	Leicester	15·2	18·3	19·5	19·0
Birkenhead	17·8	21·4	24·5	15·6	Liverpool	23·6	28·0	34·6	26·3
Birmingham	15·5	19·0	19·8	23·7	London	16·1	21·0	20·1	20·5
Blackburn	15·2	17·1	12·9	15·2	Manchester	21·0	16·8	19·6	22·6
Bolton	15·6	11·4	22·9	14·0	Newcastle-on-Tyne	17·4	17·8	16·0	19·6
Bradford	12·9	13·6	12·5	12·2	Norwich	14·1	16·8	17·7	22·7
Brighton	18·1	16·8	19·3	25·6	Nottingham	12·2	14·6	17·4	22·8
Bristol	11·7	11·6	12·2	14·3	Oldham	13·9	17·0	17·7	18·0
Burnley	11·6	13·4	8·0	11·2	Plymouth	18·9	13·3	23·5	19·9
Cardiff	10·7	14·0	9·4	12·1	Portsmouth	11·8	17·9	18·5	18·2
Croydon	14·7	13·5	15·9	12·5	Preston	18·9	14·9	25·9	26·8
Derby	13·5	11·1	14·5	15·5	Salford	22·2	24·1	30·0	24·8
Gateshead	16·2	18·1	19·1	15·7	Sheffield	18·7	22·1	33·5	26·1
Halifax	15·5	14·0	11·4	11·9	Sunderland	23·0	18·0	22·3	18·4
Huddersfield	10·0	11·5	15·5	18·0	Swansea	17·3	12·9	15·8	15·8
Hull	16·2	13·8	16·8	20·7	West Ham	15·4	28·0	26·2	18·9
Leeds	16·1	22·0	23·2	24·4	Wolverhampton	18·0	16·9	11·1	16·9

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·4 in Derby and 1·7 in Brighton; from *scarlet fever*, 1·1 in Blackburn; from *whooping-cough*, 1·0 in Bolton and 1·3 in Brighton; and from *diarrhœa*, 4·0 in Portsmouth, 4·4 in London, 4·5 in Nottingham and in Huddersfield, 4·8 in Manchester and in Hull, 4·9 in Birkenhead, 5·0 in Brighton, 5·1 in Plymouth, 5·2 in Wolverhampton, 6·4 in Leeds, 6·6 in Birmingham and in Preston, 7·3 in West Ham, 7·6 in Liverpool, in Salford, and in Sheffield, and 10·4 in Norwich. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 65 deaths from *diphtheria* included 25 in London, 9 in Sheffield, 7 in Leeds, 4 in Leicester, 4 in Liverpool, and 3 in West Ham. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2332 BIRTHS and 1804 DEATHS were registered. Allowing for increase of population, the births were 251, and the deaths 4, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 16·1, 21·0, and 20·1, in the preceding three weeks, rose again last week to 20·5. During the four weeks ending on Saturday last the death-rate averaged 19·4 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1804 deaths included 25 from measles, 6 from scarlet fever, 25 from diphtheria, 44 from whooping-cough, 7 from enteric fever, 386 from diarrhœa and dysentery, 13 from cholera and choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 506 deaths were referred to these diseases, being 54 above the corrected average weekly number.

The deaths from *measles*, which had been 54, 30, and 29 in the preceding three weeks, further fell last week to 25, and were 24 below the corrected average; 3 cases belonged to Woolwich and 3 to Plumstead sanitary areas. The deaths from *scarlet fever*, which had been 5, 6, and 5 in the preceding three weeks, were 6 last week, the corrected average being 16. The deaths from *diphtheria*, which had been 21, 27, and 24 in the preceding three weeks, were 25 last week, the corrected average being 43; 5 cases belonged to Poplar and 3 to St. Marylebone sanitary areas. The deaths from *whooping-cough*, which had been 40, 47, and 44 in the preceding three weeks, were again 44 last week, the corrected average being 33; 9 cases belonged to Camberwell sanitary area. The fatal cases of *enteric fever*, which had been 9, 13, and 7 in the preceding three weeks, were again 7 last week, the corrected average being 10; 2 cases belonged to St. Pancras and 2 to Mile End Old Town sanitary areas. The deaths from *diarrhœa*, which had been 100, 292, and 389 in the preceding three weeks, fell again last week to 386, but were 95 above the corrected average. Of the 386 deaths from diarrhœa, 370 were of children under 5 years of age; 95 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 169, 196, and 136 in the preceding three weeks, further fell last week to 128, and were 47 below the corrected average. One death was attributed directly to *influenza*, the numbers in the preceding three weeks having been 6, 3, and 2.

Different forms of violence caused 58 deaths, concerning all but 4 of which inquests were held. Of these 58 deaths, 4 were cases of suicide, while the remaining 54 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, and 10 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 5 cases of small-pox, 1838 of scarlet fever, 1263 of diphtheria, and 143 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of small-pox, No case, against 1, 3, and 0; of scarlet fever, 155 cases, against 222, 207, and 156; of diphtheria, 146 cases, against 192, 198, and 171; and of enteric fever, 26 cases, against 19, 20, and 33.

Greater London.

In Greater London 3370 births and 2456 deaths were registered, corresponding to annual rates of 26·4 and 19·3 per 1000 of the estimated population. In the Outer Ring 13 deaths from measles, 1 from scarlet fever, 8 from diphtheria, 21 from whooping-cough, 2 from "fever," and 210 from diarrhœal diseases were registered. Six deaths from measles, 5 from diphtheria, 5 from whooping-cough, and 103 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 56°·5; the latter being 6°·0 below the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 20 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 18·0 hours; the measured rainfall amounted to 0·74 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	The week ending 11th Aug. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Proportion to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	11,610,296	6014	4520	1998	744	-	64	23	65	84	21	1006	139	275	318	56	20·3	5·7	72·1	43·0	55·1	12·83	1·50	3·81	33 Towns.
London	4,589,129	2332	1804	796	304	-	25	6	25	44	7	386	58	127	473	11	20·5	5·6	72·1	48·2	56·5	13·61	0·74	1·88	London.
West Ham	314,472	189	114	66	9	-	4	-	3	-	-	44	2	5	7	3	18·9	8·5	-	-	-	-	-	-	West Ham.
Croydon	131,186	68	34	14	8	-	2	-	-	1	-	8	2	3	3	-	13·5	4·4	70·5	44·5	54·9	12·72	0·73	1·85	Croydon.
Brighton	124,148	53	61	22	19	-	4	-	-	3	-	12	-	2	17	1	25·6	8·0	69·4	50·6	57·7	14·28	0·92	2·34	Brighton.
Portsmouth	194,955	98	68	27	12	-	-	-	2	-	1	15	5	5	8	2	18·2	4·8	71·0	51·0	58·1	14·50	0·95	2·41	Portsmouth.
Plymouth	102,161	51	39	21	7	-	1	-	-	-	-	10	1	1	-	1	19·9	5·6	-	-	-	-	-	-	Plymouth.
Bristol	324,973	129	89	27	24	-	-	-	1	1	-	11	6	8	17	-	14·3	2·1	70·0	48·0	57·1	13·94	1·51	3·84	Bristol.
Cardiff	194,247	75	45	23	3	-	-	-	2	1	-	3	-	1	3	1	12·1	1·6	-	-	-	-	-	-	Cardiff.
Swansea	105,472	40	32	8	8	-	1	-	2	-	-	4	4	4	3	-	15·8	3·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	45	29	16	2	-	-	-	-	-	-	9	1	2	1	-	16·9	5·2	64·8	43·0	52·8	11·56	1·67	4·24	Wolverhampton.
Birmingham	519,610	265	236	120	30	-	4	1	-	1	2	66	4	8	35	6	23·7	7·4	-	-	-	-	-	-	Birmingham.
Norwich	114,855	54	50	30	8	-	-	-	-	1	-	23	-	-	3	1	22·7	10·9	-	-	-	-	-	-	Norwich.
Leicester	219,169	88	80	35	11	-	-	1	4	1	-	16	1	5	9	1	19·0	5·2	-	-	-	-	-	-	Leicester.
Nottingham	242,676	131	106	42	27	-	3	1	1	3	-	21	2	5	11	-	22·8	6·2	62·3	45·3	52·7	11·50	1·70	4·32	Nottingham.
Derby	107,991	46	32	9	5	-	3	1	-	1	-	-	2	6	3	-	15·5	2·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	72	35	18	7	-	-	-	-	1	-	11	-	2	3	1	15·6	5·3	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	401	320	155	30	-	2	-	4	2	3	92	14	16	59	9	26·3	8·5	62·4	51·5	55·0	12·78	2·00	5·08	Liverpool.
Bolton	164,240	81	44	17	8	-	-	-	-	3	1	9	-	3	5	-	14·0	4·1	-	-	-	-	-	-	Bolton.
Manchester	548,768	295	238	96	31	-	4	1	2	7	-	51	5	16	38	2	22·6	6·2	-	-	-	-	-	-	Manchester.
Salford	220,816	127	105	54	16	-	-	4	1	-	-	32	5	10	23	3	24·8	8·7	-	-	-	-	-	-	Salford.
Oldham	153,297	67	53	17	9	-	1	1	-	1	-	4	2	3	5	-	18·0	2·4	-	-	-	-	-	-	Oldham.
Burnley	116,730	65	25	13	4	-	1	1	1	-	-	2	-	1	4	-	11·2	2·2	-	-	-	-	-	-	Burnley.
Blackburn	137,107	83	40	15	5	-	-	3	1	-	-	-	3	4	2	1	15·2	1·5	-	-	-	-	-	-	Blackburn.
Preston	118,902	70	61	31	7	-	-	1	-	1	-	15	2	2	9	-	26·8	7·5	64·0	50·0	54·8	12·67	1·52	3·86	Preston.
Huddersfield	104,484	39	36	11	11	-	1	1	-	-	-	9	-	-	3	-	18·0	5·5	66·8	49·0	53·3	11·83	2·52	6·40	Huddersfield.
Halifax	100,710	40	23	3	7	-	-	-	-	1	-	1	2	1	3	2	11·9	1·0	-	-	-	-	-	-	Halifax.
Bradford	291,535	137	68	10	29	-	1	-	-	-	-	5	-	2	14	-	12·2	1·1	62·0	49·8	53·8	12·11	1·92	4·88	Bradford.
Leeds	431,287	228	202	92	30	-	3	-	7	3	3	53	8	17	19	1	24·4	8·3	-	-	-	-	-	-	Leeds.
Sheffield	365,922	199	183	98	26	-	1	1	9	5	2	53	2	2	11	3	26·1	10·1	-	-	-	-	-	-	Sheffield.
Hull	238,736	129	95	40	23	-	2	-	-	1	1	22	1	3	7	3	20·7	5·7	72·0	45·0	55·0	12·78	1·79	4·55	Hull.
Sunderland	147,398	113	52	23	8	-	1	-	-	-	1	7	1	2	3	2	18·4	3·2	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	80	33	9	4	-	-	-	-	-	-	4	1	1	1	-	15·7	1·9	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	124	88	40	12	-	-	-	-	2	-	8	5	8	16	2	19·6	2·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	190
TOTAL **Births**	2175	2721	2755	2320	2200	2340	2291	2728	2807	2214	2582·8	233
Males - -	1098	1410	1413	1184	1078	1216	1145	1385	1391	1139	1310·7	118
Females - -	1077	1311	1342	1136	1122	1124	1146	1343	1416	1075	1272·1	114
TOTAL **Deaths** -	1594	1627	1421	1617	1450	1601	1790	2246	1772	2068	1808·0	180
Males - -	833	849	730	822	747	870	972	1187	932	1130	954·4	101
Females - -	761	778	691	795	703	731	818	1059	840	938	853·6	78

*The numbers in this column are the average weekly numbers in the thirty-second week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 19.	May 26.	June 2	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug 11.
TOTAL **Births** - - -	2512	2435	2579	2276	2646	2464	2483	2466	2479	2384	2507	2701	233
TOTAL **Deaths** - - -	1437	1440	1497	1398	1533	1171	1274	1191	1252	1417	1846	1768	180
Ages at Death: Under 1 year - -	297	295	323	295	333	257	283	243	292	368	671	797	79
1—5 years - -	182	196	218	185	203	149	179	145	153	210	236	184	20
5—20 " - -	101	69	86	96	90	72	84	70	69	82	75	71	7
20—40 " - -	194	195	197	214	223	147	179	193	183	163	213	145	16
40—60 " - -	302	288	313	282	325	270	289	275	247	269	294	263	25
60—80 " - -	300	327	302	274	288	231	220	217	249	272	288	252	23
80 years and upwards	61	70	58	52	71	45	40	48	59	53	69	56	7
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	49	56	68	60	64	42	53	35	42	54	30	29	2
Scarlet Fever - - -	6	8	7	11	5	9	12	10	4	5	6	5	6
Diphtheria - - - -	22	29	29	24	28	21	29	20	26	21	27	24	2
Whooping-cough - - -	56	50	48	37	49	35	53	37	43	40	47	44	44
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	15	8	10	7	8	4	12	7	13	9	13	7	7
Simple Continued Fever -	-	-	-	1	1	-	-	-	-	1	1	-	-
Diarrhœa and Dysentery -	8	7	10	5	15	20	17	20	27	100	292	389	386
Cholera - - - -	-	-	1	-	-	-	-	1	-	-	8	9	13
All the above Diseases -	156	158	173	145	170	131	176	130	155	230	424	507	506
Dis. of Respiratory System -	270	269	266	268	257	181	180	140	160	169	196	136	128
Phthisis - - - - -	159	155	150	150	151	123	138	148	138	126	151	133	149
Dis. of Circulatory System -	116	117	138	127	107	109	120	129	130	106	130	97	119
Violence - - - -	73	66	59	66	97	64	71	63	56	77	93	82	58
Inquest Cases - - - -	145	127	138	139	181	128	135	132	115	133	155	155	127
Deaths in Public Institutions -	452	485	470	451	525	376	421	408	406	452	500	415	473
TEMPERATURE OF THE AIR.													
Mean - - - - -	47°·1	53°·0	54°·0	58°·4	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5
Mean of Highest readings -	56·3	62·2	62·4	69·4	75·4	69·5	66·7	67·4	77·0	86·6	82·8	72·0	65·3
Mean of Lowest readings -	39·9	45·1	47·1	49·3	53·9	52·2	51·2	53·2	54·1	57·9	61·3	54·9	50·8
Humidity of the Air - -	68	78	78	72	72	72	80	73	62	60	65	71	84
Rain-fall (in inches) - -	0·01	0·81	0·24	0·19	0·44	0·77	1·15	0·57	0·00	0·00	0·84	0·58	0·74
Registered Sunshine (in hours	39·1	33·1	31·0	54·0	60·0	52·9	23·5	47·5	76·2	83·2	58·8	50·4	18·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	3	5	7	11	15	13	16	17	17	14	11	7	5
Scarlet Fever - - - -	1733	1784	1760	1754	1766	1810	1832	1843	1861	1877	1859	1827	1838
Diphtheria - - - -	1188	1222	1220	1238	1228	1226	1219	1207	1212	1236	1271	1261	1263
Enteric Fever - - - -	172	176	176	172	153	147	148	155	143	135	129	137	143

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SECOND Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 32nd Week of the 10 years 1890–99*.	In the Week ending Saturday, 11th August, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1808·0	1804	796	204	74	167	259	233	71
ll- Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·7	-	-	-	-	-	-	-	-
No Statement	0·3	-	-	-	-	-	-	-	-
es - - - -	48·7	25	7	16	2	-	-	-	-
et Fever - - -	16·1	6	-	5	1	-	-	-	-
us - - - -	-	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	4·9	1	-	-	-	-	1	-	-
ping-cough - -	32·9	44	31	13	-	-	-	-	-
heria - -	42·5	25	1	14	9	-	1	-	-
e Continued and defined Fever -	0·4	-	-	-	-	-	-	-	-
ic Fever - - -	9·5	7	-	-	2	4	1	-	-
ra and Chol. Diarr.	9·9	13	9	1	-	1	1	1	-
hœa, Dysentery -	290·7	386	322	48	-	-	6	6	4
ttent Fever - -	0·1	-	-	-	-	-	-	-	-
ophobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	0·1	-	-	-	-	-	-	-	-
ox and Effects of cination - -	0·2	-	-	-	-	-	-	-	-
eal Affections - -	11·6	10	8	-	-	-	-	2	-
pelas - - -	4·5	4	-	-	-	1	1	1	1
ia and Septicæmia	2·1	4	1	-	-	-	2	1	-
peral Fever - -	4·0	-	-	-	-	-	-	-	-
Zymotic Diseases	2·0	-	-	-	-	-	-	-	-
h - - - -	1·1	1	1	-	-	-	-	-	-
s and other Parasical Diseases -	0·5	1	-	-	-	-	1	-	-
ation, Want of ast-milk - -	2·2	1	1	-	-	-	-	-	-
olism - - -	11·9	8	-	-	-	2	5	1	-
matic Fever, eumatism of Heart	6·3	4	-	-	2	-	2	-	-
matism - - -	1·6	1	-	-	1	-	-	-	-
- - - - -	3·5	4	-	-	-	-	-	3	1
ets - - - -	6·4	7	4	3	-	-	-	-	-
er - - - -	75·0	84	-	1	1	9	33	34	6
s Mesenterica - -	38·4	26	19	4	2	-	1	-	-
rcular Meningitis -	31·2	22	7	11	2	1	1	-	-
sis - - - -	148·3	149	2	-	9	71	55	11	1
ula, Tuberculosis -	21·5	32	7	11	4	6	1	2	1
r Constitutional eases - -	12·0	13	-	-	1	4	2	6	-
ature Birth - -	53·1	62	62	-	-	-	-	-	-
ctasis - - -	3·9	6	6	-	-	-	-	-	-
enital Malforms -	8·7	8	7	1	-	-	-	-	-
Age - - - -	40·1	35	-	-	-	-	-	14	21
lexy - - -	37·2	36	-	1	-	-	13	20	2
psy - - - -	4·8	9	1	-	1	3	3	-	1
ulsions - - -	46·4	36	32	3	1	-	-	-	-
r Diseases of Brain Nervous System	83·1	65	10	6	7	10	10	20	2
ses of Organs of cial Sense -	2·7	2	-	-	-	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 32nd Week of the 10 years 1890–99*.	In the Week ending Saturday, 11th August, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	114·6	119	1	-	8	11	44	46	9
Croup - - - -	2·5	-	-	-	-	-	-	-	-
Bronchitis - - -	79·8	54	11	11	-	-	9	16	7
Pneumonia - - -	70·3	57	16	18	3	4	9	6	1
Pleurisy - - - -	4·2	6	-	-	-	2	2	2	-
Other Diseases of Respiratory System -	17·9	11	3	-	1	1	4	1	1
Dentition - - - -	8·8	8	5	3	-	-	-	-	-
Quinsy, Sore Throat -	1·3	4	1	1	1	-	1	-	-
Enteritis - - -	104·9	43	33	2	1	2	3	2	-
Gastro-enteritis -		102	82	13	-	-	2	4	1
Peritonitis - - -	5·6	5	-	-	-	4	1	-	-
Diseases of Liver - -	27·0	33	4	-	-	3	14	11	1
Other Diseases of Digestive System	34·7	49	30	4	1	2	5	4	3
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	44·5	35	1	3	2	6	10	10	3
Diseases of Generative System - - -	5·5	5	-	-	-	3	2	-	-
Accidents of Childbirth -	5·7	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	4·6	7	1	2	2	1	1	-	-
Diseases of Integumentary System - -	5·8	4	-	-	-	-	3	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	54·1	1	-	-	-	1	-	-	-
By Vehicles or Horses -		6	-	1	5	-	-	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		3	-	2	-	-	-	1	-
By Drowning - - -		3	1	-	-	1	-	1	-
By Suffocation in Bed -		10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		4	2	1	-	-	1	-	-
Other or not stated causes - - - -		26	2	2	5	4	5	3	5
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·6	-	-	-	-	-	-	-	-
Suicide - - - -	8·8	4	-	-	-	3	-	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	81·6	63	55	3	-	2	1	2	-

The numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 11th August, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2332	1804	796	304	-	25	6	25	44	-	7	-	386	58	127
WEST DISTRICTS - - -	778,251	370	279	108	63	-	1	1	4	2	-	-	-	53	8	21
NORTH DISTRICTS - - -	1,040,694	548	399	189	57	-	6	2	7	11	-	3	-	81	11	26
CENTRAL DISTRICTS - - -	233,635	97	85	26	15	-	1	-	-	4	-	-	-	19	3	6
EAST DISTRICTS - - -	716,334	442	383	190	53	-	7	1	5	6	-	1	-	90	13	39
SOUTH DISTRICTS - - -	1,642,796	875	639	283	110	-	10	2	9	21	-	3	-	143	23	35
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	19	-	6	-	-	-	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	49	34	16	5	-	-	-	1	-	-	-	-	10	-	2
St. John Paddington *H* - - G.	33,510	10	16	4	6	-	-	-	1	-	-	-	-	-	1	1
Kensington Town *Ww* - - W.	122,164	59	59	24	13	-	1	-	-	-	-	-	-	12	2	3
Brompton *HH*- - - W. & C.	48,301	11	6	-	4	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *H* W. & G	44,638	24	16	11	1	-	-	-	-	-	-	-	-	5	-	2
South Hammersmith *H* W. & G	59,561	24	14	6	5	-	-	-	-	-	-	-	-	5	1	2
Fulham *Ww* - - - W. & C.	113,781	87	60	30	7	-	-	1	2	2	-	-	-	12	-	3
Chelsea Kensal Town - C.	21,450	14	5	1	2	-	-	-	-	-	-	-	-	-	-	1
Chelsea North *WHHHH* - C.	42,057	21	15	4	5	-	-	-	-	-	-	-	-	1	-	-
Chelsea South *HH* - - C.	33,139	16	7	2	4	-	-	-	-	-	-	-	-	1	-	2
May Fair *WH*- - - - G.	23,827	4	5	-	4	-	-	-	-	-	-	-	-	1	2	2
Belgrave *WHHH* - - - C.	56,140	22	21	2	3	-	-	-	-	-	-	-	-	3	1	1
St. John Westminster *HH* - C.	31,492	11	9	4	1	-	-	-	-	-	-	-	-	2	-	1
St. Margaret Westminster *H*- C.	22,097	4	6	3	1	-	-	-	-	-	-	-	-	1	-	-
St. James Westminster *WH* N. & G.	23,050	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	7	25	5	6	-	-	-	-	-	-	1	-	6	-	1
Rectory Marylebone *W* G. & W.	19,798	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	31	8	5	-	-	-	-	-	-	-	-	-	3	-	-
Christchurch Marylebone *H* - W	32,547	12	9	4	2	-	-	-	-	1	-	-	-	3	-	-
St. John Marylebone *HHH* - W.	32,611	16	8	4	-	-	-	-	-	-	-	-	-	1	-	1
Hampstead *WwHHHH* - N. & W.	75,449	37	24	4	6	-	2	1	3	1	-	-	-	1	-	1
Regent's Park † *HH* - W.	51,403	22	16	8	1	-	-	-	-	-	-	-	-	4	1	2
Tottenham-court *wHHHHHH* - N. & W.	26,757	12	14	6	1	-	-	-	-	-	-	1	-	2	2	3
Gray's Inn Lane *HHHH* - N.	29,426	16	15	8	1	-	-	-	-	2	-	-	-	7	-	2
Somers Town *HH* - - - N.	32,161	16	23	16	1	-	-	-	-	-	-	-	-	8	1	1
Camden Town† *WH* - - N.	40,155	19	19	9	5	-	-	-	1	-	-	-	-	5	-	2
Kentish Town† *WW* - - N.	60,862	35	22	8	5	-	1	-	1	-	-	1	-	4	-	2
Upper Holloway *WWWWwHH* - - N.	98,273	61	49	21	8	-	-	1	-	1	-	-	-	4	1	1
Lower Holloway‡ - - - N.	41,805	16	12	8	2	-	-	-	1	-	-	-	-	1	1	1
Barnsbury‡ - - - - N.	56,384	28	17	9	3	-	-	-	-	1	-	-	-	4	1	1
Islington South-east‡ *H* - N.	75,725	43	28	14	6	-	2	-	-	2	-	-	-	3	-	3
Highbury *HH* - - - N.	64,577	28	11	6	-	-	-	-	-	-	-	-	-	2	-	-
Stoke Newington *H* - - N.	33,485	14	8	3	1	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	22	14	11	1	-	-	-	-	1	-	-	-	5	-	-
Central Hackney *ww* - E. & N.		24	18	13	1	-	-	-	1	-	-	-	-	5	-	-
South-west Hackney *HHH* E. & N.		47	18	9	1	-	-	-	-	1	-	-	-	4	3	3
South-east Hackney *WwH* E. & N.		32	39	16	6	-	1	-	-	1	-	-	-	9	1	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-ea Sub-District

LE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 11th August, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles } - N.	29,086	19	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
outh *WH* - - }																		
Giles North *H* - - - N.	9,151	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Martin-in-the-Fields *HH* N. & C.	13,077	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
and *WHH* - - - - N.	11,839	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
and Union Workhouse, Edmonton	†*1,037*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
lborn *WwHHHHH* - N.	31,042	16	23	12	4	-	-	-	-	1	-	-	-	7	-	1	8	-
James Clerkenwell - - N.	15,777	5	4	4	-	-	-	-	-	-	-	-	-	3	-	-	-	-
well Clerkenwell - - N.	34,356	20	7	2	1	-	1	-	-	1	-	-	-	3	-	-	-	-
swell-street - - - - N.	16,069	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHHL* - - N.	29,897	21	15	5	2	-	-	-	-	-	-	-	-	5	-	-	2	-
nitecross-street - - - N.	7,595	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nsbury - - - - - N.	4,035	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn Union Workhouse, }	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Mitcham - - - - }																		
Botolph* *H* - - N. & E.	13,061	1	3	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Sepulchre *WH* - - - N.	9,591	2	16	-	1	-	-	-	-	-	-	-	-	1	2	3	15	-
hallows Barking - - - N.	9,059	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	10	6	4	-	-	1	-	1	-	-	-	-	1	1	1	-	-
xton New Town *w* - - N.	29,575	16	12	6	2	-	-	-	-	-	-	-	-	4	-	1	4	-
xton Old Town - - - N.	27,645	14	16	11	2	-	-	-	-	-	-	-	-	5	1	2	-	-
ggerston *WH* - - N. & E.	47,163	25	23	14	4	-	-	-	-	-	-	-	-	8	-	2	8	-
thnal Green North *H* - E.	49,301	36	16	9	-	-	-	-	-	1	-	-	-	3	-	-	-	-
thnal Green South - - E.	34,194	23	8	5	-	-	-	1	-	-	-	-	-	2	-	-	-	-
thnal Green East *WWHl* - E.	45,667	23	37	9	11	-	1	-	-	-	-	-	-	3	-	1	18	-
italfields - - - E. & N.	26,681	16	8	3	-	-	-	-	-	-	-	-	-	2	2	2	-	-
le End New Town *WH* - E. }	51,995 {	21	31	11	2	-	2	-	-	-	-	-	-	2	-	2	25	-
odman's Fields - - - E. }		15	5	3	-	-	-	-	-	-	-	-	-	2	-	2	-	-
George's, North - - - E.	39,576	34	12	5	1	-	-	-	-	-	-	-	-	4	1	1	-	-
John, St. George East *W* E.	7 930	5	14	5	2	-	2	-	-	-	-	-	-	2	-	-	7	-
adwell *H* - - - E. & N.	10,434	6	11	5	-	-	-	-	-	-	-	-	-	4	1	1	10	-
tcliff *W* - - - - E.	14,954	4	9	8	-	-	-	-	-	1	-	-	-	2	1	1	-	-
nehouse - - - - - E.	32,917	19	20	11	4	-	-	-	-	1	-	-	-	7	1	5	-	-
le End Old Town West *H* E. }	111,060 {	42	19	9	-	-	-	-	-	1	-	-	-	2	1	3	-	-
le End Old Town East } - E.		32	36	14	8	-	-	-	-	-	-	1	-	11	-	5	14	-
WWww }																		
w *l* - - - - E.	41,687	24	39	27	6	-	-	-	-	1	-	-	-	9	2	5	-	-
omley *wwwH* - - - E.	69,821	52	40	21	6	-	1	-	1	-	-	-	-	13	2	3	14	-
plar *WW* - - - - E.	57,759	25	21	10	5	-	-	-	3	1	-	-	-	4	-	2	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 11th August, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL* L.&S.	13,064	8	8	4	-	-	-	-	-	-	-	-	-	3	-	-	-
St. Saviour Southwark - - S.	12,301	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	9	8	4	-	-	-	-	-	-	-	-	-	5	-	-	-
Borough-road *WH* - S. & L.	16,083	10	10	6	-	-	1	-	-	-	-	-	-	2	-	-	4
London-road *HL* - - L. & S.	21,316	12	6	3	-	-	-	-	-	-	-	-	-	3	1	1	-
Trinity Newington *H* - S. & L.	28,723	20	9	7	1	-	-	-	-	-	-	-	-	5	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	30	25	10	2	-	-	-	-	-	-	-	-	6	-	-	2
St. Mary Newington- - L. & S.	30,171	29	10	5	1	-	-	-	-	-	-	-	-	1	-	-	-
St. Olave *WH* - - - - S.	11,731	5	14	3	4	-	-	-	-	-	-	-	-	2	2	2	13
Bermondsey *W* - - - S.	85,475	38	25	13	2	-	-	-	-	2	-	-	-	8	1	1	1
Rotherhithe *Ww* - S. & K.	40,379	17	22	10	3	-	1	-	-	-	-	-	-	7	-	-	10
Waterloo-road *HH* - L. & S.	28,396	22	17	8	1	-	1	-	-	-	-	-	-	3	-	-	2
Lambeth Church 1st *H* - L. & S.	18,770	9	22	6	-	-	-	-	-	-	-	2	-	2	2	3	16
Lambeth Church 2nd *WW* L. & S.	40,994	37	32	13	5	-	-	-	-	-	-	-	-	3	3	5	16
Kennington 1st *H* - - S. & L.	52,486	22	13	9	1	-	-	-	-	-	-	-	-	2	-	-	-
Kennington 2nd - - S. & L.	43,244	24	9	3	2	-	-	-	-	-	-	-	-	-	-	2	-
Brixton *w* - - - L. & S.	81,825	31	22	9	6	-	-	-	-	1	-	-	-	5	1	-	-
Norwood *WH* - - - - L.	29,318	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - - S.	71,730	27	23	14	5	-	-	-	-	2	-	-	-	8	2	3	-
North-west Battersea† - - S. }	93,385	27	25	12	2	-	-	-	-	-	-	-	-	11	-	2	-
South-west Battersea† *WwH* - S. }		12	19	5	7	-	-	-	-	-	-	-	-	-	2	2	16
Clapham *H* - - - - - S.	46,953	25	14	4	2	-	-	-	-	-	-	-	-	2	1	1	-
Streatham *WwwwwL* - - L.	61,644	37	28	15	5	-	-	1	2	1	-	-	-	7	-	-	3
Wandsworth *WHHL* - - S.	58,101	41	23	11	5	-	-	-	-	-	-	-	-	10	1	2	-
Putney - - - - - - S.	20,566	10	5	4	1	-	-	-	-	-	-	-	-	3	-	1	-
Dulwich - - - L. & S.	7,519	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	46	48	14	19	-	-	-	-	3	-	-	-	3	2	2	28
Peckham *WW* - S., L., & K.	88,242	50	34	15	8	-	-	-	-	2	-	-	-	5	1	-	2
St. George Camberwell - L. & S.	67,029	41	23	15	1	-	-	-	-	4	-	-	-	7	-	2	-
Deptford North - - - K.	36,152	20	8	5	1	-	-	-	-	-	-	-	-	2	-	-	-
Deptford Central *w* - - K.	45,441	23	24	12	2	-	1	-	3	2	-	1	-	6	-	-	5
Deptford South - - - K.	33,402	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	11	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich East *WH* - - K.	37,767	19	17	3	6	-	-	-	-	-	-	-	-	1	1	2	11
Eltham *wH* - - - - K.	5,911	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	9	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwH* - - - K.	38,139	28	24	11	5	-	-	1	2	2	-	-	-	7	1	1	10
Sydenham *H* - - - - L.	37,601	21	10	4	2	-	-	-	-	1	-	-	-	1	-	-	-
Charlton *wHH* - - - K.	15,928	8	4	1	1	-	-	-	2	-	-	-	-	-	-	-	2
Woolwich* *HHHH* - - K.	41,314	12	19	9	3	-	3	-	-	-	-	-	-	8	-	-	-
Plumstead West *H* - - K.	16,714	7	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	38	21	9	2	-	3	-	-	-	-	-	-	3	1	2	2
Banstead Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwic
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 11th August, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON-OUTER RING -	368,749	1,422,063	1,038	652	345	97	-	13	1	8	21	2	197	15	42	52	12
1	Carshalton *H* - - - -	12,228	26,108	9	10	3	2	-	-	1	-	-	-	-	1	1	1	-
2	Epsom, *part of* WwHHH*	10,423	12,508	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, *part of* W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	75	37	15	9	-	2	-	-	1	-	10	2	4	3	-
2	Mitcham *w* - - -	11,697	23,072	12	6	2	2	-	-	-	-	-	-	1	-	1	-	-
1	Wimbledon *HHH* - -	3,220	25,777	11	9	3	3	-	1	-	-	-	-	3	1	2	-	-
2	Kingston *WH* - - -	14,672	33,566	13	10	1	6	-	-	-	-	-	-	-	-	-	5	-
3	Surbiton *HH* - - -		12,178	7	4	-	2	-	-	-	-	-	-	-	-	2	-	-
4	Esher, *part of* H* - -		11,080	5	2	-	-	-	-	-	-	-	-	-	1	-	1	-
5	Hampton *HL* - - -	4,565	18,252	12	6	1	-	-	1	-	-	-	-	1	1	1	1	-
1	Richmond *WHH* - -	2,160	25,389	14	14	6	-	-	-	-	-	2	-	3	1	3	5	-
2	Mortlake *H* - - -	2,823	16,159	12	7	4	-	-	-	-	-	-	-	1	-	1	-	-
1	Bromley *HHH* - - -	9,127	23,815	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of* WHH*	14,307	20,372	11	6	3	2	-	-	-	-	-	-	1	1	1	3	2
1	Bexley *HHH* - - -	12,540	30,590	29	15	10	3	-	-	-	-	-	-	4	-	-	-	4
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - - -	11,054	13,671	14	8	3	4	-	-	-	-	-	-	1	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	5	6	4	-	-	1	-	-	-	-	1	-	-	-	-
1	Hillingdon *WHH* - -	6,035	12,237	8	8	4	1	-	-	-	-	1	-	5	-	1	-	-
2	Uxbridge - - - -	12,757	7,253	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	9	5	3	2	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	18	20	7	5	-	1	-	-	-	-	6	-	-	7	-
2	Twickenham *HH* - -	2,415	16,027	9	3	2	1	-	-	-	-	-	-	1	-	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	24	6	2	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	17	8	6	1	-	-	-	-	-	-	2	-	-	-	1
5	Acton *wHH* - - -	6,132	30,945	28	18	13	1	-	-	-	-	-	-	9	-	2	1	-
1	Harrow *HHH* - - -	13,809	15,715	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-
3	Willesden *HHH* - -	4,383	61,265	56	27	18	2	-	-	-	-	1	1	5	-	1	-	-
4	Hendon *WH* - - -	8,382	15,843	9	6	4	2	-	-	-	-	1	-	-	-	-	1	-
1	South Mimms *HH* - -	21,077	6,367	3	3	1	-	-	-	-	-	-	-	1	1	1	-	-
2	Barnet *WHH* - - -		14,152	7	9	3	3	-	-	-	-	-	-	-	-	-	5	-
3	Finchley *HHH* - - -	4,688	25,820	12	8	1	4	-	-	-	-	-	-	1	-	1	1	-
1	Hornsey *HH* - - -	3,039	61,097	38	11	5	3	-	-	-	1	1	-	1	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	71	50	35	2	-	1	-	-	3	-	13	2	4	3	-
3	Edmonton *Ww* - -	7,489	36,351	29	30	17	3	-	-	-	-	4	-	12	-	4	1	1
4	Enfield *WWHH* - -	12,602	31,536	25	11	8	1	-	-	-	-	-	-	3	-	-	-	-
5	Waltham Abbey - - -	11,017	6,066	-	8	2	1	-	-	-	-	2	-	-	2	2	-	-
6	Cheshunt *H* - - -	8,480	9,620	10	2	1	-	-	-	-	-	-	-	1	-	-	-	-
1	Hatfield, *part of* W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	8	2	1	1	-	-	-	-	-	-	-	-	-	-	1
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	34	22	14	3	-	1	-	-	-	-	13	1	1	1	-
2	Plaistow *HHH* - - -		58,030	65	44	24	3	-	1	-	3	-	-	16	-	3	3	-
3	Canning Town *H* - -		54,750	58	30	20	1	-	-	-	-	-	-	12	1	1	1	-
4	Forest Gate *w* - - -		53,511	32	16	7	2	-	2	-	-	-	-	3	-	-	-	3
5	East Ham *wHHH* - -	3,266	32,713	62	39	29	1	-	1	-	-	-	1	19	-	2	1	-
6	Leyton *WWWwH* - -	4,334	70,188	47	41	21	8	-	1	-	2	2	-	14	-	-	5	-
7	Walthamstow *HHHL* -	6,501	57,330	58	47	28	2	-	-	-	-	3	-	24	-	1	1	-
1	Chigwell, *part of* HHHH*	11,779	12,941	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of* W* -	6,556	4,324	3	3	1	-	-	-	-	1	-	-	-	-	-	1	-
2	Ilford *H* - - - -	8,493	10,913	14	7	5	1	-	-	-	-	-	-	4	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	15	10	5	2	-	-	-	-	-	-	5	-	-	-	-
	Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst -district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping p. 1,079): 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 11th August, 1900.

GREATER LONDON	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From All Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**19·3**	**5·8**	**2456**	**1141**	**401**	**-**	**38**	**7**	**33**	**65**	**9**	**583**	**73**
INNER LONDON -	74,672	4,589,129	20·5	5·6	1804	796	304	-	25	6	25	44	7	386	58
OUTER RING -	368,749	2,063,016	16·5	6·1	652	345	97	-	13	1	8	21	2	197	15

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	August 11	155	99	17·1	-	2	1	-	2	-
GLASGOW - -	743,585	„ 11	474	254	17·8	1	8	2	-	19	4
DUBLIN† - -	349,594	„ 11	149	154	23·0	-	-	-	3	1	-
CALCUTTA - -	466,460	June 16	-	359	40·1	11	2	-	2	1	132‡
		„ 23	-	380	42·5	15	3	-	2	-	112‡
BOMBAY - -	821,764	July 17	211	1175	74·4	5	2	?	?	?	156‡
MADRAS - -	452,518	„ 6	396	345	39·6	3	-	?	?	?	117
PARIS - - -	2,511,629	August 4	1124	974	20·1	1	22	4	3*	3	26
BRUSSELS - -	561,130	„ 4	294	181	16·5	-	1	-	-	1	1
AMSTERDAM -	526,538	July 28	293	146	14·4	-	3	1	1	2	2
ROTTERDAM -	325,556	„ 28	240	127	20·3	-	2	-	2	-	2
THE HAGUE -	205,328	„ 28	105	74	18·5	-	3	-	-	-	-
COPENHAGEN -	349,000	August 4	219	94	14·0	-	-	-	-	-	-
STOCKHOLM -	297,148	July 28	144	84	14·7	-	-	-	2*	-	-
CHRISTIANIA -	221,255	August 4	154	44	10·1	-	2	-	-	1	-
ST. PETERSBURG	1,132,677	July 28	595	625	28·8	17	9	6	13	3	14
MOSCOW - -	988,610	„ 28	-	827	43·6	-	16	5	7	3	2
BERLIN - -	1,848,269	„ 21	1082	841	23·6	-	15	12	5	9	6
HAMBURG - -	691,349	August 4	-	252	19·0	-	1	1	1*	7	-
DRESDEN - -	403,400	July 7	238	119	15·2	-	-	1	1*	-	-
BRESLAU - -	412,959	August 4	-	270	34·1	-	1	-	-	3	2
MUNICH - -	463,000	July 28	-	260	29·2	-	1	-	1*	-	1
VIENNA - -	1,656,662	August 4	-	-	-	-	-	-	-	-	-
PRAGUE - -	385,952	July 21	176	162	21·5	-	-	-	-	-	3
BUDA-PESTH -	685,340	„ 28	515	269	20·4	-	-	3	2	-	-
TRIESTE - -	168,264	August 4	72	120	36·1	-	-	1	1*	-	-
ROME - - -	514,306	July 14	190	171	17·3	-	-	-	3	-	4‖
TURIN (10 days)-	344,203	June 10	198	182	19·3	-	-	-	1	1	2
VENICE - -	172,491	July 28	89	110	33·3	-	-	-	2*	1	3
CAIRO - -	570,062	June 17	404	497	45·3	1	70	-	3*	2	8
		„ 24	422	460	42·0	1	41	-	5*	2	12
ALEXANDRIA -	319,766	„ 17	161	172	28·0	6	1	-	-	-	3‡
		„ 24	192	165	26·8	1	-	-	1*	-	6
NEW YORK (including BROOKLYN)	3,654,594	July 14	1664	1579	22·5	-	18	9	33	6	9
PHILADELPHIA -	1,266,832	„ 21	-	564	23·2	-	6	3	11	1	5

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area
‡ Including 70 and 45 deaths, respectively, from plague in Calcutta, 60 in Bombay and 1 in Alexandria.
§ Including 86 and 68 deaths, respectively, from cholera in Calcutta, and 239 in Bombay.
‖ Including 1 death from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	5	..	29·547	62·7	48·2	14·5	55·4	− 6·9	51·5	3·9	10·5	0·0	87	94·7	42·5	63·52	WSW.	SSW. & WSW.	10·2	0·0	0·3	275	+ 19	0·12	0·0
MONDAY -	6	Greatest Dec. S.	29·298	64·6	51·4	13·2	56·6	− 5·8	52·7	3·9	8·8	1·0	87	88·8	47·0	63·17	WSW., SW. & SSW.	S., SW. & WSW.	24·3	0·0	1·4	486	+228	0·20	0·0
TUESDAY -	7	..	29·448	68·0	52·7	15·3	58·1	− 4·4	49·5	8·6	16·4	3·2	73	123·0	47·6	62·61	WSW & SW.	SW.	13·0	0·0	1·2	484	+225	0·08	0·0
WEDNESDAY	8	..	29·778	64·9	50·8	14·1	55·1	− 7·4	52·4	2·7	12·2	1·2	91	127·0	43·0	62·09	SW. & N.	N., NE. & SE.	1·3	0·0	0·1	189	− 70	0·03	0·0
THURSDAY-	9	..	29·594	61·8	50·4	11·4	55·3	− 7·2	52·4	2·9	7·4	1·4	90	87·0	42·3	61·76	SSE. & SSW.	SSE., SW. & W.	4·8	0·0	0·3	275	+ 17	0·26	0·0
FRIDAY -	10	Full	29·879	63·3	51·7	11·6	55·3	− 7·2	50·8	4·5	10·4	2·0	85	112·0	47·0	61·40	WNW. & W.	NNW., N. & SW.	4·6	0·0	0·5	313	+ 57	0·05	0·0
SATURDAY -	11	..	30·194	72·1	50·4	21·7	59·7	− 2·8	51·8	7·9	19·3	1·2	75	112·3	41·4	61·23	SW., WSW. & N.	W., WSW. & SW.	0·3	0·0	0·0	135	−118	0·00	0·0
MEANS -			29·677	65·3	50·8	14·5	56·5	− 6·0	51·6	4·9	12·1	1·4	84	106·4	44·4	62·25	SW.		..	..	..	Sum 2157	Sum +358	Sum 0·74	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	5	w. P. till 3h. P.M.; v. P. and s. N. till 10h. P.M.; w. P. afterwards.	0·1	15·1	Fine and partially cloudy in early morning; overcast and showery till 10h. P.M.; very fine afterwards. Lightning with distant thunder in evening.
MONDAY -	6	w. P. generally; w. N. between 1h. and 4h. P.M.	1·3	15·1	Very fine with occasional lightning in early morning; cloudy afterwards with frequent rain after 10h. A.M. Strong gusty wind after 1h. P.M., increasing to a gale by 5h. P.M.
TUESDAY -	7	w. P. till 2h. P.M.; v. P. and v. N. till 7h. P.M.; w. P. afterwards.	8·6	15·1	Fine and partially cloudy. Strong gusty wind till afternoon with sharp showers between 3h. and 5h. P.M.
WEDNESDAY	8	w. P. throughout.	2·1	15·0	Cloudy with occasional slight rain till 5h. P.M.; fine with varying amounts of cloud afterwards. Faint lunar halo observed at 9h. P.M.
THURSDAY-	9	w. P. till 11h. A.M.; w. P. and w. N. till 8h. P.M.; w. P. afterwards.	0·3	15·0	Generally overcast; frequent rain after 11h. A.M.
FRIDAY -	10	w. P. generally; w. N. at 1h. P.M.	1·5	14·9	Overcast with occasional showers till afternoon; fine and partially cloudy afterwards. Slight mist at night.
SATURDAY -	11	w. P. generally.	4·1	14·8	Cloudy and foggy in early morning; fine with large amounts of thin cloud afterwards. Solar halo observed in afternoon and lunar halo at night.
			Sum 18·0	Sum 105·0	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·67 in. at the beginning of the week to 29·08 in. by 6h. P.M. on the 6th; increased to 29·85 in. by 11h. P.M. on the 8th; decreased to 29·40 in. by 6h. P.M. on the 9th; and increased to 30·21 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1900. Vol. LXI.] WEEK ENDING SATURDAY, AUG. 18. [Price 1½*d.*

General Register Office, Somerset House,
August 20th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·5 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 19·4, 20·5, and 20·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending July 28.	Aug. 4.	Aug. 11.	Aug. 18.
33 Great Towns	19·4	20·5	20·3	19·5
Birkenhead	21·4	24·5	15·6	17·8
Birmingham	19·0	19·8	23·7	20·6
Blackburn	17·1	12·9	15·2	15·2
Bolton	11·4	22·9	14·0	16·8
Bradford	13·6	12·5	12·2	13·8
Brighton	16·8	19·3	25·6	18·9
Bristol	11·6	12·2	14·3	12·7
Burnley	13·4	8·0	11·2	13·8
Cardiff	14·0	9·4	12·1	14·0
Croydon	13·5	15·9	13·5	14·3
Derby	11·1	14·5	15·5	16·9
Gateshead	18·1	19·1	15·7	14·8
Halifax	14·0	11·4	11·9	14·5
Huddersfield	11·5	15·5	18·0	13·0
Hull	13·8	16·8	20·7	18·1
Leeds	22·0	23·2	24·4	20·9
Leicester	18·3	19·5	19·0	19·5
Liverpool	28·0	34·6	26·3	25·0
London	21·0	20·1	20·5	19·4
Manchester	16·8	19·6	22·6	24·2
Newcastle-on-Tyne	17·8	16·0	19·6	23·1
Norwich	16·8	17·7	22·7	25·0
Nottingham	14·6	17·4	22·8	18·5
Oldham	17·0	17·7	18·0	16·7
Plymouth	13·3	23·5	19·9	23·0
Portsmouth	17·9	18·5	18·2	16·9
Preston	14·9	25·9	26·8	22·8
Salford	24·1	30·0	27·2	23·6
Sheffield	22·1	33·5	26·1	23·9
Sunderland	18·0	22·3	18·4	18·4
Swansea	12·9	15·8	15·8	16·8
West Ham	28·0	26·2	18·9	21·2
Wolverhampton	16·9	11·1	16·9	16·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Swansea and 1·7 in Brighton; from *whooping-cough*, 1·0 in West Ham and in Derby, and 1·1 in Nottingham; from "*fever*," 1·0 in Swansea and in Halifax, and 1·1 in Portsmouth; and from *diarrhœa*, 4·0 in Portsmouth, 4·4 in Preston, 4·6 in Manchester, 5·1 in Plymouth and in Leeds, 5·3 in Liverpool, 5·4 in Norwich, 5·7 in Salford, 5·8 in West Ham, 6·7 in Leicester, 6·8 in Sheffield, and 7·2 in Hull. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 59 deaths from *diphtheria* included 17 in London, 8 in Leicester, 7 in Leeds, 6 in Sheffield, 4 in West Ham, 3 in Liverpool, and 3 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2621 BIRTHS and 1707 DEATHS were registered. Allowing for increase of population, the births were 79, and the deaths 114, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 21·0, 20·1, and 20·5, in the preceding three weeks, fell again last week to 19·4. During the four weeks ending on Saturday last the death-rate averaged 20·3 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1707 deaths included 20 from measles, 4 from scarlet fever, 17 from diphtheria, 44 from whooping-cough, 1 from typhus, 6 from enteric fever, 1 from an ill-defined form of continued fever, 293 from diarrhœa and dysentery, 6 from cholera and choleraic diarrhœa, and not one death from small-pox; thus, 392 deaths were referred to these diseases, being 58 below the corrected average weekly number.

The deaths from *measles*, which had been 30, 29, and 25 in the preceding three weeks, further fell last week to 20, and were 25 below the corrected average; 3 cases belonged to Bethnal Green sanitary area. The deaths from *scarlet fever*, which had been 6, 5, and 6 in the preceding three weeks, fell again last week to 4, the corrected average being 24. The deaths from *diphtheria*, which had been 27, 24, and 25 in the preceding three weeks, fell again last week to 17, and were 24 below the corrected average; 3 cases belonged to Battersea sanitary area. The deaths from *whooping-cough*, which had been 47, 44, and 44 in the preceding three weeks, were again 44 last week, the corrected average being 33. The fatal cases of *enteric fever*, which had been 13, 7, and 7 in the preceding three weeks, were 6 last week, the corrected average being 14; 2 cases belonged to St. Pancras sanitary area. The death of a woman, aged 58 years, which occurred in Paddington Infirmary, was attributed to *typhus*. The deaths from *diarrhœa*, which had been 292, 389, and 386 in the preceding three weeks, fell last week to 293, but were 11 above the corrected average. Of the 293 deaths from diarrhœa, 281 were of children under 5 years of age; 66 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 196, 136, and 128 in the preceding three weeks, rose again last week to 132, but were 35 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 3, 2, and 1 in the preceding three weeks. The death of a man, aged 45 years, who had been removed from Fitzroy Mews in St. Pancras sanitary area to Guy's Hospital, was registered, after inquest, as due to *glanders*.

Different forms of violence caused 55 deaths, concerning all but 1 of which inquests were held. Of these 55 deaths, 8 were cases of suicide, and 1 of execution, while the remaining 46 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 6 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 4 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 1793 of scarlet fever, 1250 of diphtheria, and 146 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 157 cases, against 207, 156, and 155; of diphtheria, 148 cases, against 198, 171, and 146; and of enteric fever, 29 cases, against 20, 33, and 26.

Greater London.

In Greater London 3884 births and 2383 deaths were registered, corresponding to annual rates of 30·4 and 18·7 per 1000 of the estimated population. In the Outer Ring 16 deaths from measles, 1 from scarlet fever, 11 from diphtheria, 18 from whooping-cough, 4 from "fever," and 162 from diarrhœal diseases were registered. Nine deaths from measles, 7 from diphtheria, 10 from whooping-cough, and 75 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·03 inches, and that of the Thermometer 66°·7; the latter being 4°·6 above the week's average in the 50 years 1841–90. The direction of the wind was north-easterly, the horizontal movement of the air being 23 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 72·7 hours; the measured rainfall amounted to 0·05 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Small-pox, Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 18th Aug. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**7074**	**4346**	**1733**	**792**	**-**	**62**	**18**	**59**	**90**	**35**	**797**	**147**	**297**	**891**	**47**	**19·5**	**4·8**	**82·6**	**45·0**	**62·5**	**16·94**	**0·02**	**0·05**	33 Towns.
London - -	4,589,129	2621	1707	659	324	-	20	4	17	44	8	293	55	128	490	6	19·4	4·4	82·1	52·0	66·7	19·28	0·05	0·13	London.
West Ham - -	314,472	195	128	59	17	-	5	-	4	6	-	35	3	4	23	1	21·2	8·3	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	76	36	12	9	-	-	-	-	2	-	6	2	4	5	-	14·3	3·2	81·8	51·0	65·0	18·33	0·14	0·36	Croydon.
Brighton - -	124,148	65	45	16	9	-	4	-	1	1	-	5	1	2	11	-	18·9	4·6	81·4	50·4	64·0	17·78	0·00	0·00	Brighton.
Portsmouth -	194,955	118	63	34	10	-	-	-	1	-	4	15	-	-	9	3	16·9	5·3	82·0	54·5	65·8	18·78	0·00	0·00	Portsmouth.
Plymouth - -	102,161	54	45	19	12	-	-	-	-	-	-	10	1	2	8	-	23·0	5·1	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	197	79	20	21	-	2	-	2	-	1	3	4	7	17	-	12·7	1·3	82·6	48·6	62·4	16·89	0·00	0·00	Bristol.
Cardiff - -	194,247	118	52	17	6	-	1	-	1	1	2	4	-	4	7	-	14·0	2·4	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	59	34	11	4	-	2	1	1	-	2	6	3	3	2	-	16·8	5·9	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	55	28	8	10	-	1	1	-	-	-	4	3	3	6	-	16·3	3·5	78·2	45·0	59·9	15·50	0·00	0·00	Wolverhampton.
Birmingham -	519,610	346	205	95	28	-	2	3	2	4	-	37	3	7	29	3	20·6	4·8	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	89	55	23	12	-	-	-	-	-	-	12	5	8	2	1	25·0	5·4	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	141	82	38	9	-	-	1	8	-	-	28	2	2	18	-	19·5	8·8	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	146	86	36	24	-	-	-	-	5	2	17	2	3	10	-	18·5	5·2	74·0	49·2	60·7	15·94	0·00	0·00	Nottingham.
Derby - - -	107,991	56	35	11	9	-	1	-	-	2	-	3	3	6	7	-	16·9	2·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	66	40	17	9	-	-	-	-	-	-	7	5	6	6	-	17·8	3·1	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	498	304	138	38	-	-	1	3	7	3	65	6	15	62	10	25·0	6·5	72·4	53·0	60·3	15·72	0·00	0·00	Liverpool.
Bolton - -	164,240	87	53	17	18	-	2	-	-	-	-	10	4	6	4	-	16·8	3·8	-	-	-	-	-	-	Bolton.
Manchester -	548,768	397	255	95	37	-	5	3	-	3	-	48	12	24	41	5	24·2	5·6	-	-	-	-	-	-	Manchester.
Salford - -	220,816	150	100	48	17	-	-	1	3	-	1	24	1	4	16	1	23·6	6·8	-	-	-	-	-	-	Salford.
Oldham - -	153,297	67	49	12	10	-	2	-	-	2	-	2	3	4	6	-	16·7	2·0	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	50	31	11	6	-	-	-	-	2	1	1	1	2	2	-	13·8	1·8	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	49	40	15	8	-	-	1	2	-	-	2	-	1	2	2	15·2	1·9	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	60	52	21	10	-	-	1	1	2	-	10	4	4	5	1	22·8	6·1	-	-	-	-	-	-	Preston.
Huddersfield -	104,484	54	26	10	7	-	-	-	-	-	-	-	-	-	5	1	13·0	-	73·7	49·7	60·8	16·00	0·02	0·05	Huddersfield.
Halifax - -	100,710	57	28	3	10	-	1	-	-	-	2	1	4	4	10	3	14·5	2·1	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	136	77	23	19	-	1	1	-	-	-	7	1	5	16	1	13·8	1·6	74·4	50·0	60·3	15·72	0·01	0·03	Bradford.
Leeds - - -	431,287	295	173	77	25	-	5	-	7	-	4	42	5	11	14	3	20·9	7·0	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	247	168	83	28	-	-	-	6	6	3	48	7	12	15	1	23·9	9·0	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	159	83	39	13	-	1	-	-	1	1	33	2	4	13	1	18·1	7·9	79·0	49·0	61·2	16·22	0·00	0·00	Hull.
Sunderland -	147,398	112	52	16	11	-	2	-	-	-	-	9	1	3	8	2	18·4	3·9	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	103	31	14	5	-	1	-	-	1	-	6	-	-	-	1	14·8	3·8	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	151	104	36	17	-	4	-	-	1	1	4	4	9	22	1	23·1	2·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2527	2330	2486	2560	2665	2646	2624	2662	2489	2671	2699·5	2621
Males - -	1239	1163	1291	1329	1356	1340	1324	1334	1280	1412	1374·8	1301
Females - -	1288	1167	1195	1231	1309	1306	1300	1328	1209	1259	1324·7	1320
TOTAL **Deaths** -	1751	1445	1407	1855	1428	1459	1666	2074	2019	2208	1821·3	1707
Males - -	954	769	697	935	741	770	880	1088	1025	1167	949·6	894
Females - -	797	676	710	920	687	689	786	986	994	1041	871·7	813

*The numbers in this column are the average weekly numbers in the thirty-third week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 26.	June 2	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
TOTAL **Births** - - -	2435	2579	2276	2646	2464	2483	2466	2479	2384	2507	2701	2332	2621
TOTAL **Deaths** - - -	1440	1497	1398	1533	1171	1274	1191	1252	1417	1846	1768	1804	1707
Ages at Death: Under 1 year - -	295	323	295	333	257	283	243	292	368	671	797	796	659
1—5 years - -	196	218	185	203	149	179	145	153	210	236	184	204	166
5—20 " - -	69	86	96	90	72	84	70	69	82	75	71	74	85
20—40 " - -	195	197	214	223	147	179	193	183	163	213	145	167	185
40—60 " - -	288	313	282	325	270	289	275	247	269	294	263	259	288
60—80 " - -	327	302	274	288	231	220	217	249	272	288	252	233	257
80 years and upwards	70	58	52	71	45	40	48	59	53	69	56	71	67
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	56	68	60	64	42	53	35	42	54	30	29	25	20
Scarlet Fever - - -	8	7	11	5	9	12	10	4	5	6	5	6	4
Diphtheria - - - -	29	29	24	28	21	29	20	26	21	27	24	25	17
Whooping-cough - - -	50	48	37	49	35	53	37	43	40	47	44	44	44
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever - - -	8	10	7	8	4	12	7	13	9	13	7	7	6
Simple Continued Fever -	-	-	1	1	-	-	-	-	1	1	-	-	1
Diarrhœa and Dysentery -	7	10	5	15	20	17	20	27	100	292	389	386	293
Cholera - - - - -	-	1	-	-	-	-	1	-	-	8	9	13	6
All the above Diseases -	158	173	145	170	131	176	130	155	230	424	507	506	392
Dis. of Respiratory System -	269	266	268	257	181	180	140	160	169	196	136	128	132
Phthisis - - - - -	155	150	150	151	123	138	148	138	126	151	133	149	155
Dis. of Circulatory System -	117	138	127	107	109	120	129	130	106	130	97	119	126
Violence - - - - -	66	59	66	97	64	71	63	56	77	93	82	58	55
Inquest Cases - - - -	127	138	139	181	128	135	132	115	133	155	155	127	128
Deaths in Public Institutions -	485	470	451	525	376	421	408	406	452	509	415	473	490
TEMPERATURE OF THE AIR.													
Mean - - - - -	53°·0	54°·0	58°·4	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7
Mean of Highest readings -	62·2	62·4	69·4	75·4	69·5	66·7	67·4	77·0	86·6	82·8	72·0	65·3	78·8
Mean of Lowest readings -	45·1	47·1	49·3	53·9	52·2	51·2	53·2	54·1	57·9	61·3	54·9	50·8	55·2
Humidity of the Air - -	78	78	72	72	72	80	73	62	60	65	71	84	67
Rain-fall (in inches) - -	0·81	0·24	0·19	0·44	0·77	1·15	0·57	0·00	0·00	0·84	0·58	0·74	0·05
Registered Sunshine (in hours)	33·1	31·0	54·0	60·0	52·9	23·5	47·5	76·2	83·2	58·8	50·4	18·0	72·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	5	7	11	15	13	16	17	17	14	11	7	5	2
Scarlet Fever - - - -	1784	1760	1754	1766	1810	1832	1843	1861	1877	1859	1827	1838	1793
Diphtheria - - - -	1222	1220	1238	1228	1226	1219	1207	1212	1236	1271	1261	1263	1250
Enteric Fever - - - -	176	176	172	153	147	148	155	143	135	129	137	143	146

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-THIRD Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 33rd Week of the 10 years 1890-99*.	In the Week ending Saturday, 18th August, 1900 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES	1821·3	1707	659	166	85	185	288	257	67
Vaccinated†	-	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	0·7	-	-	-	-	-	-	-	-
	44·6	20	4	15	1	-	-	-	-
Fever	23·5	4	-	3	1	-	-	-	-
	0·1	1	-	-	-	-	1	-	-
ng Fever	-	-	-	-	-	-	-	-	-
a	4·3	2	-	-	-	-	2	-	-
ng-cough	33·1	44	27	17	-	-	-	-	-
ria	41·3	17	1	8	8	-	-	-	-
Continued and lned Fever	0·3	1	-	-	-	-	1	-	-
Fever	14·2	6	-	-	2	4	-	-	-
and Chol. Diarr.	10·0	6	5	1	-	-	-	-	-
ea, Dysentery	282·4	293	253	28	2	1	2	6	1
ent Fever	-	-	-	-	-	-	-	-	-
hobia	-	-	-	-	-	-	-	-	-
s	0·1	1	-	-	-	-	1	-	-
and Effects of nation	0·4	-	-	-	-	-	-	-	-
l Affections	11·8	8	6	-	-	-	1	-	1
las	5·0	3	2	-	-	-	1	-	-
and Septicæmia	2·5	4	1	1	-	1	1	-	-
ral Fever	5·2	4	-	-	-	3	1	-	-
ymotic Diseases	0·9	2	-	1	-	-	1	-	-
	1·6	1	1	-	-	-	-	-	-
and other Para- l Diseases	0·6	-	-	-	-	-	-	-	-
ion, Want of t-milk	1·7	4	4	-	-	-	-	-	-
lism	12·5	19	-	-	-	8	9	2	-
atic Fever, matism of Heart	8·5	9	-	-	1	4	3	1	-
atism	2·3	1	-	-	-	-	-	1	-
	2·4	1	-	-	-	1	-	-	-
s	6·2	7	4	3	-	-	-	-	-
	77·2	91	-	-	1	4	46	33	7
Mesenterica	36·9	21	12	3	1	4	1	-	-
cular Meningitis	28·9	21	7	8	5	1	-	-	-
is	141·2	155	2	1	17	65	59	11	-
la, Tuberculosis	21·6	22	6	4	9	2	-	1	-
Constitutional ases	12·8	15	2	-	-	1	4	7	1
ture Birth	51·3	62	62	-	-	-	-	-	-
tasis	3·7	4	4	-	-	-	-	-	-
nital Malforma- s	7·9	14	13	-	1	-	-	-	-
ge	43·1	47	-	-	-	-	-	21	26
exy	39·0	43	1	-	-	5	13	22	2
osy	8·3	11	1	2	1	2	3	2	-
lsions	46·0	29	23	6	-	-	-	-	-
Diseases of Brain Nervous System	83·1	78	13	9	4	13	10	24	5
ses of Organs of cial Sense	3·1	2	-	-	1	-	1	-	-

CAUSES OF DEATH	Corrected Averages for the 33rd Week of the 10 years 1890-99*.	In the Week ending Saturday, 18th August, 1900 — Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	118·2	126	2	3	10	19	42	45	5
Croup	2·6	2	1	1	-	-	-	-	-
Bronchitis	75·3	53	11	7	1	2	9	15	8
Pneumonia	69·2	53	14	13	-	3	16	6	1
Pleurisy	4·1	7	-	2	-	-	4	-	1
Other Diseases of Respiratory System	15·5	17	4	1	-	4	1	5	2
Dentition	9·7	8	4	4	-	-	-	-	-
Quinsy, Sore Throat	2·1	2	-	1	-	1	-	-	-
Enteritis	107·6	44	29	4	4	1	3	3	-
Gastro-enteritis		77	56	10	1	1	4	5	-
Peritonitis	6·6	6	-	-	1	3	2	-	-
Diseases of Liver	30·1	24	2	-	-	3	8	9	2
Other Diseases of Digestive System	40·8	46	18	2	4	4	8	9	1
Diseases of Lymphatic System & of Ductless Glands	2·5	4	-	-	1	1	1	1	-
Diseases of Urinary System	43·0	36	1	1	3	5	7	18	1
Diseases of Generative System	5·9	4	-	-	-	1	3	-	-
Accidents of Childbirth	5·4	4	-	-	-	3	1	-	-
Diseases of Locomotive System	5·5	2	-	-	-	-	1	1	-
Diseases of Integumentary System	6·4	6	3	-	-	-	2	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	57·7	2	-	-	-	2	-	-	-
By Vehicles or Horses		7	-	1	-		2	1	-
In Ships, Boats, Docks, (exclusive of Drowning)		1	-	-	-	-	1	-	-
In Building Operations		-	-	-	-	-	-	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		6	1	2	1	1	1	-	-
By Drowning		6	-	-	3	3	-	-	-
By Suffocation in Bed		4	4	-	-	-	-	-	-
By Poisons or Poisonous Vapours		2	-	1	-	-	1	-	-
Other or not stated causes		18	2	1	1	3	6	3	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·4	-	-	-	-	-	-	-	-
Suicide	10·6	8	-	-	-	3	2	3	-
Execution	0·4	1	-	-	-	-	-	1	-
OTHER CAUSES	80·3	58	53	2	-	-	2	-	1

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 18th August, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2621	1707	659	324	-	20	4	17	44	1	6	1	293	55	128	490
WEST DISTRICTS - - -	778,251	403	254	98	53	-	2	-	3	3	1	2	-	46	4	12	82
NORTH DISTRICTS - - -	1,040,694	618	352	135	69	-	4	1	2	9	-	3	-	64	11	28	79
CENTRAL DISTRICTS - - -	233,635	109	89	30	11	-	2	-	1	4	-	-	-	14	4	8	41
EAST DISTRICTS - - -	716,334	516	325	131	56	-	7	-	1	7	-	-	-	55	18	43	107
SOUTH DISTRICTS - - -	1,642,796	975	653	265	123	-	5	3	10	21	-	1	1	114	18	37	147
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	12	-	-	-	-	-	-	-	-	-	-	-	34
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	46	36	19	7	-	-	-	-	1	1	-	-	8	1	3	5
St. John Paddington *H* - - G.	33,510	10	8	1	2	-	-	-	-	-	-	-	-	1	1	1	6
Kensington Town *Ww* - - W.	122,164	64	51	22	12	-	1	-	-	-	-	-	-	9	-	2	20
Brompton *HH*- - - W. & C.	48,301	13	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* / South Hammersmith *H* W. & G	44,638 / 59,561	32 / 38	11 / 22	5 / 11	2 / 4	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	4 / 4	- / -	1 / -	- / 3
Fulham *Ww* - - - W. & C.	113,781	100	48	20	6	-	1	-	3	1	-	2	-	11	-	3	13
Chelsea Kensal Town - C.	21,450	7	6	2	1	-	-	-	-	-	-	-	-	2	-	-	-
Chelsea North *WHHHH* - C.	42,057	16	15	1	4	-	-	-	-	-	-	-	-	-	1	1	10
Chelsea South *HH* - - C.	33,139	18	9	5	3	-	-	-	-	-	-	-	-	5	-	-	3
May Fair *WH*- - - - G.	23,827	2	9	1	1	-	-	-	-	-	-	-	-	-	-	-	8
Belgrave *WHHH* - - - C.	56,140	19	8	1	-	-	-	-	-	-	-	-	-	-	-	-	4
St. John Westminster *HH* - C.	31,492	23	7	6	-	-	-	-	-	-	-	-	-	2	-	-	1
St. Margaret Westminster *H*- C.	22,097	6	13	2	5	-	-	-	-	-	-	-	-	-	1	1	9
St. James Westminster *WH* N. & G.	23,050	8	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	17	19	9	2	-	-	-	-	1	-	-	-	3	2	2	6
Rectory Marylebone *W* G. & W.	19,798	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	28	8	3	-	-	-	-	-	-	-	-	-	-	1	1	3
Christchurch Marylebone *H* - W	32,547	12	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone *HHH* - W.	32,611	11	15	4	3	-	1	-	-	2	-	-	-	1	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	40	21	8	5	-	-	1	1	-	-	1	-	4	-	1	5
Regent's Park † *HH* - W.	51,403	27	14	5	3	-	-	-	-	-	-	-	-	1	1	3	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	13	14	3	3	-	1	-	-	1	-	-	-	2	1	1	7
Gray's Inn Lane *HHHH* - N.	29,426	19	15	8	2	-	1	-	-	1	-	-	-	1	-	1	7
Somers Town *HH* - - - N.	32,161	13	7	-	2	-	-	-	-	-	-	-	-	1	1	1	4
Camden Town† *WH* - - N.	40,155	40	18	9	7	-	-	-	-	-	-	-	-	5	-	-	4
Kentish Town† *WW* - - N.	60,862	32	23	7	3	-	-	-	1	-	-	1	-	8	1	3	3
Upper Holloway *WWWWwHH* - - N.	98,273	69	53	9	15	-	-	-	-	2	-	-	-	6	1	2	27
Lower Holloway‡ - - - N.	41,805	30	8	3	3	-	-	-	-	-	-	-	-	-	1	1	-
Barnsbury‡ - - - - N.	56,384	34	18	9	5	-	-	-	-	-	-	-	-	6	-	1	-
Islington South-east‡ *H* - N.	75,725	45	18	8	2	-	-	-	-	1	-	-	-	3	-	2	-
Highbury *HH* - - - N.	64,577	37	15	6	3	-	-	-	-	-	-	1	-	6	-	-	-
Stoke Newington *H* - - N.	33,485	17	10	4	1	-	-	-	-	-	-	-	-	1	-	3	-
North Hackney - - E. & N.	213,044	25	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Central Hackney *ww* - E. & N.		32	15	10	1	-	1	-	-	-	-	-	-	3	-	-	1
South-west Hackney *HHH* E. & N.		40	26	13	4	-	-	-	-	-	-	-	-	5	1	4	4
South-east Hackney *WwH* E. & N.		32	24	10	4	-	-	-	-	1	-	-	-	6	1	2	7

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dist than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. I River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-Sub-District

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 18th August, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	5	6	2	-	-	-	-	1	-	-	-	-	2	-	1	1	-
St Giles North *H* - - - N.	9,151	4	4	2	1	-	-	-	-	2	-	-	-	-	-	1	1	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Strand *WHH* - - - - N.	11,839	2	4	1	-	-	-	-	-	2	-	-	-	-	-	-	3	-
Strand Union Workhouse, Edmonton	†1,037	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn *WwHHHHH* - N.	31,042	21	22	10	2	-	1	-	-	-	-	-	-	5	-	-	14	-
St. James Clerkenwell - - N.	15,777	11	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Clerkenwell - - N.	34,356	21	13	6	-	-	1	-	-	-	-	-	-	3	1	1	-	-
Goswell-street - - - - N.	16,069	9	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
City-road *HHHHL* - - N.	29,897	25	9	2	1	-	-	-	-	-	-	-	-	1	-	-	3	-
Whitecross-street - - - N.	7,595	1	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Finsbury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Botolph* *H* - - N. & E.	13,061	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	1	12	1	3	-	-	-	-	-	-	-	-	-	2	2	11	-
Allhallows Barking - - - N.	9,059	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *w* - - N.	29,575	26	16	8	3	-	1	-	-	-	-	-	-	3	-	2	5	-
Hoxton Old Town - - - N.	27,645	17	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Haggerston *WH* - - N. & E.	47,163	32	17	8	4	-	-	-	-	1	-	-	-	3	-	1	7	-
Bethnal Green North *H* - E.	49,301	41	21	13	1	-	-	-	-	1	-	-	-	1	1	2	-	-
Bethnal Green South - - E.	34,194	33	8	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Bethnal Green East *WWHl* - E.	45,667	26	28	7	8	-	1	-	-	-	-	-	-	4	3	3	11	-
Spitalfields - - - E. & N.	26,681	17	5	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Mile End New Town *WH* - E.	51,995	26	43	9	7	-	2	-	-	-	-	-	-	1	10	12	37	-
Goodman's Fields - - - E.		13	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	43	16	6	2	-	-	-	-	-	-	-	-	4	-	3	-	-
St. John, St. George East *W* E.	7 930	4	15	5	3	-	1	-	-	1	-	-	-	3	-	2	11	-
Shadwell *H* - - - E. & N.	10,434	6	10	6	-	-	-	-	-	-	-	-	-	5	1	1	8	-
Ratcliff *W* - - - - E.	14,954	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - E.	32,917	29	17	9	1	-	1	-	-	1	-	-	-	3	-	4	-	-
Mile End Old Town West *H* E.	111,060	52	18	9	2	-	-	-	-	-	-	-	-	4	1	2	1	-
Mile End Old Town East *WWww* - E.		31	27	10	6	-	1	-	-	-	-	-	-	5	-	5	6	-
Bow *l* - - - - E.	41,687	24	12	7	1	-	-	-	-	1	-	-	-	4	-	1	1	-
Bromley *wwwH* - - - E.	69,821	37	30	13	7	-	-	-	-	1	-	-	-	6	-	2	16	-
Poplar *WW* - - - - E.	57,759	41	29	11	9	-	-	-	1	1	-	-	-	4	2	2	4	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 18th August, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL*.&S.	13,064	8	5	2	2	–	–	–	–	–	–	–	–	1	–	–	–	
St. Saviour Southwark - - S.	12,301	7	4	3	1	–	–	–	–	1	–	–	–	–	–	1	–	
Kent-road - - - - S. & L.	22,879	8	12	10	–	–	–	–	–	–	–	–	–	6	–	–	–	
Borough-road *WH* - S. & L.	16,083	11	7	4	1	–	–	–	–	–	–	–	–	–	–	–	4	
London-road *HL* - - L. & S.	21,316	19	9	4	–	–	–	–	–	2	–	–	–	2	–	–	–	
Trinity Newington *H* - S. & L.	28,723	23	10	7	1	–	–	–	–	–	–	–	–	4	–	–	–	
St. Peter Walworth *W* - S. & L.	62,045	43	22	10	4	–	1	–	–	–	–	–	–	4	–	3	2	
St. Mary Newington- - L. & S.	30,171	20	9	5	–	–	–	–	–	2	–	–	–	3	–	–	–	
St. Olave *WH*- - - - S.	11,731	15	15	1	1	–	–	–	–	–	–	–	–	–	1	3	12	
Bermondsey *W* - - - S.	85,475	41	25	17	4	–	–	–	–	2	–	–	–	8	–	2	1	
Rotherhithe *Ww* - S. & K.	40,379	17	26	6	6	–	–	–	–	1	–	–	–	2	–	1	11	
Waterloo-road *HH* - L. & S.	28,396	31	13	6	2	–	–	–	–	–	–	–	–	1	1	3	2	
Lambeth Church 1st *H* - L. & S.	18,770	12	20	3	1	–	–	–	–	–	–	–	–	1	5	5	14	
Lambeth Church 2nd *WW* L. & S.	40,994	32	20	6	7	–	–	–	–	–	–	–	1	3	1	1	14	
Kennington 1st *H* - - S. & L.	52,486	35	14	7	1	–	–	–	–	–	–	–	–	–	–	1	–	
Kennington 2nd - - S. & L.	43,244	18	12	5	5	–	–	–	1	–	–	–	–	3	–	–	–	
Brixton *w* - - - L. & S.	81,825	41	24	5	8	–	1	–	–	–	–	–	–	2	–	–	1	
Norwood *WH*- - - - L.	29,318	18	4	2	1	–	–	–	–	–	–	–	–	1	–	–	–	
East Battersea - - - - S.	71,730	43	28	12	4	–	1	–	1	1	–	–	–	4	2	3	–	
North-west Battersea† - - S.	93,385	34	29	15	2	–	–	–	–	2	–	–	–	8	–	2	–	
South-west Battersea† *WwH* - S.		23	22	2	10	–	–	–	–	1	–	–	–	1	1	1	15	
Clapham *H* - - - - S.	46,953	34	12	2	3	–	–	–	–	–	–	–	–	–	1	1	–	
Streatham *Wwwwwl* - - L.	61,644	46	20	10	5	–	–	2	3	–	–	–	–	5	–	–	5	
Wandsworth *WHHL* - - S.	58,101	38	27	16	4	–	–	–	–	1	–	–	–	10	–	1	1	
Putney - - - - - - S.	20,566	9	4	3	–	–	–	–	–	–	–	–	–	2	–	–	–	
Dulwich - - - L. & S.	7,519	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Camberwell *WWwll* - S. & L.	90,286	29	39	9	10	–	–	–	–	–	–	–	–	3	2	2	23	
Peckham *WW* - S., L., & K.	88,242	48	33	14	9	–	–	–	–	1	–	–	–	5	–	–	–	
St. George Camberwell - L. & S.	67,029	41	25	10	2	–	–	–	–	3	–	–	–	7	–	1	–	
Deptford North - - - K.	36,152	18	12	7	–	–	–	–	–	–	–	–	–	1	–	–	–	
Deptford Central *w* - - K.	45,441	30	19	8	–	–	–	1	2	1	–	–	–	4	1	1	5	
Deptford South - - - K.	33,402	11	7	4	1	–	–	–	–	–	–	–	–	2	–	–	–	
Greenwich West *H* - - K.	23,012	15	5	2	–	–	–	–	–	–	–	1	–	–	–	–	1	
Greenwich East *WH* - - K.	37,767	21	40	17	8	–	–	–	–	2	–	–	–	9	–	–	20	
Eltham *wH* - - - - - K.	5,911	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Lee *H* - - - - - K.	24,222	9	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
Lewisham *WwH* - - - K.	38,139	38	17	4	6	–	–	–	2	–	–	–	–	3	1	2	7	
Sydenham *H* - - - - L.	37,601	23	10	3	4	–	–	–	–	–	–	–	–	–	–	–	–	
Charlton *wHH* - - - K.	15,928	6	3	1	–	–	–	–	1	–	–	–	–	–	–	–	2	
Woolwich* *HHH* - - K.	41,314	23	20	8	4	–	–	–	–	1	–	–	–	6	1	1	1	
Plumstead West *H* - - K.	16,714	7	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	
Plumstead East *WH* - - K.	42,538	26	24	11	5	–	2	–	–	–	–	–	–	2	1	2	6	
Banstead Asylum - - - -	—	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	6	
Horton Asylum, Epsom - - -	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	
Caterham Asylum - - - -	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	
Cane Hill Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Darenth Asylum - - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	
London County Asylum, Dartford Heath - - - - -	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	
Hanwell Asylum - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	
Central London Sick Asylum, Hendon	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Colney Hatch Asylum - - -	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Leavesden Asylum - - - -	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	
Claybury Asylum - - - -	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

3.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 18th August, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON—OUTER RING -	368,749	1,422,063	1,263	676	308	126	-	16	1	11	18	4	160	20	34	77	7
Carshalton *H* - - -	12,228	26,108	13	4	1	-	-	-	-	-	-	-	-	1	1	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	94	44	12	12	-	-	-	-	2	-	6	2	5	5	-
Mitcham *w* - - -	11,697	23,072	15	8	5	3	-	-	-	-	-	-	2	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	23	12	4	2	-	-	-	1	-	-	2	2	1	1	-
Kingston *WH* - - -	14,672	33,566	23	11	1	5	-	1	-	-	-	-	1	-	-	4	-
Surbiton *HH* - - -		12,178	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Hampton *HL* - - -	4,565	18,252	13	7	4	2	-	1	-	-	-	-	3	-	-	-	-
Richmond *WHH* - -	2,160	25,389	15	5	2	-	-	-	-	-	-	-	-	1	2	-	-
Mortlake *H* - - -	2,823	16,159	16	7	1	4	-	-	-	-	-	-	-	1	1	-	-
Bromley *HHH* - - -	9,127	23,815	16	4	1	-	-	-	-	-	-	-	-	-	-	1	-
Beckenham *H* - - -	6,542	21,969	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	9	4	2	1	-	-	-	-	-	-	2	-	-	1	-
Bexley *HHH* - - -	12,540	30,590	35	16	5	2	-	-	-	1	-	-	1	-	1	1	3
Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury *w* - - -	11,054	13,671	15	6	4	2	-	-	-	-	-	-	1	-	-	-	1
Staines *WH* - - -	13,277	13,221	15	10	4	4	-	-	-	-	-	-	-	1	1	3	-
Hillingdon *WHH* - -	6,035	12,237	14	5	2	2	-	-	-	-	-	-	1	-	-	-	-
Uxbridge - - - -	12,757	7,253	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	10	11	5	1	-	1	-	-	-	-	4	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	16	22	9	9	-	-	-	-	-	-	5	-	-	5	-
Twickenham *HH* - -	2,415	16,027	14	5	1	1	-	-	-	-	-	-	1	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	6	14	7	6	-	-	-	-	-	-	5	1	1	-	-
Chiswick - - - -	1,245	21,963	14	6	2	1	-	-	-	1	-	1	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	31	15	11	2	-	-	-	-	-	-	8	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	14	8	5	2	-	-	-	-	-	-	3	1	1	-	-
Edgware *HH* - - -	6,994	3,844	2	3	1	1	-	-	-	-	1	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	80	26	10	8	-	-	-	-	-	-	4	1	3	1	-
Hendon *WH* - - -	8,382	15,843	16	10	4	3	-	2	-	-	-	-	1	-	-	2	-
South Mimms *HH* - -	21,077	6,367	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	25	9	4	1	-	-	-	-	-	1	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	30	23	7	5	-	-	-	-	2	-	7	-	1	-	-
Tottenham *HHH* - -	4,642	97,174	89	53	30	6	-	1	-	-	3	-	14	2	3	3	2
Edmonton *Ww* - -	7,489	36,351	45	18	8	4	-	-	-	-	-	-	2	-	-	5	-
Enfield *WWHH* - -	12,602	31,536	20	11	6	1	-	-	-	-	-	-	2	-	1	-	-
Waltham Abbey - - -	11,017	6,066	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	7	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	35	23	8	3	-	1	-	-	4	-	6	1	1	2	-
Plaistow *HHH* - - -		58,030	78	40	22	3	-	2	-	2	1	-	15	1	2	6	1
Canning Town *H* - -		54,750	55	35	22	3	-	2	-	1	1	-	12	1	1	-	-
Forest Gate *w* - - -		53,511	27	15	5	3	-	-	-	1	-	-	1	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	76	50	32	3	-	4	-	2	1	2	20	1	1	3	-
Leyton *WWWwH* - -	4,334	70,188	73	57	25	12	-	-	-	1	3	-	13	1	2	23	-
Walthamstow *HHHL* -	6,501	57,330	68	29	16	3	-	-	-	-	-	-	8	-	1	1	-
Chigwell, *part of** *HHHH*	11,779	12,941	4	5	4	-	-	-	-	-	-	-	2	-	-	3	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* - -	6,556	4,324	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	30	8	5	2	-	-	-	-	-	-	2	1	1	-	-
Barking Town, *H* - -	3,814	14,301	14	13	6	1	-	-	1	-	-	-	5	1	2	1	-
Middlesex County Asylum Annexe, Streatham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Eastern Fever Hospital, Homerton.	—	—	-	2	-	-	-	-	-	1	-	-	-	-	-	2	-

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham arley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are cluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 18th August, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**18·7**	**4·7**	**2383**	**967**	**450**	**-**	**36**	**5**	**28**	**62**	**12**	**453**	**75**
INNER LONDON -	74,672	4,589,129	19·4	4·4	1707	659	324	-	20	4	17	44	8	293	55
OUTER RING -	368,749	2,063,016	17·1	5·3	676	308	126	-	16	1	11	18	4	160	20

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	August	18	168	83	14·3	-	2	-	3	1	-
GLASGOW - -	743,585	"	18	460	273	19·1	-	13	4	1	13	5
DUBLIN† - -	349,594	"	18	256	142	21·2	-	-	-	-	1	3
CALCUTTA - -	466,460	June	30	-	325	36·3	26	1	-	-	-	120‡
BOMBAY - -	821,764	July	24	297	1491	94·3	6	6	?	?	?	194‡
MADRAS - -	452,518	"	13	430	307	35·2	-	-	-	-	-	86
PARIS - - -	2,511,629	August	11	1049	847	17·5	2	18	5	2*	7	16
BRUSSELS - -	561,130	"	11	238	202	18·4	-	1	1	-	2	2
AMSTERDAM -	526,538	"	4	270	157	15·5	-	-	2	1	-	2
ROTTERDAM -	325,556	"	4	220	107	17·3	-	-	-	-	-	1
THE HAGUE -	205,328	"	4	123	76	19·4	-	-	-	-	-	-
COPENHAGEN -	349,000	"	11	172	100	14·9	-	-	2	1	1	2
STOCKHOLM -	297,148	"	4	137	86	15·0	-	-	-	2*	4	-
CHRISTIANIA -	221,255	"	11	115	53	12·2	-	-	-	-	-	-
ST. PETERSBURG	1,132,677	"	4	441	629	29·0	9	9	6	26	3	16
MOSCOW - -	988,610	"	4	-	776	40·9	2	12	9	6	5	1
BERLIN - -	1,848,269	July	28	922	979	27·0	3	12	8	5	12	2
HAMBURG - -	691,349	August	11	-	227	17·1	-	2	-	2*	5	2
DRESDEN - -	403,400	July	14	262	118	15·1	-	-	1	1*	-	-
BRESLAU - -	412,959	August	11	-	265	33·5	-	1	-	1	7	-
MUNICH - -	463,000	"	4	-	249	28·0	-	1	-	2*	-	-
VIENNA - -	1,656,662	"	11	812	570	17·9	-	7	2	2*	2	3
PRAGUE - -	385,952	July	28	216	157	20·8	-	-	-	-	1	2
BUDA-PESTH -	685,340	August	4	429	348	25·8	-	5	1	2	1	3
TRIESTE - -	168,264	"	11	89	75	23·2	-	-	-	1*	-	-
ROME - - -	514,306	July	21	224	193	19·6	-	-	-	-	-	4‖
TURIN (10 days)-	344,203	June	20	183	183	19·4	-	-	-	-	-	1
VENICE - -	172,491	August	4	85	106	32·0	-	-	-	1*	-	-
CAIRO - -	570,062	July	1	406	543	49·5	-	56	-	2*	10	10
ALEXANDRIA -	319,766	"	1	192	198	32·2	8	-	-	-	-	6‡
NEW YORK (including BROOKLYN)	3,654,594	"	21	1478	1944	27·8	-	23	5	29	16	11
PHILADELPHIA -	1,266,832	"	28	-	514	21·2	-	9	1	9	1	12

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 57 deaths from plague in Calcutta, 81 in Bombay, and 2 in Alexandria.
§ Including 39 deaths from cholera in Calcutta, and 327 in Bombay.
‖ Including one death from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Of Radiation Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 12	Perigee In Eqr.	30·160	77·9	53·9	24·0	66·2	+ 3·7	49·5	16·7	26·9	2·0	55	130·2	45·2	61·15	SW., WSW. & W.	W., WNW. & NNW.	3·5	0·0	0·1	203	− 46	0·00	0·0
MONDAY - 13	..	30·217	82·1	52·0	30·1	67·5	+ 5·1	55·4	12·1	26·3	0·4	65	125·2	47·4	61·27	SW.	Variable	0·3	0·0	0·0	129	−116	0·00	0·0
TUESDAY - 14	..	30·182	81·4	52·4	29·0	66·4	+ 4·1	54·3	12·1	27·2	0·0	65	133·0	44·0	61·39	Calm & NE.	N., NNE. & E.	1·7	0·0	0·1	135	−106	0·00	0·0
WEDNESDAY 15	..	30·111	69·8	55·5	14·3	62·2	+ 0·1	51·8	10·4	19·4	0·4	69	131·4	47·4	61·57	ENE. & NE.	ENE. & E.	3·5	0·0	0·3	251	+ 13	0·00	0·0
THURSDAY- 16	..	29·925	76·9	55·5	21·4	66·2	+ 4·2	54·6	11·6	21·4	0·0	66	136·6	49·7	61·89	NE. & ENE.	ENE. & NE.	4·4	0·0	0·3	291	+ 57	0·00	0·0
FRIDAY - 17	Last Quarter.	29·799	81·9	60·1	21·8	68·2	+ 6·4	60·9	7·3	19·7	0·8	78	143·8	55·4	62·01	NNE. & N.	NE., NNE. & E.	2·0	0·0	0·0	168	− 63	0·05	0·0
SATURDAY- 18	..	29·816	81·7	57·3	24·4	70·1	+ 8·5	60·7	9·4	18·0	0·2	72	131·2	52·9	62·38	Calm & NNW.	NE. & SSW.	0·5	0·0	0·0	105	−123	0·00	0·0
MEANS -		30·030	78·8	55·2	23·6	66·7	+ 4·6	55·3	11·4	22·7	0·5	67	133·1	48·9	61·67	NE.		..	..	..	Sum 1282	Sum −384	Sum 0·05	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 12	w. P. till 7h. P.M.; m. P. afterwards.	12·7	14·8	Cloudy in early morning; cloudless and very fine after 6h. A.M.
MONDAY - 13	w. P. generally; occasional m. P.	12·6	14·7	Very fine and generally cloudless.
TUESDAY - 14	w. P. generally.	12·4	14·6	Very fine and generally cloudless. Misty in early morning and hazy in forenoon.
WEDNESDAY 15	w. P. throughout.	12·2	14·6	Very fine; the amount of cloud was usually small. Misty in early morning.
THURSDAY- 16	w. P. throughout.	11·8	14·5	Cloudy in morning; very fine with small amounts of cloud afterwards.
FRIDAY - 17	w. P. till 4h. P.M.; v. P. and v. N. till 8h. P.M.; w. P. afterwards.	4·3	14·5	Fine and partially cloudy. Slight thunderstorm between 4h. 30m. and 6h. 0m. P.M. Warm.
SATURDAY- 18	w. P. throughout.	6·7	14·4	Heavy mist in early morning; fine with variable amounts of cloud afterwards. Lightning at night. Very warm.
		Sum 72·7	Sum 102·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·21 in. at the beginning of the week to 30·13 in. by 5h. P.M. on the 12th; increased to 30·24 in. by 10h. A.M. on the 13th; decreased to 29·76 in. by 4h P.M. on the 17th; increased to 29·84 in. by 10h. A.M. on the 18th; and was 29·82 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34–40 Bacon Street E.

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1900. VOL. LXI.] WEEK ENDING SATURDAY, AUG. 25. [Price 1½*d.*

General Register Office, Somerset House,
August 27th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 20·5, 20·3, and 19·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.		Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
33 Great Towns	20·5	20·3	19·5	19·8	Leicester - -	19·5	19·0	19·5	20·5
Birkenhead -	24·5	15·6	17·8	16·9	Liverpool - -	34·6	26·3	25·0	22·8
Birmingham -	19·8	23·7	20·6	24·4	London - - -	20·1	20·5	19·4	19·2
Blackburn -	12·9	15·2	15·2	17·1	Manchester - -	19·6	22·6	24·2	21·3
Bolton - -	22·9	14·0	16·8	20·3	Newcastle-on-Tyne	16·0	19·6	23·1	19·4
Bradford -	12·5	12·2	13·8	13·2	Norwich - -	17·7	22·7	25·0	15·4
Brighton -	19·3	25·6	18·9	18·1	Nottingham - -	17·4	22·8	18·5	19·8
Bristol - -	12·2	14·3	12·7	16·0	Oldham - -	17·7	18·0	16·7	22·4
Burnley -	8·0	11·2	13·8	13·8	Plymouth - -	23·5	19·9	23·0	28·6
Cardiff - -	9·4	12·1	14·0	11·3	Portsmouth - -	18·5	18·2	16·9	17·9
Croydon -	15·9	12·5	14·3	13·5	Preston - -	25·9	26·8	22·8	30·7
Derby - -	14·5	15·5	16·9	15·0	Salford - - -	30·0	27·2	23·6	25·5
Gateshead -	19·1	15·7	14·8	25·3	Sheffield - -	33·5	26·1	23·9	25·9
Halifax -	11·4	11·9	14·5	13·5	Sunderland - -	22·3	18·4	18·4	19·8
Huddersfield -	15·5	18·0	13·0	14·5	Swansea - -	15·8	15·8	16·8	11·4
Hull - -	16·8	20·7	18·1	24·0	West Ham - -	26·2	18·9	21·2	18·4
Leeds - -	23·2	24·4	20·9	19·6	Wolverhampton -	11·1	16·9	16·3	28·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Leeds and in Gateshead, 1·3 in Brighton, and 1·4 in Oldham; from *whooping-cough*, 1·0 in West Ham, 1·1 in Sheffield, 1·4 in Gateshead, 1·5 in Nottingham, and 1·9 in Derby; from "*fever*," 1·1 in Portsmouth; and from *diarrhœa*, 4·0 in Croydon, 4·1 in Nottingham, 4·2 in Manchester, 4·3 in Portsmouth, 4·5 in Norwich, 4·6 in Sunderland, 4·7 in Salford, 4·8 in Liverpool and in Bolton, 5·3 in West Ham, 5·7 in Birmingham, 6·4 in Leicester, 7·3 in Sheffield, 8·3 in Preston, 8·7 in Wolverhampton, 10·2 in Plymouth, and 10·5 in Hull. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 50 deaths from *diphtheria* included 14 in London, 7 in Leicester, 7 in Leeds, 3 in Sheffield, and 3 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2677 BIRTHS and 1691 DEATHS were registered. Allowing for increase of population, the births were 16, and the deaths 8,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

6666—670—8/1900 Wt 82 D & S 3

above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·1, 20·5, and 19·4, in the preceding three weeks, further fell last week to 19·2. During the four weeks ending on Saturday last the death-rate averaged 19·8 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1691 deaths included 22 from measles, 10 from scarlet fever, 14 from diphtheria, 44 from whooping-cough, 16 from enteric fever, 1 from an ill-defined form of continued fever, 304 from diarrhœa and dysentery, 10 from cholera and choleraic diarrhœa, and not one death from small-pox or from typhus; thus, 421 deaths were referred to these diseases, being 30 above the corrected average weekly number.

The deaths from *measles*, which had been 29, 25, and 20 in the preceding three weeks, rose again last week to 22, but were 18 below the corrected average; 3 cases belonged to St. George-in-the-East and 3 to Woolwich sanitary areas. The deaths from *scarlet fever*, which had been 5, 6, and 4 in the preceding three weeks, rose again last week to 10, but were 9 below the corrected average; 3 cases belonged to Hackney sanitary area. The deaths from *diphtheria*, which had been 24, 25, and 17 in the preceding three weeks, further fell last week to 14, and were 22 below the corrected average; 4 cases belonged to Fulham sanitary area. The deaths from *whooping-cough*, which had been 44, 44, and 44 in the preceding three weeks, were again 44 last week, the corrected average being 29; 5 cases belonged to Islington, 5 to Newington, 4 to Battersea, and 4 to Plumstead sanitary areas. The fatal cases of *enteric fever*, which had been 7, 7 and 6 in the preceding three weeks, rose last week to 16, and were 4 above the corrected average; 3 cases belonged to Poplar and 2 to Islington sanitary areas. The deaths from *diarrhœa*, which had been 389, 386, and 293 in the preceding three weeks, rose again last week to 304, and were 58 above the corrected average. Of the 304 deaths from diarrhœa, 292 were of children under 5 years of age; 63 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 136, 128, and 132 in the preceding three weeks, further rose last week to 149, but were 12 below the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 2, 1, and 2 in the preceding three weeks.

Different forms of violence caused 76 deaths, concerning all but 4 of which inquests were held. Of these 76 deaths, 9 were cases of suicide, while the remaining 67 were attributed to accident or negligence. Ten of these were referred to vehicles in the streets, 7 to burns and scalds, 13 to drowning, 1 to sunstroke, and 6 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 1726 cases of scarlet fever, 1211 of diphtheria, and 159 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 140 cases, against 156, 155, and 157; of diphtheria, 119 cases, against 171, 146, and 148; and of enteric fever, 33 cases, against 33, 26, and 29.

Greater London.

In Greater London 3951 births and 2369 deaths were registered, corresponding to annual rates of 31·0 and 18·6 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 22 from whooping-cough, 5 from "fever," and 176 from diarrhœal diseases were registered. Eight deaths from measles, 2 from scarlet fever, 9 from whooping-cough, and 78 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·59 inches, and that of the Thermometer 61°·0; the latter being equal to the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 5 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 45·8 hours; the measured rainfall amounted to 0·56 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 25th Aug. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	Rainfall. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6832**	**4404**	**1837**	**757**	-	**62**	**24**	**50**	**117**	**44**	**883**	**159**	**282**	**830**	**47**	**19·8**	**5·3**	**73·3**	**48·7**	**59·5**	**15·28**	**0·89**	**2·26**	33 Towns.
London - -	4,589,129	2677	1691	673	322	-	22	10	14	44	17	304	76	136	465	11	19·2	4·7	79·8	48·2	61·0	16·11	0·56	1·42	London.
West Ham - -	314,472	189	111	55	13	-	4	1	1	6	1	32	4	11	9	1	18·4	7·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	82	34	19	6	-	-	-	1	2	-	10	1	2	5	-	13·5	5·2	77·2	47·0	60·0	15·56	0·87	2·21	Croydon.
Brighton - -	124,148	58	43	19	6	-	3	-	1	2	-	6	-	-	13	-	18·1	5·0	72·6	51·0	61·5	16·39	0·76	1·93	Brighton.
Portsmouth -	194,955	93	67	28	14	-	-	-	1	-	4	16	1	2	8	3	17·9	5·6	75·0	50·5	61·2	16·22	0·35	0·89	Portsmouth.
Plymouth - -	102,161	62	56	33	6	-	-	-	-	1	-	20	-	2	7	1	28·6	10·7	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	160	100	37	23	-	-	2	1	1	1	9	5	14	16	1	16·0	2·2	71·0	47·0	58·7	14·83	0·52	1·32	Bristol.
Cardiff - -	194,247	120	42	20	7	-	-	-	1	-	-	5	3	3	3	-	11·3	1·6	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	55	23	10	6	-	-	-	-	-	-	3	1	1	2	-	11·4	1·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	66	49	24	14	-	1	-	1	1	-	15	-	-	5	-	28·5	10·5	71·5	45·4	58·1	14·50	0·50	1·50	Wolverhampton.
Birmingham -	519,610	333	243	123	36	-	3	2	1	7	1	57	4	5	34	3	24·4	7·1	-	-	-	-	-		Birmingham.
Norwich - -	114,855	62	34	16	7	-	-	-	-	-	-	10	-	3	1	1	15·4	4·5	78·0	49·0	60·1	15·61	1·04	2·64	Norwich.
Leicester - -	219,169	136	86	44	12	-	1	-	7	2	-	27	2	3	9	3	20·5	8·8	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	143	92	49	6	-	-	1	-	7	3	19	2	3	9	-	19·8	6·4	72·6	49·3	59·6	15·33	0·74	1·88	Nottingham.
Derby - - -	107,991	56	31	13	5	-	1	-	-	4	-	5	3	4	6	-	15·0	4·8	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	62	38	15	6	-	-	-	-	2	-	5	2	4	8	-	16·9	3·1	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	464	277	107	38	-	3	-	1	8	3	58	9	12	55	8	22·8	6·0	67·8	46·7	57·2	14·00	1·42	3·61	Liverpool.
Bolton - -	164,240	70	64	22	12	-	1	-	1	1	1	15	4	7	4	-	20·3	6·0	-	-	-	-	-	-	Bolton.
Manchester -	548,768	353	224	98	31	-	5	3	1	6	1	44	7	8	39	1	21·3	5·7	-	-	-	-	-	-	Manchester.
Salford - -	220,816	125	108	40	12	-	-	2	3	1	3	20	6	9	26	-	25·5	6·8	-	-	-	-	-	-	Salford.
Oldham - -	153,297	69	66	23	7	-	4	1	1	1	1	8	-	4	7	-	22·4	5·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	60	31	15	5	-	-	-	1	1	-	7	-	-	3	-	13·8	4·0	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	66	45	23	7	-	-	-	2	2	-	5	1	2	1	2	17·1	3·4	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	54	70	24	10	-	-	1	-	1	1	19	1	1	3	1	30·7	9·6	-	-	-	-	-	-	Preston.
Huddersfield -	104,484	52	29	9	11	-	-	-	-	1	1	3	-	-	2	1	14·5	2·5	67·4	49·0	57·1	13·94	0·99	2·51	Huddersfield.
Halifax - -	100,710	55	26	6	11	-	-	-	-	-	-	3	2	2	2	1	13·5	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	141	74	20	26	-	1	-	-	-	-	6	5	10	11	-	13·2	1·3	75·0	51·0	59·7	15·39	1·45	3·68	Bradford.
Leeds - - -	431,287	231	162	58	24	-	8	1	7	2	1	30	5	12	21	1	19·6	5·9	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	258	182	90	24	-	2	-	3	8	2	51	6	7	22	2	25·9	9·4	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	172	110	64	12	-	-	-	-	-	1	48	1	3	13	2	24·0	10·7	71·0	50·0	59·1	15·06	1·38	3·51	Hull.
Sunderland -	147,398	95	56	18	12	-	1	-	1	-	1	13	-	1	5	2	19·8	5·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	74	53	15	6	-	2	-	-	3	-	3	3	3	-	1	25·3	3·8	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	139	87	27	20	-	-	-	-	3	1	7	5	8	16	1	19·4	2·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2487	2501	2495	2571	2378	2448	2498	2718	2551	2646	2660·9	2677
Males - -	1266	1234	1237	1306	1201	1235	1254	1409	1283	1354	1344·4	1349
Females - -	1221	1267	1258	1265	1177	1213	1244	1309	1268	1292	1316·5	1328
TOTAL **Deaths** -	1629	1403	1406	1718	1284	1430	1426	1748	1856	2100	1683·2	1691
Males - -	794	735	736	901	633	705	720	924	985	1104	866·5	905
Females - -	835	668	670	817	651	725	706	824	871	996	816·7	786

*The numbers in this column are the average weekly numbers in the thirty-fourth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 2	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
TOTAL **Births** - - -	2579	2276	2646	2464	2483	2466	2479	2384	2507	2701	2332	2621	2677
TOTAL **Deaths** - - -	1497	1398	1533	1171	1274	1191	1252	1417	1846	1768	1804	1707	1691
Ages at Death: Under 1 year - -	323	295	333	257	283	243	292	368	671	797	796	659	673
1—5 years - -	218	185	203	149	179	145	153	210	236	184	204	166	196
5—20 " - -	86	96	90	72	84	70	69	82	75	71	74	85	81
20—40 " - -	197	214	223	147	179	193	183	163	213	145	167	185	174
40—60 " - -	313	282	325	270	289	275	247	269	294	263	259	288	245
60—80 " - -	302	274	288	231	220	217	249	272	288	252	233	257	257
80 years and upwards	58	52	71	45	40	48	59	53	69	56	71	67	65
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	68	60	64	42	53	35	42	54	30	29	25	20	22
Scarlet Fever - - -	7	11	5	9	12	10	4	5	6	5	6	4	10
Diphtheria - - - -	29	24	28	21	29	20	26	21	27	24	25	17	14
Whooping-cough - - -	48	37	49	35	53	37	43	40	47	44	44	44	44
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Enteric Fever - - -	10	7	8	4	12	7	13	9	13	7	7	6	16
Simple Continued Fever -	-	1	1	-	-	-	-	1	1	-	-	1	1
Diarrhœa and Dysentery -	10	5	15	20	17	20	27	100	292	389	386	293	304
Cholera - - - -	1	-	-	-	-	1	-	-	8	9	13	6	10
All the above Diseases -	173	145	170	131	176	130	155	230	424	507	506	392	421
Dis. of Respiratory System -	266	268	257	181	180	140	160	169	196	136	128	132	149
Phthisis - - - - -	150	150	151	123	138	148	138	126	151	133	149	155	116
Dis. of Circulatory System -	138	127	107	109	120	129	130	106	130	97	119	126	103
Violence - - - -	59	66	97	64	71	63	56	77	93	82	58	55	76
Inquest Cases - - - -	138	139	181	128	135	132	115	133	155	155	127	128	136
Deaths in Public Institutions -	470	451	525	376	421	408	406	452	509	415	473	490	465
TEMPERATURE OF THE AIR.													
Mean - - - - -	54°·0	58°·4	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0
Mean of Highest readings -	62·4	69·4	75·4	69·5	66·7	67·4	77·0	86·6	82·8	72·0	65·3	78·8	71·7
Mean of Lowest readings -	47·1	49·3	53·9	52·2	51·2	53·2	54·1	57·9	61·3	54·9	50·8	55·2	52·8
Humidity of the Air - -	78	72	72	72	80	73	62	60	65	71	84	67	77
Rain-fall (in inches) - -	0·24	0·19	0·44	0·77	1·15	0·57	0·00	0·00	0·84	0·58	0·74	0·05	0·56
Registered Sunshine (in hours)	31·0	54·0	60·0	52·9	23·5	47·5	76·2	83·2	58·8	50·4	18·0	72·7	45·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox - - - - -	7	11	15	13	16	17	17	14	11	7	5	2	1
Scarlet Fever - - - -	1760	1754	1766	1810	1832	1843	1861	1877	1859	1827	1838	1793	1726
Diphtheria - - - -	1220	1238	1228	1226	1219	1207	1212	1236	1271	1261	1263	1250	1211
Enteric Fever - - - -	176	172	153	147	148	155	143	135	129	137	143	146	159

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

BLE 1. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FOURTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 34th Week of the 10 years 1890-99*.	In the Week ending Saturday, 25th August, 1900 — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
JSES - - -	1683·2	1691	673	196	81	174	245	257	65
Vaccinated† -	0·3	-	-	-	-	-	-	-	-
Unvaccinated	0·6	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
s - - - -	39·5	22	5	15	2	-	-	-	-
Fever - - -	18·5	10	-	8	2	-	-	-	-
s - - - -	0·1	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	3·7	3	-	-	-	1	-	1	1
ing-cough - -	28·9	44	21	23	-	-	-	-	-
eria - -	36·0	14	-	7	6	1	-	-	-
Continued and fined Fever -	0·1	1	-	-	-	1	-	-	-
e Fever - - -	12·3	16	-	-	5	7	3	1	-
a and Chol. Diarr.	8·7	10	8	1	-	1	-	-	-
œa, Dysentery -	246·1	304	237	55	-	2	3	6	1
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·1	-	-	-	-	-	-	-	-
al Affections -	9·6	8	6	-	-	2	-	-	-
elas - - -	4·8	7	3	-	-	-	2	2	-
a and Septicæmia	1·7	5	3	-	-	-	2	-	-
ral Fever - -	3·7	3	-	-	-	3	-	-	-
Zymotic Diseases	1·3	1	-	-	-	1	-	-	-
- - - -	1·7	1	1	-	-	-	-	-	-
and other Parasitical Diseases -	0·4	2	-	-	-	2	-	-	-
tion, Want of st-milk - -	1·6	1	1	-	-	-	-	-	-
olism - - -	12·9	12	-	-	-	6	4	2	-
matic Fever, umatism of Heart	8·6	5	1	-	1	3	-	-	-
matism - - -	1·8	1	-	-	-	-	-	1	-
- - - -	3·6	1	-	-	-	-	-	1	-
s - - - -	6·6	10	5	5	-	-	-	-	-
r - - - -	74·4	83	-	-	-	9	29	44	1
Mesenterica - -	38·8	28	22	3	1	1	-	1	-
cular Meningitis -	26·1	30	13	8	6	3	-	-	-
is - - - -	140·9	116	2	-	10	58	38	7	1
la, Tuberculosis -	19·6	31	11	7	6	5	2	-	-
Constitutional ases - -	10·9	11	-	1	1	1	3	5	-
ture Birth - -	50·3	55	55	-	-	-	-	-	-
tasis - - -	2·8	4	4	-	-	-	-	-	-
nital Malforma- s - - -	6·5	7	7	-	-	-	-	-	-
ge - - - -	43·3	43	-	-	-	-	-	20	23
exy - - -	35·8	29	-	-	-	-	9	14	6
osy - - -	7·0	7	-	1	3	1	2	-	-
ulsions - - -	42·8	29	26	3	-	-	-	-	-
Diseases of Brain Nervous System	79·4	76	7	10	8	6	19	20	6
ses of Organs of cial Sense -	3·5	6	2	2	-	1	1	-	-

CAUSES OF DEATH	Corrected Averages for the 34th Week of the 10 years 1890-99*.	In the Week ending Saturday, 25th August, 1900. — Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards
Diseases of Circulatory System - -	113·0	103	-	1	4	16	39	38	5
Croup - - - -	2·7	-	-	-	-	-	-	-	-
Bronchitis - - -	73·2	57	13	5	1	-	12	19	7
Pneumonia - - -	66·4	77	27	13	2	8	16	10	1
Pleurisy - - - -	3·7	4	-	-	-	1	1	2	-
Other Diseases of Respiratory System -	15·1	11	2	1	-	1	2	4	1
Dentition - - - -	8·6	7	4	3	-	-	-	-	-
Quinsy, Sore Throat -	1·4	-	-	-	-	-	-	-	-
Enteritis - - -	93·5	41	22	4	2	3	3	5	2
Gastro-enteritis -		69	57	6	2	1	2	1	-
Peritonitis - - -	7·5	4	-	-	2	1	1	-	-
Diseases of Liver - -	30·1	23	3	-	-	5	10	3	2
Other Diseases of Digestive System	31·8	46	15	2	2	3	10	12	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	5	-	-	-	2	2	1	-
Diseases of Urinary System - - -	41·7	46	2	-	1	5	15	21	2
Diseases of Generative System - - -	6·6	1	-	-	-	-	-	1	-
Accidents of Childbirth-	4·8	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	4·3	3	1	-	-	-	1	-	1
Diseases of Integumentary System- -	6·5	7	2	1	-	-	1	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	50·0	2	-	-	1	-	1	-	-
By Vehicles or Horses -		10	1	3	-	-	4	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	1	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		7	-	3	3	-	1	-	-
By Drowning - - -		13	-	-	10	-	2	1	-
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		6	-	1	-	3	1	1	-
Other or not stated causes - - - -		22	6	4	-	4	1	5	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·4	-	-	-	-	-	-	-	-
Suicide - - - -	7·2	9	-	-	-	3	2	4	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	76·1	72	72	-	-	-	-	-	-

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 25th August, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2677	1691	673	322	-	22	10	14	44	-	16	1	304	76	136	465
WEST DISTRICTS - - -	778,251	373	258	101	59	-	2	-	5	5	-	2	-	47	19	30	85
NORTH DISTRICTS - - -	1,040,694	541	335	126	66	-	4	1	3	9	-	4	-	67	16	26	96
CENTRAL DISTRICTS - - -	233,635	132	71	28	6	-	1	-	-	-	-	2	-	13	4	9	26
EAST DISTRICTS - - -	716,334	550	349	146	52	-	8	-	-	4	-	6	-	62	16	32	116
SOUTH DISTRICTS - - -	1,642,796	1081	644	272	125	-	7	6	6	26	-	2	1	114	21	39	108
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	14	-	-	3	-	-	-	-	-	1	-	-	34
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	39	35	14	8	-	-	-	-	-	-	-	-	9	3	2	10
St. John Paddington *H* - - G.	33,510	9	9	2	3	-	-	-	-	-	-	-	-	1	3	3	5
Kensington Town *Ww* - - W.	122,164	77	50	23	10	-	-	-	-	1	-	-	-	9	3	9	13
Brompton *HH* - - - W. & C.	48,301	11	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* } W. & G	44,638	18	11	7	1	-	-	-	-	-	-	-	-	5	-	-	-
South Hammersmith *H* } W. & G	59,561	31	16	5	3	-	-	-	-	-	-	-	-	2	-	-	4
Fulham *Ww* - - - W. & C.	113,781	91	48	21	8	-	1	-	5	3	-	1	-	11	1	3	13
Chelsea Kensal Town - C.	21,450	11	5	3	-	-	-	-	-	1	-	-	-	2	-	-	-
Chelsea North *WHHHH* - C.	42,057	12	15	3	7	-	-	-	-	-	-	-	-	3	-	-	9
Chelsea South *HH* - - C.	33,139	11	8	4	2	-	-	-	-	-	-	-	-	2	2	2	2
May Fair *WH* - - - - G.	23,827	8	12	2	7	-	-	-	-	-	-	-	-	1	-	-	11
Belgrave *WHHH* - - - C.	56,140	17	11	1	1	-	-	-	-	-	-	1	-	1	2	4	4
St. John Westminster *HH* - C.	31,492	19	9	2	1	-	1	-	-	-	-	-	-	-	2	3	3
St. Margaret Westminster *H* - C.	22,097	4	10	4	1	-	-	-	-	-	-	-	-	-	2	2	7
St. James Westminster *WH* } N. & G.	23,050	10	9	5	4	-	-	-	-	-	-	-	-	1	1	2	4
St. Anne Soho *HHHHH* - N.	12,018	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* } - - W.	36,595	9	17	4	-	-	-	-	-	-	-	-	-	2	1	2	9
Rectory Marylebone *W* G. & W.	19,798	6	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	30	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1
Christchurch Marylebone *H* - W	32,547	14	5	4	-	-	1	-	-	-	-	-	-	1	1	1	-
St. John Marylebone *HHH* - W.	32,611	17	9	4	2	-	-	-	-	-	-	-	-	3	-	-	-
Hampstead *WwHHHH* } - N. & W.	75,449	28	23	5	5	-	1	1	-	-	-	2	-	2	-	1	11
Regent's Park † *HH* - W.	51,403	19	10	6	1	-	-	-	-	-	-	-	-	2	-	-	1
Tottenham-court *wHHHHHH* } - N. & W.	26,757	10	19	5	3	-	-	-	1	-	-	-	-	2	1	2	11
Gray's Inn Lane *HHHH* - N.	29,426	13	10	3	1	-	-	-	-	1	-	-	-	1	1	2	4
Somers Town *HH* - - - N.	32,161	20	11	8	3	-	-	-	-	-	-	-	-	3	1	1	1
Camden Town† *WH* - - N.	40,155	16	20	9	7	-	-	-	-	-	-	-	-	3	2	2	10
Kentish Town† *WW* - - N.	60,862	41	22	4	5	-	1	-	-	1	-	-	-	5	-	-	8
Upper Holloway *WWWWwHH* } - - N.	98,273	42	43	11	11	-	-	-	-	3	-	-	-	6	4	6	19
Lower Holloway‡ - - - N.	41,805	28	10	6	3	-	1	-	-	1	-	-	-	3	-	-	-
Barnsbury‡ - - - - N.	56,384	38	8	3	-	-	-	-	-	1	-	-	-	-	2	2	-
Islington South-east‡ *H* - N.	75,725	47	23	10	3	-	-	-	-	-	-	-	-	4	-	-	-
Highbury *HH* - - - N.	64,577	29	16	10	4	-	-	-	-	-	-	-	-	6	-	-	-
Stoke Newington *H* - - N.	33,485	18	6	3	1	-	-	-	-	2	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	20	9	4	2	-	-	-	-	-	-	-	-	3	-	1	-
Central Hackney *ww* - E. & N.		29	14	4	2	-	-	-	2	-	-	2	-	3	-	1	4
South-west Hackney *HHH* E. & N.		38	22	12	4	-	-	-	-	-	-	-	-	5	-	1	5
South-east Hackney *WwH* E. & N.		29	31	10	7	-	-	-	-	-	-	-	-	13	2	2	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 25th August, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
sbury and St. Giles } - N.	29,086	24	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
h *WH* - - }																		
les North *H* - - - N.	9,151	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rtin-in-the-Fields *HH* N. & C.	13,077	3	5	-	1	-	-	-	-	-	-	-	-	-	1	1	3	-
d *WHH* - - - - N.	11,839	7	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
l Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *WwHHHHH* - N.	31,042	6	17	8	1	-	-	-	-	-	-	-	-	5	-	-	8	-
nes Clerkenwell - - N.	15,777	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ell Clerkenwell - - N.	34,356	27	10	7	-	-	1	-	-	-	-	-	-	2	-	1	-	-
ell-street - - - - N.	16,069	7	3	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
oad *HHHHL* - - N.	29,897	37	11	6	1	-	-	-	-	-	-	1	-	4	-	1	-	-
cross-street - - - N.	7,595	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, }	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ham - - - - - }																		
tolph* *H* - - N. & E.	13,061	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	3	13	3	1	-	-	-	-	-	-	-	-	-	1	2	13	-
llows Barking - - - N.	9,059	-	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
f London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	8	4	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-
on New Town *w* - - N.	29,575	29	13	3	6	-	-	-	-	-	-	-	-	3	-	1	9	1
on Old Town - - - N.	27,645	23	12	5	2	-	1	-	-	-	-	-	-	4	-	2	-	-
erston *WH* - - N. & E.	47,163	29	29	17	5	-	-	-	-	-	-	-	-	6	1	1	9	-
al Green North *H* - E.	49,301	42	19	13	1	-	-	-	-	-	-	-	-	5	4	5	-	-
al Green South - - E.	34,194	33	14	7	-	-	1	-	-	-	-	-	-	3	-	1	-	-
al Green East *WWHl* - E.	45,667	39	29	10	6	-	-	-	-	-	-	1	-	1	-	-	13	-
fields - - - E & N.	26,681	16	9	4	-	-	-	-	-	-	-	-	-	4	-	1	-	-
End New Town *WH* - E. }	51,995 {	16	44	9	5	-	-	-	-	-	-	2	-	2	3	5	41	-
man's Fields - - - E. }		15	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	39,576	28	9	5	1	-	1	-	-	1	-	-	-	1	-	2	-	-
hn, St. George East *W* E.	7 930	5	11	4	3	-	2	-	-	1	-	1	-	1	-	-	7	-
well *H* - - - E. & N.	10,434	3	14	6	-	-	-	-	-	-	-	-	-	4	2	2	9	-
iff *W* - - - - E.	14,954	4	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
house - - - - E.	32,917	29	10	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-
End Old Town West *H* E. }	111,060 {	56	18	11	2	-	1	-	-	-	-	1	-	3	-	1	-	-
End Old Town East } - E.		42	29	10	8	-	-	-	-	-	-	-	-	7	1	2	8	-
Vww }																		
l - - - - E.	41,687	35	13	8	1	-	1	-	-	-	-	-	-	1	2	3	-	-
ley *wwwH* - - - E.	69,821	48	39	12	7	-	1	-	-	1	-	1	-	9	2	3	17	-
r *WW* - - - - E.	57,759	50	23	11	4	-	-	-	-	-	-	-	-	6	-	-	3	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891, not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 25th August, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	4	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-
St. Saviour Southwark - - S.	12,301	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	18	13	10	1	-	-	-	-	-	-	-	-	1	-	1	-
Borough-road *WH* - S. & L.	16,083	15	11	4	2	-	-	-	1	1	-	-	-	1	1	2	5
London-road *HL* - - L. & S.	21,316	13	9	1	-	-	-	-	-	-	-	-	-	1	1	1	1
Trinity Newington *H* - S. & L.	28,723	13	10	2	3	-	-	-	-	-	-	-	-	-	1	2	-
St. Peter Walworth *W* - S. & L.	62,045	54	27	15	4	-	-	-	-	3	-	-	-	5	-	2	1
St. Mary Newington- - L. & S.	30,171	26	13	8	-	-	-	-	-	1	-	-	-	2	-	1	-
St. Olave *WH*- - - - S.	11,731	8	18	4	3	-	-	-	1	-	-	-	-	-	3	4	16
Bermondsey *W* - - - S.	85,475	52	20	13	1	-	-	-	-	-	-	-	-	4	1	2	-
Rotherhithe *Wiw* - S. & K.	40,379	36	30	9	8	-	-	1	1	1	-	1	-	3	1	1	10
Waterloo-road *HH* - L. & S.	28,396	25	12	10	-	-	1	-	-	-	-	-	-	2	-	-	1
Lambeth Church 1st *H* - L. & S.	18,770	7	17	4	2	-	-	-	-	-	-	-	-	1	-	-	13
Lambeth Church 2nd *WW* L. & S.	40,994	24	19	6	5	-	-	-	-	-	-	-	-	2	-	2	10
Kennington 1st *H* - - S. & L.	52,486	39	12	6	3	-	-	-	-	-	-	-	-	2	-	-	-
Kennington 2nd - - S. & L.	43,244	24	11	5	4	-	-	-	-	1	-	-	-	3	-	-	-
Brixton *w* - - - L. & S.	81,825	47	28	11	9	-	1	1	-	1	-	-	-	4	-	-	1
Norwood *WH*- - - - L.	29,318	13	8	3	2	-	-	-	-	-	-	-	-	4	-	-	-
East Battersea - - - - S.	71,730	47	32	17	4	-	-	-	-	2	-	-	-	8	-	2	-
North-west Battersea† - - S.	93,385	35	18	9	-	-	-	-	-	1	-	1	-	4	1	1	-
South-west Battersea† *WwH* - S.		16	21	5	8	-	-	-	-	1	-	-	-	2	-	-	13
Clapham *H* - - - - S.	46,953	24	11	3	4	-	-	-	-	1	-	-	-	2	1	1	1
Streatham *WwwwwL* - - L.	61,644	44	23	9	4	-	-	2	1	-	-	-	-	5	-	-	4
Wandsworth *WHHL* - - S.	58,101	46	16	6	1	-	-	-	-	2	-	-	-	6	1	1	-
Putney - - - - - - S.	20,566	12	10	5	1	-	1	-	-	-	-	-	1	2	-	-	-
Dulwich - - - L. & S.	7,519	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	60	34	9	9	-	1	-	-	2	-	-	-	6	1	2	13
Peckham *WW* - S., L., & K.	88,242	74	28	17	4	-	-	-	-	-	-	-	-	7	2	3	-
St. George Camberwell - L. & S.	67,029	35	22	11	3	-	-	-	-	1	-	-	-	10	-	1	-
Deptford North - - - K.	36,152	32	12	7	-	-	-	-	-	-	-	-	-	2	1	2	-
Deptford Central *w* - - K.	45,441	32	19	7	3	-	-	-	2	-	-	-	-	4	-	-	2
Deptford South - - - K.	33,402	15	10	3	6	-	-	-	-	-	-	-	-	2	1	1	-
Greenwich West *H* - - K.	23,012	15	8	2	3	-	-	-	-	1	-	-	-	2	-	1	-
Greenwich East *WH* - - K.	37,767	25	20	10	4	-	-	-	-	1	-	-	-	5	-	1	5
Eltham *wH* - - - - K.	5,911	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	9	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwH* - - - K.	38,139	51	27	14	5	-	-	1	-	1	-	-	-	4	1	1	5
Sydenham *H* - - - - L.	37,601	15	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-
Charlton *wHH* - - - K.	15,928	5	7	2	1	-	-	1	-	-	-	-	-	2	-	-	3
Woolwich* *HHH* - - K.	41,314	31	19	6	6	-	3	-	-	1	-	-	-	1	1	-	-
Plumstead West *H* - - K.	16,714	6	7	5	2	-	-	-	-	2	-	-	-	2	-	-	-
Plumstead East *WH* - - K.	42,538	23	22	8	2	-	-	-	-	2	-	-	-	1	2	3	4
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum Dartford Heath - - - - -	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Hanwell Asylum - - - -	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	3
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 25th August, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON-OUTER RING -	368,749	1,422,063	1,274	678	334	115	-	11	3	7	22	5	165	19	46	55	3
Carshalton *H* - - -	12,228	26,108	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	11	4	2	2	-	-	-	-	-	-	1	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	102	36	19	7	-	-	-	1	2	-	10	1	2	6	-
Mitcham *w* - - -	11,697	23,072	21	8	6	-	-	-	-	-	-	-	3	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	21	9	6	1	-	-	-	-	-	-	-	1	1	-	-
Kingston *WH* - - -	14,672	33,566	22	7	1	2	-	-	-	-	-	-	-	2	2	2	-
Surbiton *HH* - - -		12,178	8	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Esher, *part of** *H* - -		11,080	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	13	6	1	2	-	-	-	1	1	-	1	-	-	-	-
Richmond *WHH* - -	2,160	25,389	18	11	2	7	-	-	-	-	1	-	-	3	3	1	-
Mortlake *H* - - -	2,823	16,159	6	5	1	4	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	22	8	3	1	-	-	-	-	1	-	1	-	-	-	-
Beckenham *H* - - -	6,542	21,969	12	6	3	-	-	-	-	-	-	1	1	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	10	10	3	6	-	-	-	-	-	-	-	-	-	3	-
Bexley *HHH* - - -	12,540	30,590	26	11	3	1	-	-	-	1	-	-	2	1	1	-	1
Dartford *WH*, *part of** -	—	—	-	2	-	2	-	-	-	-	-	-	1	-	-	2	-
Sunbury *w* - - -	11,054	13,671	9	7	3	1	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	7	12	5	2	-	1	-	-	-	-	2	1	1	2	-
Hillingdon *WHH* - -	6,035	12,237	8	4	1	-	-	-	-	-	1	-	2	-	-	-	-
Uxbridge - - - -	12,757	7,253	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	11	3	1	-	-	-	-	-	-	-	1	1	1	-	-
Isleworth *WHH* - -	6,967	26,004	16	10	3	4	-	-	-	-	-	-	-	1	1	5	-
Twickenham *HH* - -	2,415	16,027	16	9	3	3	-	-	-	1	-	-	1	1	1	-	-
Brentford *HHHH* - -	4,318	37,777	18	15	7	5	-	-	-	-	-	-	2	-	-	-	-
Chiswick - - - -	1,245	21,963	9	8	7	-	-	-	-	-	-	-	1	-	1	-	-
Acton *wHH* - - -	6,132	30,945	35	22	16	3	-	-	-	-	-	-	8	-	2	1	1
Harrow *HHH* - - -	13,809	15,715	12	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Edgware *HH* - - -	6,994	3,844	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	75	48	27	6	-	-	-	-	1	1	8	1	3	1	-
Hendon *WH* - - -	8,382	15,843	16	16	9	3	-	-	-	-	-	-	7	1	1	4	-
South Mimms *HH* - -	21,077	6,367	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	7	3	1	1	-	-	-	-	-	-	1	-	-	1	-
Finchley *HHH* - - -	4,688	25,820	20	4	1	1	-	-	-	-	-	-	1	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	33	17	9	2	-	-	-	1	-	-	3	-	2	-	-
Tottenham *HHH* - -	4,642	97,174	98	43	17	5	-	1	-	-	2	-	9	-	2	1	-
Edmonton *Ww* - -	7,489	36,351	40	35	17	9	-	1	-	-	2	-	8	-	2	4	-
Enfield *WWHH* - -	12,602	31,536	20	25	10	4	-	-	1	1	-	1	3	-	2	2	-
Waltham Abbey - - -	11,017	6,066	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	9	2	2	-	-	-	-	-	-	-	2	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	41	19	8	2	-	1	-	-	4	-	2	2	4	1	1
Plaistow *HHH* - - -		58,030	59	29	17	-	-	-	2	-	1	1	9	1	1	2	-
Canning Town *H* - -		54,750	57	38	20	3	-	2	-	1	1	-	13	-	4	1	-
Forest Gate *w* - - -		53,511	32	20	10	6	-	-	-	-	-	-	6	1	2	-	-
East Ham *wHHH* - -	3,266	32,713	67	40	26	1	-	3	-	-	-	-	12	1	3	-	-
Leyton *WWWwH* - -	4,334	70,188	68	47	22	8	-	2	-	-	2	-	13	-	1	14	-
Walthamstow *HHHL* -	6,501	57,330	76	31	23	3	-	-	-	-	1	-	19	-	1	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	17	4	1	2	-	-	-	-	1	-	1	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Ilford *H* - - - -	8,493	10,913	40	15	4	2	-	-	-	-	1	-	3	-	-	-	-
Barking Town, *H* - -	3,814	14,301	21	13	9	1	-	-	-	-	-	1	7	-	-	1	-

ne parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst istrict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in eld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for tions Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are ncluded.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS an Rates of MORTALITY during the week ending Saturday, 25th August, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	1
GREATER LONDON	**443,421**	**6,652,145**	**18·6**	**4·9**	**2369**	**1007**	**437**	**–**	**33**	**13**	**21**	**66**	**22**	**469**	**95**
INNER LONDON -	74,672	4,589,129	19·2	4·7	1691	673	322	–	22	10	14	44	17	304	76
OUTER RING -	368,749	2,063,016	17·1	5·4	678	334	115	–	11	3	7	22	5	165	19

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending		BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	August	25	140	97	16·7	–	4	1	–	–	1
GLASGOW - -	743,585	„	25	451	251	17·6	–	4	3	3	15	4
DUBLIN† - -	349,594	„	25	221	181	27·0	–	–	–	–	5	3
CALCUTTA - -	466,460	July	7	–	311	34·7	16	–	–	–	–	125‡
BOMBAY - -	821,764	„	31	241	1394	88·2	2	4	?	?	?	129‡
MADRAS - -	452,518	„	20	389	393	45·1	–	3	?	?	?	105
PARIS - - -	2,511,629	August	18	1260	949	19·6	3	6	–	1*	8	29
BRUSSELS - -	561,130	„	18	256	194	17·7	–	4	–	–	2	1
AMSTERDAM -	526,538	„	11	215	145	14·3	–	–	–	–	2	–
ROTTERDAM -	325,556	„	11	204	113	17·1	–	–	–	–	1	–
THE HAGUE -	205,328	„	11	114	67	16·8	–	–	–	1	–	–
COPENHAGEN -	349,000	„	18	201	99	14·8	–	–	1	–	–	2
STOCKHOLM -	297,148	„	11	152	67	11·7	–	–	–	1*	2	1
CHRISTIANIA -	221,255	„	18	114	39	8·5	–	1	–	–	1	–
ST. PETERSBURG	1,132,677	„	11	514	584	26·9	10	12	10	21	11	17
MOSCOW - -	988,610	„	11	–	722	38·1	–	9	2	6	1	7
BERLIN - -	1,848,269	„	4	940	949	26·6	–	12	9	3	5	1
HAMBURG - -	691,349	„	18	–	259	19·5	–	1	4	2*	3	1
DRESDEN - -	403,400	July	21	263	164	21·0	–	2	–	–	1	–
BRESLAU - -	412,959	August	18	–	229	28·9	–	2	–	2	5	1
MUNICH - -	463,000	„	11	–	229	25·7	–	3	–	1*	2	1
VIENNA - -	1,656,662	„	18	879	557	17·5	–	3	2	3*	3	1
PRAGUE - -	385,952	„	4	173	152	20·5	–	–	–	1	–	1
BUDA-PESTH -	685,340	„	11	–	–	–	–	–	–	–	–	–
TRIESTE - -	168,264	„	18	119	80	24·7	–	–	2	1*	–	1
ROME - - -	514,306	July	28	211	159	16·1	–	–	–	1	–	10‖
TURIN (10 days)-	344,203	June	30	205	173	18·3	–	–	1	–	3	1
VENICE - -	172,491	August	11	66	52	15·7	–	–	–	2*	1	–
CAIRO - -	570,062	July	8	463	549	50·1	–	52	–	2*	3	20
ALEXANDRIA -	319,766	„	8	180	212	34·5	3	–	–	2*	–	7
NEW YORK (including BROOKLYN)	3,654,594	„	28	1691	1394	19·9	–	8	3	23	13	13
PHILADELPHIA -	1,266,832	August	4	–	439	18·1	–	4	1	13	1	10

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 49 deaths from plague in Calcutta and 45 in Bombay.
§ Including 26 deaths from cholera in Calcutta, 379 in Bombay, and 3 in Madras.
‖ Including one death from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Temperature. Mean daily value.	Great-est.	Least.	Of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 19	Greatest Dec. N.	29·774	79·8	56·3	23·5	66·5	+ 5·1	53·7	12·8	23·6	2·5	64	140·3	48·4	62·62	SSW., S. & SW.	SSW. & SW.	2·1	0·0	0·1	220	− 6	0·00	0·0
MONDAY - 20	..	29·638	75·6	55·6	20·0	63·6	+ 2·3	57·5	6·1	17·0	2·7	80	119·1	46·2	62·83	SW., WSW. & NNW.	W., N. & variable.	0·5	0·0	0·0	118	−107	0·00	0·0
TUESDAY - 21	..	29·483	73·2	55·0	18·2	62·8	+ 1·7	54·5	8·3	17·3	0·6	74	144·0	47·9	63·00	WSW., SSW. & SW.	SW. & SSW.	2·5	0·0	0·2	215	− 10	0·00	1·0
WEDNESDAY 22	..	29·358	68·6	52·9	15·7	61·0	0·0	49·8	11·2	17·3	3·4	67	129·3	45·7	63·00	SSE. & SW.	SW. & SSW.	10·6	0·0	0·8	386	+160	0·12	3·0
THURSDAY- 23	..	29·479	65·6	49·7	15·9	55·4	− 5·5	51·3	4·1	13·9	1·3	86	126·2	43·2	62·83	SSW., S. & SW.	SSW. & SE.	3·3	0·0	0·1	213	− 14	0·44	0·0
FRIDAY - 24	..	29·590	71·2	51·8	19·4	60·4	− 0·4	53·8	6·6	14·8	0·2	79	133·2	43·7	62·69	SW., SSE. & S.	SSW. & SW.	1·3	0·0	0·1	182	− 47	0·00	0·0
SATURDAY- 25	New	29·788	68·2	48·2	20·0	57·4	− 3·4	54·5	2·9	10·1	0·2	90	104·7	41·9	62·35	SW. & WSW.	E., ENE. & NE.	3·6	0·0	0·1	178	− 54	0·00	0·0
MEANS -		29·587	71·7	52·8	19·0	61·0	0·0	53·6	7·4	16·3	1·6	77	128·1	45·3	62·76	SSW.		..	..	..	Sum 1512	Sum − 78	Sum 0·56	0·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 19	w. P. throughout.	12·2	14·3	Very fine throughout with small amounts of cloud. Misty in early morning. Frequent lightning during the evening.
MONDAY - 20	w. P. till 9h. A.M.; m. P. generally afterwards.	2·6	14·3	Fine in early morning; generally cloudy afterwards. Lightning with distant thunder at night.
TUESDAY - 21	w. P. generally.	6·4	14·2	Fine and partially cloudy. A little fine rain at times during the afternoon. Solar halo observed between noon and 2h. P.M.
WEDNESDAY 22	w. P. till 10h. A.M.; s. P. and s. N. till 2h. P.M.; w. P. afterwards.	10·9	14·2	Cloudy with slight rain in early morning; very variable with heavy showers of rain and hail accompanied by gusty wind till afternoon; very fine afterwards and cloudless at night.
THURSDAY- 23	w. P. till 6h. A.M.; s. P. and s. N. till 2h. P.M.; w. P. afterwards.	3·2	14·1	Very fine till 4h. A.M.; cloudy with heavy showers and lightning and thunder till afternoon; fine and partially cloudy afterwards.
FRIDAY - 24	w. P. till 8h. P.M.; m. P. afterwards.	8·5	14·0	Fine; partially cloudy. Cloudless at night.
SATURDAY- 25	w. P. generally; with occasional m. P. till 2h. P.M.; m. N. till 3h. P.M.; w. P. afterwards.	2·0	14·0	Cloudless in early morning with fog between 6h. and 9h. A.M.; generally cloudy afterwards with thunder during the afternoon. Lightning observed at 9h. P.M.
		Sum 45·8	Sum 99·1	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·82 in. at the beginning of the week to 29·29 in. by 5h. A.M. on August 22nd; and increased to 29·91 by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street E.

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 35. 1900. VOL. LXI.] WEEK ENDING SATURDAY, SEPT. 1. [Price 1½*d.*

General Register Office, Somerset House,
September 3rd, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 21·7 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 20·3, 19·5, and 19·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.		Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
33 Great Towns	**20·3**	**19·5**	**19·8**	**21·7**	Leicester - -	19·0	19·5	20·5	21·4
Birkenhead -	15·6	17·8	16·9	18·2	Liverpool - -	26·3	25·0	22·8	25·4
Birmingham -	23·7	20·6	24·4	27·9	London - - -	20·5	19·4	19·2	20·2
Blackburn -	15·2	15·2	17·1	16·4	Manchester - -	22·6	24·2	21·3	25·7
Bolton - -	14·0	16·8	20·3	26·0	Newcastle-on-Tyne	19·6	23·1	19·4	19·1
Bradford -	12·2	13·8	13·2	14·1	Norwich - -	22·7	25·0	15·4	21·3
Brighton -	25·6	18·9	18·1	23·1	Nottingham - -	22·8	18·5	19·8	19·6
Bristol - -	14·3	12·7	16·0	18·9	Oldham - -	18·0	16·7	22·4	17·7
Burnley -	11·2	13·8	13·8	20·1	Plymouth - -	19·9	23·0	28·6	26·0
Cardiff - -	12·1	14·0	11·3	14·2	Portsmouth - -	18·2	16·9	17·9	22·5
Croydon -	13·5	14·3	13·5	12·3	Preston - -	26·8	22·8	30·7	33·3
Derby - -	15·5	16·9	15·0	19·3	Salford - - -	27·2	23·6	25·5	27·4
Gateshead -	15·7	14·8	25·3	21·0	Sheffield - -	26·1	23·9	25·9	33·6
Halifax -	11·9	14·5	13·5	11·9	Sunderland - -	18·4	18·4	19·8	17·7
Huddersfield -	18·0	13·0	14·5	17·5	Swansea - -	15·8	16·8	11·4	20·3
Hull - -	20·7	18·1	24·0	30·6	West Ham - -	18·9	21·2	18·4	21·1
Leeds - -	24·4	20·9	19·6	21·4	Wolverhampton -	16·9	16·3	28·5	22·1

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in West Ham and 2·0 in Swansea; from *scarlet fever*, 1·3 in Burnley; from *whooping-cough*, 1·3 in Cardiff, 1·7 in Brighton, and 1·9 in Gateshead; from "*fever*," 1·9 in Portsmouth; and from *diarrhœa*, 4·0 in Croydon, 4·3 in London, 4·7 in Wolverhampton, 5·3 in Liverpool, 5·6 in Portsmouth and in Plymouth, 5·8 in West Ham, 6·0 in Nottingham, 6·3 in Brighton, 6·4 in Salford, 7·3 in Manchester, 7·7 in Norwich, 8·5 in Burnley, 8·7 in Sheffield, 9·0 in Leicester, 9·2 in Birmingham, 10·5 in Bolton, 12·3 in Preston, and 13·8 in Hull. The 49 deaths from *diphtheria* included 19 in London, 10 in Sheffield, 6 in Leicester, and 3 in Leeds. Three deaths from *small-pox* were registered in Liverpool, but not one in any other of the thirty-three towns.

LONDON.

In LONDON† 2763 BIRTHS and 1776 DEATHS were registered. Allowing for increase of population, the births were 41, and the deaths 191,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 20·5, 19·4, and 19·2, in the preceding three weeks, rose again last week to 20·2. During the four weeks ending on Saturday last the death-rate averaged 19·8 per 1000, being 0·2 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1776 deaths included 11 from measles, 5 from scarlet fever, 19 from diphtheria, 39 from whooping-cough, 8 from enteric fever, 1 from an ill-defined form of continued fever, 380 from diarrhœa and dysentery, 12 from cholera and choleraic diarrhœa, and not one death from small-pox or from typhus; thus, 475 deaths were referred to these diseases, being 144 above the corrected average weekly number.

The deaths from *measles*, which had been 25, 20, and 22 in the preceding three weeks, fell again last week to 11, and were 18 below the corrected average; 3 cases belonged to Greenwich sanitary area. The deaths from *scarlet fever*, which had been 6, 4, and 10 in the preceding three weeks, fell again last week to 5, and were 13 below the corrected average. The deaths from *diphtheria*, which had been 25, 17, and 14 in the preceding three weeks, rose again last week to 19, but were 16 below the corrected average; 4 cases belonged to Poplar sanitary area. The deaths from *whooping-cough*, which had been 44, 44, and 44 in the preceding three weeks, fell last week to 39, but were 9 above the corrected average; 9 cases belonged to Islington, 5 to Camberwell, and 4 to Lambeth sanitary areas. The fatal cases of *enteric fever*, which had been 7, 6, and 16 in the preceding three weeks, fell again last week to 8, and were 4 below the corrected average; 2 cases belonged to Lambeth sanitary area. The deaths from *diarrhœa*, which had been 386, 293, and 304 in the preceding three weeks, further rose last week to 380, and were 183 above the corrected average. Of the 380 deaths from diarrhœa, 367 were of children under 5 years of age; 91 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 128, 132, and 149 in the preceding three weeks, fell again last week to 138, and were 3 below the corrected average. One death was attributed directly to *influenza*, the numbers in the preceding three weeks having been 1, 2, and 3.

Different forms of violence caused 45 deaths, concerning all but 3 of which inquests were held. Of these 45 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 40 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 7 to drowning, and 11 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 1702 of scarlet fever, 1180 of diphtheria, and 170 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 176 cases, against 155, 157, and 140; of diphtheria, 131 cases, against 146, 148, and 119; and of enteric fever, 40 cases, against 26, 29, and 33.

Greater London.

In Greater London 3907 births and 2471 deaths were registered, corresponding to annual rates of 30·6 and 19·4 per 1000 of the estimated population. In the Outer Ring 15 deaths from measles, 3 from scarlet fever, 9 from diphtheria, 24 from whooping-cough, 7 from "fever," and 203 from diarrhœal diseases were registered. Seven deaths from measles, 9 from whooping-cough, 4 from "fever," and 75 from diarrhœal diseases occurred in West Ham district: 9 deaths from whooping-cough and 49 from diarrhœal diseases occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·02 inches, and that of the Thermometer 59°·2; the latter being 1°·1 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·8 hours; the measured rainfall amounted to 0·62 of an inch.

---

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	1st Sept. 1900. Births.	1st Sept. 1900. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	11,610,296	7042	4824	2168	747	3	45	24	49	97	48	1156	118	253	832	51	21·7	4·8	75·1	42·0	57·3	14·06	0·32	0·81	33 Towns.
London	4,589,129	2763	1776	801	271	-	11	5	19	39	9	380	45	111	450	10	20·2	5·3	75·1	45·9	59·2	15·11	0·62	1·57	London.
West Ham	314,472	179	127	67	16	-	6	-	-	5	3	35	1	3	16	1	21·1	8·1	74·0	44·5	57·6	14·22	0·55	1·40	West Ham.
Croydon	131,186	55	31	18	3	-	1	-	-	1	-	10	-	-	2	-	12·3	4·8	-	-	-	-	-	-	Croydon.
Brighton	124,148	67	55	26	13	-	1	-	1	4	-	15	-	1	5	-	23·1	8·8	73·0	50·6	59·9	15·50	0·23	0·63	Brighton.
Portsmouth	194,955	109	84	35	21	-	-	-	1	-	7	21	3	4	7	1	22·5	7·8	73·0	52·0	59·3	15·17	0·32	0·81	Portsmouth.
Plymouth	102,161	68	51	28	10	-	-	-	-	-	-	11	-	2	8	-	26·0	5·6	-	-	-	-	-	-	Plymouth.
Bristol	324,973	170	118	41	26	-	1	1	1	-	1	17	4	10	22	-	18·9	3·4	72·0	49·0	58·0	14·44	0·11	0·28	Bristol.
Cardiff	194,247	101	53	27	7	-	-	-	1	5	-	13	1	3	3	-	14·2	5·1	-	-	-	-	-	-	Cardiff.
Swansea	105,472	73	41	18	4	-	4	-	1	-	-	6	2	2	6	1	20·3	5·4	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	60	38	18	8	-	-	1	-	-	-	8	3	3	4	1	22·1	5·2	72·8	43·5	55·7	13·17	0·05	0·13	Wolverhampton.
Birmingham	519,610	345	278	133	45	-	2	1	1	2	1	92	8	10	39	3	27·9	9·9	-	-	-	-	-	-	Birmingham.
Norwich	114,855	64	47	25	9	-	-	-	-	1	1	17	-	-	-	-	21·3	8·6	72·2	45·2	56·9	13·83	0·30	0·76	Norwich.
Leicester	219,169	133	90	48	12	-	-	-	6	-	1	38	1	1	7	-	21·4	10·7	-	-	-	-	-	-	Leicester.
Nottingham	242,676	126	91	53	15	-	-	2	1	3	1	28	1	4	13	-	19·6	7·5	67·8	46·5	56·3	13·50	0·30	0·76	Nottingham.
Derby	107,991	56	40	12	11	-	-	-	1	-	-	6	1	5	7	-	19·3	3·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	67	41	13	13	-	-	-	-	2	2	2	1	3	5	1	18·2	2·7	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	443	309	130	43	3	3	1	-	9	3	65	9	13	60	13	25·4	6·9	70·4	49·7	56·4	13·56	0·26	0·66	Liverpool.
Bolton	164,240	118	82	48	8	-	1	1	-	1	1	33	-	4	7	-	26·0	11·7	-	-	-	-	-	-	Bolton.
Manchester	548,768	368	270	127	28	-	3	2	1	4	-	77	8	21	42	1	25·7	8·3	-	-	-	-	-	-	Manchester.
Salford	220,816	165	116	49	10	-	1	-	1	-	4	27	3	6	16	1	27·4	7·8	-	-	-	-	-	-	Salford.
Oldham	153,297	55	52	17	10	-	1	-	-	2	-	6	1	4	3	-	17·7	3·1	-	-	-	-	-	-	Oldham.
Burnley	116,730	69	45	23	4	-	-	3	-	1	1	19	-	1	4	-	20·1	10·7	-	-	-	-	-	-	Burnley.
Blackburn	137,107	52	43	17	5	-	2	2	-	2	-	8	1	3	2	-	16·4	5·3	-	-	-	-	-	-	Blackburn.
Preston	118,902	75	76	41	11	-	-	-	-	1	1	28	1	1	5	1	33·3	13·2	70·0	46·0	57·0	13·89	0·75	1·90	Preston.
Huddersfield	104,484	46	35	15	8	-	-	1	-	1	-	3	-	-	4	1	17·5	2·5	70·3	45·6	55·3	12·94	0·10	0·25	Huddersfield.
Halifax	100,710	52	23	4	6	-	-	-	-	-	-	2	2	2	5	2	11·9	1·0	-	-	-	-	-	-	Halifax.
Bradford	291,535	153	79	22	17	-	-	-	-	-	2	11	1	4	13	-	14·1	2·3	71·8	48·0	56·4	13·56	0·15	0·38	Bradford.
Leeds	431,287	262	177	70	34	-	4	1	3	4	2	32	6	13	19	2	21·4	5·6	-	-	-	-	-	-	Leeds.
Sheffield	365,922	247	236	92	41	-	2	1	10	5	6	61	2	4	23	7	33·6	12·1	-	-	-	-	-	-	Sheffield.
Hull	238,736	164	140	79	16	-	-	-	1	1	1	63	2	2	10	3	30·6	14·4	72·0	42·0	56·4	13·56	0·41	1·04	Hull.
Sunderland	147,398	94	50	15	10	-	-	1	-	-	1	10	2	2	6	-	17·7	4·2	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	88	44	16	5	-	1	-	-	4	-	3	-	-	8	1	21·0	3·8	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	155	86	40	7	-	1	1	-	-	-	9	9	11	11	1	19·1	2·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2614	2555	2462	2616	2704	2617	2651	2468	2650	2532	2721·5	2763
Males - -	1274	1261	1270	1325	1428	1328	1346	1259	1371	1331	1388·0	1443
Females - -	1340	1294	1192	1291	1276	1289	1305	1209	1279	1201	1333·5	1320
TOTAL **Deaths** -	1659	1299	1356	1566	1198	1336	1369	1452	1898	1931	1584·8	1776
Males - -	883	679	689	821	622	692	746	748	977	996	826·2	943
Females - -	776	620	667	745	576	644	623	704	921	935	758·6	833

*The numbers in this column are the average weekly numbers in the thirty-fifth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1
TOTAL **Births** - - -	2276	2646	2464	2483	2466	2479	2384	2507	2701	2332	2621	2677	2763
TOTAL **Deaths** - - -	1398	1533	1171	1274	1191	1252	1417	1846	1768	1804	1706	1691	1776
Ages at Death: Under 1 year - -	295	333	257	283	243	292	368	671	797	796	659	673	801
1—5 years - -	185	203	149	179	145	153	210	236	184	204	166	196	187
5—20 " - -	96	90	72	84	70	69	82	75	71	74	85	81	71
20—40 " - -	214	223	147	179	193	183	163	213	145	167	184	174	167
40—60 " - -	282	325	270	289	275	247	269	294	263	254	288	245	279
60—80 " - -	274	288	231	220	217	249	272	288	252	233	257	257	215
80 years and upwards	52	71	45	40	48	59	53	69	56	71	67	65	56
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	60	64	42	53	35	42	54	30	29	25	20	22	11
Scarlet Fever - - -	11	5	9	12	10	4	5	6	5	6	4	10	5
Diphtheria - - - -	24	28	21	29	20	26	21	27	24	25	17	14	19
Whooping-cough - - -	37	49	35	53	37	43	40	47	44	44	44	44	39
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Enteric Fever - - -	7	8	4	12	7	13	9	13	7	7	6	16	8
Simple Continued Fever -	1	1	-	-	-	-	1	1	-	-	1	1	1
Diarrhœa and Dysentery -	5	15	20	17	20	27	100	292	389	386	293	304	380
Cholera - - - -	-	-	-	-	1	-	-	8	9	13	6	10	12
All the above Diseases -	145	170	131	176	130	155	230	424	507	506	392	421	475
Dis. of Respiratory System -	268	257	181	180	140	160	169	196	136	128	132	149	138
Phthisis - - - - -	150	151	123	138	148	138	126	151	133	149	155	116	150
Dis. of Circulatory System -	127	107	109	120	129	130	106	130	97	119	126	103	121
Violence - - - -	66	97	64	71	63	56	77	93	82	58	55	76	45
Inquest Cases - - - -	139	181	128	135	132	115	133	155	155	127	128	136	111
Deaths in Public Institutions -	451	525	376	421	408	406	452	509	415	473	489	465	450
TEMPERATURE OF THE AIR.													
Mean - - - - - -	58°·4	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2
Mean of Highest readings -	69·4	75·4	69·5	66·7	67·4	77·0	86·6	82·8	72·0	65·3	78·8	71·7	66·8
Mean of Lowest readings -	49·3	53·9	52·2	51·2	53·2	54·1	57·9	61·3	54·9	50·8	55·2	52·8	52·8
Humidity of the Air - -	72	72	72	80	73	62	60	65	71	84	67	77	77
Rain-fall (in inches) - -	0·19	0·44	0·77	1·15	0·57	0·00	0·00	0·84	0·58	0·74	0·05	0·56	0·62
Registered Sunshine (in hours)	54·0	60·0	52·9	23·5	47·5	76·2	83·2	58·8	50·4	18·0	72·7	45·8	21·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	11	15	13	16	17	17	14	11	7	5	2	1	2
Scarlet Fever - - - -	1754	1766	1810	1832	1843	1861	1877	1859	1827	1838	1793	1726	1702
Diphtheria - - - -	1238	1228	1226	1219	1207	1212	1236	1271	1261	1263	1250	1211	1180
Enteric Fever - - - -	172	153	147	148	155	143	135	129	137	143	146	159	170

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton: A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-FIFTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 35th Week of the 10 years 1890–99*.	In the Week ending Saturday, 1st September, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1584·8	1776	801	187	71	167	279	215	56
- Vaccinated† -	0·5	-	-	-	-	-	-	-	-
Unvaccinated	0·7	-	-	-	-	-	-	-	-
No Statement	0·1	-	-	-	-	-	-	-	-
s - - - -	28·8	11	5	6	-	-	-	-	-
Fever - - -	17·7	5	-	2	3	-	-	-	-
s - - - -	0·1	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
iza - - - -	3·9	1	-	-	-	-	-	1	-
ping-cough - -	30·2	39	24	15	-	-	-	-	-
heria - -	34·5	19	4	9	6	-	-	-	-
Continued and efined Fever -	0·3	1	-	-	1	-	-	-	-
c Fever - - -	12·0	8	-	-	2	5	1	-	-
a and Chol. Diarr.	8·9	12	9	1	-	2	-	-	-
ea, Dysentery -	197·3	380	315	52	-	2	3	6	2
tent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects ofination - -	0·2	-	-	-	-	-	-	-	-
al Affections - -	11·5	12	9	1	-	1	1	-	-
elas - - -	3·6	2	1	-	-	1	-	-	-
ia and Septicæmia	1·8	5	2	-	-	1	2	-	-
eral Fever - -	5·2	1	-	-	-	-	1	-	-
Zymotic Diseases	0·8	1	-	1	-	-	-	-	-
h - - - -	1·4	1	1	-	-	-	-	-	-
s and other Parasitical Diseases -	0·2	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	1·8	3	2	1	-	-	-	-	-
olism - - -	10·1	11	-	-	-	5	5	1	-
matic Fever, umatism of Heart	7·0	5	-	-	2	1	-	2	-
matism - - -	1·2	-	-	-	-	-	-	-	-
- - - - -	2·0	2	-	-	-	-	1	1	-
ts - - - -	4·7	10	5	5	-	-	-	-	-
r - - - -	71·2	78	-	1	-	9	34	29	5
Mesenterica - -	36·9	25	16	7	-	2	-	-	-
cular Meningitis -	25·5	21	8	9	4	-	-	-	-
cis - - - -	147·1	150	2	3	13	60	64	7	1
ula, Tuberculosis -	21·1	29	10	5	1	6	6	1	-
Constitutional eases - -	12·0	16	1	-	4	-	6	4	1
ature Birth - -	49·0	65	65	-	-	-	-	-	-
ctasis - - -	3·5	2	2	-	-	-	-	-	-
nital Malforma- s - - -	7·3	9	7	1	1	-	-	-	-
ge - - - -	39·1	33	-	-	-	-	-	11	22
lexy - - -	37·5	26	1	-	2	3	6	12	2
psy - - - -	7·7	4	-	-	-	1	2	1	-
ulsions - - -	41·0	35	30	5	-	-	-	-	-
Diseases of Brain Nervous System	74·6	75	18	6	5	11	17	16	2
ses of Organs of cial Sense -	3·2	4	1	1	-	-	2	-	-

CAUSES OF DEATH	Corrected Averages for the 35th Week of the 10 years 1890–99*.	In the Week ending Saturday, 1st September, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	109·1	121	3	1	7	16	48	38	8
Croup - - - -	3·1	-	-	-	-	-	-	-	-
Bronchitis - - -	62·9	51	16	7	1	-	6	17	4
Pneumonia - - -	56·5	66	19	14	7	10	3	12	1
Pleurisy - - - -	4·9	3	1	-	-	-	2	-	-
Other Diseases of Respiratory System -	13·5	18	3	3	-	1	6	4	1
Dentition - - - -	6·9	7	6	1	-	-	-	-	-
Quinsy, Sore Throat -	1·5	3	2	-	-	-	-	1	-
Enteritis - -	87·7	43	27	8	1	1	2	3	1
Gastro-enteritis -		92	83	8	1	-	-	-	-
Peritonitis - - -	6·0	4	-	1	-	1	2	-	-
Diseases of Liver - -	26·8	27	-	-	-	4	15	8	-
Other Diseases of Digestive System	35·2	53	16	4	2	5	12	14	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·8	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	43·4	49	-	-	2	7	13	22	5
Diseases of Generative System - - -	4·7	6	-	-	-	1	5	-	-
Accidents of Childbirth -	5·0	5	-	-	-	4	1	-	-
Diseases of Locomotive System - - -	5·8	2	-	-	1	-	-	1	-
Diseases of Integumentary System - -	7·0	6	5	-	-	-	1	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	51·7	-	-	-	-	-	-	-	-
By Vehicles or Horses -		4	-	1	-	-	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		2	-	-	1	1	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		4	1	2	1	-	-	-	-
By Drowning - - -		7	-	1	1	2	3	-	-
By Suffocation in Bed -		11	11	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	-	-	1	-	-
Other or not stated causes - - - -		11	2	1	2	-	3	2	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·9	1	-	-	-	1	-	-	
Suicide - - - -	8·9	4	-	-	-	1	3	-	-
Execution - - -	0·1	-	-	-	-	-	-	-	
OTHER CAUSES - -	77·2	73	68	4	-	1	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 1st September, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2763	1776	801	271	-	11	5	19	39	-	8	1	380	45	111	450
WEST DISTRICTS - - -	778,251	418	275	130	41	-	-	-	4	3	-	3	-	65	7	18	69
NORTH DISTRICTS - - -	1,040,694	568	341	149	56	-	-	-	3	12	-	2	1	66	7	24	85
CENTRAL DISTRICTS - - -	233,635	125	97	39	15	-	2	-	-	-	-	-	-	21	5	11	36
EAST DISTRICTS - - -	716,334	551	331	153	49	-	2	1	2	4	-	-	-	63	10	29	92
SOUTH DISTRICTS - - -	1,642,796	1101	700	330	99	-	7	3	10	20	-	3	-	165	16	28	136
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	11	-	-	1	-	-	-	-	-	-	-	1	32
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	61	40	24	2	-	-	-	1	1	-	-	-	16	-	-	3
St. John Paddington *H* - - G.	33,510	9	17	6	2	-	-	-	-	-	-	-	-	3	2	2	6
Kensington Town *Ww* - - W.	122,164	51	44	15	8	-	-	-	-	-	-	-	-	6	-	2	17
Brompton *HH*- - - W. & C.	48,301	13	4	3	1	-	-	-	-	-	-	-	-	-	1	1	-
North Hammersmith *H* W. & G	44,638	32	14	9	4	-	-	-	-	-	-	-	-	3	-	-	-
South Hammersmith *H* W. & G	59,561	37	19	12	1	-	-	-	1	-	-	-	-	4	1	2	1
Fulham *Ww* - - - W. & C.	113,781	90	54	29	5	-	-	-	1	1	-	1	-	18	2	2	14
Chelsea Kensal Town - C.	21,450	10	12	8	-	-	-	-	-	1	-	-	-	5	-	1	-
Chelsea North *WHHHH* - C.	42,057	16	15	5	3	-	-	-	-	-	-	-	-	4	-	1	6
Chelsea South *HH* - - C.	33,139	24	10	7	2	-	-	-	-	-	-	-	-	2	-	-	1
May Fair *WH*- - - - G.	23,827	6	10	1	7	-	-	-	-	-	-	-	-	-	-	-	6
Belgrave *WHHH* - - - C.	56,140	26	13	3	-	-	-	-	1	-	-	1	-	1	-	1	8
St. John Westminster *HH* - C.	31,492	23	15	4	3	-	-	-	-	-	-	1	-	2	1	4	2
St. Margaret Westminster *H*- C.	22,097	6	4	2	1	-	-	-	-	-	-	-	-	-	-	1	4
St. James Westminster *WH* N. & G.	23,050	8	4	2	2	-	-	-	-	-	-	-	-	1	-	1	1
St. Anne Soho *HHHHH* - N.	12,048	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	9	14	3	3	-	-	-	-	-	-	-	-	-	-	1	10
Rectory Marylebone *W* G. & W.	19,798	7	4	2	1	-	-	-	-	-	-	-	-	1	-	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	23	7	6	-	-	-	-	-	-	-	-	-	2	-	1	3
Christchurch Marylebone *H* - W	32,547	18	8	2	1	-	-	-	-	1	-	-	-	1	-	1	-
St. John Marylebone *HHH* - W.	32,611	21	6	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	36	15	6	2	-	-	-	1	1	-	-	-	3	1	2	4
Regent's Park † *HH* - W.	51,403	30	13	11	2	-	-	-	-	-	-	-	-	3	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	9	6	-	-	-	-	-	-	-	-	-	5	-	-	5
Gray's Inn Lane *HHHH* - N.	29,426	14	18	3	4	-	-	-	-	1	-	-	-	5	1	1	7
Somers Town *HH* - - - N.	32,161	21	7	3	1	-	-	-	-	-	-	1	-	3	-	-	3
Camden Town† *WH* - - N.	40,155	22	18	5	6	-	-	-	-	-	-	-	1	-	-	2	6
Kentish Town† *WW* - - N.	60,862	27	26	6	5	-	-	-	1	-	-	-	-	2	-	2	9
Upper Holloway *WWWWwHH* - - N.	98,273	55	44	18	5	-	-	-	-	4	-	-	-	7	1	1	21
Lower Holloway‡ - - - N.	41,805	20	15	9	2	-	-	-	-	-	-	-	-	3	-	2	-
Barnsbury‡ - - - - N.	56,384	35	17	11	2	-	-	-	-	3	-	-	-	5	-	1	-
Islington South-east‡ *H* - N.	75,725	49	17	10	4	-	-	-	-	1	-	-	-	1	-	1	-
Highbury *HH* - - - N.	64,577	36	18	7	4	-	-	-	-	1	-	1	-	3	-	-	-
Stoke Newington *H* - - N.	33,485	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	213,044	25	9	2	2	-	-	-	-	-	-	-	-	1	-	1	-
Central Hackney *ww* - E. & N.		19	15	11	-	-	-	-	1	-	-	-	-	7	1	2	1
South-west Hackney *HHH* E. & N.		43	23	9	3	-	-	-	-	-	-	-	-	1	-	1	3
South-east Hackney *WwH* E. & N.		39	35	16	7	-	-	-	-	-	-	-	-	12	2	4	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900.

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two n Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 1st September, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	16	6	3	2	-	-	-	-	-	-	-	-	-	-	1	3	-
ith *WH* - - }																		
iles North *H* - - - N.	9,151	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
artin-in-the-Fields *HH* N. & C.	13,077	1	4	1	1	-	-	-	-	-	-	-	-	1	1	1	2	-
d *WHH* - - - - N.	11,839	3	5	1	2	-	-	-	-	-	-	-	-	-	1	1	4	-
d Union Workhouse, Edmonton	†*1,037*	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
orn *WwHHHHH* - N.	31,042	14	21	10	-	-	1	-	-	-	-	-	-	8	-	3	14	-
mes Clerkenwell - - N.	15,777	5	8	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-
ell Clerkenwell - - N.	34,356	17	13	5	3	-	1	-	-	-	-	-	-	3	1	1	-	-
ell-street - - - - N.	16,069	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *H IHHL* - - N.	29,897	36	15	8	2	-	-	-	-	-	-	-	-	4	-	-	3	-
ecross-street - - - N.	7,595	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph* *H* - - N. & E.	13,061	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre *WH* - - - N.	9,591	1	11	3	3	-	-	-	-	-	-	-	-	1	1	3	7	-
allows Barking - - - N.	9,059	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	9	6	3	-	-	-	-	-	1	-	-	-	3	-	-	1	-
ton New Town *w* - - N.	29,575	12	12	4	4	-	-	1	-	1	-	-	-	1	-	1	5	-
ton Old Town - - - N.	27,645	23	11	4	2	-	-	-	-	-	-	-	-	2	-	1	-	-
gerston *WH* - - N. & E.	47,163	25	21	12	4	-	-	-	-	-	-	-	-	5	-	-	7	-
nal Green North *H* - E.	49,301	37	19	14	4	-	-	-	1	-	-	-	-	3	1	2	-	-
nal Green South - - E.	34,194	27	9	7	-	-	-	-	-	1	-	-	-	5	-	1	-	-
nal Green East *WWHl* - E.	45,667	37	25	8	4	-	-	-	-	-	-	-	-	4	-	2	11	-
alfields - - - E. & N.	26,681	23	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e End New Town *WH* - E.	51,995	23	37	12	2	-	-	-	-	1	-	-	-	1	2	4	32	-
dman's Fields - - - E.		24	7	3	1	-	-	-	-	-	-	-	-	1	1	4	-	-
George's, North - - - E.	39,576	36	12	8	1	-	-	-	-	-	-	-	-	2	-	-	-	-
John, St. George East *W* E.	7 930	8	10	6	2	-	-	-	-	-	-	-	-	3	-	-	6	-
dwell *H* - - - E. & N.	10,434	6	6	4	-	-	-	-	-	-	-	-	-	2	-	-	5	-
cliff *W* - - - - E.	14,954	7	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
ehouse - - - - E.	32,917	29	12	8	-	-	1	-	-	-	-	-	-	3	-	1	-	-
e End Old Town West *H* E.	111,060	56	20	9	5	-	-	-	-	-	-	-	-	2	-	1	-	-
e End Old Town East } - E.		43	21	8	3	-	-	-	-	-	-	-	-	5	2	3	8	-
Www }																		
w l - - - - E.	41,687	32	22	11	4	-	-	-	-	-	-	-	-	5	-	-	-	-
mley *wwwH* - - - E.	69,821	54	41	17	6	-	1	-	-	-	-	-	-	8	4	6	14	-
olar *WW* - - - - E.	57,759	40	31	9	7	-	-	-	1	-	-	-	-	7	-	2	3	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 1st September, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	3	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.	12,301	6	8	5	-	-	-	-	-	-	-	-	-	5	-	1	-
Kent-road - - - - S. & L.	22,879	13	19	12	-	-	-	-	-	-	-	-	-	10	-	-	-
Borough-road *WH* - S. & L.	16,083	16	17	5	1	-	1	-	1	2	-	-	-	-	-	-	10
London-road *HL* - - L. & S.	21,316	19	4	3	-	-	1	-	-	-	-	-	-	1	-	-	-
Trinity Newington *H* - S. & L.	28,723	25	13	7	1	-	-	-	-	1	-	-	-	2	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	46	19	12	1	-	-	-	-	-	-	-	-	3	-	2	-
St. Mary Newington- - L. & S.	30,171	31	7	4	-	-	-	-	-	-	-	-	-	2	2	3	-
St. Olave *WH*- - - - S.	11,731	7	15	3	1	-	-	-	-	-	-	-	-	-	3	3	5
Bermondsey *W* - - - S.	85,475	55	20	6	5	-	-	-	-	-	-	-	-	3	-	-	1
Rotherhithe *Wb* - S. & K.	40,379	24	26	10	4	-	-	-	-	2	-	-	-	5	1	1	10
Waterloo-road *HH* - L. & S.	28,396	31	13	10	1	-	1	-	-	1	-	-	-	5	-	-	1
Lambeth Church 1st *H* - L. & S.	18,770	8	14	3	2	-	-	-	1	-	-	1	-	1	2	3	10
Lambeth Church 2nd *WW* L. & S.	40,994	28	20	6	5	-	-	-	-	-	-	-	-	-	-	-	12
Kennington 1st *H* - - S. & L.	52,486	37	16	7	1	-	-	-	-	-	-	-	-	2	-	-	-
Kennington 2nd - - S. & L.	43,244	23	11	5	2	-	-	-	-	1	-	-	-	1	-	-	-
Brixton *w* - - - L. & S.	81,825	54	29	10	4	-	-	-	1	1	-	1	-	4	-	2	-
Norwood *WH*- - - - L.	29,318	22	7	6	1	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - - S.	71,730	52	27	12		-	-	-	-	2	-	-	-	7	1	1	-
North-west Battersea† - - S. }	93,385 {	42	17	11	1	-	-	-	-	-	-	-	-	7	-	-	-
South-west Battersea† *WwH* - S. }		23	22	4	9	-	-	-	-	-	-	-	-	1	1	1	12
Clapham *H* - - - - S.	46,953	29	12	9	-	-	-	-	-	-	-	-	-	3	-	-	-
Streatham *WwwwwL* - - L.	61,644	43	32	15	7	-	-	-	2	-	-	-	-	5	2	3	3
Wandsworth *WHHL* - - S.	58,101	49	20	16	1	-	-	-	-	-	-	-	-	10	-	1	-
Putney - - - - - - S.	20,566	18	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	39	46	14	13	-	-	-	-	2	-	-	-	11	1	1	24
Peckham *WW* - S., L., & K.	88,242	59	33	20	2	-	-	-	-	-	-	-	-	17	-	-	-
St. George Camberwell - L. & S.	67,029	41	25	13	2	-	-	-	-	3	-	-	-	9	1	1	-
Deptford North - - - K.	36,152	28	20	12	2	-	-	-	-	-	-	-	-	5	-	1	-
Deptford Central *w* - - K.	45,441	23	16	8	2	-	3	1	1	-	-	-	-	3	-	-	3
Deptford South - - - K.	33,402	16	13	5	4	-	-	-	-	-	-	-	-	2	-	-	-
Greenwich West *H* - - K.	23,012	14	8	2	1	-	-	-	-	-	-	-	-	3	-	1	-
Greenwich East *WH* - - K.	37,767	24	30	12	8	-	-	-	-	2	-	1	-	7	-	-	19
Eltham *wH* - - - - K.	5,911	3	7	6	-	-	-	-	-	-	-	-	-	3	-	-	2
Lee *H* - - - - - K.	24,222	12	4	2	1	-	-	-	-	1	-	-	-	1	-	-	-
Lewisham *WwH* - - - K.	38,139	41	39	18	7	-	-	1	2	1	-	-	-	6	-	-	13
Sydenham *H* - - - - L.	37,601	19	12	9	-	-	-	1	-	-	-	-	-	4	-	-	-
Charlton *wHB* - - - K.	15,928	14	5	1	1	-	-	-	2	-	-	-	-	-	-	-	2
Woolwich* *HHHH* - - K.	41,314	25	21	11	1	-	-	-	-	-	-	-	-	11	2	2	1
Plumstead West *H* - - K.	16,714	11	4	2	-	-	-	-	-	1	-	-	-	2	-	-	-
Plumstead East *WH* - - K.	42,538	27	18	7	5	-	1	-	-	-	-	-	-	3	-	-	8
Banstead Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	3
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum Dartford Heath - - - - - }	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7
Claybury Asylum - - - -	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

,—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA: POPULATION; BIRTHS and DEATHS registered during the Week ing Saturday, 1st September, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON—OUTER RING -	368,749	1,422,063	1,144	695	378	84	-	15	3	9	24	7	194	10	26	51	4
Carshalton *H* - - -	12,228	26,108	18	9	4	1	-	-	1	1	-	-	2	-	-	2	-
Epsom, *part of** *WwHHH*	10,423	12,508	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	69	39	23	4	-	1	-	-	1	-	11	-	2	3	-
Mitcham *w* - - -	11,697	23,072	15	5	-	1	-	-	-	-	-	-	-	2	2	-	-
Wimbledon *HHH* - -	3,220	25,777	25	14	11	1	-	-	-	-	2	-	3	-	1	-	-
Kingston *WH* - - -	14,672	33,566	21	13	-	2	-	1	-	-	-	-	1	-	-	3	-
Surbiton *HH* - - -		12,178	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	12	7	4	1	-	-	-	1	-	-	3	-	-	-	-
Richmond *WHH* - -	2,160	25,389	14	8	2	1	-	-	-	-	-	-	-	-	-	2	-
Mortlake *H* - - -	2,823	16,159	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	14	9	4	2	-	-	-	-	-	-	3	-	-	-	1
Beckenham *H* - - -	6,542	21,969	6	5	1	2	-	-	-	1	-	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	8	10	4	2	-	-	-	-	-	-	1	1	1	1	-
Bexley *HHH* - - -	12,540	30,590	27	16	9	-	-	-	-	-	-	-	9	1	1	-	-
Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury *w* - - -	11,054	13,671	8	6	3	-	-	-	-	1	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	10	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge - - - -	12,757	7,253	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	8	4	3	-	-	-	-	-	-	-	1	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	18	15	9	2	-	1	-	1	-	-	2	-	1	1	-
Twickenham *HH* - -	2,415	16,027	11	3	1	1	-	-	-	-	-	-	1	1	1	1	-
Brentford *HHHH* - -	4,318	37,777	53	13	9	2	-	-	-	-	-	-	6	-	-	-	1
Chiswick - - - -	1,245	21,963	16	9	5	3	-	-	-	-	-	-	4	-	-	-	-
Acton *wHH* - - -	6,132	30,945	22	16	8	3	-	-	-	-	-	-	6	-	1	1	-
Harrow *HHH* - - -	13,809	15,715	15	5	1	3	-	-	-	-	-	-	2	-	-	-	-
Edgware *HH* - - -	6,994	3,844	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	66	39	25	1	-	2	-	-	2	-	10	-	-	-	-
Hendon *WH* - - -	8,382	15,843	9	7	3	2	-	-	-	-	-	-	1	-	-	4	-
South Mimms *HH* - -	21,077	6,367	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	13	4	2	-	-	-	-	-	-	-	1	2	2	-	-
Finchley *HHH* - - -	4,688	25,820	22	7	6	1	-	-	-	-	-	-	3	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	33	21	8	2	-	-	-	-	1	-	7	-	-	-	-
Tottenham *HHH* - -	4,642	97,174	84	70	45	6	-	2	1	2	4	-	20	-	6	1	1
Edmonton *Ww* - -	7,489	36,351	30	25	11	5	-	-	1	-	2	-	3	1	1	1	-
Enfield *WWHH* - -	12,602	31,536	27	13	10	-	-	1	-	-	1	-	7	-	-	-	-
Waltham Abbey - - -	11,017	6,066	2	3	3	-	-	-	-	-	1	-	1	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	6	4	2	-	-	-	-	-	-	-	2	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	10	3	1	1	-	-	-	-	-	-	-	-	1	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	33	22	12	1	-	1	-	-	2	-	9	-	1	2	-
Plaistow *HHH* - - -		58,030	69	38	22	3	-	1	-	-	-	-	15	-	1	4	-
Canning Town *H* - -		54,750	42	36	18	5	-	1	-	-	2	1	7	1	1	2	1
Forest Gate *w* - - -		53,511	35	23	15	4	-	1	-	-	1	1	4	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	56	37	27	2	-	1	-	1	-	-	12	-	-	1	-
Leyton *WWWwH* - -	4,334	70,188	51	44	18	9	-	2	-	-	-	1	13	-	-	12	-
Walthamstow *HHHL* -	6,501	57,330	73	47	29	4	-	-	-	1	4	1	15	1	3	3	-
Chigwell, *part of** *HHHH*	11,779	12,941	3	6	4	-	-	-	-	-	-	-	4	-	-	3	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	2	3	2	1	-	-	-	-	-	-	-	-	-	2	-
Ilford *H* - - - -	8,493	10,913	22	10	3	-	-	-	-	-	-	2	3	-	-	2	-
Barking Town, *H* - -	3,814	14,301	15	8	4	1	-	-	-	-	-	1	2	-	-	-	-

e parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351): 37: 1, the parishes of Warlingham rley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst strict, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in d sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ous Diseases belonging to the Outer Ring in 43: 3, Dartford; 187: 2, Watford; and 187: 2, Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 1st September, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	443,421	6,652,145	19·4	5·6	2471	1179	355	-	26	8	28	63	16	574	55
INNER LONDON -	74,672	4,589,129	20·2	5·3	1776	801	271	-	11	5	19	39	9	380	45
OUTER RING -	368,749	2,063,016	17·6	6·4	695	378	84	-	15	3	9	24	7	194	10

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymo Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Fever.
EDINBURGH -	302,262	September 1	145	93	16·0	-	5	2	-	1	1
GLASGOW - -	743,585	" 1	468	250	17·5	-	3	3	2	16	3
DUBLIN† - -	349,594	" 1	228	179	26·7	-	-	1	3	4	1
CALCUTTA - -	466,460	July 14	-	309	34·5	12	-	-	-	-	113‡
BOMBAY - -	821,764	August 7	243	1455	92·1	5	1	?	?	?	157‡
MADRAS - -	452,518	July 27	454	380	43·6	-	1	?	?	?	101
PARIS - - -	2,511,629	August 25	1179	901	18·6	-	7	1	3*	6	31
BRUSSELS - -	561,130	" 25	280	205	18·7	-	3	-	-	3	2
AMSTERDAM -	526,538	" 18	280	150	14·8	-	-	1	1	3	3
ROTTERDAM -	325 556	" 18	235	95	15·2	-	1	2	1	1	-
THE HAGUE -	205,328	" 18	112	69	17·3	-	-	1	-	-	-
COPENHAGEN -	349,000	" 25	251	127	19·0	-	-	2	2	2	1
STOCKHOLM -	297,148	" 18	124	89	15·6	-	-	-	3*	3	-
CHRISTIANIA -	221,255	" 25	179	56	12·9	-	-	-	-	-	1
ST. PETERSBURG	1,132,677	" 18	522	591	27·2	7	14	15	12	3	27
MOSCOW - -	988,610	" 18	-	631	33·3	-	14	6	3	2	3
BERLIN - -	1,848,269	" 11	930	820	23·0	1	7	8	5	5	2
HAMBURG - -	691,349	" 25	-	275	20·7	-	1	2	2*	3	-
DRESDEN - -	403,400	July 28	-	210	26·9	-	-	2	-	-	-
BRESLAU - -	412,959	August 25	-	321	40·5	-	1	-	-	6	-
MUNICH - -	463,000	" 18	-	244	27·4	-	1	1	-	1	1
VIENNA - -	1,656,662	" 25	899	630	19·8	-	8	1	3*	4	7
PRAGUE - -	385,952	" 11	171	153	20·1	-	-	-	1	-	4
BUDA-PESTH -	685,340	" 11	428	283	21·5	-	3	6	-	-	1
TRIESTE - -	168,264	" 25	111	90	27·8	-	-	-	2*	-	1
ROME - - -	514,306	" 4	185	182	18·5	-	-	1	2	-	10‖
TURIN (10 days)-	344,203	July 10	213	202	21·4	-	1	-	-	1	4
VENICE - -	172,491	August 18	77	60	18·1	-	-	-	4*	-	1
CAIRO - -	570,062	July 15	392	501	45·7	-	45	-	4*	2	15
ALEXANDRIA -	319,766	" 15	192	204	33·2	2	-	-	2*	-	4
NEW YORK (including BROOKLYN)	3,654,594	August 4	1655	1250	17·9	-	6	5	27	10	14
PHILADELPHIA -	1,266,832	" 11	-	452	18·6	-	-	-	7	3	2

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 35 deaths from plague in Calcutta and 51 in Bombay.
‖ Including 44 deaths from cholera in Calcutta, 354 in Bombay, and 5 in Madras.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Air Temperature and Dew Point Temperature. Mean daily value.	Air Temperature and Dew Point Temperature. Great-est.	Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	26	In Equator Apogee	29·911	65·3	51·6	13·7	57·3	− 3·5	44·9	12·4	19·3	1·0	63	118·9	44·6	62·10	NE.	NE. & ENE.	3·7	0·0	0·5	349	+114	0·00	0·0
MONDAY -	27		29·836	60·7	52·5	8·2	56·6	− 4·1	47·9	8·7	12·3	1·8	73	70·2	46·8	61·81	NE.	NE. & NNE.	8·5	0·0	1·1	467	+229	0·10	0·0
TUESDAY -	28	..	30·026	60·9	55·8	5·1	57·9	− 2·7	51·2	6·7	9·7	4·7	79	71·6	53·2	61·53	NNE.	NE. & NNE.	5·2	0·0	0·6	388	+147	0·00	0·2
WEDNESDAY	29	..	30·172	70·4	55·3	15·1	61·5	+ 1·2	53·5	8·0	15·7	2·0	75	126·7	49·0	61·33	NNE., NE. & ENE.	ENE., E. & ESE.	1·9	0·0	0·1	249	+ 5	0·00	0·8
THURSDAY-	30	..	30·220	68·0	50·7	17·3	57·9	− 2·2	52·6	5·3	14·9	0·0	83	125·7	45·5	61·18	E., NE. & NNE.	NE. & SE.	1·1	0·0	0·0	141	−106	0·00	0·0
FRIDAY -	31	..	30·093	75·1	45·9	29·2	61·7	+ 1·8	51·8	9·9	19·4	0·6	70	132·7	40·1	61·27	Calm & SW.	SW.	1·2	0·0	0·1	174	− 76	0·00	0·0
SEPT. SATURDAY-	1	..	29·867	67·3	57·9	9·4	61·7	+ 2·0	60·4	1·3	7·2	0·0	96	88·0	51·2	61·15	SW. & WSW.	WSW., WNW. & NNW.	1·3	0·0	0·1	238	− 15	0·52	0·0
MEANS -			30·018	66·8	52·8	14·0	59·2	− 1·1	51·8	7·5	14·1	1·4	77	104·8	47·2	61·48	NE. & SW.		..	..	..	Sum 2006	Sum +298	Sum 0·62	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	26	w. P. till 7h. P.M.; m. P. afterwards.	7·7	13·9	Cloudy in early morning; fine with large amounts of cloud generally afterwards.
MONDAY -	27	w. P. generally; m. P. in afternoon.	0·0	13·9	Fine in early morning: overcast afterwards, with frequent rain after 9h. A.M. Brisk wind.
TUESDAY -	28	w. P. throughout.	0·0	13·8	Overcast. A little very fine rain in afternoon.
WEDNESDAY	29	w. P. throughout.	4·6	13·7	Overcast till 8h. A.M.; fine and partially cloudy afterwards.
THURSDAY-	30	w. P. generally; m. P. between 3h. and 9h. P.M.	0·7	13·7	Generally overcast till 5h. P.M.; fine afterwards.
FRIDAY -	31	w. P. till 5h. P.M.; m. P. afterwards.	8·8	13·6	Very fine with small amounts of cloud generally.
SEPT. SATURDAY-	1	w. P. generally; w. N. between 8h. and 10h. A.M.	0·0	13·5	Generally overcast; frequent rain till afternoon.
			Sum 21·8	Sum 96·1	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·91 in. at the beginning of the week to 29·94 in. by 8h. A.M. on August 26th; decreased to 29·80 in. by 7h. A.M. on August 27th; increased to 30·24 in. by 9h. A.M. on August 30th; decreased to 29·83 in. by 6h. P.M. on September 1; and was 29·87 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36. 1900. VOL. LXI.] WEEK ENDING SATURDAY, SEPT. 8. [Price 1½*d.*

General Register Office, Somerset House,
September 10th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 19·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 19·5, 19·8, and 21·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.
33 Great Towns	**19·5**	**19·8**	**21·7**	**19·6**
Birkenhead -	17·8	16·9	18·2	14·7
Birmingham -	20·6	24·4	27·9	23·9
Blackburn -	15·2	17·1	16·4	13·3
Bolton - -	16·8	20·3	26·0	17·1
Bradford -	13·8	13·2	14·1	12·7
Brighton -	18·9	18·1	23·1	22·7
Bristol - -	12·7	16·0	18·9	14·4
Burnley -	13·8	13·8	20·1	23·7
Cardiff - -	14·0	11·3	14·2	14·2
Croydon -	14·3	13·5	12·3	15·1
Derby - -	16·9	15·0	19·3	10·1
Gateshead -	14·8	25·3	21·0	18·1
Halifax -	14·5	13·5	11·9	12·4
Huddersfield -	13·0	14·5	17·5	16·5
Hull - -	18·1	24·0	30·6	35·6
Leeds - -	20·9	19·6	21·4	18·3
Leicester - -	19·5	20·5	21·4	26·4
Liverpool - -	25·0	22·8	25·2	23·7
London - - -	19·4	19·2	20·2	18·0
Manchester - -	24·2	21·3	25·7	24·1
Newcastle-on-Tyne	23·1	19·4	19·1	23·6
Norwich - -	25·0	15·4	21·3	17·3
Nottingham - -	18·5	19·8	19·6	21·3
Oldham - -	16·7	22·4	17·7	18·0
Plymouth - -	23·0	28·6	26·0	20·9
Portsmouth - -	16·9	17·9	22·5	24·6
Preston - -	22·8	30·7	33·3	26·8
Salford - - -	23·6	25·5	27·4	19·6
Sheffield - -	23·9	25·9	33·6	25·9
Sunderland - -	18·4	19·8	17·7	22·6
Swansea - -	16·8	11·4	20·3	20·8
West Ham - -	21·2	18·4	21·1	14·9
Wolverhampton -	16·3	28·5	22·1	23·3

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 1·0 in Oldham ; from *scarlet fever*, 1·4 in Oldham ; from *whooping-cough*, 1·1 in Nottingham and in Sheffield, 1·3 in Preston, 1·4 in Derby and in Gateshead, and 1·8 in West Ham ; from "*fever*," 1·9 in Portsmouth ; and from *diarrhœa*, 4·1 in Plymouth, 4·7 in Salford and in Leeds, 4·8 in Sheffield, 5·2 in Nottingham, 5·4 in Norwich, 5·6 in Portsmouth, 5·8 in Birmingham, 6·1 in Preston, 6·7 in Brighton, in Bolton, and in Manchester, 8·0 in Burnley, 8·1 in Wolverhampton, 9·0 in Leicester, and 15·5 in Hull. The 63 deaths from *diphtheria* included 19 in London, 13 in Leicester, 8 in Sheffield, 4 in Bristol, 4 in Manchester, and 3 in Portsmouth. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2628 BIRTHS and 1582 DEATHS were registered. Allowing for increase of population, the births were 1, and the deaths 22,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·4, 19·2, and 20·2, in the preceding three weeks, fell again last week to 18·0. During the four weeks ending on Saturday last the death-rate averaged 19·2 per 1000, being 0·4 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1582 deaths included 22 from measles, 4 from scarlet fever, 19 from diphtheria, 31 from whooping-cough, 15 from enteric fever, 259 from diarrhœa and dysentery, 3 from cholera and choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 353 deaths were referred to these diseases, being 45 above the corrected average weekly number.

The deaths from *measles*, which had been 20, 22, and 11 in the preceding three weeks, rose again last week to 22, but were 4 below the corrected average; 3 cases belonged to St. George-in-the-East and 3 to Limehouse sanitary areas. The deaths from *scarlet fever*, which had been 4, 10, and 5 in the preceding three weeks, were 4 last week, the corrected average being 18; 2 cases belonged to Fulham sanitary area. The deaths from *diphtheria*, which had been 17, 14, and 19 in the preceding three weeks, were again 19 last week, the corrected average being 36. The deaths from *whooping-cough*, which had been 44, 44, and 39 in the preceding three weeks, further fell last week to 31, the corrected average being 32. The fatal cases of *enteric fever*, which had been 6, 16, and 8 in the preceding three weeks, rose again last week to 15, and were equal to the corrected average; 4 cases belonged to Hackney, 2 to Poplar, and 2 to St. Pancras sanitary areas. The deaths from *diarrhœa*, which had been 293, 304, and 380 in the preceding three weeks, fell again last week to 259, but were 85 above the corrected average. Of the 259 deaths from diarrhœa, 252 were of children under 5 years of age; 61 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 132, 149, and 138 in the preceding three weeks, further fell last week to 124, and were 25 below the corrected average. The deaths attributed directly to *influenza* numbered 5, having been 2, 3, and 1 in the preceding three weeks.

Different forms of violence caused 53 deaths, concerning all but 1 of which inquests were held. Of these 53 deaths, 6 were cases of suicide, and 1 of homicide, while the remaining 46 were attributed to accident or negligence. Twelve of these were referred to vehicles in the streets, 3 to drowning, 1 to sunstroke, 1 to the effect of an anæsthetic administered for surgical purposes, and 9 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 3 cases of small-pox, 1736 of scarlet fever, 1187 of diphtheria, and 189 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 213 cases, against 157, 140, and 176; of diphtheria, 160 cases, against 148, 119, and 131; and of enteric fever, 38 cases, against 29, 33, and 40.

Greater London.

In Greater London 3779 births and 2174 deaths were registered, corresponding to annual rates of 29·6 and 17·0 per 1000 of the estimated population. In the Outer Ring 10 deaths from measles, 8 from diphtheria, 27 from whooping-cough, 4 from "fever," and 123 from diarrhœal diseases were registered. Six deaths from measles, 14 from whooping-cough, and 37 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·03 inches, and that of the Thermometer 55°·7; the latter being 3°·5 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 34 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 40·8 hours; no rain was measured during the week.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of August, 1900. The supply was in the ratio of 246 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	August. 1899.	August. 1900.	August. 1899.	August. 1900.
Total Supply - - -	878,906	908,600	244,416,842	223,662,334
From Thames - - - - - - -	416,908	433,275	131,771,189	118,350,047
From Lea and from other Sources -	461,998	475,325	112,645,653	105,312,287
Thames.				
Chelsea - - - - - - -	38,426	38,806	14,272,593	13,742,700
West Middlesex - - - - - -	84,369	85,827	23,728,864	21,580,284
Southwark and Vauxhall - -	115,037	124,394	38,152,332	34,430,231
Grand Junction - - - - - -	64,963	66,805	24,034,378	20,585,377
Lambeth - - - - - - -	114,113	117,443	31,583,022	28,011,455
Lea and other Sources				
New River - - - - - - -	167,467	170,741	44,521,050	42,449,674
East London - - - - - -	202,672	209,062	47,416,000	44,267,909
Kent - - - - - - - -	91,859	95,522	20,708,603	18,594,704

Note.—The Return for August, 1900, as compared with that for the corresponding month of 1899 shows an increase of 29,694 services and a decrease of 20,754,508 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during August, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
September 5, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the waters supplied to the Metropolis during the month of August.

Taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was :—Kent 0·6, New River 1·1, Chelsea 2·1, West Middlesex 2·2, Southwark, Lambeth and East London 2·4, and Grand Junction 2·5.

All the samples of water drawn from the mains of the Thames Companies were clear and of good chemical quality. The amounts of organic matter in these supplies were, in all cases, slightly less than those found in the July examination.

The Lea derived supplies of the New River and East London Companies were clear. The New River Company's water contained a very small proportion of organic matter and was of very good chemical quality. The quality of the East London Company's water was similar to that of the average of the Thames derived supplies.

The Kent Company's water was clear and of its usual high organic quality.

Seen through a stratum two feet deep, the Kent Company's water was colourless, that of the New River Company nearly colourless, and the waters of all the remaining Companies were very pale yellow in colour.

I am, Sir,

Your obedient Servant,

T. E. Thorpe.

The Registrar-General,

Somerset House, W.C.

Analysis of Metropolitan Waters.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.		°								
Chelsea - - -	August 13th. Cab Rank, Horse Guards, Whitehall.	18·0	24·32	·103	·018	0	·119	·137	1·7	17·4
West Middlesex -	August 13th. Cab Rank, Riding House-street.	17·2	22·88	·109	·019	0	·103	·122	1·7	16·3
Southwark - -	August 13th. Cab Rank, St. George's Church, Borough.	18·7	24·80	·114	·026	0	·127	·153	1·7	17·4
Grand Junction -	August 13th. Cab Rank, Portman-street, Oxford-street.	18·4	24·68	·118	·027	0	·152	·179	1·8	17·4
Lambeth - - -	August 13th. Cab Rank, St. George's-road, Southwark.	17·1	26·40	·123	·019	0	·155	·174	1·7	18·3
LEA.										
New River - -	August 13th. Cab Rank Tottenham Court-road.	17·3	30·28	·051	·012	0	·186	·198	1·9	20·0
East London - -	August 13th. Cab Rank, Sidney-street, E.	18·0	31·60	·120	·019	0	·135	·154	2·1	19·7
DEEP WELL.										
Kent - - - -	August 13th. Police Station, Blackheath-road.	13·2	40·32	·029	·006	0	·509	·515	2·3	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus :—The Chelsea Company's water, collected on the 13th August at the Horse Guards cab rank, had a temperature of 18·0° C.; 100,000 lbs. of it contained 24·32 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·103 lb. of carbon and ·018 lb. of nitrogen. The above quantity of water also contained no ammonia and ·119 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·137 lb. The above weight of water also contained 1·7 lbs. of chlorine and 17·4 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the Week ending 8th Sept. 1900.	Deaths, the Week ending 8th Sept. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6888**	**4375**	**1781**	**753**	**-**	**37**	**20**	**63**	**101**	**52**	**871**	**118**	**239**	**879**	**44**	**19·6**	**5·1**	**74·1**	**37·6**	**54·7**	**12·61**	**0·07**	**0·18**	**33 Towns**
London	4,589,129	2628	1582	625	309	-	22	4	19	31	15	259	53	110	486	9	18·0	4·0	74·1	40·4	55·7	13·17	0·00	0·00	London.
West Ham	314,472	174	90	37	11	-	4	-	1	11	-	16	7	8	11	1	14·9	5·3	-	-	-	-	-	-	West Ham.
Croydon	131,186	79	38	19	7	-	-	-	-	-	-	7	2	4	4	-	15·1	2·8	68·0	48·5	54·3	12·39	0·01	0·03	Croydon.
Brighton	124,148	63	54	24	8	-	2	-	1	2	-	16	-	3	9	-	22·7	8·8	73·4	44·2	56·4	13·56	0·01	0·03	Brighton.
Portsmouth	194,955	104	92	37	13	-	-	1	3	1	7	21	1	1	18	2	24·6	8·8	-	-	-	-	-	-	Portsmouth.
Plymouth	102,161	54	41	20	9	-	-	-	-	-	-	8	-	1	2	-	20·9	4·1	-	-	-	-	-	-	Plymouth.
Bristol	324,973	209	90	24	18	-	-	3	4	2	-	12	3	4	20	-	14·4	3·4	-	-	-	-	-	-	Bristol.
Cardiff	194,247	108	53	19	13	-	-	-	-	2	-	9	1	3	3	-	14·2	3·0	-	-	-	-	-	-	Cardiff.
Swansea	105,472	52	42	21	6	-	-	-	-	1	-	5	3	5	2	1	20·8	3·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	53	40	18	9	-	-	-	1	-	1	14	-	1	1	1	23·3	9·3	70·3	37·6	52·6	11·44	0·00	0·00	Wolverhampton.
Birmingham	519,610	334	238	106	34	-	2	1	1	3	2	58	6	11	45	7	23·9	6·7	-	-	-	-	-	-	Birmingham.
Norwich	114,855	66	38	19	6	-	-	-	-	1	1	12	2	2	5	2	17·3	6·4	72·6	41·6	55·2	12·89	0·20	0·51	Norwich.
Leicester	219,169	129	111	59	17	-	-	-	13	3	1	38	3	4	13	2	26·4	13·1	-	-	-	-	-	-	Leicester.
Nottingham	242,676	120	99	42	17	-	-	-	2	5	1	24	1	3	15	-	21·3	6·9	67·8	42·3	53·8	12·11	0·00	0·00	Nottingham.
Derby	107,991	47	21	10	6	-	-	-	-	3	-	4	1	2	2	-	10·1	3·4	-	-	-	-	-	-	Derby.
Birkenhead	117,170	71	33	13	6	-	-	-	-	-	2	3	1	4	3	-	14·7	2·2	-	-	-	-	-	-	Birkenhead.
Liverpool	634,780	511	288	89	51	-	1	1	1	5	2	47	12	16	69	11	23·7	4·7	62·5	46·1	55·2	12·89	0·03	0·08	Liverpool.
Bolton	164,240	106	54	23	6	-	-	-	1	-	-	21	1	3	6	-	17·1	7·0	-	-	-	-	-	-	Bolton.
Manchester	548,768	351	254	108	29	-	-	-	4	6	1	70	1	12	36	-	24·1	7·7	-	-	-	-	-	-	Manchester.
Salford	220,816	131	83	37	12	-	-	2	1	1	3	20	-	-	9	-	19·6	6·4	-	-	-	-	-	-	Salford.
Oldham	153,297	104	53	15	9	-	3	4	-	1	-	3	1	4	7	-	18·0	3·7	-	-	-	-	-	-	Oldham.
Burnley	116,730	57	53	31	7	-	-	-	-	2	1	18	-	1	7	1	23·7	9·4	-	-	-	-	-	-	Burnley.
Blackburn	137,107	66	35	17	4	-	-	-	-	-	1	3	-	1	3	1	13·3	1·5	-	-	-	-	-	-	Blackburn.
Preston	118,902	64	61	28	9	-	-	1	-	3	2	14	1	1	4	1	26·8	8·8	64·0	43·0	54·9	12·72	0·13	0·33	Preston.
Huddersfield	104,484	49	33	4	11	-	-	1	-	1	-	1	1	2	5	-	16·5	1·5	66·2	44·3	54·0	12·22	0·03	0·08	Huddersfield.
Halifax	100,710	33	24	2	8	-	-	-	-	1	-	-	1	1	4	2	12·4	0·5	-	-	-	-	-	-	Halifax.
Bradford	291,535	132	71	18	18	-	1	-	-	-	1	2	-	7	11	-	12·7	0·7	68·4	45·2	54·8	12·67	0·21	0·53	Bradford.
Leeds	431,287	255	151	58	24	-	-	-	2	1	3	39	2	7	13	2	18·3	5·4	-	-	-	-	-	-	Leeds.
Sheffield	365,922	219	182	75	34	-	-	-	8	8	2	34	3	4	24	1	25·9	7·4	-	-	-	-	-	-	Sheffield.
Hull	238,736	168	163	87	13	-	1	1	-	3	4	71	3	5	15	-	35·6	17·5	72·0	44·0	54·5	12·50	0·20	0·51	Hull.
Sunderland	147,398	142	64	23	9	-	-	1	-	1	2	7	2	3	4	-	22·6	3·9	-	-	-	-	-	-	Sunderland.
Gateshead	109,403	70	38	20	3	-	-	-	-	3	-	5	1	1	1	-	18·1	3·8	-	-	-	-	-	-	Gateshead.
Newcastle	234,369	139	106	53	17	-	1	-	1	-	-	10	5	5	22	-	23·6	2·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	2469	2496	2604	2556	2369	2486	2449	2655	2446	2442	2627·1	2628
Males	1268	1298	1316	1327	1203	1246	1281	1374	1222	1212	1341·0	1307
Females	1201	1198	1288	1229	1166	1240	1168	1281	1224	1230	1286·1	1321
TOTAL **Deaths**	1514	1217	1361	1560	1175	1358	1308	1391	2097	1934	1559·6	1582
Males	772	644	705	796	629	704	685	708	1049	967	805·7	861
Females	742	573	656	764	546	654	623	683	958	967	753·9	721

*The numbers in this column are the average weekly numbers in the thirty-sixth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8
TOTAL **Births**	2646	2464	2483	2466	2479	2384	2507	2701	2332	26[illegible]1	2677	2763	2628
TOTAL **Deaths**	1533	1171	1274	1191	1252	1417	1846	1768	1804	1706	1691	1776	1582
Ages at Death: Under 1 year	335	257	283	243	292	368	671	797	796	659	673	801	625
1—5 years	203	149	179	145	153	210	236	184	204	166	196	187	167
5—20 "	90	72	84	70	69	82	75	71	74	85	81	71	91
20—40 "	223	147	179	193	183	163	213	145	167	184	174	167	151
40—60 "	325	270	289	275	247	269	294	263	259	288	245	279	239
60—80 "	288	231	220	217	249	272	288	252	233	257	257	215	265
80 years and upwards	71	45	40	48	59	53	69	56	71	67	65	56	44
Deaths from—													
Small pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	64	42	53	35	42	54	30	29	25	20	22	11	22
Scarlet Fever	5	9	12	10	4	5	6	5	6	4	10	5	4
Diphtheria	28	21	29	20	26	21	27	24	25	17	14	19	19
Whooping-cough	49	35	53	37	43	40	47	44	44	44	44	39	31
Typhus	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	8	4	12	7	13	9	13	7	7	6	16	8	15
Simple Continued Fever	1	-	-	-	-	1	1	-	-	1	1	1	-
Diarrhœa and Dysentery	15	20	17	20	27	100	292	389	386	293	304	380	259
Cholera	-	-	-	1	-	-	8	9	13	6	10	12	3
All the above Diseases	170	131	176	130	155	230	424	507	506	392	421	475	353
Dis. of Respiratory System	257	181	180	140	160	169	196	136	128	132	149	138	124
Phthisis	151	123	138	148	138	126	151	133	149	155	116	150	128
Dis. of Circulatory System	107	109	120	129	130	106	130	97	119	126	103	121	117
Violence	97	64	71	63	56	77	93	82	58	55	76	45	53
Inquest Cases	181	128	135	132	115	133	155	155	127	128	139	111	110
Deaths in Public Institutions	525	376	421	408	406	452	509	415	473	489	465	450	486
TEMPERATURE OF THE AIR.													
Mean	64°·4	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7
Mean of Highest readings	75·4	69·5	66·7	67·4	77·0	86·6	82·8	72·0	65·3	78·8	71·7	66·8	67·3
Mean of Lowest readings	53·9	52·2	51·2	53·2	54·1	57·9	61·3	54·9	50·8	55·2	52·8	52·8	45·4
Humidity of the Air	72	72	80	73	62	60	65	71	84	67	77	77	74
Rain-fall (in inches)	0·44	0·77	1·15	0·57	0·00	0·00	0·84	0·58	0·74	0·05	0·56	0·62	0·00
Registered Sunshine (in hours)	60·0	52·9	23·5	47·5	76·2	83·2	58·8	50·4	18·0	72·7	45·8	21·8	40·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK													
Small-pox	15	13	16	17	17	14	11	7	5	2	1	2	3
Scarlet Fever	1766	1810	1832	1843	1861	1877	1859	1827	1838	1793	1726	1702	1736
Diphtheria	1228	1226	1219	1207	1212	1236	1271	1261	1263	1250	1211	1180	1187
Enteric Fever	153	147	148	155	143	135	129	137	143	146	159	170	189

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton: A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SIXTH Week of the Year 1900.

F DEATH	Corrected Averages for the 36th Week of the 10 years 1890-99*.	In the Week ending Saturday, 8th September, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 10. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
- - -	1559·6	1582	625	167	91	151	239	265	44
accinated† -	0·3	-	-	-	-	-	-	-	-
nvaccinated	0·4	-	-	-	-	-	-	-	-
o Statement	0·4	-	-	-	-	-	-	-	-
- - -	26·2	22	6	16	-	-	-	-	-
er - - -	18·4	4	-	2	2	-	-	-	-
- - -	-	-	-	-	-	-	-	-	-
ever - -	-	-	-	-	-	-	-	-	-
- - -	3·7	5	-	-	-	1	2	2	-
ough - -	31·9	31	15	16	-	-	-	-	-
- -	35·8	19	-	9	10	-	-	-	-
ntinued and	0·2	-	-	-	-	-	-	-	-
l Fever -	15·1	15	-	-	6	6	1	2	-
er - - -	4·7	3	3	-	-	-	-	-	-
l Chol. Diarr.	174·4	259	221	31	-	-	1	5	1
Dysentery -	-	-	-	-	-	-	-	-	-
Fever - -	-	-	-	-	-	-	-	-	-
ia - - -	-	-	-	-	-	-	-	-	-
- - -	-	-	-	-	-	-	-	-	-
d Effects of	0·3	-	-	-	-	-	-	-	-
on - -	10·7	4	2	-	-	-	2	-	-
fections - -	4·7	3	-	-	-	1	1	1	-
- - -	1·1	2	-	1	-	1	-	-	-
d Septicæmia	4·1	2	-	-	-	2	-	-	-
Fever - -	0·7	-	-	-	-	-	-	-	-
- - -	1·7	-	-	-	-	-	-	-	-
other Para- seases -	0·5	1	-	-	-	1	-	-	-
Want of	2·0	3	3	-	-	-	-	-	-
ilk - -	12·2	10	-	-	-	3	5	2	-
- - -									
e Fever, tism of Heart	7·8	4	-	-	3	1	-	-	-
sm - - -	2·7	-	-	-	-	-	-	-	-
- - - -	2·3	1	-	-	-	1	-	-	-
- - - -	4·4	5	4	1	-	-	-	-	-
- - - -	77·0	62	-	-	-	4	22	36	-
enterica - -	36·3	35	26	6	1	2	-	-	-
r Meningitis -	22·9	21	5	9	6	1	-	-	-
- - - -	143·9	128	-	-	8	53	53	14	-
Tuberculosis -	23·0	30	9	7	6	4	4	-	-
Constitutional - -	12·0	12	-	1	1	3	2	5	-
e Birth - -	46·4	50	50	-	-	-	-	-	-
s - - -	3·8	5	5	-	-	-	-	-	-
l Malforma- - - -	6·6	7	7	-	-	-	-	-	-
- - - -	42·2	35	-	-	-	-	-	16	19
- - -	38·9	41	-	-	-	2	13	22	4
- - -	6·8	5	-	-	1	2	2	-	-
ns - - -	41·8	38	35	3	-	-	-	-	-
eases of Brain rvous System	73·6	78	16	10	4	4	18	23	3
of Organs of Sense -	2·7	3	-	-	2	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 36th Week of the 10 years 1890-99*.	In the Week ending Saturday, 8th September, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 10. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	115·1	117	-	2	18	16	24	49	8
Croup - - - -	2·9	1	-	-	1	-	-		
Bronchitis - - -	65·9	62	20	6	-	1	3	29	3
Pneumonia - - -	60·3	50	12	13	1	6	12	6	-
Pleurisy - - - -	3·8	1	-	-	-	-	-	1	-
Other Diseases of Respiratory System -	16·4	10	6	1	-	-	-	2	1
Dentition - - - -	6·5	4	4	-	-	-	-	-	-
Quinsy, Sore Throat -	2·0	3	-	-	1	-	1	1	-
Enteritis - - -	77·0	46	22	7	4	1	3	8	1
Gastro-enteritis -		63	48	13	1	-	1	-	-
Peritonitis - - -	6·1	4	-	-	-	2	1	1	-
Diseases of Liver - -	26·4	23	-	1	-	4	12	6	-
Other Diseases of Digestive System	31·0	39	12	4	3	3	11	6	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	2	-	-	-	1	1	-	-
Diseases of Urinary System - - -	40·8	58	2	2	1	9	21	20	3
Diseases of Generative System - - -	4·2	2	-	-	-	-	2	-	-
Accidents of Childbirth -	6·2	6	-	-	-	6	-	-	-
Diseases of Locomotive System - - -	5·2	2	-	-	2	-	-	-	-
Diseases of Integumentary System - -	7·6	13	4	1	-	-	5	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		2	-	-	-	-	2	-	-
By Vehicles or Horses -		12	-	1	2	3	4	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		2	-	-	-	1	1	-	-
In Building Operations -		2	-	-	-	-	2	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	50·6	3	-	3	-	-	-	-	-
By Drowning - -		3	-	-	1	1	1	-	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	1	-	-	1	-
Other or not stated causes - - - -		11	2	-	3	1	4	1	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·9	1	-	-	1	-	-	-	-
Suicide - - - -	7·7	6	-	-	-	3	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	76·3	80	77	1	1	-	-	1	-

numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ation.

those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the death is not certified by a registered practitioner, the case is returned under the heading "no statement."

evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of , murder, manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered SUB-DISTRICT during the Week ending Saturday, 8th September, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2628	1582	625	309	-	22	4	19	31	-	15	-	259	53	110
WEST DISTRICTS - - -	778,251	391	228	84	56	-	2	2	3	1	-	2	-	36	3	18
NORTH DISTRICTS - - -	1,040,694	584	303	108	75	-	3	1	5	4	-	7	-	39	10	22
CENTRAL DISTRICTS - - -	233,635	96	88	34	9	-	-	-	1	2	-	-	-	15	7	9
EAST DISTRICTS - - -	716,334	497	316	126	50	-	8	-	1	3	-	1	-	42	16	36
SOUTH DISTRICTS - - -	1,642,796	1060	615	273	106	-	9	1	9	21	-	5	-	127	17	25
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	13	-	-	-	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	49	29	11	9	-	-	-	-	-	-	-	-	5	1	1
St. John Paddington *H* - - G.	33,510	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - - W.	122,164	53	46	12	14	-	1	-	-	-	-	-	-	6	-	2
Brompton *HH*- - - W. & C.	48,301	8	8	3	5	-	-	-	-	-	-	-	-	1	-	2
North Hammersmith *H* } W. & G	44,638	40	12	10	1	-	-	-	-	-	-	-	-	3	-	-
South Hammersmith *H* } W. & G	59,561	27	23	10	6	-	-	-	-	-	-	-	-	4	-	-
Fulham *Ww* - - - W. & C.	113,781	88	45	17	7	-	-	2	3	-	-	-	-	8	-	8
Chelsea Kensal Town - C.	21,450	10	5	3	1	-	-	-	-	-	-	1	-	1	-	-
Chelsea North *WHHHH* - C.	42,057	17	15	4	4	-	-	-	-	-	-	-	-	2	-	-
Chelsea South *HH* - - C.	33,139	23	5	2	2	-	-	-	-	-	-	-	-	2	-	-
May Fair *WH*- - - - G.	23,827	1	12	3	3	-	-	-	-	-	-	-	-	2	-	-
Belgrave *WHHH* - - - C.	56,140	25	12	5	-	-	-	-	-	1	-	1	-	2	1	2
St. John Westminster *HH* - C.	31,492	10	7	1	1	-	1	-	-	-	-	-	-	-	-	2
St. Margaret Westminster *H*- C.	22,097	9	7	2	1	-	-	-	-	-	-	-	-	-	1	1
St. James Westminster *WH* N. & G.	23,050	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHH* - - W.	36,595	19	10	1	2	-	-	-	-	-	-	-	-	-	1	1
Rectory Marylebone *W* G. & W.	19,798	11	6	2	1	-	-	-	-	-	-	-	-	1	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	17	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H* - W	32,547	10	4	1	1	-	-	-	1	-	-	-	-	1	-	-
St. John Marylebone *HHH* - W.	32,611	12	7	4	1	-	-	-	-	-	-	-	-	2	-	2
Hampstead *WwHHHH* - N. & W.	75,449	33	15	6	5	-	-	1	-	-	-	1	-	2	-	-
Regent's Park † *HH* - W.	51,403	24	4	-	2	-	-	-	1	-	-	-	-	-	-	-
Tottenham-court *wHHHHH* - N. & W.	26,757	17	8	3	1	-	-	-	-	-	-	-	-	1	-	1
Gray's Inn Lane *HHHH* - N.	29,426	21	10	4	1	-	-	-	-	-	-	-	-	3	1	1
Somers Town *HH* - - - N.	32,161	22	10	5	1	-	-	-	-	-	-	1	-	4	2	2
Camden Town† *WH* - - N.	40,155	23	15	3	6	-	1	-	-	1	-	-	-	1	1	1
Kentish Town† *WW* - - N.	60,862	37	21	5	6	-	-	-	1	-	-	-	-	1	1	1
Upper Holloway *WWWWwHH* - - N.	98,273	47	49	15	12	-	-	-	-	1	-	-	-	5	2	2
Lower Holloway‡ - - - N.	41,805	22	7	2	1	-	-	-	-	-	-	-	-	-	1	1
Barnsbury‡ - - - N.	56,384	44	13	5	4	-	1	-	-	-	-	-	-	4	-	1
Islington South-east‡ *H* - N.	75,725	30	15	6	5	-	-	-	-	1	-	-	-	2	-	2
Highbury *HH* - - - N.	64,577	34	20	11	4	-	-	-	-	1	-	-	-	2	-	-
Stoke Newington *H* - - N.	33,485	15	5	2	1	-	-	-	-	-	-	-	-	2	-	-
North Hackney - - E. & N.	213,044	31	9	4	2	-	-	-	-	-	-	1	-	2	-	1
Central Hackney *ww* - E. & N.		34	16	7	2	-	-	-	2	-	-	2	-	2	1	1
South-west Hackney *HHH* E. & N.		39	24	7	5	-	1	-	-	-	-	2	-	1	-	1
South-east Hackney *WwH* E. & N.		42	32	15	10	-	-	-	-	-	-	-	-	3	-	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupe received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South Sub-District

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER. DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 8th September, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	5	12	3	3	-	-	-	-	1	-	-	-	-	-	-	4	-
ith WH - - }																		
iles North H - - - N.	9,151	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
artin-in-the-Fields HH N. & C.	13,077	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-
nd WHH - - - - N.	11,839	3	4	1	-	-	-	-	-	-	-	-	-	-	2	2	2	-
nd Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn WwHHHHH - N.	31,042	13	17	9	1	-	-	-	-	1	-	-	-	7	-	-	15	-
mes Clerkenwell - - N.	15,777	3	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
well Clerkenwell - - N.	34,356	10	10	6	-	-	-	-	-	-	-	-	-	2	-	1	-	-
well-street - - - - N.	16,069	10	5	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
-road HHHHL - - N.	29,897	28	7	4	-	-	-	-	-	-	-	-	-	4	1	1	1	-
tecross-street - - - N.	7,595	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury - - - - - N.	4,035	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } tcham - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph* H - - N. & E.	13,061	7	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre WH - - - N.	9,591	1	18	3	2	-	-	-	1	-	-	-	-	-	1	1	16	1
allows Barking - - - N.	9,059	1	3	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South Hl - E. & N.	17,975	6	7	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-
ton New Town w - - N.	29,575	15	14	4	7	-	-	-	-	-	-	-	-	3	-	1	8	-
ton Old Town - - - N.	27,645	18	7	6	1	-	-	-	-	-	-	-	-	1	-	1	-	-
gerston WH - - N. & E.	47,163	39	29	12	9	-	-	-	-	1	-	-	-	5	1	1	14	-
hnal Green North H - E.	49,301	32	16	8	-	-	-	-	-	-	-	-	-	4	2	2	-	-
hnal Green South - - E.	34,194	26	10	2	-	-	1	-	-	-	-	-	-	1	1	1	-	-
hnal Green East WWHl - E.	45,667	20	15	3	4	-	-	-	-	-	-	-	-	2	1	1	6	-
talfields - - - E. & N.	26,681	14	6	5	-	-	-	-	-	1	-	-	-	1	1	1	-	-
e End New Town WH - E. }	51,995 {	20	35	8	3	-	-	-	-	-	-	1	-	-	-	2	30	-
dman's Fields - - - E. }		13	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	34	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
John, St. George East W E.	7 930	8	13	2	3	-	2	-	-	-	-	-	-	2	-	2	9	-
dwell H - - - E. & N.	10,434	5	12	5	1	-	-	-	-	-	-	-	-	3	-	-	10	-
tcliff W - - - - E.	14,954	13	5	3	1	-	-	-	-	-	-	-	-	1	2	2	-	-
nehouse - - - - E.	32,917	22	16	6	-	-	3	-	1	1	-	-	-	1	-	3	-	-
le End Old Town West H E. }	111,060 {	55	13	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-
le End Old Town East } - E.		36	31	10	10	-	1	-	-	-	-	-	-	2	3	6	12	-
WWww }																		
w l - - - - E.	41,687	29	18	11	5	-	-	-	-	-	-	-	-	2	1	2	-	-
omley wwwH - - - E.	69,821	41	38	18	2	-	1	-	-	-	-	-	-	7	2	5	15	-
plar WW - - - - E.	57,759	51	17	8	2	-	-	-	-	-	-	-	-	4	-	2	1	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 8th September, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	12	6	3	1	-	-	-	-	-	-	-	-	2	-	-	-
St. Saviour Southwark - - S.	12,301	8	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Kent-road - - - - S. & L.	22,879	13	8	1	-	-	-	-	-	2	-	-	-	3	-	-	-
Borough-road *WH* - S. & L.	16,083	12	12	5	-	-	-	-	-	-	-	-	-	1	2	1	6
London-road *HL* - - L. & S.	21,316	16	10	2	3	-	1	-	-	-	-	-	-	1	-	-	1
Trinity Newington *H* - S. & L.	28,723	22	7	4	1	-	-	-	-	-	-	-	-	3	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	41	19	8	3	-	-	-	-	1	-	-	-	3	-	1	2
St. Mary Newington- - L. & S.	30,171	23	8	7	1	-	-	-	-	-	-	-	-	3	-	-	-
St. Olave *WH*- - - - S.	11,731	6	23	8	1	-	-	-	-	-	-	-	-	1	5	5	19
Bermondsey *W* - - - S.	85,475	56	39	22	3	-	-	-	-	2	-	-	-	11	-	2	1
Rotherhithe *Ww* - S. & K.	40,379	27	22	11	4	-	-	-	-	1	-	-	-	6	-	-	6
Waterloo-road *HH* - L. & S.	28,396	24	12	6	-	-	1	-	-	-	-	-	-	2	-	-	-
Lambeth Church 1st *H* - L. & S.	18,770	10	23	3	2	-	-	-	-	-	-	-	-	2	2	2	15
Lambeth Church 2nd *WW* L. & S.	40,994	40	27	6	12	-	-	-	-	-	-	-	-	3	1	2	16
Kennington 1st *H* - - S. & L.	52,486	47	10	5	-	-	1	-	-	1	-	-	-	3	1	1	1
Kennington 2nd - - S. & L.	43,244	12	7	1	4	-	-	-	-	-	-	-	-	1	-	-	-
Brixton *w* - - - L. & S.	81,825	48	17	8	2	-	-	-	-	-	-	-	-	2	1	2	-
Norwood *WH*- - - - L.	29,318	16	4	3	-	-	-	-	-	-	-	-	-	2	-	1	-
East Battersea - - - - S.	71,730	47	18	14	1	-	-	-	-	3	-	-	-	8	-	-	-
North-west Battersea† - - S.	93,385	37	13	9	1	-	-	-	-	-	-	-	-	3	-	-	-
South-west Battersea† *WwH* - S.		17	12	2	5	-	-	-	-	1	-	-	-	1	1	1	9
Clapham *H* - - - - S.	46,953	36	15	8	3	-	-	-	-	2	-	-	-	2	-	1	-
Streatham *WwwwL* - - L.	61,644	46	20	8	5	-	-	1	1	-	-	-	-	4	1	1	2
Wandsworth *WHHL* - - S.	58,101	29	15	7	1	-	-	-	-	1	-	-	-	4	-	-	-
Putney - - - - - S.	20,566	13	4	4	-	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Camberwell *WWwll* - S. & L.	90,286	45	48	15	15	-	-	-	-	-	-	-	-	8	-	-	27
Peckham *WW* - S., L., & K.	88,242	60	22	10	6	-	-	-	-	1	-	-	-	6	-	-	-
St. George Camberwell - L. & S.	67,029	43	18	10	2	-	-	-	-	1	-	-	-	4	-	-	-
Deptford North - - - K.	36,152	25	15	8	3	-	1	-	-	-	-	-	-	3	-	-	-
Deptford Central *w* - - K.	45,441	37	22	14	2	-	1	-	1	-	-	-	-	4	-	-	3
Deptford South - - - K.	33,402	22	10	6	-	-	-	-	-	-	-	-	-	3	1	1	-
Greenwich West *H* - - K.	23,012	14	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	22	25	8	8	-	-	-	-	-	-	-	-	3	-	-	11
Eltham *wH* - - - - K.	5,911	3	5	5	-	-	-	-	-	-	-	-	-	1	-	-	1
Lee *H* - - - - - K.	24,222	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	31	36	16	7	-	1	-	3	2	-	3	-	8	-	1	14
Sydenham *H* - - - - L.	37,601	23	8	3	2	-	-	-	-	-	-	1	-	2	-	-	-
Charlton *wHH* - - - K.	15,928	12	15	6	1	-	1	-	4	-	-	1	-	1	-	-	6
Woolwich* *HHHH* - - K.	41,314	21	19	8	3	-	1	-	-	1	-	-	-	6	1	2	1
Plumstead West *H* - - K.	16,714	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	42,538	26	11	4	1	-	-	-	-	1	-	-	-	4	1	1	4
Banstead Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
Claybury Asylum - - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 8th September, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON-OUTER RING -	368,749	1,422,063	1,151	592	293	95	-	10	-	8	27	4	115	16	32	54	6
1	Carshalton *H* - - -	12,228	26,108	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	5	5	-	4	-	-	-	-	-	-	-	-	-	2	-
1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	86	44	23	9	-	-	-	-	-	-	8	2	4	4	-
2	Mitcham *w* - - -	11,697	23,072	8	5	2	-	-	-	-	2	-	-	2	1	1	-	-
1	Wimbledon *HHH* - -	3,220	25,777	21	11	5	4	-	-	-	-	-	1	1	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	23	11	5	3	-	-	-	-	2	-	-	-	-	-	-
3	Surbiton *HH* - - -		12,178	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	11	7	3	1	-	-	-	-	1	-	2	-	-	-	-
1	Richmond *WHH* - -	2,160	25,389	16	8	3	3	-	-	-	-	-	-	1	-	2	3	-
2	Mortlake *H* - - -	2,823	16,159	13	5	3	2	-	-	-	-	1	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	15	8	3	2	-	-	-	-	-	-	3	1	2	1	-
2	Beckenham *H* - - -	6,542	21,969	16	6	3	-	-	-	-	-	-	-	-	-	-	1	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	12	7	5	-	-	-	-	-	-	-	1	-	-	2	-
1	Bexley *HHH* - - -	12,540	30,590	38	18	10	2	-	-	-	-	-	1	5	-	1	-	-
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	13,671	10	3	1	1	-	-	-	-	-	-	1	-	-	-	1
2	Staines *WH* - - -	13,277	13,221	10	10	7	3	-	-	-	-	-	-	3	-	-	1	-
1	Hillingdon *WHH* - -	6,035	12,237	6	7	4	-	-	-	-	-	2	-	2	-	-	-	1
2	Uxbridge - - - -	12,757	7,253	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	7	5	1	-	-	1	-	-	-	-	1	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	17	14	6	4	-	-	-	-	-	-	1	-	-	5	1
2	Twickenham *HH* - -	2,415	16,027	14	5	2	1	-	-	-	-	-	-	1	1	2	-	-
3	Brentford *HHHH* - -	4,318	37,777	26	15	6	3	-	-	-	-	-	-	6	-	1	-	-
4	Chiswick - - - -	1,245	21,963	9	11	7	1	-	1	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	24	8	6	1	-	-	-	-	-	-	5	-	-	-	-
1	Harrow *HHH* - - -	13,809	15,715	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	75	40	24	3	-	-	-	2	1	1	8	-	1	4	1
4	Hendon *WH* - - -	8,382	15,843	7	8	2	2	-	-	-	-	-	-	1	-	-	4	-
1	South Mimms *HH* - -	21,077	6,367	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	6	6	1	3	-	-	-	-	-	-	-	-	-	4	-
3	Finchley *HHH* - - -	4,688	25,820	16	8	5	-	-	-	-	-	1	-	1	-	-	-	-
1	Hornsey *HH* - - -	3,039	61,097	47	14	7	2	-	-	-	-	-	-	3	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	94	38	20	2	-	-	-	-	4	-	5	2	3	1	-
3	Edmonton *Ww* - -	7,489	36,351	39	25	10	5	-	-	-	-	-	-	5	-	-	1	-
4	Enfield *WWHH* - -	12,602	31,536	26	19	10	2	-	-	-	2	-	-	5	-	-	3	-
5	Waltham Abbey - - -	11,017	6,066	3	5	3	2	-	-	-	-	-	-	2	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	3	4	1	1	-	-	-	1	1	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	38,612	31	14	6	-	-	1	-	-	4	-	3	1	1	1	-
2	Plaistow *HHH* - - -		58,030	62	28	15	-	-	2	-	-	3	-	5	2	2	1	-
3	Canning Town *H* - -		54,750	55	28	10	3	-	-	-	1	3	-	4	4	4	1	1
4	Forest Gate *w* - - -		53,511	26	12	6	4	-	-	-	-	1	-	3	-	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	59	27	19	2	-	-	-	-	-	-	8	-	-	-	1
6	Leyton *WWWwH* - -	4,334	70,188	53	40	21	8	-	3	-	-	1	1	9	-	2	12	-
7	Walthamstow *HHHL* -	6,501	57,330	53	22	17	1	-	-	-	-	2	-	5	2	3	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	8	4	-	3	-	-	-	-	-	-	1	-	-	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	29	8	5	-	-	1	-	-	-	-	4	-	-	-	-
3	Barking Town, *H* - -	3,814	14,301	16	12	5	-	-	1	-	-	-	-	-	-	2	-	-
	Middlesex County Asylum, Wandsworth.			-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping pp. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fections Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS an Rates of MORTALITY during the week ending Saturday, 8th September, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	443,421	6,652,145	17·0	4·0	2174	918	404	-	32	4	27	58	19	374	69
INNER LONDON -	74,672	4,589,129	18·0	4·0	1582	625	309	-	22	4	19	31	15	259	53
OUTER RING -	368,749	2,063,016	15·0	4·1	592	293	95	-	10	-	8	27	4	115	16

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	September 8	137	88	15·2	-	2	1	1	1	-
GLASGOW - -	743,585	" 8	455	256	18·0	-	3	3	2	11	2‡
DUBLIN† - -	349,594	" 8	225	149	22·2	-	-	-	-	5	1
CALCUTTA - -	466,460	July 21	-	281	31·4	9	2	-	2	1	111‡
BOMBAY - -	821,764	August 14	241	1536	97·2	1	5	?	?	?	170‡
MADRAS - -	452,518	" 3	431	451	51·8	2	3	?	?	?	124
PARIS - - -	2,511,629	September 1	1110	815	16·8	2	4	1	2*	5	20
BRUSSELS - -	561,130	" 1	230	185	16·2	-	3	-	-	-	7
AMSTERDAM -	526,538	August 25	271	152	15·0	-	4	-	-	-	2
ROTTERDAM -	325 556	" 25	241	99	15·8	-	1	-	-	1	-
THE HAGUE -	205,328	" 25	108	62	15·5	-	-	-	-	-	1
COPENHAGEN -	349,000	September 1	179	120	17·9	-	-	-	-	-	3
STOCKHOLM -	297,148	August 25	158	103	18·0	-	-	-	2*	2	-
CHRISTIANIA -	221,255	September 1	126	64	14·7	-	3	-	-	3	-
ST. PETERSBURG	1,132,677	August 25	545	626	28·8	11	14	11	21	5	22
MOSCOW - -	988,610	" 25	-	-	-	-	-	-	-	-	-
BERLIN - -	1,848.269	" 18	941	828	23·2	-	11	17	3	8	3
HAMBURG - -	691,349	September 1	-	255	19·2	-	1	2	1*	2	1
DRESDEN - -	403,400	August 4	-	165	21·1	-	1	-	1*	1	-
BRESLAU -	412,959	September 1	-	255	32·2	-	-	-	-	6	4
MUNICH - -	463,000	August 25	-	251	28·2	-	-	-	3*	2	-
VIENNA - -	1,656.662	September 1	826	584	18·4	-	2	3	5*	4	3
PRAGUE - -	385,952	August 18	164	150	19·9	-	-	-	1	-	1
BUDA-PESTH -	685,340	" 18	403	304	23·1	-	1	5	-	2	-
		" 25	459	258	19·5	-	3	3	-	-	2
TRIESTE - -	168,264	September 1	103	101	31·2	-	-	1	1*	-	1
ROME - - -	514,306	August 11	247	173	17·5	-	1	-	-	-	8‖
TURIN (10 days)-	344,203	July 20	170	169	17·9	-	2	-	-	1	3
VENICE - -	172,491	August 25	82	61	18·4	-	-	-	1*	-	3
CAIRO - -	570,062	July 22	404	495	45·2	-	39	-	4*	1	16
		" 29	419	509	46·4	1	33	-	2*	1	7
ALEXANDRIA -	319,766	" 22	223	214	34·8	4	-	-	3*	-	4‡
		" 29	234	213	34·6	1	-	-	-	1	6
NEW YORK (including BROOKLYN)	3,654,594	August 11	1441	1384	19·8	1	5	3	27	15	16
PHILADELPHIA -	1,266.832	" 18	-	550	22·6	-	2	1	10	2	8

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including one death from plague in Glasgow, 32 in Calcutta, 54 in Bombay, and 2 in Alexandria.
§ Including 29 deaths from cholera in Calcutta, 339 in Bombay, and 13 in Madras.
‖ Including 3 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air. Highest.	Of the Air. Lowest	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	the Air Temperature and Dew Point Temperature. Mean daily value.	the Air Temperature and Dew Point Temperature. Greatest.	the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SEPTEMBER.																									
SUNDAY -	2	First Quarter.	29·945	61·0	50·6	10·4	55·1	− 4·6	46·7	8·4	11·6	1·8	74	80·7	45·6	61·12	NW. & WSW.	NNW., N. & NNE.	2·2	0·0	0·1	222	− 34	0·00	0·0
MONDAY -	3	Greatest Dec. S.	30·269	62·1	44·9	17·2	53·2	− 6·4	43·4	9·8	16·2	2·2	69	129·0	38·9	61·08	N. & NE.	NNE. & calm.	2·7	0·0	0·2	231	− 27	0·00	0·0
TUESDAY -	4	..	30·222	63·8	40·4	23·4	52·4	− 7·0	45·8	6·6	15·8	0·0	78	92·1	34·1	60·76	Variable	NW. & NNW.	0·3	0·0	0·0	121	−140	0·00	0·0
WEDNESDAY	5	..	30·085	68·8	43·1	25·7	55·4	− 3·9	47·6	7·8	19·4	0·0	75	107·9	35·0	60·38	SW.	NW., NNW. & SW.	1·0	0·0	0·0	164	−100	0·00	0·0
THURSDAY-	6	..	30·005	72·1	41·7	30·4	56·3	− 2·8	46·8	9·5	23·8	0·9	71	127·7	31·5	60·00	SW. & WSW.	WSW & SW.	1·2	0·0	0·0	190	− 76	0·00	0·0
FRIDAY -	7	..	29·858	74·1	46·3	27·8	59·7	+ 0·8	48·8	10·9	23·3	1·3	67	128·2	37·2	59·71	SW.	WSW. & variable.	0·7	0·0	0·0	125	−144	0·00	0·0
SATURDAY-	8	..	29·821	68·9	50·9	18·0	57·9	− 0·8	53·5	4·4	15·3	0·0	85	112·7	43·0	59·46	WSW. & N.	N. & S.	1·1	0·0	0·1	168	−103	0·00	0·0
MEANS -			30·029	67·3	45·4	21·8	55·7	− 3·5	47·5	8·2	17·9	0·9	74	111·2	37·9	60·36	Variable		..	..	..	Sum 1221	Sum −624	Sum 0·00	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	2	w. P. generally.	0·1	13·5	Fine generally in early morning; overcast till 5h. P.M., fine afterwards. A slight shower at 8h. A.M.
MONDAY -	3	w. P. till afternoon; m. P. afterwards.	7·5	13·4	Fine and partially cloudy. Cloudless at night.
TUESDAY -	4	w. P. till 9h. A.M.; m. P. afterwards.	3·8	13·4	Fine generally. Slight fog in morning and at night. Dense haze in forenoon.
WEDNESDAY	5	w. P. till noon; m. P. afterwards	7·7	13·3	Very fine generally; with small amounts of cloud. Foggy in early morning. Solar halo observed at 1h. P.M.
THURSDAY-	6	w. P. till 9h. A.M.; m. P. generally afterwards.	10·6	13·2	A very fine day, and cloudless with slight exceptions.
FRIDAY -	7	m. P. generally.	5·5	13·2	Fine and partially cloudy.
SATURDAY-	8	s. P. and s. N. till 3 h. A.M.; w. P. till 9 h. A.M.; m. P. till 8h. P.M.; w. P. afterwards.	5·6	13·1	Cloudy, with light showers in early morning; fine, with variable amounts of cloud afterwards.
			Sum 40·8	Sum 93·1	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·87 in. at the beginning of the week to 30·30 in. by 11h. P.M. on the 3rd; decreased to 29·76 in. by 4h. A.M. on the 8th; and increased to 29·87 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 37. 1900. Vol. LXI.] Week ending Saturday, Sept. 15. [Price 1½*d*.

General Register Office, Somerset House,
September 17th, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 19·8, 21·7, and 19·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Towns.	Weeks ending Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
33 Great Towns	19·8	21·7	19·6	18·2	Leicester - -	20·5	21·4	26·4	18·6
Birkenhead -	16·9	18·2	14·7	15·1	Liverpool - -	22·8	25·2	23·7	23·2
Birmingham -	24·4	27·9	23·9	19·8	London - - -	19·2	20·2	18·0	16·7
Blackburn -	17·1	16·4	13·3	17·9	Manchester - -	21·3	25·7	24·1	25·4
Bolton - -	20·3	26·0	17·1	22·2	Newcastle-on-Tyne	19·4	19·1	23·6	19·6
Bradford -	13·2	14·1	12·7	11·1	Norwich - -	15·4	21·3	17·3	9·1
Brighton -	18·1	23·1	22·7	13·9	Nottingham - -	19·8	19·6	21·3	19·3
Bristol - -	16·0	18·9	14·4	17·8	Oldham - -	22·4	17·7	18·0	15·3
Burnley -	13·8	20·1	23·7	17·4	Plymouth - -	28·6	26·0	20·9	17·4
Cardiff - -	11·3	14·2	14·2	10·7	Portsmouth - -	17·9	22·5	24·6	20·9
Croydon -	13·5	12·3	15·1	11·9	Preston - -	30·7	33·3	26·8	25·4
Derby - -	15·0	19·3	10·1	12·1	Salford - - -	25·5	27·4	19·6	22·4
Gateshead -	25·3	21·0	18·1	18·1	Sheffield - -	25·9	33·6	25·9	26·8
Halifax -	13·5	11·9	12·4	11·4	Sunderland - -	19·8	17·7	22·6	21·6
Huddersfield-	14·5	17·5	16·5	15·5	Swansea - -	11·4	20·3	20·8	23·7
Hull - -	24·0	30·6	33·4	19·4	West Ham - -	18·4	21·1	14·9	15·9
Leeds - -	19·6	21·4	18·3	19·2	Wolverhampton -	28·5	22·1	23·3	12·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *scarlet fever*, 1·1 in Sunderland ; from *whooping-cough*, 1·2 in Croydon, 1·4 in Derby, and 2·4 in Gateshead ; from "*fever*," 1·3 in Portsmouth, and 2·5 in Sunderland; and from *diarrhœa*, 3·2 in Liverpool, 3·5 in Birmingham and in Bolton, 3·6 in Birkenhead, 3·8 in Sheffield, 4·0 in Swansea and in Burnley, 5·9 in Leicester, 6·0 in Manchester, 6·1 in Hull, and 8·3 in Preston. In none of the thirty-three towns did the death-rate from *measles* reach 1·0 per 1000. The 57 deaths from *diphtheria* included 17 in London, 9 in Leicester, 6 in Bristol, 5 in Salford, 4 in Sheffield, 3 in Leeds, and 3 in Cardiff. One death from *small-pox* was registered in Liverpool, but not one in any other of the thirty-three towns.

London.

In London† 2519 births and 1470 deaths were registered. Allowing for increase of population, the births were 174, and the deaths 19,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·2, 20·2, and 18·0, in the preceding three weeks, further fell last week to 16·7. During the four weeks ending on Saturday last the death-rate averaged 18·5 per 1000, being 0·6 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1470 deaths included 17 from measles, 3 from scarlet fever, 17 from diphtheria, 57 from whooping-cough, 23 from enteric fever, 165 from diarrhœa and dysentery, 1 from infantile cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 283 deaths were referred to these diseases, being 13 above the corrected average weekly number.

The deaths from *measles*, which had been 22, 11, and 22 in the preceding three weeks, fell again last week to 17, and were 2 below the corrected average. The deaths from *scarlet fever*, which had been 10, 5, and 4 in the preceding three weeks, were 3 last week, the corrected average being 18. The deaths from *diphtheria*, which had been 14, 19, and 19 in the preceding three weeks, were 17 last week, the corrected average being 42; 4 cases belonged to Poplar sanitary area. The deaths from *whooping-cough*, which had been 44, 39, and 31 in the preceding three weeks, rose again last week to 57, and were 27 above the corrected average; 11 cases belonged to Camberwell, 5 to Battersea, and 5 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been 16, 8, and 15 in the preceding three weeks, further rose last week to 23, and were 7 above the corrected average; 4 cases belonged to Bermondsey, 3 to Lewisham, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 304, 380, and 259 in the preceding three weeks, further fell last week to 165, but were 24 above the corrected average. Of the 165 deaths from diarrhœa, 155 were of children under 5 years of age; 48 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 149, 138, and 124 in the preceding three weeks, rose again last week to 161, and were 12 above the corrected average. The deaths attributed directly to *influenza* numbered 3, having been 3, 1, and 5, in the preceding three weeks.

Different forms of violence caused 69 deaths, concerning all of which inquests were held. Of these 69 deaths, 12 were cases of suicide, and 3 of homicide, while the remaining 54 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 5 to burns and scalds, 6 to drowning, and 6 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 3 cases of small-pox, 1753 of scarlet fever, 1212 of diphtheria, and 212 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 243 cases, against 140, 176, and 213; of diphtheria, 191 cases, against 119, 131, and 160; and of enteric fever, 57 cases, against 33, 40, and 38.

Greater London.

In Greater London 3665 births and 1996 deaths were registered, corresponding to annual rates of 28·7 and 15·6 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 2 from scarlet fever, 10 from diphtheria, 22 from whooping-cough, 2 from "fever," and 67 from diarrhœal diseases were registered. Twelve deaths from whooping-cough, and 22 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·13 inches, and that of the Thermometer 58°·4; the latter being 0°·3 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 44·1 hours; no rain was measured during the week.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 15th Sept. 1900. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6500**	**4046**	**1411**	**747**	**1**	**40**	**22**	**57**	**111**	**73**	**575**	**148**	**269**	**854**	**45**	**18·2**	**3·9**	**74·6**	**37·0**	**55·9**	**13·28**	**0·01**	**0·03**	33 Towns.
London - -	4,589,129	2519	1470	469	284	-	17	3	17	57	23	165	69	135	449	6	16·7	3·2	70·9	43·2	58·4	14·67	0·00	0·00	London.
West Ham - -	314,472	171	96	36	17	-	4	-	1	5	-	15	4	6	18	-	15·9	4·1	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	56	30	10	9	-	-	-	-	3	-	2	-	1	3	-	11·9	2·0	71·0	39·0	55·7	13·17	0·00	0·00	Croydon.
Brighton - -	124,148	51	33	15	6	-	2	-	1	-	-	6	1	1	4	-	13·9	3·8	74·6	50·0	60·2	15·67	0·00	0·00	Brighton.
Portsmouth -	194,955	86	78	24	17	-	-	-	1	2	5	7	8	11	15	1	20·9	4·0	73·5	46·0	59·0	15·00	0·00	0·00	Portsmouth.
Plymouth - -	102,161	48	34	11	11	-	-	-	-	-	-	5	1	3	6	-	17·4	2·6	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	161	111	41	19	-	1	1	6	2	1	18	1	4	17	2	17·8	4·7	72·0	44·0	56·7	13·72	0·01	0·03	Bristol.
Cardiff - -	194,247	93	40	9	8	-	-	1	3	-	1	3	3	6	6	-	10·7	2·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	71	48	19	6	-	-	-	2	-	-	8	-	1	4	-	23·7	4·9	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	50	21	8	7	-	-	-	-	1	1	5	-	-	6	-	12·2	4·1	67·0	40·5	53·4	11·89	0·00	0·00	Wolverhampton.
Birmingham -	519,610	340	197	77	23	-	-	1	1	3	6	35	4	5	30	3	19·8	4·6	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	66	20	7	5	-	-	-	-	-	-	6	-	1	1	-	9·1	2·7	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	150	78	37	9	-	-	1	9	-	-	25	3	4	16	-	18·6	8·3	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	156	90	41	13	-	1	-	-	2	2	7	2	3	7	1	19·3	2·6	70·7	39·5	53·0	11·67	0·01	0·03	Nottingham.
Derby - - -	107,991	45	25	10	4	-	-	1	-	3	-	4	2	4	4	-	12·1	3·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	51	34	14	5	-	-	-	-	1	-	8	-	2	2	-	15·1	4·0	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	406	282	83	42	1	4	-	1	5	6	39	12	19	67	10	23·2	4·6	70·9	49·3	55·3	12·94	0·05	0·13	Liverpool.
Bolton - -	164,240	95	70	22	18	-	-	-	-	2	-	11	-	5	7	-	22·2	4·1	-	-	-	-	-	-	Bolton.
Manchester -	548,768	325	267	110	46	-	2	3	2	5	-	63	7	11	60	4	25·4	7·1	-	-	-	-	-	-	Manchester.
Salford - -	220,816	131	95	30	18	-	1	-	5	1	4	11	3	6	21	-	22·4	5·2	-	-	-	-	-	-	Salford.
Oldham - -	153,297	74	45	6	11	-	-	1	-	2	1	1	2	3	3	-	15·3	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	56	39	27	4	-	-	-	-	-	-	9	-	-	1	-	17·4	4·0	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	62	47	15	13	-	-	2	-	1	-	6	1	1	3	3	17·9	3·4	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	73	58	29	9	-	-	-	1	2	-	19	1	1	7	1	25·4	9·6	65·0	47·0	55·5	13·06	0·09	0·23	Preston.
Huddersfield -	104,484	42	31	11	7	-	-	1	-	-	1	1	-	-	4	1	15·5	1·5	68·2	41·5	54·4	12·44	0·00	0·00	Huddersfield.
Halifax - -	100,710	36	22	2	11	-	1	-	-	-	-	-	1	2	4	2	11·4	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	130	62	17	17	-	-	1	-	-	3	4	1	1	11	-	11·1	1·4	70·2	44·0	55·8	13·22	0·01	0·03	Bradford.
Leeds - - -	431,287	257	159	42	33	-	3	1	3	2	4	19	5	9	25	2	19·2	3·9	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	240	188	76	32	-	1	2	4	4	5	27	8	9	18	6	26·8	6·1	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	159	89	37	14	-	-	-	-	1	1	28	4	6	9	2	19·4	6·6	73·0	37·0	53·7	12·06	0·00	0·00	Hull.
Sunderland -	147,398	107	61	17	14	-	-	3	-	-	7	7	-	3	10	1	21·6	6·0	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	75	38	17	4	-	1	-	-	5	1	3	1	1	1	-	18·1	4·8	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	118	88	37	11	-	2	-	-	2	1	8	4	5	15	-	19·6	2·9	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2539	2507	2547	2635	2569	2557	2440	2633	2499	2675	2693·3	2519
Males - -	1258	1275	1318	1350	1251	1289	1217	1353	1266	1382	1363·3	1296
Females - -	1281	1232	1229	1285	1318	1268	1223	1280	1233	1293	1330·0	1223
TOTAL **Deaths** -	1410	1274	1381	1441	1241	1298	1251	1378	1832	1643	1488·5	1470
Males - -	736	678	723	728	624	659	683	740	972	883	781·2	789
Females - -	674	596	658	713	617	639	568	638	860	760	707·3	681

*The numbers in this column are the average weekly numbers in the thirty-seventh week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
TOTAL **Births** - - -	2464	2483	2466	2479	2384	2507	2701	2332	2621	2677	2763	2628	2519
TOTAL **Deaths** - - -	1171	1274	1191	1252	1417	1846	1768	1804	1706	1691	1776	1582	1470
Ages at Death: Under 1 year - -	257	283	243	292	368	671	797	796	659	673	801	625	469
1—5 years - -	149	179	145	153	210	256	184	204	166	196	187	167	180
5—20 " - -	72	84	70	69	82	75	71	74	85	81	71	91	64
20—40 " - -	147	179	193	183	163	213	145	167	184	174	167	151	208
40—60 " - -	270	289	275	247	269	294	263	259	288	245	279	239	265
60—80 " - -	231	220	217	249	272	288	252	233	257	257	215	265	230
80 years and upwards	45	40	48	59	53	69	56	71	67	65	56	44	54
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	42	53	35	42	54	30	29	25	20	22	11	22	17
Scarlet Fever - - -	9	12	10	4	5	6	5	6	4	10	5	4	3
Diphtheria - - - -	21	29	20	26	21	27	24	25	17	14	19	19	17
Whooping-cough - - -	35	53	37	43	40	47	44	44	44	44	39	31	57
Typhus - - - - -	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric Fever - - -	4	12	7	13	9	13	7	7	6	16	8	15	23
Simple Continued Fever -	-	-	-	-	1	1	-	-	1	1	1	-	-
Diarrhœa and Dysentery -	20	17	20	27	100	292	389	386	293	304	380	259	165
Cholera - - - -	-	-	1	-	-	8	9	13	6	10	12	3	1
All the above Diseases -	131	176	130	155	230	424	507	506	392	421	475	353	283
Dis. of Respiratory System -	181	180	140	160	169	196	136	128	132	149	138	124	161
Phthisis - - - - -	123	138	148	138	126	151	133	149	155	116	150	128	151
Dis. of Circulatory System -	109	120	129	130	106	130	97	119	126	103	121	117	119
Violence - - - -	64	71	63	56	77	93	82	58	55	76	45	53	69
Inquest Cases - - - -	128	135	132	115	133	155	155	127	128	136	111	110	135
Deaths in Public Institutions -	376	421	408	406	452	509	415	473	489	465	450	436	419
TEMPERATURE OF THE AIR.													
Mean - - - - -	59°·7	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4
Mean of Highest readings -	69·5	66·7	67·4	77·0	83·6	82·8	72·0	65·3	78·8	71·7	66·8	67·3	68·9
Mean of Lowest readings -	52·2	51·2	53·2	54·1	57·9	61·3	54·9	50·8	55·2	52·8	52·8	45·4	48·9
Humidity of the Air - -	72	80	73	62	60	65	71	84	67	77	77	74	73
Rain-fall (in inches) - -	0·77	1·15	0·57	0·00	0·00	0·84	0·58	0·74	0·05	0·56	0·62	0·00	0·00
Registered Sunshine (in hours)	52·9	23·5	47·5	76·2	83·2	58·8	50·4	18·0	72·7	45·8	21·8	40·8	44·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	13	16	17	17	14	11	7	5	2	1	2	3	3
Scarlet Fever - - - -	1810	1832	1843	1861	1877	1859	1827	1838	1793	1726	1702	1736	1753
Diphtheria - - - -	1226	1219	1207	1212	1236	1271	1261	1263	1250	1211	1180	1187	1212
Enteric Fever - - - -	147	148	155	143	135	129	137	143	146	159	170	189	212

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-SEVENTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 37th Week of the 10 years 1890-99*.	In the Week ending Saturday, 15th September, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1488·5	1470	439	180	64	208	265	230	54
1- Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·3	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
es - - - -	18·6	17	4	12	1	-	-	-	-
t Fever - - -	18·1	3	-	1	2	-	-	-	-
us - - - -	0·2	-	-	-	-	-	-	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	3·2	3	-	-	-	1	2	-	-
ping-cough - -	29·9	57	22	34	1	-	-	-	-
heria - -	41·6	17	1	11	5	-	-	-	-
le Continued and defined Fever -	-	-	-	-	-	-	-	-	-
ic Fever - - -	15·5	23	-	1	3	16	3	-	-
ra and Chol. Diarr.	4·6	1	1	-	-	-	-	-	-
hœa, Dysentery -	141·3	165	143	12	-	1	1	7	1
ttent Fever - -	-	-	-	-	-	-	-	-	-
ophobia - - -	-	-	-	-	-	-	-	-	-
lers - - - -	-	-	-	-	-	-	-	-	-
pox and Effects of cination - -	0·3	-	-	-	-	-	-	-	-
real Affections - -	11·5	6	3	1	-	1	-	1	-
pelas - - -	4·9	1	1	-	-	-	-	-	-
nia and Septicæmia	2·7	2	-	-	-	1	-	1	-
peral Fever - -	4·1	3	-	-	-	3	-	-	-
r Zymotic Diseases	0·5	1	-	-	-	1	-	-	-
sh - - - -	1·4	1	1	-	-	-	-	-	-
ns and other Parasical Diseases -	0·4	-	-	-	-	-	-	-	-
vation, Want of east-milk - -	2·5	1	1	-	-	-	-	-	-
holism - - -	12·0	9	-	-	-	3	4	2	-
umatic Fever, eumatism of Heart	7·4	5	-	-	1	1	2	-	1
umatism - - -	1·2	1	-	-	-	-	1	-	-
t - - - - -	2·2	1	-	-	-	-	-	1	-
kets - - - -	4·4	3	1	2	-	-	-	-	-
cer - - - -	70·9	82	-	-	1	12	33	29	7
es Mesenterica - -	35·1	23	10	9	1	2	1	-	-
ercular Meningitis -	21·4	18	8	6	3	1	-	-	-
nisis - - - -	146·5	151	2	2	7	71	57	11	1
fula, Tuberculosis -	18·6	1	7	10	3	5	5	1	-
er Constitutional iseases - -	13·2	21	1	-	3	4	5	6	2
mature Birth - -	46·4	48	48	-	-	-	-	-	-
lectasis - - -	3·8	4	4	-	-	-	-	-	-
genital Malformaons - - - -	7·9	9	9	-	-	-	-	-	-
Age - - - -	40·1	38	-	-	-	-	-	19	19
oplexy - - -	37·2	36	-	-	-	2	16	18	-
lepsy - - - -	8·6	4	-	1	-	1	1	1	-
vulsions - - -	39·6	28	24	3	1	-	-	-	-
er Diseases of Brain nd Nervous System	81·4	59	10	10	5	5	18	9	2
eases of Organs of pecial Sense -	2·4	2	-	-	1	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 37th Week of the 10 years 1890-99*.	In the Week ending Saturday, 15th September, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	111·1	119	-	2	12	21	38	44	2
Croup - - - -	3·1	3	-	2	1	-	-	-	-
Bronchitis - - -	69·7	71	12	14	-	3	11	25	6
Pneumonia - - -	57·2	64	15	18	3	11	10	7	-
Pleurisy - - - -	2·6	6	-	2	1	-	1	2	-
Other Diseases of Respiratory System -	16·6	17	2	3	-	2	2	5	3
Dentition - - - -	5·2	3	2	1	-	-	-	-	-
Quinsy, Sore Throat -	1·4	-	-	-	-	-	-	-	-
Enteritis - - -	58·8	24	14	-	-	2	4	4	-
Gastro-enteritis -		49	42	6	-	1	-	-	-
Peritonitis - - -	7·7	4	-	1	1	1	1	-	-
Diseases of Liver - -	27·0	19	1	-	-	4	10	2	2
Other Diseases of Digestive System	29·2	34	15	5	1	2	8	2	1
Diseases of Lymphatic System & of Ductless Glands - -	2·4	2	-	-	-	-	-	2	-
Diseases of Urinary System - - -	44·6	35	-	1	-	8	10	15	1
Diseases of Generative System - - -	6·1	4	-	-	-	2	-	2	-
Accidents of Childbirth-	4·0	4	-	-	-	3	1	-	-
Diseases of Locomotive System - - -	4·5	9	2	-	2	-	1	4	-
Diseases of Integumentary System- -	5·7	2	1	-	-	-	1	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	55·2	1	-	-	-	1	-	-	-
By Vehicles or Horses -		5	-	-	2	-	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		2	-	-	1	-	-	1	-
In Conflagrations -		2	-	2	-	-	-	-	-
By Burns, Scalds, Explosions - -		5	-	3	-	1	1	-	-
By Drowning - - -		6	-	-	1	-	3	1	1
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	-	-	2	-	-
Other or not stated causes - - - -		25	2	1	1	6	5	7	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·5	3	2	-	-	1	-	-	-
Suicide - - - -	10·5	12	-	-	-	7	3	1	1
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	62·8	58	52	4	-	-	1	-	1

* The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered edical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the use of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ccident, murder, manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASI SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 15th September, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2519	1470	469	284	-	17	3	17	57	-	23	-	165	69	135	449
WEST DISTRICTS - - -	778,251	363	249	70	58	-	4	-	2	7	-	3	-	29	14	24	86
NORTH DISTRICTS - - -	1,040,694	568	272	83	68	-	1	1	3	6	-	2	-	35	13	21	77
CENTRAL DISTRICTS - - -	233,635	116	75	18	14	-	-	-	-	-	-	1	-	7	5	6	37
EAST DISTRICTS - - -	716,334	465	269	88	47	-	5	-	6	11	-	3	-	24	14	32	93
SOUTH DISTRICTS - - -	1,642,796	1007	578	209	87	-	7	2	6	33	-	14	-	70	23	52	129
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	1	10	-	-	-	-	-	-	-	-	-	-	-	27
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	56	17	6	4	-	-	-	-	-	-	-	-	3	1	1	3
St. John Paddington *H* - - G.	33,510	8	9	3	-	-	-	-	-	-	-	-	-	1	-	-	4
Kensington Town *Ww* - - W.	122,164	54	41	13	9	-	-	-	-	2	-	-	-	1	-	1	16
Brompton *HH*- - - W. & C.	48,301	7	7	2	2	-	-	-	-	-	-	-	-	1	1	2	-
North Hammersmith *H* } W. & G	44,638	27	8	1	4	-	-	-	-	-	-	-	-	1	1	1	-
South Hammersmith *H* } W. & G	59,561	28	26	8	6	-	3	-	-	-	-	-	-	3	-	1	4
Fulham *Ww* - - - W. & C.	113,781	89	53	21	10	-	1	-	2	3	-	2	-	12	2	3	19
Chelsea Kensal Town - C.	21,450	10	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	18	22	3	4	-	-	-	-	-	-	-	-	2	1	2	11
Chelsea South *HH* - - C.	33,139	12	5	1	1	-	-	-	-	-	-	-	-	-	2	2	-
May Fair *WH*- - - - G.	23,827	3	11	-	5	-	-	-	-	1	-	-	-	-	1	1	8
Belgrave *WHHH* - - - C.	56,140	16	19	3	6	-	-	-	-	1	-	1	-	3	2	4	11
St. John Westminster *HH* - C.	31,492	17	8	2	1	-	-	-	-	-	-	-	-	-	1	2	1
St. Margaret Westminster *H*- C.	22,097	5	10	3	2	-	-	-	-	-	-	-	-	1	2	2	7
St. James Westminster *WH* } N. & G.	23,050	10	7	2	1	-	-	-	-	-	-	-	-	1	-	1	2
St. Anne Soho *HHHHH* - N.	12,048	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	14	13	1	4	-	-	-	-	-	-	-	-	-	1	1	10
Rectory Marylebone *W* G. & W.	19,798	7	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone *HHHH* } G. & W.	19,637	28	7	1	3	-	-	-	-	-	-	-	-	1	-	1	-
Christchurch Marylebone *H* - W	32,547	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	12	11	4	1	-	-	-	-	1	-	-	-	3	-	1	-
Hampstead *WwHHHH* - N. & W.	75,449	40	17	3	7	-	-	1	2	-	-	1	-	2	1	1	9
Regent's Park † *HH* - W.	51,403	19	8	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	15	1	5	-	-	-	-	1	-	-	-	1	-	-	9
Gray's Inn Lane *HHHH* - N.	29,426	25	12	3	-	-	-	-	-	-	-	-	-	1	3	5	4
Somers Town *HH* - - - N.	32,161	14	8	3	1	-	-	-	-	-	-	-	-	-	-	-	2
Camden Town† *WH* - - N.	40,155	24	8	3	5	-	-	-	-	-	-	-	-	1	-	-	6
Kentish Town† *WW* - - N.	60,862	39	19	7	5	-	-	-	-	2	-	-	-	2	-	-	5
Upper Holloway *WWWWwHH* - - N.	98,273	57	32	4	10	-	-	-	-	-	-	1	-	3	3	4	18
Lower Holloway‡ - - - N.	41,805	18	7	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Barnsbury‡ - - - - N.	56,384	40	10	6	1	-	-	-	-	-	-	-	-	4	-	-	-
Islington South-east‡ *H* - N.	75,725	37	10	5	1	-	-	-	-	1	-	-	-	-	-	1	-
Highbury *HH* - - - N.	64,577	33	10	5	3	-	-	-	-	-	-	-	-	3	-	-	-
Stoke Newington *H* - - N.	33,485	20	10	5	2	-	-	-	-	-	-	-	-	3	-	-	-
North Hackney - - E. & N.	213,044	20	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		26	11	7	1	-	-	-	1	-	-	-	-	2	1	2	2
South-west Hackney *HHH* E. & N.		36	18	4	4	-	-	-	-	-	-	-	-	1	3	3	5
South-east Hackney *WwH* E. & N.		43	27	14	3	-	1	-	-	-	-	-	-	7	1	1	6

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated theref namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers ar received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Nev River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two nev Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-eas Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 15th September, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - - N.	29,086	12	8	2	1	-	-	-	-	-	-	-	-	-	2	3	2	-
les North *H* - - - N.	9,151	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rtin-in-the-Fields *HH* N. & C.	13,077	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	5	-
d *WHH* - - - - N.	11,839	4	8	2	1	-	-	-	-	-	-	-	-	1	-	-	4	-
d Union Workhouse, Edmonton	†*1,037*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
orn *WwHHHHH* - N.	31,042	16	12	5	-	-	-	-	-	-	-	-	-	3	-	-	10	-
mes Clerkenwell - - N.	15,777	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	18	13	3	4	-	-	-	-	-	-	-	-	1	-	-	-	-
ell-street - - - - N.	16,069	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
road *HHHHL* - - N.	29,897	35	4	1	1	-	-	-	-	-	-	-	-	1	-	-	2	-
ecross-street - - - N.	7,595	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ury - - - - - - N.	4,035	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, cham - - - -	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
otolph* *H* - - N. & E.	13,061	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	2	10	-	1	-	-	-	-	-	-	1	-	-	3	3	10	-
llows Barking - - - N.	9,059	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
f London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
on New Town *w* - - N.	29,575	9	13	3	5	-	-	-	-	-	-	-	-	1	2	2	6	-
on Old Town - - - N.	27,645	18	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
gerston *WH* - - N. & E.	47,163	26	23	10	4	-	-	-	-	-	-	1	-	3	1	2	11	-
nal Green North *H* - E.	49,301	40	10	5	-	-	-	-	-	-	-	-	-	2	-	1	-	-
nal Green South - - E.	34,194	17	10	5	-	-	-	-	-	2	-	-	-	-	-	1	-	-
nal Green East *WWHl* - E.	45,667	28	17	3	3	-	-	-	-	1	-	-	-	1	-	-	11	-
lfields - - - E. & N.	26,681	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *WH* - E.	51,995	22	33	6	8	-	-	-	1	-	-	-	-	-	4	9	29	-
lman's Fields - - - E.		9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	33	11	6	-	-	-	-	-	2	-	1	-	2	-	-	-	-
ohn, St. George East *W* E.	7 930	3	10	-	3	-	-	-	-	2	-	-	-	1	-	-	6	-
lwell *H* - - - E. & N.	10,434	6	17	8	-	-	-	-	1	-	-	-	-	3	-	-	14	-
liff *W* - - - - E.	14,954	7	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ehouse - - - - - E.	32,917	26	10	4	2	-	1	-	-	1	-	-	-	-	-	1	-	-
End Old Town West *H* E.	111,060	44	12	3	3	-	1	-	-	-	-	1	-	-	-	1	-	-
End Old Town East *Www* - E.		38	12	3	2	-	-	-	-	-	-	-	-	-	1	2	3	-
l - - - - - E.	41,687	30	16	9	1	-	-	-	1	2	-	-	-	6	-	-	-	-
nley *wwwH* - - - E.	69,821	49	35	10	8	-	3	-	2	-	-	-	-	2	3	9	12	-
lar *WW* - - - - E.	57,759	29	27	8	6	-	-	-	1	1	-	-	-	3	1	2	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 15th September, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	10	7	2	-	-	-	-	-	2	-	-	-	1	-	-	-
Borough-road *WH* - S. & L.	16,083	10	6	2	-	-	1	-	-	1	-	-	-	-	-	-	2
London-road *HL* - - L. & S.	21,316	10	8	4	-	-	-	-	-	-	-	-	-	1	1	1	-
Trinity Newington *H* - S. & L.	28,723	23	9	2	1	-	1	-	-	-	-	-	-	1	1	1	-
St. Peter Walworth *W* - S. & L.	62,045	44	20	9	3	-	-	-	-	-	-	1	-	2	1	1	1
St. Mary Newington- - L. & S.	30,171	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH*- - - - S.	11,731	18	20	3	-	-	-	-	-	-	-	1	-	1	1	1	16
Bermondsey *W* - - - S.	85,475	56	21	9	2	-	-	-	-	1	-	2	-	2	1	4	-
Rotherhithe *Ww* - S. & K.	40,379	32	21	6	3	-	1	-	-	-	-	1	-	2	-	2	10
Waterloo-road *HH* - L. & S.	28,396	22	13	3	-	-	1	-	-	2	-	-	-	2	-	-	2
Lambeth Church 1st *H* - L. & S.	18,770	11	23	4	1	-	-	-	-	-	-	1	-	1	1	3	13
Lambeth Church 2nd *WW* L. & S.	40,994	32	23	7	6	-	-	-	-	1	-	-	-	2	-	-	13
Kennington 1st *H* - - S. & L.	52,486	45	16	10	4	-	-	-	-	-	-	-	-	1	-	2	-
Kennington 2nd - - S. & L.	43,244	13	9	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Brixton *w* - - - L. & S.	81,825	32	17	6	5	-	-	-	-	-	-	-	-	3	-	-	-
Norwood *WH*- - - - L.	29,318	14	7	3	3	-	-	-	-	-	-	-	-	3	-	-	-
East Battersea - - - - S.	71,730	48	26	13	1	-	-	-	-	4	-	-	-	2	1	8	-
North-west Battersea† - - S.	93,385	30	7	3	1	-	-	-	-	-	-	-	-	1	1	2	-
South-west Battersea† *WwH* - S.		12	27	5	9	-	-	-	-	1	-	-	-	3	3	5	14
Clapham *H* - - - - S.	46,953	34	7	2	3	-	-	-	-	-	-	-	-	-	2	2	-
Streatham *WwwwwL* - - L.	61,644	40	24	9	6	-	-	-	1	3	-	-	-	3	1	1	2
Wandsworth *WHHL* - - S.	58,101	30	9	5	-	-	-	-	-	-	-	-	-	1	2	2	2
Putney - - - - - S.	20,566	10	7	4	2	-	-	-	-	-	-	-	-	2	-	-	-
Dulwich - - - L. & S.	7,519	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	42	55	19	10	-	-	-	-	3	-	1	-	6	2	4	25
Peckham *WW* - S., L., & K.	88,242	54	24	9	2	-	-	-	-	3	-	-	-	4	1	3	-
St. George Camberwell - L. & S.	67,029	41	23	14	-	-	-	-	-	5	-	-	-	6	2	2	-
Deptford North - - - K.	36,152	36	10	6	1	-	1	-	-	-	-	1	-	1	-	-	-
Deptford Central *w* - - K.	45,441	38	14	5	-	-	-	1	2	1	-	1	-	1	-	-	5
Deptford South - - - K.	33,402	18	5	4	-	-	-	-	-	1	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,012	15	5	1	2	-	-	-	-	1	-	-	-	1	-	-	-
Greenwich East *WH* - - K.	37,767	21	21	10	5	-	-	-	-	2	-	-	-	3	-	4	5
Eltham *wH* - - - - K.	5,911	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	9	5	3	2	-	1	-	-	-	-	-	-	2	-	-	-
Lewisham *WwH* - - - K.	38,139	36	19	6	3	-	-	1	2	-	-	3	-	3	-	-	8
Sydenham *H* - - - - L.	37,601	19	9	1	1	-	-	-	-	-	-	1	-	2	-	-	-
Charlton *wHH* - - - K.	15,928	8	10	3	1	-	-	-	1	-	-	1	-	-	-	1	5
Woolwich* *HHHH* - - K.	41,314	19	14	5	3	-	-	-	-	-	-	-	-	2	-	1	-
Plumstead West *H* - - K.	16,714	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East *WH* - - K.	42,538	40	22	6	3	-	1	-	-	2	-	-	-	2	2	2	6
Banstead Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Horton Asylum, Epsom - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	6	1	2	-	-	-	-	-	-	-	-	-	-	-	6
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum Dartford Heath - - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Harwell Asylum - - - -	—	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	3
Central London Sick Asylum, Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch Asylum - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwi

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 15th September, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	NDON - OUTER RING -	368,749	1,422,063	1,146	526	214	116	-	6	2	10	22	2	66	18	32	62	1
1	Carshalton *H* - - -	12,228	26,108	16	10	3	2	-	-	2	-	-	-	2	-	-	2	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, *part of** *W* -	2,754	1,598	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Croydon *WWwHHH* -	20,851	128,699	62	38	12	11	-	-	-	-	3	-	3	-	2	5	-
2	Mitcham *w* - - -	11,697	23,072	13	3	1	2	-	-	-	-	-	-	1	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	19	9	3	2	-	-	-	-	-	-	1	1	1	1	-
2	Kingston *WH* - - -	14,672	33,566	23	18	9	7	-	-	-	-	1	-	3	-	2	4	-
3	Surbiton *HH* - - -		12,178	6	4	-	2	-	-	-	-	-	-	-	1	1	1	-
4	Esher, *part of** *H* - -		11,080	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	8	8	2	2	-	2	-	1	1	-	1	-	-	-	-
1	Richmond *WHH* - -	2,160	25,389	15	15	5	2	-	-	-	-	1	-	3	2	2	6	-
2	Mortlake *H* - - -	2,323	16,159	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	13	5	2	2	-	-	-	-	-	-	1	-	-	-	-
2	Beckenham *H* - - -	6,542	21,969	6	6	5	1	-	-	-	-	-	-	1	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	16	6	2	4	-	-	-	-	-	-	-	1	1	-	-
1	Bexley *HHH* - - -	12,540	30,590	18	11	3	1	-	-	-	1	-	1	2	-	-	-	1
2	Dartford *WH*, *part of** -	—	—	-	3	-	1	-	-	-	-	-	-	-	1	1	3	-
1	Sunbury *w* - - -	11,054	13,671	7	5	2	1	-	-	-	-	-	-	-	1	1	-	-
2	Staines *WH* - - -	13,277	13,221	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Hillingdon *WHH* - -	6,035	12,237	5	7	3	1	-	-	-	-	1	-	1	-	-	1	-
2	Uxbridge - - - -	12,757	7,253	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	19	8	1	3	-	-	-	-	-	-	1	-	2	1	-
2	Twickenham *HH* - -	2,415	16,027	9	6	-	2	-	-	-	-	-	-	-	-	1	1	-
3	Brentford *HHHH* - -	4,318	37,777	23	13	5	2	-	-	-	-	-	-	3	-	-	1	-
4	Chiswick - - - -	1,245	21,963	17	7	6	-	-	-	-	-	-	-	-	1	1	-	-
5	Acton *wHH* - - -	6,132	30,945	37	15	7	2	-	-	-	-	-	-	1	1	1	-	-
1	Harrow *HHH* - - -	13,809	15,715	11	4	2	1	-	-	-	-	-	-	1	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Willesden *HHH* - -	4,383	61,265	78	16	8	3	-	-	-	1	1	-	2	-	-	1	-
4	Hendon *WH* - - -	8,382	15,843	6	5	3	-	-	-	-	1	-	-	2	-	-	-	-
1	South Mimms *HH* - -	21,077	6,367	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *HHH* - - -	4,688	25,820	23	9	3	6	-	-	-	-	-	-	1	1	1	2	-
1	Hornsey *HH* - - -	3,039	61,097	42	11	4	4	-	-	-	-	-	-	1	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	78	38	15	6	-	-	-	-	1	-	3	1	2	1	-
3	Edmonton *Ww* - -	7,489	36,351	38	12	6	2	-	-	-	-	1	-	2	-	1	2	-
4	Enfield *WWHH* - -	12,602	31,536	32	13	6	3	-	-	-	-	-	-	4	1	1	1	-
5	Waltham Abbey - - -	11,017	6,066	3	2	1	1	-	-	-	-	-	-	1	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	29	17	7	1	-	2	-	-	1	-	4	-	-	-	-
2	Plaistow *HHH* - - -		58,030	58	26	12	2	-	-	-	1	1	-	5	-	1	2	-
3	Canning Town *H* - -		54,750	49	22	11	3	-	-	-	-	3	-	2	4	5	5	-
4	Forest Gate *w* - - -		53,511	35	20	5	8	-	-	-	-	-	-	3	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	65	26	14	2	-	-	-	1	3	-	2	-	1	-	-
6	Leyton *WWWwH* - -	4,334	70,188	64	39	12	8	-	2	-	2	2	-	2	-	-	16	-
7	Walthamstow *HHHL* -	6,501	57,330	72	24	18	1	-	-	-	-	2	-	4	1	1	1	-
:1	Chigwell, *part of** *HHHH*	11,779	12,941	8	5	1	2	-	-	-	-	-	-	1	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
:1	Romford, *part of** *W* -	6,556	4,324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	24	12	8	2	-	-	-	-	-	1	2	1	2	1	-
3	Barking Town, *H* - -	3,814	14,301	16	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	Eastern Fever Hospital, Homerton.	—	—	-	2	-	-	-	-	-	2	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring o as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ttfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2 Epping sub-districts are

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS an
Rates of MORTALITY during the week ending Saturday, 15th September, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14
GREATER LONDON	443,421	6,652,145	15·6	3·1	1996	683	400	–	23	5	27	79	25	231
INNER LONDON -	74,672	4,589,129	16·7	3·2	1470	469	284	–	17	3	17	57	23	165
OUTER RING -	368,749	2,063,016	13·3	2·7	526	214	116	–	6	2	10	22	2	66

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYM DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	September 15	162	110	19·0	–	1	–	2	1	1
GLASGOW - -	743,585	„ 15	459	274	19·2	1	–	6	–	16	1
DUBLIN† - -	349,594	„ 15	177	166	24·8	–	–	1	2	7	7
CALCUTTA - -	466,460	July 28	–	305	34·1	9	1	1	–	–	119‡
BOMBAY - -	821,764	August 21	257	2163	136·9	1	8	?	?	?	180‡
MADRAS - -	452,518	„ 10	430	497	57·1	–	3	?	?	?	144
PARIS - - -	2,511,629	September 8	1073	797	16·4	5	6	2	2*	5	20
BRUSSELS - -	561,130	„ 8	239	174	15·9	–	2	–	–	3	4
AMSTERDAM -	526,538	„ 1	263	135	13·3	–	–	–	–	2	1
ROTTERDAM -	325,556	„ 1	233	112	17·9	–	–	–	–	–	2
THE HAGUE -	205,328	„ 1	132	58	14·5	–	–	–		–	–
COPENHAGEN -	349,000	„ 8	155	111	16·6	–	–	3	–	–	1
STOCKHOLM -	297,148	„ 1	128	88	15·4	–	–	–	3*	1	–
CHRISTIANIA -	221,255	„ 8	141	50	11·0	–	–	–	–	–	–
ST. PETERSBURG	1,132,677	„ 1	630	572	26·3	5	7	8	15	3	14
MOSCOW - -	988,610	„ 1	–	670	35·3	1	9	7	5	4	3
BERLIN - -	1,848,269	August 25	956	920	25·8	–	15	13	5	8	5
HAMBURG - -	691,349	September 8	–	251	18·9	–	1	1	1*	2	–
DRESDEN - -	403,400	August 11	277	188	24·0	–	3	–	1*	–	–
BRESLAU -	412,959	September 8	–	215	27·1	–	–	–	1	6	1
MUNICH - -	463,000	„ 1	–	264	29·7	–	2	–	3*	3	1
VIENNA - -	1,656,662	„ 8	908	531	16·7	–	3	5	4*	1	3
PRAGUE - -	385,952	August 25	175	130	17·3	–	–	–	2	1	1
BUDA-PESTH -	685,340	September 1	445	277	21·0	–	1	10	–	1	4
TRIESTE - -	168,264	„ 8	86	84	26·0	–	–	–	–	–	1
ROME - - -	514,306	August 18	238	162	16·4	–	1	–	–	1	7‖
TURIN (11 days)-	344,203	July 31	242	213	20·5	–	–	–	–	1	4
VENICE - -	172,491	September 1	–	–	–	–	–	–	–	–	–
CAIRO - -	570,062	August 5	422	563	51·4	2	35	–	2*	1	15
ALEXANDRIA -	319,766	„ 5	230	238	38·7	–	–	–	4*	1	8‡
NEW YORK (including BROOKLYN)	3,654,594	„ 18	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,266,832	„ 25	–	372	15·3	–	2	3	9	5	9

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area
‡ Including one death from plague in Glasgow, 30 deaths in Calcutta, 65 deaths in Bombay, and one de Alexandria.
‖ Including 12 deaths from cholera in Calcutta, 534 in Bombay and 23 in Madras.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Dew point. Mean daily value.	Sun's Heat Temperature. Mean daily value.	Sun's Heat Temperature. Great-est.	Sun's Heat Temperature. Least.	Of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	General Direction. A.M.	General Direction. P.M.	Pressure on the Square Foot. Great-est.	Pressure on the Square Foot. Least.	Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Gauge whose receiving surfaces 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	9	Full. In Eqr. Perigee.	29·868	69·9	49·5	20·4	59·9	+ 1·4	51·8	8·1	15·8	0·0	75	116·2	41·3	59·59	SW.	SW., W. & WNW.	0·6	0·0	0·0	152	−122	0·00	0·0
MONDAY -	10	..	29·995	70·1	49·2	20·9	59·7	+ 1·4	46·7	13·0	19·4	0·6	62	116·8	40·2	59·61	NW. & SW.	NW. & N.	2·9	0·0	0·1	199	− 78	0·00	0·0
TUESDAY -	11	..	30·267	66·5	49·0	17·5	56·8	− 1·3	47·2	9·6	18·7	1·7	70	129·9	38·5	59·62	N. & NNE.	NNE. & NE.	3·1	0·0	0·2	209	− 70	0·00	0·0
WEDNESDAY	12	..	30·330	69·7	45·1	24·6	55·7	− 2·3	46·9	8·8	21·2	0·0	73	124·5	35·0	59·61	NE. & calm.	NE., SE. & E.	0·6	0·0	0·0	116	−165	0·00	0·0
THURSDAY-	13	..	30·289	70·9	43·2	27·7	57·3	− 0·6	50·2	7·1	16·9	0·0	77	124·0	35·5	59·46	Calm & ENE.	ENE., E. & ESE.	1·5	0·0	0·1	154	−128	0·00	0·0
FRIDAY -	14	..	30·194	65·2	52·0	13·2	58·2	+ 0·4	50·4	7·8	12·6	1·2	75	126·3	43·0	59·29	ENE., ESE. & E.	E.	3·0	0·0	0·3	262	− 20	0·00	0·0
SATURDAY-	15	Gr. Dec. N. Last Qr.	29·998	69·9	54·3	15·6	60·9	+ 3·2	55·3	5·6	12·8	0·0	82	131·5	45·7	59·28	E.	ESE.	1·5	0·0	0·1	217	− 64	0·00	0·0
MEANS -			30·134	68·9	48·9	20·0	58·4	+ 0·3	49·8	8·6	16·8	0·5	73	124·2	39·9	59·49	Variable		..	..	..	Sum 1309	Sum −647	Sum 0·00	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	9	w. P. generally.	2·8	13·0	Cloudy and misty in morning; fine after 9h. A.M. with large amounts of cloud prevalent throughout.
MONDAY -	10	w. P. till 8h. A.M.; m. P. afterwards.	4·9	13·0	Fine till afternoon; generally cloudy afterwards. Cloudless after 11h. P.M.
TUESDAY -	11	w. P. till 9h. A.M.; m. P. afterwards.	8·8	12·9	A very fine day. Cloudless in morning and at night; partially cloudy at other times.
WEDNESDAY	12	m. P. generally.	7·8	12·9	Fog prevalent in morning; very fine and generally cloudless after 8h. A.M.
THURSDAY-	13	w. P. generally.	9·4	12·8	Generally cloudless; a very fine day. Lightning observed at 8h. 20m. P.M.
FRIDAY -	14	w. P. throughout.	4·8	12·7	Overcast in morning; fine and partially cloudy till 5h. 30m. P.M; overcast afterwards.
SATURDAY-	15	w. P. throughout.	5·6	12·6	Overcast till 11h. A.M.; fine and partially cloudy till 6h. P.M.; overcast afterwards.
			Sum 44·1	Sum 89·9	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·87 in. at the beginning of the week to 30·36 in. by 9h. A.M. on the 12th; and decreased to 29·96 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street E

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 38. 1900. VOL. LXI.] WEEK ENDING SATURDAY, SEPT. 22. [Price 1½*d.*

General Register Office, Somerset House,
September 24th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·1 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 21·7, 19·6, and 18·2. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
33 Great Towns	21·7	19·6	18·2	18·1
Birkenhead -	18·2	14·7	15·1	15·6
Birmingham -	27·9	23·9	19·8	17·9
Blackburn -	16·4	13·3	17·9	25·5
Bolton - -	26·0	17·1	22·2	18·1
Bradford -	14·1	12·7	11·1	12·3
Brighton -	23·1	22·7	13·9	23·5
Bristol - -	18·9	14·4	17·8	14·8
Burnley -	20·1	23·7	17·4	18·3
Cardiff - -	14·2	14·2	10·7	13·2
Croydon -	12·3	15·1	11·9	11·5
Derby - -	19·3	10·1	12·1	17·4
Gateshead -	21·0	18·1	18·1	17·6
Halifax -	11·9	12·4	11·4	12·4
Huddersfield -	17·5	16·5	15·5	15·5
Hull - -	30·6	33·4	19·4	23·8
Leeds - -	21·4	18·3	19·2	19·2
Leicester - -	21·4	26·4	18·6	15·9
Liverpool - -	25·2	23·7	23·2	23·1
London - - -	20·2	18·0	16·7	16·5
Manchester - -	25·7	24·1	25·4	23·2
Newcastle-on-Tyne	19·1	23·6	19·6	17·6
Norwich - -	21·3	17·3	9·1	14·5
Nottingham - -	19·6	21·3	19·3	19·3
Oldham - -	17·7	18·0	15·3	15·3
Plymouth - -	26·0	20·9	17·4	21·9
Portsmouth - -	22·5	24·6	20·9	17·9
Preston - -	33·3	26·8	25·4	22·8
Salford - - -	27·4	19·6	22·4	24·3
Sheffield - -	33·6	25·9	26·8	25·5
Sunderland - -	17·7	22·6	21·6	25·5
Swansea - -	20·3	20·8	23·7	19·3
West Ham - -	21·1	14·9	15·9	16·4
Wolverhampton -	22·1	23·3	12·2	17·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *measles*, 2·0 in Swansea ; from *scarlet fever*, 1·4 in Sunderland ; from *whooping-cough*, 1·0 in Derby and in Sheffield, 1·1 in Blackburn, 1·3 in Nottingham, and 1·4 in Gateshead ; from "*fever*," 1·0 in Bolton, and 1·1 in Portsmouth ; and from *diarrhœa*, 3·0 in Liverpool, 3·1 in Manchester and in Salford, 3·6 in Burnley, 3·7 in Nottingham, 4·4 in Preston, 5·2 in Wolverhampton, 5·6 in Sheffield, 5·7 in Gateshead, and 5·9 in Hull. The 72 deaths from *diphtheria* included 30 in London, 9 in Leicester, 7 in Sheffield, 3 in West Ham, 3 in Liverpool, 3 in Blackburn, and 3 in Preston. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2448 BIRTHS and 1450 DEATHS were registered. Allowing for increase of population, the births were 175, and the deaths 38, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

20·2, 18·0, and 16·7, in the preceding three weeks, further fell last week to 16·5. During the four weeks ending on Saturday last the death-rate averaged 17·9 per 1000, being 0·5 per 1000 above the mean rate in the corresponding periods of the ten years 1890–99.

The 1450 deaths included 9 from measles, 3 from scarlet fever, 30 from diphtheria, 48 from whooping-cough, 14 from enteric fever, 132 from diarrhœa and dysentery, 1 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 237 deaths were referred to these diseases, being 13 below the corrected average weekly number.

The deaths from *measles*, which had been 11, 22, and 17 in the preceding three weeks, further fell last week to 9, and were 7 below the corrected average. The deaths from *scarlet fever*, which had been 5, 4, and 3 in the preceding three weeks, were again 3 last week, the corrected average being 17. The deaths from *diphtheria*, which had been 19, 19, and 17 in the preceding three weeks, rose again last week to 30, but were 17 below the corrected average; 3 cases belonged to Hampstead, 3 to St. Pancras, 3 to Mile End Old Town, and 3 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 39, 31, and 57 in the preceding three weeks, fell again last week to 48, but were 18 above the corrected average; 9 cases belonged to Camberwell, 4 to Fulham, 4 to St. Marylebone, 4 to Islington, and 4 to Greenwich sanitary areas. The fatal cases of *enteric fever*, which had been, 8, 15, and 23 in the preceding three weeks, fell again last week to 14, and were 4 below the corrected average; 3 cases belonged to Lambeth sanitary area. The deaths from *diarrhœa*, which had been 380, 259, and 165 in the preceding three weeks, further fell last week to 132, but were 14 above the corrected average. Of the 132 deaths from diarrhœa, 124 were of children under 5 years of age; 38 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 138, 124, and 161 in the preceding three weeks, further rose last week to 203, and were 30 above the corrected average. The deaths attributed directly to *influenza* numbered 4, having been 1, 5, and 3 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all but 3 of which inquests were held. Of these 62 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 54 were attributed to accident or negligence. Eight of these were referred to vehicles in the streets, 2 to a conflagration, 5 to drowning, 1 to sunstroke, 1 to the effects of chloroform administered for surgical purposes, and 4 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 1804 of scarlet fever, 1232 of diphtheria, and 274 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 269 cases, against 176, 213, and 243; of diphtheria, 216 cases, against 131, 160, and 191; and of enteric fever, 89 cases, against 40, 38, and 57.

Greater London.

In Greater London 3572 births and 1980 deaths were registered, corresponding to annual rates of 28·0 and 15·5 per 1000 of the estimated population. In the Outer Ring 5 deaths from measles, 16 from diphtheria, 18 from whooping-cough, 8 from "fever," and 69 from diarrhœal diseases were registered. Seven of the deaths from diphtheria, 6 from whooping-cough, 3 from "fever," and 29 from diarrhœal diseases occurred in West Ham district; 5 of the deaths from diphtheria, 4 from whooping-cough, and 2 from "fever" occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·03 inches, and that of the Thermometer 60°·5; the latter being 4°·0 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 36 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 41·9 hours; the measured rainfall amounted to 0·07 inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever respectively: but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the week ending 22nd Sept. 1900.	Deaths, the week ending 22nd Sept. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Deaths from Measles.	Deaths from Scarlet Fever.	Deaths from Diphtheria.	Deaths from Whooping-cough.	Deaths from Fever.	Deaths from Diarrhœa.	Deaths from Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	Corresponding to the Week's Deaths. From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	**11,610,296**	**6356**	**4041**	**1373**	**813**	-	**26**	**21**	**72**	**105**	**50**	**497**	**134**	**268**	**841**	**40**	**18·1**	**3·5**	**82·6**	**34·4**	**57·6**	**14·22**	**0·19**	**0·48**	33 Towns.
London - -	4,589,129	2448	1450	419	338	-	9	3	30	48	14	132	62	119	465	6	16·5	2·7	82·6	41·2	60·5	15·83	0·07	0·18	London.
West Ham - -	314,472	162	99	46	13	-	-	-	3	4	1	16	3	6	17	1	16·4	4·0	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	65	29	5	7	-	-	-	-	1	1	-	1	5	7	-	11·5	0·8	78·5	40·5	59·3	15·17	0·05	0·13	Croydon.
Brighton - -	124,148	40	56	16	13	-	1	-	2	1	-	3	1	5	11	-	23·5	2·9	70·2	45·4	59·1	15·06	0·02	0·05	Brighton.
Portsmouth -	194,955	81	67	22	22	-	-	-	-	2	4	9	3	4	9	-	17·9	4·0	74·0	44·0	59·0	15·00	0·00	0·00	Portsmouth.
Plymouth - -	102,161	60	43	14	12	-	-	-	-	-	1	3	-	1	2	-	21·9	2·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	179	92	30	27	-	-	-	-	2	1	15	-	2	12	-	14·8	2·9	-	-	-	-	-	-	Bristol.
Cardiff - -	194,247	75	49	15	13	-	-	-	-	-	1	3	1	4	7	-	13·2	1·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	47	39	13	6	-	4	1	2	-	1	4	2	4	2	1	19·3	5·9	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	54	30	16	4	-	-	-	-	-	-	9	1	2	2	-	17·5	5·2	69·0	37·3	54·9	12·72	0·15	0·38	Wolverhampton.
Birmingham -	519,610	312	178	79	22	-	1	-	2	3	3	27	6	8	27	5	17·9	3·6	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	58	32	15	5	-	-	-	1	1	-	5	1	2	2	-	14·5	3·2	-	42·8	60·8	16·00	0·11	0·28	Norwich.
Leicester - -	219,169	109	67	29	10	-	-	1	9	1	-	12	1	4	6	1	15·9	5·5	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	112	90	32	16	-	-	-	2	6	2	17	2	5	16	-	19·3	5·8	67·7	34·4	54·8	12·67	0·05	0·13	Nottingham.
Derby - -	107,991	52	36	14	7	-	-	-	-	2	1	5	2	6	7	-	17·4	3·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	61	35	12	5	-	-	-	-	-	-	2	3	3	6	1	15·6	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	387	281	80	66	-	3	3	3	11	3	37	9	15	72	8	23·1	4·9	70·6	45·4	57·2	14·00	0·21	0·53	Liverpool.
Bolton - -	164,240	95	57	19	15	-	1	-	1	-	3	8	-	3	4	-	18·1	4·1	-	-	-	-	-	-	Bolton.
Manchester -	548,768	364	244	87	40	-	1	2	1	2	1	33	2	11	45	4	23·2	3·8	-	-	-	-	-	-	Manchester.
Salford - -	220,816	145	103	24	16	-	2	1	1	2	-	13	1	6	12	-	24·3	4·5	-	-	-	-	-	-	Salford.
Oldham - -	153,297	67	45	14	8	-	-	-	-	-	1	3	1	4	9	-	15·3	1·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	65	41	18	8	-	-	-	-	1	-	8	-	-	4	-	18·3	4·0	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	77	67	26	11	-	-	2	3	3	-	7	-	1	3	1	25·5	5·7	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	63	52	22	7	-	-	-	3	2	2	10	-	-	4	-	22·8	7·5	72·0	46·0	57·0	13·89	0·74	1·88	Preston.
Huddersfield -	104,484	44	31	6	13	-	-	-	-	-	-	2	1	1	7	-	15·5	1·0	68·2	44·2	56·1	13·39	0·13	0·33	Huddersfield
Halifax - -	100,710	57	24	7	1	-	-	-	-	-	-	-	2	2	4	1	12·4	-	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	135	69	15	23	-	1	-	-	-	1	2	6	7	9	1	12·3	0·7	67·2	44·6	56·1	13·39	0·01	0·03	Bradford
Leeds - - -	431,287	251	159	68	28	-	1	-	2	1	1	22	8	13	15	2	19·2	3·3	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	237	179	90	21	-	-	2	7	7	3	39	2	6	20	6	25·5	8·3	-	-	-	-	-	-	Sheffield
Hull - - -	238,736	145	109	50	12	-	-	1	-	1	3	27	3	5	11	1	23·8	7·0	68·0	41·0	55·8	13·22	0·79	2·01	Hull.
Sunderland -	147,398	101	72	22	9	-	-	4	-	-	2	5	3	3	13	1	25·5	3·9	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	83	37	17	4	-	-	1	-	3	-	12	-	-	1	-	17·6	7·6	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	123	79	31	11	-	2	-	-	1	-	7	7	11	10	-	17·6	2·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2355	2559	2433	2554	2358	2541	2537	2492	2574	2531	2623·1	2448
Males - -	1161	1334	1245	1299	1224	1278	1308	1267	1323	1302	1340·4	1235
Females - -	1194	1225	1188	1255	1134	1263	1229	1225	1251	1229	1282·7	1213
TOTAL **Deaths** -	1375	1322	1238	1561	1211	1346	1238	1341	1863	1649	1488·0	1450
Males - -	704	663	634	802	647	703	621	701	1001	859	771·7	768
Females - -	671	659	604	759	564	643	617	640	862	790	716·3	682

*The numbers in this column are the average weekly numbers in the thirty-eighth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
TOTAL **Births** - - -	2483	2466	2479	2384	2507	2701	2332	2621	2677	2763	2628	2519	2448
TOTAL **Deaths** - - -	1274	1191	1252	1417	1846	1768	1804	1706	1691	1776	1582	1470	1450
Ages at Death: Under 1 year - -	283	243	292	368	671	797	796	659	673	801	625	469	419
1—5 years - -	179	145	153	210	236	184	204	166	196	187	167	180	161
5—20 " - -	84	70	69	82	75	71	74	85	81	71	91	64	84
20—40 " - -	179	193	183	163	213	145	167	184	174	167	151	208	196
40—60 " - -	289	275	247	269	294	263	259	288	245	279	239	265	252
60—80 " - -	220	217	249	272	288	252	233	257	257	215	265	230	282
80 years and upwards	40	48	59	53	69	56	71	67	65	56	44	54	56
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	53	35	42	54	30	29	25	20	22	11	22	17	9
Scarlet Fever - - -	12	10	4	5	6	5	6	4	10	5	4	3	3
Diphtheria - - - -	29	20	26	21	27	24	25	17	14	19	19	17	30
Whooping-cough - - -	53	37	43	40	47	44	44	44	44	39	31	57	48
Typhus - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever - - -	12	7	13	9	13	7	7	6	16	8	15	23	14
Simple Continued Fever -	-	-	-	1	1	-	-	1	1	1	-	-	-
Diarrhœa and Dysentery -	17	20	27	100	292	389	386	293	304	380	259	165	132
Cholera - - - -	-	1	-	-	8	9	13	6	10	12	3	1	1
All the above Diseases -	176	130	155	230	424	507	506	392	421	475	353	283	237
Dis. of Respiratory System -	180	140	160	169	196	136	128	132	149	138	124	161	209
Phthisis - - - - -	138	148	138	126	151	133	149	155	116	150	128	151	120
Dis. of Circulatory System -	120	129	130	106	130	97	119	126	103	121	117	119	97
Violence - - - -	71	63	56	77	93	82	58	55	76	45	53	69	62
Inquest Cases - - - -	135	132	115	133	155	155	127	128	136	111	110	135	119
Deaths in Public Institutions -	421	408	406	452	509	415	473	489	465	450	486	449	465
TEMPERATURE OF THE AIR.													
Mean - - - - -	57°·6	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4	60°·[illegible]
Mean of Highest readings -	66·7	67·4	77·0	86·6	82·8	72·0	65·3	78·8	71·7	66·8	67·3	68·9	73·[illegible]
Mean of Lowest readings -	51·2	53·2	54·1	57·9	61·3	54·9	50·8	55·2	52·8	52·8	45·4	48·9	50·7
*Humidity of the Air - -	80	73	62	60	65	71	84	67	77	77	74	73	76
Rain-fall (in inches) - -	1·15	0·57	0·00	0·00	0·84	0·58	0·74	0·05	0·56	0·62	0·00	0·00	0·07
Registered Sunshine (in hours)	23·5	47·5	76·2	83·2	58·8	50·4	18·0	72·7	45·8	21·8	40·8	44·1	41·[illegible]
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	16	17	17	14	11	7	5	2	1	2	3	3	[illegible]
Scarlet Fever - - - -	1832	1843	1861	1877	1859	1827	1838	1793	1726	1702	1736	1753	180[illegible]
Diphtheria - - - -	1219	1207	1212	1236	1271	1261	1263	1250	1211	1180	1187	1212	123[illegible]
Enteric Fever - - - -	148	155	143	135	129	137	143	146	159	170	189	212	27[illegible]

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-EIGHTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 38th Week of the 10 years 1890–99*.	In the Week ending Saturday, 22nd September, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1488·0	1450	419	161	84	196	252	282	56
Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	0·1	-	-	-	-	-	-	-	-
- - - -	15·5	9	1	8	-	-	-	-	-
Fever - - -	16·8	3	-	3	-	-	-	-	-
- - - -	0·2	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	3·1	4	-	-	1	-	-	2	1
ng-cough - -	30·2	48	19	26	3	-	-	-	-
eria - -	47·2	30	5	13	12	-	-	-	-
Continued and fined Fever -	0·4	-	-	-	-	-	-	-	-
Fever - - -	18·3	14	-	-	4	6	4	-	-
and Chol. Diarr.	2·9	1	-	-	-	-	1	-	-
ea, Dysentery -	117·6	132	98	26	-	1	1	4	2
ent Fever - -	0·1	-	-	-	-	-	-	-	-
hobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
and Effects of nation - -	0·3	-	-	-	-	-	-	-	-
l Affections - -	10·0	8	5	-	-	-	3	-	-
plas - - -	4·5	2	-	-	1	-	-	1	-
and Septicæmia	2·0	5	1	2	-	2	-	-	-
ral Fever - -	3·9	2	-	-	-	2	-	-	-
Zymotic Diseases	0·9	-	-	-	-	-	-	-	-
- - - -	1·1	-	-	-	-	-	-	-	-
and other Para- l Diseases -	0·4	1	-	-	-	-	1	-	-
tion, Want of st-milk - -	1·8	-	-	-	-	-	-	-	-
lism - - -	8·9	15	-	-	-	6	5	4	-
natic Fever, mmatism of Heart	9·0	3	-	-	-	-	1	2	-
natism - - -	2·6	2	-	-	-	1	-	1	-
- - - -	2·8	2	-	-	-	-	1	-	1
s - - - -	5·3	3	2	1	-	-	-	-	-
- - - -	76·0	80	-	-	-	9	31	38	2
Mesenteric - -	29·7	18	12	2	3	-	1	-	-
cular Meningitis -	23·9	17	5	9	3	-	-	-	-
is - - - -	145·6	120	1	-	12	55	42	10	-
la, Tuberculosis -	17·3	20	4	4	3	4	2	3	-
Constitutional ases - -	11·6	7	-	-	-	-	2	5	-
ture Birth - -	52·0	45	45	-	-	-	-	-	-
tasis - - -	4·5	6	6	-	-	-	-	-	-
nital Malforma- s - - -	7·6	4	3	-	1	-	-	-	-
ge - - - -	46·9	44	-	-	-	-	-	24	20
exy - - -	38·0	42	-	-	-	2	16	21	3
psy - - - -	6·6	7	-	-	1	4	2	-	-
lsions - - -	34·4	29	26	1	1	1	-	-	-
Diseases of Brain Nervous System	75·2	53	5	8	5	8	14	11	2
ses of Organs of cial Sense -	2·8	2	1	-	1	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 38th Week of the 10 years 1890–99*.	In the Week ending Saturday, 22nd September, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards
Diseases of Circulatory System - -	119·6	97	2	1	7	19	32	28	8
Croup - - - -	2·7	1	-	1	-	-	-	-	-
Bronchitis - - -	81·7	75	11	9	1	3	10	31	10
Pneumonia - - -	68·6	105	9	14	7	17	22	35	1
Pleurisy - - - -	3·9	3	1	1	-	-	1	-	-
Other Diseases of Respiratory System -	16·2	19	3	2	2	3	2	7	-
Dentition - - - -	5·8	1	1	-	-	-	-	-	-
Quinsy, Sore Throat -	1·7	3	-	-	1	2	-	-	-
Enteritis - - -	55·3	42	25	4	4	4	2	3	-
Gastro-enteritis -		39	29	9	-	-	-	-	1
Peritonitis - - -	6·2	4	-	1	-	1	2	-	-
Diseases of Liver - -	28·2	32	4	-	-	6	11	11	-
Other Diseases of Digestive System	31·1	48	19	3	1	8	8	8	1
Diseases of Lymphatic System & of Ductless Glands - - -	1·4	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	41·7	64	-	2	-	14	20	25	3
Diseases of Generative System - - -	5·6	2	-	-	-	1	1	-	-
Accidents of Childbirth -	4·7	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	4·2	3	1	-	-	2	-	-	-
Diseases of Integumentary System - -	6·6	5	2	-	-	-	3	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	50·9	2	-	-	1	-	1	-	-
By Vehicles or Horses -		8	-	1	2	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations -		2	1	1	-	-	-	-	-
By Burns, Scalds, Explosions - -		3	-	3	-	-	-	-	-
By Drowning - - -		5	-	1	3	-	-	1	-
By Suffocation in Bed -		4	4	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	-	-	1	-	-
Other or not stated causes - - -		28	6	3	4	6	4	4	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·8	1	-	-	-	1	-	-	-
Suicide - - - -	6·6	7	-	-	-	4	2	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	66·2	64	62	2	-	-	-	-	-

he numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder, manslaughter or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 22nd September, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2448	1450	419	338	-	9	3	30	48	-	14	-	132	62	119	465
WEST DISTRICTS - - -	778,251	320	231	64	58	-	-	2	4	11	-	-	-	20	11	17	86
NORTH DISTRICTS - - -	1,040,694	549	283	81	81	-	1	-	8	11	-	1	-	25	17	34	75
CENTRAL DISTRICTS - - -	233,635	115	75	25	12	-	1	-	1	2	-	1	-	7	4	9	31
EAST DISTRICTS - - -	716,334	484	283	97	67	-	5	-	3	2	-	4	-	29	13	24	89
SOUTH DISTRICTS - - -	1,642,796	980	550	152	115	-	2	1	13	22	-	8	-	51	17	35	156
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	28	-	5	-	-	-	1	-	-	-	-	-	-	-	28
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	45	25	6	6	-	-	-	-	1	-	-	-	2	1	1	5
St. John Paddington *H* - - G.	33,510	7	16	2	1	-	-	-	-	1	-	-	-	1	2	4	13
Kensington Town *Ww* - - W.	122,164	35	28	8	13	-	-	-	-	2	-	-	-	3	-	-	14
Brompton *HH* - - - W. & C.	48,301	13	6	3	2	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *H* / South Hammersmith *H* W. & G	44,638 / 59,561	25 / 24	11 / 23	4 / 8	5 / 7	- / -	- / -	- / -	- / 1	- / -	- / -	- / -	- / -	- / -	- / 1	- / 1	- / 2
Fulham *Ww* - - - W. & C.	113,781	91	48	17	8	-	-	2	3	4	-	-	-	7	5	4	19
Chelsea Kensal Town - C.	21,450	15	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	13	14	2	4	-	-	-	-	-	-	-	-	1	1	2	9
Chelsea South *HH* - - C.	33,139	14	14	5	3	-	-	-	-	-	-	-	-	4	-	1	5
May Fair *WH* - - - - G.	23,827	2	11	-	5	-	-	-	-	-	-	-	-	-	-	1	6
Belgrave *WHHH* - - - C.	56,140	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. John Westminster *HH* - C.	31,492	10	10	4	1	-	-	-	-	2	-	-	-	1	1	1	-
St. Margaret Westminster *H* - C.	22,097	7	12	2	-	-	-	-	-	-	-	-	-	1	-	1	11
St. James Westminster *WH* N. & G.	23,050	4	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	14	8	1	3	-	-	-	-	-	-	-	-	1	1	3	5
Rectory Marylebone *W* G. & W.	19,798	8	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	24	5	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H* - W	32,547	18	7	2	1	-	-	-	-	1	-	-	-	1	-	-	-
St. John Marylebone *HHH* - W.	32,611	10	7	1	2	-	1	-	-	1	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	38	23	4	5	-	-	-	6	-	-	-	-	-	3	5	7
Regent's Park † *HH* - W.	51,403	21	11	3	4	-	-	-	-	1	-	-	-	1	-	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	12	14	5	3	-	-	-	-	-	-	-	-	-	1	1	6
Gray's Inn Lane *HHHH* - N.	29,426	23	9	3	1	-	-	-	-	-	-	-	-	1	1	2	4
Somers Town *HH* - - - N.	32,161	18	14	4	2	-	-	-	-	-	-	-	-	2	4	6	6
Camden Town† *WH* - - N.	40,155	18	15	6	6	-	-	-	-	-	-	-	-	2	-	1	3
Kentish Town† *WW* - - N.	60,862	28	14	5	2	-	-	-	-	1	-	-	-	2	-	1	5
Upper Holloway *WWWWwHH* - - N.	98,273	62	39	8	14	-	-	-	1	2	-	-	-	4	1	2	22
Lower Holloway‡ - - - - N.	41,805	21	9	3	3	-	-	-	-	-	-	-	-	1	-	-	-
Barnsbury‡ - - - - N.	56,384	30	9	4	3	-	-	-	-	-	-	-	-	2	1	1	-
Islington South-east‡ *H* - N.	75,725	36	12	4	4	-	-	-	-	2	-	-	-	1	2	2	-
Highbury *HH* - - - N.	64,577	29	18	4	8	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H* - - N.	33,485	20	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	24	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *ww* - E. & N.		28	10	3	1	-	-	-	1	1	-	-	-	-	1	2	2
South-west Hackney *HHH* E. & N.		29	24	7	7	-	-	-	-	1	-	-	-	3	1	3	6
South-east Hackney *WwH* E. & N.		38	24	9	7	-	-	-	-	-	-	1	-	4	-	2	6

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two n Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 22nd September, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	11	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
uth *WH* - - }																		
iles North *H* - - - N.	9,151	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iartin-in-the-Fields *HH* N. & C.	13,077	3	5	-	1	-	-	-	-	-	-	-	-	-	-	2	3	-
nd *WHH* - - - - N.	11,839	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nd Union Workhouse, Edmonton	†1,037	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
born *WwHHHHH* - N.	31,042	14	13	7	-	-	-	-	-	-	-	-	-	6	-	-	9	-
ames Clerkenwell - - N.	15,777	10	6	1	2	-	1	-	-	-	-	-	-	-	1	2	-	-
well Clerkenwell - - N.	34,356	25	11	5	1	-	-	-	-	1	-	-	-	1	1	1	-	-
well-street - - - - N.	16,069	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *HHHHL* - - N.	29,897	25	9	4	1	-	-	-	-	-	-	-	-	-	1	1	3	-
itecross-street - - - N.	7,595	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
sbury - - - - - N.	4,035	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, }	†892	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
itcham - - - - }																		
Botolph* *H* - - N. & E.	13,061	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	3	16	3	1	-	-	-	1	1	-	-	-	-	1	2	13	-
nallows Barking - - - N.	9,059	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
preditch South *Hl* - E. & N.	17,975	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
xton New Town *w* - - N.	29,575	18	10	4	4	-	-	-	-	-	-	-	-	3	-	1	6	-
xton Old Town - - - N.	27,645	14	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston *WH* - - N. & E.	47,163	28	15	6	4	-	-	-	-	-	-	-	-	3	-	-	6	-
thnal Green North *H* - E.	49,301	44	18	7	2	-	1	-	-	-	-	-	-	3	2	2	1	1
thnal Green South - - E.	34,194	21	8	3	1	-	-	-	-	1	-	-	-	2	-	-	-	-
thnal Green East *WWHl* - E.	45,667	28	18	2	9	-	-	-	-	-	-	-	-	-	1	1	11	-
italfields - - - E. & N.	26,681	16	6	2	1	-	-	-	-	-	-	-	-	4	-	-	-	-
le End New Town *WH* - E.	} 51,995 {	24	36	7	6	-	1	-	-	-	-	3	-	-	5	8	29	-
odman's Fields - - - E.		11	9	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-
George's, North - - - E.	39,576	33	12	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-
John, St. George East *W* E.	7 930	5	6	-	3	-	-	-	-	-	-	-	-	-	-	1	4	-
adwell *H* - - - E. & N.	10,434	5	4	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
tcliff *W* - - - - E.	14,954	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
mehouse - - - - - E.	32,917	18	9	4	1	-	1	-	-	-	-	-	-	2	-	-	-	-
ile End Old Town West *H* E.	} 111,060 {	53	12	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End Old Town East } - E.		38	22	10	8	-	-	-	1	-	-	-	-	2	2	2	6	-
WWww }																		
ow *l* - - - - E.	41,687	38	17	7	2	-	-	-	-	-	-	-	-	1	-	2	-	-
romley *wwwH* - - - E.	69,821	42	40	9	9	-	1	-	1	-	-	-	-	3	3	5	18	-
oplar *WW* - - - - E.	57,759	32	28	7	7	-	1	-	1	-	-	1	-	4	-	1	4	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 22nd September, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	8	5	2	-	-	1	-	-	-	-	-	-	1	-	1	-
St. Saviour Southwark - - S.	12,301	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	26	6	3	-	-	-	-	-	-	-	-	-	2	-	-	-
Borough-road *WH* - S. & L.	16,083	9	6	-	-	-	-	-	-	1	-	-	-	2	-	-	4
London-road *HL* - - L. & S.	21,316	12	6	4	-	-	-	-	-	1	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	26	8	5	1	-	-	-	-	1	-	-	-	1	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	36	20	5	6	-	-	-	-	1	-	-	-	1	-	-	3
St. Mary Newington- - L. & S.	30,171	18	9	2	1	-	-	-	-	1	-	-	-	1	1	1	-
St. Olave *WH*- - - - S.	11,731	2	15	2	1	-	-	-	-	-	-	-	-	-	1	1	14
Bermondsey *W* - - - S.	85,475	65	15	6	2	-	-	-	1	-	-	1	-	2	-	-	1
Rotherhithe *Ww* - S. & K.	40,379	24	22	4	8	-	-	-	-	-	-	1	-	-	-	-	9
Waterloo-road *HH* - L. & S.	28,396	30	14	7	1	-	-	-	-	-	-	-	-	-	-	-	6
Lambeth Church 1st *H* - L. & S.	18,770	13	23	3	2	-	1	-	1	-	-	1	-	1	2	2	18
Lambeth Church 2nd *WW* L. & S.	40,994	25	35	12	9	-	-	-	-	-	-	1	-	3	1	4	19
Kennington 1st *H* - - S. & L.	52,486	29	14	1	5	-	-	-	-	-	-	-	-	-	1	1	-
Kennington 2nd - - S. & L.	43,244	25	10	3	3	-	-	-	-	-	-	-	-	1	-	-	-
Brixton *w* - - - L. & S.	81,825	40	23	7	4	-	-	-	1	1	-	1	-	3	-	-	2
Norwood *WH*- - - - L.	29,318	18	6	1	3	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - - S.	71,730	34	20	8	6	-	-	-	-	1	-	1	-	2	1	2	-
North-west Battersea† - - S.	93,385	23	12	1	4	-	-	-	-	-	-	-	-	3	-	-	-
South-west Battersea† *WwH* - S.		19	24	5	8	-	-	-	-	1	-	-	-	1	1	1	11
Clapham *H* - - - - S.	46,953	19	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	51	15	5	1	-	-	-	-	-	-	1	-	2	-	1	1
Wandsworth *WHHL* - - S.	58,101	45	6	2	1	-	-	-	-	-	-	-	-	-	1	2	-
Putney - - - - - S.	20,566	11	6	3	2	-	-	-	-	1	-	-	-	2	-	-	-
Dulwich - - - L. & S.	7,519	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	47	41	8	13	-	-	-	-	3	-	-	-	3	1	5	21
Peckham *WW* - S., L., & K.	88,242	45	30	10	4	-	-	-	-	1	-	-	-	4	1	1	1
St. George Camberwell - L. & S.	67,029	33	18	7	-	-	-	-	-	4	-	-	-	2	-	-	-
Deptford North - - - K.	36,152	31	10	4	1	-	-	-	-	3	-	-	-	1	1	3	-
Deptford Central *w* - - K.	45,441	24	14	3	1	-	-	1	4	-	-	1	-	1	-	-	6
Deptford South - - - K.	33,402	16	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	8	4	-	-	-	-	-	-	-	-	-	-	-	2	3	1
Greenwich East *WH* - - K.	37,767	28	21	-	7	-	-	-	-	-	-	-	-	-	2	3	14
Eltham *wH* - - - - K.	5,911	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Lee *H* - - - - - K.	24,222	17	6	2	2	-	-	-	-	-	-	-	-	1	-	1	-
Lewisham *WwH* - - - K.	38,139	28	20	8	5	-	-	-	2	1	-	-	-	4	-	1	8
Sydenham *H* - - - - L.	37,601	23	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *wHH* - - - K.	15,928	6	14	1	3	-	-	-	4	-	-	-	-	1	1	-	8
Woolwich* *HHHH* - - K.	41,314	20	10	7	1	-	-	-	-	-	-	-	-	2	-	-	1
Plumstead West *H* - - K.	16,714	5	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Plumstead East *WH* - - K.	42,538	32	17	3	4	-	-	-	-	-	-	-	-	2	-	-	6
Banstead Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7
Hanwell Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
N.E. Hospital - - - - -	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwi

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea a South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, PITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ng Saturday, 22nd September, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON—OUTER RING -	368,749	1,422,063	1,124	530	196	118	-	5	-	16	18	8	66	18	39	69	3
Carshalton *H* - - -	12,228	26,108	18	8	4	2	-	-	-	-	-	-	1	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	4	2	-	2	-	-	-	-	-	-	-	-	-	-	1
Godstone, *part of** *W* -	2,754	1,598	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	74	31	6	8	-	-	-	-	1	1	-	1	5	7	-
Mitcham *w* - - -	11,697	23,072	20	11	5	2	-	-	-	-	-	-	1	-	1	-	-
Wimbledon *HHH* - -	3,220	25,777	18	10	4	1	-	-	-	-	-	-	1	1	1	-	-
Kingston *WH* - - -	14,672	33,566	28	15	3	6	-	1	-	-	1	-	-	1	2	5	-
Surbiton *HH* - - -		12,178	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	11	7	1	2	-	-	-	-	-	-	2	1	2	-	-
Richmond *WHH* - -	2,160	25,389	13	8	-	6	-	-	-	-	-	-	-	-	-	2	-
Mortlake *H* - - -	2,823	16,159	9	4	2	2	-	-	-	-	-	-	1	1	1	-	-
Bromley *HHH* - - -	9,127	23,815	20	4	1	-	-	-	-	-	-	-	-	-	-	1	-
Beckenham *H* - - -	6,542	21,969	11	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	19	6	-	6	-	-	-	-	-	-	-	-	-	6	-
Bexley *HHH* - - -	12,540	30,590	26	19	8	2	-	-	-	2	1	-	5	-	-	1	1
Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	13,671	13	5	2	3	-	-	-	-	1	-	-	-	1	-	-
Staines *WH* - - -	13,277	13,221	8	4	1	1	-	-	-	1	-	-	-	2	2	-	-
Hillingdon *WHH* - -	6,035	12,237	9	7	3	1	-	-	-	-	1	-	-	-	-	2	-
Uxbridge - - - -	12,757	7,253	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	10	16	5	5	-	-	-	-	-	-	1	1	1	5	-
Twickenham *HH* - -	2,415	16,027	10	5	3	1	-	-	-	-	1	-	1	1	1	-	-
Brentford *HHHH* - -	4,318	37,777	23	7	2	3	-	-	-	-	-	-	-	1	1	-	-
Chiswick - - - -	1,245	21,963	15	6	2	1	-	-	-	-	-	1	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	18	9	2	2	-	-	-	-	-	1	-	-	1	-	-
Harrow *HHH* - - -	13,809	15,715	19	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	58	18	7	2	-	-	-	-	-	-	4	1	1	2	-
Hendon *WH* - - -	8,382	15,843	12	5	2	3	-	-	-	-	-	-	2	-	-	2	-
South Mimms *HH* - -	21,077	6,367	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	9	5	3	1	-	-	-	-	-	-	3	-	-	1	-
Finchley *HHH* - - -	4,688	25,820	15	3	1	1	-	-	-	-	-	-	-	-	1	-	-
Hornsey *HH* - - -	3,039	61,097	35	20	3	6	-	-	-	3	1	-	1	1	2	2	-
Tottenham *HHH* - -	4,642	97,174	60	32	13	7	-	-	-	1	1	2	3	-	2	1	-
Edmonton *Ww* - -	7,489	36,351	47	27	13	4	-	1	-	-	1	-	6	-	2	3	-
Enfield *WWHH* - -	12,602	31,536	32	7	2	1	-	-	-	-	-	-	1	-	-	2	-
Waltham Abbey - - -	11,017	6,066	3	3	1	-	-	1	-	-	1	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	14	4	2	1	-	-	-	-	-	-	1	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	2	5	2	2	-	-	-	-	1	-	1	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Stratford *H* - - -	4,706	38,612	31	14	5	3	-	-	-	1	-	-	2	1	1	2	-
Plaistow *HHH* - - -		58,030	56	32	19	-	-	-	-	2	-	-	9	-	1	5	1
Canning Town *H* - -		54,750	52	25	13	2	-	-	-	-	1	-	3	2	4	1	-
Forest Gate *w* - - -		53,511	23	19	8	4	-	-	-	-	3	-	2	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	66	25	15	3	-	-	-	1	2	1	4	-	1	1	-
Leyton *WWWwH* - -	4,334	70,188	61	35	9	8	-	2	-	1	-	1	5	2	3	14	-
Walthamstow *HHHL* -	6,501	57,330	67	26	10	3	-	-	-	2	-	1	4	-	-	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	4	3	1	1	-	-	-	-	-	-	-	1	1	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	19	9	6	2	-	-	-	-	-	-	1	-	-	-	-
Barking Town, *H* - -	3,814	14,301	20	9	3	1	-	-	-	1	-	-	2	-	1	1	-
North-Eastern Fever Hospital, Tottenham.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

he parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in eld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for tious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS a
Rates of MORTALITY during the week ending Saturday, 22nd September, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14
GREATER LONDON	**443,421**	**6,652,145**	**15·5**	**2·7**	**1980**	**615**	**456**	–	**14**	**3**	**46**	**66**	**22**	**198**
INNER LONDON -	74,672	4,589,129	16·5	2·7	1450	419	338	–	9	3	30	48	14	132
OUTER RING -	368,749	2,063,016	13·4	2·9	530	196	118	–	5	–	16	18	8	66

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equiva the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLI and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL Z DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever
EDINBURGH -	302,262	September 22	152	105	18·1	–	2	–	3	1	
GLASGOW - -	743,585	„ 22	469	276	19·4	3	2	3	–	16	
DUBLIN† - -	349,594	„ 22	165	164	24·5	–	–	–	1	3	
CALCUTTA - -	466,460	August 4	–	301	33·6	9	–	–	–	–	9
BOMBAY - -	821,764	„ 28	274	1580	99·9	2	3	?	?	?	16
MADRAS - -	452,518	„ 17	441	593	68·1	–	2	?	?	?	16
PARIS - - -	2,511,629	September 15	1078	842	17·4	12	3	–	4*	1	1
BRUSSELS - -	561,130	„ 15	210	168	15·3	–	2	–	1*	1	
AMSTERDAM -	526,538	„ 8	295	142	14·0	–	4	–	–	4	–
ROTTERDAM -	325,556	„ 8	241	114	18·2	–	–	–	2	–	
THE HAGUE -	205,328	„ 8	128	73	18·3	–	–	–	–	–	–
COPENHAGEN -	349,000	„ 15	185	135	20·2	–	–	–	–	–	
STOCKHOLM -	297,148	„ 8	148	107	18·8	–	–	–	1*	1	–
CHRISTIANIA -	221,255	„ 15	158	68	15·8	–	–	–	–	4	–
ST. PETERSBURG	1,132,677	„ 8	561	556	25·6	12	9	17	21	8	2
MOSCOW - -	988,610	„ 8	–	719	37·9	–	15	9	7	2	
BERLIN - -	1,848,269	„ 1	924	732	20·5	–	9	4	5	17	
HAMBURG - -	691,349	„ 15	–	245	18·4	–	1	1	–	6	
DRESDEN - -	403,400	August 18	231	167	21·3	–	1	1	–	–	–
BRESLAU -	412,959	September 15	–	207	26·1	–	–	–	2	1	
MUNICH - -	463,000	„ 8	–	247	27·7	–	1	–	1*	2	–
VIENNA - -	1,656,662	„ 15	707	527	16·5	–	2	4	6*	2	
PRAGUE - -	385,952	„ 1	195	165	21·9	–	1	–	1	–	–
BUDA-PESTH -	685,340	„ 8	471	243	18·4	–	3	2	2	–	
TRIESTE - -	168,264	„ 15	106	95	29·4	–	–	1	1*	–	
ROME - - -	514,306	August 25	–	–	–	–	–	–	–	–	–
TURIN (10 days)-	344,203	„ 10	225	158	16·8	–	1	–	1	1	
VENICE - -	172,491	September 1	–	–	–	–	–	–	–	–	
CAIRO - -	570,062	August 12	450	541	49·3	–	30	–	3*	–	1
ALEXANDRIA -	319,766	„ 12	234	204	33·2	–	–	–	1*	1	
NEW YORK (including BROOKLYN)	3,654,594	„ 18	1546	1523	21·7	–	6	2	33	9	1
		„ 25	1789	1157	16·5	1	5	3	28	8	1
PHILADELPHIA -	1,266,832	September 1	–	413	17·0	–	–	3	13	2	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area
‡ Including one death from plague in Glasgow, 21 deaths in Calcutta, 64 deaths in Bombay, and one Alexandria.
§ Including 10 deaths from cholera in Calcutta, 408 in Bombay, and 60 in Madras.

1900. Month and Day		Phases of the Moon.	Barometer (corrected and reduced 32° Fahrenheit).	Of the Air. Highest.	Of the Air. Lowest	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Dew point. Mean daily value.	Temperature. Mean daily value.	Temperature. Greatest.	Temperature. Least.	Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	General Direction. A.M.	General Direction. P.M.	Pressure on the Square Foot. Greatest.	Pressure on the Square Foot. Least.	Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	16	..	29·953	82·6	56·6	26·0	64·6	+ 7·1	61·9	2·7	23·1	0·0	91	133·1	50·3	59·39	ESE., E. & NE.	SE., SW. & SSW.	1·3	0·0	0·0	139	−140	0·06	0·0
MONDAY -	17	..	29·936	74·7	55·7	19·0	63·6	+ 6·3	56·2	7·4	16·7	0·0	77	132·4	46·5	59·67	SW. & S.	SW.	1·2	0·0	0·0	141	−135	0·00	0·0
TUESDAY -	18	..	29·817	69·9	54·4	15·5	60·6	+ 3·7	56·1	4·5	11·2	0·0	85	114·6	43·6	59·89	SW. & WSW.	SW. & NW.	1·0	0·0	0·0	147	−126	0·00	0·0
WEDNESDAY	19	..	30·060	68·0	45·5	22·5	54·9	− 1·6	46·3	8·6	21·1	1·3	73	101·2	35·5	60·00	NW. & SW.	NNW., WNW. & SW.	0·6	0·0	0·0	122	−148	0·00	0·0
THURSDAY-	20	..	30·191	70·6	41·2	29·4	56·1	0·0	42·9	13·2	25·2	0·9	61	123·3	32·3	60·03	SW. & WSW.	WSW. & SW.	1·5	0·0	0·1	180	− 88	0·00	0·0
FRIDAY -	21	..	30·164	74·1	44·3	29·8	60·4	+ 4·7	47·4	13·0	21·4	4·4	62	127·9	33·8	59·80	SW. & SSW.	WSW. & SW.	1·5	0·0	0·1	251	− 14	0·00	0·0
SATURDAY -	22	In Equator	30·096	73·0	57·0	16·0	63·0	+ 7·6	58·6	4·4	11·9	0·0	85	130·2	50·7	59·97	SW. & WSW.	WSW. & SW.	1·3	0·0	0·1	227	− 36	0·01	0·0
MEANS -			30·031	73·3	50·7	22·6	60·5	+ 4·0	52·8	7·7	18·7	0·9	76	123·2	41·8	59·82	SW.		..	..	..	Sum 1207	Sum −687	Sum 0·07	0·0
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	16	w. P. generally; m. P. and m. N. between 6h. and 8h. P.M.	4·3	12·6	Overcast and foggy in morning: very fine till 3h. P.M.; overcast till evening with rain between 6h. and 8h. P.m.; fine afterwards. Lightning observed at night. A very warm and oppressive day.
MONDAY -	17	w. P. throughout.	8·2	12·5	Very fine with variable amounts of cloud till evening; cloudless till 11h. P.M.; overcast with fog afterwards.
TUESDAY -	18	w. P. throughout.	1·9	12·5	Generally overcast; fine in afternoon. Foggy in morning and slight rain at night.
WEDNESDAY	19	w. P. generally; m. P. in evening.	6·3	12·4	Cloudless in morning; fine and partially cloudy afterwards.
THURSDAY-	20	w. P. generally till 6h. P.M.; m. P. afterwards.	8·8	12·3	A very fine day; the amount of cloud was usually small. Solar halo observed in forenoon.
FRIDAY -	21	m. P. generally till noon; w. P. generally afterwards.	10·5	12·2	Cloudless in morning; very fine with small amounts of cloud till 7h. P.M.; generally overcast afterwards.
SATURDAY -	22	w. P. throughout.	1·9	12·2	Fine and bright in early morning; fine with large amounts of cloud generally afterwards.
			Sum 41·9	Sum 86·7	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·96 in. at the beginning of the week to 29·77 in. by 5h. P.M. on the 18th; increased to 30·22 in. by 9h. A.M. on the 20th; and decreased to 30·08 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street E

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 39. 1900. VOL. LXI.] WEEK ENDING SATURDAY, SEPT. 29. [Price 1½*d.*

General Register Office, Somerset House,
October 1st, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 18·5 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 19·6, 18·2, and 18·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	TOWNS.	Weeks ending Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
33 Great Towns	**19·6**	**18·2**	**18·1**	**18·5**	Leicester - -	26·4	18·6	15·9	18·1
Birkenhead -	14·7	15·1	15·6	18·7	Liverpool - -	23·7	23·2	23·1	23·0
Birmingham -	23·9	19·8	17·9	20·2	London - - -	18·0	16·7	16·5	16·7
Blackburn -	13·3	17·9	25·5	23·6	Manchester - -	24·1	25·4	23·2	26·6
Bolton - -	17·1	22·2	18·1	17·8	Newcastle-on-Tyne	23·6	19·6	17·6	21·6
Bradford -	12·7	11·1	12·3	11·1	Norwich - -	17·3	9·1	14·5	15·0
Brighton -	22·7	13·9	23·5	19·3	Nottingham - -	21·3	19·3	19·3	18·3
Bristol - -	14·4	17·8	14·8	14·8	Oldham - -	18·0	15·3	15·3	18·4
Burnley -	23·7	17·4	18·3	19·7	Plymouth - -	20·9	17·4	21·9	14·8
Cardiff - -	14·2	10·7	13·2	15·3	Portsmouth - -	24·6	20·9	17·9	14·7
Croydon -	15·1	11·9	11·5	14·7	Preston - -	26·8	25·4	22·8	22·4
Derby - -	10·1	12·1	17·4	21·2	Salford - - -	19·6	22·4	24·3	27·6
Gateshead -	18·1	18·1	17·6	19·5	Sheffield - -	25·9	26·8	25·5	22·4
Halifax -	12·4	11·4	12·4	11·9	Sunderland - -	22·6	21·6	25·5	27·6
Huddersfield-	16·5	15·5	15·5	16·0	Swansea - -	20·8	23·7	19·3	19·3
Hull - -	33·4	19·4	23·8	20·5	West Ham - -	14·9	15·9	16·4	14·9
Leeds - -	18·3	19·2	19·2	18·0	Wolverhampton -	23·3	12·2	17·5	21·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *scarlet fever*, 1·1 in Sunderland ; from *whooping-cough*, 1·0 in Oldham and in Sheffield, 1·2 in Croydon, 1·5 in Swansea, and 1·8 in Preston ; from "*fever*," 1·0 in Plymouth, 1·3 in Preston, and 2·1 in Portsmouth ; and from *diarrhœa*, 3·0 in Blackburn, 3·2 in Nottingham, 3·6 in Sheffield, 4·0 in Leicester, 4·3 in Gateshead, 4·8 in Hull, 5·0 in Norwich, 5·1 in Manchester, 5·3 in Sunderland, 5·4 in Burnley, and 7·6 in Wolverhampton. In none of the thirty-three towns did the death-rate from *measles* reach 1·0 per 1000. The 79 deaths from *diphtheria* included 40 in London, 9 in Leicester, 4 in Sheffield, 3 in West Ham, 3 in Portsmouth, 3 in Salford, and 3 in Preston. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2239 BIRTHS and 1471 DEATHS were registered. Allowing for increase of population, the births were 368, and the deaths 20, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

6846—670—10/1900 Wt 82 D & S 3

years. The annual death-rate per 1000 from all causes, which had been 18·0, 16·7, and 16·5, in the preceding three weeks, rose again last week to 16·7. During the four weeks ending on Saturday last the death-rate averaged 17·0 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1471 deaths included 13 from measles, 5 from scarlet fever, 40 from diphtheria, 27 from whooping-cough, 18 from enteric fever, 120 from diarrhœa and dysentery, 3 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 226 deaths were referred to these diseases, being 2 below the corrected average weekly number.

The deaths from *measles*, which had been 22, 17, and 9 in the preceding three weeks, rose again last week to 13, but were 4 below the corrected average; 4 cases belonged to Bethnal Green sanitary area. The deaths from *scarlet fever*, which had been 4, 3, and 3 in the preceding three weeks, rose again last week to 5, but were 16 below the corrected average. The deaths from *diphtheria*, which had been 19, 17, and 30 in the preceding three weeks, further rose last week to 40, but were 15 below the corrected average; 4 cases belonged to Fulham, 4 to Bethnal Green, 4 to Poplar, 3 to Hampstead, 3 to St. Pancras, 3 to Islington, and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 31, 57, and 48 in the preceding three weeks, further fell last week to 27, the corrected average being 26. The fatal cases of *enteric fever*, which had been 15, 23, and 14 in the preceding three weeks, rose again last week to 18, and were 2 above the corrected average; 3 cases belonged to Poplar, 2 to Chelsea, 2 to Islington, and 2 to Newington sanitary areas. The deaths from *diarrhœa*, which had been 259, 165, and 132 in the preceding three weeks, further fell last week to 120, but were 31 above the corrected average. Of the 120 deaths from diarrhœa, 116 were of children under 5 years of age; 39 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 124, 161, and 203 in the preceding three weeks, fell again last week to 187, and were 7 below the corrected average. The deaths attributed directly to *influenza* numbered 6, having been 5, 3, and 4 in the preceding three weeks.

Different forms of violence caused 61 deaths, concerning all but 3 of which inquests were held. Of these 61 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 8 to drowning, 1 to the effects of ether administered for surgical purposes, and 9 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 1938 of scarlet fever, 1238 of diphtheria, and 329 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 318 cases, against 213, 243, and 269; of diphtheria, 176 cases, against 160, 191, and 216; and of enteric fever, 90 cases, against 38, 57, and 89.

Greater London.

In Greater London 3284 births and 1991 deaths were registered, corresponding to annual rates of 25·7 and 15·6 per 1000 of the estimated population. In the Outer Ring 4 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 19 from whooping-cough, 6 from "fever," and 65 from diarrhœal diseases were registered. Three deaths from diphtheria, 5 from whooping-cough, and 25 from diarrhœal diseases occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·71 inches, and that of the Thermometer 56°·9; the latter being 2°·0 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 19 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 32·5 hours; the measured rainfall amounted to 0·35 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births in the Week ending 29th Sept. 1900.	Deaths in the Week ending 29th Sept. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Last Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest.	Lowest.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
																			Fahrenheit.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6079**	**4110**	**1335**	**837**	–	**30**	**26**	**79**	**70**	**76**	**495**	**140**	**282**	**846**	**40**	**18·5**	**3·5**	**73·9**	**38·5**	**55·8**	**13·22**	**0·44**	**1·12**	33 Towns.
London	4,589,129	2239	1471	437	342	–	13	5	40	27	18	120	61	129	435	7	16·7	2·5	73·9	43·1	56·9	13·83	0·35	0·89	London.
West Ham	314,472	177	90	30	15	–	2	–	3	2	1	15	4	8	10	1	14·9	3·8	–	–	–	–	–	–	West Ham.
Croydon	131,186	56	37	8	12	–	–	–	–	3	–	3	–	–	7	–	14·7	2·4	73·0	38·5	56·3	13·50	0·41	1·04	Croydon.
Brighton	124,148	51	46	14	16	–	–	–	–	–	2	5	2	4	8	–	19·3	2·9	67·2	47·0	57·8	14·33	0·50	1·27	Brighton.
Portsmouth	194,955	56	55	14	9	–	–	1	3	–	8	5	2	2	9	2	14·7	4·5	71·5	45·5	58·6	14·78	0·22	0·56	Portsmouth.
Plymouth	102,161	51	29	11	7	–	–	–	1	–	2	3	2	5	4	–	14·8	3·1	–	–	–	–	–	–	Plymouth.
Bristol	324,973	157	92	30	28	–	–	2	1	3	–	12	3	4	11	–	14·8	2·9	68·0	43·0	56·7	13·72	0·45	1·14	Bristol.
Cardiff	194,247	124	57	17	10	–	–	–	2	–	1	8	3	5	10	1	15·3	3·0	–	–	–	–	–	–	Cardiff.
Swansea	105,472	58	39	14	8	–	–	–	–	3	1	2	1	3	2	–	19·3	3·0	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	52	36	16	11	–	–	–	–	–	–	13	1	1	2	–	21·0	7·6	67·5	39·4	52·7	11·50	0·58	1·47	Wolverhampton.
Birmingham	519,610	323	201	76	29	–	–	4	1	2	4	27	8	9	39	–	20·2	3·8	–	–	–	–	–	–	Birmingham.
Norwich	114,855	32	33	12	9	–	–	–	2	1	–	11	1	1	2	–	15·0	6·4	71·0	41·2	56·3	13·50	0·42	1·07	Norwich.
Leicester	219,169	117	76	33	9	–	–	–	9	1	–	17	2	2	13	–	18·1	6·4	–	–	–	–	–	–	Leicester.
Nottingham	242,676	109	85	33	16	–	1	–	1	2	4	15	6	7	16	1	18·3	4·9	69·0	39·3	55·0	12·78	0·49	1·24	Nottingham.
Derby	107,991	54	44	16	10	–	–	–	–	1	–	3	2	6	7	–	21·2	1·9	–	–	–	–	–	–	Derby.
Birkenhead	117,170	72	42	14	5	–	–	1	–	1	–	2	3	7	7	–	18·7	1·8	–	–	–	–	–	–	Birkenhead.
Liverpool	634,780	451	280	87	45	–	3	2	2	4	5	31	6	13	60	8	23·0	3·0	68·1	47·3	55·3	12·94	0·25	0·63	Liverpool.
Bolton	164,240	91	56	17	11	–	–	–	–	–	1	7	2	5	3	–	17·8	2·5	–	–	–	–	–	–	Bolton.
Manchester	548,768	334	280	106	45	–	5	2	–	1	3	54	3	14	53	1	26·6	6·2	–	–	–	–	–	–	Manchester.
Salford	220,816	124	117	32	21	–	–	–	3	–	3	12	1	10	26	2	27·6	4·3	–	–	–	–	–	–	Salford.
Oldham	153,297	64	54	9	14	–	–	1	–	3	–	5	2	2	8	–	18·4	3·1	–	–	–	–	–	–	Oldham.
Burnley	116,730	56	44	23	4	–	–	–	–	–	–	12	–	–	4	–	19·7	5·4	–	–	–	–	–	–	Burnley.
Blackburn	137,107	52	62	20	9	–	1	–	1	1	1	8	2	6	5	2	23·6	4·6	–	–	–	–	–	–	Blackburn.
Preston	118,902	67	51	18	6	–	–	2	3	4	3	4	2	2	2	1	22·4	7·0	67·0	47·0	55·2	12·89	1·17	2·97	Preston.
Huddersfield	104,484	47	32	6	12	–	–	–	–	1	1	5	2	2	2	1	16·0	3·5	68·6	43·2	55·2	12·89	0·32	0·81	Huddersfield.
Halifax	100,710	43	23	5	5	–	–	–	–	–	1	1	1	1	4	–	11·9	1·0	–	–	–	–	–	–	Halifax.
Bradford	291,535	111	62	8	17	–	1	–	1	–	5	3	1	4	12	–	11·1	1·8	68·2	45·6	55·7	13·17	0·39	0·99	Bradford.
Leeds	431,287	246	149	48	36	–	2	1	1	–	2	16	1	7	17	4	18·0	2·7	–	–	–	–	–	–	Leeds.
Sheffield	365,922	213	157	58	19	–	–	1	4	7	6	25	6	6	19	5	22·4	6·1	–	–	–	–	–	–	Sheffield.
Hull	238,736	157	94	38	22	–	–	–	–	1	3	22	1	3	12	3	20·5	5·7	72·0	40·0	53·4	11·89	0·18	0·46	Hull.
Sunderland	147,398	94	78	34	16	–	–	3	1	1	1	15	2	5	13	–	27·6	7·4	–	–	–	–	–	–	Sunderland.
Gateshead	109,403	72	41	17	3	–	1	–	–	1	–	9	3	3	6	–	19·5	5·2	–	–	–	–	–	–	Gateshead.
Newcastle	234,369	129	97	34	16	–	1	1	–	–	–	5	4	6	13	1	21·6	1·6	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	190
TOTAL **Births**	2458	2367	2469	2633	2403	2618	2316	2503	2614	2399	2606·9	223
Males - -	1237	1238	1258	1377	1243	1378	1200	1246	1299	1223	1336·0	113
Females - -	1221	1129	1211	1256	1160	1240	1116	1257	1315	1176	1270·9	110
TOTAL **Deaths** -	1458	1272	1245	1656	1277	1532	1264	1313	1700	1456	1491·0	147
Males - -	790	647	631	855	675	784	637	707	930	752	779·3	70
Females - -	668	625	614	801	602	748	627	606	770	704	711·7	76

*The numbers in this column are the average weekly numbers in the thirty-ninth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sep 29.
TOTAL **Births** - - -	2466	2479	2384	2507	2701	2332	2621	2677	2763	2628	2519	2448	223
TOTAL **Deaths** - - -	1191	1252	1417	1846	1768	1804	1706	1691	1776	1582	1470	1449	147
Ages at Death: Under 1 year - -	243	292	368	671	797	796	659	673	801	625	469	419	437
1—5 years - -	145	153	210	256	184	204	166	196	187	167	180	161	175
5—20 " - -	70	69	82	75	71	74	85	81	71	91	64	84	65
20—40 " - -	193	183	163	213	145	167	184	174	167	151	208	196	175
40—60 " - -	275	247	269	294	263	259	288	245	279	239	265	251	279
60—80 " - -	217	249	272	288	252	233	257	257	215	265	230	282	273
80 years and upwards	48	59	53	69	56	71	67	65	56	44	54	56	69
Deaths from—													
Small pox - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - - -	35	42	54	30	29	25	20	22	11	22	17	9	13
Scarlet Fever - - -	10	4	5	6	5	6	4	10	5	4	3	3	5
Diphtheria - - - -	20	26	21	27	24	25	17	14	19	19	17	30	40
Whooping-cough - - -	37	43	40	47	44	44	44	44	39	31	57	48	27
Typhus - - - - -	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteric Fever - - -	7	13	9	13	7	7	6	16	8	15	23	14	18
Simple Continued Fever -	–	–	1	1	–	–	1	1	1	–	–	–	–
Diarrhœa and Dysentery -	20	27	100	292	389	386	293	304	380	259	165	132	120
Cholera - - - -	1	–	–	8	9	13	6	10	12	3	1	1	3
All the above Diseases -	130	155	230	424	507	506	392	421	475	353	283	237	226
Dis. of Respiratory System -	140	160	169	196	136	128	132	149	138	124	161	203	187
Phthisis - - - - -	148	138	126	151	133	149	155	116	150	128	151	120	141
Dis. of Circulatory System -	129	130	106	130	97	119	126	103	121	117	119	97	124
Violence - - - -	63	56	77	93	82	58	55	76	45	53	69	62	61
Inquest Cases - - - -	132	115	133	155	155	127	128	136	111	110	135	119	129
Deaths in Public Institutions -	408	406	452	509	415	473	489	465	450	486	449	464	435
TEMPERATURE OF THE AIR.													
Mean - - - - - -	59°·2	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9
Mean of Highest readings -	67·4	77·0	86·6	82·8	72·0	65·3	78·8	71·7	66·8	67·3	68·9	73·3	66·9
Mean of Lowest readings -	53·2	54·1	57·9	61·3	54·9	50·8	55·2	52·8	52·8	45·4	48·9	50·7	48·9
Humidity of the Air - -	73	62	60	65	71	84	67	77	77	74	73	76	79
Rain-fall (in inches) - -	0·57	0·00	0·00	0·84	0·58	0·74	0·05	0·56	0·62	0·00	0·00	0·07	0·35
Registered Sunshine (in hours)	47·5	76·2	83·2	58·8	50·4	18·0	72·7	45·8	21·8	40·8	44·1	41·9	32·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	17	17	14	11	7	5	2	1	2	3	3	2	2
Scarlet Fever - - - -	1842	1861	1877	1859	1827	1858	1793	1726	1703	1736	1753	1804	1938
Diphtheria - - - -	1210	1212	1236	1271	1261	1263	1250	1211	1179	1187	1212	1232	1238
Enteric Fever - - - -	153	143	135	129	137	143	146	159	170	189	212	273	329

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the THIRTY-NINTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 39th Week of the 10 years 1890-99*.	In the Week ending Saturday, 29th September, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1491·0	1471	437	173	65	175	279	273	69
- Vaccinated† -	0·4	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
s - - - -	16·7	13	3	10	-	-	-	-	-
Fever - - -	20·9	5	-	3	2	-	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	3·7	6	1	-	-	1	3	1	-
ing-cough - -	25·8	27	18	9	-	-	-	-	-
eria - -	55·3	40	2	29	9	-	-	-	-
Continued and fined Fever -	0·4	-	-	-	-	-	-	-	-
c Fever - - -	16·2	18	-	1	3	13	1	-	-
a and Chol. Diarr.	2·9	3	1	-	-	-	2	-	-
œa, Dysentery -	89·2	120	93	23	-	1	-	1	2
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	0·1	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
x and Effects of ination - -	0·5	-	-	-	-	-	-	-	-
al Affections - -	10·3	7	4	1	1	-	1	-	-
elas - - -	4·6	2	1	-	-	-	1	-	-
ia and Septicæmia	2·4	3	2	-	-	1	-	-	-
eral Fever - -	3·7	2	-	-	-	2	-	-	-
Zymotic Diseases	0·7	-	-	-	-	-	-	-	-
h - - - -	1·1	-	-	-	-	-	-	-	-
s and other Para- al Diseases -	-	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	1·4	1	1	-	-	-	-	-	-
olism - - -	11·5	9	-	-	-	6	3	-	-
matic Fever, umatism of Heart	8·7	6	-	-	2	1	1	2	-
matism - - -	2·0	2	-	-	-	-	-	2	-
- - - - -	2·5	1	-	-	-	-	1	-	-
ts - - - -	5·3	4	2	2	-	-	-	-	-
r - - - -	78·1	97	-	1	1	9	41	38	7
Mesenterica - -	33·9	23	18	3	-	1	1	-	-
cular Meningitis -	20·7	25	9	13	3	-	-	-	-
sis - - - -	144·0	141	1	1	11	55	62	11	-
la, Tuberculosis -	20·3	15	2	6	4	2	1	-	-
Constitutional ases - -	13·5	17	1	-	-	5	2	6	3
ature Birth - -	51·5	49	49	-	-	-	-	-	-
etasis - - -	3·6	3	3	-	-	-	-	-	-
enital Malforma- s - - -	6·8	11	10	1	-	-	-	-	-
ge - - - -	40·1	44	-	-	-	-	-	21	23
lexy - - -	39·5	37	-	-	-	2	13	19	3
psy - - - -	6·6	5	-	1	1	1	2	-	-
ulsions - - -	33·9	36	32	4	-	-	-	-	-
Diseases of Brain Nervous System	78·2	53	5	8	1	8	13	14	4
ses of Organs of cial Sense -	4·8	2	2	-	-	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 39th Week of the 10 years 1890-99*.	In the Week ending Saturday, 29th September, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	120·4	124	-	-	10	18	39	52	5
Croup - - - -	4·1	2	-	2	-	-	-	-	-
Bronchitis - - -	88·9	77	21	8	1	1	6	33	7
Pneumonia - - -	78·0	95	21	18	3	16	21	15	1
Pleurisy - - -	5·0	4	2	-	-	1	-	1	-
Other Diseases of Respiratory System -	17·7	9	1	2	2	-	2	1	1
Dentition - - - -	5·9	5	4	1	-	-	-	-	-
Quinsy, Sore Throat -	2·2	2	-	2	-	-	-	-	-
Enteritis - - -	43·4	22	11	1	2	3	2	2	1
Gastro-enteritis -		46	29	10	2	1	2	1	1
Peritonitis - - -	6·1	7	-	-	1	2	4	-	-
Diseases of Liver - -	26·9	32	-	1	-	-	16	14	1
Other Diseases of Digestive System	31·8	44	23	2	2	5	3	7	2
Diseases of Lymphatic System & of Ductless Glands - - -	1·4	1	-	-	-	1	-	-	-
Diseases of Urinary System - - -	42·6	43	-	1	4	5	17	13	3
Diseases of Generative System - - -	5·7	5	-	-	-	-	3	2	-
Accidents of Childbirth-	4·9	3	-	-	-	2	1	-	-
Diseases of Locomotive System - - -	5·2	2	-	-	-	-	-	2	-
Diseases of Integumentary System- -	7·3	5	2	-	-	-	-	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	54·8	1	-	-	-	1	-	-	-
By Vehicles or Horses -		11	-	1	-	3	3	4	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	-	1	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		1	1	-	-	-	-	-	-
By Drowning - - -		8	-	1	-	3	2	2	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		4	-	-	-	1	3	-	-
Other or not stated causes - - - -		14	2	2	-	-	1	5	4
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·7	1	1	-	-	-	-	-	-
Suicide - - - -	9·7	11	-	-	-	4	6	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	68·2	55	50	5	-	-	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered ical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of dent, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 29th September, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2239	1471	437	342	-	13	5	40	27	-	18	-	120	61	129	435
WEST DISTRICTS - - -	778,251	310	266	59	82	-	-	-	8	1	-	6	-	12	19	30	96
NORTH DISTRICTS - - -	1,040,694	496	311	89	73	-	2	-	12	9	-	4	-	30	5	17	91
CENTRAL DISTRICTS - - -	233,635	120	74	28	10	-	1	-	-	2	-	-	-	3	7	11	26
EAST DISTRICTS - - -	716,334	445	267	80	62	-	8	-	5	1	-	3	-	19	11	33	81
SOUTH DISTRICTS - - -	1,642,796	868	528	181	108	-	2	4	15	14	-	5	-	56	19	38	116
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	25	-	7	-	-	1	-	-	-	-	-	-	-	-	25
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	38	25	6	11	-	-	-	-	-	-	-	-	1	1	2	5
St. John Paddington *H* - - G.	33,510	9	10	-	2	-	-	-	-	-	-	-	-	-	2	2	9
Kensington Town *Ww* - - W.	122,164	45	47	11	14	-	-	-	-	-	-	1	-	-	4	5	20
Brompton *HH*- - - W. & C.	48,301	10	12	-	9	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *H* W. & G	44,638	20	12	2	1	-	-	-	-	-	-	-	-	-	4	5	-
South Hammersmith *H* W. & G	59,561	35	17	4	7	-	-	-	-	-	-	1	-	1	1	4	2
Fulham *Ww* - - - W. & C.	113,781	63	49	13	8	-	-	-	7	1	-	1	-	5	1	5	15
Chelsea Kensal Town - C.	21,450	6	6	3	-	-	-	-	-	-	-	1	-	-	1	1	-
Chelsea North *WHHHH* - C.	42,057	15	18	4	5	-	-	-	1	-	-	-	-	1	-	1	10
Chelsea South *HH* - - C.	33,139	12	13	4	5	-	-	-	-	-	-	-	-	2	-	1	3
May Fair *WH*- - - - G.	23,827	6	14	1	6	-	-	-	-	-	-	-	-	1	-	-	13
Belgrave *WHHH* - - - C.	56,140	18	15	3	3	-	-	-	-	-	-	-	-	-	1	1	9
St. John Westminster *HH* - C.	31,492	15	7	1	3	-	-	-	-	-	-	-	-	-	1	1	1
St. Margaret Westminster *H*- C.	22,097	6	13	4	5	-	-	-	-	-	-	2	-	-	3	2	8
St. James Westminster *WH* N. & G.	23,050	9	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	36,595	13	21	2	2	-	-	-	-	-	-	-	-	-	-	-	12
Rectory Marylebone *W* G. & W	19,798	10	4	2	-	-	-	-	-	1	-	-	-	1	-	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	21	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Christchurch Marylebone *H* - W	32,547	8	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone *HHH* - W.	32,611	13	5	2	2	-	-		-	-	-	-	-	1	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	35	27	2	5	-	-	-	7	-	-	2	-	1	2	2	14
Regent's Park † *HH* - W.	51,403	24	18	8	3	-	-	-	1	1	-	-	-	2	2	3	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	10	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Gray's Inn Lane *HHHH* - N.	29,426	17	15	5	4	-	-	-	-	1	-	-	-	2	-	1	4
Somers Town *HH* - - - N.	32,161	24	13	6	-	-	-	-	-	1	-	-	-	2	-	1	4
Camden Town† *WH* - - N.	40,155	18	15	1	8	-	2	-	-	-	-	-	-	-	-	-	9
Kentish Town† *WW* - - N.	60,862	21	20	8	4	-	-	-	-	-	-	-	-	1	-	-	4
Upper Holloway *WWWWwHH* - - N.	98,273	53	39	5	13	-	-	-	-	2	-	-	-	2	-	-	20
Lower Holloway‡ - - - N.	41,805	16	9	3	1	-	-	-	-	-	-	-	-	4	-	1	-
Barnsbury‡ - - - - N.	56,384	34	17	10	4	-	-	-	-	-	-	-	-	3	-	1	-
Islington South-east‡ *H* - N.	75,725	35	17	9	3	-	-	-	1	-	-	-	-	1	-	2	-
Highbury *HH* - - - N.	64,577	18	9	2	2	-	-	-	1	2	-	-	-	-	-	1	1
Stoke Newington *H* - - N.	33,485	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	18	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *ww* - E. & N.		24	20	4	5	-	-	-	2	1	-	1	-	1	1	2	4
South-west Hackney *HHH* E. & N.		28	19	8	3	-	-	-	-	-	-	1	-	2	-	-	7
South-east Hackney *WwH* E. & N.		34	24	9	6	-	-	-	-	-	-	-	-	5	-	2	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-ea Sub-District.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 29th September, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	22	12	6	2	-	-	-	-	1	-	-	-	1	-	-	1	-
uth *WH* - - }																		
Giles North *H* - - - N.	9,151	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Martin-in-the-Fields *HH* N. & C.	13,077	4	4	1	-	-	-	-	-	-	-	-	-	1	-	1	4	-
and *WHH* - - - - - N.	11,839	4	3	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
and Union Workhouse, Edmonton	†*1,037*	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
bborn *WwHHHHH* - N.	31,042	7	9	3	1	-	-	-	-	-	-	-	-	-	-	-	4	-
James Clerkenwell - - N.	15,777	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
well Clerkenwell - - N.	34,356	17	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1
well-street - - - - N.	16,069	10	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHL* - - N.	29,897	37	10	6	-	-	-	-	-	-	-	-	-	-	2	2	4	-
itecross-street - - - N.	7,595	2	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
sbury - - - - - N.	4,035	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bborn Union Workhouse, Witcham - - - - }	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph* *H* - - N. & E.	13,061	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	1	12	3	1	-	-	-	-	-	-	-	-	-	3	5	8	-
hallows Barking - - - N.	9,059	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
y of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	9	6	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-
xton New Town *w* - - N.	29,575	16	4	2	1	-	-	-	-	-	-	-	-	1	-	1	2	-
xton Old Town - - - N.	27,645	16	12	4	2	-	-	-	-	-	-	-	-	2	-	1	-	-
ggerston *WH* - - N. & E.	47,163	38	7	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
thnal Green North *H* - E.	49,301	43	11	4	2	-	-	-	-	-	-	-	-	1	1	2	-	-
thnal Green South - - E.	34,194	28	18	4	1	-	4	-	-	1	-	-	-	2	1	2	-	-
thnal Green East *WWHl* - E.	45,667	25	21	4	7	-	-	-	-	-	-	-	-	-	1	2	11	-
italfields - - - E. & N.	26,681	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ile End New Town *WH* - E. }	51,995	10	30	6	6	-	1	-	3	-	-	1	-	1	-	5	23	-
odman's Fields - - - E. }		11	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
.George's, North - - - E.	39,576	25	19	7	3	-	-	-	-	-	-	-	-	2	-	3	-	-
.John, St. George East *W* E.	7 930	4	8	3	4	-	-	-	-	-	-	-	-	-	1	1	5	-
adwell *H* - - - E. & N.	10,434	8	11	1	1	-	-	-	1	-	-	1	-	-	-	1	9	-
atcliff *W* - - - - E.	14,954	4	5	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
mehouse - - - - - E.	32,917	14	8	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-
ile End Old Town West *H* E. }	111,060	39	12	5	4	-	-	-	-	-	-	-	-	2	-	1	-	-
ile End Old Town East - E. }		32	24	5	8	-	1	-	-	-	-	-	-	3	-	-	9	-
WWww }																		
ow *l* - - - - E.	41,687	25	9	7	1	-	-	-	-	-	-	-	-	2	-	-	-	-
romley *wwwH* - - - E.	69,821	48	28	4	9	-	-	-	-	-	-	1	-	1	3	4	19	-
oplar *WW* - - - - E.	57,759	43	28	14	5	-	2	-	1	-	-	-	-	1	2	6	-	-

* Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 29th September, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.*&S.	13,064	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	8	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	8	11	6	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Borough-road *WH* - S. & L.	16,083	17	10	6	-	-	-	-	-	-	-	-	-	2	-	-	4	-
London-road *HL* - - L. & S.	21,316	17	3	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Trinity Newington *H* - S. & L.	28,723	21	9	5	-	-	-	-	-	-	-	2	-	1	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	44	12	7	1	-	-	-	-	3	-	-	-	1	2	2	1	-
St. Mary Newington- - L. & S.	30,171	17	9	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Olave *WH*- - - - S.	11,731	8	15	5	3	-	-	-	-	-	-	-	-	1	1	2	11	-
Bermondsey *W* - - - S.	85,475	50	25	11	5	-	1	-	-	-	-	-	-	6	2	3	-	-
Rotherhithe *Ww* - S. & K.	40,379	18	23	7	5	-	-	-	1	-	-	1	-	-	-	1	6	-
Waterloo-road *HH* - L. & S.	28,396	25	11	6	-	-	-	-	-	-	-	-	-	2	-	-	3	-
Lambeth Church 1st *H* - L. & S.	18,770	10	10	1	1	-	-	-	1	-	-	1	-	-	1	2	8	-
Lambeth Church 2nd *WW* L. & S.	40,994	13	15	2	6	-	-	-	-	1	-	-	-	-	-	2	10	-
Kennington 1st *H* - - S. & L.	52,486	34	23	14	5	-	-	-	-	-	-	-	-	4	1	1	-	-
Kennington 2nd - - S. & L.	43,244	15	7	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Brixton *w* - - - L. & S.	81,825	36	18	7	2	-	-	1	2	2	-	-	-	-	-	2	3	1
Norwood *WH*- - - - L.	29,318	13	12	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea - - - - S.	71,730	47	16	8	2	-	-	-	-	1	-	-	-	3	-	-	-	-
North-west Battersea† - - S.	93,385	35	12	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea† *WwH* - S.		14	14	2	6	-	-	-	-	-	-	-	-	-	1	2	8	-
Clapham *H* - - - - S.	46,953	21	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwL* - - L.	61,644	27	16	4	4	-	-	-	2	-	-	1	-	1	-	-	4	-
Wandsworth *WHHL* - - S.	58,101	27	10	7	2	-	-	-	-	-	-	-	-	1	-	2	-	-
Putney - - - - - - S.	20,566	8	6	1	2	-	-	-	-	-	-	-	-	1	2	2	-	-
Dulwich - - - L. & S.	7,519	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	96,286	55	39	4	11	-	-	-	-	1	-	-	-	1	2	1	21	2
Peckham *WW* - S., L., & K.	88,242	46	19	8	5	-	-	-	1	1	-	-	-	3	-	-	-	1
St. George Camberwell - L. & S.	67,029	31	11	3	1	-	-	-	-	1	-	-	-	4	1	3	-	-
Deptford North - - - K.	36,152	23	14	4	2	-	1	-	-	1	-	-	-	2	-	-	-	-
Deptford Central *w* - - K.	45,441	37	30	16	1	-	-	2	5	-	-	-	-	4	3	3	7	-
Deptford South - - - K.	33,402	14	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	14	13	2	6	-	-	-	1	-	-	-	-	1	-	1	2	-
Greenwich East *WH* - - K.	37,767	20	28	9	9	-	-	-	-	1	-	-	-	2	-	-	13	1
Eltham *wH* - - - - K.	5,911	4	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Lee *H* - - - - - K.	24,222	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	17	13	3	4	-	-	1	-	1	-	-	-	2	-	-	7	-
Sydenham *H* - - - - L.	37,601	16	9	3	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *wHH* - - - K.	15,928	6	7	3	1	-	-	-	2	-	-	-	-	-	-	-	3	-
Woolwich* *HHHH* - - K.	41,314	18	13	5	1	-	-	-	-	-	-	-	-	6	-	-	1	-
Plumstead West *H* - - K.	16,714	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *WH* - - K.	42,538	30	17	4	2	-	-	-	-	-	-	-	-	3	-	2	4	-
Banstead Asylum - - - -	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Horton Asylum, Epsom - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Caterham Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Dartford Heath - - - - -	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 29th September, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON—OUTER RING -	368,749	1,422,063	1,045	520	173	125	-	4	1	5	19	6	61	21	40	68	2
1	Carshalton *H* - - - -	12,228	26,108	5	5	3	1	-	-	-	-	-	-	1	-	-	1	-
2	Epsom, *part of* WwHHH*	10,423	12,508	9	4	1	2	-	-	-	-	-	-	-	-	-	3	1
1	Godstone, *part of* W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	74	45	8	13	-	-	-	-	3	1	3	1	1	8	-
2	Mitcham *w* - - -	11,697	23,072	11	8	3	3	-	-	-	-	-	-	-	1	2	-	-
1	Wimbledon *HHH* - -	3,220	25,777	13	7	5	-	-	-	-	-	1	-	2	-	-	-	-
2	Kingston *WH* - - -	14,672	33,566	22	22	2	11	-	-	-	-	2	-	-	1	1	5	-
3	Surbiton *HH* - - -		12,178	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H* - -		11,080	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	8	8	2	-	-	-	-	-	1	-	1	-	-	-	-
1	Richmond *WHH* - -	2,160	25,389	5	11	1	5	-	-	-	-	1	-	-	-	-	4	-
2	Mortlake *H* - - -	2,823	16,159	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	11	5	2	1	-	-	-	-	-	-	1	1	2	1	-
2	Beckenham *H* - - -	6,542	21,969	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of* WHH*	14,307	20,372	13	9	1	4	-	-	-	-	-	-	-	-	-	-	-
1	Bexley *HHH* - - -	12,540	30,590	24	12	5	3	-	-	-	1	-	-	3	1	1	2	-
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	13,671	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	9	2	2	-	-	1	-	-	-	-	-	-	-	-	-
1	Hillingdon *WHH* - -	6,035	12,237	12	5	1	2	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge - - - -	12,757	7,253	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	19	11	3	3	-	-	-	-	-	-	1	1	1	6	-
2	Twickenham *HH* - -	2,415	16,027	13	8	2	5	-	-	-	-	1	-	-	1	2	1	-
3	Brentford *HHHH* - -	4,318	37,777	19	10	4	3	-	-	-	-	-	-	5	-	1	-	-
4	Chiswick - - - -	1,245	21,963	15	9	3	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	28	10	3	4	-	-	-	-	-	-	1	-	-	1	-
1	Harrow *HHH* - - -	13,809	15,715	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	57	25	10	4	-	-	-	-	2	2	3	1	1	2	-
4	Hendon *WH* - - -	8,382	15,843	12	6	-	2	-	-	-	1	-	-	-	-	-	2	-
1	South Mimms *HH* - -	21,077	6,367	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Barnet *WHH* - - -		14,152	6	3	2	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH* - - -	4,688	25,820	15	8	2	2	-	-	-	-	-	-	-	2	2	-	-
1	Hornsey *HH* - - -	3,039	61,097	34	6	-	4	-	-	-	-	-	-	-	-	1	-	-
2	Tottenham *HHH* - -	4,642	97,174	96	45	19	6	-	-	1	-	2	-	3	5	8	2	-
3	Edmonton *Ww* - -	7,489	36,351	22	11	6	3	-	-	-	-	1	-	3	-	-	1	-
4	Enfield *WWHH* - -	12,602	31,536	24	14	5	3	-	-	-	-	-	-	3	-	-	1	-
5	Waltham Abbey - - -	11,017	6,066	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	9	5	4	1	-	-	-	-	-	-	2	-	-	-	-
1	Hatfield, *part of* W* - -	3,306	582	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	38,612	24	20	7	3	-	-	-	-	-	-	5	1	3	1	1
2	Plaistow *HHH* - - -		58,030	63	23	10	3	-	-	-	1	-	1	5	1	1	-	-
3	Canning Town *H* - -		54,750	54	26	8	4	-	1	-	2	1	-	2	2	4	2	-
4	Forest Gate *w* - - -		53,511	36	14	5	2	-	1	-	-	1	-	1	-	-	-	-
5	East Ham *wHHH* - -	3,266	32,713	66	25	10	6	-	-	-	-	1	-	3	-	3	-	-
6	Leyton *WWWwH* - -	4,334	70,188	54	28	5	10	-	-	-	-	-	1	5	1	2	13	-
7	Walthamstow *HHHL* -	6,501	57,330	52	20	12	2	-	-	-	-	2	-	3	-	2	-	-
1	Chigwell, *part of* HHHH*	11,779	12,941	7	6	-	2	-	-	-	-	-	-	1	-	-	2	-
2	Epping *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of* W* -	6,556	4,324	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	15	9	7	-	-	-	-	-	-	1	2	-	1	1	-
3	Barking Town, *H* - -	3,814	14,301	16	8	3	1	-	-	-	-	-	-	1	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping p. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are o included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 29th September, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	15·6	2·5	1991	610	467	-	17	6	45	46	24	181	82
INNER LONDON -	74,672	4,589,129	16·7	2·5	1471	437	342	-	13	5	40	27	18	120	61
OUTER RING -	368,749	2,063,016	13·1	2·4	520	173	125	-	4	1	5	19	6	61	21

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	September 29	140	115	19·8	-	1	-	1	-	1
GLASGOW - -	743,585	" 29	421	268	18·8	-	3	6	4	5	7‡
DUBLIN† - -	349,594	" 29	239	164	24·5	-	-	-	-	3	4
CALCUTTA - -	466,460	August 11	-	323	36·1	5	-	-	-	-	108‡
BOMBAY - -	821,764	September 4	194	1185	75·0	-	1	?	?	?	154‡
MADRAS - -	452,518	August 24	438	653	75·0	2	3	?	?	?	169
PARIS - - -	2,511,629	September 22	1100	808	16·7	3	2	1	4*	3	36
BRUSSELS - -	561,130	" 22	246	147	13·4	-	1	-	-	3	5
AMSTERDAM -	526,538	" 15	283	128	12·6	-	1	1	-	2	-
ROTTERDAM -	325,556	" 15	220	95	15·1	-	-	-	3	1	1
THE HAGUE -	205,328	" 15	111	55	13·8	-	1	-	-	-	-
COPENHAGEN -	349,000	" 22	231	111	16·6	-	-	2	-	-	1
STOCKHOLM -	297,148	" 15	130	77	13·5	-	-	-	1*	1	-
CHRISTIANIA -	221,255	" 22	116	57	13·1	-	1	1	-	2	-
ST. PETERSBURG	1,132,677	" 15	530	547	25·2	3	8	11	16	6	27
MOSCOW - -	988,610	" 15	-	-	-	-	-	-	-	-	-
BERLIN - -	1,848,269	" 8	919	757	21·2	-	5	11	8	12	1
HAMBURG - -	691,349	" 22	-	233	17·5	-	-	1	3*	3	2
DRESDEN - -	403,400	August 25	-	229	29·2	-	-	-	-	-	1
BRESLAU -	412,959	September 22	-	176	22·2	-	-	-	-	3	2
MUNICH - -	463,000	" 15	-	265	29·8	-	2	-	2*	1	-
VIENNA - -	1,656,662	" 22	792	539	16·9	-	1	4	6*	3	5
PRAGUE - -	385,952	" 8	166	150	19·9	-	-	-	2	-	1
		" 15	182	138	18·3	-	-	-	2	1	1
BUDA-PESTH -	685,340	" 15	418	204	15·5	-	-	6	3	-	3
TRIESTE - -	168,264	" 22	-	-	-	-	-	-	-	-	-
ROME - - -	514,306	August 25	170	160	16·2	-	-	-	2	-	12‖
TURIN (10 days)-	344,203	" 20	198	152	16·1	-	1	-	1	-	5
VENICE - -	172,491	September 1	-	-	-	-	-	-	-	-	-
CAIRO - -	570,062	August 19	469	463	42·2	-	18	-	6*	1	15
ALEXANDRIA -	319,766	" 19	225	229	37·2	-	-	-	2*	-	11‡
NEW YORK (including BROOKLYN)	3,654,594	September 1	1486	1269	19·2	-	5	4	17	11	20
PHILADELPHIA -	1,266,832	" 8	-	370	15·2	-	-	-	13	2	4

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 3 deaths from plague in Glasgow, 20 in Calcutta, 57 in Bombay, and 5 in Alexandria.
§ Including 24 deaths from cholera in Calcutta, 177 in Bombay, and 87 in Madras.
‖ Including 5 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	23	New	29·956	73·9	51·3	22·6	60·0	+ 4·8	53·8	6·2	18·7	0·0	80	117·1	40·8	59·49	SW.	WSW., SW. & SSW.	1·6	0·0	0·1	225	− 36	0·00	0·0
MONDAY -	24	Apogee	29·609	71·0	51·5	19·5	59·7	+ 4·6	55·9	3·8	16·0	1·1	87	112·0	41·0	59·62	SSW. & SW.	SW. & NNW.	7·1	0·0	0·4	305	+ 46	0·06	0·0
TUESDAY -	25	..	29·853	63·5	43·1	20·4	52·5	− 2·5	41·8	10·7	22·8	1·8	67	117·9	34·9	59·50	NNW., SW. & WNW.	WNW., W. & WSW.	2·1	0·0	0·1	231	− 26	0·00	0·0
WEDNESDAY	26	..	29·854	66·9	46·2	20·7	57·2	+ 2·3	46·6	10·6	19·4	5·3	68	120·3	37·2	59·47	WSW & SW.	WSW. & SW.	6·7	0·0	0·7	409	+153	0·00	0·5
THURSDAY-	27	..	29·455	60·0	55·1	4·9	57·0	+ 2·1	55·5	1·5	6·3	0·0	95	74·6	52·0	59·04	SW. & SSW.	SSW. & SW.	10·3	0·0	1·2	503	+248	0·29	1·5
FRIDAY -	28	..	29·538	65·2	50·4	14·8	56·7	+ 1·9	49·9	6·8	11·5	1·4	78	123·2	43·4	59·00	SSW. & SW.	WSW. & SW.	2·7	0·0	0·1	257	+ 3	0·00	0·0
SATURDAY -	29	..	29·713	67·7	45·0	22·7	55·1	+ 0·5	48·0	7·1	19·3	0·4	77	124·5	36·8	58·90	SW.	SW., WSW. & SSW.	1·0	0·0	0·0	203	− 50	0·00	0·0
MEANS -			29·711	66·9	48·9	17·9	56·9	+ 2·0	50·2	6·7	16·3	1·4	79	112·8	40·9	59·29	SW.		..	..	..	Sum 2133	Sum +338	Sum 0·35	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	23	w. P. throughout.	6·0	12·1	Overcast till 10h. A.M.; very fine and generally cloudless afterwards.
MONDAY -	24	w. P. generally; w. P. and w. N. between 10h. A.M. and 1h. P.M.	2·1	12·1	Cloudless and very fine till 4h. A.M.; generally overcast afterwards with frequent rain between 9h. A.M. and 4h. 30m. P.M. Brisk wind in forenoon.
TUESDAY -	25	w. P. till 9h. A.M.; m. P. afterwards.	7·2	12·0	Very fine with variable amounts of cloud till evening; cloudless at night.
WEDNESDAY	26	m. P. till 11h. A.M.; w. P. afterwards.	5·1	11·9	Very fine generally till noon; cloudy and windy afterwards with slight showers at night.
THURSDAY-	27	w. P. generally; w. P. and w. N. between noon and 3h. P.M.	0·0	11·9	Overcast; strong wind and frequent rain till afternoon.
FRIDAY -	28	w. P. throughout.	4·5	11·8	Fine; partially cloudy. Occasional slight showers till afternoon.
SATURDAY -	29	w. P. throughout.	7·6	11·7	Very fine generally. The amount of cloud was usually small.
			Sum 32·5	Sum 83·5	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·08 in. at the beginning of the week to 29·58 in. by 11h. A.M. on the 24th; increased to 29·93 in. by 9h. A.M. on the 26th; decreased to 29·43 in. by 11h. P.M. on the 27th; increased to 29·75 in. by 10h. A.M. on the 29th; and decreased to 29·66 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street E

1900

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 40. 1900. VOL. LXI.] WEEK ENDING SATURDAY, OCT. 6. [Price 1½*d.*

General Register Office, Somerset House,
October 8th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·2, 18·1, and 18·5. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
33 Great Towns	18·2	18·1	18·5	17·8
Birkenhead -	15·1	15·6	18·7	19·6
Birmingham -	19·8	17·9	20·2	19·5
Blackburn -	17·9	25·5	23·6	22·4
Bolton - -	22·2	18·1	17·8	15·6
Bradford -	11·1	12·3	11·1	14·7
Brighton -	13·9	23·5	19·3	14·3
Bristol - -	17·8	14·8	14·8	14·4
Burnley -	17·4	18·3	19·7	22·3
Cardiff - -	10·7	13·2	15·3	14·2
Croydon -	11·9	11·5	14·7	8·7
Derby - -	12·1	17·4	21·2	18·8
Gateshead -	18·1	17·6	19·5	23·4
Halifax -	11·4	12·4	11·9	15·5
Huddersfield -	15·5	15·5	16·0	17·0
Hull - -	19·4	23·8	20·5	16·2
Leeds - -	19·2	19·2	18·0	18·5
Leicester - -	18·6	15·9	18·1	17·1
Liverpool - -	23·2	23·1	23·0	22·8
London - - -	16·7	16·5	16·7	15·8
Manchester - -	25·4	23·2	26·6	26·0
Newcastle-on-Tyne	19·6	17·6	21·6	22·7
Norwich - -	9·1	14·5	15·0	24·1
Nottingham - -	19·3	19·3	18·3	13·8
Oldham - -	15·3	15·3	18·4	15·6
Plymouth - -	17·4	21·9	14·8	16·3
Portsmouth - -	20·9	17·9	14·7	16·3
Preston - -	25·4	22·8	22·4	20·2
Salford - - -	22·4	24·3	27·6	24·8
Sheffield - -	26·8	25·5	22·4	21·4
Sunderland - -	21·6	25·5	27·6	25·1
Swansea - -	23·7	19·3	19·3	21·3
West Ham - -	15·9	16·4	14·9	14·6
Wolverhampton -	12·2	17·5	21·0	19·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Swansea and in Huddersfield, and 1·1 in Newcastle on Tyne; from *whooping-cough*, 1·3 in Preston and 1·4 in Gateshead; from "*fever*," 1·0 in Swansea and in Sheffield, 1·4 in Sunderland, and 1·9 in Portsmouth; and from *diarrhœa*, 3·0 in Blackburn, 3·1 in Leicester, in Preston, and in Sheffield, 3·4 in Manchester, 4·2 in Sunderland, 4·9 in Burnley, 5·0 in Norwich, and 5·2 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 92 deaths from *diphtheria* included 29 in London, 11 in Leicester, 9 in Leeds, 7 in Sheffield, 7 in Liverpool, 4 in Brighton, 3 in West Ham, 3 in Bristol, 3 in Cardiff, and 3 in Derby. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2319 BIRTHS and 1391 DEATHS were registered. Allowing for increase of population, the births were 347, and the deaths 87,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

6903—670—10/1900 Wt 82 D & S 3

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·7, 16·5, and 16·7, in the preceding three weeks, fell again last week to 15·8. During the four weeks ending on Saturday last the death-rate averaged 16·4 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1391 deaths included 4 from measles, 14 from scarlet fever, 29 from diphtheria, 18 from whooping-cough, 15 from enteric fever, 110 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 190 deaths were referred to these diseases, being 7 below the corrected average weekly number.

The deaths from *measles*, which had been 17, 9, and 13 in the preceding three weeks, fell again last week to 4, and were 13 below the corrected average. The deaths from *scarlet fever*, which had been 3, 3, and 5 in the preceding three weeks, further rose last week to 14, but were 6 below the corrected average; 3 cases belonged to Wandsworth and 3 to Camberwell sanitary areas. The deaths from *diphtheria*, which had been 17, 30, and 40 in the preceding three weeks, fell again last week to 29, and were 24 below the corrected average; 3 cases belonged to Fulham, 3 to Shoreditch, 3 to Mile End Old Town, and 3 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 57, 48, and 27 in the preceding three weeks, further fell last week to 18, the corrected average being 19. The fatal cases of *enteric fever*, which had been 23, 14, and 18 in the preceding three weeks, fell again last week to 15, and were 2 below the corrected average; 3 cases belonged to St. George Southwark and 2 to Chelsea sanitary areas. The deaths from *diarrhœa*, which had been 165, 132, and 120 in the preceding three weeks, further fell last week to 110, but were 41 above the corrected average. Of the 110 deaths from diarrhœa, 98 were of children under 5 years of age; 28 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 161, 203, and 187 in the preceding three weeks, further fell last week to 164, and were 53 below the corrected average. The deaths attributed directly to *influenza* numbered 2, having been 3, 4, and 6 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all but 3 of which inquests were held. Of these 62 deaths, 10 were cases of suicide, and 1 of execution, while the remaining 51 were attributed to accident or negligence. Five of these were referred to vehicles in the streets, 1 to plumbism, 3 to the effects of anæsthetics administered for surgical purposes, and 9 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2071 cases of scarlet fever, 1286 of diphtheria, and 371 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 313 cases, against 243, 269, and 318; of diphtheria, 207 cases, against 191, 216, and 176; and of enteric fever, 68 cases, against 57, 89, and 90.

Greater London.

In Greater London 3487 births and 1891 deaths were registered, corresponding to annual rates of 27·3 and 14·8 per 1000 of the estimated population. In the Outer Ring 3 deaths from measles, 1 from scarlet fever, 11 from diphtheria, 18 from whooping-cough, 6 from "fever," and 59 from diarrhœa were registered. Seven deaths from diphtheria, 6 from whooping-cough, and 22 from diarrhœa occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 54°·2; the latter being 0°·7 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 42 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 30·5 hours; the measured rainfall amounted to 0·54 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Deaths of Persons belonging to London and its Sanitary Areas,

Registered in the 13 weeks ending 29th September, 1900.

Sanitary Areas.	Total Deaths from all Causes	Deaths from Principal Zymotic Diseases.									Deaths from Phthisis.	Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Simple and ill-defined Fever.	Diarrhœa.			
REGISTRATION LONDON	19,847	-	329	70	296	543	1	146	5	2,850	1,761	7,177	219
West.													
Paddington	460	-	9	-	5	7	1	1	1	83	31	171	226
Kensington	614	-	7	1	2	6	-	5	-	78	41	225	254
Hammersmith	451	-	5	1	6	2	-	1	-	76	49	174	230
Fulham	560	-	5	4	19	20	-	2	-	113	53	228	200
Chelsea	377	-	1	3	6	3	-	7	-	55	27	113	199
St. George Hanover Square	175	-	-	1	-	2	-	2	-	7	15	24	74
St. Margt & St. John Westr.	230	-	3	-	2	3	-	2	-	17	23	67	244
St. James Westminster	78	-	-	1	-	2	-	-	-	4	8	22	202
North.													
St. Marylebone	582	-	12	-	13	19	-	3	-	68	57	152	155
Hampstead	191	-	7	1	11	4	-	-	-	16	12	48	110
St. Pancras	1,115	-	13	1	20	29	-	14	1	159	111	375	233
Islington	1,221	-	15	3	19	46	-	11	1	136	112	418	175
Stoke Newington	95	-	1	1	1	4	-	1	-	11	6	29	146
Hackney	906	-	12	4	7	17	-	8	-	192	54	399	251
Central.													
St. Giles	156	-	1	-	2	6	-	3	-	12	25	43	181
St. Martin-in-the-Fields	31	-	-	-	1	-	-	-	-	2	7	4	114
Strand	80	-	-	-	1	1	-	1	-	3	10	14	140
Holborn	161	-	6	2	1	2	-	-	-	17	20	52	291
Clerkenwell	352	-	11	2	7	7	-	2	-	45	42	113	242
St. Luke	239	-	3	1	3	1	-	2	-	37	27	75	161
City of London	119	-	1	-	-	1	-	1	-	3	10	20	220
East.													
Shoreditch	588	-	11	2	9	6	-	1	-	128	45	257	264
Bethnal Green	706	-	18	6	13	16	-	2	-	77	70	253	214
Whitechapel	372	-	13	2	6	7	-	2	-	36	48	132	190
St. George-in-the-East	349	-	11	4	4	12	-	3	-	42	39	137	272
Limehouse	388	-	25	4	3	10	-	1	-	52	26	145	335
Mile End Old Town	633	-	17	2	5	16	-	5	-	91	51	260	238
Poplar	1,009	-	21	-	27	15	-	16	-	187	77	408	285
South.													
St. Saviour	141	-	1	-	2	6	-	-	-	20	27	46	272
St. Geo.-the-Martyr Southwk.	394	-	10	1	2	12	-	-	-	68	58	147	284
Newington	673	-	10	2	12	25	-	4	-	94	70	241	222
St. Olave	44	-	-	1	1	-	-	-	-	2	7	15	150
Bermondsey	443	-	1	3	8	15	-	8	-	60	30	165	244
Rotherhithe	209	-	4	1	6	6	-	3	-	29	9	82	276
Lambeth	1,306	-	12	3	22	23	-	10	1	141	122	433	184
Battersea	722	-	7	2	9	35	-	5	-	135	61	296	235
Wandsworth	740	-	7	2	4	18	-	3	1	120	53	301	201
Camberwell	1,082	-	1	2	17	69	-	7	-	165	83	400	224
Greenwich	832	-	12	2	9	32	-	4	-	119	61	328	238
Lee	139	-	3	-	2	5	-	-	-	14	13	53	209
Lewisham (excluding Penge)	354	-	2	3	1	15	-	4	-	56	18	142	195
Woolwich	259	-	13	-	1	3	-	-	-	50	24	78	293
Plumstead	271	-	18	2	7	15	-	2	-	30	24	92	184

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the sanitary areas in which the deceased had previously resided. The deaths of 400 London residents who died outside Registration London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 576 cases the previous residence was outside Registration London, and these have been excluded from the Table.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of September, 1900. The supply was in the ratio of 242 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	September, 1899.	September, 1900.	September, 1899.	September, 1900.
Total Supply - - -	889,916	911,438	223,177,857	220,158,052
From Thames - - - - - -	426,006	434,359	119,759,696	116,343,545
From Lea and from other Sources -	463,910	477,079	103,418,161	103,814,507
Thames.				
Chelsea - - - - - -	38,500	38,851	12,908,580	13,181,014
West Middlesex - - - - -	84,650	86,959	22,900,670	21,487,405
Southwark and Vauxhall - -	123,193	124,535	35,534,527	34,739,404
Grand Junction - - - - -	65,206	67,080	21,394,856	19,973,255
Lambeth - - - - - -	114,457	117,834	27,021,063	26,962,467
Lea and other Sources				
New River - - - - - -	167,677	171,049	41,133,868	41,852,622
East London - - - - -	203,566	209,829	44,204,698	43,451,285
Kent - - - - - - -	92,667	96,201	18,079,595	18,510,600

Note.—The Return for September, 1900, as compared with that for the corresponding month of 1899 shows an increase of 21,522 services and a decrease of 3,019,805 gallons of water supplied daily.

Analysis of Metropolitan Water Supply during September, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
October 5, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the waters supplied to the Metropolis during the month of September.

When making provision for taking over the work of examining the London water it was considered desirable that the number of samples taken should be increased, and that the places from which they were drawn should be more widely distributed over the areas supplied by the individual Companies, than had hitherto been the case. By the co-operation of Mr. Perrin and the several Water Companies the necessary arrangements have now been completed, and instead of being obliged to confine ourselves to one sample per month from each Company, as hitherto, from twelve to fourteen samples, in each case, are now taken. As regards the chemical examination, the full monthly analyses, as in the past, are continued, but the places from which the samples, relating to these particular analyses, are drawn, are varied from time to time. In the case of the remaining samples the examination is confined to the estimation of the amount, at two temperatures, of "oxygen consumed" (measure of organic pollution), the amount of "albuminoid ammonia" (measure of nitrogenous organic pollution), and the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains). The regular monthly analyses are also supplemented by similar determinations.

As regards the full monthly examinations, the samples relating to which were collected on September 10th, it was found that taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·5, New River 1·0, East London 1·7, Grand Junction 2·1, Lambeth and West Middlesex 2·2, Southwark, 2·3, and Chelsea 2·4.

The five samples taken from the mains of the Thames Companies were clear and of good chemical quality. The analytical results differed but very slightly from those obtained in August.

The New River and East London Companies' supplies were clear. The New River Company's water contained only a very small quantity of organic matter and was of very good quality. The East London water contained less organic matter than in the previous month, and was of good quality.

The Kent Company's water was clear and of a high degree of organic purity.

Seen through a stratum two feet deep, the Kent Company's water was colourless, the New River supply nearly colourless, and the waters of the remaining Companies were very pale yellow in colour.

During the past two months altogether 200 samples of water were examined. Of these 104 were collected during the month of August. These have furnished the following results expressed in parts per 100,000.

Companies.		"Oxygen consumed" in 4 hours at 80° F.	"Albuminoid" Ammonia.
Chelsea	Max.	·052	·010
	Min.	·047	·006
	Mean	·049	·008
West Middlesex	Max.	·060	·010
	Min.	·048	·008
	Mean	·055	·009
Southwark	Max.	·064	·010
	Min.	·049	·008
	Mean	·056	·009
Grand Junction	Max.	·059	·009
	Min.	·053	·007
	Mean	·056	·008
Lambeth	Max.	·064	·009
	Min.	·059	·005
	Mean	·062	·007
New River	Max.	·021	·004
	Min.	·017	·002
	Mean	·020	·003
East London	Max.	·052	·008
	Min.	·041	·005
	Mean	·047	·006
Kent	Max.	·006	·002
	Min.	·001	·002
	Mean	·004	·002

As regards turbidity, all the August samples of the Chelsea and New River Companies' water were clear; on a few occasions the West Middlesex, Southwark, Lambeth, Kent, and East London water contained minute amounts of suspended matter, chiefly inorganic, and probably due to slight disturbance in the mains. Four samples of the Grand Junction Company's water, collected from the stand-pipe at the cab-rank at Shepherd's Bush Green, were distinctly opalescent.

In September a total of 96 samples was examined, and gave the following results in parts per 100,000 :—

Companies.		"Oxygen consumed" in 4 hours at 80° F.	"Albuminoid" Ammonia.
Chelsea	Max.	·052	·010
	Min.	·044	·007
	Mean	·048	·009
West Middlesex	Max.	·061	·009
	Min.	·046	·007
	Mean	·053	·008
Southwark	Max.	·063	·009
	Min.	·046	·008
	Mean	·053	·009
Grand Junction	Max.	·059	·008
	Min.	·042	·007
	Mean	·050	·007
Lambeth...	Max.	·059	·010
	Min.	·049	·006
	Mean	·054	·008
New River	Max.	·022	·004
	Min.	·012	·003
	Mean	·017	·004
East London	Max.	·046	·006
	Min.	·037	·006
	Mean	·042	·006
Kent	Max.	·006	·003
	Min.	·003	Nil
	Mean	·004	·002

The September samples of Chelsea, West Middlesex, and New River water were uniformly clear; on a few occasions the Southwark, Lambeth, and Kent, and more frequently the East London water, contained minute quantities of suspended matter similar to that noted in the August samples. The four samples of Grand Junction water collected at Shepherd's Bush Green were again invariably opalescent.

I am, Sir,
Your obedient Servant.
T. E. THORPE.

The Registrar-General,
Somerset House, W.C.

Analysis of Metropolitan Waters.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.		°								
Chelsea	September 10th. Cab Rank, Horse Guards, Whitehall.	16·9	23·56	·116	·023	0	·131	·154	1·8	17·1
West Middlesex	September 10th. Cab Rank, Riding House-street.	16·0	22·88	·107	·024	0	·114	·138	1·8	16·9
Southwark	September 10th. Cab Rank, St. George's Church, Borough.	17·3	24·80	·117	·021	0	·139	·160	1·8	18·3
Grand Junction	September 10th. Cab Rank, Portman-street, Oxford-street.	17·7	23·48	·106	·019	0	·168	·187	1·8	17·4
Lambeth	September 10th. Cab Rank, St. George's-road, Southwark.	16·9	26·20	·104	·028	0	·133	·161	1·8	18·3
LEA.										
New River	September 10th. Cab Rank, Tottenham Court-road.	16·2	31·68	·041	·017	0	·188	·205	1·9	20·9
East London	September 10th. Cab Rank, Sidney-street, E.	16·7	32·12	·085	·018	0	·158	·176	2·1	18·3
DEEP WELL.										
Kent	September 10th. Police Station, Blackheath-road.	12·9	38·88	·021	·007	0	·492	·499	2·2	26·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 10th September at the Horse Guards cab rank, had a temperature of 16·9° C.; 100,000 lbs. of it contained 23·56 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·116 lb. of carbon and ·023 lb. of nitrogen. The above quantity of water also contained no ammonia and ·131 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·154 lb. The above weight of water also contained 1·8 lbs. of chlorine and 17·1 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	6th Oct. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Mean. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,610,296**	**6087**	**3964**	**1284**	**775**	-	**28**	**32**	**92**	**49**	**66**	**406**	**137**	**288**	**839**	**45**	**17·8**	**3·0**	**69·0**	**29·0**	**51·7**	**10·94**	**1·03**	**2·62**	33 Towns.
London - -	4,589,129	2319	1391	393	308	-	4	14	29	18	15	110	62	129	445	8	15·8	2·2	66·7	38·1	54·2	12·33	0·54	1·37	London.
West Ham - -	314,472	195	88	32	18	-	-	-	3	3	1	10	4	5	12	2	14·6	2·8	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	72	22	14	3	-	-	-	-	-	-	3	-	1	2	-	8·7	1·2	65·2	37·5	52·2	11·22	0·45	1·14	Croydon.
Brighton - -	124,148	63	34	14	2	-	-	-	4	1	1	4	1	1	11	-	14·3	4·2	64·6	42·0	55·9	13·28	0·73	1·85	Brighton.
Portsmouth -	194,955	74	61	16	11	-	-	1	1	-	7	8	3	6	12	2	16·3	4·5	65·0	43·0	55·6	13·11	1·53	3·89	Portsmouth.
Plymouth - -	102,161	34	32	9	11	-	-	-	-	-	-	3	-	-	4	1	16·3	1·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	166	90	27	17	-	-	2	3	1	1	10	5	11	12	-	14·4	2·7	69·0	38·6	54·6	12·56	1·25	3·17	Bristol.
Cardiff - -	194,247	78	53	15	11	-	-	-	3	2	-	3	4	5	8	-	14·2	2·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	50	43	20	4	-	2	-	2	-	2	4	2	3	6	1	21·3	4·9	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	50	33	12	9	-	-	-	-	-	1	5	1	1	2	1	19·2	3·5	62·2	34·5	46·7	8·17	1·11	2·82	Wolverhampton.
Birmingham -	519,610	325	194	74	36	-	1	-	-	2	3	19	3	7	31	3	19·5	2·5	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	66	53	25	13	-	-	-	-	1	1	11	-	3	6	-	24·1	5·9	65·4	31·5	52·0	11·11	0·44	1·12	Norwich.
Leicester - -	219,169	93	72	26	8	-	-	-	11	-	-	13	4	6	14	2	17·1	5·7	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	111	64	25	11	-	-	1	1	1	3	5	1	2	7	-	13·8	2·4	61·5	36·1	49·0	9·44	1·16	2·95	Nottingham.
Derby - - -	107,991	50	39	10	5	-	-	1	3	-	1	4	2	6	11	-	18·8	4·3	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	48	44	12	10	-	-	-	1	-	1	5	-	1	5	1	19·6	3·1	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	419	277	83	57	-	5	-	7	5	2	31	8	15	67	8	22·8	4·1	62·0	41·8	51·2	10·67	1·64	4·17	Liverpool.
Bolton - -	164,240	83	49	13	8	-	-	1	1	-	1	7	2	6	5	-	15·6	3·2	-	-	-	-	-	-	Bolton.
Manchester -	548,768	334	274	84	46	-	1	2	-	2	4	36	6	19	63	5	26·0	4·3	-	-	-	-	-	-	Manchester.
Salford - -	220,816	138	105	30	13	-	1	3	2	-	3	9	1	3	16	-	24·8	4·3	-	-	-	-	-	-	Salford.
Oldham - -	153,297	62	46	5	15	-	1	-	-	2	2	1	2	4	5	1	15·6	2·0	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	49	50	25	6	-	-	2	1	1	-	11	-	1	4	-	22·3	6·7	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	60	59	22	9	-	-	2	1	-	1	8	1	2	2	-	22·4	4·6	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	53	46	18	4	-	-	-	-	3	2	7	-	-	3	-	20·2	5·3	60·0	46·0	51·1	10·61	1·36	3·45	Preston.
Huddersfield -	104,484	40	34	9	7	-	2	-	-	-	1	3	3	3	2	-	17·0	3·0	60·8	33·8	49·4	9·67	1·54	3·91	Huddersfield.
Halifax - -	100,710	44	30	5	11	-	-	-	-	-	1	3	2	2	4	1	15·5	2·1	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	103	82	22	27	-	-	-	1	-	-	5	4	9	13	-	14·7	1·1	62·4	37·4	50·3	10·17	1·14	2·90	Bradford.
Leeds - - -	431,287	251	153	51	38	-	3	-	9	1	-	9	3	9	14	1	18·5	2·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	231	150	62	19	-	2	1	7	2	7	22	4	7	16	5	21·4	5·8	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	131	74	27	14	-	-	-	1	-	-	12	4	6	12	1	16·2	2·8	63·0	29·0	49·5	9·72	0·53	1·35	Hull.
Sunderland -	147,398	102	71	39	9	-	1	1	-	1	4	12	1	5	14	1	25·1	6·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	77	49	27	4	-	-	-	-	3	-	11	3	3	2	-	23·4	6·7	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	116	102	38	11	-	5	1	1	-	1	2	1	7	9	1	22·7	2·2	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTIETH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2433	2578	2441	2513	2532	2447	2844	2460	2554	2540	2666·0	2319
Males - -	1290	1329	1226	1292	1312	1228	1473	1252	1277	1285	1363·8	1150
Females - -	1143	1249	1215	1221	1220	1219	1371	1208	1277	1255	1302·2	1169
TOTAL **Deaths** -	1413	1395	1344	1481	1287	1342	1276	1324	1620	1564	1477·7	1391
Males - -	757	719	672	740	640	697	646	695	814	799	755·3	719
Females - -	656	676	672	741	647	645	630	629	806	765	722·4	672

*The numbers in this column are the average weekly numbers in the fortieth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
TOTAL **Births** - - -	2479	2384	2507	2701	2332	2621	2677	2763	2628	2519	2448	2239	2319
TOTAL **Deaths** - - -	1252	1417	1846	1768	1804	1706	1691	1776	1582	1470	1449	1471	1391
Ages at Death: Under 1 year - -	292	368	671	797	796	659	673	801	625	469	419	437	393
1—5 years - -	153	210	256	184	204	166	196	187	167	180	161	173	148
5—20 " - -	69	82	75	71	74	85	81	71	91	64	84	65	67
20—40 " - -	183	163	213	145	167	184	174	167	151	208	196	175	188
40—60 " - -	247	269	294	263	259	288	245	279	239	265	251	279	287
60—80 " - -	249	272	288	252	233	257	257	215	265	230	282	273	256
80 years and upwards	59	53	69	56	71	67	65	56	44	54	56	69	52
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	42	54	30	29	25	20	22	11	22	17	9	13	4
Scarlet Fever - - -	4	5	6	5	6	4	10	5	4	3	3	5	14
Diphtheria - - - -	26	21	27	24	25	17	14	19	19	17	30	40	29
Whooping-cough - - -	43	40	47	44	44	44	44	39	31	57	48	27	18
Typhus - - - - -	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever - - -	13	9	13	7	7	6	16	8	15	23	14	18	15
Simple Continued Fever -	-	1	1	-	-	1	1	1	-	-	-	-	-
Diarrhœa and Dysentery -	27	100	292	389	386	293	304	380	259	165	132	120	110
Cholera - - - -	-	-	8	9	13	6	10	12	3	1	1	3	-
All the above Diseases -	155	230	424	507	506	392	421	475	353	283	237	226	190
Dis. of Respiratory System -	160	169	196	136	128	132	149	138	124	161	203	187	164
Phthisis - - - - -	138	126	151	133	149	155	116	150	128	151	120	141	135
Dis. of Circulatory System -	130	106	139	97	119	126	103	121	117	119	97	124	104
Violence - - - -	56	77	93	82	58	55	76	45	53	69	64	61	62
Inquest Cases - - - -	115	133	155	155	127	128	136	111	110	135	119	129	129
Deaths in Public Institutions -	406	452	509	415	473	489	465	450	486	449	464	435	445
TEMPERATURE OF THE AIR.													
Mean - - - - -	65°·4	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2
Mean of Highest readings -	77·0	86·6	82·8	72·0	65·3	78·8	71·7	66·8	67·3	68·9	73·3	66·9	63·0
Mean of Lowest readings -	54·1	57·9	61·3	54·9	50·8	55·2	52·8	52·8	45·4	48·9	50·7	48·9	45·5
Humidity of the Air - -	62	60	65	71	84	67	77	77	74	73	76	79	78
Rain-fall (in inches) - -	0·00	0·00	0·84	0·58	0·74	0·05	0·56	0·62	0·00	0·00	0·07	0·35	0·54
Registered Sunshine (in hours)	76·2	83·2	58·8	50·4	18·0	72·7	45·8	21·8	40·8	44·1	41·9	32·5	30·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	17	14	11	7	5	2	1	2	3	3	2	2	1
Scarlet Fever - - - -	1861	1877	1859	1827	1838	1793	1726	1703	1736	1753	1804	1938	2071
Diphtheria - - - -	1212	1236	1271	1261	1263	1259	1211	1179	1187	1212	1232	1238	1286
Enteric Fever - - - -	143	135	129	137	143	146	159	170	189	212	273	329	371

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTIETH Week of the Year 1900.

OF DEATH	Corrected Averages for the 40th Week of the 10 years 1890–99*.	In the Week ending Saturday, 6th October, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
- - - -	1477·7	1391	393	148	67	188	287	256	52
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	0·1	-	-	-	-	-	-	-	-
- - - -	16·7	4	1	3	-	-	-	-	-
ver - - -	20·4	14	-	8	5	1	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
Fever - -	4·7	2	-	-	-	-	2	-	-
- - - -	18·9	18	10	8	-	-	-	-	-
-cough - -	52·9	29	3	20	5	1	-	-	-
- - -	0·4	-	-	-	-	-	-	-	-
ontinued and ed Fever -	16·8	15	-	1	4	8	2	-	-
ever - - -	1·7	-	-	-	-	-	-	-	-
d Chol. Diarr.	69·3	110	84	14	-	6	1	5	-
Dysentery -	-	-	-	-	-	-	-	-	-
Fever - -	-	-	-	-	-	-	-	-	-
bia - - -	-	-	-	-	-	-	-	-	-
- - - -	-	-	-	-	-	-	-	-	-
and Effects of ion - -	0·2	-	-	-	-	-	-	-	-
Affections - -	8·3	9	7	-	-	1	1	-	-
s - - -	5·6	4	1	-	-	1	1	1	-
nd Septicæmia	2·0	3	1	-	-	1	1	-	-
Fever - -	5·0	5	-	-	-	5	-	-	-
notic Diseases	1·2	1	-	-	-	-	-	1	-
- - - -	1·2	1	1	-	-	-	-	-	-
nd other Para- Diseases -	0·3	-	-	-	-	-	-	-	-
n, Want of milk - -	1·8	3	2	1	-	-	-	-	-
m - - -	12·2	13	-	-	-	5	7	-	1
ic Fever. atism of Heart	8·8	7	-	-	4	3	-	-	-
cism - - -	1·8	3	-	-	-	-	2	-	1
- - - -	2·7	5	-	-	-	-	2	3	-
- - - -	4·4	4	-	4	-	-	-	-	-
- - - -	78·9	95	-	-	-	7	43	44	1
esenterica - -	25·8	31	19	10	-	1	1	-	-
ar Meningitis -	20·8	15	6	6	3	-	-	-	-
- - - -	155·7	135	1	3	7	62	54	8	-
, Tuberculosis -	17·8	19	2	9	1	5	2	-	-
Constitutional es - -	13·4	8	-	-	-	4	2	2	-
re Birth - -	50·3	58	58	-	-	-	-	-	-
sis - - -	2·9	2	2	-	-	-	-	-	-
tal Malforma- - - -	8·1	5	4	-	1	-	-	-	-
- - - -	44·0	42	-	-	-	-	-	21	21
y - - -	40·0	49	-	-	-	1	13	29	6
y - - - -	5·5	11	-	1	-	3	6	1	-
ions - - -	36·9	31	26	5	-	-	-	-	-
Diseases of Brain ervous System	65·6	62	8	5	5	9	18	16	1
s of Organs of l Sense -	3·8	4	2	-	-	2	-	-	-

CAUSES OF DEATH	Corrected Averages for the 40th Week of the 10 years 1890–99*.	In the Week ending Saturday, 6th October, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	128·5	104	2	-	5	15	35	42	5
Croup - - - -	2·9	1	-	1	-	-	-	-	-
Bronchitis - - -	108·5	68	17	6	1	1	12	25	6
Pneumonia - - -	80·2	74	13	18	8	9	17	7	2
Pleurisy - - - -	5·6	5	-	1	1	1	1	-	1
Other Diseases of Respiratory System -	19·7	16	2	4	1	1	1	5	2
Dentition - - - -	6·1	1	1	-	-	-	-	-	-
Quinsy, Sore Throat -	1·3	2	-	1	1	-	-	-	-
Enteritis - - -	36·6	16	12	1	-	-	-	2	1
Gastro-enteritis -		31	21	7	-	-	3	-	-
Peritonitis - - -	6·0	5	-	-	-	3	2	-	-
Diseases of Liver - -	27·5	21	-	1	-	3	11	6	-
Other Diseases of Digestive System	27·4	32	12	1	2	2	8	6	1
Diseases of Lymphatic System & of Ductless Glands - - -	3·1	1	-	-	1	-	-	-	-
Diseases of Urinary System - - -	44·1	50	-	-	1	7	23	17	2
Diseases of Generative System - - -	4·9	2	-	-	-	1	1	-	-
Accidents of Childbirth -	4·2	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	5·5	5	1	1	3	-	-	-	-
Diseases of Integumentary System - -	6·9	7	2	-	-	1	1	2	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	54·0	2	-	-	-	1	-	1	-
By Vehicles or Horses -		5	-	2	-	-	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		7	-	2	1	2	2	-	-
By Drowning - - -		6	-	-	2	2	1	1	-
By Suffocation in Bed -		9	9	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		5	-	-	2	1	1	1	-
Other or not stated causes - - - -		16	3	-	-	4	3	6	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·5	-	-	-	-	-	-	-	-
Suicide - - - -	9·3	10	-	-	1	5	3	1	-
Execution - - -	0·2	1	-	-	1	-	-	-	-
OTHER CAUSES - -	66·6	68	60	4	1	-	1	2	-

e numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase ulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 6th October, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2319	1291	393	308	-	4	14	29	18	-	15	-	110	62	129	445
WEST DISTRICTS - - -	778,251	333	210	52	65	-	-	-	5	5	-	2	-	16	9	23	71
NORTH DISTRICTS - - -	1,040,694	495	308	82	61	-	-	3	9	3	-	2	-	21	15	28	105
CENTRAL DISTRICTS - - -	233,635	96	62	19	9	-	-	-	-	-	-	-	-	6	5	6	27
EAST DISTRICTS - - -	716,334	449	292	87	70	-	2	-	4	2	-	3	-	19	17	36	104
SOUTH DISTRICTS - - -	1,642,796	946	490	153	93	-	2	9	11	8	-	8	-	48	16	36	109
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	29	-	10	-	-	2	-	-	-	-	-	-	-	-	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	39	20	9	5	-	-	-	-	-	-	-	-	1	-	2	4
St. John Paddington *H* - - G.	33,510	3	18	-	7	-	-	-	-	-	-	-	-	-	2	4	7
Kensington Town *Ww* - - W.	122,164	61	39	9	16	-	-	-	-	3	-	-	-	3	-	1	13
Brompton *HH*- - - W. & C.	48,301	10	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
North Hammersmith *H* } W. & G	44,638	23	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-
South Hammersmith *H* } W. & G	59,561	22	12	3	2	-	-	-	2	-	-	-	-	1	-	1	2
Fulham *Ww* - - - W. & C.	113,781	102	45	17	13	-	-	-	3	2	-	-	-	2	2	6	15
Chelsea Kensal Town - C.	21,450	12	5	2	-	-	-	-	-	-	-	1	-	-	1	1	-
Chelsea North *WHHHH* - C.	42,057	13	18	2	5	-	-	-	-	-	-	-	-	2	1	2	11
Chelsea South *HH* - - C.	33,139	9	4	2	1	-	-	-	-	-	-	-	-	2	-	-	-
May Fair *WH*- - - - G.	23,827	-	10	2	2	-	-	-	-	-	-	1	-	2	-	1	9
Belgrave *WHHH* - - - C.	56,140	17	11	2	4	-	-	-	-	-	-	-	-	-	-	-	3
St. John Westminster *HH* - C.	31,492	16	5	1	2	-	-	-	-	-	-	-	-	1	-	-	2
St. Margaret Westminster *H*- C.	22,097	1	11	-	4	-	-	-	-	-	-	-	-	-	3	4	5
St. James Westminster *WH* } N. & G.	23,050	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Anne Soho *HHHHH* - N.	12,048	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHH* - - W.	36,595	19	12	2	1	-	-	-	1	-	-	1	-	-	-	1	8
Rectory Marylebone *W* G. & W.	19,798	7	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Mary Marylebone *HHHH* } G. & W.	19,637	21	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone *H* - W	32,547	12	6	1	1	-	-	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	11	9	5	2	-	-		-	1	-	-	-	1	-	1	-
Hampstead *WwHHHH* - N. & W.	75,449	22	17	2	4	-	-	3	-	-	-	-	-	-	-	1	8
Regent's Park † *HH* - W.	51,403	27	9	3	1	-	-	-	-	-	-	-	-	-	1	1	2
Tottenham-court *wHHHHHH* - N. & W.	26,757	3	11	1	2	-	-	-	-	-	-	-	-	-	2	2	8
Gray's Inn Lane *HHHH* - N.	29,426	17	15	3	3	-	-	-	-	1	-	-	-	2	3	3	7
Somers Town *HH* - - - N.	32,161	16	10	2	2	-	-	-	-	-	-	-	-	2	-	1	3
Camden Town† *WH* - - N.	40,155	20	9	3	3	-	-	-	-	-	-	-	-	1	-	1	4
Kentish Town† *WW* - - N.	60,862	29	23	4	5	-	-	-	-	-	-	1	-	1	-	-	8
Upper Holloway *WWWWwHH* - - N.	98,273	51	49	10	10	-	-	-	-	-	-	-	-	6	2	2	31
Lower Holloway‡ - - - N.	41,805	20	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	30	14	6	3	-	-	-	-	-	-	-	-	1	-	2	-
Islington South-east‡ *H* - N.	75,725	39	21	10	5	-	-	-	1	-	-	-	-	2	1	4	1
Highbury *HH* - - - N.	64,577	27	15	4	1	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H* - - N.	33,485	13	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	22	5	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *ww* - E. & N.		26	16	4	1	-	-	-	6	-	-	-	-	1	-	-	7
South-west Hackney *HHH* E. & N.		33	19	7	4	-	-	-	-	-	-	-	-	1	2	2	6
South-east Hackney *WwH* E. & N.		30	29	8	10	-	-	-	-	-	-	-	-	2	3	4	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated ther namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distri than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-ea Sub-District

LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, LET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each DISTRICT during the Week ending Saturday, 6th October, 1900—*continued.*

TRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards	Deaths from Small-pox	Measles	Scarlet Fever	Diphtheria	Whooping-cough	Typhus	Enteric (or Typhoid) Fever	Simple Continued Fever	Diarrhœa	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
ENTRAL DISTRICTS.																		
bury and St. Giles WH - - - N.	29,086	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
s North H - - - N.	9,151	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
in-in-the-Fields HH N. & C.	13,077	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
WHH - - - - N.	11,839	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n WwHHHHHH - N.	31,042	15	9	6	-	-	-	-	-	-	-	-	-	4	1	1	7	-
es Clerkenwell - - N.	15,777	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
l Clerkenwell - - N.	34,356	17	7	3	3	-	-	-	-	-	-	-	-	2	-	1	-	-
l-street - - - N.	16,069	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ad HHHHL - - N.	29,897	23	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
y* - - - - - N.	11,630	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Union Workhouse, am - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olph‡ H - - N. & E.	13,061	6	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
ulchre WH - - - N.	9,591	2	15	1	2	-	-	-	-	-	-	-	-	-	3	2	12	-
ows Barking - - - N.	9,059	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
itch South Hl - E. & N.	17,975	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
n New Town w - - N.	29,575	18	15	6	4	-	-	-	1	-	-	-	-	1	1	1	6	-
n Old Town - - - N.	27,645	8	12	4	2	-	-	-	-	-	-	-	-	2	-	1	-	-
rston WH - - N. & E.	47,163	34	13	3	4	-	-	-	-	-	-	-	-	-	-	-	7	-
al Green North H - E.	49,301	38	10	3	2	-	-	-	-	-	-	1	-	-	1	1	1	-
al Green South - - E.	34,194	21	8	4	1	-	-	-	-	-	-	-	-	2	-	-	-	-
al Green East WWHl - E.	45,667	22	17	4	5	-	-	-	-	-	-	-	-	1	-	1	7	-
dlds - - - E. & N.	26,681	15	6	2	3	-	-	-	-	-	-	-	-	2	-	1	-	-
End New Town WH - E.	51,995	21	44	10	6	-	-	-	-	-	-	1	-	1	5	9	39	-
nan's Fields - - - E.		9	8	1	2	-	-	-	-	-	-	-	-	-	1	3	-	-
orge's, North - - - E.	39,576	23	11	3	1	-	-	-	-	-	-	-	-	1	1	3	-	-
an, St. George East W E.	7 930	4	7	2	1	-	-	-	-	2	-	-	-	-	-	1	4	-
well H - - - E. & N.	10,434	4	11	4	1	-	-	-	-	-	-	-	-	-	1	1	9	-
ff W - - - - E.	14,954	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
house - - - - E.	32,917	21	12	4	3	-	2	-	-	-	-	-	-	1	-	1	-	-
End Old Town West H E.	111,060	37	12	5	1	-	-	-	1	-	-	-	-	-	1	1	-	-
End Old Town East - E.		36	20	7	5	-	-	-	-	-	-	1	-	2	1	1	8	-
Www																		
l - - - - E.	41,687	27	13	9	1	-	-	-	-	-	-	-	-	5	-	-	-	-
ley wwwH - - - E.	69,821	54	45	8	18	-	-	-	2	-	-	-	-	1	4	8	21	-
r WW - - - - E.	57,759	38	23	7	8	-	-	-	-	-	-	-	-	-	1	3	2	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered i SUB-DISTRICT during the Week ending Saturday, 6th October, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL*.&S.	13,064	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Saviour Southwark - - S.	12,301	7	4	1	-	-	-	-	-	-	-	-	-	-	1	1
Kent-road - - - - S. & L.	22,879	15	10	4	1	-	-	-	-	-	-	1	-	3	-	-
Borough-road *WH* - S. & L.	16,083	9	9	3	-	-	1	-	1	1	-	1	-	-	-	-
London-road *HL* - - L. & S.	21,316	12	4	2	-	-	-	-	-	-	-	-	-	1	-	-
Trinity Newington *H* - S. & L.	28,723	13	6	2	1	-	-	-	-	1	-	-	-	-	-	1
St. Peter Walworth *W* - S. & L.	62,045	40	12	3	2	-	1	-	-	1	-	-	-	1	-	1
St. Mary Newington- - L. & S.	30,171	15	14	7	3	-	-	-	-	1	-	-	-	1	1	-
St. Olave *WH*- - - - S.	11,731	5	13	-	-	-	-	-	1	-	-	-	-	-	2	3
Bermondsey *W* - - - S.	85,475	76	25	13	1	-	-	-	1	-	-	-	-	3	-	1
Rotherhithe *Ww* - S. & K.	40,379	21	11	4	3	-	-	-	-	-	-	-	-	2	-	-
Waterloo-road *HH* - L. & S.	28,396	22	8	4	2	-	-	-	-	-	-	-	-	2	-	-
Lambeth Church 1st *H* - L. & S.	18,770	9	10	1	1	-	-	-	1	-	-	-	-	2	1	1
Lambeth Church 2nd *WW* L. & S.	40,994	20	29	11	6	-	-	-	-	-	-	1	-	1	1	1
Kennington 1st *H* - - S. & L.	52,486	29	14	6	5	-	-	-	-	-	-	-	-	-	1	2
Kennington 2nd - - S. & L.	43,244	17	10	3	3	-	-	-	-	1	-	-	-	1	-	-
Brixton *w* - - - L. & S.	81,825	33	18	2	6	-	-	1	1	-	-	1	-	1	-	1
Norwood *WH*- - - - L.	29,318	11	7	-	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - - S.	71,730	52	16	8	1	-	-	-	-	2	-	-	-	1	-	6
North-west Battersea† - - S.	93,385	42	13	4	2	-	-	-	-	-	-	-	-	2	-	1
South-west Battersea† *WwH* - S.		10	12	1	4	-	-	-	-	-	-	-	-	-	2	2
Clapham *H* - - - - - S.	46,953	23	14	5	2	-	-	-	-	-	-	-	-	2	-	-
Streatham *WwwwL* - - L.	61,644	34	28	9	8	-	-	3	-	-	-	1	-	5	-	-
Wandsworth *WHHL* - - S.	58,101	21	15	4	1	-	-	1	-	-	-	2	-	1	3	4
Putney - - - - - - S.	20,566	6	5	2	1	-	-	-	-	-	-	-	-	-	1	1
Dulwich - - - L. & S.	7,519	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	47	39	7	12	-	-	-	-	-	-	-	-	2	-	-
Peckham *WW* - S., L., & K.	88,242	56	22	6	9	-	-	-	-	1	-	-	-	5	-	-
St. George Camberwell - L. & S.	67,029	41	11	5	2	-	-	-	-	-	-	-	-	2	-	2
Deptford North - - - K.	36,152	28	15	8	1	-	-	-	-	-	-	-	-	-	-	1
Deptford Central *w* - - K.	45,441	27	13	3	3	-	-	-	2	-	-	-	-	-	-	1
Deptford South - - - K.	33,402	16	4	1	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	23	6	2	2	-	-	-	-	-	-	-	-	1	1	1
Greenwich East *WH* - - K.	37,767	23	14	3	2	-	-	-	-	-	-	-	-	2	-	1
Eltham *wH* - - - - - K.	5,911	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - - K.	38,139	26	19	6	-	-	-	3	1	-	-	1	-	4	-	1
Sydenham *H* - - - - L.	37,601	30	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHB* - - - K.	15,928	5	8	2	1	-	-	1	2	-	-	-	-	-	-	-
Woolwich* *HHHH* - - K.	41,314	24	8	4	2	-	-	-	-	-	-	-	-	1	1	2
Plumstead West *H* - - K.	16,714	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *WH* - - K.	42,538	32	9	2	2	-	-	-	-	-	-	-	-	1	-	-
Banstead Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	11	-	3	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum, Hendon	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woo

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Batters South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ling Saturday, 6th October, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
DON—OUTER RING	368,749	1,422,063	1,168	500	191	103	–	3	1	11	18	6	59	13	31	51	7
Carshalton *H*	12,228	26,108	20	5	3	–	–	–	–	1	–	–	–	–	–	1	1
Epsom, *part of** *WwHHH*	10,423	12,508	5	4	2	–	–	–	–	–	–	–	2	–	–	1	–
Godstone, *part of** *W*	2,754	1,598	4	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH*	20,851	128,699	86	25	14	5	–	–	–	–	–	–	3	–	1	2	–
Mitcham *w*	11,697	23,072	16	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Wimbledon *HHH*	3,220	25,777	18	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kingston *WH*	14,672	33,566	19	13	4	2	–	–	–	–	1	–	1	1	1	–	–
Surbiton *HH*		12,178	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Esher, *part of** *H*		11,080	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Hampton *HL*	4,565	18,252	17	7	1	2	–	2	–	–	–	–	1	1	–	–	–
Richmond *WHH*	2,160	25,389	13	8	4	1	–	–	–	–	3	–	–	–	–	1	–
Mortlake *H*	2,823	16,159	12	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Bromley *HHH*	9,127	23,815	9	5	1	2	–	–	–	–	–	–	–	–	–	–	–
Beckenham *H*	6,542	21,969	11	7	2	2	–	–	–	–	–	–	–	–	–	1	1
Chislehurst, *part of** *WHH*	14,307	20,372	19	9	2	2	–	–	–	–	–	–	1	–	–	5	2
Bexley *HHH*	12,540	30,590	30	9	4	1	–	–	–	–	1	–	2	–	–	–	1
Dartford *WH*, *part of**	—	—	–	2	–	2	–	–	–	–	–	–	–	–	–	2	–
Sunbury *w*	11,054	13,671	11	3	–	3	–	–	–	–	–	–	–	–	–	–	–
Staines *WH*	13,277	13,221	6	11	3	2	–	–	–	–	2	–	1	1	2	6	–
Hillingdon *WHH*	6,035	12,237	7	4	1	1	–	–	–	–	–	–	–	–	–	–	–
Uxbridge	12,757	7,253	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH*	7,952	11,051	10	1	1	–	–	–	–	–	–	–	1	–	–	–	–
Isleworth *WHH*	6,967	26,004	6	13	3	4	–	–	–	–	–	1	1	–	1	4	–
Twickenham *HH*	2,415	16,027	16	7	2	3	–	–	–	–	–	–	1	–	1	–	–
Brentford *HHHH*	4,318	37,777	25	8	–	1	–	–	–	–	–	1	–	–	–	1	–
Chiswick	1,245	21,963	9	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Acton *wHH*	6,132	30,945	18	6	4	1	–	–	–	–	1	–	–	–	–	–	–
Harrow *HHH*	13,809	15,715	10	3	–	3	–	–	–	–	–	–	–	1	1	–	–
Edgware *HH*	6,994	3,844	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Willesden *HHH*	4,383	61,265	71	30	15	4	–	–	–	2	1	–	4	1	1	1	–
Hendon *WH*	8,382	15,843	11	3	1	–	–	–	–	–	–	–	–	–	–	–	–
South Mimms *HH*	21,077	6,367	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Barnet *WHH*		14,152	3	6	1	–	–	–	–	–	2	–	–	–	1	2	–
Finchley *HHH*	4,688	25,820	14	9	3	3	–	–	–	–	–	–	1	–	–	–	–
Hornsey *HH*	3,039	61,097	45	26	8	6	–	–	–	–	–	2	2	–	3	–	–
Tottenham *HHH*	4,642	97,174	69	27	12	3	–	1	–	–	1	–	1	1	4	1	–
Edmonton *Ww*	7,489	36,351	38	16	6	1	–	–	–	–	–	–	3	1	1	4	–
Enfield *WWHH*	12,602	31,536	24	15	5	4	–	–	–	–	–	–	4	–	–	1	–
Waltham Abbey	11,017	6,066	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–
Cheshunt *H*	8,480	9,620	12	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Hatfield, *part of** *W*	3,306	582	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H*	9,331	7,737	4		–	–	–	–	–	–	–	–	–	–	–	–	–
Watford *WHH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford *H*	4,706	38,612	38	16	5	3	–	–	–	–	–	–	3	1	1	2	–
Plaistow *HHH*		58,030	76	24	13	–	–	–	–	1	2	1	1	2	2	7	1
Canning Town *H*		54,750	48	29	11	4	–	–	–	2	1	–	5	1	2	–	1
Forest Gate *w*		53,511	33	16	3	9	–	–	–	–	–	–	1	–	–	–	–
East Ham *wHHH*	3,266	32,713	71	22	10	7	–	–	–	1	1	1	3	–	2	1	–
Leyton *WWWwH*	4,334	70,188	72	29	13	5	–	–	–	–	–	–	4	1	3	5	–
Walthamstow *HHHL*	6,501	57,330	69	35	14	8	–	–	1	3	2	–	5	–	–	1	–
Chigwell, *part of** *HHHH*	11,779	12,941	8	4	3	–	–	–	–	–	–	–	1	–	2	–	–
Epping *WH*, *part of**	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W*	6,556	4,324	7	6	1	1	–	–	–	1	–	–	–	1	1	1	–
Ilford *H*	8,493	10,913	21	8	6	1	–	–	–	–	–	–	1	–	–	1	–
Barking Town, *H*	3,814	14,301	18	7	3	2	–	–	–	–	–	–	5	–	1	–	–

he parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring s follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in eld sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for tious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 6th October, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**14·8**	**2·3**	**1891**	**584**	**411**	**–**	**7**	**15**	**40**	**38**	**21**	**169**	**75**
INNER LONDON -	74,672	4,589,129	15·8	2·2	1391	393	308	–	4	14	29	18	15	110	62
OUTER RING -	368,749	2,063,016	12·6	2·5	500	191	103	–	3	1	11	18	6	59	13

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	October 6	159	103	17·8	–	3	–	3	2	–
GLASGOW - -	743,585	" 6	450	285	20·0	1	6	5	2	7	11‡
DUBLIN† - -	349,594	" 6	175	174	26·0	–	1	–	–	5	3
CALCUTTA - -	466,460	August 18	–	276	30·8	9	2	–	–	–	115‡
BOMBAY - -	821,764	September 11	320	1050	66·4	1	3	?	?	?	170‡
MADRAS - -	452,518	August 31	457	581	66·7	3	6	?	?	?	182
PARIS - - -	2,511,629	September 29	1100	868	17·9	6	4	1	5*	2	23
BRUSSELS - -	561,130	" 29	236	169	15·4	–	1	–	1*	–	1
AMSTERDAM -	526,538	" 22	–	–	–	–	–	–	–	–	–
ROTTERDAM -	325 556	" 22	–	–	–	–	–	–	–	–	–
THE HAGUE -	205,328	" 22	–	–	–	–	–	–	–	–	–
COPENHAGEN -	349,000	" 29	175	103	15·4	–	–	–	–	1	1
STOCKHOLM -	297,148	" 22	169	83	14·5	–	–	1	–	2	–
CHRISTIANIA -	221,255	" 29	206	67	15·4	–	–	–	–	–	–
ST. PETERSBURG	1,132,677	" 22	638	500	23·0	4	9	14	20	4	12
MOSCOW - -	988,610	" 15	–	621	32·8	–	8	4	8	2	4
BERLIN - -	1,848,269	" 15	932	679	19·0	–	6	10	14	9	2
HAMBURG - -	691,349	" 29	–	224	16·8	–	1	3	1*	2	–
DRESDEN - -	403,400	" 1	–	–	–	–	–	–	–	–	–
BRESLAU -	412,959	" 29	–	–	–	–	–	–	–	–	–
MUNICH - -	463,000	" 22	–	246	27·6	–	2	–	3*	1	1
VIENNA - -	1,656,662	" 29	936	533	16·7	–	5	8	3*	2	3
PRAGUE - -	385,952	" 22	193	133	17·7	–	–	–	1	–	1
BUDA-PESTH -	685,340	" 22	471	217	16·5	–	–	3	–	2	1
TRIESTE - -	168,264	" 22	97	81	25·0	–	–	–	1*	1	–
ROME - - -	514,306	" 1	213	157	15·9	–	1	–	–	–	9‖
TURIN (11 days)-	344,203	August 31	201	142	13·7	–	–	–	–	2	2
VENICE - -	172,491	September 1	–	–	–	–	–	–	–	–	–
CAIRO - -	570,062	August 26	473	417	38·0	3	14	–	–	1	12
ALEXANDRIA -	319,766	" 26	235	253	41·1	–	–	–	–	–	6‡
NEW YORK (including BROOKLYN)	3,654,594	September 8	1698	1258	19·1	–	3	2	14	10	27
PHILADELPHIA -	1,266,832	" 15	–	420	17·3	–	2	1	16	1	10

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including one death from plague in Glasgow, 32 deaths in Calcutta, 53 in Bombay, and 2 in Alexandria.
§ Including 16 deaths from cholera in Calcutta, 121 in Bombay, and 44 in Madras.
‖ Including 6 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Mean daily reading (corrected and reduced 32° Fahrenheit).	Of the Air. Highest.	Of the Air. Lowest	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Air Temperature and Dew Point Temperature. Mean daily value.	Air Temperature and Dew Point Temperature. Greatest.	Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	30	Greatest Dec. S.	29·525	63·4	47·7	15·7	56·3	+ 1·9	50·1	6·2	12·7	0·0	80	114·3	38·3	58·67	SSW. & S.	SSW. & NNW.	5·6	0·0	0·5	341	+ 89	0·19	0·0
OCTOBER. MONDAY -	1	First Quarter.	29·765	62·9	42·4	20·5	52·7	− 1·4	43·9	8·8	18·3	1·1	72	110·9	34·0	58·42	NW., SW. & WSW.	SW. & SSW.	1·5	0·0	0·1	231	− 20	0·00	0·0
TUESDAY -	2	..	29·671	66·7	48·3	18·4	56·1	+ 2·3	49·9	6·2	13·9	1·3	80	126·3	40·5	58·23	SSW. & SW.	SW. & SSW.	3·1	0·0	0·2	279	+ 29	0·00	0·0
WEDNESDAY	3	..	29·828	58·6	39·0	19·6	47·6	− 5·9	38·9	8·7	19·2	1·5	72	104·8	30·7	57·91	SW. & NW.	WNW. & S.	2·4	0·0	0·1	233	− 15	0·00	0·0
THURSDAY-	4	..	29·580	62·5	38·1	24·4	52·3	− 0·9	47·9	4·4	11·0	0·0	85	94·0	30·4	57·73	SE. & SSE.	SSE. & SW.	8·4	0·0	0·8	382	+135	0·24	0·5
FRIDAY -	5	..	29·658	61·0	49·6	11·4	54·5	+ 1·5	48·4	6·1	11·2	3·6	80	109·3	42·3	57·32	SW.	SW. & SSW.	11·8	0·0	1·0	476	+231	0·11	1·7
SATURDAY-	6	In Equator.	29·892	65·9	53·5	12·4	59·9	+ 7·2	53·1	6·8	10·3	4·7	78	110·2	47·9	57·12	SW.	SW.	9·9	0·0	1·2	520	+276	0·00	1·0
MEANS	-		29·703	63·0	45·5	17·5	54·2	+ 0·7	47·5	6·7	13·8	1·7	78	110·0	37·7	57·91	SW.		..	..	..	Sum 2462	Sum +725	Sum 0·54	0·5
No. of Column	-		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SEPTEMBER.					
SUNDAY -	30	w. P. throughout.	2·0	11·7	Fine and partially cloudy till noon; overcast afterwards with continuous rain till 6h. P.M.; Brisk wind between 8h. A.M. and 8h. P.M.
OCTOBER. MONDAY -	1	w. P. generally.	6·5	11·6	Overcast in early morning; fine and partially cloudy afterwards. Lunar halo observed in evening.
TUESDAY -	2	w. P. throughout.	4·5	11·5	Fine; partially cloudy.
WEDNESDAY	3	w. P. till 9h. A.M.; s. P. generally afterwards.	6·2	11·5	Very fine generally; variable amounts of cloud. Lunar halo at night.
THURSDAY-	4	m. P. till 4h. A.M.; w. P. till noon; v. P. and v. N. till 4h. P.M.; w. P. afterwards.	1·5	11·4	Fine in early morning; cloudy with frequent rain till afternoon; very fine at night. Gusty wind.
FRIDAY -	5	w. P. generally; s. P. and s. N. between 3h. and 5h. P.M.	4·5	11·3	Variable and showery till evening; fine and partially cloudy at night. Strong gusty wind.
SATURDAY-	6	w. P. throughout.	5·3	11·3	Fine and partially cloudy. Gusty wind.
			Sum 30·5	Sum 80·3	
No. of Col.	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·66 in. at the beginning of the week to 29·50 in. by 4h. P.M. on September 30; increased to 29·78 in. by 9h. P.M. on October 1; decreased to 29·63 in. by 1h. A.M. on October 3; increased to 29·93 in. by 9h. P.M. on the same day; decreased to 29·46 in. by 4h. P.M. on October 4; increased to 29·69 in. by 11h. A.M. on October 5; decreased to 29·60 in. by 3h. P.M. on the same day; and increased to 29·98 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET E

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 41. 1900. VOL. LXI.] WEEK ENDING SATURDAY, OCT. 13. [Price 1½*d.*

General Register Office, Somerset House,
October 15th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·1, 18·5, and 17·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
33 Great Towns	18·1	18·5	17·8	17·1
Birkenhead -	15·6	18·7	19·6	15·1
Birmingham -	17·9	20·2	19·5	18·9
Blackburn -	25·5	23·6	22·4	20·9
Bolton - -	18·1	17·8	15·6	13·0
Bradford -	12·3	11·1	14·7	14·0
Brighton -	23·5	19·3	14·3	18·9
Bristol - -	14·8	14·8	14·4	17·0
Burnley -	18·3	19·7	22·3	17·0
Cardiff - -	13·2	15·3	14·2	10·5
Croydon -	11·5	14·7	8·7	11·9
Derby - -	17·4	21·2	18·8	20·8
Gateshead -	17·6	19·5	23·4	23·8
Halifax -	12·4	11·9	15·5	17·6
Huddersfield -	15·5	16·0	17·0	16·5
Hull - -	23·8	20·5	16·2	17·5
Leeds - -	19·2	18·0	18·5	17·5
Leicester - -	15·9	18·1	17·1	12·6
Liverpool - -	23·1	23·0	22·8	23·1
London - - -	16·5	16·7	15·8	14·8
Manchester - -	23·2	26·6	26·0	24·8
Newcastle-on-Tyne	17·6	21·6	22·7	18·7
Norwich - -	14·5	15·0	24·1	17·3
Nottingham - -	19·3	18·3	13·8	18·0
Oldham - -	15·3	18·4	15·6	19·0
Plymouth - -	21·9	14·8	16·3	17·4
Portsmouth - -	17·9	14·7	16·3	20·6
Preston - -	22·8	22·4	20·2	16·7
Salford - - -	24·3	27·6	24·6	24·8
Sheffield - -	25·5	22·4	21·4	20·9
Sunderland - -	25·5	27·6	25·1	20·9
Swansea - -	19·3	19·3	21·3	13·8
West Ham - -	16·4	14·9	14·6	12·6
Wolverhampton -	17·5	21·0	19·2	19·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Swansea; from *whooping-cough*, 1·0 in Derby and 1·4 in Gateshead; from "*fever*," 1·0 in Plymouth, 1·1 in Sunderland, and 1·2 in Wolverhampton; and from *diarrhœa*, 2·0 in Hull, 2·1 in Sheffield, 2·2 in Preston, 2·5 in Manchester, 2·7 in Burnley, 2·9 in Wolverhampton, and 3·8 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 85 deaths from *diphtheria* included 26 in London, 11 in Leicester, 7 in Leeds, 7 in West Ham, 5 in Sheffield, 4 in Liverpool, 3 in Manchester, 3 in Salford, and 3 in Newcastle-on-Tyne. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2429 BIRTHS and 1305 DEATHS were registered. Allowing for increase of population, the births were 199, and the deaths 209,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·5, 16·7, and 15·8, in the preceding three weeks, further fell last week to 14·8. During the four weeks ending on Saturday last the death-rate averaged 16·0 per 1000, being 1·0 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1305 deaths included 11 from measles, 7 from scarlet fever, 26 from diphtheria, 27 from whooping-cough, 22 from enteric fever, 75 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 168 deaths were referred to these diseases, being 25 below the corrected average weekly number.

The deaths from *measles*, which had been 9, 13, and 4 in the preceding three weeks, rose again last week to 11, but were 13 below the corrected average. The deaths from *scarlet fever*, which had been 3, 5, and 14 in the preceding three weeks, fell again last week to 7, and were 13 below the corrected average. The deaths from *diphtheria*, which had been 30, 40, and 29 in the preceding three weeks, further fell last week to 26, and were 27 below the corrected average; 3 cases belonged to Poplar sanitary area. The deaths from *whooping-cough*, which had been 48, 27, and 18 in the preceding three weeks, rose again last week to 27, and were 8 above the corrected average; 5 cases belonged to Islington sanitary area. The fatal cases of *enteric fever*, which had been 14, 18, and 15 in the preceding three weeks, rose again last week to 22, and were 2 above the corrected average; 2 cases belonged to St. Marylebone, 2 to Lambeth, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 132, 120, and 110 in the preceding three weeks, further fell last week to 75, but were 18 above the corrected average. Of the 75 deaths from diarrhœa, 71 were of children under 5 years of age; 20 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 203, 187, and 164 in the preceding three weeks, rose again last week to 173, but were 74 below the corrected average. The deaths attributed directly to *influenza* numbered 5, having been 4, 6, and 2 in the preceding three weeks.

Different forms of violence caused 60 deaths, concerning all but 4 of which inquests were held. Of these 60 deaths, 6 were cases of suicide, and 2 of homicide, while the remaining 52 were attributed to accident or negligence. Eleven of these were referred to vehicles in the streets, 6 to burns and scalds, 1 to sunstroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 5 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2187 cases of scarlet fever, 1314 of diphtheria, and 405 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 322 cases, against 269, 318, and 313; of diphtheria, 188 cases, against 216, 176, and 207; and of enteric fever, 71 cases, against 89, 90, and 68.

Greater London.

In Greater London 3493 births and 1738 deaths were registered, corresponding to annual rates of 27·4 and 13·6 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 1 from scarlet fever, 19 from diphtheria, 11 from whooping-cough, 9 from "fever," and 44 from diarrhœa were registered. Eight fatal cases of diphtheria and 4 of "fever" belonged to West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 55°·3; the latter being 3°·9 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 3 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 34·8 hours; the measured rainfall amounted to 0·03 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital to have been erroneous.

AND BOROUGHS.	to the middle of the Year 1900.*	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6–12.	Highest Fahrenheit.	Lowest Fahrenheit.	Fahrenheit.	Centigrade.	In Inches.	In Centimetres.	BOROUGHS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 TOWNS -	**11,610,296**	**6578**	**3799**	**1113**	**827**	-	**39**	**27**	**85**	**59**	**64**	**289**	**140**	**291**	**851**	**33**	**17·1**	**2·5**	**75·0**	**32·4**	**53·4**	**11·89**	**0·26**	**0·66**	33 TOWNS.
LONDON - -	4,589,129	2429	1305	327	322	-	11	7	26	27	22	75	60	120	428	5	14·8	1·9	74·2	40·0	55·3	12·94	0·03	0·08	LONDON.
WEST HAM - -	314,472	155	76	32	6	-	-	-	7	2	1	6	5	9	9	-	12·6	2·7	-	-	-	-	-	-	WEST HAM.
CROYDON - -	131,186	64	30	4	10	-	1	-	2	1	2	2	-	3	6	-	11·9	3·2	71·5	39·5	54·3	12·39	0·00	0·00	CROYDON.
BRIGHTON - -	124,148	57	45	12	11	-	2	-	2	-	-	4	1	2	12	1	18·9	3·4	66·2	42·6	55·0	12·78	0·01	0·03	BRIGHTON.
PORTSMOUTH -	194,955	88	77	24	24	-	-	-	2	1	4	5	1	1	13	1	20·6	3·2	-	-	-	-	-	-	PORTSMOUTH.
PLYMOUTH - -	102,161	59	34	7	11	-	-	-	-	1	2	3	-	1	9	-	17·4	3·1	-	-	-	-	-	-	PLYMOUTH.
BRISTOL - -	324,973	174	106	31	24	-	1	2	-	1	-	10	5	8	20	-	17·0	2·2	69·0	33·0	53·7	12·06	0·06	0·15	BRISTOL.
CARDIFF - -	194,247	127	39	12	7	-	-	-	1	-	2	-	3	4	6	-	10·5	0·8	-	-	-	-	-	-	CARDIFF.
SWANSEA - -	105,472	62	28	7	2	-	2	1	1	-	-	3	1	1	6	1	13·8	3·5	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON	89,598	57	34	13	8	-	-	-	-	-	2	5	1	4	4	-	19·8	4·1	66·8	32·4	49·9	9·94	0·19	0·48	WOLVERHAMPTON.
BIRMINGHAM -	519,610	337	188	78	21	-	1	1	-	1	5	17	11	13	25	5	18·9	2·5	-	-	-	-	-	-	BIRMINGHAM.
NORWICH - -	114,855	57	38	17	12	-	-	-	-	-	1	3	-	-	3	-	17·3	1·8	75·0	37·2	54·4	12·44	0·12	0·30	NORWICH.
LEICESTER - -	219,169	104	53	16	16	-	-	-	11	-	-	7	4	5	11	-	12·6	4·3	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	242,676	132	84	24	22	-	-	-	-	4	2	7	4	8	15	-	18·0	2·8	68·1	37·0	52·0	11·11	0·05	0·13	NOTTINGHAM.
DERBY - - -	107,991	77	43	10	17	-	-	-	1	2	-	1	2	5	9	-	20·8	1·9	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	117,170	68	34	11	7	-	-	-	-	1	1	3	-	4	5	1	15·1	2·2	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL - -	634,780	451	281	76	54	-	4	4	4	6	3	23	11	18	71	10	23·1	3·6	66·4	41·1	52·5	11·39	0·44	1·12	LIVERPOOL.
BOLTON - -	164,240	85	41	16	10	-	-	-	-	-	-	6	-	2	6	-	13·0	1·9	-	-	-	-	-	-	BOLTON.
MANCHESTER -	548,768	342	261	73	45	-	2	3	3	1	1	26	5	25	55	3	24·8	3·4	-	-	-	-	-	-	MANCHESTER.
SALFORD - -	220,816	148	105	36	22	-	4	4	3	-	2	8	1	3	20	1	24·8	5·0	-	-	-	-	-	-	SALFORD.
OLDHAM - -	153,297	71	56	15	11	-	-	1	1	-	1	2	2	4	9	-	19·0	1·7	-	-	-	-	-	-	OLDHAM.
BURNLEY - -	116,730	82	38	16	9	-	-	1	-	-	1	6	1	1	2	1	17·0	3·6	-	-	-	-	-	-	BURNLEY.
BLACKBURN - -	137,107	64	55	19	9	-	-	1	2	1	1	5	1	2	5	1	20·9	3·8	-	-	-	-	-	-	BLACKBURN.
PRESTON - -	118,902	72	38	18	8	-	-	-	1	1	-	5	-	1	3	-	16·7	3·1	64·0	44·0	53·4	11·89	1·16	2·95	PRESTON.
HUDDERSFIELD -	104,484	38	33	8	10	-	-	1	-	-	-	3	1	3	4	-	16·5	2·0	69·8	40·0	53·0	11·67	0·43	1·09	HUDDERSFIELD.
HALIFAX - -	100,710	47	34	8	12	-	-	-	-	-	-	2	2	2	1	-	17·6	1·0	-	-	-	-	-	-	HALIFAX.
BRADFORD - -	291,535	123	78	14	21	-	3	-	-	-	2	2	2	7	5	1	14·0	1·3	66·8	42·6	54·2	12·33	0·42	1·07	BRADFORD.
LEEDS - - -	431,287	285	145	48	31	-	3	-	7	-	3	13	2	10	27	-	17·5	3·1	-	-	-	-	-	-	LEEDS.
SHEFFIELD - -	365,922	270	147	50	20	-	-	-	5	5	1	15	4	7	16	1	20·9	3·7	-	-	-	-	-	-	SHEFFIELD.
HULL - - -	238,736	137	80	26	18	-	1	-	-	1	1	9	4	10	14	-	17·5	2·6	70·0	37·0	53·2	11·78	0·24	0·61	HULL.
SUNDERLAND -	147,398	96	59	13	14	-	-	1	2	-	3	5	3	3	11	-	20·9	3·9	-	-	-	-	-	-	SUNDERLAND.
GATESHEAD - -	109,403	74	50	25	3	-	-	-	1	3	1	8	-	-	5	1	23·8	6·2	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE - -	234,369	146	84	27	10	-	4	-	3	-	-	-	3	5	16	-	18·7	1·6	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIRST Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2409	2508	2511	2434	2323	2622	2536	2633	2454	2549	2627·8	2429
Males - -	1190	1278	1278	1250	1184	1355	1344	1347	1219	1317	1342·5	1198
Females - -	1219	1230	1233	1184	1139	1267	1192	1286	1235	1232	1285·3	1231
TOTAL **Deaths** -	1472	1321	1395	1477	1291	1435	1378	1381	1600	1637	1513·5	1305
Males - -	785	676	697	742	692	733	743	721	812	882	787·2	679
Females - -	687	645	698	735	599	702	635	660	788	755	726·3	626

*The numbers in this column are the average weekly numbers in the forty-first week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.
TOTAL **Births** - - -	2384	2507	2701	2332	2621	2677	2763	2628	2519	2448	2239	2319	2429
TOTAL **Deaths** - - -	1417	1846	1768	1804	1706	1691	1776	1582	1470	1449	1471	1391	1305
Ages at Death: Under 1 year - -	368	671	797	796	659	673	801	625	469	419	437	393	327
1—5 years - -	210	236	184	204	166	196	187	167	180	161	173	148	149
5—20 " - -	82	75	71	74	85	81	71	91	64	84	65	67	72
20—40 " - -	163	213	145	167	184	174	167	151	208	196	175	188	179
40—60 " - -	269	294	263	259	288	245	279	239	265	251	279	287	256
60—80 " - -	272	288	252	233	257	257	215	265	230	282	273	256	261
80 years and upwards	53	69	56	71	67	65	56	44	54	56	69	52	61
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	54	30	29	25	20	22	11	22	17	9	13	4	11
Scarlet Fever - - -	5	6	5	6	4	10	5	4	3	3	5	14	7
Diphtheria - - - -	21	27	24	25	17	14	19	19	17	30	40	29	26
Whooping-cough - - -	40	47	44	44	44	44	39	31	57	48	27	18	27
Typhus - - - - -	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever - - -	9	13	7	7	6	16	8	15	23	14	18	15	22
Simple Continued Fever -	1	1	-	-	1	1	1	-	-	-	-	-	-
Diarrhœa and Dysentery -	100	292	389	386	293	304	380	259	165	132	120	110	75
Cholera - - - - -	-	8	9	13	6	10	12	3	1	1	3	-	-
All the above Diseases -	230	424	507	506	392	421	475	353	283	237	226	190	168
Dis. of Respiratory System -	169	196	136	128	132	149	138	124	161	203	187	164	173
Phthisis - - - - -	126	151	133	149	155	116	150	128	151	120	141	135	125
Dis. of Circulatory System -	106	130	97	119	126	103	121	117	119	97	124	104	129
Violence - - - -	77	93	82	58	55	76	45	53	69	64	61	62	60
Inquest Cases - - - -	133	155	155	127	128	136	111	110	135	119	129	129	120
Deaths in Public Institutions -	452	509	415	473	489	465	450	486	449	464	435	445	428
TEMPERATURE OF THE AIR.													
Mean - - - - - -	72°·1	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3
Mean of Highest readings -	86·6	82·8	72·0	65·3	78·8	71·7	66·8	67·3	68·9	73·3	66·9	63·0	63·7
Mean of Lowest readings -	57·9	61·3	54·9	50·8	55·2	52·8	52·8	45·4	48·9	50·7	48·9	45·5	46·6
Humidity of the Air - -	60	65	71	84	67	77	77	74	73	76	79	78	78
Rain-fall (in inches) - -	0·00	0·84	0·58	0·74	0·05	0·56	0·62	0·00	0·00	0·07	0·35	0·54	0·03
Registered Sunshine (in hours)	83·2	58·8	50·4	18·0	72·7	45·8	21·8	40·8	44·1	41·9	32·5	30·5	34·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	14	11	7	5	2	1	2	3	3	2	2	1	1
Scarlet Fever - - - -	1877	1859	1827	1838	1793	1726	1703	1736	1753	1804	1938	2071	2187
Diphtheria - - - -	1236	1271	1261	1263	1250	1211	1179	1187	1212	1232	1238	1286	1314
Enteric Fever - - - -	135	129	137	143	146	159	170	189	212	273	329	371	405

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIRST Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 41st Week of the 10 years 1890–99*.	In the Week ending Saturday, 13th October, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1513·5	1305	327	149	72	179	256	261	61
ll- Vaccinated† -	0·1	-	-	-	-	-	-	-	-
x. Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
les - - - -	23·8	11	2	9	-	-	-	-	-
et Fever - - -	19·6	7	-	3	3	1	-	-	-
us - - - -	-	-	-	-	-	-	-	-	-
osing Fever - -	-	-	-	-	-	-	-	-	-
enza - - - -	5·6	5	1	-	-	-	3	1	-
oping-cough - -	18·8	27	8	18	1	-	-	-	-
theria - -	52·5	26	-	17	9	-	-	-	-
le Continued and defined Fever -	0·2	-	-	-	-	-	-	-	-
ric Fever - - -	20·1	22	-	1	6	12	3	-	-
era and Chol. Diarr.	0·7	-	-	-	-	-	-	-	-
rhœa, Dysentery -	56·8	75	51	20	-	1	1	2	-
ittent Fever - -	-	-	-	-	-	-	-	-	-
ropophobia - - -	-	-	-	-	-	-	-	-	-
ders - - - -	0·1	-	-	-	-	-	-	-	-
pox and Effects of cination - -	0·3	-	-	-	-	-	-	-	-
real Affections - -	9·9	7	4	-	-	1	1	1	-
ipelas - - -	4·9	3	-	-	-	-	1	2	-
mia and Septicæmia	2·4	2	1	-	-	1	-	-	-
peral Fever - -	5·9	4	-	-	-	4	-	-	-
er Zymotic Diseases	1·3	1	-	-	-	1	-	-	-
ish - - - -	1·1	-	-	-	-	-	-	-	-
ms and other Parasitical Diseases -	0·2	1	1	-	-	-	-	-	-
vation, Want of east-milk - -	1·9	-	-	-	-	-	-	-	-
holism - - -	12·5	8	-	-	-	2	4	2	-
umatic Fever, eumatism of Heart	8·2	10	-	-	1	6	2	1	-
umatism - - -	1·2	1	-	-	-	-	-	1	-
t - - - - -	3·6	1	-	-	-	-	-	-	1
kets - - - -	4·6	4	1	2	1	-	-	-	-
cer - - - -	73·1	79	-	-	1	4	33	39	2
es Mesenterica - -	25·6	19	16	2	1	-	-	-	-
ercular Meningitis -	20·1	16	5	10	1	-	-	-	-
hisis - - - -	162·9	125	2	3	7	57	46	9	1
ofula, Tuberculosis -	18·6	21	6	5	3	4	2	1	-
er Constitutional diseases - -	15·9	12	1	3	1	1	2	4	-
mature Birth - -	48·8	36	36	-	-	-	-	-	-
lectasis - - -	4·2	2	2	-	-	-	-	-	-
genital Malformations - - -	6·6	7	7	-	-	-	-	-	-
Age - - - -	46·4	55	-	-	-	-	-	28	27
oplexy - - -	42·7	39	-	-	-	1	14	20	4
ilepsy - - - -	8·2	5	-	-	2	1	2	-	-
nvulsions - - -	39·9	31	28	3	-	-	-	-	-
ner Diseases of Brain and Nervous System	75·0	67	6	6	2	12	19	18	4
eases of Organs of pecial Sense -	4·7	2	-	1	1	-	-	-	-

CAUSES OF DEATH	Corrected Averages for the 41st Week of the 10 years 1890–99*.	In the Week ending Saturday, 13th October, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	129·7	129	-	2	11	23	42	44	7
Croup - - - -	2·9	1	-	1	-	-	-	-	-
Bronchitis - - -	125·4	83	28	10	2	2	11	27	3
Pneumonia - - -	91·9	68	17	12	3	10	15	7	4
Pleurisy - - - -	4·3	7	1	-	-	-	5	1	-
Other Diseases of Respiratory System -	22·6	14	4	3	-	1	-	4	2
Dentition - - - -	5·9	6	6	-	-	-	-	-	-
Quinsy, Sore Throat -	2·1	2	-	-	1	-	1	-	-
Enteritis - - -	27·8	16	13	1	-	1	1	-	-
Gastro-enteritis -		22	14	6	-	-	1	-	1
Peritonitis - - -	5·8	4	-	-	2	1	1	-	-
Diseases of Liver - -	22·6	28	2	-	1	4	10	10	1
Other Diseases of Digestive System	29·6	32	6	-	1	8	6	10	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·9	6	-	-	-	3	1	2	-
Diseases of Urinary System - - -	46·1	36	-	1	1	2	14	18	-
Diseases of Generative System - - -	5·4	1	-	-	-	-	1	-	-
Accidents of Childbirth -	5·3	4	-	-	-	4	-	-	-
Diseases of Locomotive System - - -	4·8	5	-	2	1	1	1	-	-
Diseases of Integumentary System - -	5·7	4	4	-	-	-	-	-	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	50·2	5	1	-	-	3	1	-	-
By Vehicles or Horses -		11	-	-	2	-	6	2	1
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	-	1	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		6	-	4	2	-	-	-	-
By Drowning - -		1	-	-	-	-	1	-	-
By Suffocation in Bed -		5	5	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	1	-	1	-	-
Other or not stated causes - - - -		21	4	2	2	3	2	6	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·4	2	-	-	1	1	-	-	-
Suicide - - - -	6·9	6	-	-	1	3	2	-	-
Execution - - -	0·2	-	-	-	-	-	-	-	-
OTHER CAUSES - -	64·6	46	44	2	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered edical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the ause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ccident, murder, manslaughter, or suicide. All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 13th October, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2429	1205	327	322	-	11	7	26	27	-	22	-	75	60	120	428
WEST DISTRICTS - - -	778,251	348	223	46	65	-	-	1	5	3	-	5	-	14	13	22	85
NORTH DISTRICTS - - -	1,040,694	526	293	72	69	-	3	-	5	11	-	5	-	12	14	26	101
CENTRAL DISTRICTS - - -	233,635	145	73	20	13	-	-	1	-	-	-	1	-	8	3	8	33
EAST DISTRICTS - - -	716,334	444	220	65	53	-	3	-	4	4	-	4	-	18	8	23	66
SOUTH DISTRICTS - - -	1,642,796	966	467	124	110	-	5	4	12	9	-	7	-	23	22	41	114
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	29	-	12	-	-	1	-	-	-	-	-	-	-	-	29
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	49	20	5	4	-	-	-	-	1	-	-	-	-	-	-	1
St. John Paddington *H* - - G.	33,510	9	16	1	2	-	-	-	-	-	-	1	-	-	1	2	10
Kensington Town *Ww* - - W.	122,164	56	46	11	17	-	-	-	-	-	-	1	-	3	3	6	16
Brompton *HH* - - - W. & C.	48,301	8	8	1	4	-	-	-	-	-	-	-	-	1	1	-	1
North Hammersmith *H* W. & G	44,638	25	8	1	2	-	-	-	-	-	-	1	-	1	-	1	-
South Hammersmith *H* W. & G	59,561	23	9	1	2	-	-	-	-	-	-	-	-	-	2	2	3
Fulham *Ww* - - - W. & C.	113,781	86	47	16	11	-	-	1	5	1	-	1	-	5	1	3	18
Chelsea Kensal Town - C.	21,450	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	16	14	3	5	-	-	-	-	1	-	-	-	-	1	2	7
Chelsea South *HH* - - C.	33,139	9	8	2	2	-	-	-	-	-	-	-	-	1	1	1	3
May Fair *WH* - - - - G.	23,827	1	12	-	7	-	-	-	-	-	-	-	-	1	-	1	10
Belgrave *WHHH* - - - C.	56,140	25	17	2	5	-	-	-	-	-	-	-	-	1	2	3	10
St. John Westminster *HH* - C.	31,492	16	7	1	3	-	-	-	-	-	-	-	-	1	1	1	-
St. Margaret Westminster *H* - C.	22,097	5	7	2	-	-	-	-	-	-	-	1	-	-	-	-	6
St. James Westminster *WH* N. & G.	23,050	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	20	14	2	3	-	-	-	-	1	-	-	-	-	1	1	10
Rectory Marylebone *W* G. & W.	19,798	2	4	1	2	-	-	-	-	-	-	-	-	1	-	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	24	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	13	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	12	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	28	25	4	6	-	-	-	2	1	-	3	-	1	-	-	13
Regent's Park † *HH* - W.	51,403	26	15	5	2	-	1	-	-	-	-	-	-	1	3	3	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	14	15	2	2	-	-	-	-	2	-	-	-	-	3	3	5
Gray's Inn Lane *HHHH* - N.	29,426	19	7	1	1	-	-	-	-	-	-	-	-	-	-	-	3
Somers Town *HH* - - - N.	32,161	12	9	2	1	-	-	-	-	-	-	-	-	2	2	2	5
Camden Town† *WH* - - N.	40,155	15	17	2	8	-	1	-	-	-	-	-	-	1	-	-	7
Kentish Town† *WW* - - N.	60,862	31	22	3	4	-	-	-	-	-	-	-	-	-	1	3	13
Upper Holloway *WWWWwHH* - - N.	98,273	60	41	8	13	-	-	-	-	3	-	-	-	-	2	7	23
Lower Holloway‡ - - - N.	41,805	17	9	1	5	-	-	-	-	-	-	-	-	1	-	-	-
Barnsbury‡ - - - - N.	56,384	29	12	5	3	-	-	-	-	-	-	-	-	-	-	2	-
Islington South-east‡ *H* - N.	75,725	47	9	4	3	-	-	-	-	1	-	-	-	2	-	-	-
Highbury *HH* - - - N.	64,577	38	10	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	12	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	15	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Central Hackney *ww* - E. & N.		23	16	5	2	-	-	-	3	-	-	2	-	2	1	1	5
South-west Hackney *HHH* E. & N.		32	20	9	2	-	-	-	-	-	-	-	-	1	-	2	3
South-east Hackney *WwH* E. & N.		37	25	11	5	-	1	-	-	-	-	-	-	-	-	1	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-eas Sub-District

: 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 13th October, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	21	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
nth *WH* - -																		
iles North *H* - - - N.	9,151	4	5	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-
Iartin-in-the-Fields *HH* N. & C.	13,077	4	4	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
nd *WHH* - - - - N.	11,839	4	6	-	2	-	-	-	-	-	-	1	-	-	-	1	5	-
nd Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oorn *WwHHHHH* - N.	31,042	19	13	6	3	-	-	-	-	-	-	-	-	5	-	-	8	-
ames Clerkenwell - - N.	15,777	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
well Clerkenwell - - N.	34,356	20	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
well-street - - - - N.	16,069	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *HHHL* - - N.	29,897	34	9	3	2	-	-	-	-	-	-	-	-	1	-	1	2	-
bury* - - - - - N.	11,630	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph‡ *H* - - N. & E.	13,061	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre *WH* - - - N.	9,591	1	14	3	2	-	-	-	-	-	-	-	-	-	3	4	11	-
allows Barking - - - N.	9,059	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of London Asylum, Stone - -	†*388*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ton New Town *w* - - N.	29,575	20	9	1	3	-	1	-	-	-	-	-	-	1	-	1	2	-
ton Old Town - - - N.	27,645	22	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston *WH* - - N. & E.	47,163	25	19	5	6	-	-	-	-	-	-	-	-	1	1	1	6	-
hnal Green North *H* - E.	49,301	29	9	5	2	-	-	-	-	-	-	-	-	1	-	1	1	-
hnal Green South - - E.	34,194	25	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green East *WWHl* - E.	45,667	19	16	4	9	-	-	-	-	-	-	-	-	2	-	-	7	-
talfields - - - E. & N.	26,681	28	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
le End New Town *WH* - E.	51,995	19	24	2	2	-	-	-	2	-	-	3	-	-	3	5	22	-
odman's Fields - - - E.		8	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	33	11	5	2	-	-	-	-	-	-	-	-	-	-	3	-	-
John, St. George East *W* E.	7 930	6	6	3	1	-	-	-	-	1	-	-	-	-	-	-	3	-
adwell *H* - - - E. & N.	10,434	9	14	5	-	-	1	-	1	1	-	-	-	4	-	-	9	-
tcliff *W* - - - - E.	14,954	6	3	1	1	-	-	-	-	1	-	-	-	1	1	1	-	-
mehouse - - - - - E.	32,917	22	9	2	2	-	-	-	-	-	-	1	-	1	-	2	-	-
le End Old Town West *H* E.	111,060	38	17	4	6	-	1	-	-	-	-	-	-	1	1	2	-	-
le End Old Town East } *WWww* - E.		33	13	4	2	-	-	-	-	1	-	-	-	1	-	-	3	-
ow *l* - - - - E.	41,687	23	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
omley *wwwH* - - - E.	69,821	44	23	5	6	-	-	-	1	-	-	-	-	3	2	3	13	-
plar *WW* - - - - E.	57,759	27	14	7	2	-	-	-	-	-	-	-	-	1	-	3	-	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 13th October, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	11	6	1	1	-	-	-	-	-	-	-	-	1	-	1	-
St. Saviour Southwark - - S.	12,301	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	21	9	5	1	-	-	-	-	1	-	-	-	3	-	-	-
Borough-road *WH* - S. & L.	16,083	12	6	2	1	-	1	-	-	-	-	-	-	-	-	-	2
London-road *HL* - - L. & S.	21,316	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	16	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	44	17	8	1	-	-	-	-	1	-	-	-	1	2	2	2
St. Mary Newington- - L. & S.	30,171	21	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	6	14	1	-	-	-	-	1	-	-	-	-	-	3	4	14
Bermondsey *W* - - - S.	85,475	65	18	4	4	-	1	-	1	1	-	-	-	-	1	1	-
Rotherhithe *Ww* - S. & K.	40,379	25	21	6	4	-	-	-	-	-	-	-	-	1	1	2	12
Waterloo-road *HH* - L. & S.	28,396	20	9	3	1	-	-	-	-	2	-	-	-	-	-	-	1
Lambeth Church 1st *H* - L. & S.	18,770	14	18	2	5	-	-	-	-	-	-	-	-	1	3	4	14
Lambeth Church 2nd *WW* L. & S.	40,994	32	10	3	3	-	-	-	-	-	-	-	-	-	-	-	5
Kennington 1st *H* - - S. & L.	52,486	40	18	6	3	-	1	-	-	-	-	-	-	1	-	1	-
Kennington 2nd - - S. & L.	43,244	15	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *w* - - - L. & S.	81,825	36	16	6	2	-	-	-	2	-	-	1	-	-	-	-	2
Norwood *WH* - - - - L.	29,318	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	37	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea† - - S.	93,385	26	14	1	4	-	-	-	-	-	-	-	-	-	1	1	-
South-west Battersea† *WwH* - S.		19	14	4	6	-	-	-	-	-	-	-	-	1	1	1	8
Clapham *H* - - - - S.	46,953	23	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *WwwwwL* - - L.	61,644	38	19	3	3	-	-	1	4	-	-	3	-	1	2	2	7
Wandsworth *WHHL* - - S.	58,101	42	16	6	5	-	-	-	-	-	-	-	-	2	-	1	2
Putney - - - - - - S.	20,566	15	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	-	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell *WWwll* - S. & L.	90,286	45	27	7	8	-	-	-	-	2	-	-	-	2	2	3	13
Peckham *WW* - S., L., & K.	88,242	51	27	13	6	-	-	-	-	-	-	-	-	3	-	4	-
St. George Camberwell - L. & S.	67,029	39	15	2	4	-	-	-	-	-	-	-	-	1	2	3	-
Deptford North - - - K.	36,152	30	6	1	1	-	-	-	-	-	-	-	-	1	-	1	-
Deptford Central *w* - - K.	45,441	29	15	4	2	-	-	2	-	-	-	1	-	-	-	-	4
Deptford South - - - K.	33,402	13	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,012	10	6	2	1	-	-	-	1	-	-	-	-	-	1	1	1
Greenwich East *WH* - - K.	37,767	22	24	4	10	-	-	-	-	1	-	-	-	1	1	2	9
Eltham *wH* - - - - K.	5,911	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	9	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwH* - - - K.	38,139	28	16	3	5	-	-	-	-	-	-	1	-	-	-	1	5
Sydenham *H* - - - - L.	37,601	17	13	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	6	12	5	-	-	-	1	3	1	-	1	-	-	-	-	6
Woolwich* *HHHH* - - K.	41,314	21	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1
Plumstead West *H* - - K.	16,714	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	24	12	-	6	-	-	-	-	-	-	-	-	-	1	3	5
Banstead Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asylum, Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch Asylum - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Claybury Asylum - - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea an South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 13th October, 1900.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON-OUTER RING -	368,749	1,422,063	1,064	433	148	96	-	7	1	19	11	9	44	11	30	50	1
Carshalton *H* - - -	12,228	26,108	17	8	3	1	-	-	-	-	-	-	2	-	-	1	-
Epsom, *part of** *WwHHH*	10,423	12,508	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	78	34	5	10	-	1	-	2	1	2	2	1	4	6	-
Mitcham *w* - - -	11,697	23,072	21	5	3	1	-	-	-	-	-	-	1	1	1	-	-
Wimbledon *HHH* - -	3,220	25,777	31	6	4	-	-	-	-	-	-	-	2	1	1	-	-
Kingston *WH* - - -	14,672	33,566	21	6	4	-	-	3	-	-	1	-	1	-	-	-	-
Surbiton *HH* - - -		12,178	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Esher, *part of** *H* - -		11,080	8	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Hampton *HL* - - -	4,565	18,252	9	8	1	4	-	-	-	-	-	-	-	-	1	-	-
Richmond *WHH* - -	2,160	25,389	6	7	1	1	-	1	-	-	-	-	-	-	-	3	-
Mortlake *H* - - -	2,823	16,159	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	11	5	1	2	-	-	-	-	-	-	-	-	-	1	-
Beckenham *H* - - -	6,542	21,969	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	14	7	3	3	-	-	-	-	-	-	-	-	-	1	-
Bexley *HHH* - - -	12,540	30,590	31	13	4	1	-	-	-	2	1	1	1	-	-	1	-
Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	13,671	11	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Staines *WH* - - -	13,277	13,221	4	9	2	4	-	-	-	1	-	-	-	-	1	-	-
Hillingdon *WHH* - -	6,035	12,237	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge - - - -	12,757	7,253	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	12	10	-	5	-	-	-	-	-	-	-	-	-	2	-
Twickenham *HH* - -	2,415	16,027	8	4	1	2	-	-	-	1	-	-	-	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	20	10	2	5	-	-	-	-	-	-	-	-	-	2	-
Chiswick - - - -	1,245	21,963	22	5	3	1	-	-	-	1	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	32	10	5	3	-	-	-	-	-	-	1	1	1	-	-
Harrow *HHH* - - -	13,809	15,715	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	66	15	8	2	-	-	-	-	-	1	2	-	-	2	1
Hendon *WH* - - -	8,382	15,843	13	3	-	-	-	-	-	-	-	-	-	-	-	1	-
South Mimms *HH* - -	21,077	6,367	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	16	6	3	2	-	-	-	-	1	-	1	-	1	-	-
Hornsey *HH* - - -	3,039	61,097	41	18	3	7	-	-	-	1	-	-	-	-	2	-	-
Tottenham *HHH* - -	4,642	97,174	69	28	14	5	-	-	-	1	-	-	6	-	2	2	-
Edmonton *Ww* - -	7,489	36,351	35	21	9	3	-	-	1	-	1	-	5	1	3	1	-
Enfield *WWHH* - -	12,602	31,536	16	11	5	1	-	-	-	2	2	-	2	-	-	1	-
Waltham Abbey - - -	11,017	6,066	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	21	17	8	2	-	-	-	1	-	-	3	1	2	1	-
Plaistow *HHH* - - -		58,030	62	26	11	1	-	-	-	4	-	-	2	3	4	2	-
Canning Town *H* - -		54,750	45	18	8	-	-	-	-	1	1	-	1	-	1	1	-
Forest Gate *w* - - -		53,511	27	10	5	2	-	-	-	-	1	-	-	1	1	-	-
East Ham *wHHH* - -	3,266	32,713	60	15	6	4	-	1	-	1	-	1	1	-	-	2	-
Leyton *WWWwH* - -	4,334	70,188	48	24	6	5	-	-	-	-	2	3	2	-	2	8	-
Walthamstow *HHHL* -	6,501	57,330	61	16	5	2	-	-	-	-	-	-	3	1	2	1	-
Chigwell, *part of** *HHHH*	11,779	12,941	12	3	2	1	-	-	-	-	-	-	1	-	-	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	9	3	-	1	-	1	-	-	-	-	-	-	1	-	-
Ilford *H* - - - -	8,493	10,913	22	7	3	1	-	-	-	-	-	1	-	-	-	1	-
Barking Town, *H* - -	3,814	14,301	9	7	4	-	-	-	-	-	-	-	3	-	-	-	-
Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	6	-	4	-	-	-	-	-	-	-	-	-	6	-
S.E. Fever Hospital, Deptford.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
London County Lunatic Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham d Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst b-district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping op. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are so included.

Table 7.—Greater London (The Metropolitan and City Police Districts).—Deaths and Rates of Mortality during the week ending Saturday, 13th October, 1900.

Greater London.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
Greater London	**443,421**	**6,652,145**	**13·6**	**2·0**	**1738**	**475**	**418**	**-**	**18**	**8**	**45**	**38**	**31**	**119**	**71**
Inner London -	74,672	4,589,129	14·8	1·9	1305	327	322	-	11	7	26	27	22	75	60
Outer Ring -	368,749	2,063,016	10·9	2·3	433	148	96	-	7	1	19	11	9	44	11

Note.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

Table 8.—Births and Deaths and Rate of Mortality in Edinburgh, Glasgow and Dublin, and in certain Foreign Cities.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn)	Deaths. (Exclusive of Stillborn)	Annual Death-Rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
Edinburgh -	302,262	October 13	171	84	14·5	-	1	1	1	1	-	
Glasgow - -	743,585	" 13	477	272	19·1	2	1	5	4	10	5‡	1
Dublin† - -	349,594	" 13	152	177	26·4	-	-	-	1	1	4	1
Calcutta - -	466,460	August 25	-	302	33·7	7	-	-	-	-	110‡	4
Bombay - -	821,764	September 18	270	1065	67·4	2	-	?	?	?	205‡	23
Madras - -	452,518	" 7	480	503	57·7	-	3	?	?	?	134	14
Paris - - -	2,511,629	October 6	1067	849	17·5	7	5	3	3*	6	18	7
Brussels - -	570,844	" 6	240	156	14·2	-	-	-	3*	2	4	2
Amsterdam -	527,181	September 22	264	144	14·6	-	1	-	1	3	3	
Rotterdam -	325,556	" 22	260	88	14·0	-	-	-	-	1	1	
The Hague -	205,328	" 22	110	56	14·0	-	-	-	-	-	-	-
Copenhagen -	354,000	October 6	258	90	13·3	-	-	4	-	1	-	
Stockholm -	297,148	September 29	172	85	14·9	-	-	2	2*	-	-	1
Christiania -	226,423	October 6	117	55	12·6	-	1	-	-	-	-	1
St. Petersburg	1,132,677	September 29	358	482	22·2	-	4	16	14	7	21	7
Moscow - -	988,610	" 22	-	493	26·0	-	9	2	12	2	3	13
Berlin - -	1,857,859	" 22	930	666	18·6	-	2	10	12	8	1	13
Hamburg - -	691,349	October 6	-	214	16·1	-	-	2	2*	2	-	3
Dresden - -	407,500	September 1	-	-	-	-	-	-	-	-	-	
Breslau -	412,959	October 6	-	196	24·7	-	-	1	3	5	1	4
Munich - -	463,000	September 29	355	241	27·1	-	-	-	3*	1	-	9
Vienna - -	1,656,662	October 6	1006	544	16·9	-	2	4	5*	1	5	10
Prague - -	391,693	September 29	193	165	21·9	-	-	-	1	1	2	
Buda-Pesth -	685,340	" 29	447	241	18·2	-	1	8	-	-	6	1
Trieste - -	168,264	" 29	96	82	25·3	-	-	-	2*	1	3	2
Rome - - -	518,333	" 8	237	142	14·3	-	-	-	-	-	9‖	2
Turin (10 days)-	344,203	" 10	196	120	12·7	-	-	-	1	-	-	1
Venice - -	174,170	" 1	-	-	-	-	-	-	-	-	-	-
Cairo - -	570,062	" 2	451	404	36·9	2	22	-	9*	-	13	9
Alexandria -	319,766	" 2	259	240	39·0	-	-	-	3*	-	5‡	7
New York (including Brooklyn)	3,654,594	" 15	1484	1319	20·0	-	5	3	20	9	28	19
Philadelphia -	1,293,697	" 22	-	356	14·3	-	-	2	15	6	5	2

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 1 death from plague in Glasgow, 28 deaths in Calcutta, 102 deaths in Bombay, and 1 death in Alexandria.
§ Including 7 deaths from cholera in Calcutta, 103 in Bombay, and 52 in Madras.
‖ Including 4 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	De-parture from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	7	..	30·107	67·9	50·4	17·5	59·5	+ 7·0	52·9	6·6	13·1	0·0	79	113·9	39·7	57·00	SW.	SW. & SSW.	4·5	0·0	0·5	332	+ 89	0·00	0·8
Monday -	8	Perigee Full	30·065	73·9	46·5	27·4	61·8	+ 9·7	54·7	7·1	16·7	0·0	78	113·7	34·1	57·17	SSE., S. & SSW.	SW. & SSW.	4·0	0·0	0·2	261	+ 18	0·00	0·0
Tuesday -	9	..	29·980	74·2	55·3	18·9	64·4	+12·7	55·4	9·0	18·0	0·4	73	123·0	44·1	57·28	S. & SW.	SW.	3·7	0·0	0·3	277	+ 33	0·00	0·0
Wednesday	10	..	29·969	60·5	48·3	12·2	52·9	+ 1·6	45·3	7·6	11·4	1·7	76	87·0	39·2	57·28	SW., NNW. & WNW.	WNW. & NW.	3·8	0·0	0·5	260	+ 15	0·01	0·0
Thursday -	11	..	29·986	56·9	40·8	16·1	48·3	- 2·7	44·7	3·6	10·3	0·7	87	94·0	30·3	57·30	NW. & SW.	WSW. & SW.	0·1	0·0	0·0	124	- 122	0·00	0·0
Friday -	12	Greatest Dec. N.	29·889	56·5	40·0	16·5	48·3	- 2·3	42·2	6·1	10·6	1·6	79	73·9	32·6	57·01	WSW.	Calm, SW.	0·1	0·0	0·0	111	- 137	0·00	0·0
Saturday -	13	..	29·634	56·3	44·8	11·5	51·6	+ 1·3	43·3	3·3	11·2	3·7	73	87·2	36·9	56·69	SW. & SSW.	WSW. & W.	5·3	0·0	0·6	399	+149	0·02	0·0
Means -			29·947	63·7	46·6	17·2	55·3	+ 3·9	48·4	6·9	13·0	1·2	78	99·0	36·7	57·10	SW.		..	..	..	Sum 1764	Sum + 45	Sum 0·03	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	7	w. P. throughout.	8·3	11·2	Fine and partially cloudy in morning; very fine with small amounts of cloud afterwards.
Monday -	8	w. P. throughout.	9·5	11·1	A very fine and warm day; generally cloudless.
Tuesday -	9	w. P. throughout.	9·2	11·1	Cloudless and very fine till 5h. P.M.; cloudy afterwards. A very warm day.
Wednesday	10	w. P. till 9h. A.M.; m. P. generally afterwards.	0·9	11·0	Generally cloudy; fine in evening. Slight rain at 4h. A.M. Solar halo observed in forenoon, and lightning in evening.
Thursday -	11	w. P. generally; m. P. in evening.	5·0	10·9	Overcast and foggy in morning; fine and partially cloudy afterwards, with slight fog at night.
Friday -	12	w. P. generally.	1·4	10·9	Generally cloudy. Lunar halo observed between 3h. and 4h. A.M. Slight fog and gloom in afternoon.
Saturday -	13	w. P. till 1h. P.M.; w. P. with occasional w. N. afterwards.	0·5	10·8	Cloudy; occasional slight rain. Gusty wind prevalent after 9h. A.M.
			Sum 34·8	Sum 77·0	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 in. at the beginning of the week to 30·13 in. by 8h. P.M. on the 7th; decreased to 29·85 in. by 5h. A.M. on the 10th; increased to 30·05 in. by 8h. A.M. on the 11th; and decreased to 29·55 in. by the end of the week.

Errata.—Report for week ending 7th July, 1900:—Highest Temperature, Column 5, July 3rd, *for* 68·8° *read* 68·9°. Daily Range, Column 6, July 3rd, *for* 14·5° *read* 14·6°.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street E.

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 42. 1900. VOL. LXI.] WEEK ENDING SATURDAY, OCT. 20. [Price 1½*d.*

General Register Office, Somerset House,
October 22nd, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 17·8, and 17·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	TOWNS.	Weeks ending Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
33 Great Towns	18·4	17·8	17·1	17·1	Leicester - -	18·1	17·1	12·6	15·5
Birkenhead -	18·7	19·6	15·1	14·7	Liverpool - -	23·0	22·8	23·1	21·9
Birmingham -	20·2	19·5	18·9	19·0	London - - -	16·7	15·8	14·8	15·8
Blackburn -	23·6	22·4	20·9	15·6	Manchester - -	26·6	26·0	24·8	22·3
Bolton - -	17·8	15·6	13·0	14·0	Newcastle-on-Tyne	21·6	22·7	18·7	18·2
Bradford -	11·1	14·7	14·0	14·3	Norwich - -	15·0	24·1	17·3	11·3
Brighton -	19·3	14·3	18·9	16·8	Nottingham - -	18·3	13·8	18·0	20·2
Bristol - -	14·8	14·4	17·0	16·0	Oldham - -	18·4	15·6	19·0	18·4
Burnley -	19·7	22·3	17·0	19·2	Plymouth - -	14·8	16·3	17·4	12·8
Cardiff - -	14·0	14·2	10·5	10·7	Portsmouth - -	14·7	16·3	20·6	17·4
Croydon -	14·7	8·7	11·9	11·9	Preston - -	22·4	20·2	16·7	15·8
Derby - -	21·2	18·8	20·8	12·6	Salford - - -	27·6	24·6	24·8	23·6
Gateshead -	19·5	23·4	23·8	28·6	Sheffield - -	22·4	21·4	20·9	22·7
Halifax -	11·9	15·5	17·6	10·4	Sunderland - -	27·6	25·1	20·9	21·2
Huddersfield-	16·0	17·0	16·5	14·5	Swansea - -	19·3	21·3	13·8	17·3
Hull - -	20·5	16·2	17·5	17·9	West Ham - -	14·9	14·6	12·6	15·3
Leeds - -	18·0	18·5	17·5	16·7	Wolverhampton -	21·0	19·2	19·8	19·8

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·5 in Swansea; from *scarlet fever*, 1·1 in Sunderland; from *whooping-cough*, 1·0 in Gateshead; from "*fever*," 1·0 in Huddersfield, 1·1 in Sunderland, 1·2 in Wolverhampton, 1·3 in Portsmouth and in Preston, and 1·7 in Nottingham; and from *diarrhœa*, 1·6 in Manchester, 1·7 in Salford and in Hull, 1·8 in Norwich, 1·9 in Cardiff, 2·4 in Gateshead, and 3·0 in Blackburn. The 85 deaths from *diphtheria* included 36 in London, 9 in Leicester, 8 in Leeds, 8 in Sheffield, 3 in Swansea, 3 in Liverpool, and 3 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2485 BIRTHS and 1392 DEATHS were registered. Allowing for increase of population, the births and the deaths were both 171 below

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

the respective average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·7, 15·8, and 14·8, in the preceding three weeks, rose again last week to 15·8. During the four weeks ending on Saturday last the death-rate averaged 15·8 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1392 deaths included 8 from measles, 8 from scarlet fever, 36 from diphtheria, 20 from whooping-cough, 20 from enteric fever, 55 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 147 deaths were referred to these diseases, being 42 below the corrected average weekly number.

The deaths from *measles*, which had been 13, 4, and 11 in the preceding three weeks, fell again last week to 8, and were 21 below the corrected average. The deaths from *scarlet fever*, which had been 5, 14, and 7 in the preceding three weeks, were 8 last week, the corrected average being 20. The deaths from *diphtheria*, which had been 40, 29, and 26 in the preceding three weeks, rose again last week to 36, but were 21 below the corrected average; 5 cases belonged to Camberwell and 3 to Wandsworth sanitary areas. The deaths from *whooping-cough*, which had been 27, 18, and 27 in the preceding three weeks, fell again last week to 20, the corrected average being 21. The fatal cases of *enteric fever*, which had been 18, 15, and 22 in the preceding three weeks, fell again last week to 20, and were equal to the corrected average; 2 cases belonged to Paddington, 2 to Kensington, 2 to Hackney, 2 to St. George Southwark, 2 to Newington, and 2 to Battersea sanitary areas. The deaths from *diarrhœa*, which had been 120, 110, and 75 in the preceding three weeks, further fell last week to 55, but were 14 above the corrected average. Of the 55 deaths from diarrhœa, 52 were of children under 5 years of age; 23 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 187, 164, and 173 in the preceding three weeks, further rose last week to 182, but were 106 below the corrected average. One death was attributed directly to *influenza*, the numbers in the preceding three weeks having been 6, 2, and 5. The death of a carman aged 27 years, who had been removed from St. George-in-the-East sanitary area to the London Hospital, was certified as due to *glanders*.

Different forms of violence caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 50 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 4 to conflagrations, and 9 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2342 cases of scarlet fever, 1379 of diphtheria, and 430 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 328 cases, against 318, 313, and 322; of diphtheria, 226 cases, against 176, 207, and 188; and of enteric fever, 53 cases, against 90, 68, and 71.

Greater London.

In Greater London 3530 births and 1851 deaths were registered, corresponding to annual rates of 27·7 and 14·5 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 5 from scarlet fever, 10 from diphtheria, 9 from whooping-cough, 5 from "fever," and 27 from diarrhœa were registered. Three deaths from "fever," and 11 from diarrhœa occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 48°·1; the latter being 1°·5 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 16 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 21·3 hours; the measured rainfall amounted to 0·05 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital to have been erroneous.

CITIES AND BOROUGHS.	Population estimated to the middle of the Year 1900.*	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. 6-12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Rain. Fahrenheit.	Rain. Centigrade.	In Inches.	In Centimetres.	CITIES AND BOROUGHS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 TOWNS -	11,610,296	6416	3815	1068	802	-	37	35	85	43	71	197	143	296	908	52	17·1	2·1	64·0	28·2	46·7	8·17	0·32	0·81	33 TOWNS.
LONDON - -	4,589,129	2485	1392	356	335	-	8	8	36	20	20	55	59	137	476	12	15·8	1·7	63·0	35·6	48·1	8·94	0·05	0·13	LONDON.
WEST HAM - -	314,472	163	92	36	18	-	1	1	1	2	-	7	4	5	15	3	15·3	2·0	-	-	-	-	-	-	WEST HAM.
CROYDON - -	131,186	44	30	10	5	-	-	-	1	-	-	2	1	2	3	-	11·9	1·2	62·5	31·5	46·6	8·11	0·08	0·20	CROYDON.
BRIGHTON - -	124,148	64	40	10	4	-	1	-	2	1	-	1	1	3	11	-	16·8	2·1	62·4	39·0	50·1	10·06	0·09	0·23	BRIGHTON.
PORTSMOUTH -	194,955	110	65	11	17	-	-	-	2	-	5	1	4	6	13	1	17·4	2·1	64·0	40·0	50·1	10·06	0·13	0·33	PORTSMOUTH.
PLYMOUTH - -	102,161	51	25	8	7	-	-	-	-	-	1	-	1	2	5	-	12·8	0·5	-	-	-	-	-	-	PLYMOUTH.
BRISTOL - -	324,973	152	100	21	26	-	-	1	1	1	1	5	3	10	18	1	16·0	1·4	60·4	37·0	47·5	8·61	0·42	1·07	BRISTOL.
CARDIFF - -	194,247	112	40	16	4	-	-	-	1	-	-	7	1	2	4	-	10·7	2·1	-	-	-	-	-	-	CARDIFF.
SWANSEA - -	105,472	49	35	10	4	-	5	-	3	-	-	1	2	2	2	-	17·3	4·4	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON	89,598	64	34	9	11	-	-	-	-	-	2	2	1	2	7	-	19·8	2·3	58·0	28·2	43·0	6·11	0·57	1·45	WOLVERHAMPTON.
BIRMINGHAM -	519,610	314	189	62	39	-	2	1	-	2	3	13	5	6	42	4	19·0	2·1	-	-	-	-	-	-	BIRMINGHAM.
NORWICH - -	114,855	66	25	10	4	-	-	-	-	-	-	4	2	3	1	1	11·3	1·8	57·0	35·0	46·2	7·89	0·25	0·63	NORWICH.
LEICESTER - -	219,169	109	65	13	7	-	-	1	9	-	3	4	3	4	14	1	15·5	4·0	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	242,676	113	94	37	16	-	-	-	-	2	8	5	2	3	21	-	20·2	3·2	60·4	36·1	44·9	7·17	0·22	0·56	NOTTINGHAM.
DERBY - - -	107,991	55	26	8	6	-	-	1	-	1	1	1	2	4	4	-	12·6	1·9	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	117,170	67	33	9	7	-	-	-	-	-	-	1	3	5	4	-	14·7	0·4	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL - -	634,780	415	267	73	52	-	2	1	3	2	8	11	12	17	69	11	21·9	2·2	55·9	38·3	46·4	8·00	0·90	2·29	LIVERPOOL.
BOLTON - -	164,240	83	44	10	11	-	-	-	1	-	1	1	3	4	3	-	14·0	1·0	-	-	-	-	-	-	BOLTON.
MANCHESTER -	548,768	331	235	74	41	-	1	6	2	1	3	17	6	27	54	3	22·3	2·9	-	-	-	-	-	-	MANCHESTER.
SALFORD - -	220,816	142	100	19	19	-	3	2	3	1	3	7	1	4	14	1	23·6	4·5	-	-	-	-	-	-	SALFORD.
OLDHAM - -	153,297	65	54	9	13	-	-	2	1	-	-	2	-	2	7	-	18·4	1·7	-	-	-	-	-	-	OLDHAM.
BURNLEY - -	116,730	69	43	19	1	-	1	-	1	2	-	2	2	4	7	-	19·2	2·7	-	-	-	-	-	-	BURNLEY.
BLACKBURN - -	137,107	50	41	18	9	-	-	2	1	-	-	8	3	4	2	1	15·6	4·2	-	-	-	-	-	-	BLACKBURN.
PRESTON - -	118,902	63	36	12	10	-	-	1	-	2	3	2	-	-	-	2	15·8	3·5	55·0	38·0	46·3	7·94	0·63	1·60	PRESTON.
HUDDERSFIELD -	104,484	51	29	7	7	-	-	-	-	1	2	-	2	2	6	1	14·5	1·5	57·2	33·7	44·4	6·89	0·17	0·43	HUDDERSFIELD.
HALIFAX - -	100,710	49	20	3	5	-	-	-	-	-	-	1	-	-	4	-	10·4	0·5	-	-	-	-	-	-	HALIFAX.
BRADFORD - -	291,535	116	80	15	19	-	2	2	-	-	1	1	1	3	16	-	14·3	1·1	-	-	-	-	-	-	BRADFORD.
LEEDS - - -	431,287	251	138	34	25	-	7	-	8	-	1	8	6	14	19	-	16·7	2·9	-	-	-	-	-	-	LEEDS.
SHEFFIELD - -	365,922	254	159	51	27	-	1	2	8	1	1	8	3	3	22	5	22·7	3·0	-	-	-	-	-	-	SHEFFIELD.
HULL - - -	238,736	172	82	21	17	-	2	1	1	1	-	8	2	4	18	-	17·9	2·8	-	-	-	-	-	-	HULL.
SUNDERLAND -	147,398	79	60	26	6	-	-	3	-	1	3	4	2	4	6	1	21·2	3·9	-	-	-	-	-	-	SUNDERLAND.
GATESHEAD - -	109,403	67	60	23	10	-	-	-	-	2	-	5	2	2	8	4	28·6	3·3	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE - -	234,369	141	82	28	20	-	1	-	-	-	1	3	4	6	13	-	18·2	1·1	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SECOND Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2412	2562	2446	2559	2516	2629	2516	2610	2468	2529	2656·0	248
Males - -	1253	1276	1230	1248	1303	1308	1261	1342	1248	1284	1341·6	126
Females - -	1159	1286	1216	1311	1213	1321	1255	1268	1220	1245	1314·4	121
TOTAL **Deaths** -	1741	1428	1449	1554	1326	1518	1333	1442	1497	1567	1562·8	139
Males - -	892	711	783	808	693	766	706	708	795	789	804·9	69
Females - -	849	717	666	746	633	752	627	734	702	778	757·9	69

*The numbers in this column are the average weekly numbers in the forty-second week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct 20.
TOTAL **Births** - - -	2507	2701	2332	2621	2677	2763	2628	2519	2448	2239	2319	2429	248
TOTAL **Deaths** - - -	1846	1768	1804	1706	1691	1776	1582	1470	1449	1471	1301	1305	139
Ages at Death: Under 1 year - -	671	797	796	659	673	801	625	469	419	437	393	327	35
1—5 years - -	236	184	204	166	196	187	167	180	161	173	148	149	14
5—20 " - -	75	71	74	85	81	71	91	64	84	65	67	72	87
20—40 " - -	213	145	167	184	174	167	151	208	196	175	188	179	18
40—60 " - -	294	263	259	288	245	279	239	265	251	279	287	256	27
60—80 " - -	288	252	233	257	257	215	265	230	282	273	256	261	27
80 years and upwards	69	56	71	67	65	56	44	54	56	69	52	61	65
Deaths from—													
Small pox - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - - - -	30	29	25	20	22	11	22	17	9	13	4	11	8
Scarlet Fever - - -	6	5	6	4	10	5	4	3	3	5	14	7	8
Diphtheria - - - -	27	24	25	17	14	19	19	17	30	40	29	26	36
Whooping-cough - - -	47	44	44	44	44	39	31	57	48	27	18	27	20
Typhus - - - - -	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	13	7	7	6	16	8	15	23	14	18	15	22	20
Simple Continued Fever -	1	–	–	1	1	1	–	–	–	–	–	–	–
Diarrhœa and Dysentery -	292	389	386	293	304	380	259	165	132	120	110	75	55
Cholera - - - -	8	9	13	6	10	12	3	1	1	3	–	–	–
All the above Diseases -	424	507	506	392	421	475	353	283	237	226	190	168	147
Dis. of Respiratory System -	196	136	128	132	149	138	124	161	203	187	164	173	182
Phthisis - - - - -	151	133	149	155	116	150	128	151	120	141	135	125	140
Dis. of Circulatory System -	130	97	119	126	103	121	117	119	97	124	104	129	144
Violence - - - -	93	82	58	55	76	45	53	69	64	61	62	60	59
Inquest Cases - - - -	155	155	127	128	136	111	110	135	119	129	129	120	137
Deaths in Public Institutions -	509	415	473	489	465	450	486	449	464	435	445	428	476
TEMPERATURE OF THE AIR.													
Mean - - - - - -	71°·1	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1
Mean of Highest readings -	82·8	72·0	65·3	78·8	71·7	66·8	67·3	68·9	73·3	66·9	63·0	63·7	53·9
Mean of Lowest readings -	61·3	54·9	50·8	55·2	52·8	52·8	45·4	48·9	50·7	48·9	45·5	46·6	42·4
Humidity of the Air - -	65	71	84	67	77	77	74	73	76	79	78	78	75
Rain-fall (in inches) - -	0·84	0·58	0·74	0·05	0·56	0·62	0·00	0·00	0·07	0·35	0·54	0·03	0·05
Registered Sunshine (in hours)	58·8	50·4	18·0	72·7	45·8	21·8	40·8	44·1	41·9	32·5	30·5	34·8	21·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	11	7	5	2	1	2	3	3	2	2	1	1	1
Scarlet Fever - - - -	1859	1827	1838	1793	1726	1703	1736	1753	1804	1938	2071	2187	2342
Diphtheria - - - -	1271	1261	1263	1250	1211	1179	1187	1212	1232	1238	1286	1314	1379
Enteric Fever - - - -	129	137	143	146	159	170	189	212	273	329	371	405	430

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SECOND Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 42nd Week of the 10 years 1890-99*.	In the Week ending Saturday, 20th October, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
JSES - - -	1562·8	1392	356	149	87	186	279	270	65
Vaccinated† -	–	–	–	–	–	–	–	–	–
Unvaccinated	0·1	–	–	–	–	–	–	–	–
No Statement	–	–	–	–	–	–	–	–	–
- - - -	28·5	8	2	6	–	–	–	–	–
Fever - - -	20·1	8	1	2	3	1	1	–	–
- - - -	0·2	–	–	–	–	–	–	–	–
ng Fever - -	–	–	–	–	–	–	–	–	–
za - - - -	6·7	1	–	–	–	–	–	1	–
ng-cough - -	20·5	20	6	14	–	–	–	–	–
eria - -	57·1	36	1	22	13	–	–	–	–
Continued and fined Fever -	0·6	–	–	–	–	–	–	–	–
Fever - - -	20·0	20	–	–	6	10	4	–	–
and Chol. Diarr.	0·5	–	–	–	–	–	–	–	–
ea, Dysentery -	41·3	55	45	7	–	–	–	2	1
ent Fever - -	–	–	–	–	–	–	–	–	–
phobia - - -	–	–	–	–	–	–	–	–	–
rs - - - -	–	1	–	–	–	1	–	–	–
and Effects of nation - -	0·2	–	–	–	–	–	–	–	–
al Affections - -	10·0	13	8	–	–	3	2	–	–
plas - - -	5·8	6	–	–	1	1	3	1	–
a and Septicæmia	2·6	2	1	–	–	1	–	–	–
ral Fever - -	5·4	4	–	–	–	4	–	–	–
Zymotic Diseases	1·2	1	–	–	–	–	–	1	–
- - - -	1·6	–	–	–	–	–	–	–	–
and other Para- l Diseases -	0·3	–	–	–	–	–	–	–	–
ion, Want of t-milk - -	1·8	1	1	–	–	–	–	–	–
lism - -	10·5	12	–	–	–	4	7	1	–
atic Fever, matism of Heart	10·5	6	–	–	2	3	1	–	–
atism - - -	2·0	2	–	–	1	–	1	–	–
- - - -	2·6	–	–	–	–	–	–	–	–
s - - - -	3·7	3	1	1	–	–	1	–	–
- - - -	73·5	86	–	–	1	7	34	38	6
Mesenterica - -	25·0	23	14	7	–	–	2	–	–
ular Meningitis -	19·5	20	5	10	5	–	–	–	–
s - - - -	171·4	140	–	3	9	63	52	13	–
a, Tuberculosis -	17·0	16	2	5	2	5	1	1	–
Constitutional ses - -	13·9	11	–	2	2	–	2	4	1
ture Birth - -	52·8	42	42	–	–	–	–	–	–
asis - - -	4·3	5	5	–	–	–	–	–	–
ital Malforma- - - -	7·7	5	5	–	–	–	–	–	–
e - - - -	44·5	40	–	–	–	–	–	19	21
xy - - -	41·1	38	–	–	–	1	11	21	5
sy - - -	6·7	11	–	1	1	3	5	1	–
sions - - -	38·5	44	37	7	–	–	–	–	–
Diseases of Brain Nervous System	72·9	60	8	9	4	9	14	15	1
es of Organs of ial Sense -	3·4	4	1	1	–	1	–	1	–

CAUSES OF DEATH	Corrected Averages for the 42nd Week of the 10 years 1890-99*.	In the Week ending Saturday, 20th October, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	132·2	144	1	3	11	20	47	53	9
Croup - - - -	6·0	2	1	1	–	–	–	–	–
Bronchitis - - -	157·3	76	19	7	–	3	11	26	10
Pneumonia - - -	99·6	81	24	19	2	10	16	8	2
Pleurisy - - - -	4·8	9	2	1	–	–	3	3	–
Other Diseases of Respiratory System -	20·3	14	1	1	–	–	6	4	2
Dentition - - - -	4·9	5	5	–	–	–	–	–	–
Quinsy, Sore Throat -	2·3	2	1	–	1	–	–	–	–
Enteritis - - -	28·8	21	13	2	2	2	2	–	–
Gastro-enteritis -		24	18	5	–	–	–	1	–
Peritonitis - - -	7·2	4	–	1	1	1	1	–	–
Diseases of Liver - -	26·0	15	–	–	–	3	6	6	–
Other Diseases of Digestive System	32·4	35	5	2	7	6	4	11	–
Diseases of Lymphatic System & of Ductless Glands - - -	2·1	2	–	1	–	–	–	1	–
Diseases of Urinary System - - -	46·0	69	3	2	3	8	22	26	5
Diseases of Generative System - - -	5·5	7	–	–	–	5	–	2	–
Accidents of Childbirth-	4·7	4	–	–	–	2	2	–	–
Diseases of Locomotive System - - -	4·2	5	–	2	2	1	–	–	–
Diseases of Integumentary System- -	8·8	8	3	–	–	–	1	4	–
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		2	–	–	–	–	2	–	–
By Vehicles or Horses -		6	–	–	1	2	1	2	–
In Ships, Boats, Docks, (exclusive of Drowning) - - -		–	–	–	–	–	–	–	–
In Building Operations -		1	–	–	–	–	1	–	–
In Conflagrations -		4	–	–	2	1	–	1	–
By Burns, Scalds, Explosions - -	54·8	6	3	1	1	–	1	–	–
By Drowning - - -		3	–	–	1	–	2	–	–
By Suffocation in Bed -		9	9	–	–	–	–	–	–
By Poisons or Poisonous Vapours - -		–	–	–	–	–	–	–	–
Other or not stated causes - - - -		19	3	2	2	1	6	3	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·9	2	–	–	1	1	–	–	–
Suicide - - - -	9·2	7	–	–	–	3	4	–	–
Execution - - -	–	–	–	–	–	–	–	–	–
OTHER CAUSES - -	58·8	62	60	2	–	–	–	–	–

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 20th October, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2485	1392	356	335	-	8	8	36	20	-	20	-	55	59	137	476
WEST DISTRICTS - - -	778,251	343	229	44	68	-	-	-	5	-	-	3	-	5	13	26	94
NORTH DISTRICTS - - -	1,040,694	498	271	71	65	-	-	2	6	7	-	7	-	8	9	26	84
CENTRAL DISTRICTS - - -	233,635	126	80	19	18	-	-	1	1	3	-	1	-	5	5	10	33
EAST DISTRICTS - - -	716,334	528	277	88	55	-	1	-	2	1	-	1	-	12	15	41	101
SOUTH DISTRICTS - - -	1,642,796	990	502	134	118	-	7	5	22	9	-	8	-	25	17	33	131
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	33	-	11	-	-	-	-	-	-	-	-	-	-	1	33
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	40	23	7	8	-	-	-	1	-	-	1	-	1	1	4	10
St. John Paddington *H* - - G.	33,510	7	9	-	3	-	-	-	-	-	-	-	-	-	1	1	6
Kensington Town *Ww* - - W.	122,164	43	37	6	16	-	-	-	-	-	-	1	-	-	1	4	17
Brompton *HH*- - - W & C.	48,301	9	10	1	2	-	-	-	-	-	-	-	-	-	1	1	3
North Hammersmith *H* } W. & G	44,638	26	11	3	3	-	-	-	-	-	-	-	-	-	1	3	-
South Hammersmith *H* } W. & G	59,561	22	11	2	2	-	-	-	-	-	-	-	-	-	1	2	2
Fulham *Ww* - - - W. & C.	113,781	92	40	11	10	-	-	-	3	-	-	-	-	2	2	4	12
Chelsea Kensal Town - C.	21,450	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	13	23	3	11	-	-	-	-	-	-	-	-	-	1	2	15
Chelsea South *HH* - - C.	33,139	9	9	-	3	-	-	-	-	-	-	-	-	1	-	-	1
May Fair *WH*- - - - G.	23,827	5	6	1	3	-	-	-	-	-	-	-	-	1	-	-	6
Belgrave *WHHH* - - - C.	56,140	17	21	1	4	-	-	-	1	-	-	1	-	-	3	3	11
St. John Westminster *HH* - C.	31,492	23	8	4	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Margaret Westminster *H*- C.	22,097	11	11	2	2	-	-	-	-	-	-	-	-	-	1	1	9
St. James Westminster *WH* N. & G.	23,050	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	7	19	4	3	-	-	-	-	1	-	-	-	-	-	-	12
Rectory Marylebone *W* G. & W.	19,798	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	18	3	2	1	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone *H* - W	32,547	9	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	13	8	1	5	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	18	22	4	7	-	-	-	2	-	-	3	-	-	-	1	8
Regent's Park † *HH* - W.	51,403	23	8	2	1	-	-	-	-	2	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	7	8	1	1	-	-	-	-	-	-	-	-	1	-	-	6
Gray's Inn Lane *HHHH* - N.	29,426	9	11	2	1	-	-	-	-	-	-	-	-	-	2	3	4
Somers Town *HH* - - - N.	32,161	21	9	1	1	-	-	1	-	-	-	-	-	-	-	2	2
Camden Town† *WH* - - N.	40,155	8	14	4	6	-	-	-	-	-	-	-	-	2	1	1	5
Kentish Town† *WW* - - N.	60,862	35	12	3	3	-	-	-	-	-	-	-	-	-	-	-	3
Upper Holloway *WWWWwHH* - - N.	98,273	45	36	5	8	-	-	-	1	1	-	-	-	2	1	2	20
Lower Holloway‡ - - - N.	41,805	29	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury‡ - - - - N.	56,384	32	9	4	1	-	-	-	-	1	-	-	-	-	-	1	-
Islington South-east‡ *H* - N.	75,725	40	17	7	3	-	-	1	-	-	-	-	-	-	-	4	1
Highbury *HH* - - - N.	64,577	27	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Stoke Newington *H* - - N.	33,485	10	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	23	9	2	5	-	-	-	-	-	-	-	-	-	2	2	-
Central Hackney *ww* - E. & N.		31	12	5	-	-	-	-	3	-	-	2	-	1	-	1	5
South-west Hackney *HHH* E. & N.		41	12	5	-	-	-	-	-	1	-	1	-	1	-	-	3
South-east Hackney *WwH* E. & N.		43	36	13	10	-	-	-	-	-	-	1	-	-	2	7	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signif Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South ea Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 20th October, 1900—*continued.*

ISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of — Infants under 1 Year of Age.	Deaths of — Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
sbury and St. Giles } - N.	29,086	12	11	3	-	-	-	1	-	2	-	-	-	1	1	2	2	-
h *WH* - - }																		
es North *H* - - - N.	9,151	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rtin-in-the-Fields *HH* N. & C.	13,077	2	9	1	3	-	-	-	-	-	-	1	-	-	2	2	5	-
1 *WHH* - - - - N.	11,839	7	5	2	2	-	-	-	-	-	-	-	-	1	-	-	4	-
Union Workhouse, Edmonton	†*1,037*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
rn *WwHHHHH* - N.	31,042	17	18	5	3	-	-	-	1	-	-	-	-	3	-	1	9	-
nes Clerkenwell - - N.	15,777	14	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ll Clerkenwell - - N.	34,356	13	7	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
ll-street - - - - N.	16,069	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
oad *HHHHL* - - N.	29,897	37	5	1	1	-	-	-	-	1	-	-	-	-	-	1	1	-
ury* - - - - - N.	11,630	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Union Workhouse, } *ham* - - - -	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
tolph‡ *H* - - N. & E.	13,061	2	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
pulchre *WH* - - - N.	9,591	2	8	2	-	-	-	-	-	-	-	-	-	-	1	1	7	-
lows Barking - - - N.	9,059	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†*388*	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	12	5	2	-	-	-	-	-	-	-	-	-	-	3	3	1	1
n New Town *w* - - N.	29,575	23	19	5	5	-	-	-	-	-	-	-	-	3	1	1	9	-
n Old Town - - - N.	27,645	21	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rston * *WH* - - N. & E.	47,163	35	16	6	5	-	-	-	-	-	-	-	-	-	1	5	7	-
al Green North *H* - E.	49,301	37	14	6	1	-	-	-	-	-	-	-	-	3	1	2	1	-
al Green South - - E.	34,194	33	6	3	-	-	1	-	-	-	-	-	-	2	1	1	-	-
al Green East *WWHl* - E.	45,667	23	17	4	5	-	-	-	-	-	-	-	-	1		1	9	-
fields - - - E. & N.	26,681	19	12	6	-	-	-	-	-	-	-	-	-	-	-	3	-	-
End New Town *WH* - E.	} 51,995 {	21	30	6	2	-	-	-	1	-	-	-	-	1	-	2	29	-
man's Fields - - - E.		10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
orge's, North - - - E.	39,576	40	14	6	1	-	-	-	-	-	-	-	-	-	-	2	-	-
n, St. George East *W* E.	7 930	3	7	2	4	-	-	-	-	-	-	-	-	-	1	1	6	-
well *H* - - - E. & N.	10,434	6	11	2	-	-	-	-	-	1	-	-	-	-	1	1	8	-
ff *W* - - - - E.	14,954	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
house - - - - E.	32,917	19	12	3	1	-	-	-	-	-	-	-	-	-	1	3	-	-
End Old Town West *H* E.	} 111,060 {	41	14	8	1	-	-	-	-	-	-	-	-	1	1	1	1	-
End Old Town East } - E.		50	27	4	14	-	-	-	-	-	-	1	-	-	-	1	15	-
ww																		
l - - - - E.	41,687	29	12	4	3	-	-	-	-	-	-	-	-	-	2	5	-	-
ley *wwwH* - - - E.	69,821	54	32	7	9	-	-	-	1	-	-	-	-	-	1	5	14	-
r *WW* - - - - E.	57,759	47	17	9	2	-	-	-	-	-	-	-	-	1	-	3	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 20th October, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	9	3	1	-	-	-	-	-	-	-	-	-	2	-	-	-
St. Saviour Southwark - - S.	12,301	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	10	8	2	-	-	1	-	-	-	-	-	-	-	3	4	1
London-road *HL* - - L. & S.	21,316	16	8	2	1	-	1	-	-	1	-	-	-	1	-	-	-
Trinity Newington *H* - S. & L.	28,723	18	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Peter Walworth *W* - S. & L.	62,045	38	29	11	1	-	1	-	1	2	-	2	-	3	-	-	1
St. Mary Newington- - L. & S.	30,171	26	7	2	2	-	-	-	-	-	-	-	-	1	-	-	-
St. Olave *WH*- - - - S.	11,731	6	13	3	2	-	-	-	-	-	-	-	-	1	3	5	9
Bermondsey *W* - - - S.	85,475	56	17	9	1	-	-	-	-	-	-	-	-	3	-	-	-
Rotherhithe *Ww* - S. & K.	40,379	27	21	4	9	-	-	-	-	-	-	-	-	2	-	-	11
Waterloo-road *HH* - L. & S.	28,396	20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st *H* - L. & S.	18,770	18	15	4	2	-	-	1	-	-	-	-	-	-	1	2	12
Lambeth Church 2nd *WW* L. & S.	40,994	30	21	7	10	-	-	-	-	-	-	-	-	-	2	2	14
Kennington 1st *H* - - S. & L.	52,486	31	17	5	5	-	-	-	-	1	-	-	-	2	-	1	-
Kennington 2nd - - S. & L.	43,244	16	10	2	2	-	-	-	-	-	-	-	-	1	1	2	-
Brixton *w* - - - L. & S.	81,825	35	15	2	6	-	-	2	2	-	-	-	-	-	-	1	3
Norwood *WH*- - - - L.	29,318	14	9	1	4	-	-	-	-	-	-	-	-	-	1	1	-
East Battersea - - - - S.	71,730	46	15	6	3	-	-	-	-	2	-	-	-	-	1	2	-
North-west Battersea† - - S.	93,385	35	12	4	1	-	1	-	-	-	-	-	-	-	-	-	-
South-west Battersea† *WwH* - S.		17	16	2	4	-	-	-	1	-	-	-	-	-	-	-	6
Clapham *H* - - - - S.	46,953	34	9	1	2	-	-	-	2	1	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	41	12	1	5	-	-	-	1	-	-	4	-	-	-	-	5
Wandsworth *WHHL* - - S.	58,101	45	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - - S.	20,566	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	47	49	6	14	-	-	-	1	1	-	1	-	-	3	4	29
Peckham *WW* - S., L., & K.	88,242	44	15	6	5	-	-	-	1	1	-	-	-	1	1	2	-
St. George Camberwell - L. & S.	67,029	35	8	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	29	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	23	16	6	-	-	-	-	5	-	-	-	-	1	-	2	5
Deptford South - - - K.	33,402	20	7	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Greenwich West *H* - - K.	23,012	21	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	29	25	8	6	-	-	-	-	-	-	-	-	1	1	2	11
Eltham *wH* - - - - K.	5,911	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Lee *H* - - - - - K.	24,222	10	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-
Lewisham *WwH* - - - K.	38,139	40	22	6	6	-	-	-	6	-	-	1	-	2	-	-	12
Sydenham *H* - - - - L.	37,601	17	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHR* - - - K.	15,928	5	9	2	2	-	1	2	2	-	-	-	-	-	-	-	4
Woolwich* *HHHH* - - K.	41,314	18	12	5	4	-	1	-	-	-	-	-	-	2	-	3	-
Plumstead West *H* - - K.	16,714	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	24	17	3	6	-	-	-	-	-	-	-	-	-	-	-	5
Banstead Asylum - - - -	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
Horton Asylum, Epsom - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Caterham Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Cane Hill Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Central London Sick Asylum, Hendon	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Colney Hatch Asylum - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 20th October, 1900.

	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON—OUTER RING -	368,749	1,422,063	1,045	459	133	121	–	8	5	10	9	5	27	15	38	65	6
1	Carshalton *H* - - -	12,228	26,108	16	5	1	–	–	–	–	–	–	–	1	1	1	1	–
2	Epsom, *part of** *WwHHH*	10,423	12,508	6	1	–	1	–	–	–	–	–	–	–	–	–	–	1
1	Godstone, *part of** *W* -	2,754	1,598	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Croydon *WWwHHH* -	20,851	128,699	57	35	11	6	–	–	–	1	–	–	2	1	3	3	–
2	Mitcham *w* - - -	11,697	23,072	20	4	1	2	–	–	–	–	–	–	–	–	–	–	–
1	Wimbledon *HHH* - -	3,220	25,777	17	5	–	2	–	–	–	1	–	–	–	1	2	–	–
2	Kingston *WH* - - -	14,672	33,566	23	16	5	6	–	1	–	–	–	–	–	2	4	7	–
3	Surbiton *HH* - - -		12,178	2	5	2	1	–	–	–	1	1	–	–	–	1	–	–
4	Esher, *part of** *H* - -		11,080	4	3	1	2	–	–	–	–	–	–	–	–	–	–	–
5	Hampton *HL* - - -	4,565	18,252	11	7	1	5	–	–	–	–	–	–	–	–	1	–	–
1	Richmond *WHH* - -	2,160	25,389	9	6	3	1	–	–	–	–	–	1	–	–	–	–	–
2	Mortlake *H* - - -	2,823	16,159	5	3	1	1	–	–	–	–	–	–	1	–	–	–	–
1	Bromley *HHH* - - -	9,127	23,815	13	10	1	3	–	–	1	1	–	1	–	–	–	3	–
2	Beckenham *H* - - -	6,542	21,969	11	3	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Chislehurst, *part of** *WHH*	14,307	20,372	5	9	–	5	–	–	–	–	–	–	–	–	–	5	1
1	Bexley *HHH* - - -	12,540	30,590	22	12	6	3	–	–	–	–	–	–	1	1	1	–	–
2	Dartford *WH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Sunbury *w* - - -	11,054	13,671	18	2	2	–	–	–	–	–	1	–	–	–	–	–	–
2	Staines *WH* - - -	13,277	13,221	9	8	1	4	–	–	–	2	–	–	–	–	1	2	–
1	Hillingdon *WHH* - -	6,035	12,237	9	4	–	3	–	–	–	–	–	–	–	–	–	2	–
2	Uxbridge - - - -	12,757	7,253	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Hayes *wH* - - - -	7,952	11,051	6	4	1	1	–	1	–	–	–	–	1	–	–	–	–
1	Isleworth *WHH* - -	6,967	26,004	5	8	–	2	–	–	–	–	–	–	2	–	1	2	–
2	Twickenham *HH* - -	2,415	16,027	8	6	1	4	–	–	–	–	–	–	1	–	3	–	–
3	Brentford *HHHH* - -	4,318	37,777	27	4	1	1	–	–	–	–	–	–	–	–	–	–	–
4	Chiswick - - - -	1,245	21,963	18	2	–	1	–	–	1	–	–	–	–	–	–	–	–
5	Acton *wHH* - - -	6,132	30,945	25	8	1	5	–	–	–	–	–	–	–	–	–	–	–
1	Harrow *HHH* - - -	13,809	15,715	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Edgware *HH* - - -	6,994	3,844	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden *HHH* - -	4,383	61,265	65	15	2	6	–	–	–	1	–	–	1	1	1	1	–
4	Hendon *WH* - - -	8,382	15,843	13	7	1	1	–	–	–	1	–	–	–	–	–	3	–
1	South Mimms *HH* - -	21,077	6,367	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet *WHH* - - -		14,152	7	6	–	5	–	–	–	–	–	–	–	–	–	4	–
3	Finchley *HHH* - - -	4,688	25,820	21	4	2	2	–	–	–	–	–	–	–	–	1	–	–
1	Hornsey *HH* - - -	3,039	61,097	25	9	1	3	–	–	–	–	–	–	–	–	–	–	–
2	Tottenham *HHH* - -	4,642	97,174	75	30	11	5	–	–	–	–	–	–	1	2	4	–	–
3	Edmonton *Ww* - -	7,489	36,351	36	17	4	4	–	1	–	–	–	–	–	1	3	5	1
4	Enfield *WWHH* - -	12,602	31,536	23	12	2	–	–	–	2	–	2	–	1	1	1	1	–
5	Waltham Abbey - - -	11,017	6,066	2	3	1	–	–	2	–	–	–	–	–	–	1	–	–
6	Cheshunt *H* - - -	8,480	9,620	6	3	1	1	–	–	–	–	1	–	–	–	–	–	–
1	Hatfield, *part of** *W* - -	3,306	582	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Bushey *H* - - - -	9,331	7,737	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Stratford *H* - - -	4,706	38,612	28	14	7	1	–	–	–	–	1	–	1	2	2	1	–
2	Plaistow *HHH* - - -		58,030	55	27	17	5	–	1	–	1	1	–	2	–	–	6	–
3	Canning Town *H* - -		54,750	38	27	8	3	–	–	1	–	–	–	3	2	2	2	1
4	Forest Gate *w* - - -		53,511	42	18	4	5	–	–	–	–	–	–	1	–	1	–	2
5	East Ham *wHHH* - -	3,266	32,713	67	18	7	3	–	–	–	–	–	2	1	–	1	1	–
6	Leyton *WWWwH* - -	4,334	70,188	61	32	11	9	–	–	–	–	–	1	2	–	2	12	–
7	Walthamstow *HHHL* -	6,501	57,330	64	17	7	4	–	–	–	1	2	–	1	–	1	–	–
1	Chigwell, *part of** *HHHH*	11,779	12,941	8	3	1	1	–	–	–	–	–	–	–	–	–	–	–
2	Epping *WH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	Romford, *part of** *W* -	6,556	4,324	6	7	1	1	–	2	–	–	–	–	–	–	–	4	–
2	Ilford *H* - - - -	8,493	10,913	17	8	4	–	–	–	–	–	–	–	2	–	–	–	–
3	Barking Town, *H* - -	3,814	14,301	19	9	1	1	–	–	–	–	–	–	2	–	–	–	–

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst -district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in tfield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping p. 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for fectious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are o included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 20th October, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	14·5	1·7	1851	489	456	–	16	13	46	29	25	82	74
INNER LONDON -	74,672	4,589,129	15·8	1·7	1392	356	335	–	8	8	36	30	20	55	59
OUTER RING -	368,749	2,063,016	11·6	1·6	459	133	121	–	8	5	10	9	5	27	15

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	October 20	147	87	15·0	–	–	1	2	1	–
GLASGOW - -	743,585	" 20	519	270	18·9	2	1	3	5	7	4
DUBLIN† - -	349,594	" 20	214	167	24·9	–	–	–	3	2	5
CALCUTTA - -	466,460	September 1	–	300	33·5	5	1	–	1	–	105‡
BOMBAY - -	821,764	" 25	299	987	62·5	1	–	?	?	?	184‡
MADRAS - -	452,518	" 14	472	525	60·3	–	–	?	?	?	127
		" 21	439	515	59·1	2	–	?	?	?	132
PARIS - - -	2,511,629	October 13	1144	825	17·0	6	3	1	3*	1	18
BRUSSELS - -	570,844	" 13	190	160	14·6	–	–	–	–	1	2
AMSTERDAM -	527,181	September 29	240	133	13·4	–	4	–	2	2	4
ROTTERDAM -	325,556	" 29	206	88	14·0	–	–	1	–	2	4
THE HAGUE -	205,328	" 29	111	54	13·5	–	–	–	–	–	–
COPENHAGEN -	354,000	October 13	178	89	13·1	–	–	–	2	–	–
STOCKHOLM -	297,148	" 6	147	52	10·8	–	–	–	–	2	–
CHRISTIANIA -	226,423	" 13	184	42	9·6	–	–	–	–	2	2
ST. PETERSBURG	1,132,677	" 6	724	397	18·3	–	9	7	18	10	20
MOSCOW - -	988,610	September 29	–	500	26·4	1	8	2	4	6	7
BERLIN - -	1,857,859	" 29	888	664	18·5	–	7	12	11	7	8
HAMBURG - -	691,349	October 13	–	212	15·9	–	–	5	7*	2	–
DRESDEN - -	407,500	September 1	259	190	24·2	–	1	–	1*	–	1
		" 8	243	169	21·5	–	–	–	2*	–	1
BRESLAU -	412,959	October 13	–	181	22·9	–	–	–	2	6	1
MUNICH - -	463,000	" 6	–	250	28·1	–	2	1	2*	1	–
VIENNA - -	1,656,662	" 13	958	522	16·2	–	3	3	7*	2	5
PRAGUE - -	391,693	" 6	189	143	18·9	–	–	–	–	–	–
BUDA-PESTH -	685,340	" 6	463	229	17·4	–	2	4	1	3	2
TRIESTE - -	168,264	" 6	103	75	20·0	–	–	–	1*	–	–
ROME - - -	518,333	September 15	215	146	14·7	–	–	–	–	–	11‖
TURIN (10 days)-	344,203	" 20	177	117	12·4	–	–	–	1	–	1
VENICE - -	174,170	" 8	69	57	17·1	–	–	–	3*	–	3
		" 15	87	46	13·8	–	–	–	–	–	1
CAIRO - -	570,062	" 9	416	342	31·2	–	13	–	2*	–	5
ALEXANDRIA -	319,766	" 9	212	215	35·0	–	–	–	5*	–	5
NEW YORK (including BROOKLYN)	3,654,594	" 22	1738	1141	17·3	–	4	2	20	5	22
PHILADELPHIA -	1,293,697	" 29	–	347	14·0	–	1	1	12	1	7

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 23 deaths from plague in Calcutta, and 89 in Bombay.
§ Including one death from cholera in Calcutta, 64 deaths in Bombay, and 81 and 51, respectively, in Madras.
‖ Including 3 deaths from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Of the Air Temperature and Dew Point Temperature. Mean daily value.	Of the Air Temperature and Dew Point Temperature. Great-est.	Of the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday - 14	..	29·584	50·4	38·6	11·8	43·7	− 6·4	33·4	10·3	17·4	4·4	67	86·5	32·2	56·30	WSW., W. & WNW.	NW., W. & WSW.	8·0	0·0	1·0	474	+221	0·01	0·5
Monday - 15	Last Quarter.	29·680	52·1	38·2	13·9	45·2	− 4·7	35·9	9·3	14·6	4·2	70	95·0	31·9	55·88	WSW & WNW.	WNW., W. & WSW.	6·2	0·0	0·6	398	+142	0·00	1·5
Tuesday - 16	..	29·772	51·9	35·6	16·3	45·8	− 4·0	38·7	7·1	12·0	1·3	76	65·9	25·4	55·24	WSW.	SW. & S.	0·9	0·0	0·0	156	−103	0·00	0·0
Wednesday 17	..	29·586	63·0	48·7	14·3	54·7	+ 5·1	47·0	7·7	14·1	1·5	75	104·1	41·4	54·80	SSE. & SSW.	W. & WSW.	3·1	0·0	0·2	272	+ 10	0·03	0·0
Thursday- 18	..	29·750	54·9	47·1	7·8	50·9	+ 1·4	46·8	4·1	8·4	2·0	86	82·8	40·9	54·57	W. & NNW.	NNW. & N.	2·7	0·0	0·2	306	+ 42	0·01	0·0
Friday - 19	..	30·012	55·2	45·5	9·7	49·9	+ 0·6	41·7	8·2	13·2	2·4	73	112·2	44·0	54·52	N. & NNE.	NNE. & N.	1·8	0·0	0·2	271	+ 5	0·00	0·0
Saturday- 20	In Equator.	30·017	49·9	42·8	7·1	46·4	− 2·6	39·8	6·6	9·9	4·2	78	67·5	36·2	54·40	N.	N. & NNW.	2·3	0·0	0·2	244	− 23	0·00	0·0
Means -		29·772	53·9	42·4	11·6	48·1	− 1·5	40·5	7·6	12·8	2·9	75	87·7	36·0	55·10	W. & N.		..	..	..	Sum 2121	Sum +294	Sum 0·05	0·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday - 14	w. P. till 8h. A.M.; m. P. with occasional s. N. till 3h. P.M.; s. P. afterwards.	5·6	10·7	Fine in morning; variable with gusty wind and occasional showers of rain and hail till afternoon; very fine at night.
Monday - 15	m. P. generally till afternoon; s. P. afterwards.	5·8	10·7	Very fine with small amounts of cloud generally till evening; cloudy at night. Slight hoar frost in morning.
Tuesday - 16	s. P. till noon; m. P. generally afterwards.	1·9	10·6	Very fine with slight hoar frost in early morning; generally cloudy afterwards.
Wednesday 17	w. P. generally.	4·4	10·6	Overcast with occasional light showers till 10h. A.M.; fine and partially cloudy afterwards.
Thursday- 18	w. P. till 9h. A.M.; m. P. till 4h. P.M.; w. P. afterwards.	1·3	10·5	Fine and partially cloudy till 11h. A.M.; overcast afterwards with frequent slight rain after 2h. P.M. Gloomy in afternoon.
Friday - 19	m. P. generally.	1·8	10·5	Generally overcast; fine in forenoon.
Saturday- 20	m. P. throughout.	0·5	10·4	Generally overcast till 10h. P.M.; fine afterwards. A sharp shower at 4h. P.M.
		Sum 21·3	Sum 74·0	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·55 in. at the beginning of the week to 29·53 in. by 6h. A.M. on the 14th; increased to 29·81 in. by 11h. A.M. on the 16th; decreased to 29·57 in. by 2h. P.M. on the 17th; increased to 30·06 in. by 1h. A.M. on the 20th; decreased to 30·00 in. by 3h. P.M. on the same day; and was 30·02 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40, Bacon Street, E.

1900

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 43. 1900. VOL. LXI.] WEEK ENDING SATURDAY, OCT. 27. [Price 1½*d.*

General Register Office, Somerset House,
October 29th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·8, 17·1, and 17·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.		Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
33 Great Towns	17·8	17·1	17·1	17·3	Leicester - -	17·1	12·6	15·5	15·9
Birkenhead -	19·6	15·1	14·7	15·1	Liverpool - -	22·8	23·1	21·9	21·9
Birmingham -	19·5	18·9	19·0	20·4	London - - -	15·8	14·8	15·8	15·9
Blackburn -	22·4	20·9	15·6	19·8	Manchester - -	26·0	24·8	22·3	23·7
Bolton - -	15·6	13·0	14·0	18·7	Newcastle-on-Tyne	22·7	18·7	18·2	20·5
Bradford -	14·7	14·0	14·3	12·9	Norwich - -	24·1	17·3	11·3	13·2
Brighton -	14·3	18·9	16·8	14·3	Nottingham - -	13·8	18·0	20·2	17·4
Bristol - -	14·4	17·0	16·0	13·8	Oldham - -	15·6	19·0	18·4	17·3
Burnley -	22·3	17·0	19·2	16·1	Plymouth - -	16·3	17·4	12·8	12·2
Cardiff - -	14·2	10·5	10·7	11·8	Portsmouth - -	16·3	20·6	17·4	16·3
Croydon -	8·7	11·9	11·9	17·9	Preston - -	20·2	16·7	15·8	18·4
Derby - -	18·8	20·8	12·6	14·5	Salford - - -	24·6	24·8	23·6	29·0
Gateshead -	23·4	23·8	28·6	19·5	Sheffield - -	21·4	20·9	22·7	20·2
Halifax -	15·5	17·6	10·4	17·1	Sunderland - -	25·1	20·9	21·2	20·2
Huddersfield-	17·0	16·5	14·5	14·5	Swansea - -	21·3	13·8	17·3	20·8
Hull - -	16·2	17·5	17·9	19·7	West Ham - -	14·6	12·6	15·3	13·6
Leeds - -	18·5	17·5	16·7	15·5	Wolverhampton -	19·2	19·8	19·8	18·6

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·0 in Swansea; from *scarlet fever*, 1·1 in Blackburn and 1·3 in Burnley; from "*fever*," 1·0 in Gateshead, 1·5 in Hull, and 1·7 in Wolverhampton; and from *diarrhœa*, 1·5 in Swansea, 1·6 in Croydon, 1·7 in Wolverhampton and in Manchester, 1·8 in Burnley, 1·9 in Nottingham, in Bolton, and in Salford, 2·1 in Sunderland, 2·3 in Blackburn, and 3·1 in Preston. In none of the thirty-three towns did the death-rate from *whooping-cough* reach 1·0 per 1000. The 97 deaths from *diphtheria* included 39 in London, 8 in West Ham, 6 in Leicester, 5 in Portsmouth, 5 in Bristol, 5 in Blackburn, 4 in Brighton, 4 in Liverpool, 4 in Sheffield, and 3 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2238 BIRTHS and 1403 DEATHS were registered. Allowing for increase of population, the births were 426, and the deaths 193 below

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1. 6, and 7, added to the Outer Ring, or to other areas to which they belong.

the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·8, 14·8, and 15·8, in the preceding three weeks, further rose last week to 15·9. During the four weeks ending on Saturday last the death-rate averaged 15·6 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1403 deaths included 20 from measles, 10 from scarlet fever, 39 from diphtheria, 18 from whooping-cough, 22 from enteric fever, 43 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 152 deaths were referred to these diseases, being 29 below the corrected average weekly number.

The deaths from *measles*, which had been 4, 11, and 8 in the preceding three weeks, rose again last week to 20, but were 14 below the corrected average; 3 cases belonged to St. George Southwark and 3 to Greenwich sanitary areas. The deaths from *scarlet fever*, which had been 14, 7, and 8 in the preceding three weeks, further rose last week to 10, but were 12 below the corrected average; 3 cases belonged to Fulham sanitary area. The deaths from *diphtheria*, which had been 29, 26, and 36 in the preceding three weeks, further rose last week to 39, but were 17 below the corrected average; 5 cases belonged to Camberwell, 3 to Islington, 3 to Stoke Newington, 3 to Hackney, 3 to Bethnal Green, and 3 to Mile End Old Town sanitary areas. The deaths from *whooping-cough*, which had been 18, 27, and 20 in the preceding three weeks, further fell last week to 18, the corrected average being 19. The fatal cases of *enteric fever*, which had been 15, 22, and 20 in the preceding three weeks, rose again last week to 22, and were 2 above the corrected average; 3 cases belonged to Hammersmith, 2 to St. Marylebone, 2 to St. Pancras, and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 110, 75, and 55 in the preceding three weeks, further fell last week to 43, but were 14 above the corrected average. Of the 43 deaths from diarrhœa, 38 were of children under 5 years of age; 15 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 164, 173, and 182 in the preceding three weeks, further rose last week to 236, but were 103 below the corrected average. The deaths attributed directly to *influenza* numbered 4, having been 2, 5, and 1 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all but 3 of which inquests were held. Of these 62 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 54 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 5 to burns and scalds, 1 to "plumbism," 2 to the effects of anæsthetics administered for surgical purposes, and 9 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2489 cases of scarlet fever, 1465 of diphtheria, and 429 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 320 cases, against 313, 322, and 328; of diphtheria, 230 cases, against 207, 188, and 226; and of enteric fever, 40 cases, against 68, 71, and 53.

Greater London.

In Greater London 3291 births and 1860 deaths were registered, corresponding to annual rates of 25·8 and 14·6 per 1000 of the estimated population. In the Outer Ring 7 deaths from measles, 3 from scarlet fever, 18 from diphtheria, 12 from whooping-cough, 2 from "fever," and 26 from diarrhœa were registered. Twelve deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 47°·2; the latter being 0°·8 below the week's average in the 50 years 1841–90. The direction of the wind was westerly, the horizontal movement of the air being 15 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 14·0 hours; the measured rainfall amounted to 0·30 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, 27th Oct. 1960.	Deaths, 27th Oct. 1960.	Deaths under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,296	6138	3860	1107	863	-	45	39	97	45	78	181	130	290	875	50	17·3	2·2	61·0	29·0	46·7	8·17	0·79	2·01	33 Towns.
London - -	4,589,129	2238	1403	352	355	-	20	10	39	18	22	43	62	141	446	5	15·9	1·7	57·3	37·4	47·2	8·44	0·30	0·76	London.
West Ham - -	314,472	181	82	29	13	-	2	-	8	2	-	6	2	3	20	2	13·6	3·0	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	57	45	15	12	-	-	1	2	1	-	4	1	5	13	-	17·9	3·2	58·5	34·5	46·0	7·78	0·32	0·81	Croydon.
Brighton - -	124,148	44	34	6	10	-	-	-	4	-	1	1	-	1	12	-	14·3	2·5	60·6	33·4	46·9	8·28	0·53	1·35	Brighton.
Portsmouth -	194,955	95	61	19	17	-	-	1	5	-	2	3	1	3	10	2	16·3	2·9	59·5	35·5	48·8	9·33	0·48	1·22	Portsmouth.
Plymouth - -	102,161	48	24	5	4	-	-	-	-	-	-	-	1	1	3	-	12·2	-	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	154	86	18	21	-	-	-	5	-	-	5	3	7	20	-	13·8	1·6	61·0	33·0	47·0	8·33	1·02	2·59	Bristol.
Cardiff - -	194,247	76	44	10	17	-	-	-	-	-	1	3	2	7	6	1	11·8	1·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	50	42	15	6	-	4	1	1	-	-	3	3	4	6	1	20·8	4·4	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	41	32	11	4	-	-	1	2	-	3	3	1	2	5	-	18·6	5·2	59·8	29·0	44·6	7·00	0·71	1·80	Wolverhampton.
Birmingham -	519,610	295	203	73	37	-	1	3	-	2	4	7	11	13	32	6	20·4	1·7	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	54	29	7	11	-	-	-	-	-	1	1	-	3	4	-	13·2	0·9	60·4	37·4	47·0	8·33	1·04	2·64	Norwich.
Leicester - -	219,169	125	67	18	16	-	-	1	6	2	1	2	1	2	12	3	15·9	2·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	112	81	25	18	-	1	-	-	4	4	9	4	5	11	-	17·4	3·9	58·2	32·5	45·9	7·72	0·34	0·86	Nottingham.
Derby - - -	107,991	55	30	18	6	-	-	1	-	1	-	-	-	3	2	-	14·5	1·0	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	72	34	9	11	-	-	-	-	1	-	-	-	2	6	-	15·1	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	458	267	81	54	-	2	4	4	2	5	14	6	13	62	11	21·9	2·5	57·0	39·8	47·3	8·50	0·86	2·18	Liverpool.
Bolton - -	164,240	104	59	16	6	-	-	-	1	-	2	6	1	4	13	1	18·7	2·9	-	-	-	-	-	-	Bolton.
Manchester -	548,768	329	249	70	32	-	5	3	2	2	9	18	7	18	61	3	23·7	3·7	-	-	-	-	-	-	Manchester.
Salford - -	220,816	133	123	41	22	-	1	4	3	3	3	8	1	4	24	2	29·0	5·2	-	-	-	-	-	-	Salford.
Oldham - -	153,297	88	51	13	10	-	1	-	-	-	1	4	1	2	5	-	17·3	2·0	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	56	36	11	7	-	-	3	-	-	1	4	-	2	2	1	16·1	3·6	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	76	52	19	9	-	-	3	5	-	1	6	2	2	8	1	19·8	5·7	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	79	42	12	12	-	-	-	-	1	-	7	2	3	4	2	18·4	3·5	56·0	37·0	47·3	8·50	1·51	3·84	Preston.
Huddersfield -	104,484	31	29	10	9	-	1	-	-	-	1	1	2	2	3	1	14·5	1·5	58·0	35·2	46·1	7·83	0·74	1·88	Huddersfield.
Halifax - -	100,710	52	33	9	11	-	-	-	-	1	-	1	2	2	8	1	17·1	1·0	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	117	72	20	19	-	2	-	2	-	1	1	-	7	13	-	12·9	1·1	59·2	35·3	47·8	8·78	1·09	2·77	Bradford.
Leeds - - -	431,287	234	128	35	29	-	4	2	2	-	-	4	3	8	12	-	15·5	1·5	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	271	142	46	35	-	-	-	4	3	6	3	1	2	20	3	20·2	2·3	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	132	90	21	20	-	1	-	-	1	7	6	4	6	14	2	19·7	3·3	60·0	32·0	44·9	7·17	1·35	3·43	Hull.
Sunderland -	147,398	83	57	24	6	-	-	1	-	-	-	6	2	2	6	2	20·2	2·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	74	41	23	4	-	-	-	-	-	2	2	1	1	1	-	19·5	1·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	124	92	20	20	-	-	-	2	1	-	-	3	10	11	-	20·5	0·7	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-THIRD Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	190
TOTAL **Births**	2512	2603	2312	2590	2413	2447	2755	2540	2652	2495	2663·6	22
Males - -	1252	1338	1170	1293	1232	1220	1426	1261	1369	1261	1348·9	11
Females - -	1260	1265	1142	1297	1181	1227	1329	1279	1283	1234	1314·7	10
TOTAL **Deaths** -	1649	1348	1514	1487	1481	1470	1450	1514	1411	1844	1595·7	14
Males - -	850	687	777	762	740	744	773	814	725	941	821·9	7
Females - -	799	661	737	725	741	726	677	700	686	903	773·8	6

*The numbers in this column are the average weekly numbers in the forty-third week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oc 2
TOTAL **Births** - - -	2701	2332	2621	2677	2763	2628	2519	2448	2239	2319	2429	2485	22
TOTAL **Deaths** - - -	1768	1804	1706	1691	1776	1582	1470	1449	1471	1391	1305	1392	14
Ages at Death: Under 1 year - -	797	796	659	673	801	625	469	419	437	393	327	356	3
1—5 years - -	184	204	166	196	187	167	180	161	173	148	149	149	1
5—20 " - -	71	74	85	81	71	91	64	84	65	67	72	87	1
20—40 " - -	145	167	184	174	167	151	208	196	175	188	179	185	1
40—60 " - -	263	259	288	245	279	239	265	251	279	287	256	279	2
60—80 " - -	252	233	257	257	215	265	230	282	273	256	261	270	2
80 years and upwards	56	71	67	65	56	44	54	56	69	52	61	65	6
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	29	25	20	22	11	22	17	9	13	4	11	8	2
Scarlet Fever - - -	5	6	4	10	5	4	3	3	5	14	7	8	1
Diphtheria - - - -	24	25	17	14	19	19	17	30	40	29	26	36	3
Whooping-cough - - -	44	44	44	44	39	31	57	48	27	18	27	20	1
Typhus - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	7	6	16	8	15	23	14	18	15	22	20	2
Simple Continued Fever -	-	-	1	1	1	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	389	386	293	304	380	259	165	132	120	110	75	55	4
Cholera - - - -	9	13	6	10	12	3	1	1	3	-	-	-	
All the above Diseases -	507	506	392	421	475	353	283	237	226	190	168	147	15
Dis. of Respiratory System -	136	128	132	149	138	124	161	203	187	164	173	182	23
Phthisis - - - - -	133	149	155	116	150	128	151	120	141	135	125	140	14
Dis. of Circulatory System -	97	119	126	103	121	117	119	97	124	104	129	144	14
Violence - - - -	82	58	55	76	45	53	69	64	61	62	60	59	6
Inquest Cases - - - -	155	127	128	136	111	110	135	119	129	129	120	137	14
Deaths in Public Institutions -	415	473	489	465	450	486	449	464	435	445	428	476	44
TEMPERATURE OF THE AIR.													
Mean - - - - -	61°·9	56°·5	66°·7	61°·0	59°·2	55°·7	53°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47
Mean of Highest readings -	72·0	65·3	78·8	71·7	66·8	67·3	68·9	73·3	66·9	63·0	63·7	53·9	53
Mean of Lowest readings -	54·9	50·8	55·2	52·8	52·8	45·4	48·9	50·7	48·9	45·5	46·6	42·4	40
Humidity of the Air - -	71	84	67	77	77	74	73	76	79	78	78	75	8
Rain-fall (in inches) - -	0·58	0·74	0·05	0·56	0·62	0·00	0·00	0·07	0·35	0·54	0·03	0·05	0·3
Registered Sunshine (in hours)	50·4	18·0	72·7	45·8	21·8	40·8	44·1	41·9	32·5	30·5	34·8	21·3	14
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	7	5	2	1	2	3	3	2	2	1	1	1	
Scarlet Fever - - - -	1827	1838	1793	1726	1703	1736	1753	1804	1938	2071	2187	2342	248
Diphtheria - - - -	1261	1263	1250	1211	1179	1187	1212	1232	1238	1286	1314	1379	146
Enteric Fever - - - -	137	143	146	159	170	189	212	273	329	371	405	430	42

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-THIRD Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 43rd Week of the 10 years 1890–99*.	In the Week ending Saturday, 27th October, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
SES - - -	1595·7	1403	352	143	100	187	266	288	67
Vaccinated† -	–	–	–	–	–	–	–	–	–
Unvaccinated	0·2	–	–	–	–	–	–	–	–
No Statement	0·1	–	–	–	–	–	–	–	–
- - - - -	33·6	20	5	14	1	–	–	–	–
Fever - - -	21·8	10	1	5	3	1	–	–	–
- - - -	–	–	–	–	–	–	–	–	–
ng Fever - -	–	–	–	–	–	–	–	–	–
a - - - -	8·0	4	–	–	–	1	1	1	1
ng-cough - -	19·3	18	9	8	1	–	–	–	–
ria - -	55·7	39	3	18	18	–	–	–	–
Continued and lned Fever -	0·8	–	–	–	–	–	–	–	–
Fever - - -	20·1	22	–	3	7	9	3	–	–
and Chol. Diarr.	0·3	–	–	–	–	–	–	–	–
a, Dysentery -	29·1	43	31	7	–	–	–	3	2
nt Fever - -	–	–	–	–	–	–	–	–	–
hobia - - -	0·1	–	–	–	–	–	–	–	–
s - - - -	0·1	–	–	–	–	–	–	–	–
and Effects of ation - -	0·2	–	–	–	–	–	–	–	–
l Affections - -	8·8	5	2	–	1	1	1	–	–
las - - -	7·2	4	3	–	–	–	–	1	–
and Septicæmia	2·2	2	–	1	–	–	1	–	–
al Fever - -	6·4	6	–	–	–	6	–	–	–
ymotic Diseases	1·5	1	–	–	–	–	1	–	–
- - - - -	0·5	–	–	–	–	–	–	–	–
and other Para- Diseases -	0·1	–	–	–	–	–	–	–	–
ion, Want of t-milk - -	2·0	3	3	–	–	–	–	–	–
ism - - -	11·7	15	–	–	–	1	11	3	–
atic Fever, matism of Heart	9·6	7	–	–	4	2	1	–	–
atism - - -	1·6	3	–	–	–	–	–	3	–
- - - - -	2·8	1	–	–	–	–	1	–	–
- - - - -	4·1	4	2	2	–	–	–	–	–
- - - -	73·6	72	–	–	2	4	24	38	4
Iesenterica - -	25·9	15	7	4	2	1	1	–	–
ular Meningitis -	16·7	20	6	9	5	–	–	–	–
s - - - -	165·4	141	–	6	7	70	49	9	–
a, Tuberculosis -	17·4	18	4	4	3	3	2	2	–
Constitutional ses - -	15·3	17	–	–	3	3	5	5	1
ure Birth - -	50·5	46	46	–	–	–	–	–	–
asis - - -	4·7	5	5	–	–	–	–	–	–
ital Malforma- - - - -	8·9	8	6	2	–	–	–	–	–
e - - - -	42·4	47	–	–	–	–	–	23	24
xy - - -	40·7	47	2	–	–	3	16	20	6
y - - - -	7·0	3	–	1	–	–	1	1	–
sions - - -	38·3	29	26	2	1	–	–	–	–
Diseases of Brain Nervous System	77·0	59	7	6	3	13	14	14	2
s of Organs of al Sense -	3·6	6	2	1	2	1	–	–	–

CAUSES OF DEATH	Corrected Averages for the 43rd Week of the 10 years 1890–99*.	In the Week ending Saturday, 27th October, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	142·4	140	1	1	12	14	48	58	6
Croup - - - -	4·7	2	–	1	1	–	–	–	–
Bronchitis - - -	185·6	116	45	14	2	2	15	24	14
Pneumonia - - -	116·8	94	36	18	3	9	15	13	–
Pleurisy - - - -	5·2	3	–	–	–	1	1	1	–
Other Diseases of Respiratory System -	26·3	21	2	2	1	3	4	7	2
Dentition - - - -	6·1	2	2	–	–	–	–	–	–
Quinsy, Sore Throat -	2·2	1	–	1	–	–	–	–	–
Enteritis - - -	21·8	19	8	5	–	4	2	–	–
Gastro-enteritis -		18	14	1	1	–	1	1	–
Peritonitis - - -	4·9	3	–	–	1	2	–	–	–
Diseases of Liver - -	25·4	21	1	–	–	4	5	10	1
Other Diseases of Digestive System	31·0	35	7	2	4	7	5	10	–
Diseases of Lymphatic System & of Ductless Glands - - -	1·8	4	–	–	1	1	1	1	–
Diseases of Urinary System - - -	43·2	52	–	–	3	7	17	23	2
Diseases of Generative System - - -	7·2	5	–	–	–	2	3	–	–
Accidents of Childbirth -	6·2	3	–	–	–	3	–	–	–
Diseases of Locomotive System - - -	4·9	5	1	–	2	–	–	2	–
Diseases of Integumentary System - -	7·3	6	1	1	–	2	–	2	–
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	51·3	1	–	–	–	–	1	–	–
By Vehicles or Horses -		9	–	–	1	–	4	4	–
In Ships, Boats, Docks, (exclusive of Drowning) - - -		–	–	–	–	–	–	–	–
In Building Operations -		1	–	–	–	1	–	–	–
In Conflagrations -		–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions - -		5	–	4	1	–	–	–	–
By Drowning - - -		3	1	–	–	2	–	–	–
By Suffocation in Bed -		9	9	–	–	–	–	–	–
By Poisons or Poisonous Vapours - -		4	–	–	1	–	2	1	–
Other or not stated causes - - - -		22	4	–	3	–	7	6	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·7	1	1	–	–	–	–	–	–
Suicide - - - -	6·9	7	–	–	–	4	3	–	–
Execution - - -	–	–	–	–	–	–	–	–	–
OTHER CAUSES - -	58·5	51	49	–	–	–	–	2	–

e numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 27th October, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2238	1403	352	355	-	20	10	39	18	-	22	-	43	62	141
WEST DISTRICTS - - -	778,251	356	249	56	72	-	1	4	5	2	-	2	-	10	13	28
NORTH DISTRICTS - - -	1,040,694	475	279	56	75	-	1	1	13	6	-	8	-	8	8	25
CENTRAL DISTRICTS - - -	233,635	106	78	23	14	-	2	-	2	2	-	1	-	1	6	9
EAST DISTRICTS - - -	716,334	441	248	82	57	-	6	-	5	2	-	1	-	12	10	37
SOUTH DISTRICTS - - -	1,642,796	860	504	135	119	-	10	4	14	6	-	10	-	12	25	42
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	45	-	18	-	-	1	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	60	23	7	6	-	-	-	-	-	-	-	-	1	-	2
St. John Paddington *H* - - G.	33,510	7	15	2	5	-	-	-	-	1	-	1	-	-	3	4
Kensington Town *Ww* - - W.	122,164	52	53	14	17	-	-	-	1	1	-	-	-	3	5	8
Brompton *HH*- - - W. & C.	48,301	8	7	1	1	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *H* W. & G	44,638	26	11	2	4	-	-	-	-	-	-	-	-	1	-	-
South Hammersmith *H* W. & G	59,561	24	11	4	2	-	-	-	-	-	-	-	-	-	-	1
Fulham *Ww* - - - W. & C.	113,781	89	44	14	9	-	1	3	3	-	-	-	-	2	2	6
Chelsea Kensal Town - C.	21,450	13	3	2	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *WHHHH* - C.	42,057	11	15	1	5	-	-	-	-	-	-	-	-	1	-	1
Chelsea South *HH* - - C.	33,139	15	12	-	6	-	-	-	-	-	-	-	-	-	-	1
May Fair *WH*- - - - G.	23,827	3	10	-	4	-	-	-	-	-	-	-	-	-	1	1
Belgrave *WHHH* - - - C.	56,140	17	22	3	8	-	-	1	1	-	-	-	-	-	1	1
St. John Westminster *HH* - C.	31,492	12	8	1	2	-	-	-	-	-	-	-	-	1	-	-
St. Margaret Westminster *H*- C.	22,097	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WH* N. & G.	23,050	10	7	3	2	-	-	-	-	-	-	1	-	-	-	1
St. Anne Soho *HHHHH* - N.	12,048	4	3	-	1	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	10	10	1	1	-	-	-	-	1	-	-	-	-	1	2
Rectory Marylebone *W* G. & W.	19,798	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	18	5	1	1	-	-	-	1	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	11	6	2	1	-	-	-	-	1	-	1	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	30	20	2	5	-	-	1	3	-	-	2	-	1	-	1
Regent's Park † *HH* - W.	51,403	28	10	2	4	-	-	-	-	-	-	-	-	-	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	6	-	4	-	-	-	-	-	-	-	-	-	1	2
Gray's Inn Lane *HHHH* - N.	29,426	15	8	2	-	-	-	-	-	-	-	-	-	-	-	1
Somers Town *HH* - - - N.	32,161	14	10	2	2	-	-	-	-	-	-	1	-	3	-	1
Camden Town† *WH* - - N.	40,155	20	16	5	6	-	1	-	-	1	-	-	-	-	-	-
Kentish Town† *WW* - - N.	60,862	30	17	5	5	-	-	-	-	-	-	-	-	-	-	2
Upper Holloway *WWWWwHH* - - N.	98,273	47	38	4	9	-	-	-	-	2	-	1	-	-	1	4
Lower Holloway‡ - - - N.	41,805	24	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,334	26	12	4	2	-	-	-	-	-	-	-	-	-	1	1
Islington South-east‡ *H* - N.	75,725	29	25	7	5	-	-	-	1	-	-	-	-	1	1	1
Highbury *HH* - - - N.	64,577	25	12	1	5	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	13	4	-	1	-	-	-	1	-	-	-	-	1	-	-
North Hackney - E. & N.	213,044	22	9	2	4	-	-	-	-	-	-	-	-	-	-	1
Central Hackney *ww* - E. & N.		23	14	3	2	-	-	-	7	-	-	-	-	-	-	-
South-west Hackney *HHH* E. & N.		39	22	6	5	-	-	-	-	1	-	3	-	-	1	4
South-east Hackney *WwH* E. & N.		24	26	5	10	-	-	-	-	-	-	-	-	2	1	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-Sub-District.

: 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 27th October, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
msbury and St. Giles } - N.	29,086	16	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
th *WH* - - }																		
iles North *H* - - - N.	9,151	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
artin-in-the-Fields *HH* N. & C.	13,077	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
nd *WHH* - - - - N.	11,839	1	8	-	-	-	-	-	-	1	-	-	-	-	-	-	7	-
d Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *WwHHHHH* - N.	31,042	15	14	9	2	-	-	-	-	1	-	-	-	1	-	-	8	-
mes Clerkenwell - - N.	15,777	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	15	6	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
ell-street - - - - N.	16,069	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *HHHHL* - - N.	29,897	26	7	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-
bury* - - - - - N.	11,630	4	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
orn Union Workhouse, } *tcham* - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph‡ *H* - - N. & E.	13,061	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
epulchre *WH* - - - N.	9,591	4	17	2	3	-	-	-	2	-	-	-	-	-	4	4	16	-
allows Barking - - - N.	9,059	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	4	4	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
ton New Town *w* - - N.	29,575	22	13	1	6	-	1	-	-	-	-	-	-	1	-	1	10	-
ton Old Town - - - N.	27,645	15	8	2	1	-	-	-	-	-	-	-	-	1	1	2	-	-
gerston *WH* - - N. & E.	47,163	36	13	4	2	-	1	-	-	-	-	-	-	-	1	4	5	-
nal Green North *H* - E.	49,301	39	19	5	4	-	-	-	-	-	-	-	-	-	1	4	-	-
nal Green South - - E.	34,194	19	7	6	1	-	-	-	-	-	-	-	-	1	2	2	-	-
nal Green East *WWHl* - E.	45,667	22	14	4	6	-	1	-	-	-	-	-	-	-	-	-	6	-
alfields - - - E. & N.	26,681	15	7	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
End New Town *WH* - E.	51,995	20	31	6	5	-	-	-	-	-	-	1	-	-	-	3	24	-
dman's Fields - - - E.		9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	32	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ohn, St. George East *W* E.	7 930	7	8	2	2	-	-	-	-	-	-	-	-	1	-	-	3	-
dwell *H* - - - E. & N.	10,434	7	7	4	1	-	-	-	1	-	-	-	-	-	-	-	5	-
eliff *W* - - - - E.	14,954	5	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
ehouse - - - - E.	32,917	23	7	4	1	-	-	-	1	-	-	-	-	1	-	2	-	-
End Old Town West *H* E.	111,060	34	9	5	1	-	-	-	2	-	-	-	-	-	-	1	-	-
End Old Town East } - E. *Www*		27	15	3	7	-	-	-	-	-	-	-	-	-	-	3	6	-
l - - - - E.	41,687	20	14	5	1	-	-	-	-	-	-	-	-	1	-	2	1	-
mley *wwwH* - - - E.	69,821	53	26	8	8	-	2	-	-	-	-	-	-	3	2	8	9	-
lar *WW* - - - - E.	57,759	32	34	11	7	-	-	-	1	2	-	-	-	-	3	5	-	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 27th October, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Saviour Southwark - - S.	12,301	11	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	14	14	3	1	-	3	-	-	-	-	-	-	1	-	1	4
London-road *HL* - - L. & S.	21,316	14	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	15	7	5	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Peter Walworth *W* - S. & L.	62,045	42	20	10	4	-	-	-	-	2	-	-	-	-	-	1	1
St. Mary Newington- - L. & S.	30,171	17	7	-	3	-	1	-	-	-	-	-	-	-	-	-	-
St. Olave *WH*- - - - S.	11,731	7	15	-	3	-	-	-	-	-	-	-	-	-	3	3	12
Bermondsey *W* - - - S.	85,475	57	23	9	3	-	1	-	-	1	-	-	-	-	2	3	-
Rotherhithe *Ww* - S. & K.	40,379	16	19	5	3	-	-	-	-	1	-	-	-	-	3	4	8
Waterloo-road *HH* - L. & S.	28,396	25	10	6	1	-	-	-	-	1	-	-	-	1	1	1	2
Lambeth Church 1st *H* - L. & S.	18,770	11	15	2	-	-	-	-	-	-	-	1	-	-	2	2	11
Lambeth Church 2nd *WW* L. & S.	40,994	26	19	5	8	-	-	-	-	-	-	-	-	1	1	3	11
Kennington 1st *H* - - S. & L.	52,486	41	14	3	5	-	-	-	-	-	-	-	-	-	-	2	2
Kennington 2nd - - S. & L.	43,244	13	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *w* - - - L. & S.	81,825	35	21	6	5	-	-	-	1	-	-	-	-	1	-	1	2
Norwood *WH*- - - - L.	29,318	17	6	1	2	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea - - - - S.	71,730	40	19	7	1	-	-	-	-	-	-	-	-	-	2	3	-
North-west Battersea† - - S.	93,385	29	18	10	3	-	-	-	-	-	-	-	-	-	-	1	-
South-west Battersea† *WwH* - S.		9	21	4	9	-	-	-	-	-	-	-	-	2	3	3	11
Clapham *H* - - - - S.	46,953	26	15	6	3	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	30	27	4	7	-	-	3	2	-	-	5	-	1	1	1	10
Wandsworth *WHHL* - - S.	58,101	20	13	3	1	-	-	-	-	-	-	-	-	-	1	2	-
Putney - - - - - S.	20,566	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	32	32	4	13	-	-	-	1	1	-	-	-	-	2	3	14
Peckham *WW* - S., L., & K.	88,242	48	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	67,029	23	13	6	1	-	-	-	1	-	-	-	-	-	-	-	-
Deptford North - - - K.	36,152	19	8	5	-	-	-	-	-	-	-	-	-	1	-	-	-
Deptford Central *w* - - K.	45,441	28	19	5	1	-	3	1	5	-	-	1	-	-	1	2	7
Deptford South - - - K.	33,402	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	14	27	7	8	-	-	-	-	-	-	-	-	2	1	1	12
Eltham *wH* - - - - K.	5,911	4	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Lee *H* - - - - - K.	24,222	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	29	19	3	3	-	-	-	2	-	-	2	-	-	1	1	8
Sydenham *H* - - - - L.	37,601	18	7	1	4	-	1	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	1	4	-	1	-	-	-	2	-	-	-	-	-	-	-	2
Woolwich* *HHHH* - - K.	41,314	16	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *H* - - K.	16,714	12	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	34	14	2	8	-	-	-	-	-	-	1	-	-	-	-	2
Banstead Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	12	-	4	-	-	-	-	-	-	-	-	-	-	-	12
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7
Central London Sick Asylum, Hendon	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch Asylum - - -	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7
Claybury Asylum - - - -	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea an South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 27th October, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
NDON—OUTER RING -	368,749	1,422,063	1,013	457	137	98	-	7	3	18	12	2	26	9	26	72	3
Carshalton *H* - - -	12,228	26,108	12	4	1	-	-	-	-	-	-	-	1	-	-	1	-
Epsom, *part of* WwHHH*	10,423	12,508	5	5	-	3	-	-	-	-	-	-	-	1	1	4	-
Godstone, *part of* W* -	2,754	1,598	-	2	1	-	-	-	-	-	-	-	-	1	1	-	-
Croydon *WWwHHH* -	20,851	128,699	67	52	15	14	-	-	2	2	1	-	4	1	5	15	-
Mitcham *w* - - -	11,697	23,072	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	11	7	-	1	-	-	-	1	-	-	-	-	1	-	-
Kingston *WH* - - -	14,672	33,566	25	11	4	-	-	-	-	-	1	-	-	-	-	-	-
Surbiton *HH* - - -		12,178	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of* H* - -		11,080	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	9	10	2	6	-	-	-	-	1	-	-	1	1	6	-
Mortlake *H* - - -	2,823	16,159	17	4	-	-	-	-	-	-	1	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Beckenham *H* - - -	6,542	21,969	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-
Chislehurst, *part of* WHH*	14,307	20,372	18	4	1	1	-	-	-	-	-	-	-	-	-	1	1
Bexley *HHH* - - -	12,540	30,590	23	5	3	-	-	-	-	-	-	-	-	-	-	-	-
Dartford *WH, part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Sunbury *w* - - -	11,054	13,671	17	7	2	-	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	13	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	6	5	3	-	-	-	-	-	-	-	-	-	1	-	-
Uxbridge - - - -	12,757	7,253	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	10	2	1	-	-	-	-	-	-	-	1	1	1	-	-
Isleworth *WHH* - -	6,967	26,004	10	14	1	5	-	-	-	-	-	-	-	-	-	2	-
Twickenham *HH* - -	2,415	16,027	10	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Brentford *HHHH* - -	4,318	37,777	24	8	3	1	-	-	-	-	-	-	-	-	1	-	-
Chiswick - - - -	1,245	21,963	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	16	11	2	2	-	-	1	-	-	-	-	-	1	1	-
Harrow *HHH* - - -	13,809	15,715	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	56	23	10	7	-	-	-	-	1	-	2	-	1	-	-
Hendon *WH* - - -	8,382	15,843	13	8	3	2	-	-	-	-	-	-	1	-	-	2	-
South Mimms *HH* - -	21,077	6,367	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	6	4	-	1	-	-	-	1	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	32	15	5	5	-	-	-	-	2	-	2	1	1	-	-
Tottenham *HHH* - -	4,642	97,174	63	30	7	5	-	-	-	-	1	-	2	-	2	2	-
Edmonton *Ww* - -	7,489	36,351	42	14	4	3	-	1	-	-	-	-	-	-	1	1	-
Enfield *WWHH* - -	12,602	31,536	22	11	4	2	-	-	-	-	-	1	2	-	-	1	-
Waltham Abbey - - -	11,017	6,066	3	3	2	1	-	2	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of* W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	33	8	2	-	-	-	-	2	-	-	1	1	1	1	-
Plaistow *HHH* - - -		58,030	59	31	12	3	-	1	-	5	-	-	2	-	-	6	1
Canning Town *H* - -		54,750	53	17	10	-	-	1	-	1	-	-	1	1	2	1	-
Forest Gate *w* - - -		53,511	36	14	4	2	-	-	-	-	2	-	2	-	-	-	1
East Ham *wHHH* - -	3,266	32,713	49	15	7	-	-	1	-	1	1	-	3	-	1	-	-
Leyton *WWWwH* - -	4,334	70,188	50	38	6	14	-	-	-	1	-	-	-	-	-	22	-
Walthamstow *HHHL* -	6,501	57,330	74	20	5	6	-	-	-	2	1	-	1	1	2	1	-
Chigwell, *part of* HHHH*	11,779	12,941	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of* W* -	6,556	4,324	2	4	1	-	-	1	-	-	-	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	25	5	4	-	-	-	-	-	-	1	1	-	-	1	-
Barking Town, *H* - -	3,814	14,301	14	8	7	1	-	-	-	-	-	-	-	-	1	-	-
Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring as follows:—30: 2, Epsom sub-district, except the parish of Ashtead (pop. 1,351); 37: 1, the parishes of Warlingham Farley in Godstone sub-district; 39: 3, Esher sub-district, except the parish of Esher (pop. 2,282); 41: 3, Chislehurst district, except the parishes of Chelsfield, Cudham, and Knockholt (pop. 3,097); 135: 1, the parish of Northaw in ield sub-district; 187: 1, Chigwell sub-district, except the parish of Theydon Bois and part of the parish of Epping . 1,079); 189: 1, the parish of Dagenham in Romford sub-district. Deaths in Workhouses and Hospitals for ctious Diseases belonging to the Outer Ring in 42: 2, Dartford; 137: 2, Watford; and 187: 2, Epping sub-districts are included.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 27th October, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	443,421	6,652,145	14·6	1·7	1860	489	453	-	27	13	57	30	24	69	71
INNER LONDON -	74,672	4,589,129	15·9	1·7	1403	352	355	-	20	10	39	18	22	43	62
OUTER RING -	368,749	2,063,016	11·6	1·7	457	137	98	-	7	3	18	12	2	26	9

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	October 27	145	95	16·4	-	2	1	2	-	1
GLASGOW - -	743,585	" 27	458	296	20·8	2	1	6	1	12	3
DUBLIN† - -	349,594	" 27	183	134	20·0	-	-	-	-	2	4
CALCUTTA - -	466,460	September 8	-	294	32·8	9	1	-	-	-	108§
BOMBAY - -	821,764	October 2	333	1007	63·7	-	2	?	?	?	215‡
MADRAS - -	452,518	September 28	445	413	47·4	2	1	?	?	?	120
PARIS - - -	2,511,629	October 20	1070	839	17·3	11	-	3	5*	5	7
BRUSSELS - -	570,844	" 20	247	151	13·8	-	1	-	-	1	3
AMSTERDAM -	527,181	" 6	228	125	12·6	-	3	-	1	3	-
		" 13	232	123	12·4	-	1	1	2	-	1
ROTTERDAM -	325,556	" 6	219	85	13·5	-	-	1	2	2	2
		" 13	189	76	12·1	-	-	-	2	-	-
THE HAGUE -	205,328	" 6	128	50	12·5	-	-	1	1	1	-
		" 13	102	43	10·8	-	-	-	-	-	1
COPENHAGEN -	354,000	" 20	187	87	12·8	-	-	-	-	-	1
STOCKHOLM -	297,148	" 13	130	86	15·0	-	-	-	4*	-	-
CHRISTIANIA -	226,423	" 20	149	45	10·3	-	-	1	-	-	-
ST. PETERSBURG	1,132,677	" 13	642	457	21·0	2	6	21	18	1	18
MOSCOW - -	988,610	" 6	-	418	22·0	-	4	9	5	5	6
BERLIN - -	1,857,859	" 6	928	617	17·2	-	6	14	10	8	3
HAMBURG - -	691,349	" 20	-	198	14·9	-	-	1	8*	3	1
DRESDEN - -	407,500	September 15	266	140	17·8	-	1	2	2*	1	-
BRESLAU - -	412,959	October 20	-	184	23·2	-	-	-	2	2	2
MUNICH - -	463,000	" 13	-	249	28·0	-	-	-	2*	1	-
VIENNA - -	1,656,662	" 20	927	585	18·1	-	8	5	6*	4	1
PRAGUE - -	391,693	" 13	186	133	17·6	-	-	1	-	1	1
BUDA-PESTH -	685,340	" 13	442	229	17·4	-	1	5	-	-	4
TRIESTE - -	168,264	" 13	106	89	27·3	-	-	-	-	-	-
ROME - - -	518,333	September 22	221	137	13·8	-	-	-	2	-	10‖
TURIN (10 days) -	344,203	" 30	208	134	14·2	-	-	-	2	-	1
VENICE - -	174,170	" 22	59	63	20·4	-	-	-	2*	-	2
		" 29	75	67	20·1	-	-	-	3*	-	1
CAIRO - -	570,062	" 16	472	325	29·6	-	11	-	6*	-	4
ALEXANDRIA -	319,766	" 16	241	223	36·3	-	-	-	1*	-	4‡
NEW YORK (including BROOKLYN)	3,654,594	" 29	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,293,697	October 6	-	334	13·5	-	-	-	18	1	6

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 27 deaths from plague in Calcutta, 86 deaths in Bombay, and one death in Alexandria.
§ Including 10 deaths from cholera in Calcutta, 54 in Bombay, and 38 in Madras.
‖ Including 4 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer daily reading (corrected and reduced 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Dew point. Mean daily value.	Temperature. Mean daily value.	Temperature. Great-est.	Temperature. Least.	Of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	General Direction. A.M.	General Direction. P.M.	Pressure on the Square Foot. Great-est.	Pressure on the Square Foot. Least.	Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	21	Apogee	30·136	50·3	38·7	11·6	43·6	− 5·2	36·8	6·8	13·5	1·8	77	94·2	29·8	54·24	NNW. & N.	NNE. & N.	6·1	0·0	0·6	344	+ 76	0·04	0·0
MONDAY -	22	..	30·369	47·9	37·4	10·5	42·7	− 5·8	37·0	5·7	10·3	2·2	80	69·5	31·2	53·87	N.	N., SW. & WSW.	2·7	0·0	0·2	220	− 48	0·00	0·5
TUESDAY -	23	New	30·178	56·1	40·0	16·1	49·2	+ 1·0	47·7	1·5	6·7	0·4	94	62·0	32·0	53·41	WSW.	WSW. & WNW.	0·3	0·0	0·0	167	−102	0·01	1·5
WEDNESDAY	24	..	30·062	57·3	48·1	9·2	53·9	+ 6·0	50·9	3·0	4·9	0·8	90	70·5	40·7	53·15	W. & WSW.	W., WSW. & SW.	1·5	0·0	0·0	191	− 78	0·00	0·0
THURSDAY-	25	..	29·566	57·3	45·0	12·3	51·8	+ 4·2	47·6	4·2	6·8	0·4	86	75·6	40·5	53·18	SW.	SW. & WSW.	5·6	0·0	0·4	325	+ 55	0·08	0·0
FRIDAY -	26	..	29·154	49·5	38·3	11·2	43·0	− 4·4	39·0	4·0	6·5	2·2	86	78·0	32·2	53·24	SW. & SSW.	WSW.	7·9	0·0	0·5	353	+ 82	0·17	0·0
SATURDAY-	27	Greatest Dec. S.	29·361	52·5	38·2	14·3	45·9	− 1·4	39·1	6·8	11·6	3·7	77	81·3	32·5	53·20	WSW. & W.	W. & WSW.	12·0	0·0	1·3	565	+293	0·00	0·0
MEANS -			29·832	53·0	40·8	12·2	47·2	− 0·8	42·6	4·6	8·6	1·6	84	75·9	34·1	53·47	N. & WSW.		..	..	..	Sum 2165	Sum +278	Sum 0·30	0·3
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	21	m. P. till 1h. P.M.; s. P. and s. N. till 3h. P.M.; m. P. afterwards.	7·0	10·3	Very fine generally; variable with showers of rain and hail in afternoon. Slight hoar frost in morning.
MONDAY -	22	m. P. till 1h. P.M.; s. P. till 7h. P.M.; m. P. afterwards.	2·1	10·2	Very fine with slight hoar frost in morning; fine with large amounts of cloud afterwards. Slight fog at night.
TUESDAY -	23	m. P. till 3h. A.M.; w. P. afterwards.	0·0	10·2	Generally overcast; occasional slight showers in morning. Slight fog at times.
WEDNESDAY	24	w. P. throughout.	0·0	10·1	Overcast. A little misty rain at night.
THURSDAY-	25	w. P. generally; occasional w. N.	0·0	10·0	Overcast with occasional rain till 8h. P.M.; fine and partially cloudy afterwards.
FRIDAY -	26	w. P. with occasional v. N. till 6h. P.M.; m. P. afterwards.	1·2	10·0	Overcast with frequent rain and hail till afternoon; very fine afterwards and cloudless after 6h. 30m. P.M. Lightning observed in evening.
SATURDAY-	27	w. P. generally till 2h. P.M.; m. N. till 3h. P.M.; m. P. afterwards.	3·7	9·9	Very fine in morning; partially cloudy till evening with occasional slight showers during the afternoon; cloudless and very fine at night. Strong gusty wind till 4h. P.M.
			Sum 14·0	Sum 70·7	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·02 in. at the beginning of the week to 30·40 in. by 11h. A.M. on the 22nd, decreased to 29·11 in. by 3h. P.M. on the 26th; and increased to 29·58 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1900

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 44. 1900. VOL. LXI.] WEEK ENDING SATURDAY, NOV. 3. [Price 1½*d.*

General Register Office, Somerset House,
November 5th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·1, 17·1, and 17·3. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.		Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
33 Great Towns	17·1	17·1	17·3	17·6	Leicester - -	12·6	15·5	15·9	13·6
Birkenhead -	15·1	14·7	15·1	14·2	Liverpool - -	23·1	21·9	21·9	23·4
Birmingham -	18·9	19·0	20·4	20·9	London - - -	14·8	15·8	15·9	16·7
Blackburn -	20·9	15·6	19·8	14·1	Manchester - -	24·8	22·3	23·7	22·4
Bolton - -	13·0	14·0	18·7	19·4	Newcastle-on-Tyne	18·7	18·2	20·5	20·7
Bradford -	14·0	14·3	12·9	15·0	Norwich - -	17·3	11·3	13·2	9·1
Brighton -	18·9	16·8	14·3	13·9	Nottingham - -	18·0	20·2	17·4	18·0
Bristol - -	17·0	16·0	13·8	14·9	Oldham - -	19·0	18·4	17·3	19·0
Burnley -	17·0	19·2	16·1	18·8	Plymouth - -	17·4	12·8	12·2	15·3
Cardiff - -	10·5	10·7	11·8	13·4	Portsmouth - -	20·6	17·4	16·3	15·5
Croydon -	11·9	11·9	17·9	10·3	Preston - -	16·7	15·8	18·4	17·5
Derby - -	20·8	12·6	14·5	15·5	Salford - - -	24·8	23·6	29·0	25·5
Gateshead -	23·8	28·6	19·5	22·4	Sheffield - -	20·9	22·7	20·2	21·2
Halifax -	17·6	10·4	17·1	18·6	Sunderland - -	20·9	21·2	20·2	14·9
Huddersfield-	16·5	14·5	14·5	15·0	Swansea - -	13·8	17·3	20·8	15·3
Hull - -	17·5	17·9	19·7	17·0	West Ham - -	12·6	15·3	13·6	15·3
Leeds - -	17·5	16·7	15·5	16·6	Wolverhampton -	19·8	19·8	18·6	20·4

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·3 in Brighton and 1·5 in Swansea; from *whooping-cough*, 1·9 in Gateshead; from "*fever*," 1·0 in Derby, in Bolton, and in Sheffield, 1·1 in Portsmouth, 1·3 in Birkenhead, 1·4 in Birmingham, and 1·5 in Blackburn; and from *diarrhœa*, 1·0 in West Ham, 1·1 in Blackburn and in Sunderland, 1·3 in Birkenhead, 1·4 in Oldham, 1·5 in Manchester and in Huddersfield, 1·6 in Halifax, and 2·2 in Burnley. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 94 deaths from *diphtheria* included 42 in London, 7 in West Ham, 7 in Leicester, 4 in Portsmouth, 4 in Liverpool, 4 in Sheffield, 3 in Bristol, and 3 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2392 BIRTHS and 1466 DEATHS were registered. Allowing for increase of population, the births were 374, and the deaths 209, below

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 14·8, 15·8, and 15·9, in the preceding three weeks, further rose last week to 16·7. During the four weeks ending on Saturday last the death-rate averaged 15·8 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1466 deaths included 10 from measles, 8 from scarlet fever, 42 from diphtheria, 13 from whooping-cough, 20 from enteric fever, 27 from diarrhœa and dysentery, 1 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 121 deaths were referred to these diseases, being 68 below the corrected average weekly number.

The deaths from *measles*, which had been 11, 8, and 20 in the preceding three weeks, fell again last week to 10, and were 35 below the corrected average. The deaths from *scarlet fever*, which had been 7, 8, and 10 in the preceding three weeks, fell again last week to 8, and were 12 below the corrected average. The deaths from *diphtheria*, which had been 26, 36, and 39 in the preceding three weeks, further rose last week to 42, but were 11 below the corrected average; 9 cases belonged to Camberwell, 5 to Fulham, 5 to Islington, and 4 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 27, 20, and 18 in the preceding three weeks, further fell last week to 13, and were 6 below the corrected average; 4 cases belonged to St. Pancras and 3 to Islington sanitary areas. The fatal cases of *enteric fever*, which had been 22, 19, and 22 in the preceding three weeks, fell again last week to 20, and were 2 below the corrected average; 3 cases belonged to Hackney, 2 to Shoreditch, 2 to Hammersmith, 2 to Newington, and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 75, 55, and 43 in the preceding three weeks, further fell last week to 27, the corrected average being 29. Of the 27 deaths from diarrhœa, 26 were of children under 5 years of age; 21 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 173, 182, and 236 in the preceding three weeks, further rose last week to 268, but were 107 below the corrected average. The deaths attributed directly to *influenza* numbered 7, having been 5, 1, and 4 in the preceding three weeks.

Different forms of violence caused 70 deaths, concerning all but 2 of which inquests were held. Of these 70 deaths, 13 were cases of suicide, while the remaining 57 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 4 to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 13 (including 12 of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2619 cases of scarlet fever, 1472 of diphtheria, and 444 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 336 cases, against 322, 328, and 320; of diphtheria, 191 cases, against 188, 226, and 230; and of enteric fever, 72 cases, against 71, 53, and 40.

Greater London.

In Greater London 3459 births and 1963 deaths were registered, corresponding to annual rates of 27·1 and 15·4 per 1000 of the estimated population. In the Outer Ring 11 deaths from measles, 3 from scarlet fever, 20 from diphtheria, 7 from whooping-cough, 4 from "fever," and 14 from diarrhœa were registered. Nine deaths from diphtheria, 5 from whooping-cough, and 8 from diarrhœa occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 52°·7; the latter being 5°·9 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 13·2 hours; the measured rainfall amounted to 0·92 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Estimated to the middle of the Year 1900.*	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	From All Causes.	From Diseases in Cols. 6–12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Fahrenheit.	Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6379**	**3908**	**1012**	**899**	–	**49**	**36**	**94**	**44**	**81**	**121**	**160**	**307**	**910**	**57**	**17·6**	**1·9**	**66·2**	**30·0**	**50·2**	**10·11**	**1·11**	**2·82**	33 Towns.
London	4,589,129	2392	1466	351	371	–	10	8	42	13	20	27	70	149	467	3	16·7	1·4	65·0	39·0	52·7	11·50	0·92	2·34	London.
West Ham	314,472	149	92	32	16	–	2	–	7	3	1	6	4	7	20	4	15·3	3·2	–	–	–	–	–	–	West Ham.
Croydon	131,186	64	26	5	7	–	2	–	2	–	–	–	–	–	3	–	10·3	1·6	62·0	38·5	51·2	10·67	1·01	2·57	Croydon.
Brighton	124,148	60	33	6	11	–	3	–	2	–	–	–	–	1	8	–	13·9	2·1	60·4	39·8	53·0	11·67	1·56	3·96	Brighton.
Portsmouth	194,955	92	58	10	14	–	1	–	4	–	4	1	2	3	11	3	15·5	2·7	62·0	43·0	53·5	11·94	1·59	4·04	Portsmouth.
Plymouth	102,161	43	30	6	12	–	–	–	–	–	–	1	2	3	5	1	15·3	0·5	–	–	–	–	–	–	Plymouth.
Bristol	324,973	178	93	12	23	–	1	–	3	–	–	1	4	8	22	–	14·9	0·8	62·6	36·5	50·6	10·33	1·59	4·04	Bristol.
Cardiff	194,247	96	50	11	18	–	–	–	–	–	–	1	5	7	7	1	13·4	0·3	–	–	–	–	–	–	Cardiff.
Swansea	105,472	53	31	8	8	–	3	–	2	–	–	–	1	3	1	1	15·3	2·5	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	64	35	8	9	–	1	1	–	–	1	1	–	1	8	1	20·4	2·3	58·4	30·0	46·5	8·06	0·95	2·41	Wolverhampton.
Birmingham	519,610	304	208	65	45	–	1	2	2	2	14	8	4	7	36	5	20·9	2·9	–	–	–	–	–	–	Birmingham.
Norwich	114,855	68	20	5	4	–	–	–	1	–	1	–	2	2	3	–	9·1	0·9	64·8	38·6	50·6	10·33	0·65	1·65	Norwich.
Leicester	219,169	98	57	12	9	–	–	2	7	1	1	2	–	1	11	1	13·6	3·1	–	–	–	–	–	–	Leicester.
Nottingham	242,676	124	84	22	23	–	1	2	1	3	3	4	4	4	11	2	18·0	3·0	61·2	37·8	49·7	9·83	0·65	1·65	Nottingham.
Derby	107,991	45	32	10	8	–	–	–	–	1	2	–	–	2	3	–	15·5	1·4	–	–	–	–	–	–	Derby.
Birkenhead	117,170	67	32	13	5	–	–	–	–	1	3	3	2	4	5	–	14·2	3·1	–	–	–	–	–	–	Birkenhead.
Liverpool	634,780	442	285	73	54	–	5	5	4	3	8	9	15	19	77	18	23·4	2·8	57·8	43·5	50·8	10·44	0·83	2·11	Liverpool.
Bolton	164,240	85	61	10	11	–	1	1	–	–	3	2	1	3	9	–	19·4	2·2	–	–	–	–	–	–	Bolton.
Manchester	548,768	331	236	59	40	–	3	2	1	4	1	16	9	15	66	3	22·4	2·6	–	–	–	–	–	–	Manchester.
Salford	220,816	160	108	30	19	–	2	2	2	1	2	3	5	15	21	1	25·5	2·8	–	–	–	–	–	–	Salford.
Oldham	153,297	76	56	21	10	–	–	–	–	1	–	4	–	4	7	–	19·0	1·7	–	–	–	–	–	–	Oldham.
Burnley	116,730	59	42	17	5	–	–	1	1	1	–	5	2	3	7	–	18·8	3·6	–	–	–	–	–	–	Burnley.
Blackburn	137,107	72	37	12	5	–	–	–	1	1	4	3	1	2	2	–	14·1	3·4	–	–	–	–	–	–	Blackburn.
Preston	118,902	59	40	11	9	–	–	–	1	–	1	2	1	1	2	1	17·5	1·8	58·0	41·0	48·6	9·22	1·65	4·19	Preston.
Huddersfield	104,484	47	30	6	10	–	–	1	–	–	–	3	1	2	2	2	15·0	2·0	61·8	39·0	48·5	9·17	1·52	3·86	Huddersfield.
Halifax	100,710	28	36	6	14	–	–	–	–	–	1	3	1	2	7	2	18·6	2·1	–	–	–	–	–	–	Halifax.
Bradford	291,535	131	84	24	29	–	1	–	1	–	1	1	–	7	11	–	15·0	0·7	66·2	40·2	49·6	9·78	0·87	2·21	Bradford.
Leeds	431,287	249	137	41	22	–	7	1	3	–	1	5	8	14	19	–	16·6	2·1	–	–	–	–	–	–	Leeds.
Sheffield	365,922	258	149	49	30	–	1	3	4	4	7	5	6	8	20	5	21·2	3·4	–	–	–	–	–	–	Sheffield.
Hull	238,736	158	78	18	22	–	3	3	–	1	1	–	5	5	12	1	17·0	1·7	60·0	34·0	46·9	8·28	0·65	1·65	Hull.
Sunderland	147,398	109	42	15	8	–	–	1	–	–	1	3	–	–	2	1	14·9	1·8	–	–	–	–	–	–	Sunderland.
Gateshead	109,403	82	47	24	3	–	–	–	1	4	–	1	–	–	4	1	22·4	2·9	–	–	–	–	–	–	Gateshead.
Newcastle	234,369	136	93	20	25	–	1	1	2	–	–	1	5	5	21	–	20·7	1·1	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2295	2717	2767	2452	2659	2693	2819	2751	2530	2613	2766·4	2392
Males - -	1155	1348	1336	1253	1331	1368	1405	1379	1275	1305	1383·9	1266
Females - -	1140	1369	1431	1199	1328	1325	1414	1372	1255	1308	1382·5	1126
TOTAL **Deaths** -	1817	1446	1491	1695	1372	1789	1709	1585	1394	1626	1675·2	1466
Males - -	909	755	747	853	711	921	873	818	713	838	856·1	772
Females - -	908	691	744	842	661	868	836	767	681	788	819·1	694

*The numbers in this column are the average weekly numbers in the forty-fourth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
TOTAL **Births** - - -	2332	2621	2677	2763	2628	2519	2448	2239	2319	2429	2485	2238	2392
TOTAL **Deaths** - - -	1804	1706	1691	1776	1582	1470	1449	1471	1391	1305	1392	1403	1466
Ages at Death: Under 1 year - -	796	659	673	801	625	469	419	437	393	327	356	352	351
1—5 years - -	204	166	196	187	167	180	161	173	148	149	149	143	148
5—20 " - -	74	85	81	71	91	64	84	65	67	72	87	100	102
20—40 " - -	167	184	174	167	151	208	196	175	188	179	186	187	190
40—60 " - -	259	288	245	279	239	265	251	279	287	256	279	266	304
60—80 " - -	233	257	267	215	265	230	282	273	256	261	270	288	302
80 years and upwards	71	67	65	56	44	54	56	69	52	61	65	67	69
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	25	20	22	11	22	17	9	13	4	11	8	20	10
Scarlet Fever - - -	6	4	10	5	4	3	3	5	14	7	8	10	8
Diphtheria - - - -	25	17	14	19	19	17	30	40	29	26	36	39	42
Whooping-cough - - -	44	44	44	39	31	57	48	27	18	27	20	18	13
Typhus - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	6	16	8	15	23	14	18	15	22	19	22	20
Simple Continued Fever -	-	1	1	1	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	386	293	304	380	259	165	132	120	110	75	55	43	27
Cholera - - - -	13	6	10	12	3	1	1	3	-	-	-	-	1
All the above Diseases -	506	392	421	475	353	283	237	226	190	168	146	152	121
Dis. of Respiratory System -	128	132	149	138	124	161	203	187	164	173	182	236	268
Phthisis - - - - -	149	155	116	150	128	151	120	141	135	125	141	141	152
Dis. of Circulatory System -	119	126	103	121	117	119	97	124	104	129	144	140	148
Violence - - - -	58	55	76	45	53	69	64	61	62	60	59	62	70
Inquest Cases - - - -	127	128	136	111	110	135	119	129	129	120	137	141	149
Deaths in Public Institutions -	473	489	465	450	486	449	464	435	445	428	476	446	467
TEMPERATURE OF THE AIR.													
Mean - - - - -	56°·5	66°·7	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7
Mean of Highest readings -	65·3	78·8	71·7	66·8	67·3	68·9	73·3	66·9	63·0	63·7	53·9	53·0	57·8
Mean of Lowest readings -	50·8	55·2	52·8	52·8	45·4	48·9	50·7	48·9	45·5	46·6	42·4	40·8	48·5
Humidity of the Air - -	84	67	77	77	74	73	76	79	78	78	75	84	88
Rain-fall (in inches) - -	0·74	0·05	0·56	0·62	0·00	0·00	0·07	0·35	0·54	0·03	0·05	0·30	0·92
Registered Sunshine (in hours)	18·0	72·7	45·8	21·8	40·8	44·1	41·9	32·5	30·5	34·8	21·3	14·0	13·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	5	2	1	2	3	3	2	2	1	1	1	1	1
Scarlet Fever - - - -	1838	1793	1726	1703	1736	1753	1804	1938	2071	2187	2342	2489	2619
Diphtheria - - - -	1263	1250	1211	1179	1187	1212	1232	1238	1286	1314	1379	1465	1472
Enteric Fever - - - -	143	146	159	170	189	212	273	329	371	405	430	429	444

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M. Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc. Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FOURTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 44th Week of the 10 years 1890–99*.	In the Week ending Saturday, 3rd November, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES	1675·2	1466	351	148	102	190	304	302	69
Vaccinated†	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
s	44·5	10	2	8	-	-	-	-	-
Fever	20·2	8	-	6	2	-	-	-	-
s	0·2	-	-	-	-	-	-	-	-
ing Fever	-	-	-	-	-	-	-	-	-
za	8·6	7	-	-	1	2	1	2	1
ing-cough	18·9	13	6	7	-	-	-	-	-
eria	52·8	42	2	28	12	-	-	-	-
Continued and fined Fever	0·5	-	-	-	-	-	-	-	-
e Fever	22·1	20	-	-	5	10	5	-	-
a and Chol. Diarr.	0·1	1	1	-	-	-	-	-	-
œa, Dysentery	29·1	27	26	-	-	-	-	1	-
ent Fever	-	-	-	-	-	-	-	-	-
phobia	-	-	-	-	-	-	-	-	-
rs	-	-	-	-	-	-	-	-	-
x and Effects of nation	0·4	-	-	-	-	-	-	-	-
al Affections	10·4	6	5	-	-	-	1	-	-
elas	7·5	4	-	-	-	2	1	1	-
a and Septicæmia	2·0	2	-	-	-	1	1	-	-
ral Fever	8·8	3	-	-	-	3	-	-	-
Zymotic Diseases	1·2	1	-	-	1	-	-	-	-
	1·1	1	1	-	-	-	-	-	-
and other Para-l Diseases	0·2	-	-	-	-	-	-	-	-
tion, Want of st-milk	1·3	1	1	-	-	-	-	-	-
lism	12·1	18	-	-	1	1	13	3	-
atic Fever, matism of Heart	10·9	7	-	1	3	2	-	1	-
atism	2·1	2	-	-	-	-	-	1	1
	3·1	2	-	-	-	-	-	2	-
s	4·9	2	-	2	-	-	-	-	-
	77·8	93	1	-	1	10	39	40	2
Mesenterica	22·6	12	7	1	1	3	-	-	-
ular Meningitis	19·7	17	4	11	2	-	-	-	-
is	169·1	152	1	2	22	55	63	9	-
a, Tuberculosis	19·4	18	5	4	7	-	2	-	-
Constitutional ases	14·3	12	-	2	4	2	4	-	-
ture Birth	50·4	49	49	-	-	-	-	-	-
asis	4·0	7	7	-	-	-	-	-	-
nital Malforma-	8·1	10	9	1	-	-	-	-	-
ge	46·4	50	-	-	-	-	-	23	27
xy	46·9	53	-	-	-	1	17	26	9
sy	7·3	10	-	-	1	3	4	1	1
sions	40·0	36	32	4	-	-	-	-	-
Diseases of Brain Nervous System	76·4	56	10	7	6	4	8	17	4
es of Organs of ial Sense	3·9	3	1	-	-	2	-	-	-

CAUSES OF DEATH	Corrected Averages for the 44th Week of the 10 years 1890–99*.	In the Week ending Saturday, 3rd November, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System	143·4	148	-	1	16	19	45	61	6
Croup	5·4	3	-	3	-	-	-	-	-
Bronchitis	203·7	121	42	14	-	3	15	40	7
Pneumonia	132·2	118	33	23	1	20	23	18	-
Pleurisy	6·1	5	-	1	1	1	1	1	-
Other Diseases of Respiratory System	27·9	21	3	1	2	5	4	6	-
Dentition	5·0	3	1	2	-	-	-	-	-
Quinsy, Sore Throat	1·6	-	-	-	-	-	-	-	-
Enteritis	21·7	16	5	2	2	5	-	2	-
Gastro-enteritis		21	17	4	-	-	-	-	-
Peritonitis	6·6	8	-	1	1	4	1	1	-
Diseases of Liver	23·8	26	-	-	-	4	12	9	1
Other Diseases of Digestive System	32·1	32	11	1	1	4	6	6	3
Diseases of Lymphatic System & of Ductless Glands	2·2	-	-	-	-	-	-	-	-
Diseases of Urinary System	49·4	40	-	1	3	1	16	15	4
Diseases of Generative System	5·9	6	-	-	-	2	3	1	-
Accidents of Childbirth	4·2	3	-	-	-	3	-	-	-
Diseases of Locomotive System	4·5	4	-	-	1	-	2	1	-
Diseases of Integumentary System	8·4	8	3	-	-	-	4	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways	55·8	1	-	-	-	-	1	-	-
By Vehicles or Horses		6	-	-	-	-	1	5	-
In Ships, Boats, Docks, (exclusive of Drowning)		1	-	-	-	1	-	-	-
In Building Operations		4	-	-	-	2	2	-	-
In Conflagrations		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions		4	-	2	1	1	-	-	-
By Drowning		3	-	-	-	-	2	-	1
By Suffocation in Bed		13	12	1	-	-	-	-	-
By Poisons or Poisonous Vapours		3	-	1	-	1	1	-	-
Other or not stated causes		22	4	1	3	3	2	7	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide	1·3	-	-	-	-	-	-	-	-
Suicide	8·6	13	-	-	1	9	3	-	-
Execution	-	-	-	-	-	-	-	-	-
OTHER CAUSES	55·8	58	50	5	-	1	1	1	-

he numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 3rd November, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2392	1466	351	371	-	10	8	42	13	-	20	-	27	70	149	467
WEST DISTRICTS - - -	778,251	359	239	49	70	-	1	1	5	1	-	-	-	9	16	28	90
NORTH DISTRICTS - - -	1,040,694	531	320	69	92	-	2	1	10	7	-	6	-	6	10	24	93
CENTRAL DISTRICTS - - -	233,635	111	89	16	17	-	-	-	2	1	-	2	-	-	13	22	37
EAST DISTRICTS - - -	716,334	487	276	85	53	-	3	-	3	3	-	2	-	2	12	38	90
SOUTH DISTRICTS - - -	1,642,796	904	521	132	132	-	4	5	22	1	-	9	-	10	19	37	136
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	21	-	7	-	-	1	-	-	-	1	-	-	-	-	21
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	41	23	5	12	-	-	-	-	-	-	-	-	1	1	2	9
St. John Paddington *H* - - G.	33,510	7	16	1	6	-	-	-	-	-	-	-	-	-	4	5	10
Kensington Town *Ww* - - W.	122,164	67	41	9	12	-	-	-	-	-	-	-	-	2	3	6	14
Brompton *HH*- - - W. & C.	48,301	12	9	-	2	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* / South Hammersmith *H* W. & G	44,638 / 59,561	26 / 40	3 / 11	1 / 1	1 / 2	- / -	- / -	- / -	- / 1	- / -	- / -	- / -	- / -	- / -	1 / 1	1 / 2	- / 3
Fulham *Ww* - - - W. & C.	113,781	79	48	11	12	-	-	1	4	1	-	-	-	3	1	3	14
Chelsea Kensal Town - C.	21,450	7	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	13	15	1	3	-	-	-	-	-	-	-	-	-	-	-	6
Chelsea South *HH* - - C.	33,139	11	6	2	1	-	1	-	-	-	-	-	-	-	-	-	1
May Fair *WH*- - - - G.	23,827	6	15	3	5	-	-	-	-	-	-	-	-	1	1	1	12
Belgrave *WHHH* - - - C.	56,140	16	19	3	5	-	-	-	-	-	-	-	-	1	3	5	11
St. John Westminster *HH* - C.	31,492	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-	1
St. Margaret Westminster *H*- C.	22,097	5	9	3	2	-	-	-	-	-	-	-	-	-	1	2	5
St. James Westminster *WH* N. & G.	23,050	9	7	3	4	-	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	12,048	4	5	3	-	-	-	-	-	-	-	-	-	1	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	11	13	2	4	-	-	-	-	-	-	-	-	-	-	-	4
Rectory Marylebone *W* G. & W.	19,798	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	29	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	11	8	1	4	-	-	-	-	1	-	-	-	-	-	1	1
Hampstead *WwHHHH* - N. & W.	75,449	27	19	2	4	-	-	1	2	-	-	1	-	1	2	2	9
Regent's Park † *HH* - W.	51,403	30	21	9	4	-	-	-	-	1	-	1	-	1	-	1	2
Tottenham-court *wHHHHHH* - N. & W.	26,757	12	12	2	5	-	-	-	-	1	-	-	-	-	-	-	7
Gray's Inn Lane *HHHH* - N.	29,426	13	12	3	1	-	-	-	-	-	-	-	-	-	-	1	5
Somers Town *HH* - - - N.	32,161	21	11	1	3	-	-	-	-	1	-	-	-	-	-	1	2
Camden Town† *WH* - - N.	40,155	25	14	3	7	-	-	-	-	-	-	-	-	1	2	3	8
Kentish Town† *WW* - - N.	60,862	31	27	9	7	-	1	-	-	-	-	-	-	1	-	1	8
Upper Holloway *WWWWwHH* - - N.	98,273	48	44	8	16	-	-	-	-	2	-	1	-	-	-	2	23
Lower Holloway‡ - - - N.	41,805	13	10	3	3	-	-	-	-	1	-	-	-	1	-	-	-
Barnsbury‡ - - - - N.	56,384	30	12	3	1	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east‡ *H* - N.	75,725	43	16	5	4	-	-	-	-	-	-	-	-	-	-	1	2
Highbury *HH* - - - N.	64,577	34	15	2	8	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	13	7	2	2	-	-	-	-	-	-	-	-	-	1	1	-
North Hackney - E. & N.		11	6	2	2	-	-	-	-	-	-	-	-	1	-	-	-
Central Hackney *ww* - E. & N.	213,044	23	14	2	1	-	-	-	7	-	-	-	-	-	2	2	7
South-west Hackney *HHH* E. & N.		36	19	3	4	-	1	-	-	-	-	2	-	-	1	2	7
South-east Hackney *WwH* E. & N.		47	30	6	8	-	-	-	-	-	-	1	-	-	1	4	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 3rd November, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - - N.	29,086	10	11	-	5	-	-	-	-	-	-	-	-	-	-	-	2	-
les North *H* - - - N.	9,151	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
rtin-in-the-Fields *HH* N. & C.	13,077	1	7	-	2	-	-	-	-	-	-	1	-	-	3	4	4	-
d *WHH* - - - - N.	11,839	-	7	-	-	-	-	-	-	-	-	-	-	-	1	3	5	-
Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn *WwHHHHH* - N.	31,042	8	13	4	1	-	-	-	1	1	-	-	-	-	1	1	7	-
mes Clerkenwell - - N.	15,777	20	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ell Clerkenwell - - N.	34,356	23	9	6	1	-	-	-	-	-	-	-	-	-	1	3	-	-
ell-street - - - - N.	16,069	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
road *HHHHL* - - N.	29,897	23	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
ury* - - - - - N.	11,630	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
rn Union Workhouse, tham - - - -	†892	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
tolph‡ *H* - - N. & E.	13,061	5	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	3	20	1	3	-	-	-	-	-	-	1	-	-	7	8	15	-
lows Barking - - - N.	9,059	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	9	5	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
n New Town *w* - - N.	29,575	25	16	5	7	-	-	-	-	-	-	-	-	-	-	1	9	-
n Old Town - - - N.	27,845	22	8	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
rston *WH* - - N. & E.	47,163	32	24	6	6	-	-	-	1	-	-	-	-	-	1	3	11	-
al Green North *H* - E.	49,301	33	18	8	2	-	-	-	-	-	-	1	-	1	-	1	1	-
al Green South - - E.	34,194	17	10	3	1	-	-	-	-	-	-	-	-	-	3	4	-	-
al Green East *WWHl* - E.	45,667	24	19	5	6	-	-	-	-	-	-	-	-	-	-	1	12	-
lelds - - - E. & N.	26,681	21	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
nd New Town *WH* - E.	51,995	21	27	7	2	-	-	-	-	-	-	1	-	-	-	1	25	-
an's Fields - - - E.		8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
rge's, North - - - E.	39,576	25	8	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
n, St. George East *W* E.	7 930	5	9	2	-	-	-	-	-	1	-	-	-	-	2	4	7	-
ell *H* - - - E. & N.	10,434	9	4	3	-	-	-	-	-	-	-	-	-	-	-	1	3	-
t *W* - - - - E.	14,954	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ouse - - - - E.	32,917	25	12	6	2	-	1	-	-	-	-	-	-	1	-	2	-	-
nd Old Town West *H* E.	111,060	42	18	8	3	-	-	-	-	-	-	-	-	-	1	3	-	-
nd Old Town East - E.		35	11	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-
ww																		
- - - - - E.	41,687	32	11	4	1	-	-	-	-	-	-	-	-	-	1	3	1	-
y *wwwH* - - - E.	69,821	51	44	7	10	-	1	-	1	1	-	-	-	-	3	6	20	-
WW - - - - E.	57,759	48	18	6	4	-	-	-	1	1	-	-	-	-	1	2	-	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 3rd November, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	5	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	13	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	14	8	1	2	-	1	-	-	-	-	-	-	-	-	1	2
London-road *HL* - - L. & S.	21,316	11	5	4	-	-	-	-	-	-	-	-	-	2	1	1	-
Trinity Newington *H* - S. & L.	28,723	10	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Peter Walworth *W* - S. & L.	62,045	47	21	8	2	-	-	-	-	1	-	-	-	-	-	5	1
St. Mary Newington- - L. & S.	30,171	24	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	5	11	-	2	-	-	-	-	-	-	-	-	-	3	3	9
Bermondsey *W* - - - S.	85,475	54	23	8	5	-	2	-	-	-	-	-	-	-	-	-	1
Rotherhithe *Ww* - S. & K.	40,379	26	25	6	5	-	-	-	-	-	-	-	-	1	2	3	13
Waterloo-road *HH* - L. & S.	28,396	19	8	1	1	-	-	-	-	-	-	-	-	-	2	2	2
Lambeth Church 1st *H* - L. & S.	18,770	13	18	4	2	-	-	-	-	-	-	1	-	-	1	1	13
Lambeth Church 2nd *WW* L. & S.	40,994	23	23	6	5	-	-	-	-	-	-	-	-	-	1	1	13
Kennington 1st *H* - - S. & L.	52,486	34	20	5	8	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	15	12	2	8	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	39	30	7	10	-	-	2	2	-	-	1	-	-	-	-	2
Norwood *WH* - - - - L.	29,318	12	11	2	4	-	-	-	-	-	-	-	-	1	-	1	-
East Battersea - - - - S.	71,730	38	17	3	6	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea† - - S. }	93,385	30	6	4	-	-	-	-	-	-	-	-	-	1	1	1	-
South-west Battersea† *WwH* - S. }		23	12	2	2	-	-	-	1	-	-	-	-	-	-	1	7
Clapham *H* - - - - - S.	46,953	24	13	2	6	-	-	-	-	-	-	-	-	-	-	1	1
Streatham *Wwwwwl* - - L.	61,644	31	20	2	7	-	-	-	1	-	-	3	-	1	-	1	4
Wandsworth *WHHL* - - S.	58,101	23	13	4	5	-	-	-	-	-	-	-	-	-	-	-	1
Putney - - - - - - S.	26,566	11	9	5	2	-	-	-	1	-	-	-	-	-	1	3	-
Dulwich - - - L. & S.	7,519	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	44	45	8	14	-	-	-	3	-	-	1	-	-	-	-	23
Peckham *WW* - S., L., & K.	88,242	58	17	8	4	-	-	-	-	-	-	-	-	1	-	1	-
St. George Camberwell - L. & S.	67,029	35	13	5	1	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North - - - K.	36,152	19	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	30	20	4	2	-	-	2	5	-	-	-	-	-	1	1	8
Deptford South - - - K.	33,402	9	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich East *WH* - - K.	37,767	24	22	6	6	-	-	-	-	-	-	-	-	1	4	5	12
Eltham *wH* - - - - K.	5,911	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	6	7	1	4	-	-	-	1	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	31	17	4	2	-	-	-	5	-	-	1	-	1	1	1	13
Sydenham *H* - - - - L.	37,601	19	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	6	8	1	-	-	-	1	3	-	-	1	-	-	-	-	6
Woolwich* *HHHH* - - K.	41,314	10	10	2	3	-	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *H* - - K.	16,714	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	34	18	3	4	-	-	-	-	-	-	1	-	1	-	-	4
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum. Dartford Heath - - - - - }	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asylum, Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch Asylum - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	1	-	-	-	-	3
Claybury Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 3rd November, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON—OUTER RING -	368,749	1,422,063	1,067	497	139	149	-	11	3	20	7	4	14	16	32	78	4
Carshalton *H* - - -	12,228	26,108	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	9	6	1	2	-	-	1	-	-	-	-	-	-	2	-
Godstone, *part of** *W* -	2,754	1,598	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	77	37	6	13	-	2	-	2	-	-	-	-	-	3	-
Mitcham *w* - - -	11,697	23,072	11	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Wimbledon *HHH* - -	3,220	25,777	22	13	4	4	-	1	-	1	-	-	-	-	2	-	-
Kingston *WH* - - -	14,672	33,566	22	16	5	3	-	5	-	-	-	-	-	-	2	3	-
Surbiton *HH* - - -		12,178	6	2	-	2	-	-	-	-	-	-	1	-	-	-	-
Esher, *part of** *H* - -		11,080	2	5	2	1	-	-	-	-	-	-	-	-	1	-	-
Hampton *HL* - - -	4,565	18,252	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	9	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Mortlake *H* - - -	2,823	16,159	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	13	6	1	5	-	-	-	-	1	-	-	1	1	-	-
Beckenham *H* - - -	6,542	21,969	9	3	-	2	-	-	-	-	-	-	-	1	1	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	11	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Bexley *HHH* - - -	12,540	30,590	33	14	6	5	-	-	-	1	-	1	-	1	1	1	-
Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury *w* - - -	11,054	13,671	18	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	4	6	-	3	-	-	-	1	-	-	-	-	1	2	-
Hillingdon *WHH* - -	6,035	12,237	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge - - - -	12,757	7,253	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	16	6	2	2	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	16	17	1	3	-	1	-	-	-	-	-	2	2	10	-
Twickenham *HH* - -	2,415	16,027	15	12	2	9	-	-	-	-	-	-	-	-	-	-	-
Brentford *HHHH* - -	4,318	37,777	15	8	2	2	-	-	-	2	-	1	1	-	-	1	-
Chiswick - - - -	1,245	21,963	23	5	4	-	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	25	12	5	5	-	-	1	-	-	-	1	1	1	-	-
Harrow *HHH* - - -	13,809	15,715	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	74	23	8	6	-	-	-	1	-	-	-	1	1	1	-
Hendon *WH* - - -	8,382	15,843	9	8	-	6	-	-	-	1	-	-	-	-	-	6	-
South Mimms *HH* - -	21,077	6,367	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Finchley *HHH* - - -	4,688	25,820	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	40	10	2	1	-	-	-	1	-	-	1	-	-	-	-
Tottenham *HHH* - -	4,642	97,174	71	31	11	7	-	-	-	-	-	1	-	4	9	1	-
Edmonton *Ww* - -	7,489	36,351	37	16	3	8	-	-	-	-	-	-	1	-	-	5	-
Enfield *WWHH* - -	12,602	31,536	20	13	2	6	-	-	1	-	-	-	-	-	-	5	-
Waltham Abbey - - -	11,017	6,066	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Stratford *H* - - -	4,706	38,612	31	13	4	4	-	1	-	-	1	-	-	1	1	2	1
Plaistow *HHH* - - -		58,030	48	26	11	5	-	1	-	3	1	-	1	2	2	4	1
Canning Town *H* - -		54,750	50	27	10	1	-	-	-	3	1	1	5	1	3	2	2
Forest Gate *w* - - -		53,511	20	14	5	2	-	-	-	1	-	-	-	-	1	-	-
East Ham *wHHH* - -	3,266	32,713	58	24	12	3	-	-	-	-	1	-	1	-	1	-	-
Wanstead, South Leyton, North Leyton	4,334	70,188	39	32	6	9	-	-	-	-	-	-	1	-	-	18	-
Walthamstow *HHHL* -	6,501	57,330	74	22	6	5	-	-	-	2	1	-	-	-	1	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	7	2	1	-	-	-	-	-	-	-	-	1	1	-	-
Epping *WH*, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Romford, *part of** *W* -	6,556	4,324	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Ilford *H* - - - -	8,493	10,913	17	6	4	1	-	-	-	-	-	-	-	-	-	-	-
Barking Town, *H* - -	3,814	14,301	10	6	3	-	-	-	-	-	-	-	1	-	-	-	-
South-Western Fever Hosp., Brixton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Streatham.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ng are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, excepting Warlingham and Farley parishes; 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); : 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham rish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 e also included.

186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 3rd November, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**15·4**	**1·4**	**1963**	**490**	**520**	**–**	**21**	**11**	**62**	**20**	**24**	**41**	**86**
INNER LONDON -	74,672	4,589,129	16·7	1·4	1466	351	371	–	10	8	42	13	20	27	70
OUTER RING -	368,749	2,063,016	12·6	1·5	497	139	149	–	11	3	20	7	4	14	16

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	November 3	138	88	15·2	–	2	–	3	–	–
GLASGOW - -	743,585	" 3	434	321	22·5	–	1	5	2	15	8
DUBLIN† - -	349,594	" 3	186	147	21·9	–	1	1	–	3	3
CALCUTTA - -	466,460	September 15	–	343	38·3	6	–	–	1	–	131‡
BOMBAY - -	821,764	October 9	271	907	57·4	–	1	?	?	?	184‡
MADRAS - -	452,518	" 5	438	413	47·4	1	2	?	?	?	120
PARIS - - -	2,511,629	" 27	1125	866	17·9	9	2	–	6*	5	7
BRUSSELS - -	570,844	" 27	256	187	17·0	–	1	–	2*	3	5
AMSTERDAM -	527,181	" 20	255	130	13·1	–	5	–	1	4	–
ROTTERDAM -	325,556	" 20	226	92	14·5	–	1	1	–	–	4
THE HAGUE -	205,328	" 20	124	67	16·8	–	–	–	1	–	1
COPENHAGEN -	354,000	" 27	190	112	16·5	–	–	–	–	–	–
STOCKHOLM -	297,148	" 20	144	78	13·7	–	–	–	–	–	–
CHRISTIANIA -	226,423	" 27	148	58	13·3	–	–	1	–	1	1
ST. PETERSBURG	1,132,677	" 20	698	458	21·1	–	3	15	24	8	15
MOSCOW - -	988,610	" 13	–	481	25·4	2	8	8	11	6	5
		" 20	–	471	24·8	–	8	12	11	2	2
BERLIN - -	1,857,859	" 13	–	–	–	–	–	–	–	–	–
HAMBURG - -	691,349	" 27	–	179	13·5	–	1	1	1*	2	1
DRESDEN - -	407,500	September 22	–	138	17·6	–	–	1	1*	1	–
BRESLAU - -	412,959	October 27	–	176	22·2	–	1	–	–	2	2
MUNICH - -	463,000	" 20	–	248	27·9	–	1	–	6*	1	1
VIENNA - -	1,656,662	" 27	805	519	16·1	–	8	5	11*	–	4
PRAGUE - -	391,693	" 20	142	152	20·1	–	1	2	2	–	1
BUDA-PESTH -	685,340	" 20	439	255	19·3	–	2	8	1	–	4
TRIESTE - -	168,264	" 20	95	99	30·4	–	–	–	1*	–	1
ROME - - -	518,333	September 29	–	–	–	–	–	–	–	–	–
TURIN (10 days)-	344,203	October 10	–	–	–	–	–	–	–	–	–
VENICE - -	174,170	" 6	70	56	16·8	–	–	–	1*	–	–
CAIRO - -	570,062	September 23	478	306	27·9	1	5	–	5*	–	8
ALEXANDRIA -	319,766	" 23	238	212	34·5	–	–	–	2*	–	6‡
NEW YORK (including BROOKLYN)	3,654,594	" 29	1532	1158	17·5	–	2	2	23	7	20
		October 6	1946	1170	17·7	–	4	2	19	5	15
PHILADELPHIA -	1,293,697	" 13	–	338	13·6	–	–	1	18	2	10

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 25 deaths from plague in Calcutta, 87 in Bombay, and 2 in Alexandria.
§ Including 3 deaths from cholera in Calcutta, 30 in Bombay, and 27 in Madras.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
October.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	28	..	29·633	55·9	39·0	16·9	47·2	0·0	42·7	4·5	10·1	1·2	84	85·4	32·6	52·81	SW.	SW., S. & SSW.	6·7	0·0	0·4	353	+ 80	0·21	0·2
Monday -	29	..	29·557	55·9	48·3	7·6	51·1	+ 4·1	45·2	5·9	9·6	3·8	81	82·2	42·9	52·50	WSW.	WSW.	7·5	0·0	1·1	512	+238	0·01	0·8
Tuesday -	30	..	29·741	53·9	45·7	8·2	49·6	+ 2·6	49·2	0·4	2·5	0·0	99	61·2	44·5	52·40	NW., S. & SW.	SW. & SSE.	1·0	0·0	0·0	156	− 119	0·59	0·0
Wednesday	31	First Quarter.	29·786	65·0	52·7	12·3	58·4	+11·6	52·7	5·7	11·2	1·0	82	113·3	51·5	52·44	SW. & S.	S., SSE. & SE.	2·8	0·0	0·1	212	− 64	0·00	0·0
November. Thursday -	1	..	29·701	62·3	53·5	8·8	56·7	+10·0	53·2	3·5	8·2	0·0	88	101·0	47·0	52·61	S. & SW.	SW. & WSW.	3·2	0·0	0·2	277	0	0·11	0·0
Friday -	2	..	30·024	54·8	51·3	3·5	53·3	+ 6·8	51·7	1·6	2·2	0·6	94	57·2	45·7	52·89	NNW. & N.	N. & NNE.	1·5	0·0	0·1	183	− 94	0·00	0·0
Saturday -	3	In Equator.	30·034	56·5	49·2	7·3	52·5	+ 6·2	49·3	3·2	6·7	1·2	89	69·3	48·0	53·10	NNE. & N.	NE. & ESE.	0·2	0·0	0·0	119	− 158	0·00	0·0
Means -			29·782	57·8	48·5	9·2	52·7	+ 5·9	49·1	3·5	7·2	1·1	88	81·4	44·6	52·68	SW. & N.		..	..	..	Sum 1812	Sum −117	Sum 0·92	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. October.		Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	28	m. P. till noon; w. P. generally afterwards.	3·7	9·9	Very fine till 11h. A.M.; cloudy afterwards with frequent rain after 3h. 30m. P.M. Solar halo observed between noon and 1h. P.M.
Monday -	29	w. P. till 1h. P.M.; m. N. and m. P. till 3h. P.M.; w. P. generally afterwards.	2·4	9·8	Variable with brisk wind and occasional slight rain till afternoon; cloudy afterwards.
Tuesday -	30	v. N. till 8h. A.M.; w. P. afterwards.	0·0	9.8	Overcast; frequent rain.
Wednesday	31	w. P. throughout.	5·4	9·7	Cloudy in morning; fine with variable amounts of cloud till 4h. P.M.; overcast afterwards. A very mild day.
November. Thursday -	1	w. P. generally; occasional w. N.	1·7	9·6	Overcast with slight showers till 4h. A.M.; very fine till 8h. A.M.; cloudy with frequent rain afterwards.
Friday -	2	w. P. throughout.	0·0	9·6	Generally overcast; gloomy in forenoon.
Saturday -	3	w. P. throughout.	0·0	9·5	Overcast; occasional slight rain.
			Sum 13·2	Sum 67·9	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·58 in. at the beginning of the week to 29·72 in. by 10h. A.M. on October 28; decreased to 29·40 in. by midnight on the same day; increased to 29·83 in. by 9h. A.M. on October 31; decreased to 29·68 in. by 9h. A.M. on November 1; increased to 30·09 in. by 11h. P.M. on November 2; and was 29·98 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 45. 1900. VOL. LXI.] WEEK ENDING SATURDAY, NOV. 10. [Price 1½*d.*

General Register Office, Somerset House,
November 12th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·9 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·1, 17·3, and 17·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
33 Great Towns	17·1	17·3	17·6	16·9
Birkenhead -	14·7	15·1	14·2	11·1
Birmingham -	19·0	20·4	20·9	18·0
Blackburn -	15·6	19·8	14·1	12·9
Bolton - -	14·0	18·7	19·4	17·1
Bradford -	14·3	12·9	15·0	13·4
Brighton -	16·8	14·3	13·9	12·2
Bristol - -	16·0	13·8	14·9	15·2
Burnley -	19·2	16·1	18·8	14·3
Cardiff - -	10·7	11·8	13·4	12·1
Croydon -	11·9	17·9	10·3	14·3
Derby - -	12·6	14·5	15·5	17·9
Gateshead -	28·6	19·5	22·4	20·0
Halifax -	10·4	17·1	18·6	14·0
Huddersfield-	14·5	14·5	15·0	17·0
Hull - -	17·9	19·7	17·0	16·2
Leeds - -	16·7	15·5	16·6	16·9
Leicester - -	15·5	15·9	13·6	11·9
Liverpool - -	21·9	21·9	23·4	20·4
London - - -	15·8	15·9	16·7	17·0
Manchester - -	22·2	23·7	22·4	22·5
Newcastle-on-Tyne	18·2	20·5	20·7	16·9
Norwich - -	11·3	13·2	9·1	11·8
Nottingham - -	20·2	17·4	18·0	16·5
Oldham - -	18·4	17·3	19·0	16·3
Plymouth - -	12·8	12·2	15·3	12·2
Portsmouth - -	17·4	16·3	15·5	16·9
Preston - -	15·8	18·4	17·5	16·2
Salford - - -	23·6	29·0	25·5	26·0
Sheffield - -	22·7	20·2	21·2	15·5
Sunderland - -	21·2	20·2	14·9	21·6
Swansea - -	17·3	20·8	15·3	13·3
West Ham - -	15·3	13·6	15·3	13·6
Wolverhampton -	19·8	18·6	20·4	14·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·5 in Swansea; from *whooping-cough*, 1·0 in Derby; from "*fever*," 1·0 in Derby, 1·1 in Portsmouth, and 2·3 in Wolverhampton; and from *diarrhœa*, 1·1 in Blackburn, 1·4 in Gateshead, and 1·8 in Sunderland. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 88 deaths from *diphtheria* included 35 in London, 7 in West Ham, 7 in Sheffield, 5 in Bristol, 5 in Leicester, 5 in Liverpool, 4 in Manchester, and 3 in Leeds. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2500 BIRTHS and 1498 DEATHS were registered. Allowing for increase of population, the births were 188, and the deaths 180, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7162—670—11/1900 Wt 82 D & S 3 2 Z

15·8, 15·9, and 16·7, in the preceding three weeks, further rose last week to 17·0. During the four weeks ending on Saturday last the death-rate averaged 16·4 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1498 deaths included 22 from measles, 8 from scarlet fever, 35 from diphtheria, 16 from whooping-cough, 25 from enteric fever, 23 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 129 deaths were referred to these diseases, being 61 below the corrected average weekly number.

The deaths from *measles*, which had been 8, 20, and 10 in the preceding three weeks, rose again last week to 22, but were 25 below the corrected average; 5 cases belonged to Shoreditch, 4 to Limehouse, and 3 to Bermondsey sanitary areas. The deaths from *scarlet fever*, which had been 8, 10, and 8 in the preceding three weeks, were again 8 last week, being 14 below the corrected average. The deaths from *diphtheria*, which had been 36, 39, and 42 in the preceding three weeks, fell again last week to 35, and were 22 below the corrected average; 4 cases belonged to St. Pancras, 4 to Islington, and 3 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 20, 18, and 13 in the preceding three weeks, rose again last week to 16, but were 6 below the corrected average. The fatal cases of *enteric fever*, which had been 19, 22, and 20 in the preceding three weeks, rose again last week to 25, the corrected average being 24; 2 cases belonged to St. Pancras, 2 to Islington, 2 to St. Luke, 2 to Mile End Old Town, and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 55, 43, and 27 in the preceding three weeks, further fell last week to 23, but were 5 above the corrected average. Of the 23 deaths from diarrhœa, 19 were of children under 5 years of age; 10 more deaths at this age-period were described as due to *gastro-enteritis*. The deaths referred to diseases of the respiratory organs, which had been 182, 236, and 268 in the preceding three weeks, further rose last week to 307, but were 85 below the corrected average. The deaths attributed directly to *influenza* numbered 12, having been 1, 4, and 7 in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning all but 1 of which inquests were held. Of these 72 deaths, 10 were cases of suicide, and 3 of homicide, while the remaining 59 were attributed to accident or negligence. Four of these were referred to vehicles in the streets, 4 to drowning, 1 to the effects of chlorform administered for surgical purposes, and 7 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2702 cases of scarlet fever, 1518 of diphtheria, and 456 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 289 cases, against 327, 320, and 336; of diphtheria, 212 cases, against 227, 230, and 191; and of enteric fever, 67 cases, against 53, 40, and 72.

Greater London.

In Greater London 3580 births and 1984 deaths were registered, corresponding to annual rates of 28·1 and 15·6 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 2 from scarlet fever, 19 from diphtheria, 7 from whooping-cough, 5 from "fever," and 7 from diarrhœa were registered. Four deaths from measles occurred in Kingston district; 3 deaths from measles and 9 from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 48°·8; the latter being 3°·8 above the week's average in the 50 years 1841-90. The direction of the wind was southerly, the horizontal movement of the air being 11 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 18·8 hours; the measured rainfall amounted to 0·41 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Analysis of Metropolitan Water Supply during October, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
November 5, 1900.

Sir,

I have to report to you the results of the chemical analysis and physical examination of the waters supplied to the Metropolis during the month of October.

Fourteen samples of each of the eight Companies' supplies were examined, making a total of 112 samples for the month.

The samples collected on October 15th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·8, New River 1·2, Chelsea and Southwark 2·0, West Middlesex and Lambeth 2·1, East London 2·2, and Grand Junction 2·3.

With reference to the five Thames derived waters, the average amount of organic carbon was almost identical with that found last month, but the organic nitrogen was distinctly lower. All these waters were clear and of good chemical quality.

The supplies of the New River and East London Companies, chiefly obtained from the River Lea, were clear and of good chemical quality.

The Kent Company's deep-well water was, as usual, clear, and of high organic purity.

Seen through a stratum two feet deep, the Kent Company's water was colourless, that of the New River nearly colourless, and the supplies of the remaining six Companies very pale yellow in colour.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter	Organic Carbon.	Organic Nitrogen.	Free Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - -	October 15th. Cab Rank, Victoria-street.	13·8	25·72	·107	·011	0	·141	·152	1·8	17·7
West Middlesex -	October 15th. Cab Rank, Albert-Road, N.W.	13·5	24·60	·109	·014	0	·136	·150	1·8	17·1
Southwark - -	October 15th. Cab Rank, High-street, Peckham.	13·2	27·76	·168	·012	0	·173	·185	1·8	19·4
Grand Junction -	October 15th. Cab Rank, Haymarket, near Charles-street.	13·8	25·16	·121	·014	0	·172	·186	1·8	17·4
Lambeth - - -	October 15th. Cab Rank, Westminster Bridge-road.	13·3	26·20	·111	·013	0	·177	·190	1·8	18·9
Lea.										
New River - -	October 15th. Cab Rank at junction of City-road and Goswell-road.	11·5	32·00	·061	·009	0	·204	·213	1·8	21·5
East London - -	October 15th. Cab Rank, High-street, Shoreditch.	14·0	28·84	·118	·013	0	·368	·381	2·0	20·3
Deep Well.										
Kent - - - -	October 15th, New Cross, opposite Jerningham-road.	12·6	39·04	·042	·006	0	·468	·474	2·2	27·8
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 15th October at the Victoria Street cab rank, had a temperature of 13·8° C.; 100,000 lbs. of it contained 25·72 lbs. of solid matter in solution; the organic substances, constituting a portion of this matter, contained ·107 lb. of carbon and ·011 lb. of nitrogen. The above quantity of water also contained no ammonia and ·141 lb. of nitrogen in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·152 lb. The above weight of water also contained 1·8 lbs. of chlorine and 17·7 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

In addition to the foregoing analytical determinations, 112 samples, collected during the month of October at various places thoughout the districts supplied by the respective Companies, have been examined, and estimations have been made of the amounts of "oxygen

consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any, (indication of inefficiency of filtration or of disturbance in the mains) has been also recorded.

The following results, expressed in parts per 100,000 have been obtained :—

Companies.		"Oxygen consumed." 4 hours at 26·7° C. (80° F.)	"Oxygen consumed." 1 hour at 50° C. (122° F.)	"Albuminoid" Ammonia.
Chelsea	Max.	·050	·058	·009
	Min.	·040	·049	·006
	Mean	·046	·054	·008
West Middlesex	Max.	·050	·061	·008
	Min.	·040	·051	·007
	Mean	·047	·057	·008
Southwark	Max.	·057	·071	·009
	Min.	·041	·048	·006
	Mean	·049	·059	·008
Grand Junction	Max.	·051	·060	·009
	Min.	·045	·052	·007
	Mean	·047	·056	·008
Lambeth	Max.	·055	·065	·008
	Min.	·046	·053	·007
	Mean	·051	·059	·008
New River	Max.	·019	·025	·004
	Min.	·012	·015	·003
	Mean	·016	·020	·004
East London	Max.	·053	·064	·008
	Min.	·043	·053	·007
	Mean	·049	·058	·008
Kent	Max.	·006	·010	·004
	Min.	·002	·003	·002
	Mean	·005	·006	·003

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

The table shows that each Company supplied water of uniform quality throughout the month.

All the samples taken from the mains of the Chelsea. West Middlesex and Kent Companies were clear. Of the 14 samples of Grand Junction water examined, eight were clear and four, all drawn from the stand-pipe at Shepherd's Bush Green were distinctly opalescent with very finely divided oxide of iron, probably derived from the mains.

In the samples of the remaining Companies waters, minute amounts of suspended matter were occasionally noted, due probably to disturbance in the mains.

I am, Sir,
Your obedient Servant.
T. E. Thorpe.

The Registrar-General,
Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of October, 1900. The supply was in the ratio of 231 gallons to one service.

Companies.	Number of Services. October, 1899.	Number of Services. October, 1900.	Daily Supply of Water in Gallons. October, 1899.	Daily Supply of Water in Gallons. October, 1900.
Total Supply - - -	891,848	913,705	205,396,316	211,475,266
From Thames - - - - - -	426,634	435,304	110,297,334	112,851,222
From Lea and from other Sources -	465,214	478,401	95,098,982	98,624,044
Thames.				
Chelsea - - - - - - -	38,343	38,937	12,661,312	13,126,974
West Middlesex - - - - -	84,796	86,247	20,966,901	21,251,714
Southwark and Vauxhall - -	123,347	124,628	31,347,760	32,116,160
Grand Junction - - - - -	65,382	67,253	19,945,000	20,469,961
Lambeth - - - - - - -	114,766	118,239	25,376,361	25,836,413
Lea and other Sources				
New River - - - - - - -	168,207	171,424	37,659,472	39,684,367
East London - - - - - -	204,193	210,467	40,447,477	40,887,000
Kent - - - - - - - -	92,814	96,510	16,992,033	18,052,677

Note.—The Return for October, 1900, as compared with that for the corresponding month of 1899 shows an increase of 21,857 services and of 6,078,950 gallons of water supplied daily.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 10th Nov. 1900. Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,610,296**	**6485**	**3755**	**946**	**902**	-	**50**	**30**	**88**	**43**	**70**	**75**	**154**	**342**	**905**	**57**	**16·9**	**1·6**	**67·5**	**29·0**	**47·8**	**8·78**	**0·67**	**1·70**	33 Towns.
London - -	4,589,129	2500	1498	347	377	-	22	8	35	16	25	23	72	159	489	8	17·0	1·5	56·5	35·2	43·8	9·33	0·41	1·04	London.
West Ham - -	314,472	183	82	24	12	-	2	-	7	1	1	2	3	9	18	-	13·6	2·2	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	72	36	9	9	-	-	-	1	1	-	-	3	6	10	-	14·3	0·8	57·0	35·5	48·4	9·11	0·48	1·22	Croydon.
Brighton - -	124,148	62	29	7	11	-	-	-	1	-	-	-	-	1	8	-	12·2	0·4	57·4	40·6	50·9	10·50	0·60	1·52	Brighton.
Portsmouth -	194,955	100	63	16	23	-	-	-	1	-	4	3	1	2	14	1	16·9	2·1	67·5	38·0	50·5	10·28	0·63	1·60	Portsmouth.
Plymouth - -	102,161	55	24	3	10	-	-	-	1	-	-	1	2	2	2	-	12·2	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	181	95	26	31	-	-	-	5	1	1	-	3	7	10	4	15·2	1·1	59·0	36·5	48·8	9·33	1·04	2·64	Bristol.
Cardiff - -	194,247	111	45	15	8	-	-	1	1	-	-	1	2	4	4	-	12·1	0·8	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	51	27	6	7	-	3	-	-	1	-	1	3	3	6	1	13·3	2·5	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	52	24	9	4	-	-	-	-	-	4	1	-	1	1	-	14·0	2·9	54·5	29·0	44·8	7·11	0·50	1·27	Wolverhampton.
Birmingham -	519,610	304	179	49	37	-	3	2	1	4	5	3	7	8	40	5	18·0	1·8	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	61	26	6	12	-	-	-	-	-	1	2	-	-	7	-	11·8	1·4	55·0	34·6	47·6	8·67	0·40	1·02	Norwich.
Leicester - -	219,169	118	50	12	12	-	-	-	5	-	-	1	-	4	7	2	11·9	1·4	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	134	77	16	23	-	-	1	1	1	3	2	4	6	18	1	16·5	1·7	51·8	33·3	46·3	7·94	0·66	1·68	Nottingham.
Derby - - -	107,991	49	37	9	9	-	-	-	-	2	2	-	1	3	7	-	17·9	1·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	61	25	4	7	-	-	-	1	-	1	-	1	3	5	1	11·1	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	410	248	81	50	-	5	1	5	4	-	9	14	20	65	11	20·4	2·0	54·3	37·7	46·0	7·78	0·75	1·90	Liverpool.
Bolton - -	164,240	101	54	17	13	-	-	1	-	-	1	2	1	2	4	1	17·1	1·3	-	-	-	-	-	-	Bolton.
Manchester -	548,768	283	237	50	45	-	1	1	4	2	2	4	14	42	58	1	22·5	1·3	-	-	-	-	-	-	Manchester.
Salford - -	220,816	144	110	26	27	-	1	2	1	2	-	1	1	4	15	2	26·0	1·7	-	-	-	-	-	-	Salford.
Oldham - -	153,297	72	48	13	12	-	-	-	1	-	-	-	2	6	8	-	16·3	0·3	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	51	32	15	3	-	-	2	-	-	1	2	-	3	3	1	14·3	2·2	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	58	34	12	4	-	-	2	1	1	2	3	1	2	3	-	12·9	3·4	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	56	37	11	5	-	-	-	2	2	1	-	-	-	2	3	16·2	2·2	56·0	40·0	48·7	9·28	1·15	2·92	Preston.
Huddersfield -	104,484	64	34	6	13	-	-	-	-	-	-	-	1	1	4	-	17·0	-	52·3	35·5	45·9	7·72	0·58	1·47	Huddersfield.
Halifax - -	100,710	45	27	8	7	-	-	-	-	-	1	-	1	2	3	1	14·0	0·5	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	102	75	21	20	-	2	-	2	-	1	-	2	8	11	1	13·4	0·9	55·0	37·0	47·8	8·78	0·79	2·01	Bradford.
Leeds - - -	431,287	257	140	34	33	-	6	4	3	1	3	2	5	15	26	1	16·9	2·3	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	237	109	34	11	-	-	1	7	2	6	2	2	5	16	5	15·5	2·6	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	167	74	14	18	-	1	-	1	-	3	1	2	5	15	1	16·2	1·3	53·0	34·0	43·4	8·00	0·68	1·73	Hull.
Sunderland -	147,398	107	61	17	19	-	1	2	1	1	2	5	1	2	8	1	21·6	4·2	-	-	-	-	-	-	Sunderland.
Gateshead - -	100,403	94	42	12	10	-	-	1	-	1	-	3	2	2	2	5	20·0	2·4	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	143	76	17	20	-	3	1	-	-	-	1	3	5	16	-	16·9	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2173	2456	2435	2659	2657	2525	2736	2507	2696	2711	2688·4	2500
Males	1110	1266	1246	1378	1367	1314	1384	1221	1348	1380	1369·1	1257
Females	1063	1190	1189	1281	1290	1211	1352	1286	1348	1331	1319·3	1243
TOTAL **Deaths**	1734	1590	1538	1769	1249	1790	1713	1660	1405	1506	1678·4	1498
Males	881	817	795	901	648	910	847	861	768	784	863·9	742
Females	853	773	743	868	601	880	866	799	637	722	814·5	756

*The numbers in this column are the average weekly numbers in the forty-fifth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
TOTAL **Births**	2621	2677	2763	2628	2519	2448	2239	2319	2429	2485	2238	2392	2500
TOTAL **Deaths**	1706	1691	1776	1582	1470	1449	1471	1391	1305	1392	1403	1466	1498
Ages at Death: Under 1 year	659	673	801	625	469	419	437	393	327	356	352	351	347
1—5 years	166	196	187	167	180	161	173	148	149	149	143	148	173
5—20 "	85	81	71	91	64	84	65	67	72	87	100	102	81
20—40 "	184	174	167	151	208	196	175	188	179	186	187	190	209
40—60 "	288	245	279	239	265	251	279	287	256	279	266	304	311
60—80 "	257	257	215	265	230	282	273	256	261	270	288	302	309
80 years and upwards	67	65	56	44	54	56	69	52	61	65	67	69	68
Deaths from—													
Small pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	22	11	22	17	9	13	4	11	8	20	10	22
Scarlet Fever	4	10	5	4	3	3	5	14	7	8	10	8	8
Diphtheria	17	14	19	19	17	30	40	29	26	36	39	42	35
Whooping-cough	44	44	39	31	57	48	27	18	27	20	18	13	16
Typhus	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	6	16	8	15	23	14	18	15	22	19	22	20	25
Simple Continued Fever	1	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery	293	304	380	259	165	132	120	110	75	55	43	27	23
Cholera	6	10	12	3	1	1	3	-	-	-	-	1	-
All the above Diseases	392	421	475	353	283	237	226	190	168	146	152	121	129
Dis. of Respiratory System	132	149	138	124	161	203	187	164	173	182	236	268	307
Phthisis	155	116	150	128	151	120	141	135	125	141	141	152	137
Dis. of Circulatory System	126	103	121	117	119	97	124	104	129	144	140	148	137
Violence	55	76	45	53	69	64	61	62	60	59	62	70	72
Inquest Cases	128	136	111	110	135	119	129	129	120	137	141	149	159
Deaths in Public Institutions	489	465	450	486	449	464	435	445	428	476	446	467	489
TEMPERATURE OF THE AIR.													
Mean	66°·7	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8
Mean of Highest readings	78·8	71·7	66·8	67·3	68·9	73·3	66·9	63·0	63·7	53·9	53·0	57·8	53·6
Mean of Lowest readings	55·2	52·8	52·8	45·4	48·9	50·7	48·9	45·5	46·6	42·4	40·8	48·5	44·4
Humidity of the Air	67	77	77	74	73	76	79	78	78	75	84	88	83
Rain-fall (in inches)	0·05	0·56	0·62	0·00	0·00	0·07	0·35	0·54	0·03	0·05	0·30	0·92	0·41
Registered Sunshine (in hours)	72·7	45·8	21·8	40·8	44·1	41·9	32·5	30·5	34·8	21·3	14·0	13·2	18·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	2	1	2	3	3	2	2	1	1	1	1	1	-
Scarlet Fever	1793	1726	1703	1736	1753	1804	1938	2071	2187	2341	2489	2619	2702
Diphtheria	1250	1211	1179	1187	1212	1232	1238	1286	1314	1380	1465	1472	1518
Enteric Fever	146	159	170	189	212	273	329	371	405	430	429	444	456

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-FIFTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 45th Week of the 10 years 1890–99*.	In the Week ending Saturday, 10th November, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 10. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ES - - -	1678·4	1498	347	173	81	209	311	309	68
Vaccinated† -	–	–	–	–	–	–	–	–	–
Unvaccinated	0·2	–	–	–	–	–	–	–	–
No Statement	0·2	–	–	–	–	–	–	–	–
- - - -	47·3	22	5	15	2	–	–	–	–
ever - - -	21·8	8	1	4	1	2	–	–	–
- - - -	–	–	–	–	–	–	–	–	–
g Fever - -	–	–	–	–	–	–	–	–	–
- - - -	10·7	12	1	1	1	2	5	2	–
g-cough - -	21·6	16	4	11	1	–	–	–	–
ia - -	57·1	35	3	20	12	–	–	–	–
Continued and ned Fever -	0·2	–	–	–	–	–	–	–	–
Fever - - -	24·2	25	–	–	6	15	3	1	–
and Chol. Diarr.	0·2	–	–	–	–	–	–	–	–
a, Dysentery -	17·6	23	13	6	–	–	1	2	1
t Fever - -	0·1	–	–	–	–	–	–	–	–
obia - - -	–	–	–	–	–	–	–	–	–
- - - -	0·1	–	–	–	–	–	–	–	–
and Effects of ation - -	0·4	–	–	–	–	–	–	–	–
Affections - -	9·2	5	4	–	–	1	–	–	–
as - - -	6·0	4	1	–	–	–	2	1	–
and Septicæmia	1·7	–	–	–	–	–	–	–	–
l Fever - -	6·3	5	–	–	–	5	–	–	–
motic Diseases	1·7	1	–	1	–	–	–	–	–
- - - -	0·7	–	–	–	–	–	–	–	–
nd other Para- Diseases -	0·7	1	1	–	–	–	–	–	–
on, Want of -milk - -	2·2	1	1	–	–	–	–	–	–
sm - - -	10·6	15	–	–	–	5	10	–	–
tic Fever, natism of Heart	12·3	8	–	–	4	4	–	–	–
tism - - -	2·4	2	–	–	–	–	1	1	–
- - - -	2·6	1	–	–	–	–	1	–	–
- - - -	5·3	4	–	4	–	–	–	–	–
- - - -	75·6	99	–	–	1	8	38	49	3
esenterica - -	20·0	16	6	8	1	1	–	–	–
lar Meningitis -	19·6	20	5	11	2	2	–	–	–
- - - -	161·9	137	2	2	11	53	58	11	–
, Tuberculosis -	19·5	19	4	5	3	6	1	–	–
Constitutional ses - -	16·8	23	–	–	3	3	6	8	3
ure Birth - -	52·1	48	48	–	–	–	–	–	–
asis - - -	3·6	6	6	–	–	–	–	–	–
ital Malforma- - - -	8·3	9	8	1	–	–	–	–	–
- - - - -	47·8	66	–	–	–	–	–	41	25
ty - - -	45·6	38	–	–	1	1	17	16	3
y - - - -	8·3	5	–	–	–	2	2	1	–
sions - - -	38·1	21	17	4	–	–	–	–	–
Diseases of Brain Nervous System	74·2	70	5	9	2	8	15	27	4
s of Organs of al Sense -	2·8	4	2	–	1	1	–	–	–

CAUSES OF DEATH	Corrected Averages for the 45th Week of the 10 years 1890–99*.	In the Week ending Saturday, 10th November, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 10. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	139·3	137	1	1	12	14	50	49	10
Croup - - - -	5·3	1	–	1	–	–	–	–	–
Bronchitis - - -	217·8	145	59	14	1	4	13	40	14
Pneumonia - - -	136·1	132	43	36	3	15	23	11	1
Pleurisy - - - -	6·3	4	–	–	–	3	–	1	–
Other Diseases of Respiratory System -	26·5	25	8	3	1	2	5	5	1
Dentition - - - -	7·8	3	2	1	–	–	–	–	–
Quinsy, Sore Throat -	2·4	1	–	–	–	–	1	–	–
Enteritis - - -	17·7	13	3	1	1	4	3	1	–
Gastro-enteritis -		11	7	3	–	–	1	–	–
Peritonitis - - -	6·3	9	2	–	3	1	2	1	–
Diseases of Liver - -	26·0	24	3	1	–	2	9	9	–
Other Diseases of Digestive System	28·6	26	10	2	1	7	3	2	1
Diseases of Lymphatic System & of Ductless Glands - -	1·7	2	–	–	–	1	1	–	–
Diseases of Urinary System - - -	50·4	49	2	–	1	9	21	15	1
Diseases of Generative System - - -	6·0	5	–	–	–	1	1	3	–
Accidents of Childbirth -	4·7	6	–	–	–	5	1	–	–
Diseases of Locomotive System - - -	5·4	2	1	–	1	–	–	–	–
Diseases of Integumentary System - -	7·4	4	2	–	–	1	1	–	–
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	56·4	3	–	–	–	–	3	–	–
By Vehicles or Horses -		4	–	1	–	–	1	2	–
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	–	–	1	–	–	–	–
In Building Operations -		–	–	–	–	–	–	–	–
In Conflagrations -		–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions - -		4	–	2	–	–	–	2	–
By Drowning - - -		4	–	–	–	3	1	–	–
By Suffocation in Bed -		7	7	–	–	–	–	–	–
By Poisons or Poisonous Vapours - -		3	–	1	–	1	–	1	–
Other or not stated causes - - - -		33	5	4	4	5	8	6	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·2	3	–	–	–	2	1	–	–
Suicide - - - -	7·0	10	–	–	–	8	2	–	–
Execution - - -	–	–	–	–	–	–	–	–	–
OTHER CAUSES - -	60·5	58	55	–	–	2	–	1	–

e numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase ulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of nt, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, M SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered SUB-DISTRICT during the Week ending Saturday, 10th November, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2500	1498	347	377	-	22	8	35	16	-	25	-	23	72	159
WEST DISTRICTS - - -	778,251	395	241	42	75	-	1	1	3	3	-	3	-	3	16	22
NORTH DISTRICTS - - -	1,040,694	553	330	65	102	-	1	1	11	3	-	8	-	4	16	34
CENTRAL DISTRICTS - - -	233,635	119	92	22	15	-	-	-	3	-	-	1	-	3	6	7
EAST DISTRICTS - - -	716,334	480	291	86	61	-	11	-	1	2	-	2	-	7	9	47
SOUTH DISTRICTS - - -	1,642,796	953	506	131	113	-	9	4	17	8	-	11	-	6	25	49
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	1	11	-	-	2	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	60	31	6	5	-	-	-	1	-	-	1	-	1	-	-
St. John Paddington *H* - - G.	33,510	5	14	1	2	-	-	-	-	-	-	-	-	-	2	2
Kensington Town *Ww* - - W.	122,164	65	41	6	18	-	-	-	-	2	-	-	-	-	1	2
Brompton *HH*- - - W & C.	48,301	21	10	2	5	-	-	-	-	-	-	-	-	-	2	2
North Hammersmith *H* W. & G	44,638	30	9	2	3	-	-	-	-	-	-	-	-	-	3	3
South Hammersmith *H* W. & G	59,561	29	8	1	4	-	-	-	-	-	-	-	-	-	2	2
Fulham *Ww* - - - W. & C.	113.781	94	36	12	7	-	1	1	2	-	-	-	-	1	1	1
Chelsea Kensal Town - C.	21,450	10	4	1	1	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	17	19	1	7	-	-	-	-	1	-	-	-	1	1	2
Chelsea South *HH* - - C.	33,139	12	13	5	3	-	-	-	-	-	-	-	-	-	2	2
May Fair *WH*- - - - G.	23,827	4	11	-	7	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHHH* - - - C.	56,140	15	17	3	4	-	-	-	-	-	-	-	-	-	1	3
St. John Westminster *HH* - C.	31,492	16	5	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* C.	22,097	4	14	2	5	-	-	-	-	-	-	1	-	-	1	2
St. James Westminster *WH* N. & G.	23,050	7	5	-	2	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	12,048	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	12	20	1	6	-	-	-	-	-	-	-	-	-	3	4
Rectory Marylebone *W* G. & W.	19,798	8	6	-	3	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	26	5	4	1	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone *H* - W	32,547	19	8	1	3	-	-	-	-	-	-	-	-	-	1	2
St. John Marylebone *HHH* - W.	32,611	13	6	5	-	-	-	-	-	-	-	-	-	-	1	1
Hampstead *WwHHHH* - N. & W.	75,449	30	19	3	7	-	-	-	1	-	-	3	-	-	-	1
Regent's Park † *HH* - W.	51,403	20	8	5	1	-	-	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	6	22	1	5	-	-	-	-	-	-	2	-	-	-	2
Gray's Inn Lane *HHHH* - N.	29,426	20	12	1	4	-	-	-	-	-	-	-	-	-	3	3
Somers Town *HH* - - - N.	32,161	19	6	4	1	-	-	-	-	-	-	1	-	-	-	1
Camden Town† *WH* - - N.	40,155	36	14	-	11	-	-	-	-	-	-	-	-	-	-	3
Kentish Town† *WW* - - N.	60,862	33	18	1	6	-	-	-	-	1	-	-	-	1	1	1
Upper Holloway *WWWWwHH* - - N.	98,273	52	54	9	14	-	-	-	-	2	-	-	-	1	2	3
Lower Holloway‡ - - - N.	41,805	20	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	41	12	6	2	-	-	-	-	-	-	-	-	1	-	1
Islington South-east‡ *H* - N.	75,725	44	19	1	7	-	1	1	-	-	-	-	-	-	-	-
Highbury *HH* - - - N.	64,577	26	16	2	7	-	-	-	2	-	-	1	-	-	-	-
Stoke Newington *H* - - N.	33,485	13	10	2	5	-	-	-	-	-	-	-	-	-	2	4
North Hackney - E. & N.	213,044	20	11	1	4	-	-	-	-	-	-	-	-	-	1	3
Central Hackney *ww* - E. & N.		23	16	3	2	-	-	-	7	-	-	-	-	-	-	-
South-west Hackney *HHH* E. & N.		33	14	3	2	-	-	-	-	-	-	1	-	-	1	2
South-east Hackney *WwH* E. & N.		39	32	11	11	-	-	-	1	-	-	-	-	1	1	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated t namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupe received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. si Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington Soutl Sub-District.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 10th November, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } - N.	29,086	19	7	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-
uth *WH* - - }																		
Giles North *H* - - - N.	9,151	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Martin-in-the-Fields *HH* N. & C.	13,077	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	3	1
nd *WHH* - - - - N.	11,839	4	7	2	1	-	-	-	-	-	-	-	-	1	-	-	4	-
nd Union Workhouse, Edmonton	†1,037	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
born *WwHHHHH* - N.	31,042	17	17	7	2	-	-	-	1	-	-	-	-	1	-	1	9	-
ames Clerkenwell - - N.	15,777	7	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
well Clerkenwell - - N.	34,356	22	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
well-street - - - - N.	16,069	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-road *HHHHL* - - N.	29,897	21	14	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-
sbury* - - - - - N.	11,630	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
born Union Workhouse, itcham - - - -	†893	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph‡ *H* - - N. & E.	13,061	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	-	18	2	2	-	-	-	1	-	-	1	-	-	3	3	17	-
hallows Barking - - - N.	9,059	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
of London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	18	8	1	-	-	1	-	-	1	-	-	-	-	-	3	1	-
xton New Town *w* - - N.	29,575	18	18	2	10	-	-	-	-	1	-	-	-	-	1	3	11	-
xton Old Town - - - N.	27,645	21	10	4	-	-	3	-	-	-	-	-	-	-	1	3	-	-
ggerston *WH* - - N. & E.	47,163	31	26	10	6	-	1	-	1	-	-	-	-	1	-	-	11	-
hnal Green North *H* - E.	49,301	35	20	9	1	-	-	-	-	-	-	-	-	-	-	1	-	1
hnal Green South - - E.	34,194	23	9	3	3	-	-	-	-	-	-	-	-	1	-	1	-	-
hnal Green East *WWHl* - E.	45,667	24	15	2	6	-	1	-	-	-	-	-	-	-	1	2	7	-
talfields - - - E. & N.	26,681	15	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
e End New Town *WH* - E. }	51,995	26	32	5	2	-	-	-	-	-	-	-	-	1	1	5	28	-
odman's Fields - - - E. }		9	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
George's, North - - - E.	39,576	30	12	3	-	-	-	-	-	-	-	-	-	1	1	4	-	-
John, St. George East *W* E.	7 930	6	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
dwell *H* - - - E. & N.	10,434	6	8	3	-	-	-	-	-	-	-	-	-	-	1	1	4	-
cliff *W* - - - - E.	14,954	4	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
nehouse - - - - E.	32,917	22	14	7	2	-	4	-	-	-	-	-	-	-	-	-	-	-
e End Old Town West *H* E. }	111,060	43	12	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town East } - E.		36	23	4	6	-	-	-	-	-	-	1	-	-	-	3	11	-
Www																		
w l - - - - E.	41,687	30	15	9	-	-	-	-	-	-	-	1	-	-	-	1	1	-
omley *wwwH* - - - E.	69,821	37	35	10	13	-	-	-	-	-	-	-	-	3	1	9	19	-
plar *WW* - - - - E.	57,759	46	20	7	5	-	1	-	-	-	-	-	-	-	1	7	-	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 10th November, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 5 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
SOUTH DISTRICTS.																
Christchurch Southwark *WHL.&S.*	13,064	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	8	5	1	1	-	1	-	-	-	-	-	-	-	1	1
Kent-road - - - - S. & L.	22,879	12	6	4	1	-	-	-	-	1	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	13	9	5	1	-	-	-	-	1	-	-	-	-	1	-
London-road *HL* - - L. & S.	21,316	13	9	5	3	-	-	-	-	-	-	-	-	-	-	2
Trinity Newington *H* - S. & L.	28,723	18	5	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	37	16	8	2	-	-	-	-	-	-	-	-	-	1	1
St. Mary Newington- - L. & S.	30,171	22	9	2	1	-	1	-	-	-	-	-	-	-	-	-
St. Olave *WH*- - - - S.	11,731	6	13	2	-	-	-	-	1	-	-	1	-	-	1	2
Bermondsey *W* - - - S.	85,475	62	25	10	4	-	3	-	1	-	-	-	-	1	1	3
Rotherhithe *Ww* - S. & K.	40,379	23	14	5	2	-	-	-	1	1	-	-	-	-	1	1
Waterloo-road *HH* - L. & S.	28,396	26	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18,770	11	16	3	4	-	-	-	-	-	-	1	-	-	-	1
Lambeth Church 2nd *WW* L. & S.	40,994	28	20	4	5	-	-	-	-	-	-	-	-	1	2	6
Kennington 1st *H* - - S. & L.	52,486	43	13	1	3	-	-	-	-	-	-	-	-	-	2	3
Kennington 2nd - - S. & L.	43,244	19	13	4	2	-	-	-	-	1	-	-	-	-	1	1
Brixton *w* - - - L. & S.	81,825	45	20	4	6	-	-	-	-	3	-	-	-	-	1	1
Norwood *WH*- - - - L.	29,318	17	3	1	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	47	16	9	3	-	-	-	-	-	-	-	-	-	1	3
North-west Battersea† - - S.	93,385	30	9	3	3	-	2	-	-	-	-	-	-	-	-	-
South-west Battersea† *WwH* - S.		28	24	4	8	-	-	-	-	-	-	-	-	-	3	4
Clapham *H* - - - - - S.	46,953	21	11	2	5	-	-	-	-	-	-	-	-	-	1	1
Streatham *Wwwww L* - - L.	61,644	41	24	7	4	-	-	1	4	-	-	3	-	-	-	2
Wandsworth *WHHL* - - S.	58,101	33	16	3	4	-	-	-	-	-	-	-	-	-	-	1
Putney - - - - - - S.	20,566	6	5	-	1	-	1	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	52	47	10	16	-	-	-	1	-	-	1	-	-	3	4
Peckham *WW* - S., L., & K.	88,242	39	24	2	7	-	-	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	67,029	35	21	9	-	-	-	-	-	-	-	-	-	-	1	3
Deptford North - - - K.	36,152	23	6	2	3	-	-	-	-	-	-	-	-	1	-	1
Deptford Central *w* - - K.	45,441	26	13	4	2	-	-	3	2	-	-	1	-	-	-	1
Deptford South - - - K.	33,402	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	12	8	2	1	-	-	-	-	-	-	1	-	-	1	1
Greenwich East *WH* - - K.	37,767	21	21	2	8	-	-	-	1	-	-	-	-	2	1	2
Eltham *wH* - - - - K.	5,911	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	88,139	29	11	2	1	-	-	-	2	1	-	1	-	1	-	-
Sydenham *H* - - - - L.	37,601	14	5	1	2	-	-	-	-	-	-	-	-	-	-	1
Charlton *wHB* - - - K.	15,928	12	10	1	-	-	-	-	3	-	-	1	-	-	1	1
Woolwich* *HHHB* - - K.	41,314	15	11	1	-	-	-	-	1	-	-	-	-	-	1	2
Plumstead West *H* - - K.	16,714	6	4	-	1	-	1	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	30	9	2	1	-	-	-	-	-	-	1	-	-	-	-
Banstead Asylum - - - -	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum, Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
N.E. Hospital - - - - -	—	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES OSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ding Saturday, 10th November, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON—OUTER RING -	368,749	1,422,063	1,080	486	127	134	–	9	2	19	7	5	7	23	50	74	2
Carshalton *H* - - -	12,228	26,108	18	4	2	1	–	–	–	–	–	–	–	1	1	1	–
Epsom, *part of** *WwHHH*	10,423	12,508	5	3	–	1	–	–	–	–	–	–	–	–	–	2	–
Godstone, *part of** *W* -	2,754	1,598	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croydon *WWwHHH* -	20,851	128,699	82	43	10	12	–	–	–	2	1	–	–	3	7	12	–
Mitcham *w* - - -	11,697	23,072	12	4	–	2	–	–	–	–	–	–	–	–	–	–	–
Wimbledon *HHH* - -	3,220	25,777	13	13	2	7	–	–	–	–	–	–	–	1	2	–	–
Kingston *WH* - - -	14,672	33,566	28	14	2	4	–	4	–	–	–	–	–	1	2	5	–
Surbiton *HH* - - -		12,178	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Esher, *part of** *H* - -		11,080	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Hampton *HL* - - -	4,565	18,252	14	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Richmond *WHH* - -	2,160	25,389	11	8	1	3	–	–	–	–	–	–	–	1	2	–	–
Mortlake *H* - - -	2,823	16,159	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bromley *HHH* - - -	9,127	23,815	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Beckenham *H* - - -	6,542	21,969	10	5	1	2	–	–	–	–	–	–	–	1	2	–	–
Chislehurst, *part of** *WHH*	14,307	20,372	5	7	–	5	–	–	–	–	–	–	–	1	1	6	–
Bexley *HHH* - - -	12,540	30,590	36	8	3	–	–	–	–	1	–	–	–	1	1	–	–
Dartford *WH*, *part of** -	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Sunbury *w* - - -	11,054	13,671	10	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Staines *WH* - - -	13,277	13,221	9	4	1	3	–	–	–	–	–	–	–	–	1	–	1
Hillingdon *WHH* - -	6,035	12,237	5	6	–	2	–	–	–	–	–	–	–	1	2	2	–
Uxbridge - - - -	12,757	7,253	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hayes *wH* - - - -	7,952	11,051	4	5	1	–	–	–	–	–	–	–	–	–	1	–	–
Isleworth *WHH* - -	6,967	26,004	15	12	2	3	–	–	–	–	–	–	–	1	2	1	–
Twickenham *HH* - -	2,415	16,027	10	9	–	3	–	–	–	1	1	–	–	–	1	1	–
Brentford *HHHH* - -	4,318	37,777	18	8	1	3	–	–	1	–	–	–	2	1	2	1	–
Chiswick - - - -	1,245	21,963	14	11	3	5	–	–	–	–	–	–	–	–	–	–	–
Acton *wHH* - - -	6,132	30,945	23	11	3	3	–	–	1	1	–	1	–	1	1	1	–
Harrow *HHH* - - -	13,809	15,715	13	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Edgware *HH* - - -	6,994	3,844	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Willesden *HHH* - -	4,383	61,265	79	19	5	4	–	1	–	1	–	–	–	1	3	2	–
Hendon *WH* - - -	8,382	15,843	10	6	2	2	–	–	–	–	1	–	–	–	–	2	–
South Mimms *HH* - -	21,077	6,367	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Barnet *WHH* - - -		14,152	12	6	2	3	–	–	–	–	–	–	–	2	2	4	–
Finchley *HHH* - - -	4,688	25,820	11	6	1	5	–	–	–	–	–	–	–	–	1	1	–
Hornsey *HH* - - -	3,039	61,097	35	17	4	2	–	–	–	–	–	1	–	–	–	–	–
Tottenham *HHH* - -	4,642	97,174	70	30	9	4	–	–	–	1	–	–	–	–	–	2	1
Edmonton *Ww* - -	7,489	36,351	32	16	8	3	–	–	–	–	–	–	–	1	1	4	–
Enfield *WWHH* - -	12,602	31,536	19	8	–	3	–	–	–	2	–	1	–	–	–	2	–
Waltham Abbey - - -	11,017	6,066	–	3	–	1	–	1	–	–	1	–	–	–	–	–	–
Cheshunt *H* - - -	8,480	9,620	4	5	–	4	–	–	–	–	–	–	–	1	1	–	–
Hatfield, *part of** *W* - -	3,306	582	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bushey *H* - - - -	9,331	7,737	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Watford *WHH*, *part of** -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stratford *H* - - -	4,706	38,612	29	8	3	1	–	1	–	–	–	–	–	2	2	1	–
Plaistow *HHH* - - -		58,030	62	22	7	2	–	1	–	4	–	–	–	–	3	5	–
Canning Town *H* - -		54,750	53	23	6	3	–	–	–	3	1	–	2	1	3	1	–
Forest Gate *w* - - -		53,511	39	18	6	3	–	–	–	–	–	1	–	–	–	–	–
East Ham *wHHH* - -	3,266	32,713	71	30	14	5	–	1	–	–	1	1	–	–	3	1	–
Wanstead† - - - -	4,334	70,188	3	3	–	3	–	–	–	–	–	–	–	–	–	–	–
South Leyton† *WW* - -			31	26	5	7	–	–	–	–	1	–	1	–	1	11	–
North Leyton† *WwH* -			15	9	4	2	–	–	–	1	–	–	1	1	1	1	–
Walthamstow *HHHL* -	6,501	57,330	71	20	8	7	–	–	–	1	–	–	1	–	–	1	–
Chigwell, *part of** *HHHH*	11,779	12,941	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Epping *WH*, *part of** - -	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Romford, *part of** *W* -	6,556	4,324	3	4	1	1	–	–	–	1	–	–	–	–	–	1	–
Ilford *H* - - - -	8,493	10,913	24	8	4	2	–	–	–	–	–	–	–	–	–	–	–
Barking Town, *H* - -	3,814	14,301	7	6	3	1	–	–	–	–	–	–	–	–	–	–	–
Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer g are as follows:—30: 2, excepting Ashstead parish (pop. 1,351): 37; 1, excepting Warlingham and Farley parishes; 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097): : 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham rish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 also included.

186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton b-Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 10th November, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include — Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**15·6**	**1·4**	**1984**	**474**	**511**	**-**	**31**	**10**	**54**	**23**	**30**	**30**	**95**
INNER LONDON -	74,672	4,589,129	17·0	1·5	1498	347	377	-	22	8	35	16	25	23	72
OUTER RING -	368,749	2,063,016	12·3	1·2	486	127	134	-	9	2	19	7	5	7	23

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivale the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	November 10	105	100	17·3	-	3	-	2	1	1
GLASGOW - -	743,585	" 10	432	291	20·4	-	-	3	3	16	4
DUBLIN - -	349,594	" 10	168	151	22·5	-	-	-	-	1	4
CALCUTTA - -	466,460	September 22	-	-	-	-	-	-	-	-	-
BOMBAY - -	821,764	October 16	283	901	57·5	-	-	?	?	?	179†
MADRAS - -	452,518	" 12	506	492	56·5	1	3	?	?	?	153
PARIS - - -	2,511,629	November 3	1040	848	17·5	14	1	2	5*	3	12
BRUSSELS - -	570,844	" 3	215	168	15·3	-	2	-	-	-	4
AMSTERDAM -	527,181	October 27	252	138	13·9	-	11	-	1	1	-
ROTTERDAM -	325,556	" 27	205	92	14·5	-	1	-	1	1	2
THE HAGUE -	205,328	" 27	122	63	15·8	-	1	1	1	-	-
COPENHAGEN -	354,000	November 3	182	107	15·8	-	1	-	-	-	-
STOCKHOLM -	297,148	October 27	163	102	17·8	-	-	2	3*	1	-
CHRISTIANIA -	226,423	November 3	149	47	10·8	-	1	-	1	2	-
ST. PETERSBURG	1,132,677	October 27	707	457	21·0	3	5	14	16	5	10
MOSCOW - -	988,610	" 27	-	461	24·3	-	5	9	8	4	8
BERLIN - -	1,857,859	" 20	834	595	16·6	-	11	16	12	5	1
HAMBURG - -	691,349	November 3	-	184	13·8	-	-	1	2*	2	1
DRESDEN - -	407,500	September 29	292	143	18·2	-	1	-	2*	-	-
		October 6	236	134	17·0	-	-	-	-	1	1
BRESLAU - -	412,959	November 3	-	163	20·6	-	-	-	-	1	-
MUNICH - -	463,000	October 27	-	224	25·2	-	-	-	4*	1	-
VIENNA - -	1,656,662	November 3	907	597	18·5	-	24	8	10*	-	2
PRAGUE - -	391,693	October 27	164	140	18·5	-	-	-	2	-	1
BUDA-PESTH -	685,340	" 27	388	265	20·1	-	-	11	2	-	3
TRIESTE - -	168,264	" 27	90	71	21·8	-	-	-	4*	-	2
ROME - - -	518,333	September 29	211	153	15·4	-	1	-	1	1	6‖
TURIN (10 days)-	344,203	October 10	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	" 20	72	52	15·6	-	-	-	-	-	1
CAIRO - -	570,062	September 30	453	302	27·5	1	3	-	5*	-	3
ALEXANDRIA -	319,766	" 30	309	180	29·3	-	-	-	4*	1	3
NEW YORK (including BROOKLYN)	3,654,594	October 13	1686	1208	18·3	-	2	4	26	4	27
PHILADELPHIA -	1,293,697	" 20	-	366	14·8	-	-	1	15	3	6

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 85 deaths from plague in Bombay.
§ Including 17 deaths from cholera in Bombay, and 21 in Madras.
‖ Including one death from malarial fever.

1900. Month and Day	Phases of the Moon.	Barometer: Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature of the Air: High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Temperature of the Dew point: Mean daily value.	Difference between the Air Temperature and Dew Point Temperature: Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Radiation: Highest in Sun's Rays.	Lowest on the Grass.	Temperature of the Earth 3 feet below the Surface.	Osler's. General Direction: A.M.	P.M.	Pressure on the Square Foot: Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 4	..	29·864	51·9	47·2	4·7	49·2	+ 3·1	47·7	1·5	3·8	1·0	94	58·0	45·9	53·22	ESE., SE. & SSE.	SSE. & SE.	0·8	0·0	0·0	172	−106	0·02	0·2
MONDAY - 5	Perigee	29·654	56·2	50·0	6·2	52·6	+ 6·7	50·6	2·0	3·0	1·4	93	65·6	47·2	53·24	WSW. & SW.	SSW., S. & SSE.	0·4	0·0	0·0	176	−102	0·02	0·8
TUESDAY - 6	Full	29·293	56·5	50·2	6·3	53·2	+ 7·7	49·2	4·0	6·2	1·8	86	76·5	46·0	53·26	SSE. & SE.	SSE.	4·6	0·0	0·4	307	+ 29	0·03	0·0
WEDNESDAY 7	..	29·368	52·1	45·8	6·3	48·4	+ 3·3	44·6	3·8	8·2	1·5	87	62·0	44·3	53·27	SSE., SSW. & SW.	SW.	4·5	0·0	0·6	380	+101	0·33	0·0
THURSDAY- 8	..	29·719	53·9	40·5	13·4	47·9	+ 3·3	39·9	8·0	12·8	2·4	74	88·0	33·4	53·18	SW.	SSW.	10·0	0·0	1·0	495	+216	0·01	0·5
FRIDAY - 9	Greatest Dec. N.	29·540	54·9	41·3	13·1	48·9	+ 4·9	39·7	9·2	13·6	5·1	71	94·1	36·0	52·91	SW. & WSW.	WSW. & SW.	5·6	0·0	0·5	402	+122	0·00	1·5
SATURDAY- 10	..	29·529	49·7	35·2	14·5	41·2	− 2·4	34·0	7·2	16·2	1·6	76	84·0	26·0	52·61	SW. & WSW.	SW. & SSW.	1·6	0·0	0·1	240	− 41	0·00	0·0
MEANS -		29·567	53·6	44·4	9·2	48·8	+ 3·8	43·7	5·1	9·1	2·1	83	75·5	39·8	53·10	SE. & SW.		..	..	..	Sum 2172	Sum +219	Sum 0·41	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 4	w. P. throughout.	0·0	9·4	Overcast; frequent slight rain.
MONDAY - 5	w. P. throughout.	0·0	9·4	Generally overcast; frequent fine rain till evening.
TUESDAY - 6	w. P. till 10h. P.M.; w. P. and w. N. afterwards.	0·2	9·3	Overcast with occasional slight rain till 5h. P.M.; fine with large amounts of cloud generally afterwards.
WEDNESDAY 7	w. P. and w. N. till 2h. A.M.; w. P. till 7h. P.M.; v. P. and v. N. afterwards.	0·0	9·3	Generally overcast; rain in morning and at night.
THURSDAY- 8	Instrument out of adjustment.	7·2	9·2	Cloudy in morning; fine with small amounts of cloud till 3h. P.M.; generally cloudy afterwards with frequent slight rain after 5h. 30m. P.M. Solar halo in forenoon. Lunar halo at night.
FRIDAY - 9	Instrument out of adjustment till 4h. P.M.; s. P. afterwards.	3·8	9·2	Cloudy in morning; fine with variable amounts of cloud afterwards.
SATURDAY- 10	s. P. generally.	7·6	9·1	Very fine; the amount of cloud was usually small. Hoar frost in morning and at night. Lightning in evening.
		Sum 18·8	Sum 64·9	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·98 in. at the beginning of the week to 29·05 in. by 3h. A.M. on the 7th; increased to 29·81 in. by 10h. A.M. on the 8th; and decreased to 29·53 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET, E.

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 46. 1900. VOL. LXI.] WEEK ENDING SATURDAY, NOV. 17. [Price 1½*d.*

General Register Office, Somerset House,
November 19th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 17·6, and 16·9. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending				TOWNS.	Weeks ending			
	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.		Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
33 Great Towns	17·3	17·6	16·9	17·6	Leicester - -	15·9	13·6	11·9	15·2
Birkenhead -	15·1	14·2	11·1	16·9	Liverpool - -	21·9	23·4	20·4	20·5
Birmingham -	20·4	20·9	18·0	18·9	London - - -	15·9	16·7	17·0	17·1
Blackburn -	19·8	14·1	12·9	16·7	Manchester - -	23·7	22·4	22·5	21·9
Bolton - -	18·7	19·4	17·1	18·7	Newcastle-on-Tyne	20·5	20·7	16·9	21·6
Bradford -	12·9	15·0	13·4	14·0	Norwich - -	13·2	9·1	11·8	9·5
Brighton -	14·3	13·9	12·2	19·3	Nottingham - -	17·4	18·0	16·5	18·7
Bristol - -	13·8	14·9	15·2	15·2	Oldham - -	17·3	19·0	16·3	17·3
Burnley -	16·1	18·8	14·3	17·0	Plymouth - -	12·2	15·3	12·2	15·3
Cardiff - -	11·8	13·4	12·1	12·1	Portsmouth - -	16·3	15·5	16·9	19·3
Croydon -	17·9	10·3	14·3	11·9	Preston - -	18·4	17·5	16·2	19·3
Derby - -	14·5	15·5	17·9	16·4	Salford - - -	29·0	25·5	26·0	24·8
Gateshead -	19·5	22·4	20·0	17·2	Sheffield - -	20·2	21·2	15·5	18·8
Halifax -	17·1	18·6	14·0	14·5	Sunderland - -	20·2	14·9	21·6	18·4
Huddersfield-	14·5	15·0	17·0	16·0	Swansea - -	20·8	15·3	13·3	14·3
Hull - -	19·7	17·0	16·2	18·3	West Ham - -	13·6	15·3	13·6	13·4
Leeds - -	15·5	16·6	16·9	19·1	Wolverhampton -	18·6	20·4	14·0	19·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·1 in Brighton; from *whooping-cough*, 1·0 in Derby, 1·1 in Sheffield, and 1·3 in Nottingham and in Preston; from "*fever*," 1·0 in Derby, 1·1 in Sunderland, and 2·0 in Plymouth; and from *diarrhœa*, 1·0 in Swansea and in Bolton, 1·3 in Nottingham, and 1·7 in Wolverhampton. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 70 deaths from *diphtheria* included 32 in London, 7 in Leicester, 7 in Sheffield, 5 in Liverpool, and 4 in Portsmouth. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2323 BIRTHS and 1505 DEATHS were registered. Allowing for increase of population, the births were 375, and the deaths 168,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7227—670—11/1900 Wt 82 D & S 3

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 15·9, 16·7, and 17·0, in the preceding three weeks, further rose last week to 17·1. During the four weeks ending on Saturday last the death-rate averaged 16·7 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1505 deaths included 18 from measles, 8 from scarlet fever, 32 from diphtheria, 15 from whooping-cough, 17 from enteric fever, 18 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 108 deaths were referred to these diseases, being 77 below the corrected average weekly number.

The deaths from *measles*, which had been 20, 10, and 22 in the preceding three weeks, fell again last week to 18, and were 28 below the corrected average. The deaths from *scarlet fever*, which had been 10, 8, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 20; 3 cases belonged to Lambeth and 2 to Wandsworth sanitary areas. The deaths from *diphtheria*, which had been 39, 42, and 35 in the preceding three weeks, further fell last week to 32, and were 19 below the corrected average; 4 cases belonged to Camberwell, 3 to Newington, and 3 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 18, 13, and 16 in the preceding three weeks, were 15 last week, the corrected average being 26. The fatal cases of *enteric fever*, which had been 22, 20, and 25 in the preceding three weeks, fell again last week to 17, and were 7 below the corrected average; 3 cases belonged to Islington, 3 to Camberwell, and 2 to Bethnal Green sanitary areas. The deaths from *diarrhœa*, which had been 43, 27, and 23 in the preceding three weeks, further fell last week to 18, and were equal to the corrected average. The deaths referred to diseases of the respiratory organs, which had been 236, 268, and 307 in the preceding three weeks, further rose last week to 352, but were 60 below the corrected average. The deaths attributed directly to *influenza* numbered 17, having been 4, 7, and 12 in the preceding three weeks.

Different forms of violence caused 73 deaths, concerning all but 1 of which inquests were held. Of these 73 deaths, 10 were cases of suicide, while the remaining 63 were attributed to accident or negligence. Twelve of these were referred to vehicles in the streets, 5 to drowning, 1 to electric shock, 1 to plumbism, and 15 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2728 cases of scarlet fever, 1556 of diphtheria, and 454 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 261 cases, against 320, 336, and 289; of diphtheria, 207 cases, against 230, 191, and 215; and of enteric fever, 67 cases, against 40, 72, and 67.

Greater London.

In Greater London 3290 births and 1928 deaths were registered, corresponding to annual rates of 25·8 and 15·1 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 5 from scarlet fever, 12 from diphtheria, 13 from whooping-cough, 6 from "fever," and 4 from diarrhœa were registered. Five deaths from measles occurred in Kingston district; 6 deaths from whooping-cough and 5 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·45 inches, and that of the Thermometer 45°·0; the latter being 2°·3 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·0 hours; the measured rainfall amounted to 0·81 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

AND BOROUGHS.	to the middle of the Year 1900.*	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death	From All Causes.	From Diseases in Cols. 6–12.	Highest.	Lowest.	Fahrenheit.	Centigrade.	In Inches.	In Centimetres.	AND BOROUGHS.
																			Fahrenheit.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 TOWNS -	**11,610,296**	**6208**	**3917**	**981**	**867**	-	**47**	**31**	**70**	**62**	**71**	**72**	**172**	**329**	**888**	**42**	**17·6**	**1·6**	**57·6**	**23·5**	**43·9**	**6·61**	**1·04**	**2·64**	33 TOWNS.
LONDON - -	4,589,129	2323	1505	369	346	-	18	8	32	15	17	18	73	156	469	7	17·1	1·2	57·6	26·8	45·0	7·22	0·81	2·08	LONDON.
WEST HAM - -	314,472	167	81	20	20	-	3	1	2	4	2	-	4	5	17	-	13·4	2·0	-	-	-	-	-	-	WEST HAM.
CROYDON - -	131,186	60	30	6	9	-	-	-	-	1	1	-	4	5	4	-	11·9	0·8	57·2	23·5	43·2	6·22	0·93	2·36	CROYDON.
BRIGHTON - -	124,148	53	46	9	13	-	5	-	1	-	-	1	5	6	11	-	19·3	2·9	56·8	34·0	47·4	8·56	1·87	4·75	BRIGHTON.
PORTSMOUTH -	194,955	75	72	11	21	-	-	-	4	-	2	1	3	7	15	1	19·3	1·9	57·0	33·5	47·7	8·72	1·33	3·38	PORTSMOUTH.
PLYMOUTH - -	102,161	72	30	7	9	-	-	-	-	-	4	1	-	1	3	-	15·3	2·6	-	-	-	-	-	-	PLYMOUTH.
BRISTOL - -	324,973	185	95	21	27	-	-	2	1	1	2	1	6	14	9	-	15·2	1·1	56·0	28·0	45·5	7·50	0·75	1·90	BRISTOL.
CARDIFF - -	194,247	102	45	9	8	-	-	-	-	-	2	-	4	4	7	-	12·1	0·5	-	-	-	-	-	-	CARDIFF.
SWANSEA - -	105,472	54	29	6	6	-	1	-	-	-	-	2	-	-	3	-	14·3	1·5	-	-	-	-	-	-	SWANSEA.
WOLVERHAMPTON	89,598	50	33	13	7	-	-	-	-	1	1	3	2	3	4	-	19·2	2·9	51·9	25·9	40·7	4·83	0·83	2·11	WOLVERHAMPTON.
BIRMINGHAM -	519,610	299	188	47	41	-	4	3	1	1	6	3	5	7	38	6	18·9	1·8	-	-	-	-	-	-	BIRMINGHAM.
NORWICH - -	114,855	46	21	3	8	-	-	-	-	-	1	-	1	2	5	-	9·5	0·5	57·4	28·0	42·8	6·00	0·67	1·70	NORWICH.
LEICESTER - -	219,169	113	64	20	10	-	-	-	7	-	-	3	5	7	12	-	15·2	2·4	-	-	-	-	-	-	LEICESTER.
NOTTINGHAM -	242,676	87	87	26	16	-	-	-	-	6	2	6	2	4	9	2	18·7	3·0	52·9	24·4	41·8	5·44	0·49	1·24	NOTTINGHAM.
DERBY - - -	107,991	53	34	8	13	-	-	-	-	2	2	1	-	1	9	-	16·4	2·4	-	-	-	-	-	-	DERBY.
BIRKENHEAD -	117,170	69	38	7	9	-	-	-	1	2	-	1	2	3	7	-	16·9	1·8	-	-	-	-	-	-	BIRKENHEAD.
LIVERPOOL - -	634,780	460	250	61	56	-	4	2	5	5	5	8	11	16	67	10	20·5	2·4	53·2	38·9	44·7	7·06	0·96	2·44	LIVERPOOL.
BOLTON - -	164,240	98	59	15	12	-	-	-	-	2	1	3	-	4	9	1	18·7	1·9	-	-	-	-	-	-	BOLTON.
MANCHESTER -	548,768	316	231	64	34	-	1	1	2	4	3	7	10	19	43	1	21·9	1·7	-	-	-	-	-	-	MANCHESTER.
SALFORD - -	220,816	164	105	32	19	-	-	3	2	1	1	2	2	8	26	-	24·8	2·1	-	-	-	-	-	-	SALFORD.
OLDHAM - -	153,297	75	51	9	9	-	1	1	-	-	-	1	-	2	8	-	17·3	1·0	-	-	-	-	-	-	OLDHAM.
BURNLEY - -	116,730	54	38	17	8	-	-	-	-	1	-	2	1	2	3	-	17·0	1·3	-	-	-	-	-	-	BURNLEY.
BLACKBURN - -	137,107	66	44	12	12	-	-	-	1	2	2	1	1	2	3	3	16·7	2·3	-	-	-	-	-	-	BLACKBURN.
PRESTON - -	118,902	61	44	10	7	-	1	2	-	3	1	-	1	1	5	-	19·3	3·1	51·0	38·0	44·5	6·94	1·40	3·56	PRESTON.
HUDDERSFIELD -	104,484	30	32	5	7	-	1	-	-	-	-	-	2	3	1	1	16·0	0·5	51·8	34·0	43·0	6·11	0·67	1·70	HUDDERSFIELD.
HALIFAX - -	100,710	46	28	7	3	-	-	1	-	-	-	-	1	2	8	-	14·5	0·5	-	-	-	-	-	-	HALIFAX.
BRADFORD - -	291,535	112	78	11	23	-	1	-	-	-	4	-	2	6	9	-	14·0	0·9	53·6	36·0	43·8	6·56	2·19	5·56	BRADFORD.
LEEDS - - -	431,287	252	158	45	39	-	3	2	2	2	4	1	5	12	26	1	19·1	1·7	-	-	-	-	-	-	LEEDS.
SHEFFIELD - -	365,922	219	132	33	20	-	-	1	7	8	5	1	3	7	15	4	18·8	3·1	-	-	-	-	-	-	SHEFFIELD.
HULL - - -	238,736	136	84	25	18	-	-	4	-	1	-	4	4	5	14	1	18·3	2·0	53·0	29·0	41·1	5·06	0·68	1·73	HULL.
SUNDERLAND -	147,398	103	52	10	8	-	1	-	1	-	3	-	4	4	7	2	18·4	1·8	-	-	-	-	-	-	SUNDERLAND.
GATESHEAD - -	109,403	72	36	13	9	-	-	-	-	-	-	1	2	2	2	2	17·2	0·5	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE - -	254,369	136	97	30	20	-	3	-	1	-	-	-	7	9	20	-	21·6	0·9	-	-	-	-	-	-	NEWCASTLE.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2321	2596	2510	2430	2494	2576	2675	2780	2585	2674	2697·5	2323
Males - -	1151	1279	1293	1260	1268	1328	1375	1407	1303	1357	1369·9	1133
Females - -	1170	1317	1217	1170	1226	1248	1300	1373	1282	1317	1327·6	1190
TOTAL **Deaths** -	1709	1629	1508	2016	1275	1510	1675	1617	1436	1528	1673·0	1505
Males - -	874	822	759	1016	644	758	815	838	728	769	844·0	815
Females - -	835	807	749	1000	631	752	860	779	708	759	829·0	690

*The numbers in this column are the average weekly numbers in the forty-sixth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov 17.
TOTAL **Births** - - -	2677	2763	2628	2519	2448	2239	2319	2429	2485	2238	2392	2500	2323
TOTAL **Deaths** - - -	1691	1776	1582	1470	1449	1471	1391	1305	1392	1403	1466	1498	1505
Ages at Death: Under 1 year - -	673	801	625	469	419	437	393	327	356	352	351	347	369
1—5 years - -	196	187	167	180	161	173	148	149	149	143	148	173	172
5—20 " - -	81	71	91	64	84	65	67	72	87	100	102	81	90
20—40 " - -	174	167	151	208	196	175	188	179	186	187	190	209	217
40—60 " - -	245	279	239	265	251	279	287	256	279	266	304	311	311
60—80 " - -	257	215	265	230	282	273	256	261	270	288	302	309	283
80 years and upwards	65	56	44	54	56	69	52	61	65	67	69	68	63
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	22	11	22	17	9	13	4	11	8	20	10	22	18
Scarlet Fever - - -	10	5	4	3	3	5	14	7	8	10	8	8	8
Diphtheria - - - -	14	19	19	17	30	40	29	26	36	39	42	35	32
Whooping-cough - - -	44	39	31	57	48	27	18	27	20	18	13	16	15
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	16	8	15	23	14	18	15	22	19	22	20	25	17
Simple Continued Fever -	1	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	304	380	259	165	132	120	110	75	55	43	27	23	18
Cholera - - - -	10	12	3	1	1	3	-	-	-	-	1	-	-
All the above Diseases -	421	475	353	283	237	226	190	168	146	152	121	129	108
Dis. of Respiratory System -	149	138	124	161	203	187	164	173	182	236	268	307	352
Phthisis - - - - -	116	150	128	151	120	141	135	125	141	141	152	137	150
Dis. of Circulatory System -	103	121	117	119	97	124	104	129	144	140	148	137	140
Violence - - - -	76	45	53	69	64	61	62	60	59	62	70	71	73
Inquest Cases - - - -	136	111	110	135	119	129	129	120	137	141	149	159	156
Deaths in Public Institutions -	465	450	486	449	464	435	445	428	476	447	467	490	469
TEMPERATURE OF THE AIR.													
Mean - - - - - -	61°·0	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0
Mean of Highest readings -	71·7	66·8	67·3	68·9	73·3	66·9	63·0	63·7	53·9	53·0	57·8	53·6	51·1
Mean of Lowest readings -	52·8	52·8	45·4	48·9	50·7	48·9	45·5	46·6	42·4	40·8	48·5	44·4	38·4
Humidity of the Air - -	77	77	74	73	76	79	78	78	75	84	88	83	91
Rain-fall (in inches) - -	0·56	0·62	0·00	0·00	0·07	0·35	0·54	0·03	0·05	0·30	0·92	0·41	0·81
Registered Sunshine (in hours)	45·8	21·8	40·8	44·1	41·9	32·5	30·5	34·8	21·3	14·0	13·2	18·8	6·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	1	2	3	3	2	2	1	1	1	1	1	-	-
Scarlet Fever - - - -	1726	1703	1736	1753	1804	1938	2071	2187	2341	2489	2619	2702	2728
Diphtheria - - - -	1211	1179	1187	1212	1232	1238	1286	1314	1380	1465	1472	1521	1556
Enteric Fever - - - -	159	170	189	212	273	329	371	405	430	429	444	456	454

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott. Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SIXTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 46th Week of the 10 years 1890–99*.	In the Week ending Saturday, 17th November, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
ISES - - -	1673·0	1505	369	172	90	217	311	283	63
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
- - - -	45·9	18	4	13	1	-	-	-	-
Fever - - -	19·5	8	1	5	2	-	-	-	-
- - - -	0·1	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	12·0	17	1	1	2	4	3	6	-
ng-cough - -	25·9	15	5	10	-	-	-	-	-
eria - -	50·5	32	1	20	11	-	-	-	-
Continued and fined Fever -	0·1	-	-	-	-	-	-	-	-
Fever - - -	24·4	17	-	-	6	9	1	1	-
and Chol. Diarr.	0·4	-	-	-	-	-	-	-	-
ea, Dysentery -	18·4	18	12	2	-	-	1	3	-
ent Fever - -	0·1	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	-	-	-	-	-	-	-	-	-
and Effects of nation - -	0·2	-	-	-	-	-	-	-	-
al Affections -	8·4	6	4	-	-	-	1	1	-
plas - - -	5·0	11	5	-	-	3	3	-	-
a and Septicæmia	2·6	2	1	-	-	1	-	-	-
ral Fever - -	5·7	7	-	-	-	7	-	-	-
Zymotic Diseases	1·5	-	-	-	-	-	-	-	-
- - - -	0·6	-	-	-	-	-	-	-	-
and other Para-l Diseases -	0·3	1	-	-	-	-	-	1	-
ion, Want of t-milk - -	1·7	3	3	-	-	-	-	-	-
lism - - -	12·1	12	-	-	-	5	6	1	-
atic Fever, matism of Heart	9·9	4	-	-	1	1	1	1	-
atism - - -	2·5	1	-	-	-	-	-	1	-
- - - -	2·3	4	-	-	-	-	-	4	-
s - - -	4·0	4	-	4	-	-	-	-	-
- - - -	74·1	84	-	-	-	5	36	40	3
Mesenterica - -	14·6	15	8	3	1	2	1	-	-
ular Meningitis -	18·5	22	6	10	1	4	1	-	-
s - - - -	163·4	150	1	4	11	59	60	14	1
a, Tuberculosis -	17·3	17	4	6	4	2	1	-	-
Constitutional ses - -	14·1	11	1	-	3	1	5	1	-
ture Birth - -	53·9	45	45	-	-	-	-	-	-
asis - - -	3·7	2	2	-	-	-	-	-	-
ital Malforma- - - -	8·1	9	8	1	-	-	-	-	-
e - - - -	46·8	40	-	-	-	-	-	19	21
oxy - - -	44·7	48	-	-	1	5	17	20	5
sy - - - -	6·6	6	-	-	1	-	2	3	-
sions - - -	40·1	38	36	2	-	-	-	-	-
Diseases of Brain Nervous System	78·0	61	9	6	3	5	16	14	8
es of Organs of ial Sense -	3·5	7	1	-	2	2	-	2	-

CAUSES OF DEATH	Corrected Averages for the 46th Week of the 10 years 1890–99*.	In the Week ending Saturday, 17th November, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	143·6	140	-	1	7	33	49	42	8
Croup - - - -	5·2	-	-	-	-	-	-	-	-
Bronchitis - - -	225·2	176	71	22	2	3	21	45	12
Pneumonia - - -	144·0	142	48	42	10	14	17	11	-
Pleurisy - - - -	6·8	9	2	1	-	3	2	1	-
Other Diseases of Respiratory System -	30·5	25	3	2	3	1	6	10	-
Dentition - - -	5·4	5	5	-	-	-	-	-	-
Quinsy, Sore Throat -	2·3	1	-	-	-	-	-	-	1
Enteritis - - -	16·7	12	4	2	2	-	3	1	-
Gastro-enteritis -		4	3	-	-	-	1	-	-
Peritonitis - - -	6·7	8	-	-	2	3	2	1	-
Diseases of Liver - -	27·4	28	3	-	1	5	12	6	1
Other Diseases of Digestive System	26·9	28	7	3	2	5	5	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	5	-	1	-	4	-	-	-
Diseases of Urinary System - - -	48·9	49	-	2	3	10	18	15	1
Diseases of Generative System - - -	6·7	5	-	-	-	1	4	-	-
Accidents of Childbirth-	5·0	4	-	-	-	3	1	-	-
Diseases of Locomotive System - - -	5·4	2	1	-	-	1	-	-	-
Diseases of Integumentary System- -	6·1	7	2	-	-	1	-	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -	57·8	3	-	-	-	2	1	-	-
By Vehicles or Horses -		12	-	1	4	3	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		2	-	-	-	-	1	1	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		6	1	3	2	-	-	-	-
By Drowning - -		5	-	-	-	1	3	1	-
By Suffocation in Bed -		15	15	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	1	-	1	1	-
Other or not stated causes - - - -		17	3	1	1	1	5	5	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·2	-	-	-	-	-	-	-	-
Suicide - - - -	5·6	10	-	-	-	8	2	-	-
Execution - - -	0·3	-	-	-	-	-	-	-	-
OTHER CAUSES - -	51·2	47	43	4	-	-	-	-	-

ne numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

ne evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEA SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in SUB-DISTRICT during the Week ending Saturday, 17th November, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	2323	1505	369	346	-	18	8	32	15	-	17	-	18	73	156
WEST DISTRICTS - - -	778,251	319	216	52	60	-	1	-	3	2	-	1	-	3	9	16
NORTH DISTRICTS - - -	1,040,694	468	343	65	90	-	3	-	6	4	-	5	-	3	12	36
CENTRAL DISTRICTS - - -	233,635	117	84	17	18	-	-	-	2	-	-	-	-	-	4	10
EAST DISTRICTS - - -	716,334	493	295	91	51	-	6	-	6	-	-	1	-	5	21	53
SOUTH DISTRICTS - - -	1,642,796	926	549	144	121	-	8	8	15	9	-	10	-	7	27	41
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	18	-	6	-	-	-	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	38	27	8	6	-	1	-	-	1	-	1	-	-	-	1
St. John Paddington *H* - - G.	33,510	9	10	1	4	-	-	-	-	-	-	-	-	-	1	2
Kensington Town *Ww* - - W.	122,164	45	44	13	14	-	-	-	1	-	-	-	-	1	3	4
Brompton *HH* - - W. & C.	48,301	5	8	-	2	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith *H* W. & G	44,638	24	5	1	1	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith *H* W. & G	59,561	27	12	-	5	-	-	-	-	-	-	-	-	-	-	-
Fulham *Ww* - - - W. & C.	113,781	64	34	10	7	-	-	-	2	-	-	-	-	2	1	1
Chelsea Kensal Town - C.	21,450	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	22	17	2	5	-	-	-	-	-	-	-	-	-	-	-
Chelsea South *HH* - - C.	33,139	17	6	2	4	-	-	-	-	-	-	-	-	-	-	1
May Fair *WH* - - - - G.	23,827	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Belgrave *WHHH* - - - C.	56,140	24	19	7	2	-	-	-	-	1	-	-	-	-	2	2
St. John Westminster *HH* - C.	31,492	14	7	2	2	-	-	-	-	-	-	-	-	-	-	2
St. Margaret Westminster *H* C.	22,097	4	14	4	2	-	-	-	-	-	-	-	-	-	1	1
St. James Westminster *WH* N. & G.	23,050	6	5	1	4	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho *HHHHH* - N.	12,048	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHH* - - W.	36,595	14	9	-	3	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone *W* G. & W.	19,798	2	5	-	1	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone *HHHH* G. & W.	19,637	33	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	19	6	2	1	-	-	-	-	-	-	-	-	-	-	1
St. John Marylebone *HHH* - W.	32,611	16	8	3	1	-	-	-	-	-	-	-	-	-	-	-
Hampstead *WwHHHH* - N. & W.	75,449	31	18	3	6	-	-	-	1	-	-	2	-	-	-	2
Regent's Park † *HH* - W.	51,403	22	10	3	-	-	1	-	-	-	-	-	-	1	-	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	5	21	1	1	-	-	-	1	-	-	-	-	-	-	-
Gray's Inn Lane *HHHH* - N.	29,426	15	10	1	3	-	-	-	-	-	-	-	-	-	2	3
Somers Town *HH* - - - N.	32,161	13	14	4	3	-	-	-	-	-	-	-	-	-	-	-
Camden Town† *WH* - - N.	40,155	18	11	1	4	-	-	-	-	-	-	-	-	-	-	-
Kentish Town† *WW* - - N.	60,862	22	19	2	7	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway *WWWWwHH* - - N.	98,273	36	52	7	15	-	-	-	-	1	-	1	-	-	1	2
Lower Holloway‡ - - - N.	41,805	18	18	5	3	-	-	-	-	2	-	-	-	-	2	5
Barnsbury‡ - - - - N.	56,384	27	14	4	4	-	-	-	-	-	-	-	-	-	-	2
Islington South-east‡ *H* - N.	75,725	31	18	4	9	-	1	-	-	-	-	1	-	-	-	3
Highbury *HH* - - - N.	64,577	21	15	1	4	-	-	-	2	1	-	-	-	-	1	3
Stoke Newington *H* - - N.	33,485	11	8	-	4	-	-	-	1	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	14	10	3	2	-	-	-	-	-	-	-	-	-	1	3
Central Hackney *ww* - E. & N.		33	17	6	4	-	-	-	1	-	-	-	-	-	-	1
South-west Hackney *HHH* E. & N.		33	32	9	7	-	1	-	-	-	-	1	-	2	2	4
South-east Hackney *WwH* E. & N.		34	23	5	8	-	-	-	-	-	-	-	-	-	2	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Dis than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which pauper received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sig Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South Sub-District

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 17th November, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles } - N.	29,086	16	9	1	1	-	-	-	2	-	-	-	-	-	1	3	1	-
outh *WH* - - }																		
Giles North *H* - - - N.	9,151	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Martin-in-the-Fields *HH* N. & C.	13,077	1	5	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-
and *WHH* - - - - N.	11,839	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
and Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn *WwHHHHH* - N.	31,042	18	18	7	4	-	-	-	-	-	-	-	-	-	-	-	6	-
James Clerkenwell - - N.	15,777	14	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	21	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
swell-street - - - - N.	16,069	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y-road *HHHHL* - - N.	29,897	30	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
sbury* - - - - - N.	11,630	1	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
lborn Union Workhouse, } *Hitcham* - - - - }	†*892*	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph‡ *H* - - N. & E.	13,061	6	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	3	14	-	2	-	-	-	-	-	-	-	-	-	2	5	11	-
hallows Barking - - - N.	9,059	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†*388*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
oreditch South *Hl* - E. & N.	17,975	8	12	7	-	-	1	-	-	-	-	-	-	1	-	1	-	-
xton New Town *w* - - N.	29,575	14	18	4	3	-	-	-	-	-	-	-	-	2	1	5	9	-
xton Old Town - - - N.	27,645	16	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston *WH* - - N. & E.	47,163	27	29	9	5	-	-	-	-	-	-	-	-	-	3	7	14	-
thnal Green North *H* - E.	49,301	42	19	5	4	-	-	-	-	-	-	-	-	-	1	4	1	-
thnal Green South - - E.	34,194	20	8	5	1	-	1	-	-	-	-	-	-	1	1	2	-	-
thnal Green East *WWHl* - E.	45,667	17	19	3	5	-	-	-	-	-	-	-	-	-	1	1	12	-
talfields - - - E. & N.	26,681	17	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
le End New Town *WH* - E. }	51,995	24	42	8	5	-	-	-	1	-	-	1	-	-	7	9	41	-
odman's Fields - - - E. }		16	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	36	11	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-
John, St. George East *W* E.	7 930	6	10	-	6	-	-	-	-	-	-	-	-	1	-	1	9	-
adwell *H* - - - E. & N.	10,434	9	12	6	1	-	1	-	2	-	-	-	-	-	1	1	9	-
tcliff *W* - - - - E.	14,954	8	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
nehouse - - - - E.	32,917	20	13	3	2	-	1	-	-	-	-	-	-	-	1	6	-	-
le End Old Town West *H* E. }	111,060	53	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
le End Old Town East } - E. }		36	20	10	2	-	-	-	-	-	-	-	-	-	2	6	4	-
WWww																		
w *l* - - - - E.	41,687	30	13	5	2	-	-	-	1	-	-	-	-	-	-	1	-	-
omley *wwwH* - - - E.	69,821	48	29	6	9	-	1	-	-	-	-	-	-	-	1	2	12	-
plar *WW* - - - - E.	57,759	46	14	8	1	-	-	-	1	-	-	-	-	-	2	3	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 17th November, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 5 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	5	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	15	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	11	9	6	-	-	1	-	-	-	-	-	-	-	-	-	4
London-road *HL* - - L. & S.	21,316	9	7	5	-	-	-	-	-	1	-	-	-	-	1	2	-
Trinity Newington *H* - S. & L.	28,723	18	8	2	1	-	-	1	-	-	-	-	-	-	-	2	-
St. Peter Walworth *W* - S. & L.	62,045	41	23	9	5	-	-	-	-	-	-	-	-	-	1	3	2
St. Mary Newington- - L. & S.	30,171	21	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	3	15	-	-	-	-	-	-	-	-	1	-	-	3	4	11
Bermondsey *W* - - - S.	85,475	56	33	13	2	-	2	-	-	1	-	-	-	-	-	1	1
Rotherhithe *Ww* - S. & K.	40,379	24	28	8	11	-	-	-	-	-	-	1	-	1	3	2	11
Waterloo-road *HH* - L. & S.	28,396	29	10	4	1	-	-	-	-	-	-	-	-	-	1	2	2
Lambeth Church 1st *H* - L. & S.	18,770	10	15	2	3	-	-	-	-	-	-	-	-	-	4	5	14
Lambeth Church 2nd *WW* L. & S.	40,994	31	16	4	2	-	-	-	-	-	-	-	-	-	-	-	10
Kennington 1st *H* - - S. & L.	52,486	33	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	25	13	7	3	-	-	-	-	-	-	1	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	41	23	4	6	-	-	1	3	2	-	-	-	-	-	-	4
Norwood *WH* - - - - - L.	29,318	14	10	2	2	-	-	1	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	40	14	7	-	-	-	-	-	2	-	-	-	2	-	1	-
North-west Battersea† - - S.	93,385	35	7	4	1	-	2	-	-	-	-	-	-	-	-	-	-
South-west Battersea† *WwH* - S.		17	21	2	11	-	-	-	-	-	-	-	-	-	-	-	13
Clapham *H* - - - - S.	46,953	18	13	2	6	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *WwwwwL* - - L.	61,644	34	13	3	2	-	-	3	1	-	-	-	-	-	-	-	5
Wandsworth *WHHL* - - S.	58,101	26	13	5	2	-	-	-	1	-	-	-	-	-	2	2	1
Putney - - - - - S.	20,566	9	7	-	3	-	-	-	-	-	-	-	-	-	1	2	-
Dulwich - - - L. & S.	7,519	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	35	39	5	14	-	-	-	1	-	-	1	-	1	2	2	30
Peckham *WW* - S., L., & K.	88,242	56	25	10	2	-	-	-	-	1	-	-	-	-	2	2	1
St. George Camberwell - L. & S.	67,029	35	22	3	3	-	-	-	-	-	-	-	-	1	2	2	-
Deptford North - - - K.	36,152	27	10	2	2	-	-	-	-	-	-	-	-	-	1	2	-
Deptford Central *w* - - K.	45,441	32	17	4	3	-	1	2	3	-	-	-	-	-	-	1	6
Deptford South - - - K.	33,402	15	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	13	8	-	4	-	-	-	1	1	-	1	-	-	-	-	1
Greenwich East *WH* - - K.	37,767	22	18	4	4	-	1	-	-	-	-	-	-	-	2	3	5
Eltham *wH* - - - - - K.	5,911	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	4	6	1	3	-	-	-	-	1	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	31	30	4	8	-	-	-	4	-	-	5	-	1	1	1	16
Sydenham *H* - - - - - L.	37,601	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHB* - - - K.	15,928	12	9	1	2	-	-	-	1	-	-	-	-	1	-	-	2
Woolwich* *HHHH* - - K.	41,314	22	7	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West *H* - - K.	16,714	2	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WB* - - K.	42,538	35	11	5	1	-	-	-	-	-	-	-	-	-	-	1	1
Banstead Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Dartford Heath - - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Claybury Asylum - - - -	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.

† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 17th November, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON—OUTER RING -	368,749	1,422,063	967	423	102	115	-	8	5	12	13	6	4	21	36	62	2
Carshalton *H* - - -	12,228	26,108	16	10	3	1	-	-	-	-	-	-	1	1	1	-	-
Epsom, *part of** *WwHHH*	10,423	12,508	2	3	-	-	-	-	1	-	-	-	-	-	-	1	-
Godstone, *part of** *W* -	2,754	1,598	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	68	35	8	10	-	-	-	-	1	1	-	4	5	4	1
Mitcham *w* - - -	11,697	23,072	7	6	-	2	-	-	-	1	-	-	-	-	1	-	-
Wimbledon *HHH* - -	3,220	25,777	22	9	3	1	-	-	-	-	-	-	-	-	4	-	-
Kingston *WH* - - -	14,672	33,566	12	11	-	3	-	5	-	-	-	-	-	-	-	1	-
Surbiton *HH* - - -		12,178	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Richmond *WHH* - -	2,160	25,389	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-
Mortlake *H* - - -	2,823	16,159	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Beckenham *H* - -	6,542	21,969	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Chislehurst, *part of** *WHH*	14,307	20,372	6	7	-	5	-	-	-	-	-	-	-	-	1	2	1
Bexley *HHH* - - -	12,540	30,590	29	8	1	1	-	-	-	1	-	-	-	1	1	-	-
Dartford *WH*, *part of** -	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Sunbury *w* - - -	11,054	13,671	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	8	3	-	1	-	-	-	-	-	-	-	-	-	3	-
Hillingdon *WHH* - -	6,035	12,237	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Uxbridge - - - -	12,757	7,253	7	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Hayes *wH* - - - -	7,952	11,051	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	9	5	-	4	-	-	-	-	-	-	-	-	-	1	-
Twickenham *HH* - -	2,415	16,027	13	3	2	1	-	-	-	-	-	-	-	-	1	-	-
Brentford *HHHH* - -	4,318	37,777	15	7	1	3	-	-	-	-	-	-	-	1	2	1	-
Chiswick - - - -	1,245	21,963	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	20	9	2	2	-	-	1	-	-	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Edgware *HH* - - -	6,994	3,844	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden *HHH* - -	4,383	61,265	63	20	9	3	-	-	-	2	-	-	-	1	1	1	-
Hendon *WH* - - -	8,382	15,843	14	9	-	5	-	-	-	1	1	-	2	1	1	5	-
South Mimms *HH* - -	21,077	6,367	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	10	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Finchley *HHH* - - -	4,688	25,820	13	7	2	2	-	-	-	-	-	-	-	-	-	-	-
Hornsey *HH* - - -	3,039	61,097	28	11	2	5	-	-	1	-	-	-	-	1	1	-	-
Tottenham *HHH* - -	4,642	97,174	60	23	7	6	-	-	-	-	2	-	-	2	5	1	-
Edmonton *Ww* - -	7,489	36,351	37	23	7	8	-	-	-	-	-	-	-	1	2	6	-
Enfield *WWHH* - -	12,602	31,536	18	6	1	2	-	-	-	1	-	-	-	-	-	3	-
Waltham Abbey - - -	11,017	6,066	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Stratford *H* - - -	4,706	38,612	31	10	2	2	-	-	-	-	3	-	-	-	-	-	-
Plaistow *HHH* - - -		58,030	53	27	10	4	-	2	-	1	-	-	-	-	1	4	-
Canning Town *H* - -		54,750	50	18	6	3	-	-	1	1	-	1	-	3	3	1	-
Forest Gate *w* - - -		53,511	33	14	2	5	-	1	-	-	1	-	-	1	1	-	-
East Ham *wHHH* - -	3,266	32,713	55	20	9	2	-	-	-	-	2	2	-	-	-	2	-
Wanstead† - - - -	4,334	70,188	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton† *WW* - -			22	26	3	13	-	-	-	-	-	1	-	-	-	16	-
North Leyton† *WwH* -			36	11	4	3	-	-	-	-	-	1	-	-	-	-	-
Walthamstow *HHHL* -	6,501	57,330	59	14	5	4	-	-	1	1	-	-	-	1	1	-	-
Chigwell, *part of** *HHHH*	11,779	12,941	4	3	-	1	-	-	-	-	1	-	-	1	1	-	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	3	4	2	-	-	-	-	-	1	-	-	-	-	-	-
Ilford *H* - - - -	8,493	10,913	17	7	1	2	-	-	-	-	-	-	-	-	-	-	-
Barking Town, *H* - -	3,814	14,301	12	12	5	2	-	-	-	1	-	-	1	1	1	-	-
Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum. Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer g are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, excepting Warlingham and Farley parishes; 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham sh. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 also included.

186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton -Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 17th November, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	15·1	1·2	1928	471	461	-	26	13	44	28	23	22	94
INNER LONDON -	74,672	4,589,129	17·1	1·2	1505	369	346	-	18	8	32	15	17	18	73
OUTER RING -	368,749	2,063,016	10·7	1·2	423	102	115	-	8	5	12	13	6	4	21

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-Rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	November 17	142	119	20·5	-	8	-	3	1	1	
GLASGOW - -	743,585	" 17	460	304	21·3	2	1	2	5	17	6	
DUBLIN - -	349,594	" 17	185	174	26·0	-	1	1	1	2	3	
CALCUTTA - -	466,490	September 22	-	287	32·1	6	-	-	-	1	99‡	
BOMBAY - -	821,764	October 23	283	799	50·6	-	-	?	?	?	167‡	1
MADRAS - -	452,518	" 19	510	442	50·8	-	2	?	?	?	111‡	1
PARIS - - -	2,511,629	November 10	1018	821	16·9	11	5	1	6*	1	7	
BRUSSELS - -	570,844	" 10	215	166	15·1	-	1	1	1*	1	5	
AMSTERDAM -	527,181	" 3	268	162	16·3	-	15	-	2	2	2	
ROTTERDAM -	325 556	" 3	216	102	16·1	-	2	1	-	2	2	
THE HAGUE -	205,328	" 3	106	57	14·3	-	-	-	-	-	-	
COPENHAGEN -	354,000	" 10	205	115	16·9	-	-	-	-	-	-	
STOCKHOLM -	297,148	" 3	149	74	12·9	-	-	-	5*	1	-	
CHRISTIANIA -	226,423	" 10	155	40	9·2	-	2	2	-	1	-	
ST. PETERSBURG	1,132,677	" 3	665	474	21·8	1	4	20	19	5	26	
MOSCOW - -	988,610	" 3	-	431	22·7	2	9	9	8	2	5	
BERLIN - -	1,857 859	October 27	832	562	15·6	-	10	19	9	3	3	
HAMBURG - -	691,349	November 10	-	186	14·0	-	-	3	2*	2	-	
DRESDEN - -	407,500	October 13	238	144	18·3	-	-	-	-	-	-	
BRESLAU - -	412,959	November 10	-	139	17·6	-	-	1	2	2	-	
MUNICH - -	463,000	" 3	-	216	24·3	-	2	-	6*	-	-	
VIENNA - -	1,656,662	" 10	791	564	17·5	-	18	5	12*	1	3	
PRAGUE - -	391,693	" 3	184	151	20·0	-	1	-	5	1	3	
BUDA-PESTH -	685,340	" 3	383	249	18·9	-	4	10	2	1	4	
TRIESTE - -	168,264	" 3	107	80	24·6	-	-	-	2*	1	-	
ROME - - -	518,333	October 6	191	142	14·3	-	-	-	-	-	5‖	
TURIN (10 days)-	344,203	" 10	-	-	-	-	-	-	-	-	-	
VENICE - -	174,170	" 27	51	54	16·2	-	-	-	-	1	2	
CAIRO - -	570,062	" 7	495	292	26·6	-	-	-	5*	-	11	
		" 14	460	307	28·0	1	1	-	6*	-	12	
ALEXANDRIA -	319,766	" 7	264	187	30·4	-	-	-	2*	1	3	
		" 14	238	188	30·6	-	1	-	-	-	6‡	
NEW YORK (including BROOKLYN)	3,654,594	" 20	-	-	-	-	-	-	-	-	-	
PHILADELPHIA -	1,293,697	" 27	-	396	16·0	-	-	1	15	-	7	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 16 deaths from plague in Calcutta, 74 in Bombay, one death in Madras, and one in Alexandria.
§ Including 3 deaths from cholera in Calcutta, 10 in Bombay, and 37 in Madras.
‖ Including one death from malarial fever.

1900. Month and Day	Phases of the Moon.	Mean daily reading (corrected and reduced 32° Fahrenheit).	Of the Air. High-est.	Of the Air. Low-est	Of the Air. Daily Range.	Of the Air. Mean daily value.	Of the Air. Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Of Radiation. Highest in Sun's Rays.	Of Radiation. Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
NOVEMBER.																								
SUNDAY - 11	..	29·711	44·2	26·8	17·4	36·0	− 7·2	32·5	3·5	7·5	1·6	87	72·9	20·0	52·13	Calm & SW.	WSW., W. & SW.	0·6	0·0	0·0	173	−109	0·00	0·0
MONDAY - 12	..	29·614	54·0	34·9	19·1	45·1	+ 2·2	43·8	1·3	3·7	0·0	95	59·0	28·2	51·49	SSW., SSE. & S.	S. & SSW.	5·1	0·0	0·4	339	+ 55	0·11	0·0
TUESDAY - 13	..	29·420	57·6	46·0	11·6	51·8	+ 9·0	48·8	3·0	5·7	1·4	90	68·7	37·5	51·08	SSW. & SW.	SW. & SSW.	3·8	0·0	0·2	322	+ 35	0·19	0·0
WEDNESDAY 14	Last Quarter.	29·515	51·8	39·4	12·4	46·4	+ 3·8	42·6	3·8	7·4	1·4	86	79·7	33·4	51·05	SW., SSW. & S.	NNW., NW. & W.	1·0	0·0	0·1	232	− 58	0·02	0·0
THURSDAY - 15	..	29·190	52·9	39·3	13·6	45·4	+ 2·9	43·9	1·5	6·2	0·0	94	77·1	32·6	51·03	SW., SSW. & S.	SW. & SSW.	6·9	0·0	0·5	357	+ 64	0·12	0·0
FRIDAY - 16	In Equator.	29·094	49·1	40·2	8·9	44·9	+ 2·5	43·6	1·3	5·0	0·0	95	54·0	32·6	50·84	SSE., ESE. & E.	E., NE. & NNE.	1·5	0·0	0·1	286	− 10	0·28	0·0
SATURDAY - 17	Apogee	29·630	48·0	41·9	6·1	45·5	+ 3·2	42·3	3·2	5·1	2·4	89	55·6	37·0	50·59	NNE. & N.	N. & NNE.	7·8	0·0	1·1	463	+165	0·09	0·5
MEANS -		29·453	51·1	38·4	12·7	45·0	+ 2·3	42·5	2·5	5·8	1·0	91	66·7	31·6	51·17	SSW. & NNE.		..	..	..	Sum 2172	Sum +142	Sum 0·81	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 11	v. P. till 9h. A.M.; s. P. afterwards.	3·6	9·1	Very fine with hoar frost in morning; fine and partially cloudy afterwards. Slight fog prevalent throughout the day.
MONDAY - 12	m. P. till 11h. A.M.; loss of Register till 5h. P.M.; w. P. afterwards.	0·0	9·0	Generally overcast; frequent rain.
TUESDAY - 13	w. P. generally till 4h. P.M.; m. P. afterwards.	0·0	9·0	Overcast with occasional slight rain till 4h. P.M.; partially cloudy till 6h. P.M.; generally cloudless afterwards. Lightning observed in evening.
WEDNESDAY 14	m. P. till 2h. P.M.; loss of Register afterwards.	1·0	8·9	Very fine with lunar halo in early morning; generally overcast with occasional slight rain afterwards.
THURSDAY - 15	Loss of Register till noon; v. P. and v. N. till 4h. P.M.; m. P. afterwards.	1·4	8·8	Very fine till 3h. A.M.; cloudy and showery till 4h. P.M.; cloudless and very fine afterwards.
FRIDAY - 16	w. P. generally till 9h. A.M.; v. P. and v. N. till 7h. P.M.; s. P. afterwards.	0·0	8·8	Generally cloudy; frequent rain till evening.
SATURDAY - 17	m. P. till 8h. A.M.; m. P. and v. N. till 9h. P.M.; m. P. afterwards.	0·0	8·7	Generally overcast with frequent rain till 11h. P.M.; very fine afterwards. Gusty wind after 9h. A.M.
		Sum 6·0	Sum 62·3	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·53 in. at the beginning of the week to 29·78 in. by 10h. P.M. on the 11th; decreased to 29·39 in. by 1h. P.M. on the 13th; increased to 29·62 in. by 9h. P.M. on the 14th; decreased to 29·00 in. by 7h. A.M. on the 16th; and increased to 29·85 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34–40 Bacon Street E.

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 47. 1900. VOL. LXI.] WEEK ENDING SATURDAY, NOV. 24. [Price 1½*d.*

General Register Office, Somerset House,
November 26th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·6, 16·9, and 17·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	TOWNS.	Weeks ending Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
33 Great Towns	17·6	16·9	17·6	17·6	Leicester - -	13·6	11·9	15·2	14·5
Birkenhead -	14·2	11·1	16·9	15·1	Liverpool - -	23·4	20·4	20·5	21·9
Birmingham -	20·9	18·0	18·9	17·0	London - - -	16·7	17·0	17·1	17·2
Blackburn -	14·1	12·9	16·7	18·3	Manchester - -	22·4	22·5	21·9	21·0
Bolton - -	19·4	17·1	18·7	23·2	Newcastle-on-Tyne	20·7	16·9	21·6	15·8
Bradford -	15·0	13·4	14·0	18·2	Norwich - -	9·1	11·8	9·5	10·0
Brighton -	13·9	12·2	19·3	16·8	Nottingham - -	18·0	16·5	18·7	20·4
Bristol - -	14·9	15·2	15·2	16·4	Oldham - -	19·0	16·3	17·3	15·3
Burnley -	18·8	14·3	17·0	20·1	Plymouth - -	15·3	12·2	15·3	18·4
Cardiff - -	13·4	12·1	12·1	10·5	Portsmouth - -	15·5	16·9	19·3	15·2
Croydon -	10·3	14·3	11·9	13·1	Preston - -	17·5	16·2	19·3	21·0
Derby - -	15·5	17·9	16·4	20·3	Salford - - -	25·5	26·0	24·8	24·3
Gateshead -	22·4	20·0	17·2	20·0	Sheffield - -	21·2	15·5	18·8	20·4
Halifax -	18·6	14·0	14·5	16·1	Sunderland - -	14·9	21·6	18·4	18·0
Huddersfield-	15·0	17·0	16·0	11·5	Swansea - -	15·3	13·3	14·3	20·3
Hull - -	17·0	16·2	18·3	16·4	West Ham - -	15·3	13·6	13·4	14·1
Leeds - -	16·6	16·9	19·1	16·0	Wolverhampton -	20·4	14·0	19·2	19·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·9 in Gateshead, and 3·5 in Swansea; from *whooping-cough*, 1·1 in Sheffield, 1·3 in Preston, and 1·9 in Derby; from "*fever*," 1·5 in Plymouth; and from *diarrhœa*, 1·0 in Swansea and in Gateshead, and 1·5 in Blackburn. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 76 deaths from *diphtheria* included 22 in London, 12 in Sheffield, 8 in Leicester, 6 in Leeds, 5 in Liverpool, 4 in Bradford, 3 in Brighton, and 3 in Portsmouth. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2538 BIRTHS and 1515 DEATHS were registered. Allowing for increase of population, the births were 65, and the deaths 192,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·7, 17·0, and 17·1, in the preceding three weeks, further rose last week to 17·2. During the four weeks ending on Saturday last the death-rate averaged 17·0 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1515 deaths included 21 from measles, 11 from scarlet fever, 22 from diphtheria, 27 from whooping-cough, 26 from enteric fever, 8 from diarrhœa and dysentery, 1 from cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 116 deaths were referred to these diseases, being 82 below the corrected average weekly number.

The deaths from *measles*, which had been 10, 22, and 18 in the preceding three weeks, rose again last week to 21, but were 33 below the corrected average; 4 cases belonged to Shoreditch, 3 to St. Luke, and 3 to Poplar sanitary areas. The deaths from *scarlet fever*, which had been 8, 8, and 8 in the preceding three weeks, rose last week to 11, but were 12 below the corrected average; 2 cases belonged to St. Marylebone sanitary area. The deaths from *diphtheria*, which had been 42, 35, and 32 in the preceding three weeks, further fell last week to 22, and were 33 below the corrected average; 3 cases belonged to Islington, 3 to Bermondsey, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 13, 16, and 15 in the preceding three weeks, rose last week to 27, but were 2 below the corrected average. The fatal cases of *enteric fever*, which had been 20, 25, and 17 in the preceding three weeks, rose again last week to 26, and were 3 above the corrected average; 5 cases belonged to St. Pancras, 2 to Bethnal Green, 2 to Battersea, 2 to Wandsworth, and 2 to Greenwich sanitary areas. The deaths from *diarrhœa*, which had been 27, 23, and 18 in the preceding three weeks, further fell last week to 8, and were 6 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 268, 307, and 352 in the preceding three weeks, fell again last week to 322, and were 105 below the corrected average. The deaths attributed directly to *influenza* numbered 12, having been 7, 13, and 17 in the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all but 2 of which inquests were held. Of these 51 deaths, 4 were cases of suicide, while the remaining 47 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 4 to drowning, and 6 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 2725 of scarlet fever, 1535 of diphtheria, and 442 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 246 cases, against 336, 289, and 261; of diphtheria, 155 cases, against 191, 215, and 207; and of enteric fever, 53 cases, against 72, 67, and 67.

Greater London.

In Greater London 3643 births and 2059 deaths were registered, corresponding to annual rates of 28·6 and 16·1 per 1000 of the estimated population. In the Outer Ring 9 deaths from measles, 2 from scarlet fever, 15 from diphtheria, 12 from whooping-cough, 7 from "fever," and 5 from diarrhœa were registered. Six deaths from diphtheria, and 4 from "fever" occurred in West Ham district; 3 deaths from diphtheria occurred in Dartford district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 42°·4; the latter being 0°·2 above the week's average in the 50 years 1841-90. The direction of the wind was easterly, the horizontal movement of the air being 8 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 6·4 hours; the measured rainfall amounted to 0·09 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births in the Week ending 24th Nov. 1900.	Deaths in the Week ending 24th Nov. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Week's Deaths. From All Causes.	Week's Deaths. From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rain. In Inches.	Rain. In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,610,296**	**6323**	**3924**	**946**	**942**	-	**58**	**38**	**76**	**68**	**65**	**46**	**143**	**318**	**880**	**51**	**17·6**	**1·6**	**52·2**	**27·8**	**41·1**	**5·06**	**0·28**	**0·71**	33 Towns.
London - -	4,589,129	2538	1515	361	405	-	21	11	22	27	26	8	51	138	470	10	17·2	1·3	49·1	33·4	42·4	5·78	0·09	0·23	London.
West Ham - -	314,472	173	85	25	15	-	2	1	2	-	3	1	4	8	12	-	14·1	1·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,136	53	33	8	14	-	2	-	1	1	1	-	1	4	7	-	13·1	2·0	48·0	31·3	41·4	5·22	0·16	0·41	Croydon.
Brighton - -	124,148	69	40	7	11	-	2	-	3	2	1	-	1	1	14	-	16·8	3·4	52·2	32·0	43·7	6·50	0·43	1·09	Brighton.
Portsmouth -	194,955	92	57	6	17	-	-	-	3	-	3	-	4	4	14	2	15·2	1·6	51·5	36·0	43·3	6·28	0·32	0·81	Portsmouth.
Plymouth - -	162,161	59	36	5	7	-	-	-	1	-	3	-	2	4	3	-	18·4	2·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	175	102	22	32	-	-	1	1	1	-	-	4	10	16	-	16·4	0·5	45·6	31·0	40·2	4·56	0·02	0·05	Bristol.
Cardiff - -	194,247	99	39	11	12	-	-	-	-	-	-	1	1	1	3	-	10·5	0·3	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	50	41	8	14	-	7	-	-	1	1	2	-	1	5	1	20·3	5·4	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	57	33	12	5	-	-	-	-	-	-	-	-	1	3	-	19·2	-	45·9	28·1	37·5	3·06	0·24	0·61	Wolverhampton.
Birmingham -	519,610	280	169	45	23	-	2	6	-	3	9	1	7	10	33	5	17·0	2·1	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	62	22	7	6	-	-	-	-	-	-	1	1	1	1	-	10·0	0·5	50·2	35·0	43·0	6·11	0·59	1·50	Norwich.
Leicester - -	219,169	112	61	14	15	-	-	-	8	-	-	-	1	3	18	-	14·5	1·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	107	95	19	25	-	1	1	-	1	4	1	3	3	17	1	20·4	1·7	46·0	33·0	40·1	4·50	0·14	0·36	Nottingham.
Derby - - -	107,991	55	42	13	11	-	-	-	-	4	-	-	3	6	10	-	20·3	1·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	81	34	10	8	-	-	-	1	1	-	-	-	2	4	-	15·1	0·9	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	429	267	61	57	-	4	2	5	2	2	7	19	25	66	9	21·9	1·8	48·0	34·6	40·7	4·83	0·38	0·97	Liverpool.
Bolton - -	164,240	108	73	24	13	-	-	1	1	-	1	1	5	12	10	-	23·2	1·3	-	-	-	-	-	-	Bolton.
Manchester -	543,768	295	221	47	46	-	2	-	1	2	2	4	5	13	46	2	21·0	1·0	-	-	-	-	-	-	Manchester.
Salford - -	220,816	113	103	24	16	-	-	4	2	1	-	1	1	8	10	-	24·3	1·9	-	-	-	-	-	-	Salford.
Oldham - -	153,297	69	45	12	6	-	-	1	-	1	-	2	2	8	2	-	15·3	1·4	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	46	45	9	11	-	-	1	1	2	-	1	-	1	5	1	20·1	2·2	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	59	48	8	10	-	1	2	1	2	2	4	-	-	4	-	18·3	4·6	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	66	48	8	10	-	-	-	1	3	2	1	-	-	3	2	21·0	3·1	47·0	34·0	41·4	5·22	0·00	0·00	Preston.
Huddersfield -	104,484	39	23	1	6	-	1	1	-	-	-	-	1	1	1	3	11·5	1·0	44·8	27·8	39·0	3·89	0·45	1·14	Huddersfield.
Halifax - -	100,710	38	31	7	8	-	-	-	-	1	1	1	1	1	7	2	16·1	1·6	-	-	-	-	-	-	Halifax.
Bradford - -	291,535	120	102	24	25	-	1	2	4	-	-	-	3	8	16	2	18·2	1·3	48·2	31·0	41·2	5·11	0·13	0·33	Bradford.
Leeds - - -	431,287	228	132	33	36	-	5	-	6	1	-	1	7	13	18	1	16·0	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	235	143	35	30	-	-	1	12	8	3	3	4	6	26	4	20·4	3·8	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	125	75	24	19	-	1	2	-	1	-	1	3	10	11	1	16·4	1·1	46·0	31·0	40·0	4·44	0·66	1·68	Hull.
Sunderland -	147,398	85	51	16	10	-	1	1	-	2	1	1	2	3	6	2	18·0	2·1	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	72	42	19	7	-	4	-	-	1	-	2	2	2	5	3	20·0	3·3	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	134	71	21	12	-	1	-	-	-	-	1	5	10	14	-	15·8	0·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2206	2395	2391	2529	2704	2596	2688	2523	2155	2556	2603·0	2538
Males - -	1059	1175	1223	1317	1379	1314	1400	1295	1082	1267	1316·2	1311
Females - -	1147	1220	1168	1212	1325	1282	1288	1228	1073	1289	1286·8	1227
TOTAL **Deaths** -	1716	1612	1447	2190	1326	1488	1688	1793	1439	1526	1706·9	1515
Males - -	827	804	717	1102	655	770	838	891	719	798	854·3	761
Females - -	889	808	730	1088	671	718	850	902	720	728	852·6	754

*The numbers in this column are the average weekly numbers in the forty-seventh week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov 24.
TOTAL **Births** - - -	2763	2628	2519	2448	2239	2319	2429	2485	2238	2392	2500	2523	2538
TOTAL **Deaths** - - -	1776	1582	1470	1449	1471	1391	1305	1392	1403	1466	1498	1505	1515
Ages at Death: Under 1 year - -	801	625	469	419	437	393	327	356	352	351	347	369	361
1—5 years - -	187	167	180	161	173	148	149	149	143	148	173	172	158
5—20 " - -	71	91	64	84	65	67	72	87	100	102	81	90	87
20—40 " - -	167	151	208	196	175	188	179	186	187	190	209	217	209
40—60 " - -	279	239	265	251	279	287	256	279	266	304	311	311	295
60—80 " - -	215	265	230	282	273	256	261	270	288	302	309	283	325
80 years and upwards	56	44	54	56	69	52	61	65	67	69	68	63	80
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	11	22	17	9	13	4	11	8	20	10	22	18	21
Scarlet Fever - - -	5	4	3	3	5	14	7	8	10	8	8	8	11
Diphtheria - - - -	19	19	17	30	40	29	26	36	39	42	35	32	22
Whooping-cough - - -	39	31	57	48	27	18	27	20	18	13	16	15	27
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	8	15	23	14	18	15	22	19	22	20	25	17	26
Simple Continued Fever -	1	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	380	259	165	132	120	110	75	55	43	27	23	18	8
Cholera - - - -	12	3	1	1	3	-	-	-	-	1	-	-	1
All the above Diseases -	475	353	283	237	226	190	168	146	152	121	129	108	116
Dis. of Respiratory System -	138	124	161	203	187	164	173	182	236	268	307	352	322
Phthisis - - - - -	150	128	151	120	141	135	125	141	141	152	137	150	134
Dis. of Circulatory System -	121	117	119	97	124	104	129	144	140	148	137	140	145
Violence - - - -	45	53	69	64	61	62	60	59	62	70	71	73	51
Inquest Cases - - - -	111	110	135	119	129	129	120	137	141	149	159	157	138
Deaths in Public Institutions -	450	486	449	464	435	445	428	476	447	467	490	469	470
TEMPERATURE OF THE AIR.													
Mean - - - - -	59°·2	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4
Mean of Highest readings -	66°·8	67°·3	68°·9	73°·3	66°·9	63°·0	63°·7	53°·9	53°·0	57°·8	53°·6	51°·1	46°·2
Mean of Lowest readings -	52°·8	45°·4	48°·9	50°·7	48°·9	45°·5	46°·6	42°·4	40°·8	48°·5	44°·4	38°·4	37°·7
Humidity of the Air - -	77	74	73	76	79	78	78	75	84	88	83	91	85
Rain-fall (in inches) - -	0·62	0·00	0·00	0·07	0·35	0·54	0·03	0·05	0·30	0·92	0·41	0·81	0·09
Registered Sunshine (in hours)	21·8	40·8	44·1	41·9	32·5	30·5	34·8	21·3	14·0	13·2	18·8	6·0	6·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	2	3	3	2	2	1	1	1	1	1	-	-	2
Scarlet Fever - - - -	1703	1736	1753	1804	1938	2071	2187	2341	2489	2619	2702	2728	2725
Diphtheria - - - -	1179	1187	1212	1232	1238	1286	1314	1380	1465	1472	1521	1556	1535
Enteric Fever - - - -	170	189	212	273	329	371	405	430	429	444	456	454	442

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-SEVENTH Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 47th Week of the 10 years 1890-99*.	In the Week ending Saturday, 24th November, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	1706·9	1515	361	158	87	209	295	325	80
- Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·1	-	-	-	-	-	-	-	-
s - - - -	53·8	21	5	16	-	-	-	-	-
Fever - - -	23·0	11	-	10	1	-	-	-	-
s - - - -	0·2	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	13·4	12	-	-	2	1	3	4	2
oing-cough - -	29·2	27	13	14	-	-	-	-	-
neria - -	54·6	22	1	16	5	-	-	-	-
Continued and	0·3	-	-	-	-	-	-	-	-
efined Fever -	22·5	26	-	-	7	15	4	-	-
c Fever - - -	0·3	1	1	-	-	-	-	-	-
a and Chol. Diarr.	13·6	8	6	-	-	-	-	2	-
hœa, Dysentery -	-	-	-	-	-	-	-	-	-
tent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	0·1	-	-	-	-	-	-	-	-
ers - - - -	0·5	-	-	-	-	-	-	-	-
ox and Effects of	9·5	7	5	1	-	-	-	1	-
ination - -	5·9	4	1	-	-	1	2	-	-
eal Affections - -	2·3	2	-	1	-	-	1	-	-
pelas - - -	6·3	5	-	-	-	5	-	-	-
ia and Septicæmia	1·5	-	-	-	-	-	-	-	-
eral Fever - -									
Zymotic Diseases									
h - - - - -	0·8	-	-	-	-	-	-	-	-
s and other Para-	0·1	-	-	-	-	-	-	-	-
al Diseases -									
ation, Want of	2·0	2	2	-	-	-	-	-	-
ast-milk - -	10·4	18	-	-	-	6	12	-	-
olism - - -									
matic Fever,	10·2	10	-	-	3	3	3	1	-
umatism of Heart	3·2	2	-	-	1	-	-	1	-
matism - - -	2·6	2	-	-	-	-	1	-	1
- - - - -	4·8	5	-	5	-	-	-	-	-
ts - - - -	73·5	90	-	-	3	6	35	40	6
er - - - -	15·1	15	5	5	2	2	1	-	-
Mesenterica - -	23·4	25	4	11	9	1	-	-	-
rcular Meningitis -	166·4	134	1	1	9	60	53	10	-
sis - - - -	19·1	22	6	3	4	6	2	1	-
ula, Tuberculosis -	14·4	20	1	1	1	4	4	8	1
Constitutional									
eases - -									
ature Birth - -	48·6	62	62	-	-	-	-	-	-
ctasis - - -	5·5	4	4	-	-	-	-	-	-
enital Malforma-	8·0	8	7	-	1	-	-	-	-
ns - - - -	48·1	43	-	-	-	-	-	20	23
age - - - -									
plexy - - -	45·2	54	-	1	1	1	18	30	3
ypsy - - - -	6·3	6	1	-	3	1	-	1	-
ulsions - - -	36·9	25	23	2	-	-	-	-	-
r Diseases of Brain	79·8	71	8	3	3	10	20	21	6
d Nervous System									
ases of Organs of	4·1	3	1	1	-	1	-	-	-
ecial Sense -									

CAUSES OF DEATH	Corrected Averages for the 47th Week of the 10 years 1890-99*.	In the Week ending Saturday, 24th November, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	147·5	145	2	-	10	27	44	55	7
Croup - - - -	4·4	-	-	-	-	-	-	-	-
Bronchitis - - -	241·4	158	66	12	2	4	15	47	12
Pneumonia - - -	143·5	139	55	36	5	6	16	17	4
Pleurisy - - - -	7·0	8	-	-	-	2	4	1	1
Other Diseases of Respiratory System -	30·3	17	2	1	-	3	2	4	5
Dentition - - - -	6·0	5	4	1	-	-	-	-	-
Quinsy, Sore Throat -	2·5	2	1	-	-	1	-	-	-
Enteritis - - -	12·5	12	3	1	3	2	-	3	-
Gastro-enteritis -		9	7	1	-	1	-	-	-
Peritonitis - - -	5·9	10	1	1	1	1	4	2	-
Diseases of Liver - -	23·6	23	-	-	1	5	9	7	1
Other Diseases of Digestive System	28·9	36	10	4	2	8	6	4	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	3	-	-	1	2	-	-	-
Diseases of Urinary System - - -	46·9	56	-	1	2	4	14	31	4
Diseases of Generative System - - -	5·8	8	-	1	-	4	2	1	-
Accidents of Childbirth -	5·3	6	-	-	-	5	1	-	-
Diseases of Locomotive System - - -	5·3	3	-	-	-	2	1	-	-
Diseases of Integumentary System - -	7·6	9	2	1	-	-	2	4	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		2	-	-	-	-	2	-	-
By Vehicles or Horses -		7	-	-	-	-	4	3	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	54·8	3	-	1	2	-	-	-	-
By Drowning - - -		4	-	1	-	3	-	-	-
By Suffocation in Bed -		6	6	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	1	-	-	-	-	-
Other or not stated causes - - - -		24	2	2	3	5	6	4	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·7	-	-	-	-	-	-	-	-
Suicide - - - -	8·0	4	-	-	-	1	3	-	-
Execution - - -	0·1	-	-	-	-	-	-	-	-
OTHER CAUSES - -	50·7	48	43	2	-	-	1	2	-

The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase opulation.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered lical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the se of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ident, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 24th November, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2538	1515	361	405	-	21	11	22	27	-	26	-	8	51	138	470
WEST DISTRICTS - - -	778,251	394	265	52	88	-	3	1	2	4	-	1	-	2	8	20	97
NORTH DISTRICTS - - -	1,040,694	559	297	60	79	-	2	2	5	5	-	6	-	1	11	25	80
CENTRAL DISTRICTS - - -	233,635	123	98	27	21	-	3	-	-	-	-	1	-	-	1	6	29
EAST DISTRICTS - - -	716,334	457	279	77	60	-	8	-	2	4	-	5	-	2	16	46	101
SOUTH DISTRICTS - - -	1,642,796	1005	543	145	143	-	4	6	12	14	-	13	-	3	15	41	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	33	-	14	-	1	2	1	-	-	-	-	-	-	-	33
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	66	34	7	10	-	-	-	-	1	-	-	-	-	2	3	5
St. John Paddington *H* - - G.	33,510	9	15	1	4	-	-	-	-	1	-	-	-	-	-	-	10
Kensington Town *Ww* - - W.	122,164	61	49	15	18	-	-	-	-	-	-	-	-	-	1	4	21
Brompton *HH* - - W. & C.	48,301	6	13	1	4	-	-	-	-	-	-	-	-	-	1	3	3
North Hammersmith *H* W. & G	44,638	20	8	3	3	-	1	-	-	-	-	-	-	-	-	-	-
South Hammersmith *H* W. & G	59,561	38	13	3	6	-	-	-	-	-	-	-	-	-	-	2	1
Fulham *Ww* - - - W. & C.	113,781	94	46	10	12	-	2	1	2	1	-	-	-	-	-	1	16
Chelsea Kensal Town - C.	21,450	9	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North *WHHHH* - C.	42,057	19	23	1	6	-	-	-	-	-	-	-	-	-	2	1	15
Chelsea South *HH* - - C.	33,139	15	5	1	-	-	-	-	-	1	-	-	-	-	1	1	1
May Fair *WH* - - - - G.	23,827	5	17	3	10	-	-	-	-	-	-	-	-	1	1	2	14
Belgrave *WHHH* - - - C.	56,140	21	22	2	8	-	-	-	-	-	-	-	-	-	-	-	7
St. John Westminster *HH* - C.	31,492	18	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-
St. Margaret Westminster *H* C.	22,097	4	7	-	1	-	-	-	-	-	-	-	-	-	-	-	4
St. James Westminster *WH* N. & G.	23,050	4	5	2	2	-	-	-	-	-	-	1	-	1	-	1	-
St. Anne Soho *HHHHH* - N.	12,048	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	14	14	1	3	-	-	-	-	-	-	1	-	-	-	-	6
Rectory Marylebone *W* G. & W.	19,798	5	5	2	-	-	-	-	-	1	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	18	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	23	27	2	7	-	-	2	1	-	-	3	-	-	1	1	11
Regent's Park † *HH* - W.	51,403	26	9	3	1	-	1	-	-	-	-	-	-	-	-	-	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	11	13	4	1	-	-	-	-	-	-	1	-	-	-	-	7
Gray's Inn Lane *HHHH* - N.	29,426	14	8	1	2	-	-	-	-	-	-	-	-	-	-	-	3
Somers Town *HH* - - - N.	32,161	23	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Camden Town† *WH* - - N.	40,155	30	20	5	9	-	1	-	-	-	-	-	-	-	3	3	9
Kentish Town† *WW* - - N.	60,862	40	19	5	5	-	-	-	-	1	-	-	-	-	-	1	-
Upper Holloway *WWWWwHH* - - N.	98,273	65	33	8	11	-	-	-	-	-	-	-	-	1	1	4	20
Lower Holloway‡ - - - N.	41,805	30	13	6	2	-	-	-	-	2	-	-	-	-	-	2	-
Barnsbury‡ - - - - N.	56,384	35	17	7	1	-	-	-	1	1	-	-	-	-	1	2	-
Islington South-east‡ *H* - N.	75,725	32	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *HH* - - - N.	64,577	25	17	1	8	-	-	-	-	-	-	-	-	-	-	1	2
Stoke Newington *H* - - N.	33,485	20	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	16	8	2	3	-	-	-	-	-	-	-	-	-	1	3	-
Central Hackney *ww* - E. & N.		25	18	2	5	-	-	-	3	-	-	1	-	-	-	2	4
South-west Hackney *HHH* E. & N.		31	18	2	4	-	-	-	-	-	-	-	-	-	2	3	5
South-east Hackney *WwH* E. & N.		37	23	4	5	-	-	-	-	-	-	-	-	-	2	3	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-ea Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 24th November, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
sbury and St. Giles } h *WH* - - - N.	29,086	20	5	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
les North *H* - - - N.	9,151	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rtin-in-the-Fields *HH* N. & C.	13,077	4	6	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-
d *WHH* - - - - N.	11,839	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
l Union Workhouse, Edmonton	†1,037	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
rn *WwHHHHH* - N.	31,042	10	8	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
nes Clerkenwell - - N.	15,777	6	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	13	13	4	3	-	-	-	-	-	-	-	-	-	-	1	-	1
ell-street - - - - N.	16,069	17	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
road *HHHHL* - - N.	29,897	31	15	6	1	-	3	-	-	-	-	-	-	-	-	-	4	1
ury* - - - - - N.	11,630	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, } ham - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tolph‡ *H* - - N. & E.	13,061	7	9	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-
pulchre *WH* - - - N.	9,591	5	14	3	2	-	-	-	-	-	-	1	-	-	1	1	13	-
llows Barking - - - N.	9,059	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f London Asylum, Stone - -	†388	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
ditch South *Hl* - E. & N.	17,975	10	5	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
on New Town *w* - - N.	29,575	14	15	2	7	-	1	-	1	-	-	-	-	-	-	4	6	-
on Old Town - - - N.	27,645	18	9	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-
erston *WH* - - N. & E.	47,163	21	34	10	7	-	3	-	-	-	-	-	-	-	2	6	17	-
al Green North *H* - E.	49,301	35	13	5	3	-	-	-	-	-	-	-	-	-	1	2	1	-
al Green South - - E.	34,194	21	4	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-
al Green East *WWHl* - E.	45,667	18	21	2	8	-	-	-	-	-	-	-	-	-	1	2	13	-
fields - - - E. & N.	26,681	18	7	4	2	-	-	-	-	-	-	-	-	-	1	3	-	-
End New Town *WH* - E.	} 51,995 {	23	37	5	3	-	-	-	-	-	-	4	-	-	3	6	32	-
man's Fields - - - E.		16	6	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-
orge's, North - - - E.	39,576	43	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
hn, St. George East *W* E.	7 930	7	14	3	5	-	-	-	-	1	-	-	-	-	-	-	12	-
well *H* - - - E. & N.	10,434	5	8	1	1	-	-	-	-	1	-	-	-	-	1	1	4	-
iff *W* - - - - E.	14,954	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
house - - - - E.	32,917	23	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-
End Old Town West *H* E. } End Old Town East } *Vww* - E.	} 111,060 {	40	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		31	13	5	4	-	1	-	-	1	-	-	-	-	1	1	2	-
l - - - - E.	41,687	30	10	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ley *wwwH* - - - E.	69,821	36	40	9	9	-	3	-	-	-	-	-	-	-	3	8	13	-
ar *WW* - - - - E.	57,759	43	16	7	2	-	-	-	-	1	-	-	-	1	2	5	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 24th November, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 65 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL* & S.	13,064	7	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Saviour Southwark - - S.	12,301	4	5	2	-	-	-	-	-	1	-	-	-	-	-	2	-
Kent-road - - - - S. & L.	22,879	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	8	7	1	-	-	-	-	1	-	-	-	-	-	-	3	1
London-road *HL* - - L. & S.	21,316	15	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	18	8	4	1	-	-	-	-	-	-	1	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	47	21	8	8	-	-	-	-	-	-	-	-	-	-	2	-
St. Mary Newington- - L. & S.	30,171	16	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *WH* - - - - S.	11,731	12	14	2	1	-	-	-	1	-	-	-	-	-	2	4	10
Bermondsey *W* - - - S.	85,475	56	21	11	2	-	-	-	-	1	-	-	-	-	-	1	1
Rotherhithe *Ww* - S. & K.	40,379	27	20	3	7	-	-	-	-	1	-	1	-	-	-	-	8
Waterloo-road *HH* - L. & S.	28,396	27	12	7	-	-	-	-	-	-	-	-	-	-	-	1	1
Lambeth Church 1st *H* - L. & S.	18,770	12	16	5	1	-	-	-	-	-	-	-	-	-	2	3	11
Lambeth Church 2nd *WW* L. & S.	40,994	26	17	1	8	-	-	-	-	-	-	-	-	-	-	-	13
Kennington 1st *H* - - S. & L.	52,486	37	8	5	2	-	-	-	-	1	-	-	-	-	-	-	1
Kennington 2nd - - S. & L.	43,244	19	12	2	4	-	-	-	-	2	-	1	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	41	30	11	8	-	-	1	3	1	-	-	-	1	-	-	5
Norwood *WH* - - - - L.	29,318	15	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	40	15	4	3	-	1	-	-	1	-	-	-	-	2	3	-
North-west Battersea† - - S.	93,385	32	13	2	6	-	-	-	-	1	-	-	-	-	-	1	-
South-west Battersea† *WwH* - S.		19	14	2	6	-	-	-	-	-	-	1	-	-	-	1	8
Clapham *H* - - - - - S.	46,953	23	17	6	5	-	-	-	-	1	-	-	-	-	-	-	2
Streatham *WwwwwL* - - L.	61,644	45	23	4	8	-	1	2	1	-	-	2	-	-	-	3	8
Wandsworth *WHHL* - - S.	58,101	35	20	9	3	-	-	-	-	1	-	2	-	-	-	2	-
Putney - - - - - - S.	20,566	10	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	56	44	6	16	-	-	-	-	-	-	-	-	-	1	1	21
Peckham *WW* - S., L., & K.	88,242	56	27	8	6	-	-	-	-	-	-	-	-	-	1	2	-
St. George Camberwell - L. & S.	67,029	46	16	9	3	-	-	-	-	-	-	-	-	1	-	1	-
Deptford North - - - K.	36,152	22	12	3	3	-	-	-	-	1	-	-	-	-	2	2	-
Deptford Central *w* - - K.	45,441	30	11	2	-	-	-	2	1	-	-	2	-	-	-	-	5
Deptford South - - - K.	33,402	13	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West *H* - - K.	23,012	14	10	2	2	-	-	-	-	-	-	1	-	-	-	-	3
Greenwich East *WH* - - K.	37,767	23	18	2	4	-	1	-	-	-	-	-	-	-	2	2	10
Eltham *wH* - - - - K.	5,911	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	33	18	2	7	-	-	-	4	-	-	2	-	-	-	-	11
Sydenham *H* - - - - L.	37,601	19	9	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	14	7	1	2	-	-	1	1	-	-	-	-	-	-	-	4
Woolwich* *HHHH* - - K.	41,314	19	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1
Plumstead West *H* - - K.	16,714	12	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	32	17	5	4	-	-	-	-	2	-	-	-	1	3	5	6
Banstead Asylum - - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Horton Asylum, Epsom - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Caterham Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cane Hill Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell Asylum - - - -	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Central London Sick Asylum, Hendon	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch Asylum - - -	—	-	6	-	6	-	-	-	-	-	-	-	-	-	-	-	6
N.E. Hospital - - - - -	—	-	4	-	-	-	1	2	1	-	-	-	-	-	-	-	4
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Claybury Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

: 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES IOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week nding Saturday, 24th November, 1900.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
NDON—OUTER RING -	368,749	1,422,063	1105	544	148	163	-	9	2	15	12	7	5	18	38	85	4
Carshalton *H* - - -	12,228	26,108	13	12	1	3	-	-	-	1	-	-	-	1	2	3	-
Epsom, *part of** *WwHHH*	10,423	12,508	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croydon *WWwHHH* -	20,851	128,699	66	40	9	18	-	2	-	1	2	1	-	2	5	8	-
Mitcham *w* - - -	11,697	23,072	11	3	-	1	-	-	-	-	-	-	-	2	2	-	-
Wimbledon *HHH* - -	3,220	25,777	21	8	2	5	-	-	-	-	-	-	-	-	1	1	-
Kingston *WH* - - -	14,672	33,566	16	14	3	3	-	3	-	-	-	-	-	-	1	1	-
Surbiton *HH* - - -		12,178	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Esher, *part of** *H* - -		11,080	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton *HL* - - -	4,565	18,252	5	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Richmond *WHH* - -	2,160	25,389	8	12	3	5	-	-	-	-	-	-	-	1	1	2	-
Mortlake *H* - - -	2,823	16,159	13	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Bromley *HHH* - - -	9,127	23,815	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Beckenham *H* - - -	6,542	21,969	15	7	1	4	-	-	-	-	-	-	-	1	1	1	-
Chislehurst, *part of** *WHH*	14,307	20,372	13	4	1	2	-	-	-	-	-	-	-	-	-	1	-
Bexley *HHH* - - -	12,540	30,590	29	12	4	3	-	-	-	-	-	-	-	-	-	-	-
Dartford *WH*, *part of** -	—	—	-	4	-	-	-	-	-	3	-	-	-	-	-	4	-
Sunbury *w* - - -	11,054	13,671	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Staines *WH* - - -	13,277	13,221	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon *WHH* - -	6,035	12,237	7	8	-	5	-	-	-	-	-	-	-	-	-	5	-
Uxbridge - - - -	12,757	7,253	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes *wH* - - - -	7,952	11,051	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth *WHH* - -	6,967	26,004	24	23	7	8	-	1	-	-	-	-	1	1	1	11	-
Twickenham *HH* - -	2,415	16,027	15	7	1	3	-	-	-	-	1	-	-	-	-	1	-
Brentford *HHHH* - -	4,318	37,777	11	8	3	2	-	-	-	1	-	-	-	1	2	2	-
Chiswick - - - -	1,245	21,963	19	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Acton *wHH* - - -	6,132	30,945	30	13	4	6	-	-	-	-	-	-	-	-	-	-	-
Harrow *HHH* - - -	13,809	15,715	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Edgware *HH* - - -	6,994	3,844	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-
Willesden *HHH* - -	4,383	61,265	64	33	9	8	-	-	-	2	1	-	-	-	1	1	2
Hendon *WH* - - -	8,382	15,843	14	12	1	8	-	-	-	-	-	-	-	-	-	2	-
South Mimms *HH* - -	21,077	6,367	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnet *WHH* - - -		14,152	6	5	1	2	-	-	-	-	1	-	1	-	-	1	1
Finchley *HHH* - - -	4,688	25,820	19	8	2	4	-	-	-	-	-	-	-	1	1	-	-
Hornsey *HH* - - -	3,039	61,097	40	12	4	7	-	-	-	-	-	-	-	-	-	-	-
Tottenham *HHH* - -	4.642	97,174	88	35	11	4	-	-	-	-	1	-	-	3	3	3	-
Edmonton *Ww* - -	7,489	36,351	30	24	9	6	-	1	-	1	-	-	1	-	2	7	-
Enfield *WWHH* - -	12,602	31,536	21	10	2	4	-	-	-	-	-	-	-	-	-	1	1
Waltham Abbey - - -	11,017	6,066	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt *H* - - -	8,480	9,620	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey *H* - - - -	9,331	7,737	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford *H* - - -	4,706	38,612	35	19	9	1	-	-	-	-	-	1	-	1	2	1	-
Plaistow *HHH* - - -		58,030	70	27	8	5	-	2	1	1	-	1	1	1	3	4	-
Canning Town *H* - -		54,750	48	20	5	2	-	-	-	1	-	1	-	2	3	1	-
Forest Gate *w* - - -		53,511	20	13	3	5	-	-	-	-	-	-	-	-	-	-	-
East Ham *wHHH* - -	3,266	32,713	68	33	15	3	-	-	1	2	3	-	-	1	3	2	-
Wanstead† - - - -	4,334	7,042	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton† *WW* - -		38,232	44	25	5	8	-	-	-	-	-	-	-	-	1	13	-
North Leyton† *WwH* -		24,874	27	8	4	3	-	-	-	-	-	-	-	-	-	-	-
Walthamstow *HHHL* -	6,501	57,370	63	28	5	8	-	-	-	2	2	1	-	-	3	3	-
Chigwell, *part of** *HHHH*	11,779	12,941	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-
Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, *part of** *W* -	6,556	4,324	6	5	-	2	-	-	-	-	-	-	-	-	-	3	-
Ilford *H* - - - -	8,493	10,913	15	8	3	3	-	-	-	-	-	1	-	-	-	1	-
Barking Town, *H* - -	3,814	14,301	14	8	7	-	-	-	-	-	-	-	-	-	-	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, excepting Warlingham and Farley parishes; 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham sh. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 also included.

†86: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 24th November, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE of MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	16·1	1·3	2059	509	568	-	30	13	37	39	33	13	69
INNER LONDON -	74,672	4,589,129	17·2	1·3	1515	361	405	-	21	11	22	27	26	8	51
OUTER RING -	368,749	2,063,016	13·7	1·3	544	148	163	-	9	2	15	12	7	5	18

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	November 24	133	98	16·9	-	2	-	1	-	-
GLASGOW - -	743,585	" 24	432	308	21·6	1	1	5	2	17	3
DUBLIN - -	349,594	" 24	168	175	26·1	-	-	-	1	5	8
CALCUTTA - -	466,460	September 29	-	469	52·4	9	-	-	-	1	189‡
BOMBAY - -	821,764	October 30	247	817	51·7	1	-	?	?	?	159‡
MADRAS - -	452,518	" 26	476	451	51·8	3	3	?	?	?	136‡
PARIS - - -	2,511,629	November 17	1098	908	18·7	15	2	4	4*	3	16
BRUSSELS - -	570,844	" 17	253	175	15·9	-	-	-	-	1	2
AMSTERDAM -	527,181	" 10	318	162	16·3	-	15	1	3	2	-
ROTTERDAM -	325,556	" 10	251	92	14·5	-	1	-	1	1	2
THE HAGUE -	205,328	" 10	113	47	11·8	-	1	-	-	-	-
COPENHAGEN -	354,000	" 17	185	95	14·0	-	-	1	-	-	3
STOCKHOLM -	297,148	" 10	143	83	14·5	-	1	-	2*	2	-
CHRISTIANIA -	226,423	" 17	133	52	11·8	-	1	2	-	2	1
ST. PETERSBURG	1,132,677	" 10	684	501	23·1	2	11	23	18	3	19
MOSCOW - -	988,610	" 10	-	446	23·5	-	4	7	8	2	-
BERLIN - -	1,857,859	" 3	841	589	15·6	-	7	14	17	7	3
HAMBURG - -	691,349	" 17	-	188	14·1	-	-	2	3*	2	-
DRESDEN - -	407,500	October 20	249	131	16·6	-	-	3	2*	1	-
BRESLAU - -	412,959	November 17	-	161	20·3	-	-	-	2	2	-
MUNICH - -	463,000	" 10	-	205	23·0	-	3	-	1*	2	-
VIENNA - -	1,656,662	" 17	1031	534	16·6	-	25	2	7*	2	3
PRAGUE - -	391,693	" 10	199	119	15·7	-	-	-	1	-	-
BUDA-PESTH -	685,340	" 10	422	237	18·0	-	3	8	2	1	2
TRIESTE - -	168,264	" 10	76	71	21·8	-	-	-	2*	-	2
ROME - - -	518,333	October 13	247	173	17·4	-	-	-	1	-	7
TURIN (10 days)-	344,203	" 10	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	November 3	60	65	19·5	-	-	-	5*	-	-
		" 10	65	60	18·0	-	-	-	2*	-	1
CAIRO - -	570,062	October 21	426	332	30·3	-	1	-	5*	-	4
ALEXANDRIA -	319,766	" 21	222	207	33·7	-	-	-	-	-	8
NEW YORK (including BROOKLYN)	3,654,594	" 20	1654	1146	17·4	-	1	1	35	4	16
		" 27	1536	1203	18·2	-	4	5	37	8	32
PHILADELPHIA -	1,293,697	November 3	-	376	15·2	-	-	1	20	-	7

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 20 deaths from plague in Calcutta, 85 in Bombay, and one death in Madras.
§ Including 52 deaths from cholera in Calcutta, 10 in Bombay, and 14 in Madras.
‖ Including 2 deaths from malarial fever.

1900. Month and Day	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
NOVEMBER.																									
SUNDAY - 18	..	30·065	46·9	39·6	7·3	43·8	+ 1·6	37·9	5·9	7·0	3·4	80	62·5	35·0	50·39	NNE. & N.	N. & NNE.	8·9	0·0	2·0	591	+292	0·09	1·5
MONDAY - 19	..	30·089	45·0	38·5	6·5	41·3	- 0·9	33·4	7·9	12·3	4·4	73	64·9	34·0	50·10	N. & NNE.	NNE. & NE.	5·5	0·0	0·9	455	+155	0·01	0·0
TUESDAY - 20	..	29·823	44·2	37·4	6·8	41·8	- 0·3	40·2	1·6	4·1	0·0	94	52·4	33·1	49·73	NNE. & NE.	NE. & NNE.	2·9	0·0	0·2	295	- 6	0·07	0·0
WEDNESDAY 21	..	29·586	45·1	41·8	3·3	43·9	+ 1·8	40·4	3·5	5·1	2·4	87	49·8	37·0	49·40	NE. & NNE.	N. & NNW.	2·3	0·0	0·2	273	- 28	0·00	0·0
THURSDAY- 22	New	29·620	45·9	39·6	6·3	43·0	+ 0·8	37·7	5·3	8·4	1·5	82	52·1	31·7	49·19	NW, WNW. & WSW.	WSW & SW.	1·1	0·0	0·1	258	- 42	0·01	0·0
FRIDAY - 23	Greatest Dec. S.	29·581	49·1	33·8	15·3	41·4	- 0·7	37·4	4·0	9·5	1·0	86	79·7	25·7	49·07	SW. & SSW.	S., SE. & ESE.	1·1	0·0	0·0	212	- 87	0·00	0·0
SATURDAY- 24	..	29·532	46·9	33·4	13·5	41·4	- 0·7	39·4	2·0	4·2	1·6	92	60·7	23·8	48·79	ESE.	ESE. & SE.	1·6	0·0	0·0	178	-120	0·00	0·5
MEANS -		29·757	46·2	37·7	8·4	42·4	+ 0·2	38·1	4·3	7·2	2·0	85	60·3	31·5	49·52	NNE. & SE.		..	..	..	Sum 2262	Sum +164	Sum 0·09	0·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 18	m. P. generally.	0·2	8·7	Fine with variable amounts of cloud till 9h. A.M.; generally overcast till 6h. P.M.; cloudless at night. Strong, gusty winds prevalent throughout the day.
MONDAY - 19	m. P. till 9h. A.M.; s. P. afterwards.	1·5	8·6	Generally overcast; frequent slight rain in afternoon.
TUESDAY - 20	m. P. generally till 9h. A.M.; v. N. and m. P. till 6h. P.M.; m. P. afterwards.	0·0	8·6	Overcast; frequent rain till evening.
WEDNESDAY 21	w. P. till noon; m. P. afterwards.	0·0	8·6	Overcast. A little fine rain during the evening.
THURSDAY- 22	m. P. with occasional w. N. till 7h. A.M.; m. P. generally afterwards.	0·0	8·5	Generally overcast; fine, with haze and thin cloud, during the afternoon. Solar halo with bright parhelion observed at 2h. P.M.
FRIDAY - 23	m. P. throughout.	4·6	8·5	Very fine generally; cloudy during the afternoon. Hoar frost in morning and at night.
SATURDAY- 24	m. P. throughout.	0·1	8·4	Very fine, with hoar frost and slight fog, in early morning; cloudy afterwards. A little fine rain in the afternoon.
		Sum 6·4	Sum 59·9	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·85 in. at the beginning of the week to 30·18 in. by 9h. P.M. on the 18th; decreased to 29·56 in. by 9h. P.M. on the 21st; increased to 29·64 in. by 11h. P.M. on the 22nd; and decreased to 29·37 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET E.

1900

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 48. 1900. Vol. LXI.] Week ending Saturday, Dec. 1. [Price 1½*d.*

General Register Office, Somerset House,
December 3rd, 1900.

Thirty-three Great Towns.

The deaths registered last week in Thirty-three Great Towns of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 16·9, 17·6, and 17·6. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Towns.	Weeks ending Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
33 Great Towns	16·9	17·6	17·6	18·0	Leicester	11·9	15·2	14·5	14·8
Birkenhead	11·1	16·9	15·1	16·0	Liverpool	20·4	20·5	21·9	22·9
Birmingham	18·0	18·9	17·0	20·3	London	17·0	17·1	17·2	17·9
Blackburn	12·9	16·7	18·3	14·5	Manchester	22·5	21·9	21·0	20·8
Bolton	17·1	18·7	23·2	18·1	Newcastle-on-Tyne	16·9	21·6	15·8	19·1
Bradford	13·4	14·0	18·2	16·3	Norwich	11·8	9·5	10·0	12·3
Brighton	12·2	19·3	16·8	17·2	Nottingham	16·5	18·7	20·4	17·0
Bristol	15·2	15·2	16·4	18·8	Oldham	16·3	17·3	15·3	20·4
Burnley	14·3	17·0	20·1	16·5	Plymouth	12·2	15·3	18·4	17·4
Cardiff	12·1	12·1	10·5	12·3	Portsmouth	16·9	19·3	15·2	16·3
Croydon	14·3	11·9	13·1	9·1	Preston	16·2	19·3	21·0	18·4
Derby	17·9	16·4	20·3	18·8	Salford	26·0	24·8	24·3	20·3
Gateshead	20·0	17·2	20·0	15·3	Sheffield	15·5	18·8	20·4	17·8
Halifax	14·0	14·5	16·1	22·8	Sunderland	21·6	18·4	18·0	26·9
Huddersfield	17·0	16·0	11·5	16·0	Swansea	13·3	14·3	20·3	19·3
Hull	16·2	18·3	16·4	15·7	West Ham	13·6	13·4	14·1	13·8
Leeds	16·9	19·1	16·0	17·3	Wolverhampton	14·0	19·2	19·2	21·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·2 in Wolverhampton, and 3·0 in Swansea; from *scarlet fever*, 1·1 in Blackburn, and 1·4 in Sunderland; from *whooping-cough*, 1·0 in Huddersfield, 1·1 in Blackburn and in Sunderland, 1·5 in Hull, and 1·9 in Derby; and from *diarrhœa*, 1·1 in Blackburn, and 1·2 in Wolverhampton. In none of the thirty-three towns did the death-rate from "*fever*," reach 1·0 per 1000. The 89 deaths from *diphtheria* included 29 in London, 8 in Sheffield, 7 in Leeds, 6 in Leicester, 4 in Bristol, 4 in Manchester, 4 in Burnley, 3 in West Ham, 3 in Portsmouth, 3 in Cardiff, and 3 in Liverpool. One death from *small-pox* was registered in London, bnt not one in any other of the thirty-three towns.

London.

In London† 2338 births and 1572 deaths were registered. Allowing for increase of population, the births were 182, and the deaths 144,

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1. 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7354—670—12/1900 Wt 82 D & S 3 3 C

below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·0, 17·1, and 17·2, in the preceding three weeks, further rose last week to 17·9. During the four weeks ending on Saturday last the death-rate averaged 17·3 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1572 deaths included 1 from small-pox, 33 from measles, 6 from scarlet fever, 29 from diphtheria, 21 from whooping-cough, 1 from typhus, 23 from enteric fever, 12 from diarrhœa and dysentery, and not one death from any ill-defined form of continued fever, or from cholera; thus, 126 deaths were referred to these diseases, being 71 below the corrected average weekly number.

The death from *small-pox* was that of a female aged 68 years, and occurred in Islington sanitary area. The deaths from *measles*, which had been 22, 18, and 21 in the preceding three weeks, further rose last week to 33, but were 24 below the corrected average; 6 cases belonged to Greenwich and 5 to Limehouse sanitary areas. The deaths from *scarlet fever*, which had been 8, 8, and 11 in the preceding three weeks, fell again last week to 6, and were 16 below the corrected average. The deaths from *diphtheria*, which had been 35, 32, and 22 in the preceding three weeks, rose again last week to 29, but were 24 below the corrected average; 4 cases belonged to Poplar, 3 to Wandsworth, and 3 to Camberwell sanitary areas. The deaths from *whooping-cough*, which had been 16, 15, and 27 in the preceding three weeks, fell again last week to 21, and were 10 below the corrected average. The death from *typhus* was that of a female aged 50 years, who had been removed from St. George Hanover Square sanitary area to the Grove Hospital at Tooting. The fatal cases of *enteric fever*, which had been 25, 17, and 26 in the preceding three weeks, fell again last week to 23, but were 4 above the corrected average; 3 cases belonged to Wandsworth, 2 to St. Pancras, 2 to Islington, 2 to Hackney, 2 to Shoreditch, and 2 to Limehouse sanitary areas. The deaths from *diarrhœa*, which had been 23, 18, and 8 in the preceding three weeks, rose again last week to 12, but were 4 below the corrected average. The deaths referred to diseases of the respiratory organs, which had been 307, 352, and 322 in the preceding three weeks, rose again last week to 436, and were 7 above the corrected average. The deaths attributed directly to *influenza* numbered 14, having been 13, 17, and 12 in the preceding three weeks.

Different forms of violence caused 65 deaths, concerning all but 2 of which inquests were held. Of these 65 deaths, 5 were cases of suicide, while the remaining 60 were attributed to accident or negligence. Nine of these were referred to vehicles in the streets, 8 to burns and scalds, 1 to gas poisoning, and 13 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 2 cases of small-pox, 2727 of scarlet fever, 1537 of diphtheria, and 436 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 279 cases, against 289, 261, and 246; of diphtheria, 173 cases, against 215, 207, and 155; and of enteric fever, 55 cases, against 67, 67, and 53.

Greater London.

In Greater London 3427 births and 2082 deaths were registered, corresponding to annual rates of 26·9 and 16·3 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 3 from scarlet fever, 15 from diphtheria, 12 from whooping-cough, 6 from "fever," and 3 from diarrhœa were registered. Five deaths from diphtheria, 5 from whooping-cough, and 3 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·36 inches, and that of the Thermometer 44°·9; the latter being 3°·6 above the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 7·9 hours; the measured rainfall amounted to 0·66 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the Week ending 1st Dec 1960.	Deaths, the Week ending 1st Dec 1960.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death	Deaths to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Mean. Highest. Fahrenheit.	Mean. Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns -	11,610,290	5947	4017	968	974	1	71	27	89	71	55	42	157	345	930	46	18·0	1·6	54·0	31·4	44·0	6·67	0·73	1·85	33 Towns.
London - -	4,589,129	2338	1572	397	389	1	33	6	29	21	24	12	65	159	483	4	17·9	1·4	53·0	39·3	44·9	7·17	0·63	1·68	London.
West Ham - -	314,472	185	83	27	15	-	2	-	3	1	1	-	6	9	11	1	13·8	1·2	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	63	23	3	8	-	-	-	1	-	-	-	-	-	7	-	9·1	0·4	52·2	38·0	44·2	6·78	0·54	1·37	Croydon.
Brighton - -	124,148	33	41	4	15	-	2	-	1	2	-	1	1	2	8	-	17·2	2·5	53·8	42·0	47·1	8·39	0·40	1·02	Brighton.
Portsmouth -	194,955	77	61	8	27	-	-	-	3	1	-	-	3	3	12	1	16·3	1·1	54·0	40·0	47·6	8·67	0·80	2·03	Portsmouth.
Plymouth - -	102,161	57	34	8	7	-	-	-	-	-	1	-	1	2	7	-	17·4	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	159	117	24	34	-	-	-	4	-	1	2	3	12	19	-	18·8	1·1	54·0	37·0	43·5	6·39	1·21	3·07	Bristol.
Cardiff - -	194,247	89	46	15	3	-	-	2	3	-	-	-	5	7	5	-	12·3	1·3	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	40	39	12	7	-	6	-	-	1	1	-	4	6	3	-	19·3	4·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	69	37	19	6	-	2	-	-	1	1	2	-	1	5	-	21·5	3·5	51·0	31·4	41·0	5·00	0·69	1·75	Wolverhampton.
Birmingham -	519,610	272	202	46	49	-	4	4	2	5	3	2	8	11	51	7	20·3	2·0	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	65	27	4	10	-	-	-	-	-	-	-	-	2	6	1	12·3	-	52·2	36·0	43·9	6·61	0·42	1·07	Norwich.
Leicester - -	219,169	98	62	14	13	-	-	-	6	-	1	1	4	6	12	2	14·8	1·9	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	117	79	16	19	-	-	1	1	1	4	2	1	5	16	1	17·0	1·9	47·8	35·3	42·8	6·00	0·74	1·88	Nottingham.
Derby - - -	107,991	57	39	9	11	-	-	1	2	4	-	-	1	3	6	-	18·8	3·4	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	48	36	7	14	-	1	-	-	-	-	-	2	5	3	-	16·0	0·4	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	411	279	66	58	-	5	1	3	3	1	5	16	26	68	12	22·9	1·5	50·0	39·7	44·2	6·78		1·47	Liverpool.
Bolton - -	164,240	79	57	18	14	-	-	-	-	1	-	2	-	2	3	1	18·1	1·0	-	-	-	-	-	-	Bolton.
Manchester -	548,768	260	219	45	46	-	1	-	4	4	1	4	4	17	44	-	20·8	1·3	-	-	-	-	-	-	Manchester.
Salford - -	220,816	127	86	14	21	-	1	1	1	-	1	-	5	13	20	1	20·3	0·9	-	-	-	-	-	-	Salford.
Oldham - -	153,297	71	60	17	15	-	-	-	-	1	-	1	-	-	10	-	20·4	0·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	51	37	8	9	-	-	-	4	2	1	-	2	2	4	1	16·5	3·1	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	47	38	10	6	-	-	3	1	3	-	3	1	1	5	-	14·5	3·8	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	49	42	7	10	-	-	-	1	-	2	1	1	2	8	-	18·4	1·8	52·0	39·0	44·6	7·00	0·57	1·45	Preston.
Huddersfield -	104,484	43	32	4	11	-	-	-	-	2	1	-	1	2	6	-	16·0	1·5	47·3	32·2	42·0	5·56	1·07	2·72	Huddersfield.
Halifax† - -	100,710	57	44	8	20	-	-	-	1	-	1	-	3	3	13	2	22·8	1·0	-	-	-	-	-	-	Halifax.†
Bradford - -	291,535	124	91	16	27	-	2	1	1	-	2	-	2	7	16	-	16·3	1·1	49·8	34·0	43·5	6·39	1·27	3·23	Bradford.
Leeds - - -	431,287	251	143	38	29	-	6	1	7	1	2	-	6	13	15	1	17·3	2·1	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	206	125	33	23	-	1	1	8	6	3	2	1	3	17	4	17·8	3·0	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	145	72	21	17	-	2	1	-	7	2	1	3	7	10	1	15·7	2·8	49·0	36·0	42·4	5·78	0·52	1·32	Hull.
Sunderland -	147,398	81	76	17	18	-	-	4	1	3	1	1	2	4	13	1	26·9	3·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	52	32	9	6	-	-	-	-	1	-	-	1	-	2	2	15·3	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	126	86	24	17	-	3	-	2	-	-	-	5	10	22	3	19·1	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return

† The recent extension of the Borough of Halifax will not be taken into account in the Weekly Returns until 1901.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1890-1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890-99.*	1900
TOTAL **Births**	1980	2480	2381	2405	2550	2159	2530	2459	2575	2439	2520·4	2338
Males - -	1009	1264	1237	1199	1280	1081	1324	1253	1358	1259	1290·2	1191
Females - -	971	1216	1144	1206	1270	1078	1206	1206	1217	1180	1230·2	1147
TOTAL **Deaths** -	1527	1715	1451	2235	1347	1455	1596	1725	1569	1695	1716·4	1572
Males - -	767	850	735	1150	700	745	846	836	797	879	873·7	804
Females - -	760	865	716	1085	647	710	750	889	772	816	842·7	768

*The numbers in this column are the average weekly numbers in the forty-eighth week of the ten years 1890-99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
TOTAL **Births** - - -	2628	2519	2448	2239	2319	2429	2485	2238	2392	2500	2223	2538	2338
TOTAL **Deaths** - - -	1582	1470	1449	1471	1391	1305	1392	1403	1466	1498	1505	1515	1572
Ages at Death: Under 1 year - -	625	469	419	437	393	327	356	352	351	347	369	361	397
1—5 years - -	167	180	161	173	148	149	149	143	148	173	172	158	200
5—20 " - -	91	64	84	65	67	72	87	100	102	81	90	87	83
20—40 " - -	151	208	196	175	188	179	186	187	190	209	217	209	205
40—60 " - -	239	265	251	279	287	256	279	266	304	311	311	295	298
60—80 " - -	265	230	282	273	256	261	270	288	302	309	283	325	322
80 years and upwards	44	54	56	69	52	61	65	67	69	68	63	80	67
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - - - -	22	17	9	13	4	11	8	20	10	22	18	21	33
Scarlet Fever - - -	4	3	3	5	14	7	8	10	8	8	8	11	6
Diphtheria - - - -	19	17	30	40	29	26	36	39	42	35	32	22	29
Whooping-cough - - -	31	57	48	27	18	27	20	18	13	16	15	27	21
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever - - -	15	23	14	18	15	22	19	22	20	25	17	26	23
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	259	165	132	120	110	75	55	43	27	23	18	8	12
Cholera - - - - -	3	1	1	3	-	-	-	-	1	-	-	1	-
All the above Diseases -	353	283	237	226	190	168	146	152	121	129	108	116	126
Dis. of Respiratory System -	124	161	203	187	164	173	182	236	268	307	352	322	436
Phthisis - - - - -	128	151	120	141	135	125	141	141	152	137	150	134	158
Dis. of Circulatory System -	117	119	97	124	104	129	144	140	148	137	140	145	122
Violence - - - -	53	69	64	61	62	60	59	62	70	71	73	51	65
Inquest Cases - - - -	110	135	119	129	129	120	137	141	149	159	157	138	159
Deaths in Public Institutions -	486	449	464	435	445	428	476	447	467	490	469	470	483
TEMPERATURE OF THE AIR.													
Mean - - - - - -	55°·7	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9
Mean of Highest readings -	67·3	68·9	73·3	66·9	63·0	63·7	53·9	53·0	57·8	53·6	51·1	46·2	48·1
Mean of Lowest readings -	45·4	48·9	50·7	48·9	45·5	46·6	42·4	40·8	48·5	44·4	38·4	37·7	41·4
Humidity of the Air - -	74	73	76	79	78	78	75	84	88	83	91	85	88
Rain-fall (in inches) - -	0·00	0·00	0·07	0·35	0·54	0·03	0·05	0·30	0·92	0·41	0·81	0·09	0·66
Registered Sunshine (in hours)	40·8	44·1	41·9	32·5	30·5	34·8	21·3	14·0	13·2	18·8	6·0	6·4	7·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	3	3	2	2	1	1	1	1	1	-	-	2	2
Scarlet Fever - - - -	1736	1753	1804	1938	2071	2187	2341	2489	2619	2702	2728	2725	2727
Diphtheria - - - -	1187	1212	1232	1238	1286	1314	1380	1465	1472	1521	1556	1535	1537
Enteric Fever - - - -	189	212	273	329	371	405	430	429	444	456	454	442	436

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull

ABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-EIGHTH Week of the Year 1900.

USES OF DEATH	Corrected Averages for the 48th Week of the 10 years 1890-99*.	In the Week ending Saturday, 1st December, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
AUSES - - -	1716·4	1572	397	200	83	205	298	322	67
1- Vaccinated† -	0·2	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	-	1	-	-	-	-	-	1	-
es - - - -	56·6	33	6	25	2	-	-	-	-
t Fever - - -	21·5	6	-	4	2	-	-	-	-
is - - - -	0·1	1	-	-	-	-	1	-	-
sing Fever - -	-	-	-	-	-	-	-	-	-
nza - - - -	17·4	14	3	-	1	1	5	4	-
ping-cough - -	30·5	21	7	14	-	-	-	-	-
heria - - -	52·6	29	3	15	10	-	-	1	-
e Continued and efined Fever -	0·3	-	-	-	-	-	-	-	-
c Fever - - -	19·1	23	-	-	7	11	4	1	-
ea and Chol. Diarr.	-	-	-	-	-	-	-	-	-
ea, Dysentery -	16·1	12	8	4	-	-	-	-	-
tent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
ox and Effects ofination - -	0·7	-	-	-	-	-	-	-	-
eal Affections - -	9·9	5	1	1	-	2	-	1	-
pelas - - -	6·3	3	2	-	-	-	1	-	-
ia and Septicæmia	3·2	3	1	1	-	1	-	-	-
eral Fever - -	5·4	4	-	-	-	3	1	-	-
Zymotic Diseases	1·4	2	1	-	-	-	-	1	-
h - - - -	0·6	-	-	-	-	-	-	-	-
s and other Parasitical Diseases -	0·1	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	2·2	1	1	-	-	-	-	-	-
olism - - -	10·0	11	-	-	-	1	7	3	-
matic Fever, umatism of Heart	8·9	6	-	-	3	3	-	-	-
matism - - -	1·6	-	-	-	-	-	-	-	-
- - - -	3·5	3	-	-	-	-	-	3	-
s - - - -	4·0	5	3	2	-	-	-	-	-
r - - - -	66·9	76	-	-	1	12	29	33	1
Mesenterica - -	14·8	12	2	7	2	-	1	-	-
cular Meningitis -	20·4	25	5	14	5	1	-	-	-
is - - - -	160·0	158	-	5	10	80	55	8	-
la, Tuberculosis -	19·7	19	8	6	4	1	-	-	-
Constitutional ases - -	14·9	9	-	-	1	1	3	4	-
ture Birth - -	52·0	49	49	-	-	-	-	-	-
tasis - - -	4·1	6	6	-	-	-	-	-	-
nital Malforma- - - - -	8·9	7	5	2	-	-	-	-	-
ge - - - -	51·1	50	-	-	-	-	-	24	26
exy - - - -	48·6	51	2	-	2	2	16	27	2
sy - - - -	8·0	8	-	-	1	1	2	4	-
lsions - - -	39·3	28	27	1	-	-	-	-	-
Diseases of Brain Nervous System	79·7	68	5	3	1	10	19	24	6
es of Organs of ial Sense -	4·5	1	-	-	-	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 48th Week of the 10 years 1890-99*.	In the Week ending Saturday, 1st December, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	142·8	122	2	-	2	15	46	51	6
Croup - - - -	3·6	1	1	-	-	-	-	-	-
Bronchitis - - -	247·6	251	100	38	3	9	24	66	11
Pneumonia - - -	142·2	165	69	41	6	15	13	14	7
Pleurisy - - -	6·0	4	-	-	-	1	1	2	-
Other Diseases of Respiratory System -	29·2	15	-	-	-	1	7	7	-
Dentition - - - -	6·4	3	2	1	-	-	-	-	-
Quinsy, Sore Throat -	1·3	1	-	-	1	-	-	-	-
Enteritis - -	13·4	14	9	1	2	1	1	-	-
Gastro-enteritis -		5	2	3	-	-	-	-	-
Peritonitis - - -	6·1	4	-	1	2	1	-	-	-
Diseases of Liver - -	27·9	20	1	-	-	4	10	5	-
Other Diseases of Digestive System	31·8	38	10	2	3	6	9	6	2
Diseases of Lymphatic System & of Ductless Glands - - -	2·6	2	-	1	-	-	1	-	-
Diseases of Urinary System - - -	48·2	54	-	-	3	9	23	16	3
Diseases of Generative System - - -	6·0	9	-	1	-	3	3	2	-
Accidents of Childbirth -	5·7	3	-	-	-	1	2	-	-
Diseases of Locomotive System - - -	5·5	2	-	-	1	-	-	-	1
Diseases of Integumentary System - -	7·0	6	4	-	-	-	-	2	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	56·6	1	-	-	-	-	1	-	-
By Vehicles or Horses -		9	-	3	2	2	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		2	-	-	-	1	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		8	1	2	2	2	1	-	-
By Drowning - -		3	-	-	2	-	1	-	-
By Suffocation in Bed -		13	13	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		3	-	-	-	1	1	1	-
Other or not stated causes - - - -		20	5	1	2	-	4	7	1
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·9	-	-	-	-	-	-	-	-
Suicide - - - -	7·5	5	-	-	-	2	1	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	51·9	38	33	1	-	-	2	1	1

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 1st December, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2338	1572	397	389	1	33	6	29	21	1	23	-	12	65	159	483
WEST DISTRICTS - - -	778,251	323	262	69	71	-	2	2	1	4	-	6	-	3	13	27	75
NORTH DISTRICTS - - -	1,040,694	543	348	87	92	1	4	-	7	4	-	8	-	4	17	36	102
CENTRAL DISTRICTS - - -	233,635	112	80	17	18	-	4	-	-	-	-	-	-	-	5	9	33
EAST DISTRICTS - - -	716,334	470	295	75	63	-	6	-	5	4	-	2	-	2	14	41	112
SOUTH DISTRICTS - - -	1,642,796	890	554	149	131	-	17	4	16	9	1	7	-	3	16	46	128
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	33	-	14	-	-	-	-	-	-	-	-	-	-	-	33
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	42	29	10	8	-	-	-	-	-	-	-	-	1	1	2	5
St. John Paddington *H* - - G.	33,510	6	14	1	4	-	-	-	-	-	-	-	-	-	2	2	8
Kensington Town *Ww* - - W.	122,164	57	47	16	13	-	-	-	-	1	-	-	-	-	2	6	16
Brompton *HH* - - - W. & C.	48,301	5	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith *H* } W. & G	44,638	27	20	4	6	-	2	-	-	-	-	1	-	-	-	-	-
South Hammersmith *H* } W. & G	59,561	32	24	10	5	-	-	-	1	-	-	-	-	-	3	5	4
North-west Fulham§ *W* } W. & C.	113.781	78	46	11	15	-	-	2	-	2	-	1	-	1	2	5	14
North-east Fulham§ *w* } W. & C.																	
South Fulham§ } W. & C.																	
Chelsea Kensal Town - C.	21,450	7	8	3	1	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North *WHHHH* - C.	42,057	15	12	1	3	-	-	-	-	1	-	1	-	-	-	-	6
Chelsea South *HH* - - C.	33,139	13	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-
May Fair *WH* - - - - G.	23,827	4	11	1	5	-	-	-	-	-	-	-	-	-	1	1	8
Belgrave *WHHH* - - - C.	56,140	12	16	2	6	-	-	-	-	-	-	1	-	-	2	5	8
St. John Westminster *HH* - C.	31,492	12	12	5	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Margaret Westminster *H* C.	22,097	6	5	-	1	-	-	-	-	-	-	2	-	-	-	-	4
St. James Westminster *WH* } N. & G.	23,050	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36.595	10	17	2	6	-	-	-	-	-	-	-	-	-	1	2	8
Rectory Marylebone *W* G. & W.	19,798	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	31	9	2	2	-	-	-	-	-	-	-	-	-	-	1	4
Christchurch Marylebone *H* - W	32,547	12	9	5	1	-	-	-	-	1	-	-	-	-	1	-	-
St. John Marylebone *HHH* - W.	32,611	16	15	6	1	-	-		-	1	-	-	-	-	2	3	1
Hampstead *WwHHHH* - N. & W.	75,449	28	22	7	6	-	-	-	2	-	-	3	-	-	2	3	7
Regent's Park † *HH* - W.	51,403	30	12	6	2	-	-	-	-	-	-	-	-	1	1	2	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	12	20	4	8	-	-	-	-	-	-	-	-	-	-	2	12
Gray's Inn Lane *HHHH* - N.	29,426	18	15	7	-	-	-	-	-	-	-	-	-	-	3	3	6
Somers Town *HH* - - - N.	32,161	19	10	3	2	-	-	-	-	1	-	-	-	-	-	2	4
Camden Town† *WH* - - N.	40,155	23	19	2	11	-	-	-	-	-	-	-	-	1	2	2	8
Kentish Town† *WW* - - N.	60,862	33	22	4	7	-	-	-	1	-	-	-	-	-	1	2	6
Upper Holloway *WWWWwHH* - - N.	98,273	46	42	4	11	-	-	-	-	-	-	-	-	-	1	1	22
Lower Holloway‡ - - - N.	41,805	17	9	3	2	-	-	-	-	-	-	-	-	-	1	1	-
Barnsbury‡ - - - - N.	56,384	33	26	4	6	-	-	-	-	1	-	-	-	2	-	3	-
Islington South-east‡ *H* - N.	75,725	37	11	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Highbury *HH* - - - N.	64,577	37	12	5	6	1	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	16	7	1	2	-	1	-	-	-	-	-	-	-	1	1	-
North Hackney - E. & N.	213,044	18	13	4	7	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney *ww* - E. & N.		32	17	5	1	-	-	-	4	-	-	1	-	-	1	4	5
South-west Hackney *HHH* E. & N.		33	16	3	3	-	1	-	-	-	-	3	-	-	-	-	8
South-east Hackney *WwH* E. & N.		31	21	6	5	-	2	-	-	-	-	1	-	-	-	2	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distric than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers a received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Ne River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two ne Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-eas Sub-District

§ On 1st December, 1900, the Sub-District of Fulham was divided into North-west Fulham, North-east Fulham, and So Fulham Sub-Districts.

E 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES CARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each UB-DISTRICT during the Week ending Saturday, 1st December, 1900—*continued.*

EGISTRATION SUB-DISTRICTS	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
omsbury and St. Giles } uth *WH* - - } - N.	29,086	14	9	3	3	-	-	-	-	-	-	-	-	-	1	1	4	-
iles North *H* - - - N.	9,151	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Iartin-in-the-Fields *HH* N. & C.	13,077	3	4	-	1	-	-	-	-	-	-	-	-	-	-	1	4	-
nd *WHH* - - - - N.	11,839	3	10	-	2	-	-	-	-	-	-	-	-	-	2	2	6	-
nd Union Workhouse, Edmonton	†1,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oorn *WwHHHHH* - N.	31,042	10	11	4	2	-	-	-	-	-	-	-	-	-	-	-	5	-
ames Clerkenwell - - N.	15,777	8	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
well Clerkenwell - - N.	34,356	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
well-street - - - - N.	16,069	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-road *HHHHL* - - N.	29,897	27	13	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-
bury* - - - - - N.	11,630	8	7	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-
oorn Union Workhouse, itcham - - - - }	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph‡ *H* - - N. & E.	13,061	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
epulchre *WH* - - - N.	9,591	6	10	1	2	-	-	-	-	-	-	-	-	-	1	1	9	-
allows Barking - - - N.	9,059	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
ton New Town *w* - - N.	29,575	20	10	2	2	-	-	-	-	-	-	-	-	-	1	1	4	-
tton Old Town - - - N.	27,645	17	4	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
gerston *WH* - - N. & E.	47,163	32	19	8	5	-	-	-	-	1	-	-	-	-	3	4	5	-
nnal Green North *H* - E.	49,301	30	14	4	2	-	-	-	-	-	-	-	-	-	-	4	2	-
nnal Green South - - E.	34,194	25	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
nnal Green East *WWHl* - E.	45,667	32	40	9	11	-	-	-	-	-	-	-	-	-	1	2	21	-
alfields - - - E. & N.	26,681	17	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
e End New Town *WH* - E. } 51,995 {	23	38	8	5	-	-	-	1	-	-	-	-	-	3	6	33	-
dman's Fields - - - E. }	17	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
George's, North - - - E.	39,576	33	10	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-
John, St. George East *W* E.	7 930	8	9	1	7	-	-	-	-	-	-	-	-	-	-	-	8	-
dwell *H* - - - E. & N.	10,434	2	10	2	1	-	-	-	1	-	-	-	-	-	1	2	6	-
cliff *W* - - - - E.	14,954	5	6	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
ehouse - - - - E.	32,917	24	11	2	1	-	1	-	1	-	-	1	-	-	1	2	-	-
e End Old Town West *H* E. } 111,060 {	59	18	7	3	-	-	-	-	-	-	-	-	-	2	2	-	-
e End Old Town East } - E.	32	19	4		-	-	-	-	-	-	-	-	2	-	1	7	-
Www																		
w l - - - - E.	41,687	27	15	6	-	-	-	-	-	2	-	-	-	-	-	1	-	
mley *wwwH* - - - E.	69,821	37	43	1	8	-	3	-	-	-	-	-	-	-	1	8	24	-
olar *WW* - - - - E.	57,759	23	9	3	3	-	-	-	2	-	-	-	-	-	-	2	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 1st December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 6 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WH* L.&S.	13,064	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Saviour Southwark - - S.	12,301	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	14	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-
Borough-road *WH* - S. & L.	16,083	10	11	2	1	-	2	-	-	2	-	-	-	-	-	-	3
London-road *HL* - - L. & S.	21,316	14	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Trinity Newington *H* - S. & L.	28,723	15	9	3	1	-	-	-	-	-	-	-	-	1	-	1	-
St. Peter Walworth *W* - S. & L.	62,045	36	26	12	4	-	1	-	-	1	-	-	-	-	1	1	2
St. Mary Newington- - L. & S.	30,171	20	9	5	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave *WH* - - - - S.	11,731	7	18	3	2	-	-	-	-	-	-	-	-	-	3	4	14
Bermondsey *W* - - - S.	85,475	45	34	8	9	-	3	-	1	-	-	-	-	-	3	8	2
Rotherhithe *Ww* - S. & K.	40,379	14	15	4	3	-	-	-	-	1	-	-	-	-	1	1	7
Waterloo-road *HH* - L. & S.	28,396	28	12	5	1	-	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church 1st *H* - L. & S.	18,770	10	11	3	-	-	-	-	2	-	-	-	-	-	-	1	5
Lambeth Church 2nd *WW* L. & S.	40,994	21	28	6	11	-	-	-	-	-	-	-	-	1	1	2	14
Kennington 1st *H* - - S. & L.	52,486	32	12	1	7	-	-	-	-	1	-	-	-	-	-	1	-
Kennington 2nd - - S. & L.	43,244	16	9	-	3	-	-	-	-	-	-	-	-	-	-	2	-
Brixton *w* - - - L. & S.	81,825	40	37	11	11	-	-	-	3	1	-	-	-	-	-	3	5
Norwood *WH* - - - - L.	29,318	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	38	19	11	4	-	-	-	-	1	-	-	-	-	-	1	-
North-west Battersea† - - S. }	93,385	25	10	2	-	-	2	-	-	-	-	-	-	-	1	2	-
South-west Battersea† *WwH* - S. }		13	23	3	11	-	-	-	-	-	-	-	-	-	-	-	14
Clapham *H* - - - - S.	46,953	27	6	-	3	-	-	1	-	-	-	-	-	-	-	-	-
Streatham *Wwwwwl* - - L.	61,644	39	18	3	3	-	-	1	4	-	1	3	-	-	-	1	10
Wandsworth *WHHL* - - S.	58,101	40	16	8	2	-	-	-	1	-	-	-	-	-	-	1	-
Putney - - - - - S.	20,566	7	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Dulwich - - - L. & S.	7,519	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	49	50	13	15	-	-	-	1	-	-	-	-	-	2	5	26
Peckham *WW* - S., L., & K.	88,242	45	24	9	4	-	1	-	-	-	-	-	-	-	1	1	-
St. George Camberwell - L. & S.	67,029	25	18	4	3	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North - - - K.	36,152	27	17	6	3	-	4	-	-	-	-	-	-	1	-	1	-
Deptford Central *w* - - K.	45,441	13	12	5	1	-	2	1	3	-	-	-	-	-	1	1	3
Deptford South - - - K.	33,402	14	7	1	3	-	-	-	-	-	-	1	-	-	-	-	-
Greenwich West *H* - - K.	23,012	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	20	16	2	5	-	-	-	-	-	-	-	-	-	-	-	9
Eltham *wH* - - - - K.	5,911	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	29	17	4	4	-	-	-	-	-	-	3	-	-	1	2	7
Sydenham *H* - - - - L.	37,601	20	9	1	4	-	2	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	14	6	2	-	-	-	1	1	-	-	-	-	-	-	-	3
Woolwich* *HHHH* - - K.	41,314	21	9	4	2	-	-	-	-	1	-	-	-	-	-	1	-
Plumstead West *H* - - K.	16,714	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	33	10	2	1	-	-	-	-	-	-	-	-	-	1	1	1
Banstead Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Hanwell Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asylum, Hendon	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch Asylum - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
N.E. Hospital - - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	9	-	7	-	-	-	-	-	-	-	-	-	-	-	9
Claybury Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea an South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LOND NERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 1st December, 1900.

Registration District	Sub-District	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
		LONDON—OUTER RING -	368,749	1,422,063	1089	510	147	135	-	6	3	15	12	6	3	13	34	65	1
1	1	Carshalton *H* - - -	12,228	26,108	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-
1	2	Epsom, *part of** *WwHHH*	10,423	12,508	4	4	-	3	-	-	-	-	-	-	-	-	-	3	-
1	1	Godstone, *part of** *W* -	2,754	1,598	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Croydon *WWwHHH* -	20,851	128,699	71	30	3	14	-	-	-	1	-	-	-	-	-	12	-
1	2	Mitcham *w* - - -	11,697	23,072	16	5	1	2	-	-	-	-	-	-	-	-	1	-	-
1	1	Wimbledon *HHH* - -	3,220	25,777	25	8	2	2	-	-	-	1	-	-	-	-	-	-	-
1	2	Kingston *WH* - - -	14,672	33,566	27	17	1	4	-	3	-	-	2	1	-	-	-	2	-
1	3	Surbiton *HH* - - -		12,178	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
1	4	Esher, *part of** *H* - -		11,080	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	5	Hampton *HL* - - -	4,565	18,252	12	2	-	1	-	-	-	1	-	-	-	-	-	-	-
1	1	Richmond *WHH* - -	2,160	25,389	8	11	3	3	-	-	-	-	1	-	-	-	-	2	-
1	2	Mortlake *H* - - -	2,823	16,159	10	6	3	1	-	-	-	-	1	-	-	-	2	-	-
1	1	Bromley *HHH* - - -	9,127	23,815	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	2	Beckenham *H* - - -	6,542	21,969	9	2	-	1	-	-	-	1	-	-	-	-	-	1	-
1	3	Chislehurst, *part of** *WHH*	14,307	20,372	9	3	-	1	-	-	-	-	-	-	-	-	-	1	-
1	1	Bexley *HHH* - - -	12,540	30,590	16	10	3	4	-	-	-	1	-	-	-	-	-	-	-
1	2	Dartford *WH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Sunbury *w* - - -	11,054	13,671	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	2	Staines *WH* - - -	13,277	13,221	9	8	1	3	-	-	-	-	-	-	-	-	-	4	-
1	1	Hillingdon *WHH* - -	6,035	12,237	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	Uxbridge - - - -	12,757	7,253	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1	3	Hayes *wH* - - - -	7,952	11,051	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Isleworth *WHH* - -	6,967	26,004	13	16	1	8	-	-	-	1	-	-	-	-	-	7	-
1	2	Twickenham *HH* - -	2,415	16,027	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	3	Brentford *HHHH* - -	4,318	37,777	23	14	4	3	-	-	-	2	-	-	-	-	1	-	-
1	4	Chiswick - - - -	1,245	21,963	21	8	2	2	-	-	1	-	-	-	-	-	-	-	-
1	5	Acton *wHH* - - -	6,132	30,945	18	12	3	3	-	-	-	-	1	-	-	-	-	2	-
1	1	Harrow *HHH* - - -	13,809	15,715	10	7	1	2	-	-	-	-	-	-	-	-	1	-	-
1	2	Edgware *HH* - - -	6,994	3,844	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	3	Willesden *HHH* - -	4,383	61,265	63	19	6	1	-	-	1	-	1	-	-	1	1	1	-
1	4	Hendon *WH* - - -	8,382	15,843	15	10	2	2	-	-	-	-	-	-	-	1	1	-	-
1	1	South Mimms *HH* - -	21,077	6,367	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	2	Barnet *WHH* - - -		14,152	7	2	-	2	-	-	-	-	-	-	-	-	1	-	-
1	3	Finchley *HHH* - - -	4,688	25,820	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	1	Hornsey *HH* - - -	3,039	61,097	38	19	5	5	-	-	-	-	-	-	-	-	-	-	-
1	2	Tottenham *HHH* - -	4,642	97,174	78	32	13	10	-	-	1	1	-	1	1	2	7	-	-
1	3	Edmonton *Ww* - -	7,489	36,351	33	17	7	5	-	1	-	-	-	-	1	1	2	3	-
1	4	Enfield *WWHH* - -	12,602	31,536	24	12	3	3	-	-	-	-	-	-	1	-	-	1	-
1	5	Waltham Abbey - - -	11,017	6,066	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
1	6	Cheshunt *H* - - -	8,480	9,620	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Bushey *H* - - - -	9,331	7,737	2	6	-	4	-	-	-	-	-	-	-	-	-	1	-
1	2	Watford *WHH*, *part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Stratford *H* - - -	4,706	38,612	28	20	7	5	-	1	-	-	-	-	-	2	2	1	-
1	2	Plaistow *HHH* - - -		58,030	73	26	12	2	-	1	-	2	-	-	-	2	2	1	1
1	3	Canning Town *H* - -		54,750	54	15	4	1	-	-	-	1	-	1	-	1	3	-	-
1	4	Forest Gate *w* - - -		53,511	30	13	3	2	-	-	-	-	1	-	-	1	2	-	-
1	5	East Ham *wHHH* - -	3,266	32,713	55	24	15	2	-	-	-	-	1	1	-	2	2	1	-
1	6	Wanstead† - - - -	4,334	7,042	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-
1	7	South Leyton† *WW* - -		38,232	44	31	10	13	-	-	-	-	1	-	-	-	-	14	-
1	8	North Leyton† *WwH* -		24,874	26	13	2	2	-	-	-	-	1	-	-	-	-	-	-
1	9	Walthamstow *HHHL* -	6,501	57,370	80	28	11	4	-	-	-	1	1	1	-	-	3	1	-
1	1	Chigwell, *part of** *HHHH*	11,779	12,941	10	5	1	-	-	-	-	1	-	1	-	-	-	1	-
1	2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	Romford, *part of** *W* -	6,556	4,324	1	4	1	2	-	-	-	-	-	-	-	-	-	2	-
1	2	Ilford *H* - - - -	8,493	10,913	14	12	5	5	-	-	-	-	1	-	-	-	2	-	-
1	3	Barking Town, *H* - -	3,814	14,301	12	10	6	-	-	-	-	-	-	-	-	-	1	-	-
		Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
		Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ng are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37: 1, excepting Warlingham and Farley parishes; : 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097): 5: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham rish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 e also included.

† 186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton ub-Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 1st December, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	443,421	6,652,145	16·3	1·3	2082	544	524	1	39	9	44	33	30	15	73
INNER LONDON -	74,672	4,589,129	17·9	1·4	1572	397	389	1	33	6	29	21	24	12	65
OUTER RING -	368,749	2,063,016	12·9	1·1	510	147	135	-	6	3	15	12	6	3	13

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalen the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn	Deaths. Exclusive of Stillborn	Annual Death-Rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	December 1	129	120	20·7	-	4	-	1	2	-
GLASGOW - -	743,585	" 1	377	302	21·2	1	1	4	2	33	2
DUBLIN† - -	349,594	" 1	165	164	24·5	-	-	-	1	6	3
CALCUTTA - -	466,460	October 6	-	381	42·6	7	1	-	-	-	135‡
BOMBAY - -	821,764	November 6	275	733	46·4	-	1	?	?	?	183‡
MADRAS - -	452,518	" 2	439	457	52·5	-	2	?	?	?	134‡
PARIS - - -	2,511,629	" 24	1079	856	17·9	8	4	2	6*	3	12
BRUSSELS - -	570,844	" 24	234	145	13·3	-	1	-	4*	-	2
AMSTERDAM -	527,181	" 17	320	164	16·5	-	11	1	1	-	-
ROTTERDAM -	325,556	" 17	244	111	17·5	-	-	1	2	-	-
THE HAGUE -	205,328	" 17	115	46	11·5	-	-	-	-	-	-
COPENHAGEN -	354,000	" 24	216	94	13·8	-	-	1	-	1	2
STOCKHOLM -	297,148	" 17	135	72	12·6	-	-	2	4*	-	-
CHRISTIANIA -	226,423	" 24	177	57	13·1	-	-	-	-	-	-
ST. PETERSBURG	1,132,677	" 17	656	550	25·3	1	12	30	34	6	17
MOSCOW - -	988,610	" 17	-	492	26·0	1	7	14	10	1	6
BERLIN - -	1,857,859	" 10	872	603	16·7	-	17	10	15	9	4
HAMBURG - -	691,349	" 24	-	202	15·2	-	2	4	6*	1	2
DRESDEN - -	407,500	October 27	-	118	15·0	-	1	-	-	1	-
BRESLAU - -	412,959	November 24	-	200	25·3	-	-	-	1	3	-
MUNICH - -	463,000	" 17	-	192	21·6	-	2	-	2*	3	1
VIENNA - -	1,656,662	" 24	775	608	18·9	-	17	2	10*	1	-
PRAGUE - -	391,693	" 17	219	169	22·4	-	1	1	2	-	3
BUDA-PESTH -	685,340	" 17	451	212	16·1	-	3	8	4	-	4
TRIESTE - -	168,264	" 17	104	57	17·5	-	-	-	-	-	-
ROME - - -	518,333	October 20	204	163	16·4	-	-	-	-	-	12‖
TURIN (10 days)-	344,203	" 10	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	November 17	76	61	18·3	-	-	-	-	-	1
CAIRO - -	570,062	October 28	418	353	32·2	-	-	-	8*	-	5
ALEXANDRIA -	319,766	" 28	235	196	31·9	-	-	-	3*	-	7
NEW YORK (including BROOKLYN)	3,654,594	November 3	1739	1082	16·4	-	1	-	25	5	23
PHILADELPHIA -	1,293,697	" 10	-	369	14·9	-	-	1	24	3	5

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 15 deaths from plague in Calcutta, 81 in Bombay, and one death in Madras.
§ Including 24 deaths from cholera in Calcutta, 3 in Bombay, and 10 in Madras.
‖ Including 4 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
November.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	25	..	29·303	53·0	43·1	9·9	47·8	+ 5·8	44·4	3·4	6·8	0·9	88	66·8	34·3	48·53	SSE. & W.	WSW.	2·2	0·0	0·2	281	− 16	0·28	1·5
Monday -	26	..	29·503	50·9	42·8	8·1	46·9	+ 5·0	42·2	4·7	8·4	1·5	84	73·2	33·9	48·42	W. & WSW.	SW. & S.	2·0	0·0	0·1	219	− 77	0·02	0·0
Tuesday -	27	..	29·406	50·9	40·0	10·9	44·4	+ 2·8	39·2	5·2	10·9	1·8	82	75·3	31·2	48·43	SSW. & WSW.	SW., S. & SE.	3·6	0·0	0·2	247	− 49	0·00	0·2
Wednesday	28	..	29·026	46·6	40·5	6·1	44·7	+ 3·4	43·6	1·1	1·5	0·7	96	53·8	32·0	48·49	ESE.	SE. & ESE.	2·0	0·0	0·2	246	− 51	0·16	0·8
Thursday -	29	First Quarter.	29·167	47·2	42·7	4·5	45·3	+ 4·3	41·2	4·1	5·7	1·1	85	49·3	35·5	48·40	ENE., E. & ESE.	ESE.	6·4	0·0	0·6	309	+ 11	0·14	0·0
Friday -	30	In Equator.	29·535	44·9	41·5	3·4	43·0	+ 2·3	39·0	4·0	6·6	1·5	86	66·7	33·0	48·35	E., NE. & N.	N.	1·3	0·0	0·1	182	− 117	0·00	0·0
December. Saturday -	1	..	29·543	43·5	39·3	4·2	41·9	+ 1·3	40·1	1·8	3·5	0·4	93	51·1	38·4	48·31	N., NNE. & E.	E. & ESE.	1·0	0·0	0·0	132	− 168	0·06	0·0
Means	-		29·355	48·1	41·4	6·7	44·9	+ 3·6	41·4	3·5	6·2	1·1	88	62·3	34·0	48·42	Variable		..	..	..	Sum 1616	Sum − 467	Sum 0·66	0·4
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	25	w. P. and w. N. till 7h. A.M.; w. P. till noon; m. P. afterwards.	1·3	8·4	Overcast in morning, with heavy rain between 1h. and 6h. A.M.; fine, with large amounts of cloud till evening; generally cloudless at night.
Monday -	26	m. P. till 9h. P.M.; w. P. afterwards.	1·9	8·3	Fine with large amounts of cloud till 5h. P.M.; overcast afterwards, with showers of rain after 11h. P.M.
Tuesday -	27	w. P. till 5h. A.M.; m. P. generally afterwards.	4·1	8·3	Very fine generally, with small amounts of cloud till 6h. P.M.; cloudless afterwards. Partial solar halo observed in forenoon.
Wednesday	28	w. P. generally till 7h. A.M.; m. P. and m. N. till noon; w. P. till 11h. P.M.; w. P. and m. N. afterwards.	0·0	8·2	Very fine till 1h. A.M.; overcast with frequent rain afterwards.
Thursday -	29	w. P. and m. N. till 4h. A.M.; w. P. till 3h. P.M.; m. P. afterwards.	0·0	8·2	Overcast with occasional rain till 8h. P.M.; fine and partially cloudy afterwards.
Friday -	30	m. P. generally.	0·6	8·2	Overcast; occasional slight rain during the afternoon.
December. Saturday -	1	m. P. till 7h. A.M.; w. P. generally with occasional m. P. afterwards.	0·0	8·1	Overcast; frequent fine rain.
			Sum 7·9	Sum 57·7	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·37 in. at the beginning of the week to 29·23 in. by 6h. A.M. on the 25th; increased to 29·56 in. by 10h. A.M. on the 26th; decreased to 29·31 in. by 3h. A.M. on the 27th; increased to 29·45 in. by 11h. A.M. on the same day; decreased to 28·95 in. by 6h. A.M. on the 29th; and increased to 29·59 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 49. 1900. Vol. LXI.] WEEK ENDING SATURDAY, DEC. 8. [Price 1½*d.*

General Register Office, Somerset House,
December 10th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 17·7 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·6, 17·6, and 18·0. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending				Towns.	Weeks ending			
	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.		Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
33 Great Towns	17·6	17·6	18·0	17·7	Leicester - -	15·2	14·5	14·8	14·8
Birkenhead -	16·9	15·1	16·0	15·1	Liverpool - -	20·5	21·9	22·9	21·9
Birmingham -	18·9	17·0	20·3	18·7	London - - -	17·1	17·2	17·9	17·5
Blackburn -	16·7	18·3	14·5	16·0	Manchester - -	21·9	21·0	20·8	20·6
Bolton - -	18·7	23·2	18·1	17·5	Newcastle-on-Tyne	21·6	15·8	19·1	16·9
Bradford -	14·0	18·2	16·3	15·0	Norwich - -	9·5	10·0	12·3	17·7
Brighton -	19·3	16·8	17·2	15·5	Nottingham - -	18·7	20·4	17·0	19·3
Bristol - -	15·2	16·4	18·8	16·5	Oldham - -	17·3	15·3	20·4	21·1
Burnley -	17·0	20·1	16·5	15·6	Plymouth - -	15·3	18·4	17·4	14·8
Cardiff - -	12·1	10·5	12·3	11·8	Portsmouth - -	19·3	15·2	16·3	13·6
Croydon -	11·9	13·1	9·1	11·5	Preston - -	19·3	21·0	18·4	20·2
Derby - -	16·4	20·3	18·8	16·9	Salford - - -	24·8	24·3	20·3	17·7
Gateshead -	17·2	20·0	15·3	16·7	Sheffield - -	18·8	20·4	17·8	21·5
Halifax -	14·5	16·1	22·8	16·6	Sunderland - -	18·4	18·0	26·9	21·2
Huddersfield-	16·0	11·5	16·0	15·0	Swansea - -	14·3	20·3	19·3	15·3
Hull - -	18·3	16·4	15·7	22·1	West Ham - -	13·4	14·1	13·8	14·4
Leeds - -	19·1	16·0	17·3	16·7	Wolverhampton -	19·2	19·2	21·5	18·0

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 3·0 in Swansea; from *scarlet fever*, 1·3 in Burnley; from *whooping-cough*, 1·0 in Halifax, 1·4 in Derby, 1·5 in Nottingham, 2·0 in Hull, and 2·2 in Preston; from "*fever*," 1·0 in Plymouth, 1·2 in Wolverhampton, and 1·3 in Preston; and from *diarrhœa*, 1·5 in Blackburn. The 98 deaths from *diphtheria* included 34 in London, 14 in Sheffield, 8 in Leeds, 8 in West Ham, 6 in Leicester, 4 in Portsmouth, 4 in Liverpool, and 3 in Swansea. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2299 BIRTHS and 1544 DEATHS were registered. Allowing for increase of population, the births were 257, and the deaths 260, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7395—670—12/1900 Wt 82 D & S 3 3 D

years. The annual death-rate per 1000 from all causes, which had been 17·1, 17·2, and 17·9, in the preceding three weeks, fell again last week to 17·5. During the four weeks ending on Saturday last the death-rate averaged 17·4 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1544 deaths included 23 from measles, 11 from scarlet fever, 34 from diphtheria, 34 from whooping-cough, 21 from enteric fever, 13 from diarrhœa and dysentery, 1 from choleraic diarrhœa, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus, 137 deaths were referred to these diseases, being 68 below the corrected average weekly number.

The deaths from *measles*, which had been 18, 21, and 33 in the preceding three weeks, fell again last week to 23, and were 36 below the corrected average; 4 cases belonged to Greenwich, 3 to Newington, and 3 to Battersea sanitary areas. The deaths from *scarlet fever*, which had been 8, 11, and 6 in the preceding three weeks, rose again last week to 11, but were 10 below the corrected average; 2 cases belonged to St. Marylebone and 2 to Camberwell sanitary areas. The deaths from *diphtheria*, which had been 32, 22, and 29 in the preceding three weeks, further rose last week to 34, but were 24 below the corrected average; 8 cases belonged to Poplar, 3 to Islington, 3 to Rotherhithe, and 3 to Lambeth sanitary areas. The deaths from *whooping-cough*, which had been 15, 27, and 21 in the preceding three weeks, rose again last week to 34, and were equal to the corrected average; 5 cases belonged to Kensington, 5 to Camberwell, and 4 to Islington sanitary areas. The fatal cases of *enteric fever*, which had been 17, 26, and 23 in the preceding three weeks, further fell last week to 21, the corrected average being 20; 3 cases belonged to St. Pancras, 2 to Poplar, and 2 to Lambeth sanitary areas. The deaths from *diarrhœa*, which had been 18, 8, and 12 in the preceding three weeks, were 13 last week, this number being also the corrected average. The deaths referred to diseases of the respiratory organs, which had been 352, 322, and 436 in the preceding three weeks, fell again last week to 400, and were 48 below the corrected average. The deaths attributed directly to *influenza* numbered 15, having been 17, 12, and 14 in the preceding three weeks.

Different forms of violence caused 61 deaths, concerning all of which inquests were held. Of these 61 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 52 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 8 to burns and scalds, 6 to drowning, and 10 (of infants under one year of age), to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2687 cases of scarlet fever, 1515 of diphtheria, and 433 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 259 cases, against 261, 246, and 279; of diphtheria, 173 cases, against 207, 155, and 173; and of enteric fever, 54 cases, against 67, 53, and 55.

Greater London.

In Greater London 3344 births and 2072 deaths were registered, corresponding to annual rates of 26·2 and 16·2 per 1000 of the estimated population. In the Outer Ring 4 deaths from measles, 4 from scarlet fever, 17 from diphtheria, 15 from whooping-cough, 7 from "fever," and 6 from diarrhœa were registered. Ten of the deaths from diphtheria, 4 from whooping-cough, and 4 from "fever" belonged to West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·65 inches, and that of the Thermometer 47°·4; the latter being 6°·4 above the week's average in the 50 years 1841-90. The direction of the wind was south-westerly, the horizontal movement of the air being 24 per cent. above the week's average in the 16 years 1860–75 The duration of registered bright sunshine in the week was 3·1 hours; the measured rainfall amounted to 0·77 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Analysis of Metropolitan Water Supply during November, 1900.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
December 5, 1900.

SIR,

I have to report to you the results of the chemical analysis and physical examination of the waters supplied to the Metropolis during the month of November.

Thirteen samples of each of the eight Companies' supplies were examined, making a total of 104 samples for the month.

The samples collected on November 14th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·7, New River 1·3, Chelsea 2·3, Southwark and Lambeth 2·4, West Middlesex 2·5, East London 2·8, and Grand Junction 3·1.

In all cases the amounts of organic matter in the supplies of the Thames Companies exhibited slight increases over those found in the previous month, the greatest increase being noted in the case of the Grand Junction Company's water, The waters were of good chemical quality, and all the samples were clear, except that of the Lambeth Company, which contained a few suspended particles of rust.

With regard to the supplies chiefly obtained from the River Lea, the water of the New River Company contained but a small amount of organic impurity, and was of very good chemical quality. The East London Company's supply was of about the same quality as that distributed by the Thames Companies. Both supplies were clear.

The deep-well water of the Kent Company was of its usual high organic purity, and clear.

Seen through a stratum two feet deep, the Kent water was colourless, that of the New River Company nearly colourless, whilst the waters of the remaining Companies were very pale yellow in colour.

Results of Analysis expressed in Parts per 100,000.

Companies.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
Thames.										
Chelsea - - -	November 14th. Cab Rank, near Women's Hospital, Fulham Road.	10·0	26·48	·119	·014	0	·195	·209	1·8	19·4
West Middlesex -	November 14th. Cab Rank, Earl's Court Gardens.	10·0	26·48	·133	·015	0	·197	·212	1·8	18·6
Southwark - -	November 14th. Cab Rank, The Swan, Stockwell Road.	10·3	29·04	·129	·011	0	·224	·235	1·9	20·0
Grand Junction -	November 14th. Cab Rank, Shepherd's Bush Green.	9·0	31·12	·160	·022	0	·234	·256	1·9	21·5
Lambeth - - -	November 14th. Drinking Fountain, Gresham Road, Brixton.	9·4	28·48	·128	·015	0	·217	·232	1·9	20·3
Lea.										
New River - -	November 14th. Cab Rank, St. Clement Dane's Church.	10·0	33·60	·066	·011	0	·228	·239	1·9	21·5
East London - -	November 14th. Hydrant opposite Bethnal Green Museum.	10·7	32·52	·146	·018	0	·427	·445	2·1	21·5
Deep Well.										
Kent - - - -	November 14th. Cab Rank, Amersham Road, New Cross.	12·0	37·92	·034	·008	0	·478	·48	2·0	27·5
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 14th November, at the Fulham Road cab rank, had a temperature of 10·0° C.; 100,000 lbs. of it contained 26·48 lbs. of solid matter; the organic substances, constituting a portion of this matter, contained ·119 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained no ammonia and ·195 lb. of carbon in the form of nitrates and nitrites, whilst the total amount of combined nitrogen in every form was ·209 lb. The above weight of water also contained 1·8 lbs. of chlorine and 19·4 lbs. of carbonate of lime or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

In addition to the above full analytical examination, 104 samples, collected during the month of November at various places throughout the districts supplied by the respective Companies, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any, (indication of inefficiency of filtration or of disturbance in the mains) has been also recorded.

The following results, expressed in parts per 100,000, were obtained:—

Companies.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean	Max.	Min.	Mean	Max.	Min.	Mean
Chelsea	·067	·043	·053	·077	·051	·064	·009	·007	·008
West Middlesex	·069	·052	·060	·083	·056	·070	·009	·006	·008
Southwark	·077	·050	·066	·094	·053	·073	·009	·006	·008
Grand Junction	·088	·055	·071	·096	·058	·078	·010	·009	·010
Lambeth	·073	·058	·067	·084	·063	·077	·009	·007	·008
New River	·026	·015	·019	·030	·016	·024	·004	·003	·003
East London	·083	·047	·055	·093	·053	·062	·010	·006	·007
Kent	·007	0	·004	·010	0	·006	·002	·002	·002

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are determined in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being more expeditiously obtained at the higher temperature.

The table shows that, of all the Companies distributing filtered river water, the New River Company's supply has been least affected by the seasonable change in the quality of the raw river water. Of the Thames Companies the Chelsea and West Middlesex supplies exhibited the least average increases in the amounts of organic matter over those observed in the previous month.

All the samples taken from the mains of the Chelsea, Southwark, New River, East London and Kent Companies were clear. One sample of each of the West Middlesex and Lambeth Companies' waters contained a few particles of rust. All the samples of the Grand Junction Company's water were clear, except one drawn from the stand-pipe at Shepherd's Bush Green on the 5th November, which was very slightly turbid with finely divided oxide of iron. The engineer to this Company has since informed me that the turbidity noted in the samples drawn from this stand-pipe was caused by its nearness to the dead end of a main, and the defect has now been remedied.

I am, Sir,
Your obedient Servant.
T. E. Thorpe.

The Registrar-General,
Somerset House, W.C.

Returns of London Water Companies.

The London Water Companies have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of November, 1900. The supply was in the ratio of 222 gallons to one service.

Companies.	Number of Services.		Daily Supply of Water in Gallons.	
	November, 1899.	November, 1900.	November, 1899.	November, 1900.
Total Supply - - -	893,745	915,132	201,281,806	202,942,390
From Thames - - - - - -	427,285	435,805	107,355,928	108,505,395
From Lea and from other Sources -	466,460	479,327	93,925,878	94,436,995
Thames.				
Chelsea - - - - - - -	38,409	38,972	12,153,736	12,999,650
West Middlesex - - - - -	84,805	86,247	20,755,422	20,828,106
Southwark and Vauxhall - -	123,466	124,723	31,040,514	30,289,394
Grand Junction - - - - -	65,497	67,364	19,636,713	19,771,829
Lambeth - - - - - -	115,108	118,499	23,769,543	24,616,416
Lea and other Sources				
New River - - - - - -	168,451	171,614	36,490,823	37,641,544
East London - - - - -	204,778	210,935	40,803,142	39,254,321
Kent - - - - - - -	93,231	96,778	16,631,913	17,541,130

Note.—The Return for November, 1900, as compared with that for the corresponding month of 1899 shows an increase of 21,387 services and of 1,660,584 gallons of water supplied daily.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births, the week ending 8th Dec. 1900.	Deaths, the week ending 8th Dec. 1900.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Proportion to the Week's Deaths. From All Causes.	From Diseases in Cols. 6-12.	Temperature. Highest. (Fahrenheit.)	Temperature. Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,610,296**	**6082**	**3937**	**992**	**969**	-	**51**	**35**	**98**	**91**	**55**	**33**	**145**	**312**	**840**	**56**	**17·7**	**1·6**	**56·6**	**32·9**	**46·2**	**7·89**	**1·10**	**2·79**	33 Towns.
London - -	4,589,129	2299	1544	400	389	-	23	11	34	34	21	13	61	141	459	4	17·5	1·5	56·3	37·5	47·4	8·56	0·77	1·96	London.
West Ham - -	314,472	165	87	30	18	-	-	-	8	1	2	1	3	4	13	1	14·4	2·0	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	48	29	8	8	-	-	1	-	-	1	-	-	4	3	-	11·5	0·8	55·0	35·5	46·0	7·78	0·69	1·75	Croydon.
Brighton - -	124,148	56	37	11	11	-	1	-	2	1	1	-	1	3	8	-	15·5	2·1	54·6	39·0	48·5	9·17	1·72	4·37	Brighton.
Portsmouth -	194,955	112	51	12	13	-	-	-	4	1	1	-	-	-	8	2	13·6	1·6	56·0	40·0	48·2	9·00	1·19	3·02	Portsmouth.
Plymouth - -	162,161	41	29	3	14	-	-	-	-	-	2	-	-	2	4	-	14·8	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	162	103	37	23	-	-	2	2	5	-	2	3	9	11	1	16·5	1·8	56·0	34·0	46·6	8·11	0·86	2·18	Bristol.
Cardiff - -	194,247	104	44	13	12	-	-	-	1	2	1	-	3	3	9	1	11·8	1·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	67	31	8	10	-	6	-	3	-	-	-	-	1	2	-	15·3	4·4	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	46	31	7	6	-	1	-	-	-	2	-	2	3	7	-	18·0	1·7	53·9	32·9	42·8	6·00	0·51	1·30	Wolverhampton.
Birmingham -	519,610	278	186	41	45	-	4	3	2	2	7	2	8	11	34	3	18·7	2·0	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	74	39	9	13	-	-	-	-	2	-	-	2	3	4	1	17·7	0·9	54·6	34·8	45·8	7·67	0·69	1·75	Norwich.
Leicester - -	219,169	116	62	14	12	-	-	1	6	-	-	2	2	2	22	3	14·8	2·1	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	110	90	26	19	-	2	2	-	7	1	-	5	8	7	1	19·3	2·6	52·5	36·6	44·1	6·72	1·13	2·87	Nottingham.
Derby - - -	107,991	54	35	8	8	-	-	1	-	3	2	-	2	4	6	-	16·9	2·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	48	34	3	9	-	-	-	-	-	-	-	1	3	6	-	15·1	-	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	399	266	58	59	-	5	2	4	1	1	-	11	15	59	16	21·9	1·1	56·6	38·7	47·2	8·44	1·42	3·61	Liverpool.
Bolton - -	164,240	83	55	22	9	-	1	1	2	-	1	1	1	3	5	1	17·5	1·9	-	-	-	-	-	-	Bolton.
Manchester -	548,768	361	217	53	46	-	2	2	2	3	1	2	11	27	53	1	20·6	1·1	-	-	-	-	-	-	Manchester.
Salford - -	220,816	113	75	16	13	-	-	2	1	1	1	-	3	7	17	2	17·7	1·2	-	-	-	-	-	-	Salford.
Oldham - -	153,297	76	62	14	16	-	-	-	-	2	-	1	-	5	8	-	21·1	1·0	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	51	35	5	5	-	-	3	1	1	1	-	-	3	5	-	15·6	2·7	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	46	42	8	9	-	-	2	2	-	1	4	1	2	6	2	16·0	3·4	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	52	46	14	10	-	-	1	1	5	3	1	1	1	3	1	20·2	4·8	52·0	40·0	45·9	7·72	1·32	3·35	Preston.
Huddersfield -	104,484	35	30	4	9	-	-	-	-	-	-	-	2	2	2	1	15·0	-	55·8	38·5	45·9	7·72	1·31	3·33	Huddersfield.
Halifax† - -	100,710	55	32	6	7	-	-	-	-	2	1	-	2	3	4	2	16·6	1·6	-	-	-	-	-	-	Halifax.†
Bradford - -	291,535	139	84	20	26	-	-	1	-	3	2	-	3	8	7	2	15·0	1·1	52·8	39·6	45·9	7·72	1·58	4·01	Bradford.
Leeds - - -	431,287	230	138	27	46	-	4	-	8	-	-	1	2	10	14	-	16·7	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	242	151	37	38	-	-	-	14	5	2	1	6	8	26	7	21·5	3·1	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	150	101	33	25	-	1	-	-	9	-	1	1	5	6	2	22·1	2·4	-	-	-	-	-	-	Hull.
Sunderland -	147,398	80	60	17	11	-	-	-	1	1	-	-	5	8	15	-	21·2	0·7	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	72	35	8	12	-	-	-	-	-	-	-	2	2	-	1	16·7	-	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	118	76	20	18	-	1	-	-	-	-	1	1	2	7	1	16·9	0·4	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† The recent extension of the Borough of Halifax will not be taken into account in the Weekly Returns until 1901.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-NINTH Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2240	2393	2397	2466	2599	2373	2419	2489	2577	2339	2555·6	2299
Males - -	1144	1244	1244	1246	1315	1228	1268	1244	1306	1217	1310·4	1156
Females - -	1096	1149	1153	1220	1284	1145	1151	1245	1271	1122	1245·2	1143
TOTAL **Deaths** -	1733	1462	1452	2556	1614	1459	1604	1866	1447	1957	1804·2	1544
Males - -	901	716	735	1263	808	738	833	950	755	1012	916·4	810
Females - -	832	746	717	1293	806	721	771	916	692	945	887·8	734

*The numbers in this column are the average weekly numbers in the forty-ninth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 15.	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
TOTAL **Births** - - -	2519	2448	2239	2319	2429	2485	2238	2392	2500	2323	2538	2338	2299
TOTAL **Deaths** - - -	1470	1449	1471	1391	1305	1392	1403	1466	1498	1505	1515	1572	1544
Ages at Death: Under 1 year - -	469	419	437	393	327	356	352	351	347	369	361	397	400
1—5 years - -	180	161	173	148	149	149	143	148	173	172	158	200	187
5—20 " - -	64	84	65	67	72	87	100	102	81	90	87	83	77
20—40 " - -	208	196	175	188	179	186	187	190	209	217	209	205	164
40—60 " - -	265	251	279	287	256	279	266	304	311	311	295	298	327
60—80 " - -	230	282	273	256	261	270	288	302	309	283	325	322	318
80 years and upwards	54	56	69	52	61	65	67	69	68	63	80	67	71
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Measles - - - -	17	9	13	4	11	8	20	10	22	18	21	33	23
Scarlet Fever - - -	3	3	5	14	7	8	10	8	8	8	11	6	11
Diphtheria - - - -	17	30	40	29	26	36	39	42	35	32	22	29	34
Whooping-cough - - -	57	48	27	18	27	20	18	13	16	15	27	21	34
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Enteric Fever - - -	23	14	18	15	22	19	22	20	25	17	26	23	21
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	165	132	120	110	75	55	43	27	23	18	8	12	13
Cholera - - - -	1	1	3	-	-	-	-	1	-	-	1	-	1
All the above Diseases -	283	237	226	190	168	146	152	121	129	108	116	126	137
Dis. of Respiratory System -	161	203	187	164	173	182	236	268	307	352	322	436	400
Phthisis - - - - -	151	120	141	135	125	141	141	152	137	150	134	158	150
Dis. of Circulatory System -	119	97	124	104	129	144	140	148	137	140	145	122	137
Violence - - - -	69	64	61	62	60	59	62	70	71	73	51	65	61
Inquest Cases - - - -	135	119	129	129	120	137	141	149	159	157	138	159	141
Deaths in Public Institutions -	449	464	435	445	428	476	447	467	490	469	470	483	459
TEMPERATURE OF THE AIR.													
Mean - - - - -	58°·4	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4
Mean of Highest readings -	68·9	73·3	66·9	63·0	63·7	53·9	53·0	57·8	53·6	51·1	46·2	48·1	52·0
Mean of Lowest readings -	48·9	50·7	48·9	45·5	46·6	42·4	40·8	48·5	44·4	38·4	37·7	41·4	42·4
Humidity of the Air - -	73	76	79	78	78	75	84	88	83	91	85	88	89
Rain-fall (in inches) - -	0·00	0·07	0·35	0·54	0·03	0·05	0·30	0·92	0·41	0·81	0·09	0·66	0·77
Registered Sunshine (in hours)	44·1	41·9	32·5	30·5	34·8	21·3	14·0	13·2	18·8	6·0	6·4	7·9	3·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	3	2	2	1	1	1	1	1	-	-	2	2	1
Scarlet Fever - - - -	1753	1804	1938	2071	2187	2341	2489	2619	2702	2728	2725	2727	2687
Diphtheria - - - -	1212	1232	1238	1286	1314	1380	1465	1472	1521	1556	1535	1537	1515
Enteric Fever - - - -	212	273	329	371	405	430	429	444	456	454	442	436	433

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met Soc., Hull.

LE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FORTY-NINTH Week of the Year 1900.

ES OF DEATH	Corrected Averages for the 49th Week of the 10 years 1890-99*.	In the Week ending Saturday, 8th December, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1	1-5	5-20	20 and under 40	40 and under 60	60 and under 80	80 years and upwards
JSES - - -	1804·2	1544	400	187	77	164	327	318	71
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·4	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
s - - - -	59·0	23	4	18	1	-	-	-	-
Fever - - -	21·4	11	-	9	1	1	-	-	-
s - - - -	0·2	-	-	-	-	-	-	-	-
ng Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	26·2	15	1	1	-	1	7	5	-
ing-cough - -	33·6	34	16	18	-	-	-	-	-
eria - -	58·0	34	2	24	6	1	1	-	-
Continued and fined Fever -	0·2	-	-	-	-	-	-	-	-
Fever - - -	19·8	21	-	-	8	12	1	-	-
and Chol. Diarr.	-	1	1	-	-	-	-	-	-
ea, Dysentery -	12·7	13	6	3	-	1	-	3	-
ent Fever - -	-	-	-	-	-	-	-	-	-
phobia - - -	-	-	-	-	-	-	-	-	-
rs - - - -	0·1	-	-	-	-	-	-	-	-
x and Effects of nation - -	0·1	-	-	-	-	-	-	-	-
al Affections - -	8·7	5	3	-	-	1	1	-	-
elas - - -	6·4	4	1	-	-	1	2	-	-
a and Septicæmia	2·7	2	2	-	-	-	-	-	-
ral Fever - -	6·3	1	-	-	-	1	-	-	-
Zymotic Diseases	1·8	4	1	2	-	1	-	-	-
- - - - -	0·9	-	-	-	-	-	-	-	-
and other Para- l Diseases -	0·4	-	-	-	-	-	-	-	-
tion, Want of st-milk - -	1·4	2	2	-	-	-	-	-	-
lism - - -	11·8	20	-	-	-	6	12	2	-
atic Fever, matism of Heart	9·6	4	-	-	2	1	1	-	-
atism - - -	2·8	6	-	-	-	-	2	4	-
- - - - -	2·2	2	-	-	-	-	-	2	-
s - - - -	5·5	3	1	1	-	-	1	-	-
- - - -	80·9	88	-	-	2	7	33	39	7
Mesenterica - -	17·5	10	3	4	3	-	-	-	-
ular Meningitis -	21·8	23	8	11	3	1	-	-	-
is - - - -	175·3	150	1	3	8	52	74	12	-
la, Tuberculosis -	18·6	16	4	2	4	5	1	-	-
Constitutional ases - -	13·6	19	-	-	3	4	5	7	-
ture Birth - -	55·1	46	46	-	-	-	-	-	-
tasis - - -	4·5	3	3	-	-	-	-	-	-
nital Malforma- s - - - -	8·1	12	12	-	-	-	-	-	-
ge - - - -	58·4	41	-	-	-	-	-	19	22
exy - - -	48·8	41	1	-	-	-	15	19	6
osy - - - -	7·7	5	-	1	-	2	1	1	-
lsions - - -	38·6	28	26	1	1	-	-	-	-
Diseases of Brain Nervous System	83·3	54	5	4	5	4	15	17	4
es of Organs of cial Sense -	3·1	3	2	-	-	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 49th Week of the 10 years 1890-99*.	In the Week ending Saturday, 8th December, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20: 0-1	1-5	5-20	20 and under 40	40 and under 60	60 and under 80	80 years and upwards
Diseases of Circulatory System - -	153·6	137	1	-	5	19	47	61	4
Croup - - - -	5·4	-	-	-	-	-	-	-	-
Bronchitis - - -	254·0	216	103	25	-	3	21	55	9
Pneumonia - - -	149·9	152	62	42	5	12	15	12	4
Pleurisy - - - -	5·7	5	1	1	-	1	2	-	-
Other Diseases of Respiratory System -	33·1	27	5	4	-	2	3	10	3
Dentition - - - -	6·2	4	3	1	-	-	-	-	-
Quinsy, Sore Throat -	1·9	4	1	1	1	-	1	-	-
Enteritis - - -	13·4	7	1	-	4	-	-	2	-
Gastro-enteritis -		6	4	2	-	-	-	-	-
Peritonitis - - -	6·0	5	1	-	-	1	3	-	-
Diseases of Liver - -	24·1	25	3	-	-	3	8	10	1
Other Diseases of Digestive System	31·9	21	5	-	2	1	7	6	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·3	2	-	-	-	-	1	1	-
Diseases of Urinary System - - -	48·2	63	-	-	4	8	25	20	6
Diseases of Generative System - - -	6·0	7	-	-	1	1	5	-	-
Accidents of Childbirth-	5·0	2	-	-	-	1	1	-	-
Diseases of Locomotive System - - -	7·3	5	-	-	3	1	1	-	-
Diseases of Integumentary System- -	6·3	9	3	1	1	1	2	-	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -		-	-	-	-	-	-	-	-
By Vehicles or Horses -		7	-	1	2	1	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	58·3	8	-	3	2	-	3	-	-
By Drowning - -		6	1	-	-	2	3	-	-
By Suffocation in Bed -		10	10	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		-	-	-	-	-	-	-	-
Other or not stated causes - - - -		20	5	2	-	2	3	5	3
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	0·5	2	2	-	-	-	-	-	-
Suicide - - - -	6·0	7	-	-	-	2	2	3	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	51·5	42	38	2	-	-	-	1	1

he numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase pulation.

nly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered cal men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the e of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

he evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of lent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 8th December, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON - - -	4,411,710	2299	1544	400	389	-	23	11	34	34	-	21	-	13	61	141	459	4
WEST DISTRICTS - - -	778,251	343	277	66	77	-	2	1	2	7	-	2	-	2	11	25	92	-
NORTH DISTRICTS - - -	1,040,694	483	335	85	87	-	1	2	11	8	-	5	-	3	14	29	98	-
CENTRAL DISTRICTS - - -	233,635	115	70	14	15	-	1	-	1	3	-	-	-	2	3	6	29	-
EAST DISTRICTS - - -	716,334	460	267	73	59	-	2	-	6	3	-	5	-	2	12	33	100	1
SOUTH DISTRICTS - - -	1,642,796	898	570	162	141	-	17	7	14	13	-	9	-	4	21	48	115	3
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	25	-	10	-	-	1	-	-	-	-	-	-	-	-	25	-
WEST DISTRICTS.																		
St. Mary Paddington *WHH* G. & W.	90,996	37	34	9	13	-	-	-	-	-	-	-	-	-	-	3	12	-
St. John Paddington *H* - - G.	33,510	7	19	1	6	-	-	-	1	-	-	-	-	-	1	2	7	-
Kensington Town *Ww* - - W.	122,164	44	56	17	16	-	-	-	-	5	-	-	-	-	1	2	20	-
Brompton *HH*- - - W. & C.	48,301	4	9	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *H* W. & G	44,638	27	9	5	3	-	-	-	-	-	-	-	-	-	-	2	-	-
South Hammersmith *H* W. & G	59,561	25	18	6	6	-	-	-	-	-	-	-	-	2	2	4	3	-
North-west Fulham§ *W* W. & C.	113,781	40	22	7	2	-	2	-	1	-	-	-	-	-	3	4	5	-
North-east Fulham§ *w* W. & C.		25	14	7	-	-	-	1	-	-	-	1	-	-	-	2	2	-
South Fulham§ W. & C.		31	8	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Chelsea Kensal Town - C.	21,450	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	15	23	1	7	-	-	-	-	2	-	1	-	-	-	1	18	-
Chelsea South *HH* - - C.	33,139	13	13	3	5	-	-	-	-	-	-	-	-	-	1	1	2	-
May Fair *WH*- - - - G.	23,827	5	17	1	7	-	-	-	-	-	-	-	-	-	-	-	14	-
Belgrave *WHHH* - - - C.	56,140	25	18	2	5	-	-	-	-	-	-	-	-	-	2	2	8	-
St. John Westminster *HH* - C.	31,492	18	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Margaret Westminster *H* C.	22,097	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WH* N. & G.	23,050	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	12	13	2	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Rectory Marylebone *W* G. & W.	19,798	2	6	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary Marylebone *HHHH* G. & W.	19,637	38	6	3	1	-	-	-	-	-	-	-	-	-	1	1	3	-
Christchurch Marylebone *H* - W	32,547	14	12	4	2	-	-	-	-	-	-	1	-	-	1	1	-	-
St. John Marylebone *HHH* - W.	32,611	17	9	4	3	-	-	-	-	-	-	-	-	-	1	3	1	-
Hampstead *WwHHHH* - N. & W.	75,449	19	20	4	2	-	-	2	1	2	-	1	-	1	2	2	9	-
Regent's Park † *HH* - W.	51,403	25	11	2	6	-	-	-	-	-	-	-	-	1	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	16	15	3	2	-	-	-	1	1	-	-	-	-	-	-	8	-
Gray's Inn Lane *HHHH* - N.	29,426	19	22	5	5	-	-	-	-	-	-	-	-	-	2	2	11	-
Somers Town *HH* - - - N.	32,161	17	10	3	1	-	-	-	-	-	-	1	-	-	1	1	2	-
Camden Town† *WH* - - N.	40,155	17	17	4	8	-	-	-	-	-	-	-	-	-	-	2	9	-
Kentish Town† *WW* - - N.	60,862	26	22	7	4	-	-	-	-	1	-	1	-	-	1	4	6	-
Upper Holloway *WWWWwHH* - - N.	98,273	38	48	10	11	-	-	-	-	-	-	-	-	1	1	4	23	-
Lower Holloway‡ - - - N.	41,805	20	12	3	5	-	-	-	-	3	-	1	-	-	-	1	-	-
Barnsbury‡ - - - - N.	56,384	31	17	5	1	-	-	-	-	1	-	-	-	-	1	2	-	-
Islington South-east‡ *H* - N.	75,725	33	15	2	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Highbury *HH* - - - N.	64,577	21	10	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H* - - N.	33,485	12	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	14	9	3	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *ww* - E. & N.		29	25	7	7	-	-	-	9	-	-	-	-	-	-	-	9	-
South-west Hackney *HHH* E. & N.		29	16	7	5	-	-	-	-	-	-	-	-	-	1	2	3	-
South-east Hackney *WwH* E. & N.		34	14	2	6	-	-	-	-	-	-	-	-	-	-	1	6	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers are received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-east Sub-District

§ On 1st December, 1900, the Sub-District of Fulham was divided into North-west Fulham Sub-District

5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES ARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each B-DISTRICT during the Week ending Saturday, 8th December, 1900—*continued.*

GISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
nsbury and St. Giles th *WH* - - - N.	29,086	10	4	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
lesNorth *H* - - - N.	9,151	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
rtin-in-the-Fields *HH* N. & C.	13,077	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
d *WHH* - - - - N.	11,839	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-
d Union Workhouse, Edmonton	†*1,037*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orn *WwHHHHH* - N.	31,042	13	17	5	3	-	-	-	-	2	-	-	-	-	1	1	9	-
mes Clerkenwell - - N.	15,777	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ell Clerkenwell - - N.	34,356	21	9	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
ell-street - - - - N.	16,069	11	7	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
road *HHHHL* - - N.	29,897	23	7	2	-	-	1	-	-	-	-	-	-	-	-	-	3	-
ury* - - - - - N.	11,630	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
rn Union Workhouse, cham - - - -	†*892*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph‡ *H* - - N. & E.	13,061	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
pulchre *WH* - - - N.	9,591	3	10	-	2	-	-	-	1	-	-	-	-	-	1	3	7	-
llows Barking - - - N.	9,059	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f London Asylum, Stone - -	†*388*	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
editch South *Hl* - E. & N.	17,975	4	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
on New Town *w* - - N.	29,575	17	8	-	3	-	-	-	-	-	-	-	-	-	1	3	1	-
on Old Town - - - N.	27,645	27	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
erston *WH* - - N. & E.	47,163	30	26	3	11	-	-	-	-	-	-	-	-	-	2	5	12	-
nal Green North *H* - E.	49,301	37	12	6	1	-	-	-	-	-	-	-	-	-	-	2	-	-
nal Green South - - E.	34,194	17	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1
nal Green East *WWHl* - E.	45,667	26	25	5	10	-	-	-	-	-	-	-	-	-	-	-	19	-
lfields - - - E. & N.	26,681	13	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town *WH* - E.	51,995	20	38	10	1	-	-	-	-	-	-	2	-	-	1	4	33	-
man's Fields - - - E.		12	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
eorge's, North - - - E.	39,576	41	9	6	-	-	-	-	-	1	-	-	-	-	1	2	-	-
hn, St. George East *W* E.	7 930	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
well *H* - - - E. & N.	10,434	4	7	1	1	-	-	-	-	1	-	1	-	-	1	1	5	-
liff *W* - - - - E.	14,954	7	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
house - - - - E.	32,917	20	5	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-
End Old Town West *H* E.	111,060	43	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town East *Www* - E.		20	19	8	5	-	-	-	1	1	-	-	-	-	-	4	3	-
l - - - - E.	41,687	32	15	4	4	-	-	-	-	-	-	-	-	-	1	1	1	-
nley *wwwH* - - - E.	69,821	39	43	4	10	-	-	-	2	-	-	1	-	-	2	3	22	-
ar *WW* - - - - E.	57,759	47	24	11	1	-	1	-	2	-	-	1	-	1	2	5	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 8th December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	11	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Borough-road *WH* - S. & L.	16,083	11	12	2	1	-	-	-	1	1	-	-	-	-	-	2	6
London-road *HL* - - L. & S.	21,316	15	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Trinity Newington *H* - S. & L.	28,723	14	10	4	-	-	2	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	34	25	7	5	-	-	-	-	1	-	-	-	-	-	3	1
St. Mary Newington- - L. & S.	30,171	16	9	7	1	-	1	-	-	-	-	-	-	-	-	1	-
St. Olave *WH* - - - - S.	11,731	10	16	3	2	-	-	-	1	-	-	-	-	-	1	2	10
Bermondsey *W* - - - S.	85,475	53	35	11	12	-	2	-	-	-	-	-	-	1	2	2	-
Rotherhithe *Ww* - S. & K.	40,379	21	34	6	8	-	-	-	2	-	-	-	-	-	1	3	11
Waterloo-road *HH* - L. & S.	28,396	20	7	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 1st *H* - L. & S.	18,770	7	17	2	3	-	-	-	1	-	-	2	-	-	4	4	12
Lambeth Church 2nd *WW* L. & S.	40,994	34	22	8	6	-	-	-	-	-	-	-	-	-	-	1	11
Kennington 1st *H* - - S. & L.	52,486	44	16	5	5	-	-	1	-	-	-	-	-	1	-	-	-
Kennington 2nd - - S. & L.	43,244	14	10	2	4	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *w* - - - L. & S.	81,825	30	22	5	8	-	-	-	3	3	-	2	-	-	1	1	4
Norwood *WH*- - - - L.	29,318	12	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - - S.	71,730	37	20	5	6	-	-	-	-	-	-	-	-	-	-	1	-
North-west Battersea† - - S.	93,385	24	21	10	3	-	3	-	-	-	-	-	-	-	1	3	-
South-west Battersea† *WwH* - S.		16	19	3	7	-	-	-	-	-	-	-	-	-	1	2	12
Clapham *H* - - - - S.	46,953	27	23	8	8	-	-	-	-	2	-	-	-	1	1	1	-
Streatham *WwwwwL* - - L.	61,644	41	16	4	1	-	-	1	1	1	-	2	-	-	-	1	4
Wandsworth *WHHL* - - S.	58,101	26	6	1	1	-	1	-	-	-	-	-	-	-	-	1	-
Putney - - - - - - S.	20,566	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	43	35	6	15	-	-	-	1	1	-	-	-	-	3	4	19
Peckham *WW* - S., L., & K.	88,242	51	30	11	6	-	2	-	-	2	-	1	-	-	-	-	-
St. George Camberwell - L. & S.	67,029	31	18	6	4	-	-	-	-	1	-	-	-	-	1	1	-
Deptford North - - - K.	36,152	23	12	5	1	-	2	-	-	1	-	-	-	-	1	1	-
Deptford Central *w* - - K.	45,441	28	15	4	1	-	-	2	3	-	-	-	-	-	-	-	5
Deptford South - - - K.	33,402	17	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	13	11	3	1	-	-	-	-	-	-	-	-	-	2	2	1
Greenwich East *WH* - - K.	37,767	21	16	3	6	-	2	-	-	-	-	-	-	1	-	1	5
Fitham *wH* - - - - - K.	5,911	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - - K.	24,222	11	6	3	2	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham *WwH* - - - K.	38,139	31	14	2	4	-	-	1	1	-	-	1	-	-	1	2	6
Sydenham *H* - - - - L.	37,601	23	7	1	1	-	2	-	-	-	-	1	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	9	7	1	1	-	-	2	-	-	-	-	-	-	-	1	2
Woolwich* *HHHH* - - K.	41,314	24	11	5	3	-	-	-	-	-	-	-	-	-	-	2	2
Plumstead West *H* - - K.	16,714	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	22	17	6	5	-	-	-	-	-	-	-	-	-	-	3	2
Banstead Asylum - - - -	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford Heath - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asylum, Hendon	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
Colney Hatch Asylum - - -	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury Asylum - - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolw
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

BLE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 8th December, 1900.

gis-tion trict nd ub-trict um-ers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON-OUTER RING -	368,749	1,422,063	1,045	528	171	137	-	4	4	17	15	7	6	24	44	66	3
0:1	Carshalton *H* - - -	12,228	26,108	15	7	1	3	-	-	-	-	-	-	1	1	1	1	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
7:1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8:1	Croydon *WWwHHH* -	20,851	128,699	59	34	9	11	-	-	1	-	-	1	-	-	4	3	-
2	Mitcham *w* - - -	11,697	23,072	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-
9:1	Wimbledon *HHH* - -	3,220	25,777	28	12	3	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston *WH* - - -	14,672	33,566	23	12	1	4	-	3	-	-	1	-	-	2	3	1	-
3	Surbiton *HH* - - -		12,178	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H* - -		11,080	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	8	2	-	-	-	-	-	-	-	1	-	-	-	-	-
0:1	Richmond *WHH* - -	2,160	25,389	9	9	2	3	-	-	-	-	1	-	-	1	1	2	-
2	Mortlake *H* - - -	2,823	16,159	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Bromley *HHH* - - -	9,127	23,815	10	7	2	2	-	-	-	-	-	-	-	-	1	-	-
2	Beckenham *H* - - -	6,542	21,969	15	3	1	1	-	-	-	-	-	-	-	1	1	-	1
3	Chislehurst, *part of** *WHH*	14,307	20,372	11	5	-	2	-	-	-	-	-	-	-	-	1	3	-
2:1	Bexley *HHH* - - -	12,540	30,590	23	12	7	3	-	-	-	1	1	-	-	1	2	-	-
2	Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4:1	Sunbury *w* - - -	11,054	13,671	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
5:1	Hillingdon *WHH* - -	6,035	12,237	3	4	2	1	-	-	-	-	-	-	-	-	-	1	1
2	Uxbridge - - - -	12,757	7,253	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1	Isleworth *WHH* - -	6,967	26,004	12	7	1	4	-	-	-	-	-	-	-	-	-	3	-
2	Twickenham *HH* - -	2,415	16,027	6	8	3	-	-	-	-	-	1	-	-	-	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	17	16	2	5	-	-	-	-	-	-	-	3	2	2	-
4	Chiswick - - - -	1,245	21,963	19	7	2	2	-	-	-	1	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	27	10	7	2	-	-	-	-	-	-	1	-	1	-	-
7:1	Harrow *HHH* - - -	13,809	15,715	5	5	1	1	-	-	-	-	1	-	-	1	1	1	-
2	Edgware *HH* - - -	6,994	3,844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	64	28	12	5	-	-	1	1	1	-	-	1	1	3	-
4	Hendon *WH* - - -	8,382	15,843	13	8	2	1	-	-	-	-	-	-	-	-	-	3	-
8:1	South Mimms *HH* - -	21,077	6,367	4	2	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Barnet *WHH* - - -		14,152	6	7	2	2	-	-	-	-	1	-	-	2	2	2	-
3	Finchley *HHH* - - -	4,688	25,820	4	5	1	3	-	-	-	-	-	-	-	-	-	-	-
9:1	Hornsey *HH* - - -	3,039	61,097	36	16	2	7	-	-	-	1	-	-	-	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	75	42	9	11	-	-	-	-	2	-	1	1	3	1	-
3	Edmonton *Ww* - -	7,489	36,351	41	22	4	7	-	-	1	-	2	-	2	-	-	7	-
4	Enfield *WWHH* - -	12,602	31,536	21	9	7	-	-	-	-	1	-	1	-	-	2	1	-
5	Waltham Abbey - - -	11,017	6,066	6	1	-	1	-	-	-	-	-	-	-	1	1	-	-
6	Cheshunt *H* - - -	8,480	9,620	4	3	-	1	-	1	-	-	-	-	-	-	-	-	-
5:1	Hatfield, *part of** *W* -	3,306	582	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Bushey *H* - - - -	9,331	7,737	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	2	-	1	-	-	-	1	-	-	-	-	-	2	-
6:1	Stratford *H* - - -	4,706	38,612	27	13	5	3	-	-	-	-	-	-	-	1	1	1	-
2	Plaistow *HHH* - - -		58,030	59	30	12	4	-	-	-	5	-	-	-	-	1	4	-
3	Canning Town *H* - -		54,750	43	24	9	5	-	-	-	1	1	2	1	2	2	1	-
4	Forest Gate *w* - - -		53,511	36	13	4	3	-	-	-	1	-	-	-	-	-	-	1
5	East Ham *wHHH* - -	3,266	32,713	59	18	14	3	-	-	-	-	1	-	-	-	-	-	-
6	Wanstead† - - - -	4,334	7,042	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
7	South Leyton† *WW* - -		38,232	29	29	8	8	-	-	-	-	1	-	-	-	2	13	-
8	North Leyton† *WwH* -		24,874	21	13	5	2	-	-	-	-	1	2	-	1	1	-	-
9	Walthamstow *HHHL* -	6,501	57,370	86	33	16	6	-	-	-	2	-	-	-	3	6	1	-
7:1	Chigwell, *part of** *HHHH*	11,779	12,941	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Romford, *part of** *W* -	6,556	4,324	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	14	6	1	2	-	-	1	1	-	-	-	-	-	2	-
3	Barking Town, *H* - -	3,814	14,301	13	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	6	-	3	-	-	-	-	-	-	-	1	1	6	-
	S.E. Fever Hospital, Deptford.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37: 1, excepting Warlingham and Farley parishes; 39: 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 are also included.

† 186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton Sub-Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 8th December, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	**443,421**	**6,652,145**	**16·2**	**1·5**	**20·72**	**571**	**526**	**–**	**27**	**15**	**51**	**49**	**28**	**19**	**85**
INNER LONDON -	74,672	4,589,129	17·5	1·5	1544	400	389	–	23	11	34	34	21	13	61
OUTER RING -	368,749	2,063,016	13·3	1·3	528	171	137	–	4	4	17	15	7	6	24

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent t the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal
EDINBURGH -	302,262	December 8	112	134	23·1	–	9	3	2	2	–	
GLASGOW - -	743,585	„ 8	349	303	21·2	1	2	5	5	18	4	
DUBLIN† - -	349,594	„ 8	268	184	27·4	–	–	1	–	4	3	
CALCUTTA - -	466,460	October 13	–	362	40·4	6	–	–	–	1	135‡	
BOMBAY - -	821,764	November 13	266	751	47·5	–	2	?	?	?	163‡	
MADRAS - -	452,518	„ 9	–	–	–	–	–	–	–	–	–	
PARIS - - -	2,511,629	December 1	1135	897	18·5	17	3	2	9*	3	10	
BRUSSELS - -	570,844	„ 1	248	166	15·1	–	–	–	3*	3	12	
AMSTERDAM -	527,181	November 24	271	163	16·4	–	11	–	1	6	–	
ROTTERDAM -	325,556	„ 24	235	87	13·7	–	1	1	–	1	–	
THE HAGUE -	205,328	„ 24	115	58	14·5	–	1	–	2	–	–	
COPENHAGEN -	354,000	December 1	155	102	15·0	–	–	1	–	–	4	
STOCKHOLM -	297,148	November 24	154	76	13·3	–	–	–	6*	–	–	
CHRISTIANIA -	226,423	December 1	141	51	11·7	–	–	–	–	2	–	
ST. PETERSBURG	1,132,677	November 24	722	535	24·6	–	10	15	22	9	24	
MOSCOW - -	988,610	„ 24	–	560	29·5	–	7	11	10	3	8	
BERLIN - -	1,857,859	„ 17	782	587	16·3	–	16	9	12	6	7	
HAMBURG - -	691,349	December 1	–	193	14·5	–	–	5	6*	2	–	
DRESDEN - -	407,500	November 3	–	–	–	–	–	–	–	–	–	
BRESLAU - -	412,959	December 1	–	141	17·8	–	–	2	–	1	1	
MUNICH - -	463,000	November 24	–	203	22·8	–	1	–	2*	–	–	
VIENNA - -	1,656,662	December 1	935	616	19·1	–	31	–	9*	2	2	
PRAGUE - -	391,693	November 24	169	165	21·8	–	3	–	5	1	4	
BUDA-PESTH -	685,340	„ 24	486	262	19·9	–	–	6	2	2	4	
TRIESTE - -	168,264	„ 24	116	68	20·9	–	–	–	1*	1	–	
ROME - - -	518,333	October 27	175	172	17·3	–	1	–	–	1	9‖	
TURIN (10 days)-	344,203	„ 10	–	–	–	–	–	–	–	–	–	
VENICE - -	174,170	November 24	64	64	19·2	–	–	–	3*	–	–	
CAIRO - -	570,062	„ 4	474	389	35·5	–	1	–	7*	–	8	
ALEXANDRIA -	319,766	„ 4	247	204	33·2	–	1	–	3*	–	7	
NEW YORK (including BROOKLYN)	3,654,594	„ 10	1320	1088	16·5	–	–	4	27	7	27	
PHILADELPHIA -	1,293,697	„ 17	–	439	17·7	–	–	2	24	1	6	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area
‡ Including 13 deaths from plague in Calcutta, and 53 in Bombay.
§ Including 20 deaths from cholera in Calcutta, and 4 in Bombay.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 50 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	2	..	29·683	42·9	39·1	3·8	41·0	+ 0·4	39·6	1·4	3·1	0·7	95	45·0	38·2	43·13	E. & ENE.	E. & ESE.	0·2	0·0	0·0	131	−170	0·00	0·0
MONDAY -	3	Perigee	29·639	53·6	37·9	15·7	44·5	+ 3·7	41·2	3·3	5·3	1·8	88	59·2	32·9	48·02	SE. & SSE.	SSW. & S.	10·5	0·0	0·7	315	+ 13	0·08	0·5
TUESDAY -	4	..	29·450	54·4	49·4	5·0	52·0	+10·9	45·9	6·1	8·6	3·0	80	79·3	46·9	47·90	SW. & WSW.	WSW & SW.	12·3	0·0	1·8	563	+260	0·03	1·5
WEDNESDAY	5	..	29·346	56·3	49·4	6·9	51·6	+10·3	50·2	1·4	7·4	0·0	95	56·3	48·1	48·11	WSW. & SW.	S., SE. & WSW.	23·5	0·0	1·1	423	+119	0·53	0·5
THURSDAY-	6	Full. Gr. Dec. N.	29·486	53·7	45·8	7·9	49·7	+ 8·4	45·6	4·1	7·4	2·1	86	59·5	39·4	48·39	WNW., W. & WSW.	SW. & WNW.	16·5	0·0	1·2	452	+148	0·11	1·5
FRIDAY -	7	..	29·930	50·7	37·9	12·8	44·4	+ 3·4	41·1	3·3	8·0	0·5	88	64·7	31·2	48·62	W. & WSW.	W., SW. & SSW.	3·1	0·0	0·3	325	+ 20	0·01	0·0
SATURDAY-	8	..	29·988	52·5	37·5	15·0	48·6	+ 8·0	46·1	2·5	3·6	1·7	91	57·7	31·8	48·68	SSW. & S.	SSW.	4·8	0·0	0·9	429	+124	0·01	0·5
MEANS -			29·646	52·0	42·4	9·6	47·4	+ 6·4	44·2	3·2	6·2	1·4	89	60·2	38·4	48·26	SW.		..	..	..	Sum 2638	Sum +514	Sum 0·77	0·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	2	w. P. generally till 11h. A.M.; m. P. generally afterwards.	0·0	8·1	Overcast; occasional fine rain.
MONDAY -	3	w. P. till 9h. A.M.; m. P. till 7h. P.M.; w. P. and w. N. afterwards.	0·2	8·1	Overcast generally; frequent rain after 3h. P.M. Strong gusty wind at night.
TUESDAY -	4	w. P. till 9h. A.M.; m. P. generally afterwards.	2·2	8·0	Generally overcast. Strong wind till 8h. A.M., and occasional showers after 3h. P.M. Very mild.
WEDNESDAY	5	w. P. generally; occasional v. N.	0·0	8·0	Overcast generally; frequent rain till 8h. P.M. Strong gusty wind after 5h. P.M. Lunar halo observed at 11h. P.M. Very mild.
THURSDAY-	6	w. P. generally till 8h. A.M.; m. P. till 4h. P.M.; v. P. and v. N. till 8h. P.M.; w. P. afterwards.	0·0	8·0	Overcast, with occasional rain, till evening; fine and partially cloudy at night. Strong wind prevalent till 3h. A.M. Lunar halo at night. Very mild.
FRIDAY -	7	w. P. generally till noon; m. P. and m. N. till 4h. P.M.; m. P. generally afterwards.	0·7	8·0	Fine and partially cloudy. Occasional slight showers in afternoon. Slight fog with heavy dew at night.
SATURDAY-	8	m. P. till 3h. A.M.; w. P. afterwards.	0·0	7·9	Fine in early morning; overcast, with occasional slight rain afterwards. Very mild.
			Sum 3·1	Sum 56·1	
No. of Col.-	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·59 in. at the beginning of the week to 29·78 in. by 2h. A.M. on the 3rd; decreased to 29·29 in. by 5h. A.M. on the 4th; increased to 29·51 in. by 5h. P.M. on the same day; decreased to 29·20 in. by 8h. P.M. on the 5th; increased to 29·59 in. by 7h. A.M. on the 6th; decreased to 29·36 in. by 6h. P.M. on the same day; increased to 30·07 in. by 11h. P.M. on the 7th; and decreased to 29·93 in. by the end of the week.

Errata.—Report for week ending 13th October, 1900. Columns 23 and 24, October 10, *for* 260 miles and + 15 miles *read* 360 miles and + 115 miles. Sums for week, *for* 1764 miles and + 45 miles *read* 1864 miles and + 145 miles respectively.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40, BACON STREET E

1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 50. 1900. VOL. LXI.] WEEK ENDING SATURDAY, DEC. 15. [Price 1½*d.*

General Register Office, Somerset House,
December 17th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·6, 18·0, and 17·7. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

TOWNS.	Weeks ending Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	TOWNS.	Weeks ending Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
33 Great Towns	17·6	18·0	17·7	16·8	Leicester - -	14·5	14·8	14·8	18·3
Birkenhead -	15·1	16·0	15·1	16·9	Liverpool - -	21·9	22·9	21·9	20·0
Birmingham -	17·0	20·3	18·7	16·5	London - - -	17·2	17·9	17·5	16·5
Blackburn -	18·3	14·5	16·0	12·6	Manchester - -	21·0	20·8	20·6	22·2
Bolton - -	23·2	18·1	17·5	21·3	Newcastle-on-Tyne	15·8	19·1	16·9	17·4
Bradford -	18·2	16·3	15·0	16·3	Norwich - -	10·0	12·3	17·7	8·6
Brighton -	16·8	17·2	15·5	14·3	Nottingham - -	20·4	17·0	19·3	22·1
Bristol - -	16·4	18·8	16·5	16·0	Oldham - -	15·3	20·4	21·1	11·2
Burnley -	20·1	16·5	15·6	12·5	Plymouth - -	18·4	17·4	14·8	16·8
Cardiff - -	10·5	12·3	11·8	12·9	Portsmouth - -	15·2	16·3	13·6	13·6
Croydon -	13·1	9·1	11·5	11·9	Preston - -	21·0	18·4	20·2	11·8
Derby - -	20·3	18·8	16·9	15·0	Salford - - -	24·3	20·3	17·7	17·7
Gateshead -	20·0	15·3	16·7	20·0	Sheffield - -	20·4	17·8	21·5	18·7
Halifax -	16·1	22·8	16·6	12·4	Sunderland - -	18·0	26·9	21·2	18·7
Huddersfield-	11·5	16·0	15·0	16·0	Swansea - -	20·3	19·3	15·3	15·8
Hull - -	16·4	15·7	22·1	19·9	West Ham - -	14·1	13·8	14·4	12·6
Leeds - -	16·0	17·3	16·7	17·5	Wolverhampton -	19·2	21·5	18·0	15·7

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·5 in Swansea; from *whooping-cough*, 1·1 in Nottingham, in Sheffield, and in Sunderland; from "*fever*," 1·3 in Preston; and from *diarrhœa*, 1·3 in Burnley. In none of the thirty-three towns did the death-rate from *scarlet fever* reach 1·0 per 1000. The 77 deaths from *diphtheria* included 20 in London, 12 in Sheffield, 6 in Leeds, 6 in Leicester, 4 in West Ham, 4 in Bristol, 4 in Manchester, 4 in Bradford, 3 in Portsmouth, and 3 in Bolton. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2527 BIRTHS and 1454 DEATHS were registered. Allowing for increase of population, the births were 64, and the deaths 344, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1. 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 17·2, 17·9, and 17·5, in the preceding three weeks, further fell last week to 16·5. During the four weeks ending on Saturday last the death-rate averaged 17·3 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1454 deaths included 20 from measles, 8 from scarlet fever, 20 from diphtheria, 28 from whooping-cough, 19 from enteric fever, 15 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus, 110 deaths were referred to these diseases, being 100 below the corrected average weekly number.

The deaths from *measles*, which had been 21, 33, and 23 in the preceding three weeks, further fell last week to 20, and were 41 below the corrected average. The deaths from *scarlet fever*, which had been 11, 6, and 11 in the preceding three weeks, fell again last week to 8, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 22, 29, and 34 in the preceding three weeks, fell again last week to 20, and were 37 below the corrected average; 4 cases belonged to Camberwell and 3 to Poplar sanitary areas. The deaths from *whooping-cough*, which had been 27, 21, and 34 in the preceding three weeks, fell again last week to 28, and were 11 below the corrected average. The fatal cases of *enteric fever*, which had been 26, 23, and 21 in the preceding three weeks, further fell last week to 19, and were equal to the corrected average; 4 cases belonged to Hackney, 2 to Islington, 2 to Shoreditch, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 8, 12, and 13 in the preceding three weeks, further rose last week to 15, the corrected average being 14. The deaths referred to diseases of the *respiratory organs*, which had been 322, 436, and 400 in the preceding three weeks, further fell last week to 349, and were 99 below the corrected average. The deaths attributed directly to *influenza* numbered 15, having been 12, 14, and 15 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all but 2 of which inquests were held. Of these 64 deaths, 13 were cases of suicide, and 2 of homicide, while the remaining 49 were attributed to accident or negligence. Seven of these were referred to vehicles in the streets, 7 to burns and scalds, 1 to plumbism, and 14 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2617 cases of scarlet fever, 1474 of diphtheria, and 425 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow :—Of scarlet fever, 255 cases, against 246, 279, and 259; of diphtheria, 173 cases, against 155, 173, and 173; and of enteric fever, 58 cases, against 53, 55, and 54.

Greater London.

In Greater London 3649 births and 1928 deaths were registered, corresponding to annual rates of 28·6 and 15·1 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 4 from scarlet fever, 13 from diphtheria, 14 from whooping-cough, 7 from "fever," and 2 from diarrhœa were registered. Seven deaths from diphtheria occurred in West Ham district; 4 deaths from "fever" occurred in Edmonton district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·03 inches, and that of the Thermometer 48°·4; the latter being 8°·4 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 30 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 7·2 hours; the measured rainfall amounted to 0·21 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Births in the Week ending 15th Dec. 1900.†	Deaths in the Week ending 15th Dec. 1900.†	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. (Fahrenheit.)	Lowest. (Fahrenheit.)	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	Cols.
33 Towns	**11,610,296**	**6270**	**3744**	**915**	**893**	**–**	**49**	**42**	**77**	**68**	**58**	**34**	**175**	**336**	**902**	**42**	**16·8**	**1·5**	**57·0**	**30·0**	**47·9**	**8·83**	**0·32**	**0·81**	**33 Towns.**
London	4,589,129	2527	1454	374	356	–	20	8	20	28	19	15	64	145	456	5	16·5	1·2	55·8	38·0	48·4	9·11	0·21	0·53	London.
West Ham	314,472	171	76	19	23	–	1	2	4	–	2	2	5	9	18	1	12·6	1·8	–	–	–	–	–	–	West Ham.
Croydon	131,186	58	30	9	13	–	–	–	–	1	1	–	2	5	5	–	11·9	0·8	55·3	34·0	48·0	8·89	0·19	0·48	Croydon.
Brighton	124,148	58	34	5	10	–	1	1	–	2	–	–	–	1	5	–	14·3	1·7	54·6	40·8	49·4	9·67	0·39	0·99	Brighton.
Portsmouth	194,955	112	51	13	19	–	–	–	3	1	–	1	1	2	11	1	13·6	1·3	54·0	38·0	49·3	9·61	0·40	1·02	Portsmouth.
Plymouth	162,161	52	33	1	12	–	–	–	–	–	1	–	1	3	9	–	16·8	0·5	–	–	–	–	–	–	Plymouth.
Bristol	324,973	153	100	26	26	–	–	2	4	–	1	1	3	5	18	–	16·0	1·3	55·2	34·6	48·0	8·89	0·36	0·91	Bristol.
Cardiff	194,247	105	48	16	6	–	–	–	2	–	–	–	3	4	3	–	12·9	0·5	–	–	–	–	–	–	Cardiff.
Swansea	105,472	58	32	8	6	–	5	–	–	–	–	–	–	–	5	1	15·8	2·5	–	–	–	–	–	–	Swansea.
Wolverhampton	89,598	48	27	8	3	–	1	–	–	–	–	–	1	2	6	–	15·7	0·6	55·5	30·0	45·3	7·39	0·06	0·15	Wolverhampton.
Birmingham	519,610	334	164	46	32	–	1	2	–	4	6	1	12	12	38	1	16·5	1·4	–	–	–	–	–	–	Birmingham.
Norwich	114,855	48	19	1	9	–	–	–	–	–	–	–	2	4	4	–	8·6	–	57·0	35·8	47·5	8·61	0·12	0·30	Norwich.
Leicester	219,169	126	77	23	14	–	–	–	6	–	–	1	1	3	17	4	18·3	1·7	–	–	–	–	–	–	Leicester.
Nottingham	242,676	112	103	26	20	–	–	2	–	5	4	–	4	6	24	–	22·1	2·4	54·2	35·4	47·0	8·33	0·05	0·13	Nottingham.
Derby	107,991	48	31	7	9	–	–	–	–	1	–	1	2	2	10	–	15·0	1·0	–	–	–	–	–	–	Derby.
Birkenhead	117,170	67	38	10	8	–	–	1	1	1	–	–	2	3	8	1	16·9	1·3	–	–	–	–	–	–	Birkenhead.
Liverpool	634,780	425	243	48	52	–	8	5	2	–	2	3	11	17	59	11	20·0	1·6	56·2	40·9	47·9	8·83	0·12	0·30	Liverpool.
Bolton	164,240	74	67	15	21	–	1	–	3	2	2	–	1	4	6	–	21·3	2·5	–	–	–	–	–	–	Bolton.
Manchester	548,768	274	234	55	39	–	–	3	4	4	1	3	22	38	63	4	22·2	1·4	–	–	–	–	–	–	Manchester.
Salford	220,816	127	75	18	17	–	1	3	2	1	1	–	2	3	17	–	17·7	1·9	–	–	–	–	–	–	Salford.
Oldham	153,297	81	33	11	5	–	–	–	–	1	–	1	1	2	–	–	11·2	0·7	–	–	–	–	–	–	Oldham.
Burnley	116,730	53	28	6	5	–	–	–	1	–	–	3	1	2	5	–	12·5	1·8	–	–	–	–	–	–	Burnley.
Blackburn	137,107	53	33	7	10	–	1	–	1	–	–	1	–	–	4	–	12·6	1·1	–	–	–	–	–	–	Blackburn.
Preston	118,902	61	27	1	8	–	–	–	–	–	3	–	–	1	–	–	11·8	1·3	56·0	41·0	48·9	9·39	0·76	1·93	Preston.
Huddersfield	104,484	41	32	5	11	–	–	–	–	–	–	–	2	2	4	–	16·0	–	54·5	39·3	47·1	8·39	0·65	1·65	Huddersfield.
Halifax†	100,710	45	24	1	6	–	–	–	–	–	1	–	2	3	4	1	12·4	0·5	–	–	–	–	–	–	Halifax.†
Bradford	291,535	103	91	13	36	–	–	1	4	1	5	–	2	4	14	–	16·3	2·0	56·0	42·2	48·8	9·33	0·68	1·73	Bradford.
Leeds	431,287	224	145	34	38	–	3	4	6	–	2	1	8	15	24	–	17·5	1·9	–	–	–	–	–	–	Leeds.
Sheffield	365,922	231	131	39	22	–	1	3	12	8	2	–	6	7	20	8	18·7	3·7	–	–	–	–	–	–	Sheffield.
Hull	238,736	133	91	29	22	–	2	2	–	4	2	–	7	13	13	1	19·9	2·2	55·0	36·0	47·4	8·56	0·21	0·53	Hull.
Sunderland	147,398	95	53	9	9	–	–	2	–	3	2	–	3	6	7	–	18·7	2·5	–	–	–	–	–	–	Sunderland.
Gateshead	109,403	57	42	10	13	–	–	–	–	1	–	–	2	4	7	3	20·0	0·5	–	–	–	–	–	–	Gateshead.
Newcastle	234,369	116	78	22	13	–	3	1	2	–	1	–	2	9	18	–	17·4	1·6	–	–	–	–	–	–	Newcastle.

* See note * on first page of this return.

† The recent extension of the Borough of Halifax will not be taken into account in the Weekly Returns until 1901

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTIETH Week of each of the Eleven Years, 1890–1900

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2293	2625	2451	2474	2597	2219	2555	2623	2519	2269	2590·6	2527
Males - -	1144	1357	1233	1264	1247	1171	1342	1292	1309	1179	1319·0	1295
Females - -	1149	1268	1218	1210	1350	1048	1213	1331	1210	1090	1271·6	1232
TOTAL **Deaths** -	1787	1449	1589	2400	1550	1477	1539	1796	·1423	2078	1797·7	1454
Males - -	910	748	824	1165	780	759	789	910	734	1040	911·0	762
Females - -	877	701	765	1235	770	718	750	886	689	1038	886·7	692

*The numbers in this column are the average weekly numbers in the fiftieth week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 22.	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
TOTAL **Births** - - -	2448	2239	2319	2429	2485	2238	2392	2500	2223	2538	2338	2299	2527
TOTAL **Deaths** - - -	1449	1471	1391	1305	1392	1403	1466	1498	1505	1515	1572	1544	1454
Ages at Death: Under 1 year - -	419	437	393	327	356	352	351	347	369	361	397	400	374
1—5 years - -	161	173	148	149	149	143	148	173	172	158	200	187	153
5—20 " - -	84	65	67	72	87	100	102	81	90	87	83	77	86
20—40 " - -	196	175	188	179	186	187	190	209	217	209	205	164	183
40—60 " - -	251	279	287	256	279	266	304	311	311	295	298	327	302
60—80 " - -	282	273	256	261	270	288	302	309	283	325	322	318	274
80 years and upwards	56	69	52	61	65	67	69	68	63	80	67	71	82
Deaths from—													
Small pox - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles - - - - -	9	13	4	11	8	20	10	22	18	21	33	23	20
Scarlet Fever - - -	3	5	14	7	8	10	8	8	8	11	6	11	8
Diphtheria - - - -	30	40	29	26	36	39	42	35	32	22	29	34	20
Whooping-cough - - -	48	27	18	27	20	18	13	16	15	27	21	34	28
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-
Enteric Fever - - -	14	18	15	22	19	22	20	25	17	26	23	21	19
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	132	120	110	75	55	43	27	23	18	8	12	13	15
Cholera - - - -	1	3	-	-	-	-	1	-	-	1	-	1	-
All the above Diseases -	237	226	190	168	146	152	121	129	108	116	126	137	110
Dis. of Respiratory System -	203	187	164	173	182	236	268	307	352	322	436	400	349
Phthisis - - - - -	120	141	135	125	141	141	152	137	150	134	158	150	135
Dis. of Circulatory System -	97	124	104	129	144	140	148	137	140	145	122	137	125
Violence - - - -	64	61	62	60	59	62	70	71	73	51	65	61	64
Inquest Cases - - - -	119	129	129	120	137	141	149	159	157	138	159	141	145
Deaths in Public Institutions -	464	435	445	428	476	447	467	490	469	470	483	459	456
TEMPERATURE OF THE AIR.													
Mean - - - - -	60°·5	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4
Mean of Highest readings -	73·3	66·9	63·0	63·7	53·9	53·0	57·8	53·6	51·1	46·2	48·1	52·0	52·3
Mean of Lowest readings -	50·7	48·9	45·5	46·6	42·4	40·8	48·5	44·4	38·4	37·7	41·4	42·4	42·9
Humidity of the Air - -	76	79	78	78	75	84	88	83	91	85	88	89	88
Rain-fall (in inches) - -	0·07	0·35	0·54	0·03	0·05	0·30	0·92	0·41	0·81	0·09	0·66	0·77	0·21
Registered Sunshine (in hours)	41·9	32·5	30·5	34·8	21·3	14·0	13·2	18·8	6·0	6·4	7·9	3·1	7·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	2	2	1	1	1	1	1	–	–	2	2	1	1
Scarlet Fever - - - -	1804	1938	2071	2187	2341	2489	2619	2702	2728	2725	2727	2687	2617
Diphtheria - - - -	1232	1238	1286	1314	1380	1465	1472	1521	1556	1535	1537	·1515	1474
Enteric Fever - - - -	273	329	371	405	430	429	444	456	454	442	436	433	425

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E Peak, Esq., F.R. Met Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTIETH Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 50th Week of the 10 years 1890-99*.	In the Week ending Saturday, 15th December, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
. CAUSES - - -	1797·7	1454	374	153	86	183	302	274	82
all- Vaccinated† -	0·1	-	-	-	-	-	-	-	-
ox Unvaccinated	0·2	-	-	-	-	-	-	-	-
No Statement	0·2	-	-	-	-	-	-	-	-
asles - - - -	61·0	20	3	17	-	-	-	-	-
rlet Fever - - -	19·4	8	-	3	3	2	-	-	-
phus - - - -	-	-	-	-	-	-	-	-	-
apsing Fever - -	0·1	-	-	-	-	-	-	-	-
uenza - - - -	32·0	15	2	1	1	2	5	3	1
ooping-cough - -	38·7	28	16	12	-	-	-	-	-
phtheria - -	57·3	20	-	10	10	-	-	-	-
ple Continued and l-defined Fever -	0·1	-	-	-	-	-	-	-	-
eric Fever - - -	19·0	19	-	1	3	12	3	-	-
olera and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
rrhœa, Dysentery -	14·0	15	7	1	-	-	1	6	-
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
vpox and Effects of accination - -	0·4	-	-	-	-	-	-	-	-
ereal Affections - -	8·8	11	7	-	1	1	-	2	-
ysipelas - - -	6·6	6	1	-	3	1	-	1	-
emia and Septicæmia	2·1	-	-	-	-	-	-	-	-
rperal Fever - -	5·8	5	-	-	-	5	-	-	-
er Zymotic Diseases	1·6	2	-	1	-	1	-	-	-
ush - - - -	0·9	-	-	-	-	-	-	-	-
rms and other Parasitical Diseases -	0·3	-	-	-	-	-	-	-	-
rvation, Want of reast-milk - -	1·5	-	-	-	-	-	-	-	-
pholism - - -	9·7	10	-	-	-	5	4	1	-
umatic Fever, heumatism of Heart	9·4	12	-	-	6	2	3	1	-
umatism - - -	1·9	3	-	-	-	-	1	2	-
t - - - - -	3·1	5	-	-	-	-	-	4	1
kets - - - -	5·3	5	1	4	-	-	-	-	-
cer - - - -	72·6	93	-	-	2	8	44	35	4
es Mesenterica - -	15·1	12	8	-	1	2	1	-	-
ercular Meningitis -	21·1	18	2	9	5	2	-	-	-
hisis - - - -	166·6	135	2	1	12	60	50	10	-
ofula, Tuberculosis -	17·1	15	4	5	4	2	-	-	-
er Constitutional iseases - -	13·6	16	1	1	2	3	5	4	-
mature Birth - -	51·8	52	52	-	-	-	-	-	-
lectasis - - -	3·5	5	5	-	-	-	-	-	-
genital Malformations - - -	6·7	7	5	1	-	1	-	-	-
Age - - - -	58·1	60	-	-	-	-	-	21	39
plexy - - -	50·4	39	1	-	-	-	16	18	4
lepsy - - - -	7·2	4	-	-	1	3	-	-	-
vulsions - - -	34·1	23	23	-	-	-	-	-	-
er Diseases of Brain d Nervous System	87·0	64	7	4	3	12	15	19	4
eases of Organs of pecial Sense -	4·7	2	-	-	1	1	-	-	-

CAUSES OF DEATH	Corrected Averages for the 50th Week of the 10 years 1890-99*.	In the Week ending Saturday, 15th December, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	153·2	125	1	-	10	13	52	45	4
Croup - - - -	4·5	-	-	-	-	-	-	-	-
Bronchitis - - -	262·7	182	79	18	-	3	23	42	17
Pneumonia - - -	139·3	136	59	41	4	8	14	10	-
Pleurisy - - - -	6·5	7	1	1	1	1	1	2	-
Other Diseases of Respiratory System -	34·6	24	5	7	-	-	4	7	1
Dentition - - - -	11·0	8	6	2	-	-	-	-	-
Quinsy, Sore Throat -	1·9	-	-	-	-	-	-	-	-
Enteritis - - -	14·7	11	5	-	1	2	1	2	-
Gastro-enteritis -		6	4	2	-	-	-	-	-
Peritonitis - - -	6·3	3	-	-	-	1	2	-	-
Diseases of Liver - -	27·7	21	2	-	-	1	13	5	-
Other Diseases of Digestive System	30·1	26	11	2	-	3	6	4	-
Diseases of Lymphatic System & of Ductless Glands - - -	2·0	1	-	-	-	-	1	-	-
Diseases of Urinary System - - -	51·7	61	-	1	3	8	19	26	4
Diseases of Generative System - - -	6·1	2	-	-	-	2	-	-	-
Accidents of Childbirth -	5·5	2	-	-	-	2	-	-	-
Diseases of Locomotive System - - -	4·7	1	-	1	-	-	-	-	-
Diseases of Integumentary System - -	6·8	5	3	-	-	-	1	-	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	62·5	2	-	-	-	-	2	-	-
By Vehicles or Horses -		7	-	1	1	2	3	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		7	1	3	3	-	-	-	-
By Drowning - - -		2	-	-	-	1	1	-	-
By Suffocation in Bed -		14	14	-	-	-	-	-	-
By Poison or Poisonous Vapours - -		2	-	-	1	1	-	-	-
Other or not stated causes - - - -		14	1	-	2	2	4	3	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·2	2	-	-	-	2	-	-	-
Suicide - - - -	7·6	13	-	-	1	5	6	1	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	47·9	40	35	3	1	1	-	-	-

The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase population.

Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered edical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the use of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of cident, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEAS SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in e SUB-DISTRICT during the Week ending Saturday, 15th December, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
LONDON - - -	4,411,710	2527	1454	374	356	-	20	8	20	28	-	19	-	15	64	145	456
WEST DISTRICTS - - -	778,251	365	263	76	66	-	-	-	1	6	-	4	-	5	12	27	72
NORTH DISTRICTS - - -	1,040,694	516	322	71	98	-	1	1	8	6	-	9	-	2	9	30	107
CENTRAL DISTRICTS - - -	233,635	107	68	14	15	-	-	-	-	-	-	1	-	1	6	9	30
EAST DISTRICTS - - -	716,334	481	246	68	50	-	3	-	2	-	-	-	-	-	14	38	86
SOUTH DISTRICTS - - -	1,642,796	1058	523	145	117	-	16	7	9	16	-	5	-	6	23	41	129
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	10	-	-	-	-	-	-	-	-	1	-	-	32
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	40	21	8	3	-	-	-	-	1	-	-	-	-	-	-	6
St. John Paddington *H* - - G.	33,510	7	12	-	1	-	-	-	-	-	-	1	-	1	2	3	7
Kensington Town *Ww* - - W.	122,164	53	57	16	26	-	-	-	-	2	-	-	-	1	1	5	20
Brompton *HH*- - - W. & C.	48,301	9	9	1	3	-	-	-	-	1	-	-	-	-	1	1	1
North Hammersmith *H* W. & G	44,638	29	18	6	7	-	-	-	-	-	-	1	-	-	2	2	-
South Hammersmith *wH* W. & G	59,561	24	19	6	5	-	-	-	-	1	-	-	-	-	2	3	5
North-west Fulham§ *W*	113,781	29	18	7	2	-	-	-	1	1	-	-	-	-	1	-	4
North-east Fulham§ *w* W. & C.		32	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham§		30	11	2	2	-	-	-	-	-	-	-	-	1	-	2	-
Chelsea Kensal Town - C.	21,450	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	22	11	2	3	-	-	-	-	-	-	-	-	-	-	-	5
Chelsea South *HH* - - C.	33,139	14	15	11	-	-	-	-	-	-	-	-	-	1	1	5	3
May Fair *WH*- - - - G.	23,827	5	12	-	6	-	-	-	-	-	-	-	-	-	-	1	6
Belgrave *WHHH* - - - C.	56,140	27	20	4	1	-	-	-	-	-	-	-	-	-	2	5	10
St. John Westminster *HH* C.	31,492	18	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* C.	22,097	7	9	1	2	-	-	-	-	-	-	1	-	1	-	-	5
St. James Westminster *WH* N. & G.	23,050	7	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	13	12	2	3	-	-	-	-	-	-	-	-	-	-	-	9
Rectory Marylebone *W* G. & W.	19,798	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone *HHHH* G. & W.	19,637	36	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	12	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	15	11	5	1	-	-		-	1	-	-	-	-	1	1	1
Hampstead *WwHHHH* - N. & W.	75,449	19	23	3	9	-	1	1	3	-	-	2	-	-	-	-	8
Regent's Park † *HH* - W.	51,403	32	6	3	1	-	-	-	-	-	-	-	-	-	-	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	12	14	4	4	-	-	-	-	-	-	-	-	-	-	-	7
Gray's Inn Lane *HHHH* - N.	29,426	12	13	5	1	-	-	-	-	-	-	1	-	-	-	1	1
Somers Town *HH* - - - N.	32,161	13	9	3	-	-	-	-	-	-	-	-	-	-	-	-	3
Camden Town† *WH* - - N.	40,155	19	17	4	5	-	-	-	-	-	-	-	-	-	3	3	10
Kentish Town† *WW* - - N.	60,862	27	17	1	6	-	-	-	-	-	-	-	-	-	-	3	5
Upper Holloway *WWWWwHH* - - N.	98,273	48	58	11	21	-	-	-	-	1	-	1	-	2	2	4	32
Lower Holloway‡ - - - N.	41,805	21	15	5	1	-	-	-	1	2	-	-	-	-	-	1	-
Barnsbury‡ - - - - N.	56,384	36	11	2	4	-	-	-	-	-	-	-	-	-	1	1	-
Islington South-east‡ *H* - N.	75,725	30	15	2	3	-	-	-	-	-	-	-	-	-	-	3	-
Highbury *HH* - - - N.	64,577	23	13	2	5	-	-	-	-	-	-	1	-	-	1	2	1
Stoke Newington *H* - - N.	33,485	19	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney - E. & N.	213,044	32	12	1	7	-	-	-	-	-	-	-	-	-	-	2	-
Central Hackney *ww* - E. & N.		20	9	2	-	-	-	-	4	-	-	1	-	-	-	-	6
South-west Hackney *HHH* E. & N.		27	18	4	6	-	-	-	-	-	-	3	-	-	-	1	6
South-east Hackney *WwH* E. & N.		43	31	8	10	-	-	-	-	1	-	-	-	-	1	6	17

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Distr than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signi Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N. N River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two n Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-e Sub-District

§ On 1st December, 1900, the Sub-District of Fulham was divided into North-west Fulham, North-east Fulham, and S

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 15th December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	16	6	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
St Giles North *H* - - - N.	9,151	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	4	6	1	1	-	-	-	-	-	-	-	-	1	1	1	5	-
Strand *WHH* - - - - - N.	11,839	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand Union Workhouse, Edmonton	†1,037	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *WwHHHHHH* - N.	31,042	19	13	4	4	-	-	-	-	-	-	-	-	-	1	1	6	-
St. James Clerkenwell - - N.	15,777	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	11	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Goswell-street - - - - N.	16,069	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	25	10	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Finsbury* - - - - - - N.	11,630	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph‡ *H* - - N. & E.	13,061	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	2	12	2	2	-	-	-	-	-	-	1	-	-	1	2	10	-
Allhallows Barking - - - N.	9,059	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hoxton New Town *w* - - N.	29,575	17	15	5	2	-	-	-	-	-	-	-	-	-	2	3	6	-
Hoxton Old Town - - - N.	27,645	17	6	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Haggerston *WH* - - N. & E.	47,163	28	23	8	8	-	1	-	-	-	-	-	-	-	1	5	10	-
Bethnal Green North *H* - E.	49,301	39	16	5	5	-	-	-	-	-	-	-	-	-	-	-	1	-
Bethnal Green South - - E.	34,194	21	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East *WWHl* - E.	45,667	25	22	5	5	-	-	-	-	-	-	-	-	-	1	3	11	-
Spitalfields - - - E. & N.	26,681	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	29	27	1	3	-	1	-	-	-	-	-	-	-	4	9	26	-
Goodman's Fields - - - E.		9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	36	6	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John, St. George East *W* E.	7 930	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Shadwell *H* - - - E. & N.	10,434	7	7	5	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Ratcliff *W* - - - - - E.	14,954	7	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Limehouse - - - - - E.	32,917	32	7	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town West *H* E.	111,060	42	13	4	4	-	-	-	-	-	-	-	-	-	2	3	-	-
Mile End Old Town East *WWww* - E.		37	17	3	4	-	-	-	-	-	-	-	-	-	-	1	9	-
Bow *l* - - - - - E.	41,687	26	10	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Bromley *wwwH* - - - E.	69,821	45	38	10	9	-	-	-	-	-	-	-	-	-	1	4	14	-
Poplar *WW* - - - - E.	57,759	36	17	8	3	-	-	-	1	-	-	-	-	-	2	4	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 15th December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL.&S.*	13,064	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Saviour Southwark - - S.	12,301	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent-road - - - - S. & L.	22,879	18	13	5	1	–	2	–	–	–	–	–	–	–	–	1	–
Borough-road *WH* - S. & L.	16,083	13	15	4	1	–	1	–	–	1	–	–	–	–	1	2	6
London-road *HL* - - L. & S.	21,316	17	7	3	–	–	–	–	–	–	–	–	–	–	–	1	3
Trinity Newington *H* - S. & L.	28,723	16	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
St. Peter Walworth *W* - S. & L.	62,045	46	12	4	1	–	–	–	–	–	–	–	–	–	1	1	–
St. Mary Newington- - L. & S.	30,171	17	10	4	1	–	–	–	–	1	–	–	–	1	–	–	–
St. Olave *WH* - - - - S.	11,731	11	13	1	2	–	–	–	–	–	–	–	–	–	2	3	8
Bermondsey *W* - - - S.	85,475	67	21	10	3	–	1	–	–	–	–	–	–	1	–	–	–
Rotherhithe *Ww* - S. & K.	40,379	26	22	8	4	–	–	–	1	3	–	–	–	–	–	–	8
Waterloo-road *HH* - L. & S.	28,396	25	12	5	1	–	–	–	–	–	–	–	–	–	–	1	3
Lambeth Church 1st *H* - L. & S.	18,770	4	15	1	2	–	–	–	–	–	–	1	–	–	3	3	12
Lambeth Church 2nd *WW* L. & S.	40,994	25	23	6	10	–	–	–	–	–	–	–	–	–	1	2	15
Kennington 1st *H* - - S. & L.	52,486	33	8	3	1	–	–	–	–	–	–	–	–	–	1	1	–
Kennington 2nd - - S. & L.	43,244	26	9	2	3	–	–	–	–	1	–	–	–	–	–	–	–
Brixton *w* - - - L. & S.	81,825	49	17	5	4	–	–	3	–	3	–	–	–	–	–	1	3
Norwood *WH* - - - - L.	29,318	17	10	2	6	–	–	–	1	–	–	–	–	–	–	–	–
East Battersea - - - - S.	71,730	54	20	11	3	–	–	–	1	–	–	–	–	–	1	3	–
North-west Battersea† - - S.	93,385	34	17	5	3	–	4	–	–	1	–	–	–	–	1	1	–
South-west Battersea† *WwH* - S.		26	18	2	6	–	–	–	–	–	–	–	–	–	1	2	13
Clapham *H* - - - - S.	46,953	22	16	5	2	–	1	–	–	2	–	1	–	–	–	–	1
Streatham *WwwwwL* - - L.	61,644	36	20	5	5	–	–	3	2	–	–	–	–	–	–	–	7
Wandsworth *WHHL* - - S.	58,101	39	19	6	5	–	1	–	–	–	–	–	–	–	–	2	–
Putney - - - - - - S.	20,566	13	5	2	2	–	–	–	–	–	–	–	–	–	1	1	–
Dulwich - - - L. & S.	7,519	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell *WWwll* - S. & L.	90,286	53	35	5	9	–	–	–	1	2	–	–	–	–	3	5	20
Peckham *WW* - S., L., & K.	88,242	51	29	6	10	–	2	–	–	–	–	–	–	–	1	2	–
St. George Camberwell - L. & S.	67,029	51	15	5	4	–	–	–	1	1	–	–	–	–	1	2	–
Deptford North - - - K.	36,152	31	12	5	2	–	–	–	–	–	–	–	–	–	1	1	–
Deptford Central *w* - - K.	45,441	36	14	3	4	–	–	1	1	1	–	–	–	1	1	1	2
Deptford South - - - K.	33,402	11	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *H* - - K.	23,012	7	6	1	2	–	–	–	–	–	–	–	–	1	–	–	1
Greenwich East *WH* - - K.	37,767	20	19	2	6	–	1	–	–	–	–	–	–	–	–	–	12
Eltham *wH* - - - - K.	5,911	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *H* - - - - - K.	24,222	16	5	1	1	–	–	–	–	–	–	–	–	–	1	1	2
Lewisham *WwH* - - - K.	38,139	29	16	5	1	–	1	–	1	–	–	2	–	1	–	1	9
Sydenham *H* - - - - L.	37,601	26	10	2	3	–	2	–	–	–	–	–	–	–	–	–	–
Charlton *wHH* - - - K.	15,928	15	4	2	1	–	–	–	–	–	–	1	–	1	–	–	1
Woolwich* *HHHH* - - K.	41,314	25	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Plumstead West *H* - - K.	16,714	10	3	1	1	–	–	–	–	–	–	–	–	–	1	1	–
Plumstead East *WH* - - K.	42,538	34	17	6	3	–	–	–	–	–	–	–	–	–	1	1	3
Banstead Asylum - - - -	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Horton Asylum, Epsom - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Caterham Asylum - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cane Hill Asylum - - - -	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5
Hospital Ships and Camp, Dartford	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darenth Asylum - - - -	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
London County Asylum, Dartford Heath - - - - -	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Hanwell Asylum - - - -	—	–	11	–	2	–	–	–	–	–	–	–	–	–	–	–	11
Central London Sick Asylum, Hendon	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Colney Hatch Asylum - - -	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3
N.E. Hospital - - - - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Winchmore Hill Hospital - -	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden Asylum - - - -	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Claybury Asylum - - - -	—	–	4	–	2	–	–	–	–	–	–	–	–	1	–	–	4

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea an South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 15th December, 1900.

Sub-division	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death
	ONDON OUTER RING -	368,749	1,422,063	1,122	474	133	141	-	6	4	13	14	7	2	20	43	73	3
1	Carshalton *H* - - -	12,228	26,108	20	9	1	2	-	-	-	1	-	-	-	-	-	2	-
2	Epsom, *part of* WwHHH*	10,423	12,508	9	3	-	1	-	-	-	-	-	-	-	-	-	2	-
1	Godstone, *part of* W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	66	37	10	16	-	-	-	-	1	1	-	2	5	6	-
2	Mitcham *w* - - -	11,697	23,072	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	16	11	1	5	-	-	-	-	-	-	-	-	3	-	-
2	Kingston *WH* - - -	14,672	33,566	27	11	1	5	-	-	-	-	-	-	-	-	2	4	-
3	Surbiton *HH* - - -		12,178	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H* - -		11,080	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	14	2	1	-	-	-	-	-	-	-	-	1	-	-	1
1	Richmond *WHH* - -	2,160	25,389	3	6	-	3	-	-	-	-	-	-	-	-	1	1	-
2	Mortlake *H* - - -	2,823	16,159	5	5	2	1	-	-	-	-	1	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	14	5	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham *H* - - -	6,542	21,969	19	6	3	-	-	-	-	-	1	-	-	-	-	2	-
3	Chislehurst, *part of* WHH*	14,307	20,372	12	5	1	2	-	-	-	-	1	-	-	1	1	-	-
1	Bexley *HHH* - - -	12,540	30,590	37	7	1	3	-	-	-	-	-	-	-	-	1	-	-
2	Dartford *WH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury *w* - - -	11,054	13,671	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	4	4	1	2	-	-	-	1	-	-	-	-	1	2	-
1	Hillingdon *WHH* - -	6,035	12,237	8	5	-	1	-	-	-	-	-	-	-	1	1	1	-
2	Uxbridge - - - -	12,757	7,253	8	3	1	-	-	-	-	-	-	-	-	1	1	-	-
3	Hayes *wH* - - - -	7,952	11,051	11	4	1	1	-	-	-	-	-	-	-	-	1	-	-
1	Isleworth *WHH* - -	6,967	26,004	13	14	5	3	-	-	-	-	-	-	-	-	-	9	-
2	Twickenham *HH* - -	2,415	16,027	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-
3	Brentford *HHHH* - -	4,318	37,777	23	7	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	17	9	5	-	-	-	-	2	-	-	-	1	1	-	-
5	Acton *wHH* - - -	6,132	30,945	33	10	3	4	-	-	-	-	-	-	-	-	-	1	-
1	Harrow *HHH* - - -	13,809	15,715	16	4	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	51	20	3	6	-	-	1	1	1	-	-	-	1	1	1
4	Hendon *WH* - - -	8,382	15,843	10	4	1	3	-	-	-	-	-	-	-	-	-	1	-
1	South Mimms *HH* - -	21,077	6,367	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	5	3	2	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH* - - -	4,688	25,820	17	11	3	2	-	-	-	-	1	-	-	1	1	1	-
1	Hornsey *HH* - - -	3,039	61,097	37	18	3	6	-	-	-	1	1	1	-	-	-	1	-
2	Tottenham *HHH* - -	4,642	97,174	84	32	11	7	-	2	-	-	1	2	-	1	2	3	-
3	Edmonton *Ww* - -	7,489	36,351	32	20	9	7	-	1	-	-	-	-	-	2	3	2	-
4	Enfield *WWHH* - -	12,602	31,536	27	10	1	3	-	1	-	-	1	1	-	-	-	-	-
5	Waltham Abbey - - -	11,017	6,066	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	6	1	3	-	-	-	-	1	-	-	-	1	-	-
1	Hatfield, *part of* W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	4,706	38,612	27	13	3	3	-	1	-	-	-	-	-	2	3	3	-
2	Plaistow *HHH* - - -		58,030	67	22	8	4	-	-	-	1	-	1	1	2	3	-	-
3	Canning Town *H* - -		54,750	41	20	7	2	-	-	2	2	-	-	1	-	2	2	1
4	Forest Gate *w* - - -		53,511	36	8	1	6	-	-	-	1	-	-	-	1	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	68	14	7	3	-	-	-	1	-	-	-	-	2	1	-
1	Wanstead† - - - -	4,334	7,042	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Leyton† *WW* - -		38,232	34	25	4	9	-	-	-	-	-	1	-	-	2	16	-
3	North Leyton† *WwH* -		24,874	26	14	3	3	-	-	-	2	2	-	-	-	-	-	-
4	Walthamstow *HHHL* -	6,501	57,370	75	26	12	3	-	-	-	2	2	-	-	2	2	2	-
1	Chigwell, *part of* HHHH*	11,779	12,941	4	5	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of* W* -	6,556	4,324	5	4	1	2	-	-	-	-	-	-	-	-	-	3	-
2	Ilford *H* - - - -	8,493	10,913	17	8	4	3	-	-	-	-	-	-	-	1	1	-	-
3	Barking Town, *H* - -	3,814	14,301	18	5	3	-	-	-	-	-	-	-	-	1	1	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	North-Eastern Hospital, Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, excepting Warlingham and Farley parishes; , excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham sh. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 lso included.

6: 6, 7, 8—On 1st November, 1900, Loxton Sub-District was transferred to the

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 15th December, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	ANNUAL RATE OF MORTALITY per 1000 living. From all Causes.	From Diseases in Cols. 8-14.	DEATHS from ALL CAUSES.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15
GREATER LONDON	**443,421**	**6,652,145**	**15·1**	**1·2**	**1928**	**507**	**497**	**–**	**26**	**12**	**33**	**42**	**26**	**17**	**84**
INNER LONDON -	74,672	4,589,129	16·5	1·2	1454	374	356	–	20	8	20	28	19	15	64
OUTER RING -	368,749	2,063,016	12·0	1·2	474	133	141	–	6	4	13	14	7	2	20

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.
EDINBURGH -	302,262	December 15	127	105	18·1	–	3	2	–	1	–	
GLASGOW - -	743,585	" 15	403	282	19·8	3	4	4	1	27	4	
DUBLIN† - -	349,594	" 15	173	173	25·8	–	1	1	–	7	1	
CALCUTTA - -	466,460	October 20	–	305	34·1	5	–	–	–	–	116‡	
BOMBAY - -	821,764	November 20	256	743	47·0	–	1	?	?	?	156‡	
		" 27	265	768	48·6	1	1	?	?	?	150‡	
MADRAS - -	452,518	" 9	444	468	53·7	1	–	?	?	?	129	
PARIS - - -	2,511,629	December 8	1110	898	18·5	14	2	4	10*	2	11	
BRUSSELS - -	570,844	" 8	240	162	14·8	–	2	–	1*	4	1	
AMSTERDAM -	527,181	" 1	316	196	19·7	–	21	–	2	5	–	
ROTTERDAM -	325,556	" 1	244	102	16·0	–	–	–	2	1	1	
THE HAGUE -	205,328	" 1	109	58	14·5	–	1	–	1	1	1	
COPENHAGEN -	354,000	" 8	183	112	16·5	–	2	–	–	–	3	
STOCKHOLM -	297,148	" 1	151	88	15·4	–	–	1	6*	–	–	
CHRISTIANIA -	226,423	" 8	198	50	11·0	–	–	–	–	–	–	
ST. PETERSBURG	1,132,677	" 1	843	592	27·3	–	8	17	22	4	25	
MOSCOW - -	988,610	" 1	–	511	27·0	1	7	13	10	2	2	
BERLIN - -	1,857,859	November 24	874	562	15·6	–	13	12	10	7	2	
HAMBURG - -	691,349	December 8	–	205	15·4	–	–	3	4*	–	–	
DRESDEN - -	407,500	November 3	–	–	–	–	–	–	–	–	–	
BRESLAU - -	412,959	December 8	–	167	21·1	–	–	1	1	6	–	
MUNICH - -	463,000	" 8	–	208	23·4	–	3	–	3*	2	–	
VIENNA - -	1,656,662	" 8	974	593	18·4	–	26	3	4*	4	5	
PRAGUE - -	391,693	" 1	191	176	16·7	–	1	–	3	–	3	
		" 8	190	146	19·3	–	1	–	2	1	1	
BUDA-PESTH -	685,340	" 1	425	275	20·9	–	8	7	1	–	4	
TRIESTE - -	168,264	" 1	95	80	24·6	–	–	–	1*	–	–	
ROME - - -	518,333	November 3	218	139	14·0	–	–	–	1	–	12‖	
		" 10	214	155	15·6	–	–	–	–	–	15‖	
TURIN (10 days)-	344,203	October 10	202	131	13·9	–	–	–	–	1	2	
VENICE - -	174,170	December 1	59	48	14·4	–	–	–	–	–	1	
CAIRO - -	570,062	November 11	454	308	28·1	1	–	–	8*	–	10	
ALEXANDRIA -	319,766	" 11	254	195	31·7	1	1	–	1*	–	3	
NEW YORK (including BROOKLYN)	3,654,594	" 17	1541	1124	17·0	–	3	1	25	1	17	
PHILADELPHIA	1,293,697	" 24	–	426	17·2	–	–	1	22	–	5	

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 11 deaths from plague in Calcutta, and 62 and 58, respectively, in Bombay.
§ Including 11 deaths from cholera in Calcutta, 3 and 2, respectively, in Bombay.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
DECEMBER.																									
SUNDAY -	9	..	29·940	54·2	44·5	9·7	50·6	+10·3	47·5	3·1	4·0	2·0	89	60·6	37·5	48·62	SSW. & SW.	WSW. & SW.	7·1	0·0	0·8	381	+ 75	0·00	1·5
MONDAY -	10	..	30·230	46·5	38·0	8·5	42·3	+ 2·4	39·2	3·1	5·3	1·1	89	60·7	29·5	48·71	WSW.	WSW., SW. & SSW.	0·4	0·0	0·0	184	−122	0·00	0·0
TUESDAY -	11	..	29·970	52·3	39·0	13·3	48·1	+ 8·3	44·7	3·4	4·2	1·6	88	56·0	32·4	48·69	SSW.	SSW. & SW.	6·1	0·0	1·0	455	+148	0·00	0·5
WEDNESDAY	12	..	29·981	55·8	49·9	5·9	53·0	+13·1	50·0	3·0	6·8	1·2	90	63·6	47·0	48·55	SW.	SW. & SSW.	8·0	0·0	1·1	481	+174	0·02	1·5
THURSDAY-	13	In Eqr. Last Qr.	29·890	53·6	42·4	11·2	48·7	+ 8·6	45·8	2·9	4·6	1·1	90	58·0	35·7	48·69	SSW.	WSW & SW.	3·7	0·0	0·3	339	+ 31	0·18	0·0
FRIDAY -	14	..	30·171	50·9	42·0	8·9	47·5	+ 7·3	42·4	5·1	6·5	3·5	82	82·3	35·3	48·90	SW.	SW.	5·1	0·0	0·8	435	+127	0·00	0·0
SATURDAY-	15	Apogee	30·021	52·9	44·2	8·7	48·9	+ 8·6	45·2	3·7	6·2	2·9	87	75·7	37·3	48·89	SW.	SW. & WSW.	8·1	0·0	1·3	523	+214	0·01	0·0
MEANS -			30·029	52·3	42·9	9·5	48·4	+ 8·4	45·0	3·5	5·4	1·9	88	65·3	36·4	48·72	SW.		..	..	..	Sum 2798	Sum +647	Sum 0·21	0·5
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
DECEMBER.					
SUNDAY -	9	w. P. till noon; m. P. afterwards.	0·0	7·9	Generally overcast. Gusty wind in morning and frequent fine rain during the forenoon. Lunar halo at night. Very mild.
MONDAY -	10	m. P. generally.	2·5	7·9	Fine and partially cloudy. Lunar halo at night.
TUESDAY -	11	w. P. throughout.	0·0	7·9	Generally overcast. Occasional fine rain till noon; gusty wind prevalent afterwards. Mild.
WEDNESDAY	12	w. P. generally.	0·0	7·8	Overcast. Gusty wind in early morning. Slight showers at night. Very mild.
THURSDAY-	13	w. P. till 10h. A.M.; w. P. and w. N. till 3h. P.M.; m. P. afterwards.	0·0	7·8	Overcast, with frequent rain till afternoon; cloudless and very fine after 5h. P.M. Mild.
FRIDAY -	14	m. P. generally.	2·0	7·8	Very fine and generally cloudless till 11h. A.M.; cloudy afterwards. Mild.
SATURDAY-	15	w. P. generally.	2·7	7·8	Cloudy, with gusty wind till afternoon; very fine afterwards, and cloudless at night. Sharp shower at 1h. P.M. Mild.
			Sum 7·2	Sum 54·9	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·86 in. by 7h. A.M. on the 9th; increased to 30·24 in. by 11h. A.M. on the 10th; decreased to 29·91 in. by 4h. A.M. on the 12th; increased to 30·02 in. by 11h. A.M. on the same day; decreased to 29·82 in. by 11h. A.M. on the 13th; increased to 30·20 in. by 10h. A.M. on the 14th; decreased to 29·96 in. by 1h. P.M. on the 15th; and increased to 30·19 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34–40 BACON STREET E
1900.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

THIRTY-TWO OTHER GREAT TOWNS

By Authority of the Registrar General.

Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 51. 1900. Vol. LXI.] WEEK ENDING SATURDAY, DEC. 22. [Price 1½*d*

General Register Office, Somerset House,
December 24th, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 18·0, 17·7, and 16·8. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Towns.	Weeks ending Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
33 Great Towns	18·0	17·7	16·8	16·1	Leicester - -	14·8	14·8	18·3	17·1
Birkenhead -	16·0	15·1	16·9	22·3	Liverpool - -	22·9	21·9	20·0	19·6
Birmingham -	20·3	18·7	16·5	17·5	London - - -	17·9	17·5	16·5	15·7
Blackburn -	14·5	16·0	12·6	15·6	Manchester - -	20·8	20·6	22·2	18·9
Bolton - -	18·1	17·5	21·3	15·2	Newcastle-on-Tyne	19·1	16·9	17·4	16·2
Bradford -	16·3	15·0	16·3	14·7	Norwich - -	12·3	17·7	8·6	12·3
Brighton -	17·2	15·5	14·3	15·1	Nottingham - -	17·0	19·3	22·1	15·7
Bristol - -	18·8	16·5	16·0	15·2	Oldham - -	20·4	21·1	11·2	17·3
Burnley -	16·5	15·6	12·5	12·5	Plymouth - -	17·4	14·8	16·8	12·8
Cardiff - -	12·3	11·8	12·9	14·5	Portsmouth - -	16·3	13·6	13·6	13·4
Croydon -	9·1	11·5	11·9	13·9	Preston - -	18·4	20·2	11·8	20·6
Derby - -	18·8	16·9	15·0	10·1	Salford - - -	20·3	17·7	17·7	22·2
Gateshead -	15·3	16·7	20·0	15·3	Sheffield - -	17·8	21·5	18·7	18·8
Halifax -	22·8	16·6	12·4	15·5	Sunderland - -	26·9	21·2	18·7	15·2
Huddersfield-	16·0	15·0	16·0	14·0	Swansea - -	19·3	15·3	15·8	17·8
Hull - -	15·7	22·1	19·9	15·3	West Ham - -	13·8	14·4	12·6	11·6
Leeds - -	17·3	16·7	17·5	15·6	Wolverhampton -	21·5	18·0	15·7	14·5

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 2·0 in Swansea; from *scarlet fever*, 1·3 in Burnley; from *whooping-cough*, 1·2 in Croydon, 1·4 in Sunderland, and 2·1 in Nottingham; and from *diarrhœa*, 1·2 in Wolverhampton and 1·3 in Birkenhead. In none of the thirty-three towns did the death-rate from "*fever*" reach 1·0 per 1000. The 103 deaths from *diphtheria* included 36 in London, 20 in Sheffield, 11 in Leicester, 5 in Blackburn, 4 in Leeds, 3 in West Ham, 3 in Bristol, and 3 in Salford. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 2436 BIRTHS and 1382 DEATHS were registered. Allowing for increase of population, the births were 5, and the deaths 492, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

7525—670—12/1900 Wt 82 D & S 3 3 F

years. The annual death-rate per 1000 from all causes, which had been 17·9, 17·5, and 16·5, in the preceding three weeks, further fell last week to 15·7. During the four weeks ending on Saturday last the death-rate averaged 16·9 per 1000, being 3·6 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1382 deaths included 26 from measles, 4 from scarlet fever, 36 from diphtheria, 22 from whooping-cough, 22 from enteric fever, 10 from diarrhœa and dysentery, 1 from cholera, and not one death from small-pox, from typhus, or from any ill-defined form of continued fever; thus 121 deaths were referred to these diseases, being 93 below the corrected average weekly number.

The deaths from *measles*, which had been 33, 23, and 20 in the preceding three weeks, rose again last week to 26, but were 41 below the corrected average; 9 cases belonged to Bermondsey and 4 to Shoreditch sanitary areas. The deaths from *scarlet fever*, which had been 6, 11, and 8 in the preceding three weeks, further fell last week to 4, and were 15 below the corrected average. The deaths from *diphtheria*, which had been 29, 34, and 20 in the preceding three weeks, rose again last week to 36, but were 15 below the corrected average; 6 cases belonged to Poplar, 3 to St. Pancras, and 3 to Newington sanitary areas. The deaths from *whooping-cough*, which had been 21, 34, and 28 in the preceding three weeks, further fell last week to 22, and were 23 below the corrected average. The fatal cases of *enteric fever*, which had been 24, 21, and 19 in the preceding three weeks, rose again last week to 22, and were 4 above the corrected average; 2 cases belonged to St. Pancras, 2 to Islington, 2 to Poplar, 2 to Lambeth, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 12, 13, and 15 in the preceding three weeks, fell again last week to 10, and were 4 below the corrected average. The deaths referred to diseases of the *respiratory organs*, which had been 435, 400, and 349 in the preceding three weeks, further fell last week to 306, and were 204 below the corrected average. The deaths attributed directly to *influenza* numbered 9, having been 14, 15, and 15 in the preceding three weeks.

Different forms of violence caused 67 deaths, concerning all but 3 of which inquests were held. Of these 67 deaths, 9 were cases of suicide, while the remaining 58 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 13 to burns and scalds, 5 to drowning, and 4 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2477 cases of scarlet fever, 1514 of diphtheria, and 409 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 218 cases, against 279, 259, and 255; of diphtheria, 152 cases, against 173, 173, and 173; and of enteric fever, 52 cases, against 55, 54. and 58.

Greater London.

In Greater London 3539 births and 1848 deaths were registered, corresponding to annual rates of 27·7 and 14·5 per 1000 of the estimated population. In the Outer Ring 6 deaths from measles, 3 from scarlet fever, 16 from diphtheria, 13 from whooping-cough, 8 from "fever," and 6 from diarrhœa were registered. Five deaths from diphtheria occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 44°·5; the latter being 5°·2 above the week's average in the 50 years 1841-90. The direction of the wind was south-westerly, the horizontal movement of the air being 33 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 23·4 hours; the measured rainfall amounted to 0·38 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	Registered during the Week ending 22nd Dec. 1900. Births.	Registered during the Week ending 22nd Dec. 1900. Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Annual Rate per 1000, corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Temperature of the Air. Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	Rainfall. In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,610,296**	**6157**	**3590**	**888**	**788**	**-**	**48**	**33**	**103**	**76**	**52**	**39**	**163**	**294**	**857**	**45**	**16·1**	**1·6**	**58·6**	**28·0**	**43·9**	**6·61**	**0·38**	**0·97**	**33 Towns.**
London - -	4,589,129	2436	1382	346	308	-	26	4	36	22	22	10	67	135	446	8	15·7	1·4	53·9	32·3	44·5	6·94	0·38	0·97	London.
West Ham - -	314,472	190	70	27	13	-	1	-	3	1	2	2	4	5	13	-	11·6	1·5	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	71	35	6	8	-	1	-	-	3	1	-	-	1	3	-	13·9	2·0	51·0	30·0	42·5	5·83	0·54	1·37	Croydon.
Brighton - -	124,148	59	36	8	10	-	-	-	2	-	-	-	-	3	5	-	15·1	0·8	-	-	-	-	-	-	Brighton.
Portsmouth -	194,955	92	50	10	12	-	-	-	2	1	-	-	-	2	9	1	13·4	0·8	-	-	-	-	-	-	Portsmouth.
Plymouth - -	102,161	48	25	4	13	-	-	-	-	1	-	-	-	1	1	-	12·8	0·5	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	157	95	28	18	-	-	-	3	2	1	1	6	7	18	2	15·2	1·1	-	-	-	-	-	-	Bristol.
Cardiff - -	194,247	97	54	18	7	-	-	1	1	1	1	-	4	7	7	1	14·5	1·1	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	59	36	8	10	-	4	-	-	-	-	-	2	2	5	1	17·8	2·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	62	25	7	9	-	-	-	-	-	-	2	2	3	9	1	14·5	1·2	54·1	28·0	41·2	5·11	0·60	1·52	Wolverhampton.
Birmingham -	519,610	278	174	52	34	-	1	-	2	8	4	3	5	7	36	5	17·5	1·8	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	66	27	6	14	-	-	-	-	-	-	-	2	2	6	-	12·3	-	54·2	32·4	43·0	6·11	0·22	0·56	Norwich.
Leicester - -	219,169	114	72	20	20	-	-	-	11	2	-	1	2	4	15	1	17·1	3·3	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	118	73	16	21	-	-	-	1	10	2	-	5	6	8	-	15·7	2·8	55·0	31·7	43·5	6·39	0·46	1·17	Nottingham.
Derby - - -	107,991	46	21	7	4	-	-	1	-	-	-	-	1	3	6	-	10·1	0·5	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	70	50	17	7	-	-	-	-	2	-	3	4	5	10	-	22·3	2·2	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	399	238	52	51	-	4	5	1	2	4	3	6	12	69	8	19·6	1·6	58·6	31·6	44·8	7·11	0·14	0·36	Liverpool.
Bolton - -	164,240	84	48	13	7	-	1	-	2	1	1	-	2	3	4	-	15·2	1·6	-	-	-	-	-	-	Bolton.
Manchester -	548,768	291	199	42	38	-	3	4	1	1	-	4	14	22	52	1	18·9	1·2	-	-	-	-	-	-	Manchester.
Salford - -	220,816	113	94	18	17	-	-	4	3	-	3	1	9	12	20	-	22·2	2·6	-	-	-	-	-	-	Salford.
Oldham - -	153,297	69	51	12	11	-	-	1	-	2	2	-	2	5	12	-	17·3	1·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	31	28	6	2	-	-	3	2	1	1	2	1	4	4	-	12·5	4·0	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	51	41	7	14	-	1	1	5	-	1	1	2	3	5	1	15·6	3·4	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	51	47	12	11	-	-	-	-	2	-	1	1	1	3	2	20·6	1·3	52·0	38·0	45·4	7·44	0·40	1·02	Preston.
Huddersfield -	104,484	43	28	6	8	-	-	1	-	-	-	-	1	1	3	1	14·0	0·5	57·0	36·0	43·8	6·56	0·37	0·94	Huddersfield.
Halifax† - -	100,710	42	30	5	7	-	-	-	-	-	1	1	1	-	7	1	15·5	1·0	-	-	-	-	-	-	Halifax.†
Bradford - -	291,535	120	82	20	21	-	-	5	1	-	-	-	1	4	12	-	14·7	1·1	58·6	39·0	46·6	8·11	0·27	0·69	Bradford.
Leeds - - -	431,287	258	129	33	27	-	3	2	4	1	2	1	2	10	14	-	15·6	1·6	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	231	132	29	25	-	1	-	20	4	2	2	1	2	21	7	18·8	4·1	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	151	70	20	14	-	1	-	1	2	1	-	4	5	13	1	15·3	1·1	-	-	-	-	-	-	Hull.
Sunderland -	147,398	75	43	13	6	-	-	1	1	4	1	-	4	4	6	-	15·2	2·5	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	65	32	10	10	-	-	-	-	1	-	-	1	2	1	3	15·3	0·5	-	-	-	-	-	-	Gateshead.
Newcastle - -	234,369	120	73	10	11	-	1	-	1	2	-	1	7	11	14	-	16·2	1·1	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† The recent extension of the Borough of Halifax will not be taken into account in the Weekly Returns until 1901.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	2202	1462	2423	2378	2703	2401	2522	2106	2422	2585	2441·1	2436
Males - -	1142	750	1221	1217	1395	1213	1285	1059	1232	1348	1247·9	1282
Females - -	1060	712	1202	1161	1308	1188	1237	1047	1190	1237	1193·2	1154
TOTAL **Deaths** -	2206	1771	1606	2170	1448	1521	1459	1555	1470	2607	1874·0	1382
Males - -	1059	911	786	1069	726	794	719	764	774	1304	937·0	752
Females - -	1147	860	820	1101	722	727	740	791	696	1303	937·0	630

*The numbers in this column are the average weekly numbers in the fifty-first week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 29.	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
TOTAL **Births** - - -	2239	2319	2429	2485	2238	2392	2500	2223	2538	2338	2299	2527	2436
TOTAL **Deaths** - - -	1471	1381	1305	1392	1403	1466	1498	1505	1515	1572	1544	1454	1382
Ages at Death: Under 1 year - -	437	393	327	356	352	351	347	369	361	397	400	374	346
1—5 years - -	173	148	149	149	143	148	173	172	158	200	187	153	174
5—20 " - -	65	67	72	87	100	102	81	90	87	83	77	86	78
20—40 " - -	175	188	179	186	187	190	209	217	209	205	164	183	180
40—60 " - -	279	287	256	279	266	304	311	311	295	298	327	302	296
60—80 " - -	273	256	261	270	288	302	309	283	325	322	318	274	245
80 years and upwards	69	52	61	65	67	69	68	63	80	67	71	82	63
Deaths from—													
Small pox - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles - - - -	13	4	11	8	20	10	22	18	21	33	23	20	26
Scarlet Fever - - -	5	14	7	8	10	8	8	8	11	6	11	8	4
Diphtheria - - - -	40	29	26	36	39	42	35	32	22	29	34	20	36
Whooping-cough - - -	27	18	27	20	18	13	16	15	27	21	34	28	22
Typhus - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever - - -	18	15	22	19	22	20	25	17	26	24	21	19	22
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Dysentery -	120	110	75	55	43	27	23	18	8	12	13	15	10
Cholera - - - - -	3	-	-	-	-	1	-	-	1	-	1	-	1
All the above Diseases -	226	190	168	146	152	121	129	108	116	127	137	110	121
Dis. of Respiratory System -	187	164	173	182	236	268	307	352	322	435	400	349	306
Phthisis - - - - -	141	135	125	141	141	152	137	150	134	158	150	135	121
Dis. of Circulatory System -	124	104	129	144	140	148	137	140	145	122	137	125	117
Violence - - - -	61	62	60	59	62	70	71	73	51	65	61	64	67
Inquest Cases - - - -	129	129	120	137	141	149	159	157	138	159	141	145	135
Deaths in Public Institutions -	435	445	428	476	447	467	490	469	470	483	459	456	446
TEMPERATURE OF THE AIR.													
Mean - - - - -	56°·9	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5
Mean of Highest readings -	66·9	63·0	63·7	53·9	53·0	57·8	53·6	51·1	46·2	48·1	52·0	52·3	49·3
Mean of Lowest readings -	48·9	45·5	46·6	42·4	40·8	48·5	44·4	38·4	37·7	41·4	42·4	42·9	38·6
Humidity of the Air - -	79	78	78	75	84	88	83	91	85	88	89	88	87
Rain-fall (in inches) - -	0·35	0·54	0·03	0·05	0·30	0·92	0·41	0·81	0·09	0·66	0·77	0·21	0·38
Registered Sunshine (in hours)	32·5	30·5	34·8	21·3	14·0	13·2	18·8	6·0	6·4	7·9	3·1	7·2	23·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox - - - - -	2	1	1	1	1	1	-	-	2	2	1	1	1
Scarlet Fever - - - -	1938	2071	2187	2341	2489	2619	2702	2728	2725	2727	2687	2617	2477
Diphtheria - - - -	1238	1286	1314	1389	1465	1472	1521	1556	1535	1537	1515	1474	1514
Enteric Fever - - - -	329	371	405	430	429	444	456	454	442	436	433	425	409

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **1.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst. C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull.

TABLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-FIRST Week of the Year 1900.

CAUSES OF DEATH	Corrected Averages for the 51st Week of the 10 years 1890-99*.	In the Week ending Saturday, 22nd December, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
CAUSES - - -	1874·0	1382	346	174	78	180	296	245	63
all-pox { Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
asles - - - -	66·7	26	4	22	-	-	-	-	-
rlet Fever - - -	18·9	4	1	3	-	-	-	-	-
phus - - - -	0·1	-	-	-	-	-	-	-	-
apsing Fever - -	-	-	-	-	-	-	-	-	-
nenza - - - -	32·8	9	1	1	-	2	2	1	2
ooping-cough - -	45·0	22	10	9	3	-	-	-	-
phtheria - -	51·2	36	4	22	9	-	1	-	-
nple Continued and l-defined Fever -	-	-	-	-	-	-	-	-	-
teric Fever - - -	18·1	22	-	1	4	15	2	-	-
olera and Chol. Diarr.	-	1	1	-	-	-	-	-	-
rrhœa, Dysentery -	13·8	10	6	2	-	-	1	1	-
nittent Fever - -	-	-	-	-	-	-	-	-	-
drophobia - - -	-	-	-	-	-	-	-	-	-
nders - - - -	-	-	-	-	-	-	-	-	-
wpox and Effects of accination - -	0·1	-	-	-	-	-	-	-	-
nereal Affections - -	7·7	6	3	-	-	2	1	-	-
ysipelas - - -	9·2	4	1	-	-	-	1	2	-
æmia and Septicæmia	2·2	2	1	-	-	1	-	-	-
erperal Fever - -	5·3	3	-	-	-	2	1	-	-
her Zymotic Diseases	1·4	1	1	-	-	-	-	-	-
rush - - - -	0·4	-	-	-	-	-	-	-	-
orms and other Parasitical Diseases -	0·4	-	-	-	-	-	-	-	-
rvation, Want of Breast-milk - -	0·8	-	-	-	-	-	-	-	-
coholism - - -	10·2	13	-	-	-	2	10	1	-
eumatic Fever, Rheumatism of Heart	10·5	13	-	1	5	4	1	2	-
eumatism - - -	2·5	2	-	-	-	-	2	-	-
out - - - - -	3·6	1	-	-	-	-	-	1	-
ckets - - - -	4·7	-	-	-	-	-	-	-	-
ncer - - - -	67·0	77	-	-	-	4	37	32	4
bes Mesenterica - -	14·8	8	4	3	-	1	-	-	-
bercular Meningitis -	17·6	23	8	8	5	2	-	-	-
thisis - - - -	181·2	121	-	4	8	60	39	10	-
rofula, Tuberculosis -	16·7	27	9	5	4	4	3	2	-
ner Constitutional Diseases - -	15·0	9	-	-	-	4	2	3	-
emature Birth - -	50·8	54	54	-	-	-	-	-	-
electasis - - -	4·6	5	5	-	-	-	-	-	-
ngenital Malformations - - -	8·4	5	4	1	-	-	-	-	-
d Age - - - -	57·5	42	-	-	-	-	-	22	20
oplexy - - -	47·0	48	-	-	2	2	15	24	5
ilepsy - - - -	6·2	6	-	-	-	3	1	2	-
nvulsions - - -	36·1	23	21	1	1	-	-	-	-
ner Diseases of Brain and Nervous System	82·1	63	8	8	4	6	17	19	1
eases of Organs of Special Sense -	4·5	6	1	-	2	1	2	-	-

CAUSES OF DEATH	Corrected Averages for the 51st Week of the 10 years 1890-99*.	In the Week ending Saturday, 22nd December, 1900. Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and
Diseases of Circulatory System - -	164·3	117	2	2	9	15	45	40	4
Croup - - - -	4·9	2	-	2	-	-	-	-	-
Bronchitis - - -	308·7	134	57	16	1	8	15	24	13
Pneumonia - - -	148·7	135	52	33	4	7	25	12	2
Pleurisy - - - -	7·5	5	-	-	-	-	2	2	1
Other Diseases of Respiratory System -	40·0	30	6	7	-	1	7	6	3
Dentition - - - -	10·1	6	5	1	-	-	-	-	-
Quinsy, Sore Throat -	1·6	1	-	1	-	-	-	-	-
Enteritis - - -	12·6	12	3	-	3	3	2	1	-
Gastro-enteritis -		10	8	-	-	1	-	1	-
Peritonitis - - -	6·6	5	1	-	-	3	-	1	-
Diseases of Liver - -	23·6	23	1	-	1	2	10	7	2
Other Diseases of Digestive System	29·9	30	8	5	2	1	8	5	1
Diseases of Lymphatic System & of Ductless Glands - - -	2·5	2	-	1	-	1	-	-	-
Diseases of Urinary System - - -	48·2	49	1	-	3	4	21	18	2
Diseases of Generative System - - -	5·8	1	-	-	-	-	1	-	-
Accidents of Childbirth -	5·0	6	-	-	1	4	1	-	-
Diseases of Locomotive System - - -	4·2	5	-	-	3	-	2	-	-
Diseases of Integumentary System - -	6·7	7	1	1	-	-	3	1	1
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - - -	67·3	4	-	-	-	2	2	-	-
By Vehicles or Horses -		6	-	1	1	2	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		1	-	-	-	-	1	-	-
In Building Operations -		-	-	-	-	-	-	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -		13	2	9	1	1	-	-	-
By Drowning - - -		5	-	-	-	4	1	-	-
By Suffocation in Bed -		4	4	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		2	-	-	-	1	-	1	-
Other or not stated causes - - - -		23	7	2	2	3	5	2	2
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·8	-	-	-	-	-	-	-	-
Suicide - - - -	9·5	9	-	-	-	2	5	2	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	49·2	43	41	2	-	-	-	-	-

* The numbers in this column are the average weekly deaths for the ten years 1890-99, raised by 5·202 per cent. for increase of population.

† Only those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered medical men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the cause of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

‡ The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of accident, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASL SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in ea SUB-DISTRICT during the Week ending Saturday, 22nd December, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Continued Simple Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,411,710	2436	1382	346	308	-	26	4	36	22	-	22	-	10	67	135	446
WEST DISTRICTS - - -	778,251	355	229	58	66	-	2	3	4	4	-	3	-	2	10	19	75
NORTH DISTRICTS - - -	1,040,694	523	301	70	65	-	3	-	12	4	-	7	-	1	15	28	92
CENTRAL DISTRICTS - - -	233,635	140	78	18	12	-	1	-	1	-	-	2	-	-	6	11	38
EAST DISTRICTS - - -	716,334	455	236	61	40	-	4	-	4	3	-	3	-	3	18	42	81
SOUTH DISTRICTS - - -	1,642,796	963	507	139	113	-	16	1	15	11	-	7	-	4	18	35	129
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	-	12	-	-	-	-	-	-	-	-	-	-	-	31
WEST DISTRICTS.																	
St. Mary Paddington *WHH* G. & W.	90,996	50	26	7	6	-	-	-	-	-	-	-	-	-	3	3	4
St. John Paddington *H* - - G.	33,510	7	19	4	2	-	-	-	-	-	-	2	-	-	3	5	10
Kensington Town *Ww* - - W.	122,164	53	47	12	15	-	-	-	1	2	-	-	-	1	1	2	21
Brompton *HH*- - - W. & C.	48,301	6	7	-	3	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith *H* W. & G	44,638	21	7	2	2	-	1	-	-	-	-	1	-	-	-	-	-
South Hammersmith *wH* W. & G	59,561	26	11	5	2	-	-	-	-	-	-	-	-	-	1	1	3
North-west Fulham§ *W* W. & C.	113,781	37	21	7	5	-	1	-	-	1	-	-	-	1	-	1	7
North-east Fulham§ *w* W. & C.		25	18	5	6	-	-	3	2	-	-	-	-	-	1	2	5
South Fulham§ W. & C.		30	10	3	4	-	-	-	-	-	-	-	-	-	1	1	-
Chelsea Kensal Town - C.	21,450	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *WHHHH* - C.	42,057	16	14	3	5	-	-	-	-	-	-	-	-	-	-	2	5
Chelsea South *HH* - - C.	33,139	11	6	3	-	-	-	-	-	1	-	-	-	-	-	-	1
May Fair *WH*- - - - G.	23,827	2	10	-	6	-	-	-	-	-	-	-	-	-	-	-	8
Belgrave *WHHH* - - - C.	56,140	24	18	5	4	-	-	-	1	-	-	-	-	-	-	2	6
St. John Westminster *HH* C.	31,492	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Margaret Westminster *H* C.	22,097	6	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2
St. James Westminster *WH* N. & G.	23,050	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	8	12	1	2	-	-	-	-	-	-	-	-	-	1	1	6
Rectory Marylebone *W* G. & W.	19,798	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone *HHHH* G. & W.	19,637	21	7	2	2	-	-	-	-	-	-	-	-	-	1	1	2
Christchurch Marylebone *H* - W	32,547	18	9	2	2	-	-	-	-	-	-	-	-	-	1	2	-
St. John Marylebone *HHH* - W.	32,611	9	9	1	4	-	-	-	-	-	-	-	-	-	1	2	1
Hampstead *WwHHHH* - N. & W.	75,449	26	27	3	4	-	-	-	6	1	-	2	-	-	2	1	10
Regent's Park † *HH* - W.	51,403	31	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Tottenham-court *wHHHHHH* - N. & W.	26,757	8	17	2	3	-	-	-	-	-	-	-	-	-	-	-	9
Gray's Inn Lane *HHHH* - N.	29,426	13	6	-	3	-	-	-	-	-	-	-	-	-	1	1	2
Somers Town *HH* - - - N.	32,161	16	8	2	1	-	-	-	-	-	-	-	-	-	1	2	2
Camden Town† *WH* - - N.	40,155	22	12	2	3	-	-	-	-	-	-	-	-	-	-	1	7
Kentish Town† *WW* - - N.	60,862	29	17	4	3	-	-	-	-	1	-	1	-	-	1	1	5
Upper Holloway *WWWWwHH* - - N.	98,273	41	39	12	10	-	-	-	1	-	-	-	-	1	-	1	21
Lower Holloway‡ - - - N.	41,805	20	14	5	4	-	-	-	1	-	-	-	-	-	-	-	-
Barnsbury‡ - - - - N.	56,384	34	12	5	1	-	-	-	-	2	-	-	-	-	-	1	-
Islington South-east‡ *H* - N.	75,725	46	15	7	3	-	-	-	1	-	-	-	-	-	-	-	1
Highbury *HH* - - - N.	64,577	34	16	7	2	-	1	-	-	-	-	-	-	-	-	-	1
Stoke Newington *H* - - N.	33,485	18	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - E. & N.	213,044	16	16	3	8	-	-	-	-	-	-	-	-	-	2	3	-
Central Hackney *ww* - E. & N.		19	14	2	-	-	1	-	3	-	-	3	-	-	-	1	6
South-west Hackney *HHH* E. & N.		53	13	3	1	-	-	-	-	-	-	1	-	-	3	4	6
South-east Hackney *WwH* E. & N.		35	22	3	9	-	1	-	-	-	-	-	-	-	-	4	12

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therei namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *H*—Hospital; *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupers ar received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifie Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two new Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South-eas Sub-District

BLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH. FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 22nd December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population. 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
oomsbury and St. Giles }																		
outh *WH* - - - N.	29,086	19	7	1	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Giles North *H* - - - N.	9,151	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Martin-in-the-Fields *HH* N. & C.	13,077	3	4	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
and *WHH* - - - - N.	11,839	3	4	-	1	-	-	-	-	-	-	1	-	-	-	1	2	-
and Union Workhouse, Edmonton	†1,037	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
lborn *WwHHHHH* - N.	31,042	13	19	8	6	-	-	-	-	-	-	-	-	-	-	1	9	-
James Clerkenwell - - N.	15,777	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
well Clerkenwell - - N.	34,356	19	7	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
swell-street - - - - N.	16,069	19	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
y-road *HHHHL* - - N.	29,897	38	10	4	-	-	-	-	-	-	-	-	-	-	-	1	4	-
sbury* - - - - - N.	11,630	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
lborn Union Workhouse, } *Kitcham* - - - -	†892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph‡ *H* - - N. & E.	13,061	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre *WH* - - - N.	9,591	2	17	1	-	-	-	-	1	-	-	1	-	-	4	4	15	-
hallows Barking - - - N.	9,059	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
y of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South *Hl* - E. & N.	17,975	10	6	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-
ton New Town *w* - - N.	29,575	24	6	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
ton Old Town - - - N.	27,845	20	13	2	1	-	2	-	-	1	-	1	-	-	-	1	-	-
gerston *WH* - - N. & E.	47,163	33	24	6	4	-	1	-	-	-	-	-	-	2	-	1	12	-
nal Green North *H* - E.	49,301	40	12	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
nal Green South - - E.	34,194	19	5	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
nal Green East *WWHl* - E.	45,667	23	18	1	10	-	-	-	-	1	-	-	-	-	-	-	10	-
alfields - - - E. & N.	26,681	14	9	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-
End New Town *WH* - E.	} 51,995 {	10	30	7	2	-	-	-	2	-	-	-	-	-	3	7	29	-
dman's Fields - - - E.		11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge's, North - - - E.	39,576	29	8	5	1	-	-	-	-	-	-	-	-	-	3	5	-	-
ohn, St. George East *W* E.	7 930	5	6	3	1	-	-	-	-	-	-	-	-	-	1	1	2	-
well *H* - - - E. & N.	10,434	7	14	2	-	-	-	-	-	-	-	-	-	-	3	4	7	-
liff *W* - - - - E.	14,954	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ehouse - - - - - E.	32,917	24	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End Old Town West *H* E. }	111,060	{ 48	7	4	-	-	-	-	-	-	-	-	-	1	-	2	-	-
End Old Town East } *Www* - E.		31	15	4	3	-	-	-	-	1	-	1	-	-	3	4	5	-
l - - - - E.	41,687	23	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
nley *wwwH* - - - E.	69,821	43	35	7	9	-	-	-	1	-	-	-	-	-	3	9	14	-
ar *WW* - - - - E.	57,759	31	13	7	-	-	-	-	1	-	-	1	-	-	-	-	-	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 22nd December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
SOUTH DISTRICTS.																	
Christchurch Southwark *WHL*.&S.	13,064	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	15	4	3	-	-	-	-	-	-	-	-	-	-	2	2	-
Borough-road *WH* - S. & L.	16,083	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	2
London-road *HL* - - L. & S.	21,316	14	8	2	3	-	-	-	-	-	-	-	-	-	1	2	1
Trinity Newington *H* - S. & L.	28,723	18	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	36	13	3	5	-	1	-	-	-	-	-	-	-	-	1	3
St. Mary Newington- - L. & S.	30,171	24	10	4	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Olave *WH* - - - S.	11,731	8	15	2	2	-	-	-	-	-	-	-	-	-	1	1	13
Bermondsey *W* - - - S.	85,475	47	25	7	-	-	8	-	-	-	-	-	-	-	1	4	-
Rotherhithe *Ww* - S. & K.	40,379	19	17	3	2	-	-	-	-	1	-	-	-	-	1	1	5
Waterloo-road *HH* - L. & S.	28,396	25	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st *H* - L. & S.	18,770	9	12	3	-	-	-	-	-	-	-	1	-	-	3	4	10
Lambeth Church 2nd *WW* L. & S.	40,994	30	17	4	8	-	-	-	-	-	-	-	-	-	-	2	12
Kennington 1st *H* - - S. & L.	52,486	54	18	7	3	-	-	-	-	1	-	-	-	-	-	2	-
Kennington 2nd - - S. & L.	43,244	17	10	2	3	-	-	-	-	1	-	-	-	-	-	-	-
Brixton *w* - - - L. & S.	81,825	32	16	1	6	-	-	-	3	-	-	-	-	-	-	1	3
Norwood *WH*- - - - L.	29,318	9	7	1	5	-	-	-	-	-	-	-	-	1	1	1	-
East Battersea - - - - S.	71,730	43	19	7	3	-	-	-	1	4	-	-	-	-	-	1	-
North-west Battersea† - - S.	93,385	33	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea† *WwH* - S.		24	17	3	3	-	-	-	-	-	-	-	-	-	-	-	7
Clapham *H* - - - - S.	46,953	25	16	7	4	-	-	-	-	2	-	-	-	-	-	-	2
Streatham *WwwwL* - - L.	61,644	38	21	9	6	-	-	-	1	-	-	1	-	-	1	1	
Wandsworth *WHHL* - - S.	58,101	29	15	4	3	-	1	-	-	-	-	-	-	1	1	2	2
Putney - - - - - S.	20,566	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	46	44	5	19	-	-	-	-	-	-	2	-	-	3	6	35
Peckham *WW* - S., L., & K.	88,242	48	20	8	3	-	1	-	-	1	-	-	-	2	-	-	-
St. George Camberwell - L. & S.	67,029	41	12	3	3	-	-	-	-	-	-	-	-	-	-	1	-
Deptford North - - - K.	36,152	33	17	5	1	-	2	-	1	-	-	-	-	-	-	-	-
Deptford Central *w* - - K.	45,441	38	16	9	2	-	-	1	3	-	-	-	-	-	-	-	4
Deptford South - - - K.	33,402	9	10	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West *H* - - K.	23,012	9	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East *WH* - - K.	37,767	12	14	3	6	-	-	-	-	-	-	-	-	-	-	-	8
Eltham *wH* - - - - K.	5,911	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	13	6	1	1	-	-	-	-	-	-	-	-	-	1	1	1
Lewisham *WwH* - - - K.	38,139	40	23	6	4	-	1	-	3	-	-	2	-	-	-	-	11
Sydenham *H* - - - - L.	37,601	21	8	2	1	-	2	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	6	8	1	1	-	-	-	3	-	-	-	-	-	-	-	3
Woolwich* *HHHH* - - K.	41,314	29	14	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WH* - - K.	42,538	33	15	5	2	-	-	-	-	-	-	1	-	-	-	-	4
Banstead Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Horton Asylum, Epsom - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham Asylum - - - -	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5
Cane Hill Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
Hanwell Asylum - - - -	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7
Central London Sick Asylum, Hendon	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch Asylum - - -	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury Asylum - - - -	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

LE 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 22nd December, 1900.

Is-on ict d -ict n-s.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING -	368,749	1,422,063	1,103	466	146	116	-	6	3	16	13	8	6	7	21	60	2
1	Carshalton *H* - - -	12,228	26,108	15	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *WwHHH*	10,423	12,508	1	6	1	2	-	-	-	-	-	-	-	-	-	1	-
1	Godstone, *part of** *W* -	2,754	1,598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	82	40	9	10	-	1	-	-	3	1	-	-	2	3	-
2	Mitcham *w* - - -	11,697	23,072	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	21	11	6	3	-	-	-	1	-	-	-	-	-	1	-
2	Kingston *WH* - - -	} 14,672	{ 33,566	21	5	1	2	-	1	-	-	-	-	-	-	-	1	-
3	Surbiton *HH* - - -		12,178	4	4	1	1	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** *H* - -		11,080	8	2	2	-	-	-	-	-	2	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	13	7	3	2	-	-	-	-	-	-	-	-	-	-	-
1	Richmond *WHH* - -	2,160	25,389	13	5	-	2	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake *H* - - -	2,823	16,159	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	13	6	1	1	-	-	-	2	-	-	-	-	-	2	-
2	Beckenham *H* - - -	6,542	21,969	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Chislehurst, *part of** *WHH*	14,307	20,372	18	5	2	2	-	-	-	-	1	-	-	-	-	3	-
1	Bexley *HHH* - - -	12,540	30,590	26	10	5	2	-	-	-	-	-	-	-	-	-	-	2
2	Dartford *WH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-
1	Sunbury *w* - - -	11,054	13,671	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *WH* - - -	13,277	13,221	5	4	2	1	-	-	-	-	-	-	-	-	-	1	-
1	Hillingdon *WHH* - -	6,035	12,237	5	5	4	1	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge - - - -	12,757	7,253	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	14	3	-	1	-	-	-	1	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	17	6	3	1	-	-	1	1	-	-	-	-	-	1	-
2	Twickenham *HH* - -	2,415	16,027	16	5	3	-	-	1	-	-	-	-	-	-	-	-	-
3	Brentford *HHHH* - -	4,318	37,777	17	12	4	1	-	-	-	1	-	-	-	-	-	1	-
4	Chiswick - - - -	1,245	21,963	21	6	2	-	-	-	-	1	-	-	-	-	-	-	-
5	Acton *wHH* - - -	6,132	30,945	26	14	6	4	-	-	-	-	-	-	-	-	-	-	-
1	Harrow *HHH* - - -	13,809	15,715	12	4	1	1	-	-	1	-	-	-	-	-	-	-	-
2	Edgware *HH* - - -	6,994	3,844	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	64	25	8	8	-	-	-	-	-	-	1	-	2	-	-
4	Hendon *WH* - - -	8,382	15,843	14	6	1	3	-	-	-	-	1	-	-	-	1	2	-
1	South Mimms *HH* - -	} 21,077	{ 6,367	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *WHH* - - -		14,152	8	6	1	3	-	-	-	-	-	-	-	-	-	3	-
3	Finchley *HHH* - - -	4,688	25,820	10	9	1	1	-	-	-	-	-	-	-	1	3	-	-
1	Hornsey *HH* - - -	3,039	61,097	42	10	3	2	-	-	-	1	1	1	1	-	-	-	-
2	Tottenham *HHH* - -	4,642	97,174	53	20	6	6	-	-	-	-	1	-	1	1	3	-	-
3	Edmonton *Ww* - -	7,489	36,351	37	15	5	4	-	-	-	1	-	-	-	-	-	3	-
4	Enfield *WWHH* - -	12,602	31,536	15	15	3	6	-	1	-	1	1	1	-	-	1	1	-
5	Waltham Abbey - - -	11,017	6,066	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of** *W* - -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH*, *part of** -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Stratford *H* - - -	} 4,706	{ 38,612	28	12	6	2	-	1	-	-	-	-	1	1	1	-	-
2	Plaistow *HHH* - - -		58,030	75	19	5	5	-	-	-	3	-	1	-	1	1	4	-
3	Canning Town *H* - -		54,750	57	21	12	-	-	-	-	-	1	-	1	2	2	3	-
4	Forest Gate *w* - - -		53,511	30	12	3	4	-	-	-	-	-	-	-	-	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	82	22	9	2	-	1	-	2	-	-	-	-	-	2	-
6	Wanstead† - - - -	} 4,334	7,042	5	4	1	2	-	-	-	-	-	-	-	-	1	-	-
7	South Leyton† *WW* - -		{ 38,232	32	20	6	7	-	-	-	-	1	1	-	-	-	10	-
8	North Leyton† *WwH* -		24,874	18	10	1	2	-	-	1	-	-	-	-	-	-	-	-
9	Walthamstow *HHHL* -	6,501	57,370	63	27	9	6	-	-	-	-	-	-	-	-	1	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *WH*, *part of** - -	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Romford, *part of** *W* -	6,556	4,324	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *H* - - - -	8,493	10,913	20.	10	2	3	-	-	-	1	1	-	-	-	-	1	-
3	Barking Town, *H* - -	3,814	14,301	10	2	-	-	-	-	-	-	-	2	-	-	-	2	-
	North-Western Fever Hospital, Hampstead.	—	—	-	2	-	-	-	-	-	-	-	1	-	-	-	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer g are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, excepting Warlingham and Farley parishes; 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham ish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 also included.

186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton b-Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 22nd December, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14	15.
GREATER LONDON	443,421	6,652,145	14·5	1·4	1848	492	424	-	32	7	52	35	30	16	74
INNER LONDON -	74,672	4,589,129	15·7	1·4	1382	346	308	-	26	4	36	22	22	10	67
OUTER RING -	368,749	2,063,016	11·8	1·3	466	146	116	-	6	3	16	13	8	6	7

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.
EDINBURGH -	302,262	December 22	151	96	16·6	-	7	1	1	-	-
GLASGOW - -	743,585	" 22	416	274	19·2	1	2	4	5	22	4
DUBLIN† - - -	349,594	" 22	196	172	25·7	-	-	1	1	6	4
CALCUTTA - -	466,460	October 27	-	293	32·7	1	-	-	-	-	112‡
BOMBAY - -	821,764	December 4	261	785	49·7	-	-	?	?	?	158‡
MADRAS - -	452,513	November 16	468	409	46·9	-	1	?	?	?	125‡
PARIS - - -	2,511,629	December 15	1118	882	18·2	-		2	9*	4	5
BRUSSELS - -	570,844	" 15	251	142	13·0	-	4	1	4*	1	2
AMSTERDAM -	527,181	" 8	295	188	18·9	-	20	-	-	6	-
ROTTERDAM -	325,556	" 8	255	99	15·5	-	2	1	3	4	-
THE HAGUE -	205,328	" 8	111	68	17·0	-	-	-	-	1	-
COPENHAGEN -	354,000	" 15	146	117	17·2	-	2	2	-	1	3
STOCKHOLM -	297,148	" 8	135	87	15·2	-	1	-	6*	3	-
CHRISTIANIA -	226,423	" 15	125	91	20·9	-	2	1	1	2	1
ST. PETERSBURG	1,132,677	" 8	698	590	27·2	2	8	18	23	5	23
MOSCOW - -	988,610	" 8	-	540	28·5	1	8	12	9	2	4
BERLIN - -	1,857,859	" 1	778	549	15·2	-	10	12	12	7	3
HAMBURG - -	691,349	" 15	-	220	16·5	-	1	3	4*	2	1
DRESDEN - -	407,500	November 3	-	108	13·7	-	-	-	3*	-	-
BRESLAU - -	412,959	December 15	-	186	23·5	-	-	1	-	2	1
MUNICH - -	463,000	" 15	-	214	24·0	-	6	-	2*	1	-
VIENNA - -	1,656,662	" 15	739	626	19·4	-	28	9	7*	4	-
PRAGUE - -	391,693	" 15	176	145	19·2	-	1	1	2	-	1
BUDA-PESTH -	685,340	" 8	442	265	20·1	-	9	9	3	1	2
TRIESTE - -	168,264	" 8	89	88	27·0	-	-	-	1*	-	-
ROME - - -	518,333	November 17	222	174	17·5	-	2	-	-	-	23‖
TURIN (10 days) -	344,203	October 20	164	127	13·5	-	-	-	-	-	2
VENICE - -	174,170	December 8	70	61	18·3	-	-	-	-	-	1
		" 15	63	61	18·3	-	-	-	-	-	-
CAIRO - -	570,062	November 18	438	306	27·9	1	-	-	1*	-	10
ALEXANDRIA -	319,766	" 18	234	186	30·2	-	1	-	1*	-	7‡
NEW YORK (including BROOKLYN)	3,654,594	" 24	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,293,697	December 1	-	446	18·0	-	-	4	18	-	6

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 5 deaths from plague in Calcutta, 70 in Bombay, one death in Madras, and one in Alexandria.
§ Including 5 deaths from cholera in Calcutta, 10 in Bombay, and 7 in Madras.
‖ Including 12 deaths from malarial fever.

1900. Month and Day		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est	Daily Range.	Mean daily value.	Departure from Average of 50 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	16	..	30·340	48·9	40·0	8·9	45·1	+ 4·9	40·6	4·5	6·1	3·9	84	70·5	32·4	48·80	WSW. & SW.	SW. & WSW.	1·8	0·0	0·2	316	+ 7	0·00	0·0
MONDAY -	17	..	30·104	47·4	36·4	11·0	42·3	+ 2·3	39·6	2·7	5·5	0·9	90	81·9	28·5	48·65	SW. & SSW.	SSW. S. & SW.	3·0	0·0	0·3	303	− 7	0·00	0·0
TUESDAY -	18	..	29·877	51·3	41·0	10·3	48·3	+ 8·6	44·7	3·6	4·6	2·9	87	69·8	33·0	48·42	SW. & SSW.	SSW.	6·1	0·0	0·9	456	+146	0·00	0·0
WEDNESDAY	19	..	30·026	50·3	36·8	13·5	42·8	+ 3·5	39·5	3·3	6·5	0·7	88	76·2	31·5	48·21	NW. & SW.	SW. & SSW.	4·8	0·0	0·4	351	+ 41	0·17	0·2
THURSDAY-	20	..	29·567	53·9	44·2	9·7	50·3	+11·3	47·4	2·9	4·8	0·8	90	60·2	37·0	48·16	SSW. & SW.	SSW. & SW.	16·0	0·0	3·1	720	+411	0·11	0·8
FRIDAY -	21	Greatest Dec. S.	29·644	51·5	39·5	12·0	44·8	+ 6·0	39·0	5·8	10·9	1·0	80	77·2	36·2	48·07	SW. & WSW.	SW.	13·0	0·0	2·2	578	+271	0·10	0·0
SATURDAY -	22	New	29·879	41·5	32·3	9·2	38·2	− 0·4	36·1	2·1	4·6	0·0	92	49·2	25·0	47·97	SW.	SW. & NE.	0·7	0·0	0·0	152	−153	0·00	0·0
MEANS -			29·920	49·3	38·6	10·7	44·5	+ 5·2	41·0	3·6	6·1	1·5	87	69·3	31·9	48·33	SW.		..	..	..	Sum 2876	Sum +716	Sum 0·38	0·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	16	m. P. throughout.	4·7	7·8	Very fine and generally cloudless till 6h. P.M.; overcast afterwards.
MONDAY -	17	w. P. till 10h. A.M.; Loss of Register till 2h. P.M.; m. P. afterwards.	5·8	7·8	Cloudy in morning; very fine afterwards. Hoar frost at night.
TUESDAY -	18	w. P. generally.	0·9	7·8	Generally overcast. Gusty wind at night. Very mild.
WEDNESDAY	19	w. P. & v. N. till 4h. A.M.; v. P. till 10h. A.M.; Loss of Register till 3h. P.M.: m. P. afterwards.	5·7	7·8	Overcast in morning with rain between 1h. & 4h. A.M.; very fine and generally cloudless afterwards. Solar halo observed in forenoon.
THURSDAY-	20	w. P. generally: w. N. between 4h. & 7h. P.M.	0·0	7·8	Cloudless till 3h. A.M.; generally overcast with frequent rain afterwards. Strong wind prevalent throughout the day.
FRIDAY -	21	w. P. and w. N. in morning; m. P. till 8h. P.M.; v. P. and v. N. afterwards.	6·3	7·8	Very fine with small amounts of cloud generally. Overcast with rain between 8h. and 10h. P.M.
SATURDAY -	22	m. P. in morning; v. P. afterwards.	0·0	7·8	Cloudless with hoar frost in early morning; thin cloud and solar halo till 2h. P.M.; overcast afterwards. Somewhat foggy at night.
			Sum 23·4	Sum 54·6	
No. of Col. -	-	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·19 in. at the beginning of the week to 30·35 in. by 10h. A.M. on the 16th; decreased to 29·78 in. by 2h. A.M. on the 19th; increased to 30·05 in. by 7h. P.M. on the same day; decreased to 29·38 in. by 8h. P.M. on the 20th; increased to 29·94 in. by 9h. A.M. on the 22nd; and decreased to 29·77 in. by the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34–40 BACON STREET E.

1900.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
THIRTY-TWO OTHER GREAT TOWNS
By Authority of the Registrar General.
Printed under the Superintendence of Her Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 52. 1900. Vol. LXI.] WEEK ENDING SATURDAY, DEC. 29. [Price 1½*d*

General Register Office, Somerset House,
December 31*st*, 1900.

THIRTY-THREE GREAT TOWNS.

The deaths registered last week in THIRTY-THREE GREAT TOWNS of England and Wales corresponded to an annual rate of 16·9 per 1000 of their aggregate population, which is estimated* at 11,610,296 persons in the middle of this year. In the preceding three weeks the rates had been 17·7, 16·8, and 16·1. The deaths registered in each of the last four weeks in the several towns, alphabetically arranged, corresponded to the following annual rates per 1000:—

Towns.	Weeks ending Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	Towns.	Weeks ending Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
33 Great Towns	17·7	16·8	16·1	16·9	Leicester - -	14·8	18·3	17·1	10·7
Birkenhead -	15·1	16·9	22·3	21·4	Liverpool - -	21·9	20·0	19·6	22·4
Birmingham -	18·7	16·5	17·5	18·2	London - - -	17·5	16·5	15·7	16·7
Blackburn -	16·0	12·6	15·6	17·1	Manchester - -	20·6	22·2	18·9	19·4
Bolton - -	17·5	21·3	15·2	14·0	Newcastle-on-Tyne	16·9	17·4	16·2	20·9
Bradford -	15·0	16·3	14·7	15·2	Norwich - -	17·7	8·6	12·3	11·3
Brighton -	15·5	14·3	15·1	13·0	Nottingham - -	19·3	22·1	15·7	17·2
Bristol - -	16·5	16·0	15·2	16·2	Oldham - -	21·1	11·2	17·3	14·3
Burnley -	15·6	12·5	12·5	13·8	Plymouth - -	14·8	16·8	12·8	15·8
Cardiff - -	11·8	12·9	14·5	10·2	Portsmouth - -	13·6	13·6	13·4	13·6
Croydon -	11·5	11·9	13·9	13·1	Preston - -	20·2	11·8	20·6	22·4
Derby - -	16·9	15·0	10·1	16·9	Salford - - -	17·7	17·7	22·2	20·1
Gateshead -	16·7	20·0	15·3	19·5	Sheffield - -	21·5	18·7	18·8	19·2
Halifax -	16·6	12·4	15·5	10·9	Sunderland - -	21·2	18·7	15·2	15·2
Huddersfield-	15·0	16·0	14·0	9·5	Swansea - -	15·3	15·8	17·8	16·3
Hull - -	22·1	19·9	15·3	23·2	West Ham - -	14·4	12·6	11·6	13·9
Leeds - -	16·7	17·5	15·6	18·3	Wolverhampton -	18·0	15·7	14·5	12·2

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *measles*, 1·0 in Swansea; from *whooping-cough*, 1·0 in Derby and in Sheffield, 1·2 in Salford, 1·8 in Preston, and 2·1 in Nottingham; and from *diarrhœa*, 1·0 in Gateshead. In none of the thirty-three towns did the death-rate from *scarlet fever* or from "*fever*" reach 1·0 per 1000. The 78 deaths from *diphtheria* included 26 in London, 9 in Sheffield, 5 in Leicester, 5 in Liverpool, 5 in Blackburn, 4 in West Ham, 4 in Leeds, 3 in Portsmouth, 3 in Salford, and 3 in Newcastle-on-Tyne. No death from *small-pox* was registered in any of the thirty-three towns.

LONDON.

In LONDON† 1591 BIRTHS and 1466 DEATHS were registered. Allowing for increase of population, the births were 609, and the deaths 703, below the average numbers in the corresponding weeks of the last ten

* By "estimated" population is meant merely the number of persons who would be living at a given time if the mean rate of increase in the last intercensal period had since been maintained.

† Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside Registration London, but excluding deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Streatham and Wandsworth, and in the Metropolitan Asylums Board Hospitals within Registration London. As far as practicable, the deaths thus excluded from Registration London are, for the purposes of Tables 1, 6, and 7, added to the Outer Ring, or to other areas to which they belong.

years. The annual death-rate per 1000 from all causes, which had been 17·5, 16·5, and 15·7, in the preceding three weeks, rose again last week to 16·7. During the four weeks ending on Saturday last the death-rate averaged 16·6 per 1000, being 5·1 per 1000 below the mean rate in the corresponding periods of the ten years 1890–99.

The 1466 deaths included 27 from measles, 7 from scarlet fever, 26 from diphtheria, 31 from whooping-cough, 22 from enteric fever, 9 from diarrhœa and dysentery, and not one death from small-pox, from typhus, from any ill-defined form of continued fever, or from cholera; thus 122 deaths were referred to these diseases, being 111 below the corrected average weekly number.

The deaths from *measles*, which had been 23, 20, and 26 in the preceding three weeks, were 27 last week, the corrected average being 79; 6 cases belonged to Shoreditch and 5 to Bermondsey sanitary areas. The deaths from *scarlet fever*, which had been 11, 8, and 4 in the preceding three weeks, rose again last week to 7, but were 9 below the corrected average; 2 cases belonged to Fulham sanitary area. The deaths from *diphtheria*, which had been 34, 20, and 36 in the preceding three weeks, fell again last week to 26, and were 26 below the corrected average; 3 cases belonged to Poplar and 3 to Greenwich sanitary areas. The deaths from *whooping-cough*, which had been 34, 28, and 22 in the preceding three weeks, rose again last week to 31, but were 23 below the corrected average. The fatal cases of *enteric fever*, which had been 21, 19, and 22 in the preceding three weeks, were again 22 last week, the corrected average being 17; 3 cases belonged to Islington, 2 to Hammersmith, 2 to Bethnal Green, 2 to Wandsworth, and 2 to Camberwell sanitary areas. The deaths from *diarrhœa*, which had been 13, 15, and 10 in the preceding three weeks, were 9 last week, the corrected average being 13. The deaths referred to diseases of the *respiratory organs*, which had been 400, 349, and 306 in the preceding three weeks, rose again last week to 325, but were 335 below the corrected average. The deaths attributed directly to *influenza* numbered 7, having been 15, 15, and 9 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 6 were cases of suicide, while the remaining 58 were attributed to accident or negligence. Six of these were referred to vehicles in the streets, 11 to burns and scalds, 7 to drowning, and 16 (of infants under one year of age) to suffocation in bed.

Cases of Infectious Sickness in Hospitals.*

According to returns from the Metropolitan Asylum and London Fever Hospitals there were 1 case of small-pox, 2535 cases of scarlet fever, 1356 of diphtheria, and 403 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follow:—Of scarlet fever, 167 cases, against 259, 255, and 218; of diphtheria, 140 cases, against 173, 173, and 152; and of enteric fever, 41 cases, against 54, 58, and 52.

Greater London.

In Greater London 2240 births and 1934 deaths were registered, corresponding to annual rates of 17·6 and 15·2 per 1000 of the estimated population. In the Outer Ring 8 deaths from measles, 5 from scarlet fever, 14 from diphtheria, 14 from whooping-cough, and 4 from "fever," were registered. Four deaths from measles, 3 from scarlet fever, 9 from diphtheria, 7 from whooping-cough, and 2 from "fever" occurred in West Ham district.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·59 inches, and that of the Thermometer 42°·7; the latter being 4°·3 above the week's average in the 50 years 1841–90. The direction of the wind was south-westerly, the horizontal movement of the air being 31 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 4·6 hours; the measured rainfall amounted to 0·30 of an inch.

* The figures for the Hospitals represent patients certified on admission to be suffering from Scarlet Fever, Diphtheria, or Enteric Fever, respectively; but in a considerable proportion of cases, the diagnosis is found after sojourn in the Hospital to have been erroneous.

Cities and Boroughs.	Population estimated to the middle of the Year 1900.*	29th Dec. 1900. Births.	29th Dec. 1900. Deaths.	Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Corresponding to the Week's Deaths. From All Causes.	From Diseases in Cols. 6–12.	Highest. Fahrenheit.	Lowest. Fahrenheit.	Mean. Fahrenheit.	Mean. Centigrade.	In Inches.	In Centimetres.	Cities and Boroughs.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22	23.	24.	Cols.
33 Towns -	**11,610,296**	**4178**	**3773**	**888**	**937**	-	**59**	**29**	**78**	**88**	**46**	**34**	**186**	**389**	**835**	**77**	**16·9**	**1·5**	**56·8**	**22·8**	**43·1**	**6·17**	**0·70**	**1·78**	**33 Towns.**
London - -	4,589,129	1591	1466	346	373	-	27	7	26	31	22	9	64	160	431	17	16·7	1·4	53·2	30·7	42·7	5·94	0·30	0·76	London.
West Ham - -	314,472	95	84	29	10	-	-	1	4	1	-	-	7	8	15	2	13·9	1·0	-	-	-	-	-	-	West Ham.
Croydon - -	131,186	32	33	6	13	-	-	-	-	1	-	-	2	5	9	-	13·1	0·4	51·7	28·0	41·4	5·22	0·50	1·27	Croydon.
Brighton - -	124,148	35	31	7	14	-	-	-	1	-	-	-	-	2	6	-	13·0	0·4	52·6	35·0	46·5	8·06	0·58	1·47	Brighton.
Portsmouth -	194,955	64	51	7	12	-	-	-	3	-	-	1	3	6	12	-	13·6	1·1	55·0	35·0	46·5	8·06	0·55	1·40	Portsmouth.
Plymouth - -	102,161	22	31	2	10	-	1	-	1	-	-	-	2	2	10	-	15·8	1·0	-	-	-	-	-	-	Plymouth.
Bristol - -	324,973	130	101	28	21	-	-	2	2	2	-	-	6	14	18	-	16·2	1·0	55·0	27·0	43·3	6·28	1·00	2·54	Bristol.
Cardiff - -	194,247	75	38	8	10	-	-	-	1	2	-	-	-	2	3	-	10·2	0·8	-	-	-	-	-	-	Cardiff.
Swansea - -	105,472	27	33	10	6	-	2	1	-	1	-	-	-	3	2	-	16·3	2·0	-	-	-	-	-	-	Swansea.
Wolverhampton	89,598	31	21	5	7	-	-	-	-	-	-	-	1	2	3	1	12·2	-	53·5	22·8	39·5	4·17	0·77	1·96	Wolverhampton.
Birmingham -	519,610	185	181	43	46	-	3	1	1	4	5	3	15	20	41	4	18·2	1·7	-	-	-	-	-	-	Birmingham.
Norwich - -	114,855	47	25	6	9	-	-	-	-	-	-	-	1	2	4	-	11·3	-	-	-	-	-	-	-	Norwich.
Leicester - -	219,169	76	45	8	10	-	-	-	5	-	-	-	1	5	10	3	10·7	1·2	-	-	-	-	-	-	Leicester.
Nottingham -	242,676	85	80	22	18	-	-	-	-	10	2	3	6	8	9	-	17·2	3·2	54·2	26·2	40·3	4·61	0·36	0·91	Nottingham.
Derby - - -	107,991	42	35	9	12	-	-	1	-	2	1	-	1	3	5	-	16·9	1·9	-	-	-	-	-	-	Derby.
Birkenhead -	117,170	47	48	6	19	-	1	-	-	2	-	-	1	3	6	-	21·4	1·3	-	-	-	-	-	-	Birkenhead.
Liverpool - -	634,780	259	273	65	67	-	11	3	5	1	2	4	14	24	57	12	22·4	2·1	56·8	32·2	44·8	7·11	0·51	1·30	Liverpool.
Bolton - -	164,240	59	44	8	10	-	2	1	1	-	2	1	-	2	5	-	14·0	2·2	-	-	-	-	-	-	Bolton.
Manchester -	548,768	177	204	45	40	-	2	3	1	2	1	2	17	29	50	2	19·4	1·0	-	-	-	-	-	-	Manchester.
Salford - -	220,816	87	85	22	12	-	1	-	3	5	2	3	8	13	15	-	20·1	3·3	-	-	-	-	-	-	Salford.
Oldham - -	153,297	44	42	7	13	-	-	1	-	1	-	-	-	3	2	-	14·3	0·7	-	-	-	-	-	-	Oldham.
Burnley - -	116,730	46	31	10	8	-	-	1	-	1	-	-	3	3	3	-	13·8	0·9	-	-	-	-	-	-	Burnley.
Blackburn - -	137,107	49	45	13	8	-	1	2	5	2	-	2	1	4	4	5	17·1	4·6	-	-	-	-	-	-	Blackburn.
Preston - -	118,902	48	51	11	12	-	-	1	-	4	2	-	-	-	3	6	22·4	3·1	55·0	34·0	44·2	6·78	1·21	3·07	Preston.
Huddersfield -	104,484	25	19	2	6	-	-	-	-	-	-	-	1	3	1	-	9·5	-	56·1	32·7	42·6	5·89	1·00	2·54	Huddersfield.
Halifax† - -	100,710	30	21	2	9	-	-	-	1	-	1	-	1	1	3	3	10·9	1·0	-	-	-	-	-	-	Halifax.†
Bradford - -	291,535	92	85	16	28	-	-	1	1	2	2	-	5	7	16	1	15·2	1·1	55·0	34·0	43·7	6·50	0·84	2·13	Bradford.
Leeds - - -	431,287	168	151	36	40	-	5	1	4	-	2	2	6	23	23	-	18·3	1·7	-	-	-	-	-	-	Leeds.
Sheffield - -	365,922	167	135	34	25	-	1	1	9	7	-	1	2	5	26	9	19·2	2·7	-	-	-	-	-	-	Sheffield.
Hull - - -	238,736	110	106	34	27	-	2	-	1	4	1	-	9	16	14	2	23·2	1·7	55·0	27·0	41·5	5·28	0·75	1·90	Hull.
Sunderland -	147,398	72	43	9	10	-	-	-	-	1	-	-	6	8	6	-	15·2	0·4	-	-	-	-	-	-	Sunderland.
Gateshead - -	109,403	49	41	11	13	-	-	-	-	1	1	2	-	-	3	5	19·5	1·9	-	-	-	-	-	-	Gateshead.
Newcastle - -	254,369	112	94	21	19	-	-	1	3	1	-	1	3	3	20	5	20·9	1·3	-	-	-	-	-	-	Newcastle.

* See note * on first page of this return.

† The recent extension of the Borough of Halifax will not be taken into account in the Weekly Returns until 1901.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1890–1900.

	1890	1891	1892	1893	1894	1895	1896	1897	1898	1899	Corrected Weekly Average in 10 Years 1890–99.*	1900
TOTAL **Births**	1771	3181	2120	2106	1950	1501	1829	2363	2215	1880	2200·4	1591
Males	873	1652	1063	1063	1061	758	904	1197	1154	950	1123·0	842
Females	898	1529	1057	1043	889	743	925	1166	1061	930	1077·4	749
TOTAL **Deaths**	2231	3399	1830	1920	1434	1502	1279	2360	1593	3067	2168·7	1466
Males	1069	1640	969	910	775	775	648	1195	828	1485	1082·9	751
Females	1162	1759	861	1010	659	727	631	1165	765	1582	1085·8	715

*The numbers in this column are the average weekly numbers in the fifty-second week of the ten years 1890–99, raised by 5·202 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
TOTAL **Births**	2319	2429	2485	2238	2392	2500	2223	2538	2338	2299	2527	2436	1591
TOTAL **Deaths**	1391	1305	1392	1403	1466	1498	1505	1515	1572	1544	1454	1382	1466
Ages at Death: Under 1 year	393	327	356	352	351	347	369	361	397	400	374	346	346
1—5 years	148	149	149	143	148	173	172	158	200	187	153	174	182
5—20 "	67	72	87	100	102	81	90	87	83	77	86	78	78
20—40 "	188	179	186	187	190	209	217	209	205	164	183	180	212
40—60 "	287	256	279	266	304	311	311	295	298	327	302	296	275
60—80 "	256	261	270	288	302	309	283	325	322	318	274	245	307
80 years and upwards	52	61	65	67	69	68	63	80	67	71	82	63	66
Deaths from—													
Small pox	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	4	11	8	20	10	22	18	21	33	23	20	26	27
Scarlet Fever	14	7	8	10	8	8	8	11	6	11	8	4	7
Diphtheria	29	26	36	39	42	35	32	22	29	34	20	36	26
Whooping-cough	18	27	20	18	13	16	15	27	21	34	28	22	31
Typhus	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	15	22	19	22	20	25	17	26	24	21	19	22	22
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	110	75	55	43	27	23	18	8	12	13	15	10	9
Cholera	–	–	–	–	1	–	–	1	–	1	–	1	–
All the above Diseases	190	168	146	152	121	129	108	116	127	137	110	121	122
Dis. of Respiratory System	164	173	182	236	268	307	352	322	435	400	349	306	325
Phthisis	135	125	141	141	152	137	150	134	158	150	135	121	146
Dis. of Circulatory System	104	129	144	140	148	137	140	145	122	137	125	117	137
Violence	62	60	59	62	70	71	73	51	65	61	64	67	64
Inquest Cases	129	120	137	141	149	159	157	138	159	141	145	135	160
Deaths in Public Institutions	445	428	476	447	467	490	469	470	483	459	456	445	431
TEMPERATURE OF THE AIR.													
Mean	54°·2	55°·3	48°·1	47°·2	52°·7	48°·8	45°·0	42°·4	44°·9	47°·4	48°·4	44°·5	42°·7
Mean of Highest readings	63·0	63·7	53·9	53·0	57·8	53·6	51·1	46·2	48·1	52·0	52·3	49·3	47·6
Mean of Lowest readings	45·5	46·6	42·4	40·8	48·5	44·4	38·4	37·7	41·4	42·4	42·9	38·6	38·4
Humidity of the Air	78	78	75	84	88	83	91	85	88	89	88	87	91
Rain-fall (in inches)	0·54	0·03	0·05	0·30	0·92	0·41	0·81	0·09	0·66	0·77	0·21	0·38	0·30
Registered Sunshine (in hours)	30·5	34·8	21·3	14·0	13·2	18·8	6·0	6·4	7·9	3·1	7·2	23·4	4·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.													
Small-pox	1	1	1	1	1	–	–	2	2	1	1	1	1
Scarlet Fever	2071	2187	2341	2489	2619	2702	2728	2725	2727	2687	2617	2477	2535
Diphtheria	1286	1314	1380	1465	1472	1521	1556	1535	1537	1515	1474	1514	1356
Enteric Fever	371	405	430	429	444	456	454	442	436	433	425	409	403

* The Metropolitan Asylum and London Fever Hospitals.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 1.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by J. Glaisher, Esq., F.R.S.:—Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; John Merrifield, Esq., LL.D., Plymouth; R. C. Cann Lippincott, Esq., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. W. Preston, Esq., F.R. Met. Soc, Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. Plummer, Esq., F.R.A.S., Liverpool; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; A. Johnson, Esq., M.Inst.C.E., Bradford; and E. Peak, Esq., F.R. Met. Soc., Hull

BLE 4. LONDON.—DEATHS Registered at several groups of AGES from different CAUSES in the FIFTY-SECOND Week of the Year 1900.

SES OF DEATH	Corrected Averages for the 52nd Week of the 10 years 1890–99*.	In the Week ending Saturday, 29th December, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
USES - - -	2168·7	1466	346	182	78	212	275	307	66
Vaccinated† -	0·1	-	-	-	-	-	-	-	-
Unvaccinated	0·1	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-
s - - - -	78·9	27	5	21	1	-	-	-	-
Fever - - -	16·3	7	1	3	2	1	-	-	-
s - - - -	-	-	-	-	-	-	-	-	-
ing Fever - -	-	-	-	-	-	-	-	-	-
za - - - -	44·6	7	1	-	2	2	1	1	-
ing-cough - -	54·4	31	10	19	2	-	-	-	-
eria - -	52·3	26	4	14	8	-	-	-	-
Continued and fined Fever -	0·6	-	-	-	-	-	-	-	-
c Fever - - -	16·9	22	-	-	4	10	6	2	-
a and Chol. Diarr.	0·1	-	-	-	-	-	-	-	-
cea, Dysentery -	13·0	9	7	-	-	-	-	1	1
ent Fever - -	0·3	-	-	-	-	-	-	-	-
phobia - - -	0·1	-	-	-	-	-	-	-	-
ers - - - -	-	-	-	-	-	-	-	-	-
x and Effects ofination - -	-	-	-	-	-	-	-	-	-
al Affections - -	9·5	7	4	-	-	3	-	-	-
elas - - -	5·8	3	1	1	-	-	1	-	-
a and Septicæmia	2·4	5	3	-	-	1	-	1	-
eral Fever - -	5·6	4	-	-	-	2	2	-	-
Zymotic Diseases	1·5	-	-	-	-	-	-	-	-
n - - - -	0·3	-	-	-	-	-	-	-	-
s and other Parasitical Diseases -	0·7	1	-	-	-	1	-	-	-
tion, Want of st-milk - -	2·2	3	3	-	-	-	-	-	-
olism - - -	14·6	14	-	-	-	3	8	3	-
matic Fever, umatism of Heart	8·0	4	-	1	1	2	-	-	-
matism - - -	2·4	1	-	-	-	-	1	-	-
s - - - -	3·6	1	-	-	-	-	-	1	-
- - - - -	5·2	3	1	2	-	-	-	-	-
- - - - -	69·1	94	-	-	-	9	40	41	4
Mesenterica - -	18·5	12	6	3	-	2	1	-	-
ular Meningitis -	21·7	23	5	16	1	1	-	-	-
is - - - -	188·8	146	1	5	14	64	56	6	-
la, Tuberculosis -	19·4	21	6	8	2	2	2	1	-
Constitutional ases - -	19·8	14	1	-	1	-	3	9	-
ture Birth - -	51·1	48	48	-	-	-	-	-	-
asis - - -	5·8	2	2	-	-	-	-	-	-
ital Malforma- - - -	7·3	4	4	-	-	-	-	-	-
e - - - -	68·6	50	-	-	-	-	-	24	26
xy - - -	54·9	46	-	-	1	4	11	27	3
sy - - - -	8·9	5	-	-	1	2	2	-	-
sions - - -	37·5	21	18	2	1	-	-	-	-
Diseases of Brain Nervous System	97·4	85	15	13	5	6	16	25	5
s of Organs of al Sense -	2·9	4	-	-	3	1	-	-	-

CAUSES OF DEATH	Corrected Average for the 52nd Week of the 10 years 1890–99*.	In the Week ending Saturday, 29th December, 1900. Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 and under 80.	80 years and upwards.
Diseases of Circulatory System - -	186·5	137	-	1	7	30	38	55	6
Croup - - - -	4·3	-	-	-	-	-	-	-	-
Bronchitis - - -	419·4	168	64	20	2	8	15	47	12
Pneumonia - - -	172·1	126	42	33	8	10	16	15	2
Pleurisy - - - -	8·8	4	-	1	-	-	1	2	-
Other Diseases of Respiratory System -	55·2	27	5	1	2	4	4	9	2
Dentition - - - -	11·0	6	3	3	-	-	-	-	-
Quinsy, Sore Throat -	1·2	-	-	-	-	-	-	-	-
Enteritis - - -	12·8	12	7	2	2	1	-	-	-
Gastro-enteritis -		4	2	2	-	-	-	-	-
Peritonitis - - -	5·3	8	-	-	1	4	2	1	-
Diseases of Liver - -	24·0	23	1	-	-	4	13	5	-
Other Diseases of Digestive System	31·9	29	9	3	-	6	1	9	1
Diseases of Lymphatic System & of Ductless Glands - - -	3·8	4	1	-	-	2	1	-	-
Diseases of Urinary System - - -	57·1	41	1	-	3	8	14	12	3
Diseases of Generative System - - -	5·2	3	-	-	-	2	1	-	-
Accidents of Childbirth -	5·8	3	-	-	-	3	-	-	-
Diseases of Locomotive System - - -	6·4	4	1	-	1	1	1	-	-
Diseases of Integumentary System - -	7·3	6	2	1	-	2	-	1	-
VIOLENT DEATHS.‡ (ACCIDENT.)									
By Railways - -		4	-	-	1	1	2	-	-
By Vehicles or Horses -		6	-	1	-	2	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning) - - -		-	-	-	-	-	-	-	-
In Building Operations -		1	-	-	-	-	1	-	-
In Conflagrations -		-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions - -	76·8	11	2	4	-	1	2	1	1
By Drowning - - -		7	-	-	1	2	3	1	-
By Suffocation in Bed -		16	16	-	-	-	-	-	-
By Poisons or Poisonous Vapours - -		1	-	-	-	-	-	1	-
Other or not stated causes - - -		12	3	-	-	5	2	2	-
(VIOLENCE OTHER THAN ACCIDENTAL).									
Homicide - - -	1·6	-	-	-	-	-	-	-	-
Suicide - - - -	7·4	6	-	-	1	-	5	-	-
Execution - - -	-	-	-	-	-	-	-	-	-
OTHER CAUSES - -	61·6	47	41	2	-	-	1	3	-

ie numbers in this column are the average weekly deaths for the ten years 1890–99, raised by 5·202 per cent. for increase ulation.

ly those cases of small-pox are returned as "vaccinated" or as "unvaccinated" which are so certified by registered al men. When the medical attendant does not certify that the deceased has, or has not, been vaccinated, or when the of death is not certified by a registered practitioner, the case is returned under the heading "no statement."

e evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death be the result of ent, murder, manslaughter, or suicide All such causes are classed under "accident."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, ME
SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered i
SUB-DISTRICT during the Week ending Saturday, 29th December, 1900.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,411,710	1591	1466	346	373	-	27	7	26	31	-	22	-	9	64	160
WEST DISTRICTS - - -	778,251	233	260	71	66	-	2	3	1	6	-	4	-	4	4	17
NORTH DISTRICTS - - -	1,040,694	328	317	65	88	-	2	2	6	6	-	5	-	1	18	39
CENTRAL DISTRICTS - - -	233,635	57	71	14	17	-	-	-	1	1	-	2	-	-	6	12
EAST DISTRICTS - - -	716,334	359	246	65	53	-	8	-	6	4	-	2	-	-	16	56
SOUTH DISTRICTS - - -	1,642,796	614	553	131	144	-	15	2	12	14	-	9	-	4	20	36
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	19	-	5	-	-	-	-	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington *WHH* G. & W.	90,996	26	28	5	12	-	-	-	-	1	-	-	-	-	-	-
St. John Paddington *H* - - G.	33,510	3	11	1	2	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *Ww* - - W.	122,164	28	57	17	18	-	-	-	-	2	-	-	-	1	1	5
Brompton *HH*- - - W & C.	48,301	6	7	1	3	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *H* } W. & G	44,638	14	11	3	1	-	2	-	-	1	-	-	-	1	-	1
South Hammersmith *wH* } W. & G	59,561	23	17	6	4	-	-	-	-	-	-	1	-	-	1	3
North-west Fulham§ *W*	113,781	26	22	9	2	-	-	1	1	-	-	-	-	2	-	-
North-east Fulham§ *w* W. & C.		11	15	7	1	-	-	2	-	-	-	1	-	-	-	1
South Fulham§		20	11	6	1	-	-	-	-	-	-	1	-	-	1	1
Chelsea Kensal Town - C.	21,450	5	5	-	1	-	-	-	-	1	-	1	-	-	-	1
Chelsea North *WHHHH* - C.	42,057	12	22	3	7	-	-	-	-	-	-	-	-	-	-	1
Chelsea South *HH* - - C.	33,139	15	9	3	3	-	-	-	-	-	-	-	-	-	-	1
May Fair *WH*- - - - G.	23,827	2	8	-	5	-	-	-	-	-	-	-	-	-	-	1
Belgrave *WHHH* - - - C.	56,140	15	15	2	5	-	-	-	-	-	-	-	-	-	-	-
St. John Westminster *HH* C.	31,492	15	8	3	1	-	-	-	-	-	-	-	-	-	1	2
St. Margaret Westminster *H* C.	22,097	6	12	3	-	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster *WH* N. & G.	23,050	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho *HHHHH* - N.	12,048	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone *HHHHHHHHH* - - W.	36,595	5	13	2	5	-	-	-	-	-	-	1	-	-	-	-
Rectory Marylebone *W* G. & W.	19,798	10	5	1	1	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone *HHHH* G. & W.	19,637	23	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* - W	32,547	11	9	2	1	-	-	-	-	1	-	-	-	-	-	-
St. John Marylebone *HHH* - W.	32,611	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *WwHHHH* - N. & W.	75,449	25	25	4	10	-	-	2	2	-	-	1	-	-	-	-
Regent's Park † *HH* - W.	51,403	12	15	3	6	-	-	-	-	-	-	-	-	-	1	1
Tottenham-court *wHHHHHH* - N. & W.	26,757	4	7	2	2	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane *HHHH* - N.	29,426	7	14	3	2	-	-	-	-	-	-	-	-	-	6	7
Somers Town *HH* - - - N.	32,161	2	7	1	1	-	-	-	-	1	-	-	-	-	1	1
Camden Town† *WH* - - - N.	40,155	18	14	2	3	-	-	-	-	-	-	-	-	-	1	3
Kentish Town† *WW* - - N.	60,862	13	10	1	6	-	-	-	-	-	-	1	-	-	-	-
Upper Holloway *WWWWwHH* - - N.	98,273	32	57	12	15	-	-	-	-	1	-	-	-	1	3	5
Lower Holloway‡ - - - N.	41,805	11	10	5	3	-	-	-	-	1	-	-	-	-	-	1
Barnsbury‡ - - - - N.	56,384	19	17	3	6	-	-	-	-	1	-	-	-	-	-	1
Islington South-east‡ *H* - N.	75,725	17	14	4	3	-	-	-	-	1	-	-	-	-	-	-
Highbury *HH* - - - N.	64,577	16	12	3	1	-	-	-	-	-	-	-	-	-	-	4
Stoke Newington *H* - - N.	33,485	10	8	3	2	-	-	-	-	-	-	-	-	-	1	1
North Hackney - E. & N.	213,044	16	15	4	6	-	-	-	-	-	-	-	-	-	-	2
Central Hackney *ww* - E. & N.		16	10	1	2	-	-	-	4	-	-	1	-	-	-	1
South-west Hackney *HHH* E. & N.		34	23	4	6	-	-	-	-	-	-	1	-	-	3	5
South-east Hackney *WwH* E. & N.		19	25	3	5	-	2	-	-	-	-	-	-	-	2	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated th
namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Di
than that in which it stands; *H*—Hospital: *L*—Lunatic Asylum; *l*—Private Lunatic Asylum in which paupe
received. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. si
Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth: N.
River; E. East London; and K. the Kent Company.

* See note † on first page of this Return.

† The Sub-Districts of Regent's Park, Camden Town, and Kentish Town were re-arranged on 1st January 1900

‡ The Sub-District of Islington South-west was abolished on 1st January 1900. Part of it was divided into two
Sub-Districts entitled Lower Holloway and Barnsbury respectively and the remainder was added to Islington South
Sub-District

§ On 1st December, 1900, the Sub-District of Fulham was divided into North-west Fulham, North-east Fulham, and

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 29th December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS	Enumerated Population 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Bloomsbury and St. Giles South *WH* - - - N.	29,086	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles North *H* - - - N.	9,151	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin-in-the-Fields *HH* N. & C.	13,077	-	7	-	-	-	-	-	-	-	-	1	-	-	1	2	5	-
Strand *WHH* - - - - N.	11,839	1	6	1	-	-	-	-	-	-	-	1	-	-	-	-	6	-
Strand Union Workhouse, Edmonton	†1,037	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn *WwHHHHH* - N.	31,042	5	13	3	4	-	-	-	-	-	-	-	-	-	1	2	5	-
St. James Clerkenwell - - N.	15,777	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amwell Clerkenwell - - N.	34,356	17	10	5	-	-	-	-	-	1	-	-	-	-	1	3	-	-
Goswell-street - - - - N.	16,069	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
City-road *HHHHL* - - N.	29,897	19	11	4	2	-	-	-	-	-	-	-	-	-	1	3	3	-
Finsbury* - - - - - N.	11,630	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham - - - -	†892	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph‡ *H* - - N. & E.	13,061	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre *WH* - - - N.	9,591	-	8	1	3	-	-	-	1	-	-	-	-	-	2	2	7	-
Allhallows Barking - - - N.	9,059	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
City of London Asylum, Stone - -	†388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South *Hl* - E. & N.	17,975	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hoxton New Town *w* - - N.	29,575	16	17	3	2	-	5	-	-	-	-	-	-	-	-	4	3	-
Hoxton Old Town - - - N.	27,645	13	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Haggerston *WH* - - N. & E.	47,163	20	16	7	7	-	-	-	-	1	-	-	-	-	-	3	5	-
Bethnal Green North *H* - E.	49,301	40	14	12	1	-	-	-	1	2	-	-	-	-	2	5	-	-
Bethnal Green South - - E.	34,194	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East *WWHl* - E.	45,667	21	19	2	10	-	-	-	-	-	-	-	-	-	-	1	14	-
Spitalfields - - - E. & N.	26,681	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *WH* - E.	51,995	17	36	4	5	-	-	-	2	-	-	2	-	-	6	11	32	-
Goodman's Fields - - - E.		11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George's, North - - - E.	39,576	26	8	3	1	-	-	-	-	-	-	-	-	-	1	5	-	-
St. John, St. George East *W* E.	7 930	4	7	1	1	-	-	-	1	-	-	-	-	-	-	1	4	-
Shadwell *H* - - - E. & N.	10,434	5	6	3	-	-	-	-	-	-	-	-	-	-	1	1	4	-
Ratcliff *W* - - - - E.	14,954	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Limehouse - - - - E.	32,917	14	7	3	1	-	1	-	-	-	-	-	-	-	2	3	-	-
Mile End Old Town West *H* E.	111,060	38	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town East *WWww* - E.		21	15	3	3	-	-	-	-	-	-	-	-	-	1	3	4	-
Bow *l* - - - - E.	41,687	23	13	4	2	-	-	-	-	-	-	-	-	-	-	2	1	-
Bromley *wwwH* - - - E.	69,821	28	39	6	10	-	-	-	2	1	-	-	-	-	3	11	21	-
Poplar *WW* - - - - E.	57,759	32	23	8	5	-	1	-	-	-	-	-	-	-	-	6	1	-

* Whitecross Street Sub-District was united to Finsbury Sub-District on 1st October, 1900.
† Population in 1891 not included in the total population of the Central Districts or of London.
‡ Cripplegate Sub-District was united to St. Botolph Sub-District on 1st February, 1900.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ending Saturday, 29th December, 1900—*continued.*

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1896.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 6 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Simple Continued Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
SOUTH DISTRICTS.																		
Christchurch Southwark *WHL.&S.*	13,064	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark - - S.	12,301	8	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - - S. & L.	22,879	8	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Borough-road *WH* - S. & L.	16,083	4	6	1	1	-	-	-	-	1	-	-	-	-	1	1	2	-
London-road *HL* - - L. & S.	21,316	9	6	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Trinity Newington *H* - S. & L.	28,723	11	10	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Peter Walworth *W* - S. & L.	62,045	28	25	4	5	-	-	-	-	1	-	-	-	-	1	3	2	-
St. Mary Newington- - L. & S.	30,171	20	7	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-
St. Olave *WH* - - - - S.	11,731	-	13	-	3	-	-	-	-	-	-	1	-	-	5	5	12	-
Bermondsey *W* - - - - S.	85,475	38	25	11	-	-	5	-	-	1	-	-	-	-	-	-	-	-
Rotherhithe *Ww* - S. & K.	40,379	11	16	4	3	-	1	-	-	1	-	-	-	-	-	-	9	-
Waterloo-road *HH* - L. & S.	28,396	15	7	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-
Lambeth Church 1st *H* - L. & S.	18,770	8	12	1	2	-	-	-	-	-	-	-	-	-	-	-	9	-
Lambeth Church 2nd *WW* L. & S.	40,994	17	26	6	12	-	-	-	-	1	-	-	-	-	1	2	13	-
Kennington 1st *H* - - S. & L.	52,486	25	12	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd - - S. & L.	43,244	8	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Brixton *w* - - - L. & S.	81,825	24	21	6	7	-	2	1	-	-	-	-	-	-	-	-	1	-
Norwood *WH* - - - - L.	29,318	7	11	1	6	-	-	-	-	-	-	-	-	-	1	1	-	-
East Battersea - - - - S.	71,730	31	23	10	2	-	2	-	-	2	-	-	-	-	-	2	-	-
North-west Battersea† - - S.	93,385	23	16	3	3	-	1	-	-	-	-	-	-	-	-	4	-	-
South-west Battersea† *WwH* - S.		14	18	4	14	-	-	-	-	-	-	-	-	1	2	3	17	-
Clapham *H* - - - - S.	46,953	23	10	4	1	-	-	-	-	-	-	-	-	-	1	1	2	-
Streatham *WwwwwL* - - L.	61,644	30	24	5	8	-	-	-	2	1	-	1	-	-	-	-	4	-
Wandsworth *WHHL* - - S.	58,101	14	13	4	2	-	-	-	-	-	-	1	-	-	-	1	1	-
Putney - - - - - S.	20,566	7	6	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	7,519	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell *WWwll* - S. & L.	90,286	22	37	5	15	-	-	-	-	1	-	1	-	1	1	1	15	-
Peckham *WW* - S., L., & K.	88,242	34	17	5	7	-	-	-	-	1	-	-	-	1	-	-	-	-
St. George Camberwell - L. & S.	67,029	21	21	8	4	-	1	-	-	1	-	-	-	1	-	2	-	-
Deptford North - - - K.	36,152	12	11	2	4	-	-	-	-	1	-	-	-	-	3	3	-	-
Deptford Central *w* - - K.	45,441	15	15	4	-	-	-	-	2	-	-	2	-	-	-	-	4	-
Deptford South - - - K.	33,402	5	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H* - - K.	23,012	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *WH* - - K.	37,767	14	19	4	6	-	-	-	-	-	-	1	-	-	-	-	10	-
Eltham *wH* - - - - K.	5,911	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *H* - - - - - K.	24,222	6	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *WwH* - - - K.	38,139	18	29	6	6	-	-	1	4	-	-	1	-	-	1	1	9	-
Sydenham *H* - - - - L.	37,601	12	11	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Charlton *wHH* - - - K.	15,928	5	10	-	-	-	-	-	4	-	-	-	-	-	1	1	7	-
Woolwich* *HHHH* - - K.	41,314	26	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *H* - - K.	16,714	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *WE* - - K.	42,538	19	13	1	1	-	-	-	-	-	-	1	-	-	-	1	5	-
Banstead Asylum - - - -	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Horton Asylum, Epsom - - -	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Caterham Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hospital Ships and Camp, Dartford	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth Asylum - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford Heath - - - - -	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell Asylum - - - -	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Central London Sick Asylum, Hendon	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch Asylum - - -	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
N.E. Hospital - - - - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchmore Hill Hospital - -	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden Asylum - - - -	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury Asylum - - - -	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

* The Sub-Districts of Woolwich Dockyard and Woolwich Arsenal were united on 1st April, 1900, and re-named Woolwich.
† On 1st May, 1900, the Sub-District of West Battersea was divided into the two Sub-Districts of North-west Battersea and South-west Battersea. On the same date the order of the Sub-Districts in the Wandsworth District was changed.

E 6.—LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 29th December, 1900.

s-n ct - ct -	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1891.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	ONDON—OUTER RING -	368,749	1,422,063	649	468	143	101	-	8	5	14	14	4	-	28	47	53	9
1	Carshalton *H* - - -	12,228	26,108	8	6	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of* WwHHH*	10,423	12,508	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-
1	Godstone, *part of* W* -	2,754	1,598	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Croydon *WWwHHH* -	20,851	128,699	40	37	8	14	-	-	-	-	2	-	-	2	5	11	-
2	Mitcham *w* - - -	11,697	23,072	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-
1	Wimbledon *HHH* - -	3,220	25,777	12	11	4	2	-	1	-	-	-	-	-	1	2	-	-
2	Kingston *WH* - - -	14,672	33,566	17	12	4	2	-	1	-	-	1	-	-	-	1	3	-
3	Surbiton *HH* - - -		12,178	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H* - -		11,080	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *HL* - - -	4,565	18,252	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Richmond *WHH* - -	2,160	25,389	5	6	-	3	-	-	-	-	-	-	-	1	2	2	-
2	Mortlake *H* - - -	2,823	16,159	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Bromley *HHH* - - -	9,127	23,815	10	6	2	2	-	-	-	-	-	-	-	-	-	-	1
2	Beckenham *H* - - -	6,542	21,969	10	3	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Chislehurst, *part of* WHH*	14,307	20,372	6	4	1	2	-	-	-	-	-	-	-	1	1	-	-
1	Bexley *HHH* - - -	12,540	30,590	19	11	4	1	-	-	-	-	-	-	-	1	1	-	1
2	Dartford *WH, part of** -	—	—	-	3	-	-	-	-	-	1	-	-	-	-	1	3	-
1	Sunbury *w* - - -	11,054	13,671	5	5	1	3	-	-	-	-	-	-	-	-	1	-	-
2	Staines *WH* - - -	13,277	13,221	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Hillingdon *WHH* - -	6,035	12,237	4	4	2	1	-	-	-	-	-	-	-	1	1	1	2
2	Uxbridge - - - -	12,757	7,253	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *wH* - - - -	7,952	11,051	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth *WHH* - -	6,967	26,004	5	9	4	1	-	-	-	-	-	-	-	1	1	1	-
2	Twickenham *HH* - -	2,415	16,027	4	7	2	1	-	-	-	-	-	-	-	1	1	-	-
3	Brentford *HHHH* - -	4,318	37,777	8	8	3	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick - - - -	1,245	21,963	13	11	2	3	-	-	-	-	-	-	-	1	2	-	-
5	Acton *wHH* - - -	6,132	30,945	15	12	7	2	-	-	-	-	-	-	-	1	1	-	-
1	Harrow *HHH* - - -	13,809	15,715	9	5	3	1	-	-	-	-	1	-	-	-	-	-	1
2	Edgware *HH* - - -	6,994	3,844	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *HHH* - -	4,383	61,265	40	19	9	2	-	-	-	-	-	-	-	1	2	1	1
4	Hendon *WH* - - -	8,382	15,843	9	5	2	-	-	-	-	-	-	-	-	-	-	2	-
1	South Mimms *HH* - -	21,077	6,367	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Barnet *WHH* - - -		14,152	4	6	1	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley *HHH* - - -	4,688	25,820	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Hornsey *HH* - - -	3,039	61,097	20	11	2	5	-	1	-	-	-	-	-	-	1	-	-
2	Tottenham *HHH* - -	4,642	97,174	51	30	8	7	-	1	-	1	1	-	-	3	6	-	-
3	Edmonton *Ww* - -	7,489	36,351	19	13	4	2	-	-	1	-	-	-	-	-	-	2	-
4	Enfield *WWHH* - -	12,602	31,536	10	11	4	2	-	-	-	1	1	-	-	-	1	-	-
5	Waltham Abbey - - -	11,017	6,066	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cheshunt *H* - - -	8,480	9,620	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, *part of* W* -	3,306	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bushey *H* - - - -	9,331	7,737	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford *WHH, part of** -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford *H* - - -	4,706	38,612	15	9	5	-	-	-	-	-	-	-	-	2	2	2	-
2	Plaistow *HHH* - - -		58,030	31	31	14	1	-	-	-	2	-	-	-	2	2	2	-
3	Canning Town *H* - -		54,750	30	21	5	3	-	-	-	1	1	-	-	3	3	1	2
4	Forest Gate *w* - - -		53,511	19	13	3	1	-	-	1	1	-	-	-	-	1	-	-
5	East Ham *wHHH* - -	3,266	32,713	27	22	3	6	-	1	1	-	1	2	-	-	1	1	-
6	Wanstead† - - - -	4,334	7,042	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-
7	South Leyton† *WW* - -		38,232	16	24	6	10	-	2	-	3	1	-	-	-	-	14	-
8	North Leyton† *WwH* -		24,874	17	10	3	4	-	-	-	-	2	-	-	1	1	-	1
9	Walthamstow *HHHL* -	6,501	57,370	49	34	14	4	-	1	-	2	2	-	-	1	1	1	-
1	Chigwell, *part of** *HHHH*	11,779	12,941	5	2	-	-	-	-	-	1	-	-	-	-	1	-	-
2	Epping *WH, part of** - -	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, *part of** *W* -	6,556	4,324	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *H* - - - -	8,493	10,913	15	8	2	-	-	-	-	-	1	1	-	-	-	1	-
3	Barking Town, *H* - -	3,814	14,301	14	5	2	-	-	-	-	-	-	-	-	2	3	-	-
	Eastern Fever Hospital, Homerton.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	North-Eastern Fever Hosp., Tottenham.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer ng are as follows:—30: 2, excepting Ashstead parish (pop. 1,351); 37; 1, excepting Warlingham and Farley parishes; 3, excepting Esher parish (pop. 2,282); 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes (pop. 3,097); : 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish (pop. 1,079); 189: 1, Dagenham rish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 2, 137: 2, and 187: 2 also included.

186: 6, 7, 8.—On 1st November, 1900, Leyton Sub-District was divided into Wanstead, South Leyton, and North Leyton b-Districts.

TABLE 7.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—DEATHS and Rates of MORTALITY during the week ending Saturday, 29th December, 1900.

GREATER LONDON.	Area in Acres.	Population estimated in the middle of the year 1900.	Annual Rate of Mortality per 1000 living. From all Causes.	Annual Rate of Mortality per 1000 living. From Diseases in Cols. 8-14.	Deaths from All Causes.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Deaths in Public
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10	11.	12.	13.	14.	15.	16
GREATER LONDON	443,421	6,652,145	15·2	1·3	1934	489	474	-	35	12	40	45	26	9	92	48
INNER LONDON -	74,672	4,589,129	16·7	1·4	1466	346	373	-	27	7	26	31	22	9	64	43
OUTER RING -	368,749	2,063,016	11·8	1·1	468	143	101	-	8	5	14	14	4	-	28	5

NOTE.—The area of Greater London is 443,421 acres. This area is equal to 692·845 square miles, which is equivalent to the area of a circle having a radius of 14·851 miles.

TABLE 8.—BIRTHS and DEATHS and Rate of MORTALITY in EDINBURGH, GLASGOW and DUBLIN, and in certain FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn	DEATHS. Exclusive of Stillborn	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases
EDINBURGH -	302,262	December 29	166	102	17·6	-	2	-	2	-	-	1
GLASGOW - -	743,585	" 29	382	304	21·3	3	1	2	3	28	6	6
DUBLIN† - -	349,594	" 29	165	144	21·5	-	-	1	-	5	4	2
CALCUTTA - -	466,460	November 3	-	388	43·4	2	-	-	-	-	140	58
BOMBAY - -	821,764	December 11	245	771	48·9	-	4	?	?	?	139‖	77
MADRAS - -	452,518	November 23	389	446	51·2	1	-	?	?	?	125	73
PARIS - - -	2,511,629	December 22	1006	882	18·2	8	3	2	8*	1	10	15
BRUSSELS - -	570,844	" 22	246	140	12·8	-	3	-	1*	1	2	10
AMSTERDAM -	527,181	" 15	313	188	18·9	-	13	-	-	1	1	-
ROTTERDAM -	325,556	" 15	240	114	17·9	-	-	-	1	1	1	-
THE HAGUE -	205,328	" 15	87	64	16·0	-	1	-	2	2	-	-
COPENHAGEN -	354,000	" 22	160	96	14·1	-	1	1	1	1	-	4
STOCKHOLM -	297,148	" 15	162	97	17·0	-	-	1	5*	-	1	8
CHRISTIANIA -	226,423	" 22	173	59	13·6	-	-	-	1	-	-	2
ST. PETERSBURG	1,132,677	" 15	666	652	30·0	-	8	29	29	3	13	51
MOSCOW - -	988,610	" 15	-	560	29·5	-	10	7	11	2	3	61
BERLIN - -	1,857,859	" 8	921	619	17·1	-	9	12	11	13	4	36
HAMBURG - -	691,349	" 22	-	196	14·7	-	3	-	2*	2	-	5
DRESDEN - -	407,500	November 10	-	101	12·8	-	2	-	1*	-	1	9
BRESLAU - -	412,959	December 22	-	-	-	-	-	-	-	-	-	-
MUNICH - -	463,000	" 22	-	202	22·7	-	4	-	4*	-	-	20
VIENNA - -	1,656,662	" 22	846	649	20·1	-	36	4	7*	3	2	41
PRAGUE - -	391,693	" 22	133	176	23·3	-	1	2	-	2	1	5
BUDA-PESTH -	685,340	" 15	470	274	20·8	-	12	4	4	2	-	17
TRIESTE - -	168,264	" 15	90	89	27·3	-	-	-	-	-	1	5
		" 22	79	83	25·6	-	-	-	2*	-	-	5
ROME - - -	518,333	November 24	197	177	17·8	-	-	-	-	-	19§	19
TURIN (11 days)-	344,203	October 31	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,170	December 22	66	68	20·4	-	-	-	1*	-	2	1
CAIRO - -	570,062	November 25	468	332	30·3	-	1	-	5*	-	4	63
ALEXANDRIA -	319,766	" 25	281	206	33·5	1	-	-	4*	1	3	53
NEW YORK (including BROOKLYN)	3,654,594	" 24	1555	1164	17·6	1	-	3	35	2	22	21
PHILADELPHIA -	1,293,697	December 8	-	376	15·2	-	-	1	24	3	7	1

* Including deaths from croup.
† Exclusive of deaths of persons admitted into Public Institutions from without the Dublin Registration Area.
‡ Including 11 deaths from cholera in Calcutta, 3 in Bombay, and 1 death in Madras.
§ Including 5 deaths from malarial fever.
‖ Including 76 deaths from plague in Bombay.

1900. Month and Day		Phases of the Moon.	Barometer: Mean daily reading (corrected and reduced 32° Fahrenheit).	Temperature: Of the Air: Highest.	Temperature: Of the Air: Lowest	Temperature: Of the Air: Daily Range.	Temperature: Of the Air: Mean daily value.	Temperature: Of the Air: Departure from Average of 50 years.	Temperature: Of the Dew point: Mean daily value.	Difference between the Air Temperature and Dew Point Temperature: Mean daily value.	Difference: Greatest.	Difference: Least.	Degree of Humidity (Saturation equals 100).	Temperature: Of Radiation: Highest in Sun's Rays.	Temperature: Of Radiation: Lowest on the Grass.	Temperature: Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers: Osler's: General Direction: A.M.	Wind: Osler's: General Direction: P.M.	Wind: Osler's: Pressure on the Square Foot: Greatest.	Wind: Osler's: Pressure: Least.	Wind: Osler's: Pressure: Mean of 24 hourly obs.	Wind: Robinson's: Horizontal Movement of the Air on each Day.	Wind: Robinson's: Departure from Average of 16 Years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	23	..	29·798	38·0	30·7	7·3	33·0	− 5·4	33·0	0·0	0·3	0·0	100	42·1	24·5	47·63	Calm	Variable & calm.	0·1	0·0	0·0	72	−231	0·00	0·0
MONDAY -	24	..	29·942	45·2	31·3	13·9	36·9	− 1·4	36·9	0·0	0·3	0·0	100	45·2	28·9	47·14	Calm & variable.	SW. & SSW.	1·5	0·0	0·1	159	−142	0·00	1·5
TUESDAY -	25	..	29·859	51·2	45·2	6·0	49·0	+10·7	47·3	1·7	3·2	0·6	94	57·2	36·8	46·77	SSW.	SSW. & S.	6·3	0·0	1·0	461	+161	0·00	4·5
WEDNESDAY	26	..	29·733	51·5	43·1	8·4	47·8	+ 9·4	44·6	3·2	6·0	0·7	89	64·2	36·4	46·70	S., SSW. & SW.	SW., S. & SSE.	7·2	0·0	0·7	351	+ 51	0·01	0·7
THURSDAY-	27	In Equator.	29·256	50·8	44·1	6·7	48·1	+ 9·7	46·0	2·1	5·3	0·6	93	52·3	37·0	46·94	SE. & S.	SSW., SW. & S.	6·4	0·0	1·0	411	+110	0·20	3·5
FRIDAY -	28	..	28·966	53·2	40·6	12·6	45·1	+ 6·6	38·8	6·3	9·9	1·1	78	53·2	35·5	47·08	SW.	WSW. & W.	27·0	0·0	5·0	956	+654	0·09	4·0
SATURDAY-	29	First Quarter.	29·578	43·3	33·5	9·8	38·8	+ 0·2	34·4	4·4	8·5	0·8	84	62·2	29·0	47·16	WSW.	WSW, SSW. & S.	7·9	0·0	0·8	345	+ 41	0·00	0·8
MEANS -			29·590	47·6	38·4	9·2	42·7	+ 4·3	40·1	2·5	4·8	0·5	91	53·8	32·6	47·06	SW.		..	..	..	Sum 2755	Sum +644	Sum 0·30	2·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	23	s. P. till 5h. A.M.; m. P. till 10h. A.M.; insulation defective afterwards.	0·0	7·8	Overcast; dense fog prevalent throughout the day. Very damp.
MONDAY -	24	Insulation defective till noon; m. P. afterwards.	0·0	7·8	Overcast and foggy till afternoon; partially cloudy afterwards. Very damp day.
TUESDAY -	25	w. P. throughout.	0·0	7·8	Partially cloudy in early morning; overcast till 8h. P.M.; cloudless afterwards. Very mild.
WEDNESDAY	26	w. P. generally.	1·6	7·8	Cloudy and showery, with brisk wind, in morning; fine, with variable amounts of cloud, till 6h. P.M.; generally cloudless afterwards. Solar halo in forenoon. Very mild.
THURSDAY-	27	w. P. and w. N. till noon; w. P. afterwards.	0·0	7·8	Generally overcast; frequent rain. Gusty wind at night.
FRIDAY -	28	w. P. till 10h. A.M.; v. N. and w. P. till 3h. P.M.; m. P. afterwards.	0·0	7·8	Variable in morning; generally overcast, with frequent rain, till 7h. P.M.; cloudless afterwards. A gale of wind.
SATURDAY-	29	m. P. generally till 9h. A.M.; s. P. afterwards.	3·0	7·8	Cloudless, with slight hoar frost in morning; fine and partially cloudy afterwards. Gusty wind prevalent till 4h. A.M.
			Sum 4·6	Sum 54·6	
No. of Col. -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·77 in. at the beginning of the week to 29·98 in. by 8h. P.M. on the 24th; decreased to 29·66 in. by 5h. A.M. on the 26th; increased to 29·75 in. by 11h. A.M. on the same day; decreased to 28·78 in. by 11h. A.M. on the 28th; increased to 29·61 in. by 9h. P.M. on the 29th; and was 29·60 in. at the end of the week.

LONDON:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34–40, BACON STREET, E.

1901.